

DOE Bioenergy Technologies Office (BETO) 2015 Project Peer Review

2.4.2.303 Brazil Bilateral: Petrobras-NREL CRADA



March 25, 2015

BETO Area: Thermochemical Conversion

NREL AOP: Industry and Refinery Integration

Helena L. Chum, National Renewable Energy Laboratory

PETROBRAS Andrea Pinho, Petrobras / CENPES

ENSYN In collaboration with Barry Freel, Ensyn Corp.

This presentation does not contain any proprietary, confidential, or otherwise restricted information

Goal Statements





Brazil Bilateral: Petrobras-NREL CRADA

- Demonstrate technical and economic feasibility of co-processing raw fast pyrolysis oil in Fluid Catalytic Cracking (FCC) operation
 - Establish collaborations with credible commercial partners
 - Produce 2000 gallons of raw pyrolysis oil for co-processing runs (2 feeds)
 - Generate co-processing yield data at steady-state from FCC unit at
 Petrobras demonstration refinery SIX (scale of 200 kg / hr = 32 bbl / day)
 - Perform techno-economic and sustainability analyses based on yield data
 - Assess the impact of bio-oil co-processing on bioeconomy (national / global)
 - Publish results in up to three (3) peer reviewed journal articles
- Support BETO Strategic Goals and Bioeconomy Development
 - Develop commercially viable technologies for converting biomass feedstocks into energy dense, fungible, liquid transportation fuels
 - Supports U.S. and Brazil Strategic Energy Dialogue goals in advanced biofuels and industrial partnerships across these and other countries

Quad Chart Overview





Timeline

Actual Start Date	February, 2013
End Date	September, 2015
Overall % Complete	75%
NREL % Complete	50%

Budget

	Total Costs FY10 to FY12	FY 13 Costs	FY 14 Costs to Q1 FY15	Total Planned Funding FY15-End Date
DOE Funded BETO		\$41K	\$58K	\$265K
EERE Intl.	\$37K	\$71K	\$56K	\$250K

Project Cost Share

1. Petrobras \$1,976K



2. Ensyn Corp. \$100 K



Barriers

Addressed:

- Tt-S. Petroleum Refinery Integration of Bio-Oil
- Tt-R. Process Integration
- Tt-K. Product Finishing

Other:

- Commercial Suppliers of Bio-oils
- Direct Bio-Oil Coprocessing in FCC deemed not possible because of coke formation


Partners

- Petrobras R&D, CENPES, Rio de Janeiro, RJ
- Petrobras SIX facility, Sao Matheus do Campo, PR, Brazil
- NREL National Bioenergy Center, Alternative Fuels and Strategic Energy Analysis
- Ensyn Corp. and partners, principally Fibria Celulose, Brazil

4:1 partners: DOE funding

Conventional Petroleum Refinery Integration of Bio-Oil Tested in Demo scale

BETO Barriers Tt-S & Tt-R



Techno-economic Analysis Basis

- VGO and intermediate prices from EIA Bloomberg and OPIS
- Pyrolysis oil price(s) from BETO-funded TEA


- FCC costs and savings discussed with Petrobras and Ensyn
- FCC intermediate yields from Petrobras SIX pilot plant facility

Petrobras-NREL CRADA: Petrobras Facilities




Petrobras SIX Facility (São Mateus do Sul, Parana







Petrobras-NREL CRADA: Ensyn/Fibria Partnership







Fibria Celulose, 2.5 million ton/yr pulp mill in Aracruz, Espirito Santo, Brazil where Ensyn and Fibria are developing a 20 million gallon/year RFOTM plant

1 – Project Overview





 CENPES coprocessing run on U.S. feedstocks and analyses

200kg/h

 SIX coprocessing runs for products, heat/mass balances



Scale 10kg/h;

Analyses

 Produce oak/bagasse pyrolysis oils for CENPES coprocessing

 Chemical, technical, economic, environmental analyses

U.S.-Brazil Agreements

Strategic Energy Dialogue

MOU to Advance 2007
 Cooperation on Biofuels

Outcome: Technoeconomic and Lifecycle analyses of FCC products with/without bio-oil

Original CRADA to end in March 2015

2011

2 - Management Approach

- Active management style by milestones/deliverables
 - Unpredictable shipping times between the two countries by 9/2013 implied the project would not deliver pyrolysis oils to Petrobras on 12/2013
 - Early decision made on performing much more 200 kg/hour coprocessing runs at Petrobras SIX instead of kg/hour with NREL oils at Petrobras CENPES
- Ensyn Corp. selected as supplier of commercial pyrolysis oil
 - NREL enabled through the CRADA & SED the Materials Transfer Agreement with ENSYN and Petrobras for bilateral shipping of samples. ENSYN Corp. partnership with Fibria, a Brazilian company, eliminated timing uncertainties
- The project coprocessed by 12/2013 enough bio-oil to produce 1000 gal of un-distilled products from coprocessed VGO and bio-oils. The milestone of 12/2013 was surpassed
 - Petrobras modifications at the SIX facility also enabled distillation of these products into gasoline and diesel coproduced samples that Fibria sent to the U.S. in 4/2014
- Management by quarterly milestones, active communications with partners -- monthly group phone calls, frequent POCs phone calls, with frequent emails, reciprocal site visits
 - Data exchanged by the partners enabled reaching the milestone of 12/2014 with the preliminary technoeconomic analysis on time

Go/No-Go

3 – Technical Accomplishments/ Progress/Results

Barrier	Accomplishments/Progress/Results			
Commercial Supplier	Ensyn Corp./Fibria provided 6 ton pine bio-oils on 11/ 2013			
Direct Bio-Oil Co- processing in FCC	Petrobras demonstrated in processing heavy oil residues that Flow Rate: Coke Pilot > Coke Demo ≥ Coke Commercial 1 kg/h 200 kg/h (Gilbert, 2010, Petrobras)			
not possible because of high coke formation from	The relationship holds for co- Bio-oil weight %			
literature g/min to kg/h	processing bio-oils at 200 kg/h: Coke, wt. % 6.4% 6.0% 6.5%			
Tt-R. Process Integration VGO=vacuum gas oil	Changes made: a separate feeding line (<80°C) and bio-oil injection point in a way to cause thermal degradation so that the cracked molecules undergo further cracking in the riser without substantial coking formation on the catalysts.			
Petroleum Refinery Integration of Bio-Oil	Pine pyrolysis oil coprocessing with VGO at 200 kg/hour flow rate at Petrobras reached a cumulative 400 operating hours.			
Tt-K. Product Finishing (ENSYN and collaborators)	At 5 % bio-oil, uninterrupted processing for 70 hours collected crude that subsequently was distilled to 400 gallons of gasoline and 400 gallons of diesel materials. FIBRIA shipped the coprocessed oils to the U.S. in 3/2014			


Preliminary NREL TEA:

- 5 wt.% bio-oil VGO is positive economically relative to just VGO processing
- 10 wt.% changes in product slate has slightly negative economics vs. VGO

Proof of concept








breaks high molecular weight
Lab (ACE unit)

breaks high molecular compounds!



- Uniformly heated at reaction temperature (510-540°C)
- Only one feed entrance

Scale matters!


Pilot/Demonstration/Commercial

Demo/Commercial: possible to have multiple feed points 10

Barrier: Integration of Bio-Oil in Commercially Relevant Scale FCC



- Same type of hardware used in industrial units
 - Feed nozzles
 - Riser closed-coupled cyclone (catalysthydrocarbons separation device)
 - Structured packing stripper
 - Heat balanced
 - Mass flowrate: 200 kg/h
 - Riser: L=18 m, d= 2"
- Process
 - Mass balances: 96-98%
 - 3 hours-long tests
 - # tests using bio-oil: 78
 - Cumulative time w/bio-oil > 400 hours
 - Up to 20% of bio-oil




Tt-R: Process Integration



Tt-K: Product Finishing

- Ensyn/Canada bio-oil: 6 tons from pine woodchips
- Tankage and feed lines retrofitted
- 70 hours uninterrupted production w/5% bio-oil/VGO
- Products distilled into FCC gasoline and LCO in 4/2014
- Fibria shipped FCC intermediates to U.S. for hydrogenation and testing of final gasoline and diesel



Oil Stability at Petrobras

Oil Production: ~3/2013, Canada SIX Production runs: 11-12/2013 SIX Process R&D runs: 1-4/2014 Oil viscosity increased; remaining solid sample disposed: 11/2014

Enablers of TEA: Yields/Catalyst



Weight %	100% VGO	95% VGO + 5% Bio-oil	90% VGO + 10% Bio-oil
Dry Gas	3.5	2.8	2.8
LPG (C3-C4)	13.8	13.8	12.5
Gasoline (C5-220°C)	39.9	40.6	38.8
Diesel (220-344°C)	20.3	19.6	19.2
Bottoms (+ 344°C)	16.1	14.4	14.4
Coke	6.4	6.0	6.5
СО	0.0	1.0	1.7
CO ₂	0.0	0.4	0.6
Water	0.0	1.4	3.5

- Negligible catalyst deactivation caused by alkaline metals was found after 24h with 5 wt.% bio-oil.
- Longer test runs are necessary to address this issue.

Enabler of TEA: Oxygen Mass Balances PETROBRAS



Oxygen balance during co-processing at 540 °C (kg of oxygen / 100 kg of feed)

	5%	Bio-Oil Co- Processing	10%	Bio-Oil Co- Processing
Feedstock	2.54	100.0 %	5.07	100 %
CO	0.57	22.4 %	0.97	19.1 %
CO ₂	0.29	11.4 %	0.44	8.7 %
Water	1.24	48.8 %	3.11	61.3 %
Liquid Products	0.05	2.0 %	0.05	1.0 %
Not Classified	0.39	15.4 %	0.50	9.9 %
Balance Closure	2.15	84.6 %	4.57	90.1 %

Improved oxygen mass balance closure at demo-scale


Previous work

- Petrobras / demo scale:
 - BTG bio-oil
 - closure ~70 and 87 wt. %
- Literature / lab scale:
 - Oxygen balance around 50 wt. %

Fogassy et al., 2010. Applied Catalysis B: Environmental, v. 96, p. 476-485

Analysis Approach






Initial techno-economic analysis represents feasibility study


- Provides justification for continuing project effort (Go / No-Go)
- Establishes basis for sustainability and impact analysis (Relevance)

3 – Accomplishments and Results





Overall blending has a positive impact on profits for 5% biooil, slightly negative for 10% Bio-oil. Process not optimized




Most significant impact on profitability is the cost of feed to the FCC Unit

1:3: PETROBRAS

3 – Accomplishments and Results

ENSYN





Additional capital and operating costs are insignificant compared to the value of VGO, bio-oil, and FCC products

4 – Relevance




ENSYN

Impact of Co-Processing: 50,000 Barrel / Day FCC Unit

Bio-Oil Ratio	Feedstock	Raw Bio-Oil	Products
5 wt%	500,000 Tons / Yr	300 MM Lb / Yr	28 MM GGE / Yr
10 wt %	1,000,000 Tons / Yr	600 MM Lb / Yr	36 MM GGE / Yr

Note: 5 wt % bio-oil in FCC equates to ~3.9 vol % due to substantially higher density of bio-oil relative to VGO



Roughly same fuel energy obtained from 1,000 – 1,200 ton/day cellulosic fuel facility with minimal refinery investment

4 – Relevance





Potential Impact of FCC Co-Processing

	FCC Capacity (Barrels / Day)	FCC Capacity (MM Gal / Yr)	5 wt % Bio-Oil Products (MM Gal / Yr)	10 wt % Bio- Oil Products (MM Gal / Yr)
TEA Basis	50,000	770	28	36
Brazil	587,000	9,000	330	420
United States	6,000,000	92,000	3,300	4,300
World	14,600,000	224,000	8,100	10,400

	Annual Biomass demand, Million Tons	Annual Biomass– Derived Products, Billion GGE (Billion Gal EtOH Equiv.)
U.S.A.	50-70	3.3 (5.0-6.5)
World	130-170	8.1-10.4
UN SE4ALL initiative, 2030 projected*		60 (advanced) 100 (conventional)
10 The State of th	2030: A Renev	vable Energy Roadmap.

*IRENA (2014), REmap 2030: A Renewable Energy Roadmap, Summary of Findings, June 2014.

FCC co-processing has potential to contribute significantly towards U.S. and global volumetric biofuel goals

5 – Future Work



Next Steps

- Petrobras SIX data obtained after July 2014 will be incorporated into the TEA by NREL
- Comparative LCA with and without bio-oil will be conducted
- ENSYN Corp. will prepare the bagasse pyrolysis oils from bagasse in preparation by INL
- Bagasse oils to be shipped to Petrobras for co-processing

Key Upcoming Milestones

- TEA modeling, sensitivity analysis, and initial LCA by 6/30/15
- Final CRADA report by 9/31/15

Publish Results

Publish three (3) papers in peer reviewed literature

Project Summary









- Petrobras and NREL selected a commercial pyrolysis oil supplier
- Ensyn Corp. provided 2000 gallons of pine pyrolysis oil to Petrobras demonstration unit SIX, through its partnership with Fibria Celulose, Brazil
- By 12/2013, Petrobras SIX operated continuously its demonstration FCC unit at 200 kg/hour for 70 hours producing coprocessed VGO and bio-oil, without problems. Subsequent distillation isolated gasoline and diesel fractions.
- The SIX facility produced significant technical data of coprocessing analyzed by Petrobras CENPES and shared with NREL to generate the preliminary TEA
- Fibria shipped 400 gallons each of gasoline and diesel to the U.S. (3/2014)
- A cumulative 400 hours of operation of the SIX unit coprocessing VGO and bio-oils was completed
- Preliminary NREL TEA results:
 - 5 wt.% bio-oil VGO is positive economically relative to just VGO processing
 - 10 wt.% changes in product slate has slightly negative economics vs. VGO
 - Impact of 5% bio-oil in 50,000 bbd FCC co-processing similar to
 1,000 1,200 ton per day cellulosic fuel facility with minimal refinery investment
 - FCC co-processing has the potential to contribute significantly towards U.S. (RFS2) and global (UN Sustainable Energy for All) volumetric biofuel goals

21

Thank You

Petrobras Project Collaborators and Supporters

US Department of Energy:

BETO: Steven Thomas (POC), Kevin Craig, Nichole Fitzgerald, Prasad Gupte, Liz Moore (*TC Conversion*); Zia Haq, Kristen Johnson, Alison Goss Eng, Alicia Lindauer (*Analysis & Sustainability*)

DOE EERE International: Rob Sandoli DOE International: Rhianon Davis

U.S. Dept. of State: Dan Birns

NREL: Helena Chum (POC) Chemical analysis: Kim Magrini, Steve Deutch, David Templeton, S. Black; Technoeconomic Analysis: Mike Talmadge, Chris Kinchin, Mary Biddy; Fuel characterization: Earl Christensen, Bob McCormick; Sustainability: Helena Chum, Yimin Zhang; Management: Adam Bratis, Mark Davis,

Tom Foust; CRADA and Materials Transfer Agreements with Ensyn: Anne Miller, Eric Payne, Rich Bolin, LaNelle Owens.

Brazilian Ministry of Mines and Energy:

Ricardo Dornelles

Petrobras/CENPES:

Biomass Conversion (Process):

Andrea Pinho (POC), Marlon Almeida, Vitor Ximenes, Fabio Mendes,

CENPES Analytical: Marco Antonio Gomes, Rosana Cardoso, Roberta M. T. de Mattos, L. Alexandre Sacorague

Sustainability: Cristiano Machado Silveira Management: Andre Fachetti, Raul Rawet, Alipio Ferreira Pinto Jr., Oscar Chamberlain

Petrobras/SIX

Maicon Tait, Luiz Carlos Casavechia, and their Research Production Teams

ENSYN Corporation:

Bob Graham, Barry Freel, Raymond Pirraglia

FIBRIA Celulose:

Centro de Tecnologia Aracruz Matheus Antunes Guimarães

Additional Content for Reviewers

- Key numbers used in the TEA
- Future Project Milestones
- Responses to Comments from 2013 Peer Review
- References used in the Peer Review Presentation
- Project and related partner Publications, Presentations,
 Commercialization, IP
- List of Acronyms and Abbreviations
- Additional Slides for Petrobras NREL CRADA Project

Key numbers for the TEA

Price Basis for Techno-economic Analysis (TEA)

Intermediate or Product	Value	Source
Biomass	\$80/dry U.S. ton	DOE-BETO funded efforts at INL
VGO	\$2.38/gal	OPIS, Bloomberg
Bio-oil	\$1.43/gal	DOE, discussed with Ensyn
Dry Gas	\$0.26/kg	EIA, valued as NG based on heating value
LPG	\$1.65/gal	OPIS
Naphtha	\$2.48/gal	OPIS, Bloomberg
LCO	\$2.59/gal	OPIS
Decanted Oil	\$1.55/gal	Discussed with Ensyn

Future Project Milestones

Milestones

Milestone Name/Description	End Date	Туре	
Technoeconomic analysis (TEA) and scope of lifecycle analysis (LCA).Report will define the conditions for the lifecycle analysis to be followed and will provide more robust data than the preliminary report in FY2014.	12/31/2014	Quarterly Progress Measure (Regular)	
Project will report at the Peer review presentation with the Petrobras PI presenting the process information and NREL discussing some of the modeling conducted to date and status of the chemical analysis. Presentation will also outline any remaining tests and expected timeline for completion.	3/31/2015		Peer eview
Technical write-up that summarizes results of TEA estimation and outline at least 3 sensitivity analysis cases that will be considered.	6/30/2015	Quarterly Progress Measure (Regular)	
A final report of the project that summarizes the following key results for at least 2 different co-processing scenario consideration: 1) Assessment of Petrobras upgraded ENSYN pyrolysis oils products and it's applicability in US operations. 2) Techno-economic analysis of the process will assess costs with sensitivities for how the modifications would need to be made to represent US conditions. 3) LCA results compared to petroleum refining without biomass pyrolysis oils. 4) Properties of the gasoline and diesel products coproduced with pine pyrolysis oils and upgraded in the U.S. 5) Comparison of the direct pyrolysis oils routes with others using hydrotreating that the BETO program modelled. 6) Areas of major uncertainties will be highlighted (e.g., long term catalyst testing in FCC units).	9/30/2015	Annual Milestone (Regular)	

Responses to Comments from 2013 Review

Responses to Previous Reviewers' Comments: Applicability of the CRADA results to the U.S.

- At the 2013 peer review the project was 3 mo. old. The described work focused on the feedstocks for the small scale experimentation at Petrobras. The difficulty of exchanging samples between the U.S. and Brazil was delaying the project. As we could not complete the preparation of the bagasse pyrolysis oils, we abandoned small scale coprocessing at Petrobras for additional demonstration scale testing. The prepared oak pyrolysis became the reference for the analytical methodology.
- The SIX facility for the CRADA work at >100 kg/hour required a commercial supplier of pyrolysis oils able
 to supply and deliver 3-5 tonne samples to Brazil. Taking into consideration the comments from the peer
 reviewers, we selected a feedstock that was applicable to the U.S. and more broadly to North America,
 well studied in BETO projects.
- ENSYN Corp. was starting to offer a heating oil product, the renewable fuel oil (RFO™) and had a joint venture with the pulp and paper Brazilian company, Fibria. Fibria also has shipping capabilities.
- The CRADA partners selected ENSYN Corp. as the supplier and in this way, the milestone of delivering oils to Petrobras for coprocessing was met ahead of schedule in November 2013, and by the end of the year, SIX was testing and producing 5 wt% of coprocessed VGO with pine (RFO™) products for further distillation into naphtha and LCO products for hydrogenation and engine testing in the U.S.
- ENSYN Corp. will also produce 3-5 tonne samples of bagasse (from the U.S.) for coprocessing with VGO at Petrobras SIX facility, a more relevant feedstock for Brazil and all countries producing sugarcane commercially with refineries.

Responses to Comments from 2013 Review

Responses to Previous Reviewers' Comments: Availability of Results to the U.S.

- The Publications section reports the initial research results of Petrobras, prior to the CRADA, that appeared in the published peer reviewed literature in March 2014 in electronic format: Production of lignocellulosic gasoline using fast pyrolysis of biomass and a conventional refining scheme.
- Results obtained by Petrobras in Brazil with pine pyrolysis oils are being converted to a situation in the U.S. (or other parts of the world where refineries purchase petroleum and commercial intermediates). The difference in performance of the VGO and the cases of co-processing with bio-oil will be converted into a technical, economic, and lifecycle analysis and will be published.

Oil Stability Issues

- ENSYN Corp. RFO received by Petrobras in November 2013 only had to be disposed of in November 2014 for severe increase in viscosity and phase separation. Went through a very hot summer in Brazil.
- NREL's oak pyrolysis oils samples (5) prepared in 2012 by NREL (1-micron cold filtered and cold stored at NREL) were shipped by NREL to Petrobras. In transit the samples were retained in customs during the summer of 2013. NREL's oils were single phase. Analysis at NREL and Petrobras of the oils shows that the cold stored and aged samples were identical within experimental error for elemental composition. GCxGC-TOFMS identified similar compounds for the volatile part.
- ENSYN Corp. RFO had two phases and was more difficult to homogenize for chemical analyses than the oak oil.

References



for Peer Review Presentation

PETROBRAS

- <u>PINHO, A.R.; ALMEIDA, M.B.B.; MENDES, F.L.; XIMENES, V.L.</u> Production of lignocellulosic gasoline using fast pyrolysis of biomass and a conventional refining scheme. Pure and Applied Chemistry. v. 86, n. 5, p. 859-865, 2014.
- <u>PINHO, A.R.; ALMEIDA, M.B.B.; MENDES, F.L.; XIMENES, V.L.</u> Co-processing raw bio-oil and gasoil in an FCC unit. Fuel Processing Technology. v. 131, p. 159-166, 2015.
- <u>GILBERT, W.R. Avaliação de catalisadores para resíduo.</u> [Technical Papers of the] Rio Oil and Gas Expo and Conference, 2010, Rio de Janeiro.

OTHER REFERENCES USED IN THE PRESENTATION

- GRAÇA, I.; LOPES, J.M.; CERQUEIRA, H.S.; RIBEIRO, M.F. Bio-oils Upgrading for Second Generation Biofuels, Industrial & Engineering Chemical Research. v.52, p.275-287, 2013.
- MARINANGELI, R.; MARKER, T.; PETRI, J.; KALNES, T.; MCCALL, M.;. MACKOWIAK, D.; JEROSKY, B.; REAGAN, B.; NEMETH, L.;
 KRAWCZYK, M.; CZERNIK, S.; ELLIOT, D.; SHONNARD. D Opportunities For Biorenewables In Oil Refineries. Des Planes: UOP Final Technical Report, 2005. 60F. DOE REPORT: DE-FG-36-05GO15085 AT http://www.osti.gov/scitech/biblio/861458, last visited: 07-24-2014.
- <u>FOGASSY, G.; THEGARID, N.; TOUSSAINT, G.; VAN VEEN, A.C.; SCHUURMAN, Y.; MIRODATOS, C.</u> Biomass derived feedstock coprocessing with vacuum gas oil for second-generation fuel production in FCC units. Applied Catalysis B: Environmental. v. 96, p. 476-485, 2010.
- LAPPAS, A.A.; BEZERGIANNI, S.; VASALOS, I.A. Production of bio-fuels via co-processing in conventional refining processes. Catalysis Today. v. 145, p. 55-62, 2009.
- FOGASSY, G.; THEGARID, N.; TOUSSAINT, G.; VAN VEEN, A.C.; SCHUURMAN, Y.; MIRODATOS, C. Biomass derived feedstock coprocessing with vacuum gas oil for second-generation fuel production in FCC units. Applied Catalysis B: Environmental. v. 96, p. 476-485, 2010.
- DE MIGUEL MERCADER; GROENEVELD, M.J.; KERSTEN, S.R.A.; WAY, N.W. SCHAVERTEN, C.J.; HOGENDOORN, J.A. Production of
 advanced bio-fuels: Co-processing of upgraded pyrolysis oil in standard refinery units. Applied Catalysis B: Environmental. v. 96, p.
 57-66, 2010.

Publications and Presentations

- de Rezende Pinho, A., B. de Almeida Marlon Brando, L. Mendes Fabio and L. Ximenes Vitor (2014). Production of lignocellulosic gasoline using fast pyrolysis of biomass and a conventional refining scheme. Pure and Applied Chemistry. 86: 859-865. This issue is part of a collection of invited papers based on presentations of the same topic).
- de Rezende Pinho, presenter of paper above at 2nd Brazilian Symposium on Biorefineries (II SNBr), Brasília, Brazil, 24–26 September 2013. Work conducted prior to the CRADA.
- Chum, H.L., June 7, 2013. Brazil-US MOU and the Petrobras-NREL CRADA Highlights, Golden, CO. Talk presented to a Brazilian government/industry delegation composed of the Senior Advisor to the CEO, Brazilian Development Bank (BNDES), International Affairs Manager of the Brazilian Agency for Industrial Development (ABDI); Heads of Innovation and New Business at BRASKEM that followed the Council of Competitiveness bilateral meeting in Washington D.C.



Petrobras Journal Publication

http://asp-br.secure-zone.net/v2/index.jsp?id=2225/6153/6434 in Portuguese, Following pages present the original Portuguese and translated vesions.

Petrobras, Supply Journal, Year 7, Number 67, pages 14-17 October 2014: Present and Future in transport fuels "Research at SIX could make viable the first route of biomass pyrolysis oils to gasoline and diesel, produced in a conventional refinery." (translated from Portuguese).

This publication describes the efforts that SIX undertook to modify the facility to perform the CRADA work.

Commercialization

KEY BARRIER Commercial **Bio-Oil Suppliers**

ENSYN

IEA Bioenergy

Task 34 - Pyrolysis



Welcome to Task 34

By Doug Elliott, Task 34 Leader

PyNe 36 January 2015 ISSN 2040-2759

Ensyn providing RFO heating oil to New Hampshire hospitals

Page 13

http://www.pyne.co.uk/? id=49

RFOTM= Ensyn's Renewable Fuel Oil

Progress at Ensyn

Page 14

Bob Graham of Ensyn in the USA reflects on the company's successes and looks to the future

"Ensyn alliances with leading industrial partners with progressive vision, and this is our plan for the future. Our current strategic relationships include those with UOP, Fibria Celulose, Chevron Technology Ventures, Petrobras/NREL and Credit Suisse. We look forward to working with these valued partners and adding others as we work to make Ensyn the world's leading producer of cellulosic liquid fuels."

See also: Cellulosic game changer, Bioenergy Insight, Volume 5, Issue 6, pp58-59, December, 2014;

http://www.marketexchange.com/2014 Platts/Day%202/Lee Tor rens.pdf; http://www.nararenewables.org/2014conference/wpcontent/uploads/2014/05/TallmanNWBCC2014p.pdf

Dr. Robert Graham c/o Ensyn Technologies Inc. 2 Gurdwara Road Ottawa, Ontario K2E 1A2 Canada

T: +1 (613) 248 2257



Page 17



igure 1: Ensyn has recently enhanced its Ontario facility, converting it to a dedicated fuel facility with a capacity of hree million gallons/year

30

IP: ENSYN's recent patents issued





(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2015/0005547 A1 Freel et al.

(43) Pub. Date: Jan. 1, 2015

(54) SYSTEMS AND METHODS FOR RENEWABLE FUEL

Applicant: Ensyn Renewables, Inc., Wilmington,

(72) Inventors: Barry A. Freel, Ottawa (CA); Robert G. Graham, Ottawa (CA)

(21) Appl. No.: 14/314,785

(22) Filed: Jun. 25, 2014

Related U.S. Application Data

(60) Provisional application No. 61/839,832, filed on Jun.

Publication Classification

(51) Int. Cl. C10L 1/04 (2006.01)U.S. Cl.

CPC . . C10L 1/04 (2013.01) USPC

ABSTRACT

The present application generally relates to the introduction of a renewable fuel oil as a feedstock into refinery systems or field upgrading equipment. For example, the present application is directed to methods of introducing a liquid thermally produced from biomass into a petroleum conversion unit; for example, a refinery fluid catalytic cracker (FCC), a coker, a field upgrader system, a hydrocracker, and/or hydrotreating unit; for co-processing with petroleum fractions, petroleum fraction reactants, and/or petroleum fraction feedstocks and the products, e.g., fuels, and uses and value of the products resulting therefrom.

(19) United States

(12) Patent Application Publication (10) Pub. No.: US 2015/0000186 A1 Freel et al.

(43) Pub. Date: Jan. 1, 2015

(54) GENERATING CELLULOSIC-RENEWABLE IDENTIFICATION NUMBERS IN A

(71) Applicant: Ensyn Renewables, Inc., Wilmington,

(72) Inventors: Barry A. Freel, Ottawa (CA); Robert G. Graham, Ottawa (CA)

(21) Appl. No.: 14/487,575

(22) Filed: Sep. 16, 2014

Related U.S. Application Data

(63) Continuation of application No. 13/709,822, filed on

(60) Provisional application No. 61/569,712, filed on Dec. 12, 2011, provisional application No. 61/646,152, filed on May 11, 2012, provisional application No. 61/673,683, filed on Jul. 19, 2012.

Publication Classification

(51) Int. Cl. C10L 1/18 (2006.01)

(52)U.S. Cl. CPC C10L 1/1802 (2013.01) USPC 44/307

(57)ABSTRACT


The present application generally relates to methods of generating cellulosic-renewable identification numbers by thermally processing a cellulosic biomass to form a renewable fuel oil, and then co-processing the renewable fuel oil with a petroleum fraction in a refinery to form a cellulosic-renewable identification number-compliant fuel.

http://stks.freshpatents.com/Ensyn-Renewables-Inc-nm1.php


		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, = 1.5, 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
Count	Application #	Date	Ensyn Renewables, Inc. patents (updated weekly) - BOOKMARK this page
1	20150000186	01/01/15	Generating cellulosic-renewable identification numbers in a refinery
2	20150004062	01/01/15	Systems for fuels from biomass
3	20150004067	01/01/15	Fluidized catalytic cracking apparatus
4	20150005547	01/01/15	Systems and methods for renewable fuel
5	20150005548	01/01/15	Methods to increase gasoline yield
6	20150005549	01/01/15	Preparing a fuel from liquid biomass
7	20140363343	12/11/14	Apparatuses and methods for controlling heat for rapid thermal processing of carbonaceous material
8	20140053456	02/27/14	Systems and methods for the devolatilization of thermally produced liquids
9	20130333278	12/19/13	Low water biomass-derived pyrolysis oils and processes for producing the same
10	20130327629	12/12/13	Char-handling processes in a pyrolysis system
11	20130145683	06/13/13	Systems and methods for renewable fuel
12	20100236915	09/23/10	Mitigation of deposits and secondary reactions in thermal conversion processes
13	20130327629	12/12/13	Char-handling processes in a pyrolysis system

Commercialization

30 years of successful commercialization







· Non-catalytic process maximizes carbon conversion from solid biomass to liquid fuels - and generates high liquid yields

10

Liquid


15%

Gas

15%

Char

Gas and Char co-products used as source of energy to run the facility




Capacity Expansion -RTP5 & RTP 20 Facilities

ENSYN	RTP5	RTP20
Project Cost	\$25-35 million	\$90-120 million
Feedstock Capacity	100 BDMT/day	400 BDMT / day
Liquid Production	~ 5 million gpy	~ 20 million gpy
Feedstock Cost	\$50-100 / BDMT	\$50-100 / BDMT
Production Costs	Capex: ~\$5-6 /gpy Opex: ~\$1.20/gallon	Capex: ~\$5-6 /gpy Opex: ~\$1.20/gallor


ENSYN

Petrobras/NREL CRADA provided

critical large scale samples to Ensyn and partners for product quality assessment




Cooperation Frameworks



Brazilian Government Ministries: Science, Technology and Innovation (MCTI); Mines and Energy (MME); Development, Industry and Foreign Trade (MDIC); Agriculture, Livestock and Supply (MAPA) -- led by the Ministry of External Relations

Strategic Energy Dialogue

Partnership Activities



http://www.brazilcouncil.org/sites/default/files/Braz

Mission

Foster understanding among the private and public sectors in Brazil and the United States to maintain and advance trade and investment between both countries through free trade, free markets, and free enterprise.

Major U.SBrazil Energy-Related Agreements			
1995	U.SBrazil Common Agenda on Environment		
1997	Agreement for Cooperation Concerning Peaceful Uses of Nuclear Energy		
1997	Implementing Agreement for Cooperation in the Area of Energy Technology		
2003	MOU for the Establishment of a Mechanism for Consultations on Energy Cooperation		
2007	MOU to Advance Cooperation on Biofuels		
2010	MOU on Cooperation Regarding Climate Change		
2010	U.SBrazil Binational Energy Working Group Joint Action Plan		
2011	Partnership for the Development of Aviation Biofuels		
2012	U.SBrazil Commercial Dialogue Energy Work Plan		

Council Recommendations

(relevant)

Establish a U.S.-Brazil work plan to create a global biofuels market detailing
joint efforts at the bilateral, trilateral, regional, and multilateral levels, including
joint action at the G-20, the United Nations Food and Agriculture Organization
(FAO), and the World Trade Organization (WTO).

DOE Report: http://www.ourenergypolicy.org/wp-content/uploads/2013/07/US-Brazil-Energy-Dialogue-.pdf US State Department summary: http://www.state.gov/r/pa/ei/bgn/35640.htm

List of Acronyms & Abbreviations (1)

ACE	Advanced Cracking Evaluation	EtOH	Ethanol
AOP	Annual Operating Plan	FCC	Fluidized Catalytic Cracker
ASTM	American Society for Testing and Materials	GGE	Gallons of Gasoline Equivalent
B Gal	Billion Gallons	НСО	Heavy Cycle Oil
BETO	Bioenergies Technology Office	IP	Intellectual Property
BTG	Biomass Technology Group	IRENA	International Renewable Energy Agency
C3's	Hydrocarbons with 3 carbon atoms	LCA	Life Cycle Analysis
C4's	Hydrocarbons with 4 carbon atoms	LPG	Liquified Petroleum Gas
CENPES	Petrobras Research Center	MM Gal	Million Gallons
CRADA	Cooperative Research and Development Agreement	MOU	Memorandum of Understanding
EERE	Office of Energy Efficiency and Renewable Energy	NBC	National Bioenergy Center
EIA	Energy Information Administration	NREL	National Renewable Energy Laboratory

List of Acronyms & Abbreviations (cont.)

OPIS Oil Price Information Service

PAC Petrobras Advanced Converter

POC Point of Contact

R&D Research and Design

RFO Renewable Fuel Oil

RIN Renewable Identification Number

SED Strategic Energy Dialogue

SIX Superintendência da Industrialização do Xisto

SwRI Southwest Research Institute

TC Thermochemical

TEA Techno-Economic Analysis

VGO Vacuum Gas Oil



Additional Slides from Petrobras

- 1. Translation of Petrobras Journal article explaining modifications made at its SIX demonstration unit to conduct the CRADA
 - 2. Additional detailed coprocessed fuel information from the CRADA project



pág. 10

pág. 18

pág. 4

Petrobras

Supply Journal

Year 7, Number 67, October 2014

(Petrobras) SIX
RESEARCH coprocessing pyrolysis
oils from wood
processing residues
(bio-oil). Successful
tests may enable
production of gasoline
and diesel from
cellulosic feedstocks in
a conventional
refinery.

Present and future in transport fuels

Research at SIX could make viable the first route of biomass pyrolysis oils to gasoline and diesel, produced in a conventional refinery.

Fuel ecologically correct

Combustível ecologicamente correto

SIX PESQUISA PROCESSAMENTO DE BIO-ÓLEO DE SERRAGEM.
SUCESSO DOS TESTES PODERÁ VIABILIZAR A PRIMEIRA ROTA DE GASOLINA
E DIESEL CELULÓSICOS DO MUNDO, PRODUZIDOS EM REFINARIA CONVENCIONAL



A primeira etapa realizada na SIX foi o craqueamento do bio-óleo na Unidade de Multipropósito de FCC (U-144)

Figure Caption: The first step, bio-oil cracking, was performed at SIX FCC Multipurpose Unit (U-144) VISÃO DE FUTURO

"Com essas baterias de testes a SIX comprova que o nosso parque de pesquisa é um local adequado para fazer testes especiais que não são possíveis em outras refinarias"

Maicon Tait - engenheiro de processamento (SIX/PQ)

Petrobras tem investido em pesquisa e desenvolvimento de combustíveis mais amigáveis ao meio ambiente. Neste sentido, a biomassa para fins energéticos possui vantagens ambientais, emvirtude de seu caráter renovável e de sua contribuição para a redução dos gases de efeito estufa.

Por conta disso, processar bio-óleo produzido a partir de processo termoquímico (pirólise) da serragem de madeira para a produção de nafta e Light

Cycle Oil (LCO), corrente que possui a mesma faixa de destilação do diesel, tem sido um dos grandes desafios recentes das Unidades de Pesquisa e das equipes da SIX.

O bio-óleo de serragem, produzido no Canadá
pela Ensyn, apresenta várias
características indesejáveis, tais
como teor de oxigênio e água elevados,
acidez alta, alguma instabilidade química
e menor poder calorífico. Sendo assim, não
é possível utilizá-lo como um combustível
convencional, sendo necessário converté-lo
em correntes de melhor qualidade. Uma
das rotas estudadas é o craqueamento
catalítico, tecnologia de amplo domínio
pela Petrobras.

"Não seria possível desenvolvermos essa rota sem uma unidade de maior porte de FCC como a U-144. Outros grupos no mundo já haviam tentado processar bio-óleo em escalas menores, mas os resultados eram péssimos, justamente pelos problemas de dispersão de carga, que não podem ser resolvidos em escala de laboratório. O bio-óleo não se mistura com as correntes fósseis. Logo, em escalas pequenas, com um único dispersor, torna-se necessário utilizar um emulsificante, o que distorce os resultados e dificulta sua

interpretação. A dispersão de carga torna-se muito prejudicada, pois não é possível aquecer as linhas de alimentação sem coqueá-la. Na U-144, esse problema foi resolvido pela injeção segregada das correntes fóssil e renovável em pontos de dispersão diferentes, tornando possível que a corrente fóssil seia aquecida normalmente.

enquanto o bio-óleo é mantido a 40°C", explica a engenheira de processamento e consultora sénior do Cenpes/PDAB/CB Andrea de Rezende Pinho.

Dessa forma, em laboratório os rendimentos de coque são sempre muito elevados, indicando a inviabilidade do uso do bio-óleo, mesmo em proporções baixas, de 5 a 10%, em relação ao gasóleo, enquanto em escala de demonstração na SIX, o processamento de até 10% de The thermochemical process (pyrolysis) Transforms the wood biomass residues Into a bio-oil.

A partir de processo termoquímico (pirólise) a serragem de madeira, é convertida para produção do bio-diesel "With these series of tests SIX is proving that our Research Park is a suitable place to make special tests that are not possible in other refineries"

Maicon Tait - processing engineer (SIX / Pq)

Petrobras has invested in research and development of friendlier fuels on the environment. In this sense, the biomass for energy purposes has environmental advantages because of its renewable nature and its contribution to reducing greenhouse gas emissions.

As a result, processing bio-oil produced from thermochemical process (pyrolysis) of wood residues to produce naphtha and Light Cycle Oil (LCO), stream having the same diesel distillation range, has been a major recent challenges of the Research and Production teams at SIX.

The sawdust from bio-oil, produced in Canada by Ensyn Corp., has several undesirable characteristics such as high content of oxygen and water, high acidity, some chemical instability, and low heating value. Therefore, you cannot use it as a conventional transport fuel, being necessary to improve its quality. One of the routes studied is the catalytic cracking, a field of technology of great expertise at Petrobras.

"It would not be possible to develop this route without a larger FCC unit as the U-144 (see Figure). Other groups in the world had tried to process bio-oil in experiments conducted in small scale reactors, but the results were very bad with feeding problems that cannot be resolved at the laboratory scale. Bio-oil does not mix with fossil fuel processing streams. Therefore, at small scales, with a single dispersing point, it is necessary to use an emulsifier, which distorts the results and makes their interpretation difficult. The feed dispersion becomes greatly impaired as it is not possible to heat the feeding lines without coking them. In U-144, this problem was solved by injection of fossil and renewable currents in different feed nozzle axial points, making it possible to heat the fossil fuel normally, while the bio-oil is kept at 40 ° C, "explains the engineer processing and senior consultant of CENPES / PDAB / CB Andrea de Rezende Pinho.

Thus, while laboratory scale results show very high coke yields, indicating that bio-oil co-processing, even at low proportions of 5 to 10% of the heavy gas oil is inviable, demonstration scale results from the SIX U-144, processing up to 10%

BR PETROBRAS

Figure Caption: Processing bio-oil for the production of naphtha and Light Cycle Oil (LCO) has been one of the major challenges of the research teams of SIX.



Processar bio-óleo para a produção de nafta e *Light Cycle Oil (LCO)* tem sido um dos grandes desafios das equipes da SIX

Craqueamento

A primeira etapa realizada na SIX foi o craqueamento do bio-óleo na Unidade de Multipropósito de FCC (U-144). Inicialmente, foram realizados diversos testes variando temperatura de reação e a percentagem de bio-óleo em relação à carga normal da unidade (gasóleo pesado). Nos testes, a corrente de bio-óleo foi injetada num determinado ponto do riser (reator) e a carga normal em outro ponto. Uma tarefa desafiadora foi o processamento de 100% do bio-óleo na U-144, em função da facilidade de polimerização, ou seja, formação de goma nos compostos presentes no bio-óleo.

"É um produto difícil de ser trabalhado porque em temperatura pouco acima de 50°C se degrada e em temperatura abaixo de 15°C não escoa, devido à alta viscosidade, mas com a ajuda de técnicos de operação, manutenção e engenharia conseguimos desenvolver um sistema que permite a nijeção de bio-ôleo puro no riser da U-144°, esclarece o engenheiro de processamento e consultor da Gerência de Pesquisa da SIX (SIX/PO). Luiz Carlos Casavechia.

Para o craqueamento desse produto, a U-144 passou por duas semanas de intervenções para alterar o injetor de carga, o sistema de mistura e o sistema de aquecimento, de modo que a temperatura do bio-óleo ficasse estável a 40°C e o produto escoasse adequadamente sem se degradar.

Além dos testes já descritos, foram produzidos 10 m³ de óleo oriundo do craqueamento de 5% de bio-óleo e 95% de Gás Óleo Pesado (GOP), que foram enviados à Unidade de Destilação U-2110 para obtenção de dois cortes, nafta e LCO.

bio-óleo não altera significativamente o fator operacional e os rendimentos do FCC, mostrando resultados mais rentáveis e próximos à realidade comercial. Em resumo, nesse caso, a escala utilizada mostrou-se especialmente importante. Quanto maior a escala, melhores os resultados do bio-óleo, o que acabou por resgatar uma rota inicialmente descartada em nível mundial.

O processamento faz parte de um acordo de cooperação entre a Petrobras, uma companhia de petróleo americana, e o National Renewable Energy Laboratory (NREL), laboratório pertencente ao Departamento de Energia americano. A hidrogenação da nafta e do LCO está sendo realizada nos EUA. Posteriormente, serão feitos testes de emissão para certificação americana como combustível de origem celulósica. O NREL irá calcular ainda a redução nas emissões de gases de efeito estufa alcancada através desta rota.

"Se formos bem-sucedidos, teremos viabilizado a primeira rota de gasolina e diesel celulósicos do mundo produzidos em uma refinaria convencional", assinala Andrea. bio-oil does not alter significantly the operational factor and FCC yields, showing the potential for more profitable results, near commercial reality. In summary, in this case, going to a larger scale was proved to be especially important. The higher the scale of the tests, the better the bio - oil results became, rescuing a route initially ruled out nearly worldwide.

The processing is part of a cooperation agreement between Petrobras, an American oil company, and the National Renewable Energy Laboratory (NREL), a laboratory of the US Department of Energy. Hydrogenation of naphtha and LCO is being conducted in the USA. Subsequently, emission tests will be made for American certification as cellulosic fuel source. NREL will also evaluate the reduction in greenhouse gases achieved by this route.

"If we succeed, we will have made possible the first route of cellulosic gasoline and diesel produced in the world in a conventional refinery," says Andrea.

Cracking

The first step conducted at SIX FCC Multipurpose Unit (U-144) was the cracking. Initially, several tests were conducted by varying the reaction temperature and the proportion of bio-oil and the normal FCC feedstock (heavy gas oil, VGO). In these tests, the bio-oil stream was injected at a point of the riser (reactor) and the fossil feed at another point. A challenging task was processing 100% bio-oil in the U-144, which easily polymerizes upon heating, leading to gums.

"It is a difficult product to be worked because at temperatures slightly above 50 °C it degrades and at temperatures below 15 °C does not flow because of the high viscosity of the oil. In two weeks, the SIX teams of technical operations, maintenance and engineering developed a system which allowed the injection of pure bio-oil in the U-144 riser", explains the processing engineer and consultant to the SIX Research Department(SIX / PQ), Luiz Carlos Casavechia.

To feed bio-oil at a stable temperature of 40 $^{\circ}$ C into U-144 reactor, the feed nozzles, the mixing and heating feed systems were altered so that the bio-oil flowed properly without degradation.

In addition to the tests described above, **10 m³** of oil coming from cracking 5 wt % bio-oil and 95 wt % VGO were produced and sent to distillation unit U-2110 to obtain two cuts, naphtha and LCO.

41



Separação

Na Unidade de Destilação Atmosférica (U-2110), o produto passou pela etapa de separação, na qual foram feitos três cortes com faixas de temperatura distintas, produzindo 1.600 litros de nafta e de LCO, que serão enviados aos EUA, além do óleo decantado, que é o resíduo do processo.

Para realizar os testes nesta unidade, também foram necessárias modificações substituindo o refervedor existente por uma bomba e um forno. No total, foram dois meses de modificações na unidade para 15 dias de operação.

Os produtos foram enviados para os Estados Unidos, onde foram realizadas algumas análises das propriedades do diesel produzido e concluiu-se que ele estaria apto a ser hidrogenado. O diesel hidrogenado será enviado ao Southwest Research Institute (SWRI), onde serão "O processamento faz parte de um acordo de cooperação entre a Petrobras, uma companhia de petróleo americana, e o National Renewable Energy Laboratory"

feitos os testes em motor. A certificação da gasolina seguirá os mesmos procedimentos. "Com essas baterias de testes a SIX comprova que o nosso parque de pesquisa é um local adequado para fazer testes especiais que não são possíveis em outras refinarias", destaca o engenheiro de processamento Maicon Tait (SIX/PO).

Nesse processo, a dedicação da equipe da operação da Pesquisa foi fundamental. As equipes responsáveis pelo projeto receberam ainda apoio do Laboratório (SIX/PQ), Manutenção Industrial (SIX/MI) e Inspeção de Equipamentos (SIX/IE). 4

Na Unidade de Destilação Atmosférica (U-2110), o produto passou pela etapa de separação



SAO DE FOTORO

"The processing is part of a cooperative agreement between
Petrobras, an American oil company, and the
National Renewable Energy Laboratory"

Separation

In the Atmospheric Distillation Unit (U-2110), the product was fractionated into three cuts with three different temperature ranges to produce 1600 liters of naphtha and of LCO, to be sent to the USA, in addition to the decanted oil, which is the residue of the process.

To perform the tests in this unit, modifications were also necessary such as replacing the existing pump with a reboiler and an oven. A total of two months of modifications to the unit were necessary to conduct 15 full days of operation.


The products were sent to the United States, where the LCO produced was tested and found suitable to hydrogenation as diesel blendstock. The hydrogenated diesel will be sent to the Southwest Research Institute (SWRI), to obtain U.S. motor diesel fuel properties according to ASTM specifications for meeting regulatory requirements. Naphtha hydrogenation tests are also being conducted. "With these batteries of tests SIX proves that our research park is a suitable place to do special tests that are not possible in other refineries, "said the processing engineer Maicon Tait (SIX / PQ).

In this process, the dedication of the Research Unit and of the Operation teams was essential. The teams responsible for the project also received support from the Laboratory (SIX / PQ), Industrial Maintenance (SIX / MI) and Equipment Inspection (SIX / IE).

Figure Caption: Na Unidade de Destilação Atmosférica (U-2110), o produto passou pela etapa de separação

Biomass Pyrolysis v. FCC





Biomass Pyrolysis Schematic Drawing Source: Ensyn


FCC Unit PAC[®] Petrobras Design Source: Petrobras


Proof-of-concept




Lab scale overestimates coke yields w/ heavy feeds

- Literature states that is NOT feasible to process raw bio-oil in the FCC due to the increase in coke and hydrotreating is necessary to improve the processing characteristics of bio-oil
- Petrobras experience show that lab scale units reproduces FCC yields with light feeds, but does NOT reproduce yields with heavy feeds (for instance, atmospheric residues) *







Coke versus conversion plot for VGO M and ATRs C and B. Caption: (◊) ACE and (*) Pilot.

Coke Lab >> Coke Pilot > Coke Demo ≥ Coke Commercial g/min 1 kg/h 200 kg/h

Does bio-oil behave as atmospheric residue in the FCC?

^{*} Gilbert (Petrobras), 2010

Gasoline and Diesel Quality





Before hydrogenation

	Method	Value
Density (g/cm³, 20 °C)	ASTM D4052	0.7755
Carbon (C), %wt.	ASTM D5291	85.60
Hydrogen (H), %wt.	ASTM D5291	12.68
Sulfur, mg/kg	ASTM D5453	936
Nitrogen, mg/kg	ASTM D5453	166
RVP, kPa		48.1
Water, mg/kg	ASTM D6304	120
Phenols, wppm	UOP 262-59	4636
Tiophenols, wppm	UOP 262-59	96
Simulated Distillation, °C IBP	ASTM D2887	-20.6
5%		39.4
10%		61.2
30%		100.1
50%		134.2
70%		161.2
90%		194.9
95%		202.5
Final Boiling Point		220.7

	Method	Value
Density (g/cm³, 20 °C)	ASTM D4052	0.9125
Carbon (C), wt. %	ASTM D5291	87.00
Hydrogen (H), wt. %	ASTM D5291	10.79
Sulfur, wt. %	ASTM D5453	0.56
Nitrogen, wt. %	ASTM D5453	0.10
RVP, kPa		14.0
Water, mg/kg	ASTM D6304	256
Phenols, wppm	UOP 262-59	5397
Tiophenols, wppm	UOP 262-59	616
Simulated Distillation, °C	ASTM D2887	
Initial Boiling Point		34.9
5%		144.4
10%		202.2
30%		234.7
50%		255.3
70%		275.8
90%		299.8
95%		310.1
Final Boiling Point		343.7