Exhibit 13

Northern Pass Project Visual Simulations and Methodology Description

Exhibit 13

Visual Simulations and Methodology Description

As noted in the DOE application, visual simulations were developed to provide a sense of what the Project will look like from various locations. In addition to the simulations that are listed below and part of this Exhibit 13, additional simulations can be found on the Northern Pass website.

Simulation sites:

Diamond Pond Road Colebrook Stark Highway Stark Lancaster Overlook Lancaster Weeks State Park Lancaster The Rocks Estate Bethlehem Mount Pemigewasset Lincoln Woodstock Tripoli Road NH Route 132 Ashland Turtle Pond Concord Deerfield Town Hall Deerfield

The development of simulations involves the following steps:

Step 1: Data Gathering

A. Site Visit

Site information for simulation viewpoint is recorded, including view location (GPS point), date, time and weather.

B. Site Photography

Site photographs were taken for use in simulation. Camera type, focal length (approx. 50-55mm), camera elevation, direction of view, and horizontal angle of view were noted.

Step 2: Model Creation

A. Base Map & Terrain Model

A digital base map is created of the project and view areas. GIS data, aerial photographs and USGS maps are used as needed. Using the base map and GIS data, a 3D digital terrain model

is created. Where forested, the terrain model is adjusted to account for the additional height contributed by trees.

B. Corridor/Structure Model

Corridor data and drawings obtained from Northern Pass, along with 3D digital models of proposed structures, are merged with the terrain model. Structures are then placed at their proposed locations and elevations. Structure elevations are set using LIDAR data.

C. View Setting

The existing conditions photograph is imported into the terrain model. The data gathered from the site visit is then inputted into the modeling program (VectorWorks 2008), and a "3D camera view" matching the original site conditions is created. A digital image of this view is exported for use in the next step.

Step 3: Simulation Rendering

A. Conditions Overlay

Using a photo editing and rendering program (Photoshop CS5), the exported digital image of the perspective view is precisely overlaid and registered to the original existing conditions photograph. Simulations are typically composed of panorama photos (50% overlap on either side of center frame) in order to represent the way views are perceived given the normal range of eye and head motion.


B. Structure/Conductors Placement

High-resolution images of the structure model (from SketchUp Pro 8) are placed at proper locations, scale and perspective to match the exported view image.

C. Final Rendering

Structures and conductors are adjusted to mimic quality of light, distance and detail in the site photograph. The screening effects of vegetation and other visual obstructions are accounted for





Transmission Line	Proposed structure type: N/A		
Information	Height range of proposed transmission structures (visible): N/A		
	Height range of existing transmission structures (visible): N/A		
	Right of way width: N/A		
Photograph Information	Date and time: 10/11/12; 10:50am	Weather conditions: Partly cloudy	
	Location: Diamond Pond Road, Colebrook; facing North/ West 44.916468° N, -71.339899° W		
	Camera elevation above sea level: 1,950' (594.4m	n)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm	
	Distance to nearest visible structure: N/A		
Technical Information	Software: Adobe Photoshop CS5		
	Note: Photo is a panorama using 3 photos taken f	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photosh	









Transmission Line	Proposed structure type: HVDC horizontal lattice	
Information	Height range of proposed transmission structures (visible): 90' - 120'	
	Height range of existing transmission structures (visible): N/A	
	Right of way width: 150' corridor on NPT property	
Photograph Information	Date and time: 10/11/12; 10:50am	Weather conditions: Partly cloudy
	Location: Diamond Pond Road, Colebrook; facing North/ West 44.916468° N, -71.339899° W	
	Camera elevation above sea level: 1,950' (594.4m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.88 miles (1.42 km) Furthest: 1.65 miles (2.66 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	evation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY









Fransmission Line	Proposed structure type: HVDC horizontal monopole	
nformation	Height range of proposed transmission structures (visible): 90' - 120'	
	Height range of existing transmission structures (visible): N/A	
	Right of way width: 150' corridor on NPT property	
Photograph Information	Date and time: 10/11/12; 10:50am	Weather conditions: Partly cloudy
	Location: Diamond Pond Road, Colebrook; facing North/ West 44.916468° N, -71.339899° W	
	Camera elevation above sea level: 1,950' (594.4	m)
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.88 miles (1.42 km) Furthest: 1.65 miles (2.66 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	evation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY









Transmission Line	Proposed structure type: N/A	
Information	Height range of proposed transmission structures (visible): N/A	
	Height range of existing transmission structures (visible): 43' - 56.5'	
	Right of way width: 150'	
Photograph Information	Date and time: 10/10/12; 11:00am	Weather conditions: Partly cloudy
	Location: Stark Highway, Stark; facing North/ West 44.618249° N, -71.389579° W	
	Camera elevation above sea level: 980' (298.7m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.50 miles (0.80 km) Furthest: 0.57 miles (0.92 km)	
Technical Information	Software: Adobe Photoshop CS5	
	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photosho	









ransmission Line	Proposed structure type: HVDC horizontal lattice, 115kV vertical galvanized monopole (relocated)	
Information	Height range of proposed transmission structures (visible): HVDC 85' - 100' and 115kV 83.5' - 92.5'	
	Height range of existing transmission structures (visible): Removed	
	Right of way width: 150', no additional width required	
Photograph Information	Date and time: 10/10/12; 11:00am	Weather conditions: Partly cloudy
	Location: Stark Highway, Stark; facing North/ West 44.618249° N, -71.389579° W	
	Camera elevation above sea level: 980' (298.7m)
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.50 miles (0.80 km) Furthest: 0.57 miles (0.92 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	evation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY









Simulation Informati	tion	
Transmission Line	Proposed structure type: HVDC horizontal monopole, 115kV vertical weathered steel monopole (relocated)	
Information	Height range of proposed transmission structures (visible): HVDC 85' - 100' and 115kV 83.5' - 92.5'	
	Height range of existing transmission structures (visible): Removed	
	Right of way width: 150', no additional width required	
Photograph Information	Date and time: 10/10/12; 11:00am	Weather conditions: Partly cloudy
	Location: Stark Highway, Stark; facing North/ West 44.618249° N, -71.389579° W	
	Camera elevation above sea level: 980' (298.7m)
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.50 miles (0.80 km) Furthest: 0.57 miles (0.92 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	evation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY







Simulation Informat		
Transmission Line	Proposed structure type: N/A	
Information	Height range of proposed transmission structures (visible): N/A	
	Height range of existing transmission structures (visible): 56.5'	
	Right of way width: 150'	
Photograph Information	Date and time: 10/10/12; 10:20am	Weather conditions: Partly sunny
	Location: Lancaster Overlook on Rte. 2, Lancaster, facing South/East 44.468° N, -71.543° W	
	Camera elevation above sea level: 1,120' (341.4m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.31 miles (0.50 km)	
Technical Information	Software: Adobe Photoshop CS5	
	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photosho	









	ion		
Transmission Line	Proposed structure type: HVDC horizontal lattice, 115kV vertical galvanized monopole (relocated)		
Information	Height range of proposed transmission structures (visible): HVDC 105'-110' and 115kV 74.5' - 101.5'		
	Height range of existing transmission structures (visible): Removed		
	Right of way width: 150', no additional width required		
Photograph Information	Date and time: 10/10/12; 10:20am	Weather conditions: Partly sunny	
	Location: Lancaster Overlook on Rte. 2, Lancaster, facing South/East 44.468° N, -71.543° W		
	Camera elevation above sea level: 1,120' (341.4	m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm	
	Distance to nearest visible structure: 0.26 miles (0.42 km) Furthest: 0.31 miles (0.49 km)		
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5		
	Digital elevation data source: USGS National Ele	Digital elevation data source: USGS National Elevation Dataset 1/3 Arc-Second (NED 1/3)	

PRELIMINARY










Transmission Line	Proposed structure type: HVDC horizontal monopole, 115kV vertical weathered steel monopole (relocated)	
Information	Height range of proposed transmission structures (visible): HVDC 105'-110' and 115kV 74.5' - 101.5'	
	Height range of existing transmission structures (visible): Removed	
	Right of way width: 150', no additional width required	
Photograph Information	Date and time: 10/10/12; 10:20am	Weather conditions: Partly sunny
	Location: Lancaster Overlook on Rte. 2, Lancaster, facing South/East 44.468° N, -71.543° W	
	Camera elevation above sea level: 1,120' (341.4	m)
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.26 miles (0.42 km) Furthest: 0.31 miles (0.49 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Elevation Dataset 1/3 Arc-Second (NED 1/3)	

PRELIMINARY









Transmission Line	Proposed structure type: N/A		
Information	Height range of proposed transmission structures (visible): N/A		
	Height range of existing transmission structures (visible): 43' - 61'		
	Right of way width: 190'		
Photograph Information	Date and time: 03/30/11; 10:35am	Weather conditions: Bright overcast	
	Location: East overlook at Weeks State Park, Lancaster; facing East 44.450° N, -71.568° W		
	Camera elevation above sea level: 1850' (563.9	m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm	
	Distance to nearest visible structure: 1.14 miles (1.83 km) Furthest: 1.24 miles (1.99 km)		
Technical Information	Software: Adobe Photoshop CS5		
	Note: Photo is a panorama using 3 photos taken	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photosho	










Transmission Line	Proposed structure type: HVDC horizontal lattice, 115kV vertical galvanized monopole (relocated)	
Information	Height range of proposed transmission structures (visible): HVDC 85' - 100' & 115kV 74.5' - 88'	
	Height range of existing transmission structures (visible): Removed	
	Right of way width: 190', no additional width required	
Photograph Information	Date and time: 03/30/11; 10:35am	Weather conditions: Bright overcast
	Location: East overlook at Weeks State Park, Lancaster; facing East 44.450° N, -71.568° W	
	Camera elevation above sea level: 1850' (563.9	m)
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 1.14 miles (1.83 km) Furthest: 1.24 miles (1.99 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Elevation Dataset 1/3 Arc-Second (NED 1/3)	

PRELIMINARY










Transmission Line	Proposed structure type: HVDC horizontal monopole, 115kV vertical weathered steel monopole (relocated)	
Information	Height range of proposed transmission structures (visible): HVDC 85' - 100' & 115kV 74.5' - 88'	
	Height range of existing transmission structures (visible): Removed	
	Right of way width: 190', no additional width required	
Photograph Information	Date and time: 03/30/11; 10:35am	Weather conditions: Bright overcast
	Location: East overlook at Weeks State Park, Lancaster; facing East 44.450° N, -71.568° W	
	Camera elevation above sea level: 1850' (563.9 m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 1.14 miles (1.83 km) Furthest: 1.24 miles (1.99 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Elevation Dataset 1/3 Arc-Second (NED 1/3)	

PRELIMINARY








Transmission Line	Proposed structure type: N/A	
Information	Height range of proposed transmission structures (visible): N/A	
	Height range of existing transmission structures (visible): 43' - 56.5'	
	Right of way width: 265'	
Photograph Information	Date and time: 10/11/12; 3:00pm	Weather conditions: Sunny
	Location: Tree and Mountain Overlook, The Rocks Estate, Bethlehem; facing North/East 44.282° N, -71.733° W	
	Camera elevation above sea level: 1280' (390.2r	n)
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.61 miles (0.99 km) Furthest: 4.82 miles (7.76 km)	
Technical Information	Software: Adobe Photoshop CS5	
	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photoshop	









Simulation Information		
Transmission Line Information	Proposed structure type: HVDC horizontal lattice	
	Height range of proposed transmission structures (visible): 80' - 110'	
	Height range of existing transmission structures	(visible): 43' - 56.5'
	Right of way width: 265', no additional width required	
Photograph Information	Date and time: 10/11/12; 3:00pm	Weather conditions: Sunny
	Location: Tree and Mountain Overlook, The Rocks Estate, Bethlehem; facing North/East 44.282° N, -71.733° W	
	Camera elevation above sea level: 1280' (390.2m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.61 miles (0.99 km) Furthest: 4.82 miles (7.76 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	evation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY









Simulation Information		
Transmission Line	Proposed structure type: HVDC horizontal monopole	
Information	Height range of proposed transmission structures (visible): 80' - 110'	
	Height range of existing transmission structures	(visible): 43' - 56.5'
	Right of way width: 265', no additional width required	
Photograph Information	Date and time: 10/11/12; 3:00pm	Weather conditions: Sunny
	Location: Tree and Mountain Overlook, The Rocks Estate, Bethlehem; facing North/East 44.282° N, -71.733° W	
	Camera elevation above sea level: 1280' (390.2m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.61 miles (0.99 km) Furthest: 4.82 miles (7.76 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Elevation Dataset 1/3 Arc-Second (NED 1/3)	

PRELIMINARY







Simulation Information		
Transmission Line	Proposed structure type: N/A	
Information	Height range of proposed transmission structures (visible): N/A	
	Height range of existing transmission structures (visible): 42' - 56'	
	Right of way width: 150' WMNF Special Use Permit Area	
Photograph Information	Date and time: 07/14/11; 10:25am	Weather Conditions: Sunny
	Location: Summit Mt. Pemigewasset, Lincoln; facing Southwest 44.0976° N, -71.6996° W	
	Camera elevation above sea level: 2,535' (772.6 m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 1.75 miles (2.81 km) Furthest: 1.97 miles (3.16 km)	
Technical Information	Software: PhotoShop CS5	
	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photoshop	



Prepared by LandWorks, Middlebury, VT









Simulation Information		
Transmission Line Information	Proposed structure type: HVDC horizontal lattice, 115kV vertical galvanized monopole (relocated)	
	Height range of proposed transmission structures (visible): HVDC 75' - 100', 115kV 79' - 106'	
	Height range of existing transmission structures (visible): Removed	
	Right of way width: 150' WMNF Special Use Permit Area	
Photograph Information	Date and time: 07/14/11; 10:25am	Weather conditions: Sunny
	Location: Summit Mt. Pemigewasset, Lincoln; facing Southwest 44.0976° N, -71.6996° W	
	Camera elevation above sea level: 2,535' (772.6	m)
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 1.75 miles (2.81 km) Furthest: 1.97 miles (3.16 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	evation Data set 1/3 Arc-Second (NED 1/3)

PRELIMINARY




2/27/13 LandWorks

Prepared by LandWorks, Middlebury, VT









Simulation Informati	ion	
Transmission Line	Proposed structure type: HVDC horizontal monopole, 115kV vertical weathered steel monopole (relocated)	
Information	Height range of proposed transmission structures (visible): HVDC 75' - 100', 115kV 79' - 106'	
	Height range of existing transmission structures (visible): Removed	
	Right of way width: 150' WMNF Special Use Permit Area	
Photograph Information	Date and time: 07/14/11; 10:25am	Weather conditions: Sunny
	Location: Summit Mt. Pemigewasset, Lincoln; facing Southwest 44.0976° N, -71.6996° W	
	Camera elevation above sea level: 2,535' (772.6 m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 1.75 miles (2.81 km) Furthest: 1.97 miles (3.16 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	evation Data set 1/3 Arc-Second (NED 1/3)

PRELIMINARY







Transmission Line	Proposed structure type: N/A	
Information	Height range of proposed transmission structures (visible): N/A	
	Height range of existing transmission structures (visible): 42' - 47.5'
	Right of Way width: 225'	
Photograph Information	Date and time: 03/24/11; 12:00 pm	Weather conditions: Overcast
	Location: Tripoli Road (near Exit 31), Woodstock; facing North; 43.989° N, -71.673° W	
	Camera elevation above sea level: 790' (240.8m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.56 miles (0.91 km) Furthest: 0.94 miles (1.51 km)	
Technical Information	Software: Adobe Photoshop CS5	
	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photoshop	

PRELIMINARY

Note: Existing photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photoshop.










Simulation Information		
Transmission Line Information	Proposed structure type: HVDC horizontal lattice	
	Height range of proposed transmission structures (visible): 80' - 105'	
	Height range of existing transmission structures (visible): 42' - 47.5'	
	Right of Way width: 225', no additional width, 75' of additional clearing within existing ROW	
Photograph Information	Date and time: 03/24/11; 12:00 pm	Weather conditions: Overcast
	Location: Tripoli Road (near Exit 31), Woodstock; facing North; 43.989° N, -71.673° W	
	Camera elevation above sea level: 790' (240.8m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.56 miles (0.91 km) Furthest: 0.94 miles (1.51 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	vation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY










Simulation Informati	ion	
Transmission Line Information	Proposed structure type: HVDC horizontal monopole	
	Height range of proposed transmission structures (visible): 80' - 105'	
	Height range of existing transmission structures (visible): 42' - 47.5'	
	Right of Way width: 225', no additional width, 75' of additional clearing within existing ROW	
Photograph Information	Date and time: 03/24/11; 12:00 pm	Weather conditions: Overcast
	Location: Tripoli Road (near Exit 31), Woodstock; facing North; 43.989° N, -71.673° W	
	Camera elevation above sea level: 790' (240.8m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.56 miles (0.91 km) Furthest: 0.94 miles (1.51 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	vation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY








Transmission Line Information	Proposed structure type: N/A	
	Height range of proposed transmission structures (visible): N/A	
	Height range of existing transmission structures (visible): 43' - 52'	
	Right of way width: 225'	
Photograph Information	Date and time: 05/09/11; 2:00 pm	Weather conditions: Sunny with some clouds
	Location: Route 132, Ashland; facing North / Northeast 43.669° N, -71.646° W	
	Camera elevation above sea level: 542' (165.2m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.05 miles (0.08 km) Furthest: 0.27 miles (0.44 km)	
Technical Information	Software: Adobe Photoshop CS5	
	Note: Photo is a panorama using 3 photos taken	from a Cannon Rebel SLR and photomerged using Photosl









Simulation Information		
Transmission Line Information	Proposed structure type: HDVC horizontal lattice	
	Height range of proposed transmission structures (visible): 90'-110'	
	Height range of existing transmission structures (visible): 43' - 52'	
	Right of way width: 225', no additional width required	
Photograph Information	Date and time: 05/09/11; 2:00 pm	Weather conditions: Sunny with some clouds
	Location: Route 132, Ashland; facing North / Northeast 43.669° N, -71.646° W	
	Camera elevation above sea level: 542' (165.2m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.05 miles (0.08 km) Furthest: 0.27 miles (0.44 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	vation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY










Simulation Information		
Transmission Line Information	Proposed structure type: HDVC horizontal monopole	
	Height range of proposed transmission structures (visible): 90'-110'	
	Height range of existing transmission structures (visible): 43' - 52'	
	Right of way width: 225', no additional width required	
Photograph Information	Date and time: 05/09/11; 2:00 pm	Weather conditions: Sunny with some clouds
	Location: Route 132, Ashland; facing North / Northeast 43.669° N, -71.646° W	
	Camera elevation above sea level: 542' (165.2m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.05 miles (0.08 km) Furthest: 0.27 miles (0.44 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Ele	vation Dataset 1/3 Arc-Second (NED 1/3)

PRELIMINARY








Simulation Informat	ion	
Transmission Line Information	Proposed structure type: N/A	
	Height range of proposed transmission structures (visible): N/A	
	Height range of existing transmission structures (visible): 43' - 92.5'	
	Right of way width: 257'-6",	
Photograph Information	Date and time: 03/09/11; 2:56 pm	Weather conditions: Cloudy
	Location: Off Oak Hill Road (Turtle Pond), Concord; facing South; 43.255° N, -71.521° W	
	Camera elevation above sea level: 322' (98.1 m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.15 miles (0.23 km) Furthest: 0.91 miles (1.46 km)	
Technical Information	Software: Adobe Photoshop CS5	
	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and photomerged using Photoshop	










Simulation Information		
Transmission Line Information	Proposed structure type: 345kV AC H frame, 115kV vertical monopole, 34.5kV distribution line	
	Height range of proposed transmission structures (visible): 345kV 85' - 110' & 115kV 79' - 101.5'	
	Height range of existing transmission structures (visible): 43' - 92.5'	
	Right of way width: 257'-6", no additional width required	
Photograph Information	Date and time: 03/09/11; 2:56 pm	Weather conditions: Cloudy
	Location: Off Oak Hill Road (Turtle Pond), Concord; facing South; 43.255° N, -71.521° W	
	Camera elevation above sea level: 322' (98.1 m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.14 miles (0.22 km) Furthest: 0.88 miles (1.41 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Elevation Dataset 1/3 Arc-Second (NED 1/3)	

PRELIMINARY








Transmission Line Information	Proposed structure type: N/A	
	Height range of proposed transmission structures (visible): N/A	
	Height range of existing transmission structures (visible): None visible	
	Right of Way width: 200'	
Photograph Information	Date and time: 4/14/10; 3:07pm	Weather conditions: Sunny with some clouds
	Location: Deerfield Rd. at Town Hall, Deerfield; facing West 43.133° N, -71.243° W	
	Camera elevation above sea level: 445' (135.6 m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: N/A	
Technical Information	Software: Adobe Photoshop CS5	
	Note: Photo is a panorama using 3 photos taken from a Cannon Rebel SLR and merged using Photoshop	












Transmission Line Information	Proposed structure type: 345kV AC vertical lattice	
	Height range of proposed transmission structures (visible):120'-125'	
	Height range of existing transmission structures (visible): None visible	
	Right of Way width: 200', no additional width required	
Photograph Information	Date and time: 4/14/10; 3:07pm	Weather conditions: Sunny with some clouds
	Location: Deerfield Rd. at Town Hall, Deerfield; facing West 43.133° N, -71.243° W	
	Camera elevation above sea level: 445' (135.6 m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.20 miles (0.32 km) Furthest: 0.30 miles (0.48 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Elevation Dataset 1/3 Arc-Second (NED 1/3)	

PRELIMINARY









Transmission Line Information	Proposed structure type: 345kV AC vertical monopole	
	Height range of proposed transmission structures (visible):120'-125'	
	Height range of existing transmission structures (visible): None visible	
	Right of Way width: 200', no additional width required	
Photograph Information	Date and time: 4/14/10; 3:07pm	Weather conditions: Sunny with some clouds
	Location: Deerfield Rd. at Town Hall, Deerfield; facing West 43.133° N, -71.243° W	
	Camera elevation above sea level: 445' (135.6 m)	
	Simulation viewing distance: 18" (45.72 cm)	Focal length (35mm equivalent): 56mm
	Distance to nearest visible structure: 0.20 miles (0.32 km) Furthest: 0.30 miles (0.48 km)	
Technical Information	Software: Nemetschek VectorWorks 2008; SketchUp Pro 8; Adobe Photoshop CS5	
	Digital elevation data source: USGS National Elevation Dataset 1/3 Arc-Second (NED 1/3)	

PRELIMINARY

