Section 1: Services Provided by the Infrastructure Support Services Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
4	**System Changes.** Interface with end users on system changes provided by others.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Interface and coordinate with Infrastructure Support Services (ISS) and others on proposed changes. Provide new installation of telecommunications wiring and additional system requirements to support its operations. DUF_6 interface requirement is for any action that will impact the site wide system and excludes those systems that are independent of the PDGP common system.
5	**Hardware.** Perform maintenance and repair of all installed data/communication lines, including switches or routers, up to and including the end users receptacle (jack).	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Communicate project computing requirements to the Infrastructure Contractor. The D&R Contractor is responsible for the installation of any additional data/communication lines and ports necessary to support its own activities in existing and new facilities, if needed.
6	**Work Packages.** Interface with other site contractors to maintain compatibility with all Paducah Site services and systems to include review and approval of work packages and design/configuration plans for system changes/alterations developed by the other site contractors and perform needed risk assessments involved in changes/alterations.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Interface, coordinate and attain approval of work packages and design/configuration plans for system changes/alterations and perform needed risk assessments involved in changes/alterations. DUF_6 interface requirement is for any action that might impact the site wide system and excludes those systems that are independent of the PDGP common system.

Section 1: Services Provided by the Infrastructure Support Services Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
7	**Network Administration.** Provide, maintain and operate the Local Area Networks (LANs) and Wireless Local Area Networks (WLANs) as stand-alone systems and provide basic operating software for usage of the LANs and WLANs. Including maintenance and repair of the site Information Technology (IT) infrastructure, network administration, customer service and helpdesk support, cyber security, and basic security. Implements DOE and site cyber security requirements. Provide and manage network file storage to ensure sufficient capacities are allocated to user organizations.	**DUF_6** ☐ **ISS** ■ **D&R** [x] **DOE Technical Support** ☐ Only performs work coordinated and approved by the Infrastructure Contractor. Implements DOE and site cyber security requirements, including those specified by the Infrastructure Contractor within its own organization. The D&R Contractor is only authorized one email account per non-labor employee. The D&R Contractor will be allowed 475 full user accounts (+/- 15%), 350 limited user accounts (+/- 15%) and 800 devices (+/- 15%). Full user accounts includes Microsoft Office Suite including Outlook, Adobe Acrobat, and Exchange email access. Limited user account excludes Adobe Acrobat and includes the Adobe reader only.
8	**Application Deployment Services.** Provide users with enterprise IT application deployment services to ensure applications can be effectively utilized.	**DUF_6** ☐ **ISS** ■ **D&R** [x] **DOE Technical Support** ☐ Utilize services and interface on needs and service levels provided. The D&R Contractor will be responsible for purchase of specialty computer hardware and purchase/development of non-enterprise applications in support of the D&R Contractor's project work scope. The software must meet the requirements for use on the site network. The D&R Contractor will manage and maintain permissions for user access to the D&R Contractor specialty software/applications. The D&R Contractor will be required to install, test, and troubleshoot this type of software in support of the D&R Contractor's project work scope.
9	**Portfolio Management Services.** The Contractor shall provide application portfolio management services to ensure efficient and appropriate utilization of applications and their licenses. The Contractor shall provide core software to all users.	**DUF_6** ☐ **ISS** ■ **D&R** [x] **DOE Technical Support** ☐ Utilize services and interface on needs and service levels provided. Users will be responsible for any item not specifically mentioned.

Section 1: Services Provided by the Infrastructure Support Services Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
10	**Computer and Copier Services.** Provide, install, and maintain computer and printer hardware (including plotters) and enterprise software. Provide copiers (including installation and maintenance). Provide copier and printer toner and paper (not including the loading of paper into the copier/printer). Provide routine hardware and software upgrades and provide helpdesk support for enterprise applications and installed hardware and copiers.	**DUF_6** ☐ **ISS** ■ **D&R** [x] **DOE Technical Support** ☐ Communicate project computing requirements to the Infrastructure Contractor. Provide end user applications that the D&R Contractor's personnel will operate on the system. Provide user support, maintenance, and administration of non-enterprise software applications in support of the Contractor's project work scope. Provide any specialty software or hardware. Identify a point of contact and centralized drop-off location for paper and toner delivery. Multiple locations are acceptable for efficient distribution as coordinated between the ISS and D&R Contractors. The D&R Contractor will be limited to 60 (+/- 15%) network/personal printers, 92 (+/- 15%) copiers, including any large document production copiers, and 9 functioning plotters. This excludes the identified printers that are associated with facility equipment or systems. D&R Contractor paper usage per year is expected to be 865 boxes of 8.5 x 11 (+/- 15%) 20 boxes of 8.5 x 14 (+/- 15%) 50 boxes of 11 x 17 (+/- 15%)

Section 1: Services Provided by the Infrastructure Support Services Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
11	**Relocation Services.** Provide intra-site/inter-site office relocation of Paducah Site personnel for DOE and other site contractors (office furnishings and equipment to include, but not limited to, coordination with site services, e.g., office set-ups, phone, computer, office key, janitorial services, etc.) In addition to relocation services, provides direct labor hours annually for minor and miscellaneous furniture moving and fixture installation, removal or adjustment (e.g., hanging a white board, installing a keyboard tray under a desk, replacing a bookcase or file cabinet).	**DUF_6** ☐ **ISS** ■ **D&R** [x] **DOE Technical Support** [x] Allow access to facilities for relocation services. Coordinate with the Infrastructure Contractor for the provision of relocation services. The Contractor will ensure the personnel being relocated are prepared for the move. During Fiscal Year (FY) 2018, the D&R Contractor will be limited to the following moves subject to DOE agreement of the relocation strategy: October 20-December 2017 – 40 moves January-March 2018 – 50 moves (approximately 8 per month) April-September 2018 – 75 moves (approximately 25 per month) Beginning October 2018, the D&R will be limited to 20 moves per year, thereafter. The D&R Contractor is limited to 200 direct labor hours annually for minor and miscellaneous support as described. The D&R Contractor should utilize the direct labor hours in lieu of a full office move when needing limited support for relocation of personnel.
12	**Radiological Instrumentation.** Calibrate, maintain, and perform repairs for personnel and environmental monitoring and surveying equipment assigned to other site contractors per the requirements of 10 Code of Federal Regulations § 835, "Occupational Radiation Protection" and DOE Order 458.1, "Radiation Protection of the Public and the Environment."	**DUF_6** ☐ **ISS** ■ **D&R** [x] **DOE Technical Support** ☐ Utilize calibrated equipment and provide feedback on operational needs. For portable equipment the user will drop off and pick up equipment at the provider's on-site facility. For fixed equipment in field, the user will coordinate access and service with ISS. Each user will be responsible for requesting replacement of equipment, which isn't economically repairable, through the ISS. All replacements must be approved by DOE. The D&R Contractor is limited to 380 portable and tabletop instruments (+/- 20%), 100 Electronic Personal Dosimeters (+/- 20%) and 320 fixed, air and/or personnel monitors (+/- 15%).

Section 1: Services Provided by the Infrastructure Support Services Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
13	**Dosimetry Program**. Provide an internal and external bioassay program that meets the requirements of the National Voluntary Laboratory Accreditation Program and DOE Laboratory Accreditation Program, and provide services to other contractors.	DUF_6 [x] ISS [ ] D&R [x] DOE Technical Support [x] Utilize services and interface on needs and service levels provided. The D&R Contractor will have 50 bioassays for transition of new personnel and then 1,000 tests per year. Beginning in October 2017, 900 annual Personal Nuclear Accident Dosimeters are to be changed in September at the end of the FY and 300 annual Thermoluminescent Dosimeters beginning in January 2018 and changed each January, thereafter. These numbers include intermittent changes that occur due to new hires and temporary personnel.
14	**Real and Personal Property Management.** Maintain and administer site-wide Personal Property Management System. Manage records of DOE leases/transfers and property furnished to contractors. Coordinate with other DOE contractors at the Paducah Site to maintain and input data to the Facilities Information Management System (FIMS) database along with overall integration and submission of the Five Year Site Plan for all site contractors, to include the Site Sustainability Plan. Coordinate and provide disposition support for Government owned personal property determined to be excess for all PGDP site contractors and DOE operations.	DUF_6 [x] ISS [ ] D&R [x] DOE Technical Support [ ] Provide data for input into FIMS and Property Information Database System (PIDS) and support annual data verification. Perform all sampling, surveys, reports/documentation, Comprehensive Environmental Response, Compensation, and Liability Act 120.H actions, and other actions necessary to support and perform property transfers. Ensure all required FIMS/PIDS data is gathered and provided to the Infrastructure Contractor routinely. Data may not be more than 1 year old.
15	**Fleet Management.** Provides and coordinates site-wide, statistical usage tracking, and reporting on General Services Administration (GSA) leased vehicles and DOE-owned vehicles/equipment. Provide excess/disposal of fleet vehicles and parts (not waste).	DUF_6 [x] ISS [ ] D&R [x] DOE Technical Support [ ] The Contractors manage their own fleets of motorized vehicles including sedans, buses, ambulances, tractors, flatbeds, dump trucks, tool vans, utility maintenance vans, cab and chassis, trailers, wreckers, and fuel tankers. The Contractors perform vehicle repair and modification services as required; and performs record- keeping, vehicle assignment, and ensures vehicle utilization. The Contractors provide reporting input to the Infrastructure Contractor as required. The Contractors provide any specialized, non-GSA equipment or vehicles, such as bucket trucks, fire trucks, etc. The Contractors are responsible for the return of its GSA vehicles.

Section 1: Services Provided by the Infrastructure Support Services Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
16	**Maintenance of Buildings, Structures, Installed Equipment, and Furnishings.** Coordinate maintenance, repair, replacement, and minor construction of buildings and structures, related systems, equipment and furnishings with other site contractors that could be impacted as to others operations, or for access to facilities and structures. Reference areas of responsibility are provided in the Site Facility Responsibility Matrix.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Contractors will coordinate its maintenance, repair, replacement, and minor construction of buildings and structures, related systems, equipment, and furnishings for which it is responsible with other site contractors that could be impacted as to others operations, or for access to facilities and structures.
17	**Janitorial Services.** Provide janitorial service for active facilities including trash collection, general cleaning, vacuuming, sweeping/ mopping, sanitary waste pick-up, etc. The Janitorial Services will be provided as indicated in the Site Facility Responsibility Matrix.	**DUF_6** [ ] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Allow access to facilities for janitorial services. Coordinate with Infrastructure Contractor for the provision of janitorial services. Ensures access to D&R Contractor Facilities, including providing necessary training. The D&R contractor must have DOE approval to relocate personnel if the relocations will impact the Janitorial Services.
18	**Grounds Maintenance.** Perform, interface, and coordinate with others on providing grounds maintenance, including grass cutting, edging, grass trimming, fertilizing, policing grounds, removing leaves, inspecting, and performing minor repairs for areas throughout the PDGP. The mowing map is provided as a Reference Document.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Ensure accessibility for routine maintenance. Any desired changes to the mowing map must be formally submitted and approved by DOE.
19	**Paved, Gravel and Earth Roads, and Yards.** Contractor inspects, schedules, maintains and repairs roadways, surfaced areas, and support facilities. Coordinate with others on activities at the site that impact others use of assets.	**DUF_6** [ ] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Ensure accessibility for routine maintenance. Any desired changes must be formally submitted and approved by DOE.
20	**Snow and Ice Prevention/Removal.** Provide de-icing (removal of snow or ice) and anti-icing from facilities (e.g., entrances, steps, landings, sidewalks, driveways, roadways, parking areas, and handicapped accessibility areas) at the PGDP that includes areas/facilities that are assigned to others.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Ensure accessibility for snow/ice removal. Any desired changes must be formally submitted and approved by DOE.

Section 1: Services Provided by the Infrastructure Support Services Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
21	**Outfalls, Ditches, and Waterways.** Contractor provides for removal of obstructions, such as beaver dams and other nuisance animal habitats in ditches and outfalls.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Identify obstructions and ensure accessibility for removal and disposition of obstructions. Any removal must be formally submitted and approved by DOE.
22	**Railroad Services.** Manages the overall rail maintenance, planning, operation, and coordination of rail movements on site. Determines requirements for future use on the site and coordinates with Contractors. Operates and maintains portions of the rail system. Coordinates with appropriate shared-site contractors prior to and during any on-site rail movements, including placement of "flaggers" at necessary intersections, taking proper security actions, and making site notifications. See the railroad maps in the references. Any changes to the railroad maps must be formally submitted to DOE for consideration. Coordinate the operation, inspection and perform maintenance, repair, and minor improvements of the railroad tracks assigned to the PGDP.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Utilize rail services as needed. Identify required maintenance. Requesting (and funding) for performing activities to bring out-of-service rail lines back into service. Upgrades will be coordinate and concurred upon by the Infrastructure Contractor. Any changes to the railroad maps must be formally submitted to DOE for consideration.
23	**Pest Control Services.** Provide pest control services for active buildings, trailers, and other structures and facilities specified in the Site Facility Responsibility Matrix, including insect pest control spraying and rodent control services, etc.	**DUF_6** [ ] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Coordinate for routine control and initiates requests for non-routine nuisance control. Ensures access to D&R Contractor Facilities, including providing necessary training. Any areas or facilities beyond the Site Facility Responsibility Matrix must be formally submitted and approved by DOE.
24	**Records Management and Document Control.** Maintain the central repository, process, and track classified mail. Scan all records, and maintain and administer searchable database.	**DUF_6** [ ] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Provide required copies of documents for file in the Records Management Center. Documents should be provided on a quarterly basis, minimally.
25	**Environmental Information Center Operations.** Operate and maintain the Environmental Information Center (EIC).	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Designate and provide documents for placement of documents in the Paducah EIC/Administrative Records. Documents should be provided as the documents are finalized to ensure the Administrative Record is up-to-date.

Section 1: Services Provided by the Infrastructure Support Services Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
26	**Training Services.** Provide training in the areas of Consolidated Annual Training, and Mandatory training including: General Employee Training, Radiological Worker I and II, Annual Security Refresher, Workplace Violence, Diversity, Employee Conduct, Business Ethics/Standards of Conduct, Quality Assurance Overview, Environmental Management Systems Overview, Fire Extinguisher Training, DOE Orders and Integrated Safety Management System.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Track training status and notify employees of training needs. Provide project specific input for incorporation into training modules. Ensure verification of training requirements compliance for personnel entering the D&R Contractor's facilities and provide non-GFSI provided training to personnel seeking entry to D&R Contractor facilities.
27	**On-Site Fueling Service.** Provide on-site refueling capability through on-site fueling stations for DOE and other site contractors. Invoice and collect for the cost of the fuel on first-in-first-out (FIFO) cost basis to each user, including other site contractors, GSA, DOE, etc.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Utilize systems in accordance with the provider's procedures and reimburse for fuel usage on a FIFO cost basis upon receipt of a valid invoice from the Infrastructure Contractor.
28	**Utilities.** Ensure utilities are provided from independent utility providers at remote facilities (i.e., facilities outside of the Paducah Site security fence).	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [ ] Coordinate utility optimization and support transfer of utilities to Infrastructure Contractor upon completion of optimization. Track and identify power needs of the site contractors for DOEs purchase of power.
29	**Energy Employees Occupational Injury Compensation Program Act.** Provide information to verify employment histories, provide medical records, radiation dose records, and other records related for any individual as requested.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Each contractor shall comply with its contract requirements and coordinate with others as required. Ensure the necessary information is provided to the Infrastructure Contractor in a timely manner.
30	**Intra-Site Mail Services.** Operate the Mailroom, sort and organize intra-site mail.	**DUF_6** [ ] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Daily pick-up and drop-off of intra-site mail at the mailroom.
31	**Fire Extinguishers.** Maintain, inspect, test, and repair/replace all portable fire extinguishers required to be in facilities.	**DUF_6** [x] **ISS** [ ] **D&R** [x] **DOE Technical Support** [x] Utilize services and coordinate schedules and access to facilities for inspections, maintenance, and replacement.

Section 2: Services Provided by the Deactivation and Remediation Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
1	**Nuclear Materials Control and Accountability.** Integrate, develop, maintain, and implement the Paducah Site Nuclear Materials Control and Accountability (NMC&A) program, including compliance with DOE Orders (e.g., NMC&A organizational independence from nuclear materials operations). The D&R Contractor will develop and maintain the contractor NMC&A Plan and will assist other DOE/Paducah contractors, in the development of required NMC&A plans and procedures if requested. The D&R Contractor conducts assessments of the NMC&A program, develops CAPs and provides to the ODSA for inclusion in the Annual Comprehensive Self-Assessment Report submitted to the ODFSA/ODSA. In coordination with the ODSA the D&R Contractor will develop and provide the NMC&A program section of the SSP. The D&R Contractor provides information to the Infrastructure Contractor about security arrangements and/or changes prior to new or changing operations commencing or configurations that might alter the performance of existing security system.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [ ] Maintain NMC&A information in accordance with the site program and provide data to the D&R Contractor. The ODSA will develop protective measure approaches and strategies for physical protection related to safeguarding Paducah nuclear materials and NMC&A related classified matter. Other site contractors will be signatories to all D&R Contractor NMC&A plans at Paducah.
2	**Shared Site Process.** Manage and host the Shared Site Process meetings.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [x] Participate in the Shared Site Process.
3	**Lock and Tag.** Manage and maintain the Master Lock & Tag Program (also known as the Lock and Tag Program). Manage and coordinate utility outages with other site contractors.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [ ] Coordinate utility outages with the D&R Contractor.
4	**Emergency Management, Fire and Rescue.** Manage the Paducah Site Emergency Management Program including emergency response, communications, and reporting. Provide response to fire, Hazardous Materials, rescue, medical, security emergencies in the form of incident commander, safety officer, operations officer, entry teams, decontamination, safety, and rehab.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [x] Participate in the site's Emergency Management program including planning, preparedness, response, recovery and readiness. The Infrastructure Contractor will conduct portable fire extinguisher testing and maintenance.

Section 2: Services Provided by the Deactivation and Remediation Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
5	**Emergency Operations.** Emergency Operations consists of the site wide Emergency Preparedness program, which includes operation of the Emergency Operations Center (EOC), hazard surveys and hazard assessments, training of EOC staff, site wide emergency exercises, and facility specific plans and procedures for emergency preparedness development, training, drills, and assessments. The EOC activity also includes Occurrence Notification Center to report environmental, safety, and health events and related information directly to DOE. Manage the EOC and related emergency operations for the site. Adopts, develops, maintains, and executes an Emergency Management Program and Plan.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [x] Participate in the site's Emergency Operations Program.
6	**Water Systems**. Manage the system to distribute on-site fire suppression and potable water to the site facilities. Operate and maintain the following site-wide water systems on site in accordance with all the applicable State and federal codes and regulations: fire protection water system, domestic water systems.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [x] Utilize and train employees on fire suppression systems.
7	**Wastewater Systems**. Manage the on-site plant utility consisting of a system(s) to collect, treat, and dispose of sanitary wastewater from the site facilities. Operate the wastewater systems on site in accordance with all the applicable state and federal codes and regulations.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [ ] Provide input for required operations and maintenance of systems.
8	**Electrical Transmission, Distribution, & Energy Management**. Manage the high voltage electrical plant utility consisting of a system for providing power to the on-site facilities. Coordinate with contractors to obtain the following: Energy cost and consumption data for the Energy Management Annual Report and the quarterly energy cost and consumption data entry to EMS4 database. Protect the systems against disruption and damage during performance of work and supports utility operations, maintenance, and closure of a service where appropriate.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [ ] Provide input for required operations and maintenance of systems. Track and identify power needs of the site contractors for DOE's purchase of power.

Section 2: Services Provided by the Deactivation and Remediation Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
9	**Natural Gas.** Manage the system to distribute natural gas to the on-site facilities. Coordinate with contractors to obtain the following: Energy cost and consumption data for the Energy Management Annual Report and the quarterly energy cost and consumption data entry to EMS4 database. Protects the systems against disruption and damage during performance of work and support utility operations, maintenance, and closure of a service where appropriate.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [ ] Provide input to the D&R Contractor for required operations and maintenance of systems.
10	**Protective Force Program.** Optimize and provide Protective Forces for facilities possessing critical Safeguards and Security interests. Manage, maintain, develop, and supervise the PF Program. This includes post orders, providing personnel and equipment required for support of the protective strategy developed by the ODSA. Ensures PF personnel are trained and equipped to DOE requirements for the task and providing operational procedures for the safe, efficient, and effective implementation of the DOE-approved, ODSA Site Security Plan. The D&R Contractor will conduct self-assessments of the PF program and provide self-assessment reports and any resulting CAPs to the ODSA for inclusion in the Annual Comprehensive Site Assessment Report submitted to the DOE ODFSA/ODSA. In coordination with the ODSA the D&R Contractor will develop and provide the PF program section of the Site Security Plan.	**DUF_6** [x] **ISS** [x] **D&R** [ ] **DOE Technical Support** [x] ODSA develops the protective strategy for the Protective Force to implement in their PF program and post orders. The ODSA will provide requirements for Classified Matter Protection and Control patrols/checks. Develop the Performance Assurance Plan and Limited Scope Performance Test schedules. Include the D&R Contractor's PF program assessments and CAPs into the Annual Comprehensive report to the ODFSA/ODSA. The ODSA will provide the D&R Contractor the opportunity to develop the Protective Force Program section of the Site Security Plan.
11	**Environmental Permits.** Maintain and input project activities into applicable environmental permits and licenses (e.g., Kentucky Pollutant Discharge Elimination System, Clean Air Act, etc.). Integrates its environmental permitting and regulatory compliance activities with the Paducah-wide permitting and compliance framework.	**ISS** [x] **DUF6** [x] **D&R** [ ] **DOE Technical Support** [ ] Coordinate with the D&R Contractor to incorporate activities into applicable site environmental permits and licenses.

Section 2: Services Provided by the Deactivation and Remediation Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
12	**Environmental Monitoring and Regulatory Management** (site-wide permits, permit applications, and reports; site-wide National Environmental Policy Act [NEPA] documents; site-wide environmental reports). Perform environmental monitoring services both on-site and off-site of air, soils, and water. Develop and maintain the Annual Site Environmental Report, National Emissions Standards for Hazardous Air Pollutant(s), and other site-wide environmental reports. Administer the site program for this activity. Provide required environmental information to support regulatory compliance and is responsible for compliance in areas under its cognizance, including NEPA. Provide required air and liquid effluents and near facility environmental monitoring; collects, compiles, and/or integrates air and liquid effluent monitoring data from operations and activities under its control. Provide environmental data to support the Annual Paducah environmental Report.	ISS [x] DUF6 [x] D&R [ ] DOE Technical Support [ ] Provide assistance to the D&R Contractor with transfer of existing permits or development of new permits that may be necessary as a result of changing project activities or new regulations. Support site Pollution Prevention/Waste Minimization Programs, including providing input into site programmatic environmental documents.

Section 3: Services Provided by the Depleted Uranium Hexafluoride Conversion Facility Contractor		
Item	***Activity/Service Provided***	***Other Contractor Interface Requirement***
1	**Cylinder Management.** Manage the DOE uranium hexafluoride (UF_6) cylinder inventory, including cylinder inspections, on-site transportation of cylinders, and maintenance of the existing UF_6 cylinder yards. Take receipt of newly generated DUF_6 cylinders.	**DUF_6** ■ **ISS** ☐ **D&R** [x] **DOE Technical Support** ☐ Identifies cylinder yard storage needs or necessary on-site transportation of cylinders and requests cylinder movements formally through DOE at least 3 months in advance of need date.

Section 4: Services Provided by the U.S. Department of Energy Technical Services Contractor (or Other Site Contractor)		
Item	***Activity***	***Other Contractor Interface Requirement***
1	**Project Management.** Maintain the site-wide, integrated life-cycle baseline.	**DUF6** [x] **ISS** [x] **D&R** [x] **DOE Technical Support** [ ] Provide input to the site-wide, integrated life-cycle baseline as applicable.

SECTION J, ATTACHMENT J–12b
Government Furnished Items

Section J, Attachment J-12b includes the following lists of Government Furnished Equipment:

a. Non-destructive Assay Equipment and Sources
b. Accountable Property/Equipment
c. PGDP Assets

These lists of equipment and assets are not all inclusive and will change over time.

GOVERNMENT FURNISHED ITEMS

NDA Equipment Inventory						
AN	**SerialNo**	**Section**	**EquipTypeName**	**Description**	**Model**	**Manufacturer**
34	81	NDA	COUNTER/TIMER	Counter/Timer	996	EG&G ORTEC
334	731	NDA	COUNTER/TIMER	Timer and Counter	996	EG&G ORTEC
593	C-52543	NDA	CUSHMAN	Orange electric cushman		Taylor-Dunn
594	C-53095	NDA	CUSHMAN	White electric cushman		
595	C-54508	NDA	CUSHMAN	#1 Yellow electric cushman		Cushman
596	C-54509	NDA	CUSHMAN	#2 Yellow electric cushman		Cushman
949	96-5936	NDA	GAMMA SPECTROMETER	Qualitative and Quantitative (Q2) Low Level Waste Assay System (Q2-1) upgraded in 2015 w/ 3 Broad Energy Germanium Detectors BE3830P, 3 Integrated Multi-Channel Analyzers, Desktop PC, GENIE 200 Basic with GENIE 2000 Gamma, Quality Assurance, and Interactive Peak Fit Options, ISOCS Efficiency Calibration Software, NDA 2000 Non-Destructive Assay Software	2482	Canberra

953	96-5935	NDA	GAMMA SPECTROMETER	Qualitative and Quantitative (Q2) Low Level Waste Assay System (Q2-2) upgraded in 2015 w/ 3 Broad Energy Germanium Detectors BE3830P, 3 Integrated Multi-Channel Analyzers, Desktop PC, GENIE 200 Basic with GENIE 2000 Gamma, Quality Assurance, and Interactive Peak Fit Options, ISOCS Efficiency Calibration Software, NDA 2000 Non-Destructive Assay Software	2482	Canberra
25	134737 & JG-577	NDA	NAI DETECTOR	Ludlum 2350-1 Meter & Bicron Probe (E-Gun)	2350-1 & 5M3/5	LUDLUM & BICRON
159	117056/408133-16	NDA	NAI DETECTOR	Ludlum meter & Handheld NaI detector w/ full lead shield	2241-1 & SPA-3	Ludlum & Eberline
177	129416 & 60013-00511	NDA	NAI DETECTOR	Ludlum Data Logger Meter & 5" NaI Probe	2350-1 & 5M3/5	Ludlum & Bicron/St Gobain
182	117049 & 20279-19	NDA	NAI DETECTOR	Ludlum Meter & handheld NaI detector w/ full lead shield	2241-1 & SPA-3	LUDLUM & EBERLINE
211	143541;20279-20	NDA	NAI DETECTOR	Ludlum 2241 & Eberline SPA-3 w/ half-shield of lead	2241 & SPA-3	LUDLUM & EBERLINE
213	20279-18	NDA	NAI DETECTOR	Eberline SPA-3 w/ half shield of lead	SPA-3	EBERLINE
422	135733 & 408133-17	NDA	NAI DETECTOR	2" NaI Probe & survey meter	2241 & SPA-3	LUDLUM & EBERLINE
585	160675; 407149-21	NDA	NAI DETECTOR	Ludlum Meter & 2" NaI Probe	2241 & SPA-3	LUDLUM & EBERLINE
590	IW-655	NDA	NAI DETECTOR	5" NaI Probe	5M3/5	Bicron
849	60013-00511	NDA	NAI DETECTOR	5" NaI Detector for E-gun Part# C-05785	5M3/5	Bicron/Saint-Gobain
22	118436/10005656	NDA	NEUTRON DETECTOR	Ludlum meter & Canberra Slab	2241&MA2219	Ludlum & Canberra

210	143538/970128	NDA	NEUTRON DETECTOR	2241 Ludlum Meter & NNC Neutron Slab Detector (C connector 5 volt in/out)	2241 & SD8L	Ludlum & NNC
240	154722/10005657	NDA	NEUTRON DETECTOR	2241 Ludlum Meter & Canberra Slab	2241 & MA2219	Canberra Nuclear
241	160728/10005658	NDA	NEUTRON DETECTOR	2241 Ludlum Meter & Canberra Slab	2241 & MA2219	Canberra Nuclear
242	160720/970127	NDA	NEUTRON DETECTOR	2241 Ludlum Meter & NNC Slab	2241 & SD8L	LUDLUM & NNC
243	160708/10005660	NDA	NEUTRON DETECTOR	Canberra Slab	MA2219	Canberra Nuclear
244	10005661	NDA	NEUTRON DETECTOR	Canberra Slab	MA2219	Canberra Nuclear
664	10005659	NDA	NEUTRON DETECTOR	Canberra Slab	MA2219	Canberra Nuclear
741	10005662	NDA	NEUTRON DETECTOR	Canberra Slab	MA2219	Canberra
968	315634/59563-1	NDA	NEUTRON DETECTOR	Ludlum meter w/Neutron Slab Detector	2241/RM5486605	Canberra
747	031-105	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
748	071-105	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
749	194-105	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
750	295-105	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
751	446-105	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
752	031-074	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)

753	071-074	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
754	194-074	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
755	295-074	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
756	446-074	NDA	Source	U3O8 Can Source	SRM 969	New Brunswick Lab (NBL)
757	1036-69-2	NDA	Source	Co-60 Gamma Source (Transmission)	Catalog No. GF-060-R3	Isotope Products Laboratories
758	1036-69-3	NDA	Source	Co-60 Gamma Source (Transmission)	Catalog No. GF-060-R3	Isotope Products Laboratories
759	1232-71	NDA	Source	Co-60 Gamma Source (Transmission)	Catalog No. GF-060-R3	Isotope Products Laboratories
760	1368-52-1	NDA	Source	Co-60 Gamma Source (Transmission)	Catalog No. GF-060-R3	Isotope Products Laboratories
761	1368-52-2	NDA	Source	Co-60 Gamma Source (Transmission)	Catalog No. GF-060-R3	Isotope Products Laboratories
762	1368-52-3	NDA	Source	Co-60 Gamma Source (Transmission)	Catalog No. GF-060-R3	Isotope Products Laboratories
763	FTC-CF-1163	NDA	Source	Cf-252 Neutron Calibration Source	Model 100	Frontier Technology Corporation
764	U-49559TM(1-20)	NDA	Source	UO2F2 Tacky Mat Sources 1-20		USEC NDA Lab
775	1368-52-4	NDA	Source	Mixed Gamma Source (Calibration)	Catalog No. GF-TN	Isotope Products Laboratories
776	1368-52-5	NDA	Source	Mixed Gamma Source (Calibration)	Catalog No. GF-TN	Isotope Products Laboratories
825	FTC-CF-Z741	NDA	Source	Cf-252 Neutron Calibration Source	Z100	Frontier Technology Corporation
826	FTC-CF-Z615	NDA	Source	Cf-252 Neutron Calibration Source	Z100	Frontier Technology Corporation

838	N/A	NDA	Source	Cf-252 Neutron Calibration Source	Z100	Frontier Technology Corporation
839	N/A	NDA	Source	Cf-252 Neutron Calibration Source	Z100	Frontier Technology Corporation
840	1S973769	NDA	Source	1S Cylinder Calibration Source		Ports Lab
841	1S973735	NDA	Source	1S Cylinder Calibration Source		Ports Lab
842	1S973694	NDA	Source	1S Cylinder Calibration Source		Ports Lab
843	1S973410	NDA	Source	1S Cylinder Calibration Source		Ports Lab
844	1S973192	NDA	Source	1S Cylinder Calibration Source		PGDP Lab
845	1S974066	NDA	Source	1S Cylinder Calibration Source		PGDP Lab
846	1S973369	NDA	Source	1S Cylinder Calibration Source		PGDP Lab
847	1S973099	NDA	Source	1S Cylinder Calibration Source		PGDP Lab
848	103F01-45	NDA	Source	ISOCS QC Check Source		Canberra
865	10713-40	NDA	Source	ISOCS QC Check Source		Canberra
868	1743-19-1	NDA	Source	Mixed Gamma Source (Calibration)	Catalog No. GF-TN	Isotope Products Laboratories
869	1743-19-2	NDA	Source	Mixed Gamma Source (Calibration)	Catalog No. GF-TN	Isotope Products Laboratories
936	100214-51	NDA	Source	ISOCS QC Check Source		Canberra
937	100214-53	NDA	Source	ISOCS QC Check Source		Canberra

938	100214-52	NDA	Source	ISOCS QC Check Source		Canberra
940	71615-1	NDA	Source	Eu155 & Na22 Mixed Gamma (ISOCS)	Eu/Na	Spectech Spectrum Techniques
941	71615-2	NDA	Source	Eu155 & Na22 Mixed Gamma (ISOCS)	Eu/Na	Spectech Spectrum Techniques
942	010515-47	NDA	Source	Eu155 & Na22 Mixed Gamma (ISOCS)	Eu/Na	Spectech Spectrum Techniques
943	715151	NDA	Source	Co60 & Cs137 Mixed Gamma (ISOCS)	Co60Cs137	Spectech Spectrum Techniques
944	715152	NDA	Source	Co60 & Cs137 Mixed Gamma (ISOCS)	Co60Cs137	Spectech Spectrum Techniques
945	715153	NDA	Source	Co60 & Cs137 Mixed Gamma (ISOCS)	Co60Cs137	Spectech Spectrum Techniques
946	715154	NDA	Source	Co60 & Cs137 Mixed Gamma (ISOCS)	Co60Cs137	Spectech Spectrum Techniques
947	715155	NDA	Source	Co60 & Cs137 Mixed Gamma (ISOCS)	Co60Cs137	Spectech Spectrum Techniques
948	715156	NDA	Source	Co60 & Cs137 Mixed Gamma (ISOCS)	Co60Cs137	Spectech Spectrum Techniques
950	71615-12	NDA	Source	Eu-155 / Na-22 Mixed Gamma Std. (ISOCS) ISOCS	Eu/Na	Spectech Spectrum Techniques
951	010515-20	NDA	Source	Eu-155 / Na-22 Mixed Gamma Std. (ISOCS)	Eu/Na	Spectech Spectrum Techniques
952	010515-18	NDA	Source	Eu-155 / Na-22 Mixed Gamma Std. (ISOCS)	Eu/Na	Spectech Spectrum Techniques
970	0408161 / PAD-0803	NDA	Source	Cs-137 Gamma Source	DISK	Spectech Spectrum Techniques
971	0408162 / PAD-0804	NDA	Source	Cs-137 Gamma Source	DISK	Spectech Spectrum Techniques

21	135734	NDA	SURVEY METER	Ludlum Meter with HV connector.	2241	Ludlum
23	134939	NDA	SURVEY METER	Ludlum meter	2241	Ludlum
24	134770	NDA	SURVEY METER	Ludlum data logger w/ C connector	2350-1	Ludlum
26	134765	NDA	SURVEY METER	Ludlum data logger w/ C connector	2350-1	Ludlum
27	134750	NDA	SURVEY METER	Ludlum data logger w/ C connector	2350-1	Ludlum
28	117059	NDA	SURVEY METER	2241w/ SHV connector + MS3102A10SL-3S w/5v out	2241	LUDLUM
178	129397	NDA	SURVEY METER	Ludlum data logger meter	2350-1	LUDLUM
179	129428	NDA	SURVEY METER	Ludlum data logger meter	2350-1	Ludlum
181	135732	NDA	SURVEY METER	Ludlum 2241	2241	LUDLUM
239	134929	NDA	SURVEY METER	2241 Ludlum Meter	2241	LUDLUM
245	163630	NDA	SURVEY METER	2241 Ludlum Meter	2241	LUDLUM
424	134750	NDA	SURVEY METER	Ludlum 2350-1	2350-1	Ludlum
963	310962/PR353472	NDA	SURVEY METER	Ludlum Survey Meter w/ Ludlum Probe	2241/44-10	LUDLUM
964	315600/PR353460	NDA	SURVEY METER	Ludlum Survey Meter w/Ludlum Probe	2241/44-10	LUDLUM
965	315669	NDA	SURVEY METER	Ludlum Meter	2241	LUDLUM
966	315635	NDA	SURVEY METER	Ludlum Meter	2241	LUDLUM

967	315648	NDA	SURVEY METER	Ludlum Meter	2241	LUDLUM
482	V31810	NDA	TEST BLOCK	5 Step Steel Test Block		Krautkramer Ultrasonic Systems
483	7847	NDA	TEST BLOCK	5 Step Steel Test Block		Krautkramer Branson
659	A22110	NDA	TEST BLOCK	5 Step Block 1018 Steel		Berg Engineering
660	A22325	NDA	TEST BLOCK	5 Step Block 304 Stainless Steel		Berg Engineering
958	A29345	NDA	TEST BLOCK	5 Step Block 1018 Steel		Berg Engineering
38	440876	NDA	THICKNESS GAGE	Thickness Gage	DM4DL	Krautkramer Branson
207	1070	NDA	THICKNESS GAGE	NDT Digital Thickness Gage	710	NDT International, Inc.
208	1069	NDA	THICKNESS GAGE	NDT Digital Thickness Gage	710	NDT International, Inc.
481	00VTYD	NDA	THICKNESS GAGE	Thickness Gage	DM4E	Krautkramer Ultrasonic Systems
658	01F798	NDA	THICKNESS GAGE	Thickness Gage	DM4E	GE Inspection Technologies
959	DM5EG1505100	NDA	THICKNESS GAGE	GE Inspection Technologies Thickness Gauge	DM5E	GE Inspection Technologies
249	08004774;9004672;NDA DELL02	NDA	U-Pu	Inspector 2000 MCA, Coaxial LeGe Detector, & Dell Laptop	IN2K & GL0515R & 5100	Canberra Nuclear
250	09005101;9004673;NDA DELL01	NDA	U-Pu	Inspector 2000 MCA, Coaxial LeGe Detector, Dell Laptop	IN2K & GL0515R & PP18L	Canberra Nuclear
456	07004166;06024847;NDA DELL03	NDA	U-Pu	Inspector 2000 MCA; Coaxial LeGe Detector; & Dell Laptop	IN2K;GL0515R;C12466-1	Canberra
246	05062633,9004676,NDA DELL06 & 13000251	NDA	UQUANT	MCA,BeGe Detector, & (2) Dell Laptops	IN2K, BE5030 & 2621 & E6540	Canberra Nuclear

247	09005104;8007275;NDA DELL05, 13000249	NDA	UQUANT	Inspector 2000 MCA, Coaxial HPGe Detector, & (2) Dell Laptops	IN2K & GC4019 & 2621 & E6540	Canberra Nuclear
248	05026788;9007247;NDA DELL 13000250	NDA	UQUANT	Inspector 2000 MCA, Coaxial HPGe Detector, & (2) Dell Laptops	IN2K & GC4019 & 2621 & E6540	Canberra Nuclear
201	13830027	NDA	VOLTMETER	Multimeter	177	Fluke Corporation

Asset #	Description	Location	Additional Locati	Make	Model	Serial Number	Custodian	Sensitive	High Risk	Equip	Purchase Da	Purchase Price	PO #
CA03220	CPU	101 LIBERTY DRIVE	WAREHOUSE OFF	HP	DX 2400	MXL9260CCF	HARDINH	Yes	No	No	8/4/2009	$ 500.00	
CA03295	CPU	101 LIBERTY DRIVE	WAREHOUSE	HP	HP PRO 3000 MT	MXL0050WNZ	GROSSDB	Yes	No	No	2/15/2010	$ 600.00	
CA03327	CPU	101 LIBERTY DRIVE	PRS office	HP	COMPAQ 500 B	MXL9451Y9P	FOLSOMJB	Yes	No	No	3/4/2010	$ 600.00	
CA03569	CPU	101 LIBERTY DRIVE	C-9	DELL	OPTILPLEX 360	6VN5JG1	TRAINING DEPT.	Yes	No	No	5/2/2011	$ 775.00	
CA03587	CPU	101 LIBERTY DRIVE	C-9	DELL	OPTIPLEX 360	6XVBJG1	WRIGHTWR	Yes	No	No	5/2/2011	$ 775.00	
CA03591	CPU	101 LIBERTY DRIVE	C-9	DELL	OPTIPLEX 360	37ZP3J1	TRAINING DEPT.	Yes	No	No	5/2/2011	$ 775.00	
CA03681	CPU	101 LIBERTY DRIVE	training area	DELL	OPTIPLEX 360	6X05JG1	WRIGHTWR	Yes	No	No	5/2/2011	$ 775.00	
CA03743	CPU	101 LIBERTY DRIVE	C09	DELL	OPTIPLEX 360	7F3P1J1	TRAINING DEPT.	Yes	No	No	5/2/2011	$ 775.00	
CA03779	CPU	101 LIBERTY DRIVE	C-9	DELL	OPTIPLEX 360	8QHT3J1	TRAINING DEPT.	Yes	No	No	5/2/2011	$ 775.00	
CA03850	CPU	101 LIBERTY DRIVE	WAREHOUSE	HP	DC 7900	MXL92716DB	KOCSISJA	Yes	No	No	10/22/2012	$ 515.00	
CA04254	CELLULAR TELEPHONE (PDA)	101 LIBERTY DRIVE		BLACKBERRY	9930	A0000026234429	LATAPROP	Yes	No	No	9/25/2013	$ 500.00	NA
CA04296	CELLULAR TELEPHONE	101 LIBERTY DRIVE	WAREHOUSE OFF	BLACKBERRY	9930	A000002629C933	KOCSISJA	Yes	No	No	5/5/2014	$ 500.00	NA
CA04306	CPU	101 LIBERTY DRIVE	LATA closeout off	DELL	DCNE	B8SXPH1	HARDINH	Yes	No	No	5/1/2014	$ 789.00	
CA04342	CPU	101 LIBERTY DRIVE	Room A5	DELL	DCNE	7XDNPH1	WRIGHTWR	Yes	No	No	5/15/2014	$ 789.00	N/A
CA06609	BIPHASIC AUTOMATED EXTERNAL DEI	101 LIBERTY DRIVE	Training Office Br	MEDTRONIC	LIFEPAK 500	32187908	HODGESWC	Yes	No	No	2/2/2009	$ 1,150.00	PR 8565
CA06793	PRINTER - NETWORK	101 LIBERTY DRIVE	Front of Office by	HP	CP3525N	CNCC8DH07Q	WRIGHTWR	Yes	No	No	7/25/2010	$ 1,100.00	
CA06862	PRINTER - NETWORK	101 LIBERTY DRIVE	warehouse office	HP	P4014N	CNDX405616	KOCSISJA	Yes	No	No	11/4/2009	$ 898.00	PR 13455
CA07132	CELLULAR TELEPHONE (PDA)	101 LIBERTY DRIVE		BLACKBERRY	9650	A000001CF4FBFA	LATAPROP	Yes	No	No	9/1/2010	$ 480.00	
CA07186	AUDIO PA SYSTEM	101 LIBERTY DRIVE	warehouse office	OKLAHOMA SOUNI	PRA-6000	P09153-2009100074	KOCSISJA	Yes	No	No	2/2/2011	$ 845.40	LKY-001255
CA07306	BIPHASIC AUTOMATED EXTERNAL DEI	101 LIBERTY DRIVE	Warehouse	MEDTRONIC	LIFEPAK 500	30620687	HODGESWC	Yes	No	No	7/25/2010	$ 1,150.00	
CA07320	CELLULAR TELEPHONE (PDA)	101 LIBERTY DRIVE		BLACKBERRY	9650	A0000025CC1CA7	LATAPROP	Yes	No	No	9/28/2011	$ 510.00	NA
CA07386	SCANNER (BARCODE) - LINEAR 2D	101 LIBERTY DRIVE	warehouse office	HONEYWELL	DOLPHIN 6500	1024730101	KOCSISJA	Yes	No	No	8/25/2011	$ 723.62	PR 4861
CA07536	CELLULAR TELEPHONE (PDA)	101 LIBERTY DRIVE		BLACKBERRY	9930	A0000025FCC736	EVANSL	Yes	No	No	5/31/2012	$ 510.00	
CA07711	CELLULAR TELEPHONE (PDA)	101 LIBERTY DRIVE		BLACKBERRY	9930	A0000026147814	LATAPROP	Yes	No	No	6/25/2012	$ 510.00	
CA07743	CELLULAR TELEPHONE (PDA)	101 LIBERTY DRIVE		BLACKBERRY	9930	A00000260908EA	KOCSISJA	Yes	No	No	9/11/2012	$ 510.00	
CA03223	CPU	761 VETERANS AVE	B-20	HP	DC 5800	2UA9321DX7		Yes	No	No	8/13/2009	$ 550.00	
CA04286	CELLULAR TELEPHONE	761 VETERANS AVE	B-29	BLACKBERRY	9930	A0000026264BE1	SHAIAGL	Yes	No	No	3/24/2014	$ 500.00	NA
CA04291	CELLULAR TELEPHONE	761 VETERANS AVE	A-23	BLACKBERRY	9930	A0000026234BCB	REYNOLDS	Yes	No	No	4/1/2014	$ 500.00	NA
CA04392	PRINTER, NETWORK COLOR	761 VETERANS AVE	5-2 BACK COPY R	HP	4650	JPKAC35952	REASONJM	Yes	No	No	7/14/2014	$ 400.68	PR 12321
CA04397	Laptop / Tablet	761 VETERANS AVE	A-7	Microsoft	Surface Pro 3	61883242453	REASONJM	Yes	No	No	10/21/2014	$ 1,637.34	LKY-005438
CA04399	Laptop / Tablet	761 VETERANS AVE	18-Jun	Microsoft	Surface Pro 3	41604642553	GLOVERLD	Yes	No	No	10/21/2014	$ 1,637.34	LKY-005438
CA04589	LAPTOP	761 VETERANS AVE	B-3	HP	ELITE BOOK 850	CNU416D1R4	CHRISTMASS	Yes	No	No	6/6/2014	$ 209.00	
CA04719	CPU	761 VETERANS AVE	9-Jan	DELL	OPTIPLEX 380	5LSQMN1	WRIGHTSS	Yes	No	No	10/22/2014	$ 600.00	
CA04821	Laptop / Tablet	761 VETERANS AVE	A-7	Microsoft	Surface Pro 3	18516743253	REASONJM	Yes	No	No	10/21/2014	$ 1,637.34	LKY-005438
CA06015	LAPTOP	761 VETERANS AVE		DELL	PP065	26590225657	WILDHARBERJD	Yes	No	No	7/25/2010	$ 1,600.00	
CA06829	CPU	761 VETERANS AVE	D-5	HP	DC 5800	2UA91714QD	HARDINH	Yes	No	No	7/25/2010	$ 600.00	
CA07147	LAPTOP	761 VETERANS AVE		HP	Elite Book	CND029W85	MIKESELLD	Yes	No	No	11/9/2010	$ 1,908.56	LKY-000753
CA10047	CPU	761 VETERANS AVE	14-Jan	DELL	OPTIPLEX 380	5HVRMN1	SMITHMD	Yes	No	No	10/21/2014	$ 600.00	
CA10048	CPU	761 VETERANS AVE	7-Feb	DELL	OPTIPLEX 380	5LJRMN1	MULRYM	Yes	No	No	10/21/2014	$ 600.00	
CA10051	CPU	761 VETERANS AVE	15-Jan	DELL	OPTIPLEX 330	43ZYNH1	HARRISPG	Yes	No	No	10/21/2014	$ 600.00	
CA10061	CPU	761 VETERANS AVE	5-Feb	DELL	OPTIPLEX 330	J3ZYNH1	HOTTJ	Yes	No	No	10/21/2014	$ 600.00	
CA10062	CPU	761 VETERANS AVE	B-6	DELL	OPTIPLEX 380	5J1RMN1	MULRYM	Yes	No	No	10/21/2014	$ 600.00	
CA10081	CPU	761 VETERANS AVE	3-Jan	DELL	OPTIPLEX 380	5KDRMN1	LEMUSJ	Yes	No	No	10/21/2014	$ 600.00	
CA10093	CPU	761 VETERANS AVE	6-Jan	DELL	OPTIPLEX 380		STEVENSCM	Yes	No	No	10/21/2014	$ 600.00	
CA10094	CPU	761 VETERANS AVE	6-Jan	DELL	OPTIPLEX 360	JXLWTK1	LESTERS	Yes	No	No	10/21/2014	$ 600.00	
CA10107	CPU	761 VETERANS AVE	8-Feb	DELL	OPTIPLEX 390	DC5GER1	KOCSISJA	Yes	No	No	10/21/2014	$ 600.00	
CA10148	CPU	761 VETERANS AVE	7-Feb	DELL	OPTIPLEX 380	5JFQMN1	KOCSISJA	Yes	No	No	1/19/2014	$ 600.00	
CA10154	CPU	761 VETERANS AVE	8-Feb	DELL	OPTIPLEX 380	DC7CWR1	KOCSISJA	Yes	No	No	11/19/2014	$ 600.00	
CA10203	CPU	761 VETERANS AVE	B-4	DELL	OPTIPLEX 380	5LFRMN1	MULRYM	Yes	No	No	12/4/2014	$ 600.00	
CA10208	CPU	761 VETERANS AVE	B-9	DELL	OPTIPLEX 380	5KCSMN1	KEELINGE	Yes	No	No	12/24/2014	$ 600.00	
CA10684	CPU	761 VETERANS AVE	4-Feb	DELL	OPTIPLEX 360		KOCSISJA	Yes	No	No	3/25/2015	$ 600.00	
CA10686	CPU	761 VETERANS AVE	10-Feb	DELL	OPTIPLEX 360	53D2LK1	KOCSISJA	Yes	No	No	3/25/2015	$ 600.00	
CA10736	CPU	761 VETERANS AVE	B-3	DELL	OPTIPLEX 360	53TWTK1	CHRISTMASS	Yes	No	No	4/14/2015	$ 600.00	
CA10759	CPU	761 VETERANS AVE	7-Feb	DELL	OPTIPLEX 380	5HZRMN1	KOCSISJA	Yes	No	No	4/14/2015	$ 600.00	
CA10760	CPU	761 VETERANS AVE	5-Jan	DELL	OPTIPLEX 380	5K6SMN1	NICHOLSB	Yes	No	No	4/14/2015	$ 600.00	
CA10844	CPU	761 VETERANS AVE	3-Jan	DELL	OPTIPLEX 390	DC9GWR1	NIENABERL	Yes	No	No	5/6/2015	$ 600.00	
CA10898	CPU	761 VETERANS AVE	B-13	DELL	OPTIPLEX 360	F2TWTK1	CHRISTMASS	Yes	No	No		$ -	
CA10900	CPU	761 VETERANS AVE	B-7	DELL	OPTIPLEX 360	6RF2LK1	MULRYM	Yes	No	No	6/2/2015	$ 600.00	
CA03189	CPU (AUTOCAD WORKSTATION)	C-100		HP	XW 4600	2UA8451L4P	ATKINSB	Yes	No	No	5/14/2009	$ 1,118.00	
CA03201	CPU	C-100	R138	HP	DX 2400	MXL9241C8Z	HYLKOJM	Yes	No	No	7/8/2009	$ 450.00	
CA03244	CPU	C-100		HP	DC5800	2UA9321DXM	ATKINSB	Yes	No	No	8/21/2009	$ 550.00	
CA03250	CPU	C-100	Room 217-L	HP	DC 5800	2UA9321DX1	KOCSISJA	Yes	No	No	8/21/2009	$ 550.00	
CA03281	CPU	C-100	Room 144	HP	PRO 3000 MT	MXL0050WPM	ROBERTSS	Yes	No	No	2/15/2010	$ 600.00	
CA03289	CPU	C-100	Room 144	HP	PRO 3000 MT	MXL0050WNY	ROBERTSS	Yes	No	No	7/25/2010	$ 600.00	
CA03296	CPU	C-100	Rm 8	HP	PRO 3000 MT	MXL0050WP5	ATKINSB	Yes	No	No	7/25/2010	$ 600.00	
CA03570	CPU	C-100	Room 222	DELL	OPTIPLEX 360	GWR2JG1	BECKR	Yes	No	No	5/2/2011	$ 775.00	
CA03580	CPU	C-100	RM 222	DELL	OPTIPLEX 360	6VN4JG1	PIVORASL	Yes	No	No	5/2/2011	$ 775.00	
CA03608	CPU	C-100	Room 222	DELL	OPTIPLEX 360	2S1P1J1	ARNZENJ	Yes	No	No	5/2/2011	$ 775.00	

CA03614	CPU	C-100		DELL	OPTIPLEX 360	6VM9JG1	ATKINSB	Yes	No	No	5/2/2011	$ 775.00	
CA03620	CPU	C-100	Room 227	DELL	PRECISION OPTPLEX 360	1QJD1J1	PHILLIPST	Yes	No	No	5/2/2011	$ 775.00	
CA03629	CPU	C-100		DELL	OPTIPLEX 360	6DRH1J1	ATKINSB	Yes	No	No	5/2/2011	$ 775.00	
CA03648	CPU	C-100	Room 222	DELL	OPTIPLEX 360	6WQ7JG1	FREELSJP	Yes	No	No	5/2/2011	$ 775.00	
CA03669	CPU	C-100	R141	DELL	OPTIPLEX 360	2T7Q1J1	MILLERM	Yes	No	No	5/2/2011	$ 775.00	
CA03744	CPU	C-100	R141	DELL	OPTIPLEX 360	6XT9JG1	BOWEND	Yes	No	No	5/2/2011	$ 775.00	
CA03754	CPU	C-100		DELL	OPTIPLEX 360	HWWS3J1		Yes	No	No	5/2/2011	$ 775.00	
CA03757	CPU	C-100		DELL	OPTIPLEX 360	6ZWN3J1	ATKINSB	Yes	No	No	5/2/2011	$ 775.00	
CA03759	CPU	C-100	RM 217	DELL	OPTIPLEX 360	82WN3J1	FREELSJP	Yes	No	No	5/2/2011	$ 775.00	
CA03769	CPU	C-100		DELL	OPTIPLEX 360	6TZ2JG1		Yes	No	No	5/2/2011	$ 775.00	
CA03852	CPU	C-100	R144	HP	DC 7900	MXK92716DY	DABNEY, KAY	Yes	No	No	10/22/2012	$ 515.00	
CA03857	CPU	C-100		HP	DC 7900	MXL92716D7		Yes	No	No	10/22/2012	$ 515.00	
CA03858	CPU	C-100		HP	DC 7900	MXL92716RP		Yes	No	No	10/22/2012	$ 515.00	
CA03863	CPU	C-100		HP	DC 7900	MXK92716TP	ATKINSB	Yes	No	No	10/22/2012	$ 515.00	
CA03873	CPU	C-100		HP	DC 7900	MXL92716YV	ATKINSB	Yes	No	No	10/22/2012	$ 515.00	
CA03875	CPU	C-100		HP	DC 7900	MXL92716GF	ATKINSB	Yes	No	No	10/22/2012	$ 515.00	
CA03882	CPU	C-100		HP	DC 7900	MXL92716FQ	ATKINSB	Yes	No	No	10/23/2012	$ 515.00	
CA03888	CPU	C-100		HP	DC 7900	MXL92716HQ	ATKINSB	Yes	No	No	10/23/2012	$ 515.00	
CA03889	CPU	C-100		HP	DC 7900	MXL92716X3	ATKINSB	Yes	No	No	10/23/2012	$ 515.00	
CA03894	CPU	C-100		HP	DC 7900	MXL92716VS		Yes	No	No	10/23/2012	$ 515.00	
CA03895	CPU	C-100		HP	DC 7900	MXL92716XN	ATKINSB	Yes	No	No	10/23/2012	$ 515.00	
CA03901	CPU	C-100		HP	DC 7900	MXL92716DX	ATKINSB	Yes	No	No	10/23/2012	$ 515.00	
CA03908	CPU	C-100		HP	DC 7900	MXL92716ZB	ATKINSB	Yes	No	No	10/23/2012	$ 515.00	
CA03914	LAPTOP	C-100		DELL	LATITUDE E6400	B4PLTH1	ATKINSB	Yes	No	No	10/26/2012	$ 1,400.00	
CA03919	LAPTOP	C-100		DELL	LATITUDE E6400	H4PLTH1	ATKINSB	Yes	No	No	10/26/2012	$ 1,400.00	
CA04048	CPU	C-100	OFFICE 163	DELL	OPTIPLEX 3020	9ZZ5202	GAMBOAS	Yes	No	No	4/15/2014	$ 700.00	
CA04059	CPU	C-100	R142	DELL	OPTIPLEX 3020	BRSNF02	LESTERS	Yes	No	No	5/29/2014	$ 1,096.00	
CA04062	CPU	C-100	R142	DELL	OPTIPLEX 3020	76GKK02	TEETERSP	Yes	No	No	5/29/2014	$ 1,096.00	
CA04068	CPU	C-100	222	DELL	OPTIPLEX 3020	75TCK02	NEWBURNJ	Yes	No	No	5/29/2014	$ 1,096.00	
CA04084	LAPTOP	C-100		HP		CNU416C36N	VICKSP	Yes	No	No	7/29/2014	$ -	
CA04117	CPU	C-100	R144	DELL	Optiplex 3020	8YZNK02	TEMPLETON, JODY	Yes	No	No	8/12/2014	$ 556.00	
CA04123	CPU	C-100	R222	DELL	OPTIPLEX 3020	941NK02	BOOKERSR	Yes	No	No	8/12/2014	$ 556.00	
CA04125	CPU	C-100		DELL	OPTIPLEX 3020	73PCK02	ATKINSB	Yes	No	No	8/12/2014	$ 556.00	
CA04131	CPU	C-100	ROOM 227	DELL	OPTIPLEX 3020	92BKK02	TARANTINOJ	Yes	No	No	8/12/2014	$ 556.00	
CA04132	CPU	C-100	222	DELL	OPTIPLEX 3020	74VKK02	LEGGSK	Yes	No	No	8/12/2014	$ 556.00	
CA04171	LAPTOP / TABLET	C-100	140C		SURFACE PRO 3	61468342553	WILLIAMSR	Yes	No	No	8/28/2014	$ 1,400.00	
CA04201	CPU	C-100	133	DELL	OPTIPLEX 3020	8BJBL02	GILBERTJA	Yes	No	No	10/9/2014	$ 600.00	
CA04202	CPU	C-100	222	DELL	OPTIPLEX 3020	8GCCL02	WYATTEE	Yes	No	No	10/9/2014	$ 600.00	
CA04208	CPU	C-100		DELL	OPTIPLEX 3020	8CS8L02	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04235	CELLULAR TELEPHONE	C-100		BLACKBERRY	Q10	990002431520129	JIM REASON	Yes	No	No	6/30/2016	$ 510.00	
CA04334	CPU	C-100	A-27	DELL	DCNE	GJCXPH1	COTHRANE	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04336	CPU	C-100		DELL	DCNE	G0HNPH1	KOCSISJA	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04337	CPU	C-100	R217	DELL	DCNE	JVDNPH1	COTHRANE	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04347	CPU	C-100		DELL	DCNE	BXDNPH1	VICKSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04354	CPU	C-100		DELL	DCNE	HQSXPH1		Yes	No	No	5/15/2014	$ 789.00	N/A
CA04406	CPU	C-100	102	DELL	OPTIPLEX 3020	97GPF02	JOHNSONT	Yes	No	No	6/6/2014	$ 555.00	
CA04415	CPU	C-100	222	DELL	OPTIPLEX 3020	88W3N02	FREELSJP	Yes	No	No	6/6/2014	$ 555.00	
CA04417	CPU	C-100		DELL	OPTIPLEX 3020	GT2PF02	SHUTT,L	Yes	No	No	6/6/2014	$ 555.00	
CA04428	CPU	C-100	Room 144	DELL	OPTIPLEX 3020	3TB3N02	ROBERTSS	Yes	No	No	6/6/2014	$ 555.00	
CA04432	CPU	C-100	ROOM 113	DELL	OPTIPLEX 3020	66B3N02	CURTISP	Yes	No	No	6/6/2014	$ 555.00	
CA04437	CPU	C-100		DELL	OPTIPLEX 3020	7T13N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04451	CPU	C-100	ROOM 158	DELL	OPTIPLEX 3020		GUPTON,S	Yes	No	No	6/6/2014	$ 555.00	
CA04489	CPU	C-100		DELL	OPTIPLEX 3020	611RF02	ATKINSB	Yes	No	No	6/6/2014	$ 555.00	
CA04495	CPU	C-100		DELL	OPTIPLEX 3020	GLY2N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04507	CPU	C-100	R140	DELL	OPTIPLEX 3020	9QB3N02	DRODDYJ	Yes	No	No	6/6/2014	$ 555.00	
CA04516	CPU	C-100	222	DELL	OPTIPLEX 3020	B2GPF02	FREELSJP	Yes	No	No	6/6/2014	$ 555.00	
CA04540	CPU	C-100	R205	DELL	OPTIPLEX 3020	4Q0RF02	YLITALOD	Yes	No	No	6/6/2014	$ 555.00	
CA04562	LAPTOP	C-100	222	HP	ELITEBOOK 850	BCAJR1O2C9E1EOBHBX	COULSONJT	Yes	No	No	6/6/2014	$ 209.00	
CA04565	LAPTOP	C-100	Room 217	HP	ELITE BOOK 850	CNU419BPW4	KOCSISJA	Yes	No	No	6/6/2014	$ 209.00	
CA04577	LAPTOP	C-100	220	HP	ELITE BOOK 850	CNU416D3JW	SOHLJD	Yes	No	No	6/6/2014	$ 209.00	
CA04578	LAPTOP	C-100	RM 217	HP	ELITE BOOK 850	CNU416D3FV	BOYSTERA	Yes	No	No	6/6/2014	$ 209.00	
CA04588	LAPTOP	C-100		HP	ELITE BOOK 850	CNU419BPXQ	BARNAGJ	Yes	No	No	6/6/2014	$ 209.00	
CA04721	CPU	C-100		DELL	OPTIPLEX 330	G7G5TH1		Yes	No	No	10/22/2014	$ 600.00	
CA04722	CPU	C-100		DELL	OPTIPLEX 330	7HG5TH1	ATKINSB	Yes	No	No	10/22/2014	$ 600.00	
CA04725	CPU	C-100		DELL	OPTIPLEX 330	1FG5TH1	VICKSP	Yes	No	No	10/22/2014	$ 600.00	
CA04728	CPU	C-100		DELL	OPTIPLEX 330	CHG5TH1	ATKINSB	Yes	No	No	10/22/2014	$ 600.00	
CA04729	CPU	C-100		DELL	OPTIPLEX 380	5LSMN1	ATKINSB	Yes	No	No	10/24/2014	$ 600.00	
CA04732	CPU	C-100		DELL	OPTIPLEX 380	5K1TMN1	ATKINSB	Yes	No	No	10/24/2014	$ 600.00	
CA04734	CPU	C-100		DELL	OPTIPLEX 380	5LMRMN1	VICKSP	Yes	No	No	10/27/2014	$ 600.00	

CA04735	CPU	C-100	R142	DELL	OPTIPLEX 3020	7S6MR12	ROBERTSS	Yes	No	No	11/3/2014	$ 600.00	
CA04736	CPU	C-100	R142	DELL	OPTIPLEX 3020	DT6MR12	ROBERTSS	Yes	No	No	11/3/2014	$ 600.00	
CA04750	CPU	C-100	R227	DELL	OPTIPLEX 3020		SPEARP	Yes	No	No	10/9/2014	$ 600.00	
CA04759	CPU	C-100		DELL	OPTIPLEX 3020	6SFPR12	VICKSP	Yes	No	No	10/9/2014	$ 600.00	
CA04770	CPU	C-100	144E	DELL	OPTIPLEX 3020	89XRR12	ROBERTSS	Yes	No	No	10/9/2014	$ 600.00	
CA04771	CPU	C-100		DELL	OPTIPLEX 3020	FWXRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04772	CPU	C-100	R 163	DELL	OPTIPLEX 3020	94DMR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04773	CPU	C-100	222	DELL	OPTIPLEX 3020	5MFPR12	QUIGLEYD	Yes	No	No	10/9/2014	$ 600.00	
CA04781	CPU	C-100	R206	DELL	OPTIPLEX 3020	BPXRR12	WILLIAMSR	Yes	No	No	10/9/2014	$ 600.00	
CA04798	CPU	C-100	217	DELL	OPTIPLEX 3020	H3TNPV1	BEASLEYN	Yes	No	No	10/9/2014	$ 600.00	
CA04818	LAPTOP	C-100	R205	Microsoft	Surface Pro #	22818742653	REASONJM	Yes	No	No	10/21/2014	$ 1,637.34	LKY-005438
CA04844	LAPTOP	C-100	UPSTAIRS RM 222	HP	ZBOOK 17	CND5332PV1	TAYLORJ	Yes	No	No	9/11/2015	$ 3,548.64	PO-0001831
CA04849	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474051006729	RICHARD WILLIAMS	Yes	No	No	10/5/2015	$ 500.00	
CA06861	PRINTER - NETWORK	C-100	FPDP-IT	HP	P4014N	CNDX405607	HARDINH	Yes	No	No	11/4/2009	$ 898.00	PR 13455
CA07006	CPU	C-100		HP	COMPAQ 500 B	MXL9451Y8X	ATKINSB	Yes	No	No	10/1/2010	$ 600.00	
CA07034	CPU	C-100	Room 217	HP	PRO 3000 MT	MXL0550WNC	COTHRANE	Yes	No	No	7/25/2010	$ 600.00	
CA07402	CELLULAR TELEPHONE	C-100		BLACKBERRY	BOLD 9930	A0000025F80832	JIM REASON	Yes	No	No	7/31/2016	$ 510.00	
CA07712	LAPTOP	C-100		HP	PROBOOK 4530S	CNU2090SGQ	PAESSLER	Yes	No	No	6/29/2012	$ 554.97	
CA07772	CELLULAR TELEPHONE	C-100		BLACKBERRY	BOLD 9930	A00000261477DF	LISA ANN RAY	Yes	No	No	7/31/2015	$ 199.99	
CA07824	LAPTOP	C-100		DELL	LATITUDE E6530	43PYWW1	BURNETTM	Yes	No	No	5/6/2013	$ 938.75	LKY-003886
CA07945	CAMCORDER	C-100		CANON	XF 100 A KIT	302902700132	JIM TAYLOR	Yes	No	No	9/10/2015	$ 2,716.31	
CA07946	CAMCORDER	C-100		CANON	XF 100 A KIT	302912800018	JIM TAYLOR	Yes	No	No	9/10/2015	$ 2,716.31	
CA07949	CAMCORDER	C-100		GOPRO	HERO HWBL 1	C3111025456011	JIM TAYLOR	Yes	No	No	9/10/2015	$ 229.85	
CA08033	CELLULAR TELEPHONE	C-100		BLACKBERRY	BOLD 9900	359730050008449	MIKE STANLEY	Yes	No	No	10/28/2014	$ 199.99	
CA08034	CELLULAR TELEPHONE	C-100		BLACKBERRY	BOLD 9900	357966049863120	GARRETH SCHROEDER	Yes	No	No	11/7/2014	$ 510.00	
CA08080	CELLULAR TELEPHONE	C-100		BLACKBERRY	BOLD 9900	357966049787493	JAMES HYLKO	Yes	No	No	12/10/2014	$ 199.99	
CA08090	CELLULAR TELEPHONE	C-100		BLACKBERRY	BOLD 9900	359730050012094	STEPHEN SHEEKS	Yes	No	No	11/3/2014	$ 199.99	
CA08124	CELLULAR TELEPHONE	C-100		BLACKBERRY	BOLD 9900	357966049788103	ROBERT BARKS	Yes	No	No	11/13/2014	$ 199.99	
CA08682	LAPTOP	C-100	SST IT SERVER RO	HP	ELITEBOOK 850 G2		SST	Yes	No	No		$ 209.00	
CA08698	LAPTOP	C-100	SST IT	HP	ELITEBOOK 850 G2		SST	Yes	No	No		$ 209.00	
CA08702	LAPTOP	C-100	ROOM 227	HP	ELITEBOOK 850 G2		HENDERSONB	Yes	No	No		$ 209.00	
CA08737	CPU	C-100	EXECUTIVE SUITE	DELL	3020 MT		BARKSR	Yes	No	No		$ 600.00	
CA08739	CPU	C-100	EXECUTIVE SUITE	DELL	3020 MT		BARKSR	Yes	No	No		$ 600.00	
CA08759	CPU	C-100	EXECUTIVE SUITE	DELL	3020 MT		BARKSR	Yes	No	No		$ 600.00	
CA08767	CPU	C-100	EXECUTIVE SUITE	DELL	3020 MT		BARKSR	Yes	No	No		$ 600.00	
CA08768	CPU	C-100	EXECUTIVE SUITE	DELL	3020 MT		BARKSR	Yes	No	No		$ 600.00	
CA08779	CPU	C-100	SST IT SERVER RO	DELL	3020 SFF		SST	Yes	No	No		$ 600.00	
CA08868	CAMERA, DIGITAL HANDHELD	C-100		PANASONIC	LUMIX DMC-LX7	FA5GB001337	JARROD COULSON	Yes	No	No	9/30/2015	$ 328.00	
CA08888	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474050997886	KENT LEGGS	Yes	No	No	2/12/2016	$ 399.99	
CA08903	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	3587405099738	RON HYATTE	Yes	No	No	2/11/2016	$ 399.99	
CA08917	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474050994545	BILL STEFFEN	Yes	No	No	2/12/2016	$ 399.99	
CA08941	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474051105794	SCOTT GERMAIN	Yes	No	No	2/11/2016	$ 399.99	
CA08948	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474051166051	HOWARD PALMER	Yes	No	No	2/11/2016	$ 399.99	
CA08979	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474051170038	KRYSTAL PIERCE	Yes	No	No	12/29/2015	$ 399.99	
CA09009	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474051252802	GREG BARNA	Yes	No	No	2/25/2016	$ 399.99	
CA09045	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-5	990000180265605	TONY HUDSON	Yes	No	No	3/11/2016	$ 399.99	
CA09063	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474051354921	CHRIS AUSTIN	Yes	No	No	3/7/2016	$ 399.99	
CA09065	CELLULAR TELEPHONE	C-100		BLACKBERRY	CLASSIC SQC100-2	358474051354830	AMANDA BOYSTER	Yes	No	No	3/7/2016	$ 399.99	
CA09114	Scanner	C-100		Fujitsu	Fi-6770	AAFDA02673	SUSAN ROBERTS	Yes	No	No	8/4/2016	$ -	
CA09115	Scanner	C-100		Fujitsu	Fi-6670A	2727	SUSAN ROBERTS	Yes	No	No	8/4/2016	$ -	
CA09116	Scanner	C-100		Fujitsu	Fi-6770	AAFDA02596	SUSAN ROBERTS	Yes	No	No	8/4/2016	$ -	
CA09117	Scanner	C-100		Fujitsu	Fi-6670A	2714	Jennie P Freels	Yes	No	No	8/4/2016	$ -	
CA10006	CPU	C-100		DELL	OPTIPLEX 3020	B6R0W02	COTHRANE	Yes	No	No	10/9/2014	$ 600.00	
CA10017	CPU	C-100	144D	DELL	OPTIPLEX 3020	2YQ0W02	BUMPHUS, E	Yes	No	No	10/9/2014	$ 600.00	
CA10018	CPU	C-100	R208	DELL	OPTIPLEX 3020	HM5TV02	GABLESVA	Yes	No	No	10/9/2014	$ 600.00	
CA10019	CPU	C-100	217	DELL	OPTIPLEX 3020	7JQ0W02	GERMAINS	Yes	No	No	10/9/2014	$ 600.00	
CA10029	CPU	C-100		DELL	OPTIPLEX 3020	BWLWK1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10035	CPU	C-100	R140	DELL	OPTIPLEX 330	XGVW8-T84CJ	GRIFFITHT	Yes	No	No	10/21/2015	$ 600.00	
CA10036	CPU	C-100		DELL	OPTIPLEX 330	2FG5TH1	ATKINSB	Yes	No	No	10/21/2015	$ 600.00	
CA10037	CPU	C-100		DELL	OPTIPLEX 380	SJFRMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10039	CPU	C-100		DELL	OPTIPLEX 380	5LBTMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10040	CPU	C-100		DELL	OPTIPLEX 380	5J2SMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10043	CPU	C-100		DELL	OPTIPLEX 330	B879CG1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10046	CPU	C-100		DELL	OPTIPLEX 330	G7TQGF1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10052	CPU	C-100		DELL	OPTIPLEX 330	DB79CG1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10054	CPU	C-100		DELL	OPTIPLEX 380	5LVSMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10055	CPU	C-100		DELL	OPTIPLEX 380	5HZQMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10056	CPU	C-100		DELL	OPTIPLEX 380	5JLQMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10057	CPU	C-100		DELL	OPTIPLEX 380	5L4SMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	

CA10058	CPU	C-100		DELL	OPTIPLEX 330	G9G5TH1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10059	CPU	C-100		DELL	OPTIPLEX 380	5K3TMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10063	CPU	C-100		DELL	OPTIPLEX 380	5L8QMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10064	CPU	C-100		DELL	OPTIPLEX 330	1979CG1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10065	CPU	C-100		DELL	OPTIPLEX 380	5KWSMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10066	CPU	C-100		DELL	OPTIPLEX 380	5KBSMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10067	CPU	C-100		DELL	OPTIPLEX 330	9BG5TH1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10068	CPU	C-100		DELL	OPTIPLEX 380	5L2TMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10069	CPU	C-100		DELL	OPTIPLEX 380	5LMSMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10070	CPU	C-100		DELL	OPTIPLEX 380	5LCTMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10071	CPU	C-100		DELL	OPTIPLEX 380	5LDTMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10074	CPU	C-100		DELL	OPTIPLEX 380	5J0TMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10075	CPU	C-100		DELL	OPTIPLEX 380	5K5TMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10076	CPU	C-100		DELL	OPTIPLEX 330	8HG5TH1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10077	CPU	C-100		DELL	OPTIPLEX 380		ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10080	CPU	C-100	R138	DELL	OPTIPLEX 380	5HTSMN1	SMITHC	Yes	No	No	10/21/2014	$	600.00
CA10087	CPU	C-100		DELL	OPTIPLEX 330	H3ZYNH1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10088	CPU	C-100		DELL	OPTIPLLEX 330	7B79CG1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10091	CPU	C-100		DELL	OPTIPLEX 380	5LSQMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10098	CPU	C-100		DELL	OPTIPLEX 380	5K4SMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10101	CPU	C-100		DELL	OPTIPLEX 390	DB98WR1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10106	CPU	C-100		DELL	OPTIPLEX 380	5JFSMN1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10117	CPU	C-100		DELL	OPTIPLEX 330	6HG5TH1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10118	CPU	C-100	220	DELL	OPTIPLEX 380	5JHSMN1	TIDWELLC	Yes	No	No	10/21/2014	$	600.00
CA10123	CPU	C-100		DELL	OPTIP.EX 360	J2DLK1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10124	CPU	C-100		DELL	OPTIPLEX 330	FFG5TH1	ATKINSB	Yes	No	No	10/21/2014	$	600.00
CA10126	CPU	C-100		DELL	OPTIPLEX 360	HWLWTK1	ATKINSB	Yes	No	No	11/3/2014	$	600.00
CA10128	CPU	C-100		DELL	OPTIPLEX 380	5LSRMN1	ATKINSB	Yes	No	No	11/3/2014	$	600.00
CA10129	CPU	C-100		DELL	OPTIPLEX 380	5LTSMN1	ATKINSB	Yes	No	No	11/4/2014	$	600.00
CA10131	CPU	C-100		DELL	OPTIPLEX 360	C2TWTK1	ATKINSB	Yes	No	No	11/4/2014	$	600.00
CA10132	CPU	C-100		DELL	OPTIPLEX 380	5L9RMN1	ATKINSB	Yes	No	No	11/4/2014	$	600.00
CA10133	CPU	C-100		DELL	OPTIPLEX 380	5L8RMN1	ATKINSB	Yes	No	No	11/4/2014	$	600.00
CA10134	CPU	C-100		DELL	OPTIPLEX 380	5JYSMN1	ATKINSB	Yes	No	No	11/4/2014	$	600.00
CA10137	CPU	C-100		DELL	OPTIPLEX 330	HS79CG1	ATKINSB	Yes	No	No	11/5/2014	$	600.00
CA10140	CPU	C-100		DELL	OPTIPLEX 330	5D79CG1	ATKINSB	Yes	No	No	11/5/2014	$	600.00
CA10145	CPU	C-100		DELL	OPTIPLEX 3020	102Z512	ATKINSB	Yes	No	No	11/11/2014	$	600.00
CA10146	CPU	C-100		DELL	OPTIPLEX 3020	1B2Z512	ATKINSB	Yes	No	No	11/11/2014	$	600.00
CA10149	CPU	C-100	102	DELL	OPTIPLEX 380	5LPRMN1	JOHNSONT	Yes	No	No	11/19/2014	$	600.00
CA10150	CPU	C-100		DELL	OPTIPLEX 360	1XLWTK1	ATKINSB	Yes	No	No	11/19/2014	$	600.00
CA10151	CPU	C-100	r 223	DELL	OPTIPLEX 330	6C79CG1	BURNETTM	Yes	No	No	11/19/2014	$	600.00
CA10152	CPU	C-100		DELL	OPTIPLEX 390	DBHBWR1	ATKINSB	Yes	No	No	11/19/2014	$	600.00
CA10153	CPU	C-100		DELL	OPTIPLEX 390	DC7FWR1	ATKINSB	Yes	No	No	11/19/2014	$	600.00
CA10157	CPU	C-100		DELL	OPTIPLEX 390	DB8BWR1	ATKINSB	Yes	No	No	12/1/2014	$	600.00
CA10158	CPU	C-100	R217	DELL	OPTIPLEX 390	DCBGWR1	COTHRANE	Yes	No	No	12/1/2014	$	600.00
CA10161	CPU	C-100		DELL	OPTIPLEX 330	7DG5TH1	ATKINSB	Yes	No	No	12/1/2014	$	600.00
CA10162	CPU	C-100		DELL	OPTIPLEX 330		ATKINSB	Yes	No	No	12/1/2014	$	600.00
CA10163	CPU	C-100		DELL	OPTIPLEX 330	4HG5TH1	ATKINSB	Yes	No	No	12/1/2014	$	600.00
CA10164	CPU	C-100		DELL	OPTIPLEX 390	DC59WR1	ATKINSB	Yes	No	No	12/1/2014	$	600.00
CA10165	CPU	C-100		DELL	OPTIPLEX 380	5KZSMN1	ATKINSB	Yes	No	No	12/1/2014	$	600.00
CA10168	CPU	C-100		DELL	OPTIPLEX 390	DCB9WR1	ATKINSB	Yes	No	No	12/1/2014	$	600.00
CA10175	CPU	C-100	R138	DELL	OPTIPLEX 390	DCCCWR1	DEECKET	Yes	No	No	12/1/2014	$	600.00
CA10195	CPU	C-100		DELL	OPTIPLEX 330	8D79CG1	ATKINSB	Yes	No	No	12/4/2014	$	600.00
CA10199	CPU	C-100		DELL	OPTIPLEX 380	5K8RMN1	ATKINSB	Yes	No	No	12/4/2014	$	600.00
CA10201	CPU	C-100		DELL	OPTIPLEX 380	5JDTMN1	ATKINSB	Yes	No	No	12/4/2014	$	600.00
CA10202	CPU	C-100		DELL	OPTIPLEX 380	5HQRMN1	ATKINSB	Yes	No	No	12/4/2014	$	600.00
CA10205	CPU	C-100	Rom 217	DELL	OPTIPLEX 360	6H9XTK1		Yes	No	No	12/24/2014	$	600.00
CA10206	CPU	C-100		DELL	OPTIPLEX 380	5LXRMN1	ATKINSB	Yes	No	No	12/24/2014	$	600.00
CA10211	CPU	C-100		DELL	OPTIPLEX 390	DC2GWR1	ATKINSB	Yes	No	No	12/24/2014	$	600.00
CA10222	CPU	C-100	R140	DELL	OPTIPLEX 3010	G1TNPV1	TILFORDA	Yes	No	No	12/24/2014	$	600.00
CA10226	CPU	C-100		DELL	OPTIPLEX 3020	HMHYFZ1	YLITALOD	Yes	No	No	1/5/2015	$	600.00
CA10228	CPU	C-100		DELL	OPTIPLEX 3020	HKKYFZ1	ATKINSB	Yes	No	No	1/5/2015	$	600.00
CA10237	CPU	C-100		DELL	OPTIPLEX 3010	G3TNPV1	ATKINSB	Yes	No	No	1/28/2015	$	600.00
CA10240	CPU	C-100		DELL	OPTIPLEX 3020	HM0XFZ1	ATKINSB	Yes	No	No	1/28/2015	$	600.00
CA10251	CPU	C-100		DELL	OPTIPLEX 380	5HVSMN1	ATKINSB	Yes	No	No	1/28/2015	$	600.00
CA10252	CPU	C-100		DELL	OPTIPLEX 380	5JDSMN1	ATKINSB	Yes	No	No	1/28/2015	$	600.00
CA10254	CPU	C-100	144H	DELL	OPTIPLEX 3020	HTBXFZ1	ROBERTSS	Yes	No	No	1/28/2015	$	600.00
CA10255	CPU	C-100	Room 144	DELL	OPTIPLEX 3020		ROBERTSS	Yes	No	No	1/28/2015	$	600.00
CA10262	CPU	C-100		DELL	OPTIPLEX 3010	C2TNPV1	ATKINSB	Yes	No	No	1/28/2015	$	600.00
CA10265	CPU	C-100		DELL	OPTIPLEX 380	5LHSMN1	COTHRANE	Yes	No	No	2/2/2015	$	600.00

CA10266	CPU	C-100		DELL	OPTIPLEX 380	5HQQMN1	SMITHMD	Yes	No	No	2/2/2015	$ 600.00	
CA10267	CPU	C-100	217 RM 5B	DELL	OPTIPLEX 380	5JFTMN1	OVERBYFR	Yes	No	No	2/2/2015	$ 600.00	
CA10268	CPU	C-100		DELL	OPTIPLEX 380	5HWSMN1	ATKINSB	Yes	No	No	2/2/2015	$ 600.00	
CA10275	CPU	C-100		DELL	OPTIPLEX 360	CMSWTK1	ATKINSB	Yes	No	No	2/2/2015	$ 600.00	
CA10550	CPU	C-100		DELL	OPTIPLEX 380	5JJRMN1	ATKINSB	Yes	No	No	2/6/2015	$ 600.00	
CA10555	CPU	C-100		DELL	OPTIPLEX 380	5L2SMN1	ATKINSB	Yes	No	No	2/6/2015	$ 600.00	
CA10558	CPU	C-100		DELL	OPTIPLEX 380	5JCQMN1	ATKINSB	Yes	No	No	2/6/2015	$ 600.00	
CA10561	CPU	C-100		DELL	OPTIPLEX 360	7DJ2LK1	ATKINSB	Yes	No	No	2/6/2015	$ 600.00	
CA10562	CPU	C-100		DELL	OPTIPLEX 360	BMSWTK1	ATKINSB	Yes	No	No	2/6/2015	$ 600.00	
CA10563	CPU	C-100		DELL	OPTIPLEX 380	5KYSMN1	ATKINSB	Yes	No	No	2/6/2015	$ 600.00	
CA10564	CPU	C-100		DELL	OPTIPLEX 360	FVLWTK1	ATKINSB	Yes	No	No	2/6/2015	$ 600.00	
CA10646	CPU	C-100		DELL	OPTIPLEX 380	5J1SMN1	ATKINSB	Yes	No	No	2/25/2015	$ 600.00	
CA10647	CPU	C-100		DELL	OPTIPLEX 380	5HSQMN1	ATKINSB	Yes	No	No	2/25/2015	$ 600.00	
CA10653	CPU	C-100		DELL	OPTIPLEX 380	5L3TMN1	ATKINSB	Yes	No	No	2/25/2015	$ 600.00	
CA10657	CPU	C-100	Room 222	DELL	OPTIPLEX 360			Yes	No	No	2/25/2015	$ 600.00	
CA10705	LAPTOP	C-100		HP	ELITE BOOK 850	5CG5100PXL	HERRINGM	Yes	No	No	3/17/2015	$ 1,000.00	
CA10724	CPU	C-100	227	DELL	OPTIPLEX 390	DCC8WR1		Yes	No	No	4/14/2015	$ 600.00	
CA10728	CPU	C-100	R235	DELL	OPTIPLEX 360	HVLWTK1	HYLKOJM	Yes	No	No	4/14/2015	$ 600.00	
CA10729	CPU	C-100		DELL	OPTIPLEX 360	FWLWTK1	ATKINSB	Yes	No	No	4/14/2015	$ 600.00	
CA10730	CPU	C-100	R235	DELL	OPTIPLEX 360	DXLWTK1	PERRYDK	Yes	No	No	4/14/2015	$ 600.00	
CA10734	CPU	C-100	R235	DELL	OPTIPLEX 360	6YLWTK1	GALLEGOSA	Yes	No	No	4/14/2015	$ 600.00	
CA10738	CPU	C-100		DELL	OPTIPLEX 360	BGQYSJ1	ATKINSB	Yes	No	No	4/14/2015	$ 600.00	
CA10744	CPU	C-100	RM 217	DELL	OPTIPLEX 360	1WLWTK1	INGN	Yes	No	No	4/14/2015	$ 600.00	
CA10745	CPU	C-100	R227	DELL	OPTIPLEX 360	5H9XTK1	MOORECAN	Yes	No	No	4/14/2015	$ 600.00	
CA10751	CPU	C-100	R227	DELL	OPTIPLEX 360	DWLWTK1	MOORECAN	Yes	No	No	4/14/2015	$ 600.00	
CA10753	CPU	C-100		DELL	OPTIPLEX 360	6HQYSJ1		Yes	No	No	4/14/2015	$ 600.00	
CA10842	CPU	C-100		DELL	OPTIPLEX 380	5KZRMN1	ATKINSB	Yes	No	No	5/6/2015	$ 600.00	
CA10861	CPU	C-100	ACR	DELL	OPTIPLEX 380	5LWRMN1	ATKINSB	Yes	No	No	6/2/2015	$ 600.00	
CA10874	SWITCH	C-100		CISCO	WS-C3560CG-8PC-S	F0C1852Y2T8	WITTEJ	Yes	No	No	4/27/2015	$ 1,043.00	
CA10896	CPU	C-100		DELL	OPTIPLEX 360	4S5YSJ1	ATKINSB	Yes	No	No	6/2/2015	$ 600.00	
CA10897	CPU	C-100		DELL	OPTIPLEX 360		ATKINSB	Yes	No	No	6/2/2015	$ 600.00	
CA10905	CPU	C-100		DELL	OPTIPLEX 380	5KBTMN1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10906	CPU	C-100		DELL	OPTIPLEX 360	DMSWTK1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10907	CPU	C-100		DELL	OPTIPLEX 360	7XLWTK1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10919	CPU	C-100	ROOM 222	DELL	OPTIPLEX 360	23TWTK1	TAYLORJ	Yes	No	No	7/13/2015	$ 600.00	
CA10920	CPU	C-100		DELL	OPTIPLEX 360	GXLWTK1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10922	CPU	C-100		DELL	OPTIPLEX 390	DC98WR1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10923	CPU	C-100		DELL	OPTIPLEX 360	3J9XTK1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10924	CELLULAR TELEPHONE	C-100		BLACKBERRY	BOLD 9900	357966047903001	ABIGAIL TRACY	Yes	No	No	5/27/2015	$ 199.99	
CA10933	CELLULAR TELELPHONE	C-100		BLACKBERRY	BOLD 9900	357966047898268	TED DEECKE	Yes	No	No	5/27/2015	$ 199.99	
CA10946	CPU	C-100		DELL	OPTIPLEX 380	5KCRMN1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10947	CPU	C-100		DELL	OPTIPLEX 360	6NSWTK1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10962	CPU	C-100		DELL	OPTIPLEX 380	5JDQMN1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA11050	CPU	C-100		DELL	OPTIPLEX 380	5LJSMN1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA11052	CPU	C-100	R222	DELL	OPTIPLEX 380	5HRQMN1	FREELSJP	Yes	No	No	7/13/2015	$ 600.00	
CA11053	CPU	C-100	R222	DELL	OPTIPLEX 390	DBB9WR1	WILLIAMS,T	Yes	No	No	7/13/2015	$ 600.00	
CA11055	CPU	C-100	R222	DELL	OPTIPLEX 380	5LJQMN1	RAYL	Yes	No	No	7/13/2015	$ 600.00	
CA11062	CPU	C-100		DELL	3020	3C14332	ATKINSB	Yes	No	No	6/16/2015	$ 500.00	
CA4165	CELL PHONE	C-100		BLACKBERRY	TORCH	3.56E+14	WILLIAMSR	Yes	No	No	8/28/2014	$ 500.00	
CA03297	CPU	C-100 SST IT		HP	PRO 3000 MT	MXL0050WPT	HOLSHOUSERC	Yes	No	No	7/25/2010	$ 600.00	
CA03573	CPU	C-100 SST IT		DELL	OPTIPLEX 360	5T1P1J1	HOLSHOUSERC	Yes	No	No	5/2/2011	$ 775.00	
CA03583	CPU	C-100 SST IT		DELL	OPTIPLEX 360	59XP1J1	ALLSHOUSEDP	Yes	No	No	5/2/2011	$ 775.00	
CA03602	CPU	C-100 SST IT		DELL	OPTIPLEX 360	6YZ1JG1	HOLSHOUSERC	Yes	No	No	5/2/2011	$ 775.00	
CA03649	CPU	C-100 SST IT		DELL	OPTIPLEX 360	6W0P1J1	FORBISD	Yes	No	No	5/2/2011	$ 775.00	
CA03686	CPU	C-100 SST IT		DELL	OPTIPLEX 360	GX7Q1J1	SHUTT,L	Yes	No	No	5/2/2011	$ 775.00	
CA03748	CPU	C-100 SST IT		DELL	OPTIPLEX 360	6VZ3JG1	SHUTT,L	Yes	No	No	5/2/2011	$ 775.00	
CA04755	CPU	C-100 SST IT		DELL	OPTIPLEX 3020	H4XRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA10109	CPU	C-100 SST IT		DELL	OPTIPLEX 330	8FG5TH1	HOLSHOUSERC	Yes	No	No	10/21/2014	$ 600.00	
CA11054	CPU	C-100 SST IT		DELL	OPTIPLEX 380	5L5TMN1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA10084	CPU	C-100-T04	T-4	DELL	OPTIPLEX 330	FBG5TH1	MEDLINWJ	Yes	No	No	10/21/2014	$ 600.00	
CA10086	CPU	C-100-T04		DELL	OPTIPLEX 360	2J9XTK1	BEAMESSH	Yes	No	No	10/21/2014	$ 600.00	
CA10090	CPU	C-100-T04		DELL	OPTIPLEX 380	5K4RMN1	RAIMEYM	Yes	No	No	10/21/2014	$ 600.00	
CA10214	CPU	C-100-T04		DELL	OPTIPLEX 380	5L3SMN1	QUARLESMA	Yes	No	No	12/24/2014	$ 600.00	
CFA10100	CPU	C-100-T04		DELL	OPTIPLEX 390	DBHDWR1	MYERSMJ	Yes	No	No	10/21/2014	$ 600.00	
CA08478	CELLULAR TELEPHONE	C-100-T05		BLACKBERRY	BOLD 9900	357966048260779	AIMEE VAUGHAN	Yes	No	No	6/3/2015	$ 199.99	
CA10127	CPU	C-100-T05		DELL	OPTIPLEX 380	5LNRMN1	KREISHERMK	Yes	No	No	11/3/2014	$ 600.00	
CA10876	CPU	C-100-T05		DELL	OPTIPLEX 380	5KCQMN1	KREISHERMK	Yes	No	No	6/2/2015	$ 600.00	
CA10884	CPU	C-100-T05		DELL	OPTIPLEX 380	5HTRMN1	KREISHERMK	Yes	No	No	6/2/2015	$ 600.00	
CA04116	CPU	C-100-T06		DELL	OPTIPLEX 3020	8YZNK02	KREISHERMK	Yes	No	No	8/12/2014	$ 556.00	

CA04121	CPU	C-100-T06		DELL	OPTIPLEX 3020	74BJK02	KREISHERMK	Yes	No	No	8/12/2014	$ 556.00	
CA04154	CPU	C-100-T06		DELL	OPTIPLEX 3020	92TLK02	KREISHERMK	Yes	No	No	8/12/2014	$ 556.00	
CA04790	CPU	C-100-T06		DELL	OPTIPLEX 3010	43TNPV1	KREISHERMK	Yes	No	No	10/9/2014	$ 600.00	
CA04799	CPU	C-100-T06		DELL	OPTIPLEX 3010	24TNPV1	KREISHERMK	Yes	No	No	10/9/2014	$ 600.00	
CA10002	CPU	C-100-T06		DELL	OPTIPLEX 3010		RAIMEYM	Yes	No	No	10/9/2014	$ 600.00	
CA10004	CPU	C-100-T06		DELL	OPTIPLEX 3020	B55TV02	KREISHERMK	Yes	No	No	10/9/2014	$ 600.00	
CA10239	CPU	C-100-T06		DELL	OPTIPLEX 360	2NSWTK1	GOSSD	Yes	No	No	1/28/2015	$ 600.00	
CA10249	CPU	C-100-T06		DELL	OPTIPLEX 380	5YJRMN1	KREISHERMK	Yes	No	No	1/28/2015	$ 600.00	
CA03243	CPU	C-102		HP	DC 5800	2UA9321DX9	JOHNSONT	Yes	No	No	8/21/2009	$ 550.00	
CA03777	CPU	C-102		DELL	OPTIPLEX 360	7WWS3J1	JOHNSONT	Yes	No	No	5/2/2011	$ 775.00	
CA04127	CPU	C-102		DELL	OPTIPLEX 3020	938KK02	CORRIGANGS	Yes	No	No	8/12/2014	$ 556.00	
CA04130	CPU	C-102	Room 135	DELL	OPTIPLEX 3020	92RMK02	KOCSISJA	Yes	No	No	8/12/2014	$ 556.00	
CA06845	CPU	C-102	ROOM 171	HP	DC 5800	2UA91714QB	LOCKEM	Yes	No	No	7/25/2010	$ 600.00	
CA08690	LAPTOP	C-102		HP	ELITEBOOK 850 G2		CHRETIENR	Yes	No	No		$ 209.00	
CA10261	CPU	C-102		DELL	OPTIPLEX 3010	B2TNPV1	JOHNSONT	Yes	No	No	1/28/2015	$ 600.00	
CA10741	CPU	C-102		DELL	OPTIPLEX 360	B2TWTK1	JOHNSONT	Yes	No	No	4/14/2015	$ 600.00	
CA10755	CPU	C-102		DELL	OPTIPLEX 360	G2D2LK1	ATKINSB	Yes	No	No	4/14/2015	$ 600.00	
CA10880	CPU	C-102	Paramedics	DELL	OPTIPLEX 390	DBCGWR1	KOCSISJA	Yes	No	No	6/2/2015	$ 600.00	
CA08089	CELLULAR TELEPHONE	C-102 BLDG		BLACKBERRY	BOLD 9900	357966049787568	MINDY SMITH	Yes	No	No	10/30/2014	$ 199.99	
CA08091	CELLULAR TELEPHONE	C-102 BLDG		BLACKBERRY	BOLD 9900	359730050013159	STEVEN JAMES WENTZE	Yes	No	No	11/3/2014	$ 199.99	
CA08113	CELLULAR TELEPHONE	C-102 BLDG		BLACKBERRY	BOLD 9900	357966049789549	GARY SCOTT CORRIGAN	Yes	No	No	12/3/2014	$ 199.99	
CA09133	CELLULAR TELEPHONE	C-102 BLDG		BLACKBERRY	CLASSIC SQC100-2	358474051187552	ROLAND CHRETIEN	Yes	No	No	5/16/2016	$ 399.99	
CA09150	CELLULAR TELEPHONE	C-102 BLDG		BLACKBERRY	CLASSIC SQC100-2	358474051249550	JULIE GILBERT	Yes	No	No	5/20/2016	$ 399.99	
CA04148	CPU	C-102-T01		DELL	OPTIPLEX 3020	92FQK02	BECKR	Yes	No	No	8/12/2014	$ 556.00	
CA04469	CPU	C-102-T01		DELL	OPTIPLEX 3020	DH2PF02	BECKR	Yes	No	No	6/6/2014	$ 555.00	
CA08086	CELLULAR TELEPHONE	C-102-T01		BLACKBERRY	BOLD 9900	357966049787477	JERRY ARNZEN	Yes	No	No	11/17/2014	$ 510.00	
CA08482	CELLULAR TELEPHONE	C-102-T01		BLACKBERRY	BOLD 9900	357966048258959	VICKI JONES	Yes	No	No		$ 500.00	
CA08509	CELLULAR TELEPHONE	C-102-T01		BLACKBERRY	BOLD 9900	357966049414247	JIM TAYLOR	Yes	No	No	4/13/2015	$ 500.00	
CA09053	CELLULAR TELELPHONE	C-102-T01		BLACKBERRY	CLASSIC SQC100-2	358474051357924	LADONNA CORIELL	Yes	No	No	3/7/2016	$ 399.99	
CA09057	CELLULAR TELELPHONE	C-102-T01		BLACKBERRY		358474051357197	MERLE PASCHEDAG	Yes	No	No	3/11/2016	$ 399.99	
CA10027	CPU	C-102-T01		DELL	OPTIPLEX 3020	HMTWFZ1	BECKR	Yes	No	No	10/21/2014	$ 600.00	
CA10209	CPU	C-102-T01		DELL	OPTIPLEX 380	7NSWTK1	VICKSP	Yes	No	No	12/24/2014	$ 600.00	
CA04407	CPU	C-102-T02	Room 3	DELL	OPTIPLEX 3020	HDGPF02		Yes	No	No	6/6/2014	$ 555.00	
CA04445	CPU	C-102-T02	Room 3	DELL	OPTIPLEX 3020	J913N02		Yes	No	No	6/6/2014	$ 555.00	
CA04466	CPU	C-102-T02	Room 4	DELL	OPTIPLEX 3020	BP2PF02	TRAVISC	Yes	No	No	6/6/2014	$ 555.00	
CA04554	CPU	C-102-T02	Room 6	DELL	OPTIPLEX 3020	DW0RF02	GERLEMD	Yes	No	No	6/6/2014	$ 555.00	
CA08068	CELLULAR TELEPHONE	C-102-T02		BLACKBERRY	BOLD 9900	357966049788095	MICHAEL GERLE	Yes	No	No	11/7/2014	$ 199.99	
CA08071	CELLULAR TELEPHONE	C-102-T02		BLACKBERRY	BOLD 9900	357966049788004	CHRISTOPHER TRAVIS	Yes	No	No	11/7/2014	$ 199.99	
CA10215	CPU	C-102-T02	Room 1	DELL	OPTIPLEX 380	5K5SMN1		Yes	No	No	12/24/2014	$ 600.00	
CA10589	CPU	C-102-T02	Room 5	DELL	OPTIPLEX 390	DC2BWWR1	JONESV	Yes	No	No	2/25/2015	$ 600.00	
CA04444	CPU	C-102-T03		DELL	OPTIPLEX 3020	SRB3N02	REYNOLDST	Yes	No	No	6/6/2014	$ 555.00	
CA04490	CPU	C-102-T03	104	DELL	OPTIPLEX 3020	3ZGPF02	PRINCEJ	Yes	No	No	6/6/2014	$ 555.00	
CA04500	CPU	C-102-T03	103	DELL	OPTIPLEX 3020	1JB3N02		Yes	No	No	6/6/2014	$ 555.00	
CA08098	CELLULAR TELEPHONE	C-102-T03		BLACKBERRY	BOLD 9900	357966048268339	Richard Rhoads	Yes	No	No	11/17/2014	$ 510.00	
CA08101	CELLULAR TELEPHONE	C-102-T03		BLACKBERRY	BOLD 9900	359730050011922	TIM REYNOLDS	Yes	No	No	10/31/2014	$ 199.99	
CA08944	CELLULAR TELEPHONE	C-102-T03		BLACKBERRY	CLASSIC SQC100-2	358474051125669	ROBERT GILMORE	Yes	No	No	2/12/2016	$ 399.99	
CA10688	CPU	C-102-T03	10-Feb	DELL	OPTIPLEX 380	5K1RMN1	PEAD	Yes	No	No	3/25/2015	$ 600.00	
CA04124	CPU	C-102-T04		DELL	OPTIPLEX 3020	73VKK02	TAPSCOTD	Yes	No	No	8/12/2014	$ 556.00	
CA04204	CPU	C-102-T04		DELL	OPTIPLEX 3020	8BP9L02	PEADJ	Yes	No	No	10/9/2014	$ 600.00	
CA04440	CPU	C-102-T04	T-02	DELL	OPTIPLEX 3020	C413N02	THOMPSONAL	Yes	No	No	6/6/2014	$ 555.00	
CA04533	CPU	C-102-T04		DELL	OPTIPLEX 3020	FDV3N02		Yes	No	No	6/6/2014	$ 555.00	
CA04787	CPU	C-102-T04		DELL	OPTIPLEX 3010	G2TNPV1	HIDEGM	Yes	No	No	11/9/2014	$ 600.00	
CA08008	CELLULAR TELEPHONE	C-102-T04		BLACKBERRY	BOLD 9900	357966049787626	JARVIS (TONY) MACLIN	Yes	No	No	10/23/2014	$ 199.99	
CA08508	CELLULAR TELEPHONE	C-102-T04		BLACKBERRY	BOLD 9900	357966049415202	SAMUEL ERIC BOSS	Yes	No	No	4/13/2015	$ 500.00	
CA08656	CELLULAR TELEPHONE	C-102-T04		BLACKBERRY	BOLD 9900	357966049431530	Mark T. Anderson	Yes	No	No	5/21/2015	$ 510.00	
CA08919	CELLULAR TELEPHONE	C-102-T04		BLACKBERRY	CLASSIC SQC100-2	358474050988398	DARRYL PEA	Yes	No	No	2/12/2016	$ 399.99	
CA10003	CPU	C-102-T04		DELL	OPTIPLEX 3020	DC5TV02	BOSSSE	Yes	No	No	10/9/2014	$ 600.00	
CA04119	CPU	C-102-T05		DELL	OPTIPLEX 3020	919KK02	AUSBROOKSKA	Yes	No	No	8/12/2014	$ 556.00	
CA04133	CPU	C-102-T05	4	DELL	OPTIPLEX 3020	92PLK02	PURCELLM	Yes	No	No	8/12/2014	$ 556.00	
CA04152	CPU	C-102-T05	102	DELL	OPTIPLEX 3020	92TNK02	MILLERJO	Yes	No	No	8/12/2014	$ 556.00	
CA04293	CELLULAR TELEPHONE	C-102-T05		BLACKBERRY	BOLD 9930	A0000026287551	ERSKIN HICKMAN	Yes	No	No	4/10/2014	$ 510.00	
CA04332	CPU	C-102-T05		DELL	DCNE	JPSXPH1	KOCSISJA	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04789	CPU	C-102-T05	1	DELL	OPTIPLEX 3010	J3TNPV1	SEATONJL	Yes	No	No	11/9/2014	$ 600.00	
CA08950	CELLULAR TELEPHONE	C-102-T05		BLACKBERRY	Z30 STA 100-3	9900004230843640	KELLY AUSBROOKS	Yes	No	No	2/11/2016	$ 499.99	
CA10001	CPU	C-102-T05		DELL	OPTIPLEX 3010		BECKR	Yes	No	No	10/9/2014	$ 600.00	
CA10238	CPU	C-102-T05		DELL	OPTIPLEX 330	CBG5TH1	AUSBROOKSKA	Yes	No	No	1/28/2015	$ 600.00	
CA03611	CPU	C-102-T06		DELL	OPTIPLEX 360	6WQ9JG1	KREISHERMK	Yes	No	No	5/2/2011	$ 775.00	
CA04813	CELLULAR TELEPHONE	C-102-T06		BLACKBERRY	BOLD 9930	A00000262ADE1E	Wallace Medlin	Yes	No	No	8/25/2015	$ 500.00	
CA09056	CELLULAR TELELPHONE	C-102-T06		BLACKBERRY		358474051356421	LUKE PIVORAS	Yes	No	No	3/7/2016	$ 399.99	

CA10848	CPU	C-102-T07		DELL	OPTIPLEX 360	CCJ2LK1	WATSONSP	Yes	No	No	5/6/2015	$	600.00
1869	WEAPON, GAS GUN 1.5 CAL	C-200				1869	SAMMY LEE MCMANUS	Yes	No	No		$	500.00
1873	WEAPON, GAS GUN 1.5 CAL	C-200				1873	SAMMY LEE MCMANUS	Yes	No	No		$	500.00
3621	WEAPON, GAS GUN 1.5 CAL	C-200				3621	SAMMY LEE MCMANUS	Yes	No	No		$	500.00
225063	WEAPON, RIFLE: Full Auto Modified T	C-200		COLT	MA6A1	225063	SAMMY LEE MCMANUS	Yes	No	No		$	446.46
231934	WEAPON, RIFLE: Full Auto Modified T	C-200		COLT	M16A1	231934	SAMMY LEE MCMANUS	Yes	No	No		$	446.46
273898	WEAPON, RIFLE: Full Auto Modified T	C-200		COLT	M16A1	273898	SAMMY LEE MCMANUS	Yes	No	No		$	446.46
278119	WEAPON,RIFLE: Full Auto Modified To	C-200		COLT	M16A1	278119	SAMMY LEE MCMANUS	Yes	No	No		$	446.46
278125	WEAPON, RIFLE: Full Auto Modified T	C-200		COLT	M16A1	278125	SAMMY LEE MCMANUS	Yes	No	No		$	446.46
632375	WEAPON, RIFLE	C-200		COLT	M16A1	632375	SAMMY LEE MCMANUS	Yes	No	No		$	650.00
1347628	WEAPON, RIFLE	C-200		COLT	MA6A1	1347628	SAMMY LEE MCMANUS	Yes	No	No		$	325.00
4818685	WEAPON, MILES RIFLE	C-200		COLT	M16A1	4818685	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5282950	WEAPON, RIFLE	C-200		COLT	M16A1	5282950	SAMMY LEE MCMANUS	Yes	No	No		$	446.46
5318120	WEAPON, RIFLE	C-200		COLT	MA6A1	5318120	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5319442	WEAPON, RIFLE	C-200		COLT	MA6A1	5319442	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322141	WEAPON, RIFLE	C-200		COLT	M16A1	5322141	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322260	WEAPON, RIFLE	C-200		COLT	M16A1	5322260	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322499	WEAPON, RIFLE	C-200		COLT	M16A1	5322499	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322614	WEAPON, RIFLE	C-200		COLT	M16A1	5322614	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322636	WEAPON, RIFLE	C-200		COLT	M16A1	5322636	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322642	WEAPON, RIFLE	C-200		COLT	M16A1	5322642	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322757	WEAPON, RIFLE	C-200		COLT	M16A1	5322757	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322796	WEAPON, RIFLE	C-200		COLT	M16A1	5322796	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5322899	WEAPON, RIFLE	C-200		COLT	MA6A1	5322899	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5323331	WEAPON, RIFLE	C-200		COLT	M16A1	5323331	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5323491	WEAPON, RIFLE	C-200		COLT	M16A1	5323491	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5323566	WEAPON, RIFLE	C-200		COLT	M16A1	5323566	SAMMY LEE MCMANUS	Yes	No	No		$	287.00
5375637	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5375637	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5376083	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5376083	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5376821	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5376821	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5377441	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5377441	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5377916	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5377916	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5378054	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5378054	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5378562	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5378562	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5378632	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5378632	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5379699	WEAPON, MILES RIFLE	C-200		COLT	M16A1	5379699	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
5484427	WEAPON, RIFLE	C-200		COLT	M16A1	5484427	SAMMY LEE MCMANUS	Yes	No	No		$	446.46
5488746	WEAPON, RIFLE	C-200		COLT	M16A1	5488746	SAMMY LEE MCMANUS	Yes	No	No		$	446.46
6224887	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6224887	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6231307	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6231307	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6232097	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6232097	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6232745	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6232745	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6232802	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6232802	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6232893	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6232893	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6234273	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6234273	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6234390	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6234390	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6235295	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6235295	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6235383	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6235383	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6235897	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6235897	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6236461	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6236461	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6236805	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6236805	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6236828	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6236828	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6236839	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6236839	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6236870	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6236870	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6237490	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6237490	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6237879	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6237879	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6237895	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6237895	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6237908	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6237908	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6238265	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6238265	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6238277	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6238277	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6238281	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6238281	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6238476	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6238476	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6238511	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6238511	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6238591	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6238591	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6238599	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6238599	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6238863	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6238863	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6239046	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6239046	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6239207	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6239207	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6239264	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6239264	SAMMY LEE MCMANUS	Yes	No	No		$	700.00

6239274	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6239274	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6239815	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6239815	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6239862	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6239862	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6239930	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6239930	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240039	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240039	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240047	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240047	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240246	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240246	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240267	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240267	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240279	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240279	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240522	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240522	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240739	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240739	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240740	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240740	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6240918	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6240918	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
6242085	WEAPON, Rifle 20" barrel	C-200		COLT	M16A2	6242085	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8003311	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8003311	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8003675	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8003675	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8004650	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8004650	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8004706	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8004706	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8005437	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8005437	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8005719	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8005719	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8005817	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8005817	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8025155	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8025155	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8025193	WEAPON, RIFLE	C-200		COLT	M16A2	8025193	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8025323	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8025323	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029222	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029222	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029224	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029224	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029264	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029264	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029268	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029268	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029301	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029301	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029305	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029305	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029320	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029320	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029330	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029330	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029331	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029331	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029337	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029337	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029339	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029339	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029342	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029342	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029344	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029344	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029345	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029345	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029346	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029346	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029349	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029349	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029350	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029350	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029351	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029351	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029369	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029369	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029370	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029370	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029381	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029381	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029407	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029407	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029428	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029428	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029490	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029490	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029501	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029501	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029505	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029505	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029511	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029511	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029542	WEAPON, Carbine 16" Barrell	C-200		COLT	M16A3	8029542	SAMMY LEE MCMANUS	Yes	No	No	10/21/2014	$	700.00
8029548	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029548	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029613	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029613	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029642	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029642	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029646	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029646	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029655	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029655	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029661	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029661	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029668	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029668	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029679	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029679	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029680	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029680	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029683	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029683	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029685	WEAPON, RIFLE	C-200		COLT	M16A2	8029685	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029688	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029688	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029692	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029692	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029717	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029717	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029721	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029721	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029729	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029729	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8029742	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029742	SAMMY LEE MCMANUS	Yes	No	No		$	700.00

8029761	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029761	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029796	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029796	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029846	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029846	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029865	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029865	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029869	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029869	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029876	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029876	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029878	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029878	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029903	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029903	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029907	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029907	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029908	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029908	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029923	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029923	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029926	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029926	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029928	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029928	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029932	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029932	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029933	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029933	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029935	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029935	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029938	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029938	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029943	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029943	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029955	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029955	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029974	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029974	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029980	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029980	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029982	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029982	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8029984	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8029984	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8036255	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8036255	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8036257	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8036257	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045264	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045264	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045282	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045282	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045313	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045313	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045398	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045398	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045419	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045419	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045426	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045426	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045448	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045448	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045455	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045455	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045479	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045479	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045490	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045490	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045492	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045492	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045518	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045518	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045548	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045548	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8045562	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8045562	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8064023	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8064023	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8065011	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8065011	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8065118	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8065118	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8065251	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8065251	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8065534	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8065534	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069109	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069109	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069251	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069251	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069329	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069329	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069335	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069335	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069459	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069459	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069460	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069460	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069488	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069488	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069490	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069490	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069491	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069491	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069492	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069492	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069496	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069496	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069497	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069497	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069520	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069520	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069528	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069528	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069546	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069546	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8069559	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8069559	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070090	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070090	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070092	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070092	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070093	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070093	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070094	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070094	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070100	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070100	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070105	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070105	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070107	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070107	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070132	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070132	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	
8070148	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070148	SAMMY LEE MCMANUS	Yes	No	No		$ 700.00	

8070150	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070150	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070156	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070156	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070163	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070163	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070183	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070183	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070185	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070185	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070199	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070199	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070380	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070380	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070434	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070434	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070450	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070450	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070470	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070470	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070490	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070490	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8070555	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8070555	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8148819	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8148819	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8148820	WEAPON, CARBINE 16" BARRELL	C-200		COLT	M16A3	8148820	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8148823	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8148823	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
8150084	WEAPON, Carbine 16" barrel	C-200		COLT	M16A2	8150084	SAMMY LEE MCMANUS	Yes	No	No		$	700.00
14000186934	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186934	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
14001186951	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186951	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186924	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186924	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186926	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186926	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186928	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186928	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186930	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186930	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186931	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186931	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186932	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186932	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186933	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186933	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186936	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186936	TONY SOUTHARD	Yes	No	No	10/19/2014	$	800.00
140001186937	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186937	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186939	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186939	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186942	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186942	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186943	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186943	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186947	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186947	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186948	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186948	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186949	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186949	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186950	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186950	Jason Hudson	Yes	No	No	11/19/2014	$	800.00
140001186952	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186952	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186954	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186954	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186955	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186955	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186957	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186957		Yes	No	No	3/18/2016	$	800.00
140001186958	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186958	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186959	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186959	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186961	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186961	Christopher B. Fulcher	Yes	No	No	11/19/2014	$	800.00
140001186962	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186962	CHRISTY KAY BOULTON	Yes	No	No	11/19/2014	$	800.00
140001186963	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186963	Mioshi M. Hill	Yes	No	No	11/19/2014	$	800.00
140001186978	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186978	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186980	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186980	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186986	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186986	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001186987	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186987	TONY SOUTHARD	Yes	No	No	10/19/2014	$	800.00
140001186988	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186988	MATT THRESHER	Yes	No	No	11/19/2014	$	800.00
140001186994	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001186994	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
140001187000	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140001187000	TONY SOUTHARD	Yes	No	No	11/19/2014	$	800.00
150000008848	TACTICAL VEST	C-200		POINT BLANK ARMOR		150000008848	CORY FLETCHER	Yes	No	No	11/19/2014	$	800.00
160000104461	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104461	TY WELCH	Yes	No	No	3/25/2016	$	585.00
160000104462	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104462	MICHAEL TURNER	Yes	No	No	3/25/2016	$	585.00
160000104463	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104463	John Sokolik	Yes	No	No	3/25/2016	$	585.00
160000104464	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104464	BRIAN LOUIS CHITTEND	Yes	No	No	3/25/2016	$	585.00
160000104465	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104465	AG CLINT EDWARDS	Yes	No	No	3/25/2016	$	585.00
160000104466	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104466	Christopher B. Fulcher	Yes	No	No	3/25/2016	$	585.00
160000104467	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104467	MIKE NUTT	Yes	No	No	3/25/2016	$	585.00
160000104468	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104468	TONY SOUTHARD	Yes	No	No	3/25/2016	$	585.00
160000104469	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104469	Rodney D. Hammond	Yes	No	No	3/25/2016	$	585.00
160000104470	TACTICAL VEST	C-200		POINT BLANK ARMOR		160000104470	JAMES TODD BALLARD	Yes	No	No		$	585.00
160000104471	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	160000104471	JAMES WADE DILLWOR	Yes	No	No	3/25/2016	$	585.00
160000104472	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104472	David E. Fraley	Yes	No	No	3/25/2016	$	585.00
160000104473	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104473	STEVE CRUMP	Yes	No	No	3/25/2016	$	585.00
160000104474	TACTICAL VEST	C-200		POINT BLANK ARMO	T01GNDBSOH	160000104474	Mitchell Wood	Yes	No	No	3/25/2016	$	585.00
160000104475	TACTICAL VEST	C-200		POINT BLANK ARMOR		160000104475	THOMAS EARL BRANAU	Yes	No	No	3/18/2016	$	585.00
160000104476	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104476	DOUGH LETCHER	Yes	No	No	3/25/2016	$	585.00
160000104477	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	160000104477	JOEY GIBSON	Yes	No	No	3/25/2016	$	585.00
160000104478	TACTICAL VEST	C-200		POINT BLANK ARMO	ASSAULT ONE	140000104478	Rodney E. Forrester	Yes	No	No	3/25/2016	$	585.00

160000104479	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104479	Michael Gaia	Yes	No	No	3/25/2016	$	585.00
160000104480	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104480	MATT THRESHER	Yes	No	No	3/25/2016	$	585.00
160000104481	TACTICAL VEST	C-200		POINT BLANK ARMOR		160000104481	James M. Hust	Yes	No	No	3/25/2016	$	-
160000104482	TACTICAL VEST	C-200		POINT BLANK ARM	T01GNDBSOH	160000104482	Gil McNichols	Yes	No	No	3/25/2016	$	585.00
160000104483	TACTICAL VEST	C-200		POINT BLANK ARM	T01GNDBSOH	160000104483	TIMOTHY LYNN CRICE	Yes	No	No	3/25/2016	$	585.00
160000104484	TACTICAL VEST	C-200		POINT BLANK ARMOR		160000104484		Yes	No	No		$	585.00
160000104485	TACTICAL VEST	C-200		POINT BLANK ARM	T01GNDBSOH	160000104485	Raymond S. Francis	Yes	No	No	3/25/2016	$	585.00
160000104486	TACTICAL VEST	C-200		POINT BLANK ARMOR		160000104486	Michael Kaufman	Yes	No	No		$	585.00
160000104487	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104487	WILLIAM HAROLD COLE	Yes	No	No	3/25/2016	$	585.00
160000104488	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104488	Ricky Garland	Yes	No	No	3/25/2016	$	585.00
160000104489	TACTICAL VEST	C-200		POINT BLANK ARM	ASSAULT ONE	160000104489	JAMES TOLEN DOUGLA	Yes	No	No	3/25/2016	$	585.00
160000104490	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104490	TY WELCH	Yes	No	No	3/25/2016	$	585.00
160000104491	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104491	MICHAEL TURNER	Yes	No	No	3/25/2016	$	585.00
160000104492	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104492	John Sokolik	Yes	No	No	3/25/2016	$	585.00
160000104493	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104493	BRIAN LOUIS CHITTEND	Yes	No	No	3/25/2016	$	585.00
160000104494	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104494	MIKE NUTT	Yes	No	No	3/25/2016	$	585.00
160000104495	TACTICAL VEST	C-200		POINT BLANK ARMOR		160000104495	JAMES TODD BALLARD	Yes	No	No		$	585.00
160000104496	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104496	Christopher B. Fulcher	Yes	No	No	3/25/2016	$	585.00
160000104497	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104497	AG CLINT EDWARDS	Yes	No	No	3/25/2016	$	585.00
160000104498	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104498	TONY SOUTHARD	Yes	No	No	3/25/2016	$	585.00
160000104499	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104499	Rodney D. Hammond	Yes	No	No	3/25/2016	$	585.00
160000104500	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104500	STEVE CRUMP	Yes	No	No	3/25/2016	$	585.00
160000104501	TACTICAL VEST	C-200		POINT BLANK ARM	ASSAULT ONE	160000104501	JAMES WADE DILLWOR	Yes	No	No	3/25/2016	$	585.00
160000104502	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104502	David E. Fraley	Yes	No	No	3/25/2016	$	585.00
160000104503	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104503	DOUGH LETCHER	Yes	No	No	3/25/2016	$	585.00
160000104504	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104504	Mitchell Wood	Yes	No	No	3/25/2016	$	585.00
160000104505	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104505	Michael Gaia	Yes	No	No	3/25/2016	$	585.00
160000104506	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104506	Gil McNichols	Yes	No	No	3/25/2016	$	585.00
160000104507	TACTICAL VEST	C-200		POINT BLANK ARM	T0LGNDBSOH	160000104507	THOMAS EARL BRANAU	Yes	No	No		$	585.00
160000104508	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104508	TIMOTHY LYNN CRICE	Yes	No	No	3/25/2016	$	585.00
160000104509	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104509	JOEY GIBSON	Yes	No	No	3/25/2016	$	585.00
160000104510	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104510	Rodney E. Forrester	Yes	No	No	3/25/2016	$	585.00
160000104511	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104511	MATT THRESHER	Yes	No	No	3/18/2016	$	585.00
160000104512	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104512	CHRISTOPHER MARTIN	Yes	No	No	3/25/2016	$	585.00
160000104513	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104513	James M. Hust	Yes	No	No	3/25/2016	$	585.00
160000104514	TACTICAL VEST	C-200		POINT BLANK ARMOR		160000104514	Michael Kaufman	Yes	No	No		$	585.00
160000104515	TACTICAL VEST	C-200		POINT BLANK ARMOR		160000104515	Raymond S. Francis	Yes	No	No		$	585.00
160000104516	TACTICAL VEST	C-200		POINT BLANK TACTICAL VEST		160000104516	Ricky Garland	Yes	No	No	3/25/2016	$	585.00
160000104517	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104517	JAMES TOLEN DOUGLA	Yes	No	No	3/25/2016	$	585.00
160000104518	TACTICAL VEST	C-200		POINT BLANK TACT	T01GNDBSOH	160000104518	WILLIAM HAROLD COLE	Yes	No	No	3/25/2016	$	585.00
AFA0836	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AFA0836	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AFD1955	WEAPON, ESS, 4.49" BARRELL	C-200		SMITH & WESSON	MOD 19-5	AFD1955	SAMMY LEE MCMANUS	Yes	No	No	4/15/2015	$	75.00
AFM6307	WEAPON, ESS, 4.49" BARRELL	C-200		SMITH & WESSON	MOD 19-5	AFM6307	SAMMY LEE MCMANUS	Yes	No	No	4/15/2015	$	75.00
AHJ1525	WEAPON, 2.5" Barrel	C-200		SMITH & WESSON	66	AHJ1525	SAMMY LEE MCMANUS	Yes	No	No		$	800.00
AHL4551	WEAPON, 2.5" Barrel	C-200		SMITH & WESSON	66	AHL4551	SAMMY LEE MCMANUS	Yes	No	No		$	800.00
AJH4102	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJH4102	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM0575	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM0575	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM1123	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM1123	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM1292	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM1292	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM1473	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM1473	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM1541	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM1541	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM1923	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM1923	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM1959	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM1959	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM2215	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM2215	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM2463	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM2463	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM2464	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM2464	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM3970	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM3970	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM4002	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM4002	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM4150	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM4150	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM4194	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM4194	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM4286	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM4286	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM4378	WEAPON, 4" BARRELL	C-200		SMITH & WESSON	686 4"	AJM4378	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM4768	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM4768	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM4854	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM4854	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM4923	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM4923	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM5016	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM5016	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM5148	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM5148	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM5781	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM5781	SAMMY LEE MCMANUS	Yes	No	No		$	900.00
AJM6410	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM6410	SAMMY LEE MCMANUS	Yes	No	No		$	900.00

AJM6554	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM6554	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM6867	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM6867	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM6870	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM6870	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM6894	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM6894	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM6967	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM6967	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM7223	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM7223	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM7388	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM7388	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM7453	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM7453	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM7964	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM7964	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8049	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8049	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8133	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8133	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8171	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8171	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8174	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8174	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8180	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8180	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8184	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8184	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8187	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8187	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8371	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8371	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8565	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8565	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM8597	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM8597	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM9264	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM9264	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM9288	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM9288	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM9446	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM9446	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM9447	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM9447	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJM9521	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJM9521	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJN2711	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJN2711	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJN2806	WEAPON, 4" BARREL	C-200		SMITH & WESSON	686 4"	AJN2806	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJN2990	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJN2990	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJN3266	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJN3266	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJN3599	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJN3599	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJN3693	WEAPON, ESS, 4.49" BARRELL	C-200		SMITH & WESSON	686	AJN3693	SAMMY LEE MCMANUS	Yes	No	No	4/15/2015	$ 100.00	
AJR7644	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR7644	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR7762	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR7762	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR7967	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR7967	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR8155	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR8155	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR8559	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR8559	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR8995	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR8995	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR9513	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR9513	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR9672	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR9672	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR9734	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR9734	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJR9770	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJR9770	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJS0326	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJS0326	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJS0370	WEAPON, 4" BARREL	C-200		SMITH & WESSON	686 4"	AJS0370	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJS0738	WEAPON, 4" BARREL	C-200		SMITH & WESSON	686 4"	AJS0738	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJS0813	WEAPON, 4" BARREL	C-200		SMITH & WESSON	686 4"	AJS0813	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJS1305	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJS1305	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJS1372	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJS1372	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJS1828	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJS1828	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJV5426	WEAPON, 6" Barrel	C-200		SMITH & WESSON	686 6"	AJV5426	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJV7270	WEAPON, 6" Barrel	C-200		SMITH & WESSON	686 6"	AJV7270	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJY4112	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJY4112	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJY4114	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJY4114	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJY4115	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJY4115	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJY4116	WEAPON, 4" Barrel	C-200		SMITH & WESSON	686 4"	AJY4116	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AJZ6258	WEAPON, 6" Barrel	C-200		SMITH & WESSON	686 6"	AJZ6258	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
ALC5034	WEAPON, 2.5" Barrel	C-200		SMITH & WESSON	66	ALC5034	SAMMY LEE MCMANUS	Yes	No	No		$ 800.00	
ALD2052	WEAPON, 2.5" Barrel	C-200		SMITH & WESSON	66	ALD2052	SAMMY LEE MCMANUS	Yes	No	No		$ 800.00	
ALD2509	WEAPON, 2.5" Barrel	C-200		SMITH & WESSON	66	ALD2509	SAMMY LEE MCMANUS	Yes	No	No		$ 800.00	
ALD2549	WEAPON, 2.5" Barrel	C-200		SMITH & WESSON	66	ALD2549	SAMMY LEE MCMANUS	Yes	No	No		$ 800.00	
ALD3354	WEAPON, 2.5" Barrel	C-200		SMITH & WESSON	66	ALD3354	SAMMY LEE MCMANUS	Yes	No	No		$ 800.00	
ALD7412	WEAPON, 2.5" Barrel	C-200		SMITH & WESSON	66	ALD7412	SAMMY LEE MCMANUS	Yes	No	No		$ 800.00	
ATU3894	WEAPON, ESS, 4.49' BARREL	C-200		SMITH & WESSON	686		SAMMY LEE MCMANUS	Yes	No	No	4/15/2015	$ 100.00	
AUA0509	WEAPON, 6" Barrel	C-200		SMITH & WESSON	686 6"	AUA0509	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
AUA4113	WEAPON, 6" Barrel	C-200		SMITH & WESSON	686 6"	AUA4113	SAMMY LEE MCMANUS	Yes	No	No		$ 900.00	
CA03809	CELLULAR TELEPHONE	C-200		BLACKBERRY	BOLD 9930	A0000025CDDE99	Michael Kaufman	Yes	No	No	5/1/2012	$ 510.00	
CA03897	CPU	C-200	SERVER ROOM	HP	DC 7900	MXL92716D6		Yes	No	No	10/23/2012	$ 515.00	
CA07027	CPU	C-200		HP	PRO 3000 MT	MXL0550WN6		Yes	No	No	7/25/2010	$ 600.00	
CA08021	CELLULAR TELEPHONE	C-200		BLACKBERRY	BOLD 9900	359730050010635	DAVID LYNN BROWN	Yes	No	No	11/7/2014	$ 199.99	
CA08028	CELLULAR TELEPHONE	C-200		BLACKBERRY	BOLD 9900	359730050009405	MICHAEL GRAVES	Yes	No	No	10/28/2014	$ 199.99	
CA08237	CELLULAR TELEPHONE	C-200		BLACKBERRY	BOLD 9900	357966049757421	BRIAN LOUIS CHITTEND	Yes	No	No	1/12/2015	$ 199.99	

CA08462	CAMERA	C-200		CANON	POWERSHOT SX400IS	912062006112		Yes	No	No	3/17/2016	$	-
CA08467	Video Camera	C-200		SONY	DCR-SR200		Susan Wagner	Yes	No	No	4/6/2015	$	-
CA08525		C-200		MOTOROLA	MC9090	7281000500485		Yes	No	No	3/17/2016	$	-
CA09019	CELLULAR TELEPHONE	C-200		BLACKBERRY	CLASSIC SQC100-2	358474051364896	BRIAN KEITH ARNETT	Yes	No	No		$	399.99
CA09079	CELLULAR TELEPHONE	C-200		BLACKBERRY	CLASSIC SQC100-2	358474051550338	EDDIE GRAY II	Yes	No	No	3/16/2016	$	399.99
CMH047255	WEAPON, RIFLE ASSAULT	C-200		COLT	AR15	CMH047255	SAMMY LEE MCMANUS	Yes	No	No		$	1,000.00
CMH047257	WEAPON, RIFLE ASSAULT	C-200		COLT	AR15	CMH047257	SAMMY LEE MCMANUS	Yes	No	No		$	1,000.00
CMH047258	WEAPON, RIFLE ASSAULT	C-200		COLT	AR15	CMH047258	SAMMY LEE MCMANUS	Yes	No	No		$	1,000.00
CMH047278	WEAPON, RIFLE ASSAULT	C-200		COLT	AR15	CMH047278	SAMMY LEE MCMANUS	Yes	No	No		$	1,000.00
CMH047292	WEAPON, RIFLE ASSAULT	C-200		COLT	AR15	CMH047292	SAMMY LEE MCMANUS	Yes	No	No		$	1,000.00
CMH047311	WEAPON, RIFLE ASSAULT	C-200		COLT	AR15	CMH047311	SAMMY LEE MCMANUS	Yes	No	No		$	1,000.00
CMH047321	WEAPON, RIFLE ASSAULT	C-200		COLT	AR15	CMH047321	SAMMY LEE MCMANUS	Yes	No	No		$	1,000.00
CMH047342	WEAPON, RIFLE ASSAULT	C-200		COLT	AR15	CMH047342	SAMMY LEE MCMANUS	Yes	No	No		$	1,000.00
EPK532	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EPK532	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EPK535	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EPK535	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EPK537	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EPK537	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ036	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ036	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ039	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ039	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ046	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ046	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ047	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ047	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ048	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ048	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ050	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ050	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ053	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ053	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ056	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ056	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ057	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ057	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ061	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ061	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ062	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ062	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ063	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ063	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ064	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ064	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ067	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ067	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ068	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ068	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ071	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ071	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ080	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ080	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ082	WEAPON, 4.49" Barrel	C-200		GLOCK	22	EZZ082	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ432US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ432US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ433US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ433US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ434US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ434US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ435US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ435US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ436US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ436US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ437US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ437US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ438US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ438US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ439US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ439US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ440US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ440US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ441US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ441US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ442US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ442US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ443US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ443US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ444US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ444US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ445US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ445US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ446US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ446US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ447US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ447US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ448US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ448US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ449US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ449US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ450US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ450US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ451US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ451US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ452US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ452US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ453US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ453US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ454US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ454US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ455US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ455US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ456US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ456US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ457US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ457US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ458US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ458US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ459US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ459US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ460US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ460US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ461US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ461US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ462US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ462US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ463US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ463US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ464US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ464US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ465US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ465US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00
EZZ466US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ466US	SAMMY LEE MCMANUS	Yes	No	No		$	320.00

EZZ467US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ467US	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
EZZ468US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ468US	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
EZZ469US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ469US	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
EZZ470US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ470US	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
EZZ471US	WEAPON, GUN PISTOL	C-200		GLOCK	22	EZZ471US	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
FAC111	WEAPON, 4.49" Barrel	C-200		GLOCK	22	FAC111	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
FAC112	WEAPON, 4.49" Barrel	C-200		GLOCK	22	FAC112	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
FAC115	WEAPON, 4.49" Barrel	C-200		GLOCK	22	FAC115	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
FAC116	WEAPON, 4.49" Barrel	C-200		GLOCK	22	FAC116	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
FAC118	WEAPON, 4.49" Barrel	C-200		GLOCK	22	FAC118	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
FRU357	WEAPON, 4.49" Barrel	C-200		GLOCK	22	FRU357	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
FRU369	WEAPON, 4.49" Barrel	C-200		GLOCK	22	FRU369	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
FRW263	WEAPON, 4.49" Barrel	C-200		GLOCK	22	FRW263	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
GPT289	WEAPON, 4.49" Barrel	C-200		GLOCK	22	GPT289	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
GZB585	WEAPON, 4.49" Barrel	C-200		GLOCK	22	GZB585	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
GZB586	WEAPON, 4.49" Barrel	C-200		GLOCK	22	GZB586	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
GZB587	WEAPON, 4.49" Barrel	C-200		GLOCK	22	GZB587	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
GZB588	WEAPON, 4.49" Barrel	C-200		GLOCK	22	GZB588	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
HMP385	WEAPON, 4.49" Barrel	C-200		GLOCK	22	HMP385	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
HMP390	WEAPON, 4.49" Barrel	C-200		GLOCK	22	HMP390	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
HMP391	WEAPON, 4.49" Barrel	C-200		GLOCK	22	HMP391	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
O24837	WEAPON, RIFLE	C-200		COLT	M16A1	O24837	SAMMY LEE MCMANUS	Yes	No	No		$ 446.46	
O55513	WEAPON, RIFLE	C-200		COLT	MA6A1	O55513	SAMMY LEE MCMANUS	Yes	No	No		$ 446.46	
O66957	WEAPON, RIFLE	C-200		COLT	M16A1	O66957	SAMMY LEE MCMANUS	Yes	No	No		$ 446.46	
O71924	WEAPON, RIFLE	C-200		COLT	M16A1	O71924	SAMMY LEE MCMANUS	Yes	No	No		$ 446.46	
O80767	WEAPON, RIFLE	C-200		COLT	M16A1	O80767	SAMMY LEE MCMANUS	Yes	No	No		$ 446.46	
O93850	WEAPON, RIFLE	C-200		COLT	M16A1	O93850	SAMMY LEE MCMANUS	Yes	No	No		$ 446.46	
PSX743	WEAPON, 4.49" Barrel	C-200		GLOCK	22	PSX743	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
PSX744	WEAPON, 4.49" Barrel	C-200		GLOCK	22	PSX744	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
PSX745	WEAPON, 4.49" Barrel	C-200		GLOCK	22	PSX745	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
PSX746	WEAPON, 4.49" Barrel	C-200		GLOCK	22	PSX746	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
PSX747	WEAPON, 4.49" Barrel	C-200		GLOCK	22	PSX747	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
PSX749	WEAPON, 4.49" Barrel	C-200		GLOCK	22	PSX749	SAMMY LEE MCMANUS	Yes	No	No		$ 320.00	
S9130	NIGHT VISION	C-200		ITT INDUSTRIES	NQ5001	S9130	TONY SOUTHARD	Yes	No	No	3/25/2016	$ -	
S9131	NIGHT VISION	C-200		ITT INDUSTRIES	NQ5001	S9131	TONY SOUTHARD	Yes	No	No	3/25/2016	$ -	
S9133	PRO FORCE MAINTAINS	C-200		ITT INDUSTRIES	NQ5001	S9133	TONY SOUTHARD	Yes	No	No	3/25/2016	$ -	
CA03860	CPU	C-200-A		HP	DC 7900	MXL92716R9	TSOUTHARD	Yes	No	No	10/22/2012	$ 515.00	
CA04173	EXERCISE EQUIPMENT	C-200-A			T-5X-07-C	CTM519140712387	MOORECAN	Yes	No	No	9/8/2014	$ -	
CA04174	EXERCISE EQUIPMENT	C-200-A			T-5X-07-C	CTM519140712388	MOORECAN	Yes	No	No	9/8/2014	$ -	
CA04175	EXERCISE EQUIPMENT	C-200-A			E-3X/5X/7X-03-F	EP304140711423	MOORECAN	Yes	No	No	9/8/2014	$ -	
CA04176	EXERCISE EQUIPMENT	C-200-A			E-3X/5X/7X-03-F	EP3041450711429	MOORECAN	Yes	No	No	9/8/2014	$ -	
CA04423	CPU	C-200-A		DELL	OPTIPLEX 3020	6JQ6N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04594	LAPTOP	C-200-A		HP	ELITE BOOK 850	CNU416D1RL	TSOUTHARD	Yes	No	No	6/6/2014	$ 209.00	
CA07037	CPU	C-200-A	116	HP	PRO 3000 MT	MXL0550WNB	GRAYD	Yes	No	No	7/25/2010	$ 600.00	
CA08078	CELLULAR TELEPHONE	C-200-A		BLACKBERRY	BOLD 9900	357966049788277	CATHY KEY	Yes	No	No	10/28/2014	$ 199.99	
CA06836	CPU	C-205		HP	DC 5800	USH932005A	RICES	Yes	No	No	7/25/2010	$ 600.00	
CA03749	CPU	C-300		DELL	OPTIPLEX 360	6XTBJG1	WATSONJR	Yes	No	No	5/2/2011	$ 775.00	
CA04003	PORTABLE DATA LOGGER	C-300	C-400 TCE treatm	OMEGA	OM-SQ 2020	NONE	WILLISTB	Yes	No	No	6/12/2013	$ 2,500.00	LKY-003994
CA04146	CPU	C-300		DELL	OPTIPLEX 3020	92DQK02	PITTMANMC	Yes	No	No	8/12/2014	$ 556.00	
CA04150	CPU	C-300		DELL	OPTIPLEX 3020	HKKRR12	PITTMANMC	Yes	No	No	8/12/2014	$ 556.00	
CA04273	CELLULAR TELEPHONE	C-300		BLACKBERRY	BOLD 9930	A000002626E7A	MICKY DWAYNE CHILDR	Yes	No	No	3/17/2016	$ 510.00	
CA04409	CPU	C-300		DELL	OPTIPLEX 3020	33GPF02	PITTMANMC	Yes	No	No	6/6/2014	$ 555.00	
CA04515	CPU	C-300		DELL	OPTIPLEX 3020	F72PF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04596	LAPTOP	C-300		HP	ELITE BOOK 850	CNU416D1Y2	TILFORDA	Yes	No	No	6/6/2014	$ 209.00	
CA04763	CPU	C-300	EOC	DELL	OPTIPLEX 3020	CZCMR12	PITTMANMC	Yes	No	No	11/9/2014	$ 600.00	
CA07113	CPU	C-300	Power Plt	DELL	PRECISION OPTIPLEX 780	1KPBWL1	PITTMANMC	Yes	No	No	1/27/2010	$ 1,072.00	
CA07780	CELLULAR TELEPHONE	C-300		BLACKBERRY	BOLD 9900	A0000026159F40	BARRY GENE DANOWSK	Yes	No	No	8/20/2015	$ 500.00	
CA08092	CELLULAR TELEPHONE	C-300		BLACKBERRY	BOLD 9900	357966049916050	RANDY BECK	Yes	No	No	10/28/2014	$ 199.99	
CA08105	CELLULAR TELEPHONE	C-300		BLACKBERRY	BOLD 9900	359730050012151	CHARLES WALKER	Yes	No	No	10/31/2014	$ 199.99	
CA08107	CELLULAR TELEPHONE	C-300		BLACKBERRY	BOLD 9900	357966049789275	RONALD DALE DOCKER	Yes	No	No	10/31/2014	$ 199.99	
CA08861	PANASONIC DIGITAL CAMERA	C-300		PANASONIC	LUMIX DMC-LX7	FA5GB001187	Amanda Scott	Yes	No	No	9/21/2015	$ 424.00	
CA08889	CELLULAR TELEPHONE	C-300		BLACKBERRY	CLASSIC SQC100-2	358474051023104	TRENTON RODGERS-NO	Yes	No	No	2/12/2016	$ 399.00	
CA08922	CELLULAR TELEPHONE	C-300		BLACKBERRY	CLASSIC SQC100-2	258474050996557	WILLIAM WESSEL	Yes	No	No	2/12/2016	$ 399.99	
CA08940	CELLULAR TELEPHONE	C-300		BLACKBERRY	CLASSIC SQC100-2	358474051103807	DAVID PETTY	Yes	No	No	11/23/2015	$ 399.99	
CA09017	CELLULAR TELEPHONE	C-300		BLACKBERRY	CLASSIC SQC100-2	358474051366727	KEVIN BRUCE CHAPPEL	Yes	No	No	2/16/2016	$ 399.99	
CA09020	CELLULAR TELEPHONE	C-300		BLACKBERRY	CLASSIC SQC100-2	358474051365695	JASON GREGORY	Yes	No	No	1/28/2016	$ 399.99	
CA09022	CELLULAR TELEPHONE	C-300		BLACKBERRY	CLASSIC SQC100-5	99000810286429	Robert Vaughn	Yes	No	No	3/11/2016	$ 399.99	
CA09037	CELLULAR TELEPHONE	C-300		BLACKBERRY		3584740514324 95	JOSEPH BARLETTO	Yes	No	No	3/7/2016	$ 500.00	
CA10014	CPU	C-300		DELL	OPTIPLEX 3020	28R0W02	TILFORDA	Yes	No	No	10/9/2014	$ 600.00	

CA10072	CPU	C-300		DELL	OPTIPLEX 380	5JQQMN1	PITTMANMC	Yes	No	No	10/21/2014	$ 600.00	
CA10083	CPU	C-300		DELL	OPTIPLEX 380	5L9QMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10085	CPU	C-300		DELL	OPTIPLEX 360	DQF2LK1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10097	CPU	C-300		DELL	OPTIPLEX 380	5K0SMN1	PITTMANMC	Yes	No	No	10/21/2014	$ 600.00	
CA10103	CPU	C-300		DELL	OPTIPLEX 330	9879CG1	TILFORDA	Yes	No	No	10/21/2014	$ 600.00	
CA10141	CPU	C-300		DELL	OPTIPLEX 360	13TWTK1	PITTMANMC	Yes	No	No	11/5/2014	$ 600.00	
CA10160	CPU	C-300		DELL	OPTIPLEX 360	FMSWTK1	BEASLEYK	Yes	No	No	12/1/2014	$ 600.00	
CA10234	CPU	C-300		DELL	OPTIPLEX 3020	HMMYFZ1	PITTMANMC	Yes	No	No	1/28/2015	$ 600.00	
CA10263	CPU	C-300		DELL	OPTIPLEX 3010		PITTMANMC	Yes	No	No	1/28/2015	$ 600.00	
CA10578	CPU	C-300		DELL	OPTIPLEX 360	3NSWTK1	SCOTTAM	Yes	No	No	2/25/2015	$ 600.00	
CA10877	CPU	C-300	PSS	DELL	OPTIPLEX 360	63TWTK1	PITTMANMC	Yes	No	No	6/2/2015	$ 600.00	
CA10883	CPU	C-300	PSS	DELL	OPTIPLEX 380	5LPSMN1	PITTMANMC	Yes	No	No	6/2/2015	$ 600.00	
CA10899	CPU	C-300		DELL	OPTIPLEX 380	5JMSMN1	WALKERE	Yes	No	No	6/2/2015	$ 600.00	
CA03598	CPU	C-302	RM 33	DELL	OPTIPLEX 360	JS1P1J1	ATKINSB	Yes	No	No	5/2/2011	$ 775.00	
CA04138	CPU	C-302		DELL	OPTIPLEX 3020	8ZYPK02	MITCHELLBE	Yes	No	No	8/12/2014	$ -	
CA04292	CELLULAR TELEPHONE	C-302		BLACKBERRY	BOLD 9930	A000002628538B	JEFFERY DALE FLETCHER	Yes	No	No	7/31/2015	$ 510.00	
CA04408	CPU	C-302		DELL	OPTIPLEX 3020	DZFPF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04416	CPU	C-302		DELL	OPTIPLEX 3020	B92PF02	ANDERSOND	Yes	No	No	6/6/2014	$ 555.00	
CA04418	CPU	C-302		DELL	OPTIPLEX 3020	1J3PF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04421	CPU	C-302		DELL	OPTIPLEX 3020	65R8N02	SCOTTRA	Yes	No	No	6/6/2014	$ 555.00	
CA04460	CPU	C-302		DELL	OPTIPLEX 3020	C3GPF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04462	CPU	C-302	20A	DELL	OPTIPLEX 3020	10GPF02	FLETCHERJ	Yes	No	No	6/6/2014	$ 555.00	
CA04465	CPU	C-302		DELL	OPTIPLEX 3020	D86PF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04471	CPU	C-302		DELL	OPTIPLEX 3020	CW3PF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04550	CPU	C-302	ROOM 1A	DELL	OPTIPLEX 3020	8YB3N02	SELDENE	Yes	No	No	6/6/2014	$ 555.00	
CA04585	LAPTOP	C-302		HP	ELITE BOOK 850	CNU416D368	TERRYL	Yes	No	No	6/6/2014	$ 209.00	
CA04590	LAPTOP	C-302	RM 15	HP	ELITE BOOK 850	CNU416D1PD	TYLERJ	Yes	No	No	6/6/2014	$ 209.00	
CA08060	CELLULAR TELEPHONE	C-302		BLACKBERRY	BOLD 9900	357966049790281	MARK WOOD	Yes	No	No	10/29/2014	$ 199.99	
CA08567	CELLULAR TELEPHONE	C-302		BLACKBERRY	BOLD 9900	357966049416135	ELIZABETH WYATT	Yes	No	No	6/23/2015	$ 500.00	
CA08699	LAPTOP	C-302	Office # 15A	HP	ELITE BOOK 850 G2	5CG52134PR	DRAKET	Yes	No	No		$ 1,241.00	
CA08877	CELLULAR TELEPHONE	C-302		BLACKBERRY	CLASSIC SQC100-2	358474051016835	JAMES BRADLEY "BRAD	Yes	No	No	2/12/2016	$ 399.99	
CA08883	CELLULAR TELEPHONE	C-302		BLACKBERRY	CLASSIC SQC100-2	358474051006752	PHILLIP STARKS	Yes	No	No	11/23/2015	$ 399.99	
CA08894	CELLULAR TELEPHONE	C-302		BLACKBERRY	CLASSIC SQC100-2	358474051006620	KEVIN ALAN BEASLEY	Yes	No	No	11/24/2015	$ 399.99	
CA08947	CELLULAR TELEPHONE	C-302		BLACKBERRY	CLASSIC SQC100-5	990000810290280	Darl Anderson	Yes	No	No	2/11/2016	$ 399.99	
CA09014	CELLULAR TELEPHONE	C-302		BLACKBERRY	CLASSIC SQC100-2	358474051268766	LINDSEY TERRY	Yes	No	No	2/17/2016	$ 500.00	
CA09058	CELLULAR TELELPHONE	C-302		BLACKBERRY	CLASSIC SQC100-2	358474051433535	BRYAN KEITH (ANDY) A	Yes	No	No	3/28/2016	$ 399.99	
CA09059	CELLULAR TELELPHONE	C-302		BLACKBERRY	CLASSIC SQC100-2	358474051357098	JESSICA LEE	Yes	No	No	3/11/2016	$ 500.00	
CA09078	CELLULAR TELEPHONE	C-302		BLACKBERRY	CLASSIC SQC100-5	9900000810282400	JEFFERY DALE FLETCHER	Yes	No	No	3/17/2016	$ -	
CA10213	CPU	C-302	R14	DELL	OPTIPLEX 380	5LWQMN1	FLETCHERJ	Yes	No	No	12/24/2014	$ 600.00	
CA10658	CPU	C-302	R26	DELL	OPTIPLEX 380	5L9SMN1	BYRDR	Yes	No	No	2/25/2015	$ 600.00	
CA10816	CPU	C-302	r16	DELL	OPTIPLEX 380	5LRSMN1	SILLSD	Yes	No	No	5/6/2015	$ 600.00	
CA10888	CPU	C-302	CNF	DELL	OPTIPLEX 380	5K3RMN1	TERRYL	Yes	No	No	6/2/2015	$ 600.00	
CA04080	LAPTOP	C-304		HP		CNU416D3HH	RNALLEY	Yes	No	No	6/20/2014	$ 1,200.00	
CA04082	LAPTOP	C-304		HP	ELITE BOOK 850	CNU419BPWQ	SPEARM	Yes	No	No	6/6/2014	$ 209.00	
CA04083	LAPTOP	C-304	ROOM 125	HP	ELITE BOOK 850	CNU416D201	ISHAMAELJ	Yes	No	No	6/20/2014	$ 1,200.00	
CA04365	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9930	A00000262A2331	SHARON SHIRLEY	Yes	No	No	9/21/2015	$ 510.00	
CA04424	CPU	C-304		DELL	OPTIPLEX 3020	BH1RF02	PEARSONFD	Yes	No	No	6/6/2014	$ 555.00	
CA04491	CPU	C-304		DELL	OPTIPLEX 3020	5G1RF02	MURPHYC	Yes	No	No	6/6/2014	$ 555.00	
CA04522	CPU	C-304		DELL	OPTIPLEX 3020	24GPF02	MITCHELLBE	Yes	No	No	6/6/2014	$ 555.00	
CA04564	LAPTOP	C-304		HP	ELITE BOOK 850	CNU416D205	PRICEJ	Yes	No	No	6/6/2014	$ 209.00	
CA04566	LAPTOP	C-304		HP	ELITE BOOK 850	CN4U16D3H8	WEVANS	Yes	No	No		$ -	
CA04569	LAPTOP	C-304	4-Jan	HP	ELITE BOOK 850	CNU419BPYH	JONESJE	Yes	No	No	6/6/2014	$ 209.00	
CA04579	LAPTOP	C-304	ROOM 107	HP	ELITE BOOK 850	CNU416C355	BEASLEYN	Yes	No	No	6/6/2014	$ 209.00	
CA04582	LAPTOP	C-304	ROOM 126	HP	ELITE BOOK 850	CNU416D3K0	SHIRLEYS	Yes	No	No	6/6/2014	$ 209.00	
CA04586	LAPTOP	C-304		HP	ELITE BOOK 850	CNU416D22Z	PEARSONFD	Yes	No	No	6/6/2014	$ 209.00	
CA04592	LAPTOP	C-304		HP	ELITE BOOK 850	CNU416D1RX	PHANKINS	Yes	No	No	6/6/2014	$ 209.00	
CA04595	LAPTOP	C-304		HP	ELITE BOOK 850	CNU416D1PS	JPONIATOWSKI	Yes	No	No		$ -	
CA04597	LAPTOP	C-304		HP	ELITE BOOK 850	CNU416D1R0	BJONES	Yes	No	No	6/6/2014	$ 209.00	
CA04598	LAPTOP	C-304	RM 105	HP	ELITE BOOK 850	CNU416D1S0	PKREITZ	Yes	No	No	6/6/2014	$ 209.00	
CA04600	LAPTOP	C-304		HP	ELITE BOOK 850	CNU416D1PK	TPOAT	Yes	No	No	6/6/2014	$ 209.00	
CA04764	CPU	C-304	ROOM 112	DELL	OPTIPLEX 3020	8BXRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04767	CPU	C-304		DELL	OPTIPLEX 3020	CXXRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04802	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9930	A00000262ADCB0	ANDY TISLER	Yes	No	No	9/1/2015	$ 199.99	
CA07725	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9930	A0000025FFAE48	JOHNATHAN ISHMAEL	Yes	No	No	7/31/2015	$ 510.00	
CA08004	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9900	359730050011419	BOB NICHOLS	Yes	No	No	10/27/2014	$ 199.99	
CA08017	CELLULAR TELEPHONE (SMART PHON	C-304		BLACKBERRY	BOLD 9900	359730050008977	CORY HICKS	Yes	No	No	10/28/2014	$ 510.00	
CA08058	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9900	357966049794127	Ann Erickson	Yes	No	No	10/31/2014	$ 510.00	
CA08063	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9900	357966049788947	BRANDY MITCHELL	Yes	No	No	11/7/2014	$ 199.99	
CA08064	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9900	357966049794259	MIKE KUNTZ	Yes	No	No	12/8/2014	$ 199.99	

CA08479	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9900	357966048269048	JEFFERY KURSAVE	Yes	No	No	6/3/2015	$ 199.99	
CA08559	CELLULAR TELEPHONE	C-304		BLACKBERRY	BOLD 9900	357966049416267	James Newburn	Yes	No	No	5/15/2015	$ 199.99	
CA08674	LAPTOP	C-304	ROOM 118	HP	ELITEBOOK 850 G2		TYUSS	Yes	No	No		$ 209.00	
CA08708	LAPTOP	C-304		HP	ELITBOOK 850G2	5CG5213665	GERMAINN	Yes	No	No	3/23/2015	$ 1,100.00	
CA08806	Cellular Telephone	C-304		BLACKBERRY	BOLD 9700	351937048221467	Mark Rapp	Yes	No	No	7/31/2015	$ 199.90	
CA08901	CELLULAR TELEPHONE	C-304		BLACKBERRY	CLASSIC SQC100-2	358474051016108	HEATHER ALSHIRE	Yes	No	No	2/12/2016	$ 399.99	
CA08923	CELLULAR TELEPHONE	C-304		BLACKBERRY	CLASSIC SQC100-2	358474050987804	BOB SMITH	Yes	No	No	2/12/2016	$ 399.99	
CA08963	CELLULAR TELEPHONE	C-304		BLACKBERRY	CLASSIC SQC100-2	358474051168834	BRANDON HENDERSON	Yes	No	No	2/11/2016	$ 399.99	
CA09010	CELLULAR TELEPHONE	C-304		BLACKBERRY	CLASSIC SQC100-2	358474051267008	DAVID RICHARDSON	Yes	No	No	3/7/2016	$ 500.00	
CA09032	CELLULAR TELELPHONE	C-304		BLACKBERRY	CLASSIC SQC100-2	358474051356918	JOE PONIATOWSKI	Yes	No	No	3/7/2016	$ 399.99	
CA09080	CELLULAR TELEPHONE	C-304		BLACKBERRY	CLASSIC SQC100-2	358474051548787	LANCE WADDEL	Yes	No	No	3/16/2016	$ 399.99	
CA09081	CELLULAR TELEPHONE	C-304		BLACKBERRY	CLASSIC SQC100-2	358474051469950	MEGAN MULRY	Yes	No	No	3/16/2016	$ 500.00	
CA09111	CELLULAR TELEPHONE	C-304		BLACKBERRY	CLASSIC SQC100-2	358474051495468	NOAH BEASLEY	Yes	No	No	6/9/2016	$ 399.99	
CA09131	CELLULAR TELELPHONE	C-304		BLACKBERRY	CLASSIC SQC100-3	358474051355241	BRIAN LOWRANCE	Yes	No	No	5/16/2016	$ 399,399.00	
CA09132	CELLULAR TELEPHONE	C-304		BLACKBERRY	CLASSIC SQC100-3	990004601917200	KELLY STRATEMEYER	Yes	No	No	5/16/2016	$ 399.99	
CA10850	CPU	C-304	ROOM 116	DELL	OPTIPLEX 360	5NSWTK1	KOCSISJA	Yes	No	No	5/6/2015	$ 600.00	
CA03248	CPU	C-310 COMP		HP	DC 5800	2UA9160YXQ	KOCSISJA	Yes	No	No	8/21/2009	$ 550.00	
CA03089	CPU	C-310-B		HP	DX 2400	MXL8310RPT	WALKERE	Yes	No	No	8/25/2008	$ 450.00	
CA03102	CPU	C-310-B		HP	DX 2400	MXL8310RS8	WALKERE	Yes	No	No	8/25/2008	$ 450.00	
CA04324	CPU	C-310-B		DELL	DCNE	6QSXPH1	WALKERE	Yes	No	No	5/15/2014	$ 789.00	N/A
CA06830	CPU	C-310-B		HP	DC 5800	2UA9171QF	WALKERE	Yes	No	No	7/25/2010	$ 600.00	
CA04262	CELLULAR TELEPHONE	C-331		BLACKBERRY		A000002625C19D	STEVE TUCKER	Yes	No	No	8/13/2015	$ 199.99	
CA08522	CAMERA	C-331		CANON	POWERSHOT SD 1300 IS	72064040864	JOHN MARTIN	Yes	No	No	3/14/2016	$ -	
CA04321	CPU	C-331 PROCESS BUILDING		DELL	DCNE	CCSXPH1	KOCSISJA	Yes	No	No	5/15/2014	$ 789.00	N/A
CA10574	CPU	C-331 PROCESS BUILD	INSTRUMENT SHO	DELL	OPTIPLEX 360	5YLWTK1	BALKEYC	Yes	No	No	2/25/2015	$ 600.00	
CA10575	CPU	C-331 PROCESS BUILD	INSTRUMENT SHO	DELL	OPTIPLEX 380	HMSWTK1	BALKEYC	Yes	No	No	2/25/2015	$ 600.00	
CA10576	CPU	C-331 PROCESS BUILDING		DELL	OPTIPLEX 360	HK4YSJ1	BALKEYC	Yes	No	No	2/25/2015	$ 600.00	
CA10650	CPU	C-331 PROCESS BUILDING		DELL	OPTIPLEX 380	5LKQMN1	BALKEYC	Yes	No	No	2/25/2015	$ 600.00	
CA10651	CPU	C-331 PROCESS BUILD	INSTRUMENT SHO	DELL	OPTIPLEX 380	5JQSMN1	BALKEYC	Yes	No	No	2/25/2015	$ 600.00	
CA10656	CPU	C-331 PROCESS BUILD	INSTRUMENT SHO	DELL	OPTIPLEX 360	5RF2LK1	BALKEYC	Yes	No	No	2/25/2015	$ 600.00	
CA10659	CPU	C-331 PROCESS BUILD	INSTRUMENT SHO	DELL	OPTIPLEX 380	5K4TMN1	BALKEYC	Yes	No	No	2/25/2015	$ 600.00	
CA10681	CPU	C-331 PROCESS BUILD	INSTRUMENT SHO	DELL	OPTIPLEX 380	5L7RMN1	CORNELIUST	Yes	No	No	3/25/2015	$ 600.00	
CA10682	CPU	C-331 PROCESS BUILD	INSTRUMENT SHO	DELL	OPTIPLEX 360	9XLWTK1	CORNELIUST	Yes	No	No	3/25/2015	$ 600.00	
CA10683	CPU	C-331 PROCESS BUILD	INSTRUMENT SHO	DELL	OPTIPLEX 380	5J1TMN1	CORNELIUST	Yes	No	No	3/25/2015	$ 600.00	
CA03695	CPU	C-333	ACR	DELL	OPTIPLEX 360	2FPS3J1	BUURMANR	Yes	No	No	5/2/2011	$ 775.00	
CA07042	CPU	C-333	ACR	HP	PRO 3000 MT	MXL0550WNK	WALKERE	Yes	No	No	7/25/2010	$ 600.00	
CA09011	CELLULAR TELEPHONE	C-333		BLACKBERRY	CLASSIC SQC100-2	358474051268675	LORI LEE BAUER	Yes	No	No	2/17/2016	$ 399.99	
CA09358	CELLULAR TELEPHONE	C-333		BLACKBERRY	CLASSIC SQC100-2	358474051690068	Andra J. Jessup	Yes	No	No	6/23/2016	$ 399.99	
CA10114	CPU	C-333	ACR	DELL	OPTIPLEX 330	2D79CG1	VICKSP	Yes	No	No	10/21/2014	$ 600.00	
CA10194	CPU	C-333	ACR	DELL	OPTIPLEX 380	5JGSMN1	BENNETTJEFF	Yes	No	No	12/4/2014	$ 600.00	
CA10689	CPU	C-333	ACR	DELL	OPTIPLEX 360	FXLWTK1	BUURMANR	Yes	No	No	3/25/2015	$ 600.00	
CA10849	CPU	C-333		DELL	OPTIPLEX 380	5L3RMN1	FOSSD	Yes	No	No	5/6/2015	$ 600.00	
CA03240	CPU	C-335		HP	DC5800	2UA9321DXF	FOSSD	Yes	No	No	8/21/2009	$ 550.00	
CA03255	CPU	C-335	SHOP	HP	DC 5800	2UA9321DX8	PICKETTD	Yes	No	No	8/21/2009	$ 550.00	
CA03282	CPU	C-335		HP	HP PRO 3000 MT	MXL0050WP1	KOCSISJA	Yes	No	No	2/15/2010	$ 600.00	
CA03290	CPU	C-335		HP	HP PRO 3000 MT	MXL0050WP3	KOCSISJA	Yes	No	No	7/25/2010	$ 600.00	
CA06810	CPU	C-335		HP	DC 5800	2UA9174LH	FOSSD	Yes	No	No	7/25/2010	$ 600.00	
CA06815	CPU	C-335		HP	DC 5800	2UA91714PD	FOSSD	Yes	No	No	7/25/2010	$ 600.00	
CA06857	CPU	C-335		HP	DC 5800	2UA91714QK	FOSSD	Yes	No	No	7/25/2010	$ 600.00	
CA07039	CPU	C-335	SHOP	HP	PRO 3000 MT	MXL0550WNJ	PICKETTD	Yes	No	No	7/25/2010	$ 600.00	
CA088910	CELLULAR PHONE	C-335		BLACKBERRY	CLASSIC SQC100-2	358474051006653	DARRYL PICKETT	Yes	No	No	2/12/2016	$ 399.99	
CA08910	CELLULAR TELEPHONE	C-335		BLACKBERRY	CLASSIC SQC100-2	358474051006653	DARRYL PICKETT	Yes	No	No	2/18/2016	$ 500.00	
CA09108	CELLULAR TELEPHONE	C-335		BLACKBERRY	CLASSIC SQC100-2	358474051612302	KEVIN IRIONS	Yes	No	No	4/18/2016	$ 399.99	
CA10270	CPU	C-335		DELL	OPTIPLEX 380	5LNQMN1		Yes	No	No	2/2/2015	$ 600.00	
CA10652	CPU	C-335		DELL	OPTIPLEX 380	5LLSMN1		Yes	No	No	2/25/2015	$ 600.00	
CA10752	CPU	C-335	ACR	DELL	OPTIPLEX 360	2J0Z4J1	BENNETTJEFF	Yes	No	No	4/14/2015	$ 600.00	
CA03249	CPU	C-337		HP	DC 5800	2UA9321DX4	KOCSISJA	Yes	No	No	8/21/2009	$ 550.00	
CA03874	CPU	C-337		HP	DC 7900	MXL92716HN		Yes	No	No	10/22/2012	$ 515.00	
CA03885	CPU	C-337		HP	DC 7900	MXL92716	CORNELIUST	Yes	No	No	10/23/2012	$ 515.00	
CA03899	CPU	C-337		HP	DC 7900	MXL92716HL		Yes	No	No	10/23/2012	$ 515.00	
CA04376	CELLULAR TELEPHONE	C-337		BLACKBERRY	BOLD 9900	A0000262A61A6	STEVE IUBELT	Yes	No	No		$ 199.99	
CA06827	CPU (ARRA)	C-337	C-3	HP	DC 5800	2UA91714NB		Yes	No	No	10/30/2009	$ 600.00	
CA06853	CPU	C-337		HP	DC 5800	2UA933154B		Yes	No	No	7/25/2010	$ 600.00	
CA07003	CPU	C-337		HP	COMPAQ 500 B	MXL9451YC4		Yes	No	No	10/1/2010	$ 600.00	
CA08874	CELLULAR TELEPHONE	C-337		BLACKBERRY	CLASSIC SQC100-2	358474050988349	JOHN C. BARNETT	Yes	No	No	2/12/2016	$ 399.99	
CA08880	CELLULAR TELEPHONE	C-337		BLACKBERRY	CLASSIC SQC100-2	358474051027550	JOHN MARTIN	Yes	No	No	2/12/2016	$ 500.00	
CA08898	CELLULAR TELEPHONE	C-337		BLACKBERRY	CLASSIC SQC100-2	358474051024110	NATHANIEL HARGROVE	Yes	No	No	2/11/2016	$ 399.99	
CA08939	CELLULAR TELEPHONE	C-337		BLACKBERRY	CLASSIC SQC100-2	358474051106057	Eric Walker	Yes	No	No	2/12/2016	$ 399.99	
CA08956	CELLULAR TELEPHONE	C-337		BLACKBERRY	CLASSIC SQC100-2	358474051125636	ANDREW D. BAGWELL	Yes	No	No	2/12/2016	$ 399.99	

CA10031	CPU	C-337		DELL	OPTIPLEX 360	6XLWTK1	KOCSISJA	Yes	No	No	10/21/2014	$ 600.00	
CA10130	CPU	C-337		DELL	OPTIPLEX 360	83D2LK1	FOSSD	Yes	No	No	11/4/2014	$ 600.00	
CA10269	CPU	C-337		DELL	OPTIPLEX 380	5LWSMN1	KOCSISJA	Yes	No	No	2/2/2015	$ 600.00	
CA10754	CPU	C-337	ACR	DELL	OPTIPLEX 360	FVMYSJ1	BENNETTJEFF	Yes	No	No	4/14/2015	$ 600.00	
CA10862	CPU	C-337	ACR	DELL	OPTIPLEX 360	BL4YSJ1	BENNETTJEFF	Yes	No	No	6/2/2015	$ 600.00	
CA10863	CPU	C-337	ACR	DELL	OPTIPLEX 380	5JRRMN1	WALKERE	Yes	No	No	6/2/2015	$ 600.00	
CA10886	CPU	C-337	ELECTRICAL	DELL	OPTIPLEX 380	5JQKMN1	HAWKINSB	Yes	No	No	6/2/2015	$ 600.00	
CA10887	CPU	C-337	ELECTRICAL	DELL	OPTIPLEX 380	5LXSMN1	HAWKINSB	Yes	No	No	6/2/2015	$ 600.00	
CA03286	CPU	C-400	B-20	HP	PRO 3000 MT	MXL0050WNS	HUMPHREY,C	Yes	No	No	7/25/2010	$ 600.00	
CA03859	CPU	C-400		HP	DC 7900	MXL92716GR	HUMPHREY,C	Yes	No	No	10/22/2012	$ 515.00	
CA04226	CELLULAR TELEPHONE (PDA)	C-400		BLACKBERRY	9930	A000002622B129	BTAYLOR	Yes	No	No	8/7/2013	$ 510.00	NA
CA04360	CDMA FIXED WIRELESS VOICE TERMIN	C-400	C-400 REMEDIATI	AXESS TEL	TX240G	A100000676839	POWERSJT	Yes	No	No	6/3/2014	$ 1,537.00	PR11929
CA04839	CAMERA, DIGITAL HANDHELD (NON-C	C-400		CANON	POWERSHOT ELPH 1790IS	SN032060015746	JEROME ELLINGTON	Yes	No	No	4/21/2016	$ 199.99	
CA07045	CPU	C-400		HP	PRO 3000 MT	MXL0550WNQ		Yes	No	No	7/25/2010	$ 600.00	
CA07110	CPU	C-400	OPS TRAILER	HP	PRECISION T3500	16GGWL1	WILLISTB	Yes	No	No	2/1/2010	$ 1,711.00	
CA07111	CPU	C-400	OPS TRAILER	HP	PRECISION T3500	CWVZWL1	WILLISTB	Yes	No	No	2/1/2010	$ 1,711.00	
CA07112	PLC/HMI PANEL VIEW PLUS 1500 W/ (	C-400	C-400 Operations	ALLEN-BRADLEY	PLC/HMI PANEL VIEW PLUS	2711P-RDT15C-B	WILLISTB	Yes	No	No	3/24/2010	$ 5,421.00	
CA07183	PROCESS COMMUNICATOR, GENERAL	C-400	Operations trailer		4150	1039000179	WILLISTB	Yes	No	No	9/28/2010	$ 4,159.00	LKY-000409
CA07348	2000KVA PAD TRANSFORMER / C-400	C-400				010530-5	WILLISTB	Yes	No	No	10/31/2011	$ 26,500.00	LKY-002267
CA07349	1200 AMP DOUBLE THROW TRANSFE	C-400		ATS	ATS-1200-R-0482	RR0060730	WILLISTB	Yes	No	No	10/3/2001	$ 17,967.00	LKY-002268
CA08915	CELLULAR TELEPHONE	C-400		BLACKBERRY	CLASSIC SQC100-2	358474050998660	CATHERINE HUMPHREY	Yes	No	No	11/24/2015	$ 399.99	
CA09016	CELLULAR TELEPHONE	C-400		BLACKBERRY	CLASSIC SQC100-5	990000810273104	JEROME ELLINGTON	Yes	No	No	2/25/2016	$ 399.99	
CA09086	CAMERA, DIGITAL HANDHELD (NON-C	C-400		CANON	POWERSHOT ELPH170IS	92061001384	JEROME ELLINGTON	Yes	No	No	4/11/2016	$ 129.00	
CA10749	CPU	C-400 LAUNDRY	LAUNDRY	DELL	OPTIPLEX 360	3XLWTK1	BENNETTJEFF	Yes	No	No	4/14/2015	$ 600.00	
CA07891	LIFT-VERTICAL	C-409			20MVL	130013459	THOMISLW	Yes	No	No		$ -	
CA03839	DIGITAL CAMERA	C-410	BCS	STARDOT TECHNOL	NETCAM XL	0030F4CA077E	REASONJM	Yes	No	No	8/9/2012	$ 1,131.36	PR 7512
CA04284	CELLULAR TELEPHONE	C-412		BLACKBERRY	BOLD 9930	A000002627A4DC	FLUOR FEDERAL SERVIC	Yes	No	No	3/12/2014	$ 510.00	
CA09052	CELLULAR TELEPHONE	C-412		BLACKBERRY	CLASSIC SQC100-5	990000810265217	BRADY GREEN	Yes	No	No	3/4/2016	$ 399.99	
CA09069	CELLULAR TELEPHONE	C-412 T14		BLACKBERRY		990000810283244	Greg Carter	Yes	No	No	3/16/2016	$ 399.99	
CA08982	DIGITAL CAMERA	C-412 T9		PANASONIC	LUMIX DMC-LX7	FA5HB001072	JEFF SEATON	Yes	No	No	12/22/2015	$ 393.94	
CA09102	CELLULAR TELEPHONE	C-412 T9		BLACKBERRY	CLASSIC SQC100-5	990000810359291	JEFF SEATON	Yes	No	No	4/19/2016	$ 399.99	
CA03597	CPU	C-412-T01		DELL	OPTIPLEX 360	39XP1J1	BELLGK	Yes	No	No	5/2/2011	$ 775.00	
CA03615	CPU	C-412-T01		DELL	OPTIPLEX 360	6V86JG1	PEADJ	Yes	No	No	5/2/2011	$ 775.00	
CA04300	CELLULAR TELEPHONE	C-412-T01		BLACKBERRY	9930	A000002629A98F	WILLIAMSL	Yes	No	No	5/14/2014	$ 500.00	
CA04803	CELLULAR TELEPHONE	C-412-T01		BLACKBERRY	9930	A00000262ADD0C	WILSONE	Yes	No	No	9/11/2014	$ 500.00	NA
CA06308	CPU	C-412-T01	Conference Room	HP	DC 5100 MT	MXL6140H8R	WILLIAMSL	Yes	No	No	9/11/2008	$ 1,200.00	
CA06426	DIGITAL CAMERA	C-412-T01		OLYMPUS	STYLUS 850SW	F28505618	CORRIGANGS	Yes	No	No	5/8/2008	$ 247.00	4966
CA06816	CPU	C-412-T01	ROOM 6	HP	DC 5800	2UA91714WT	KOCSISJA	Yes	No	No	7/25/2010	$ 600.00	
CA06817	CPU	C-412-T01	ROOM 4	HP	DC 5800	2UA91714M2	CORNELIUST	Yes	No	No	7/25/2010	$ 600.00	
CA06823	CPU	C-412-T01	ROOM 3	HP	DC 5800	2UA933154K	BAGWELLA	Yes	No	No	7/25/2010	$ 600.00	
CA10009	CPU	C-412-T01	ROOM 8	DELL	OPTIPLEX 3020	JFQ0W02	BARNETTJ	Yes	No	No	10/9/2014	$ 600.00	
CA10723	CPU	C-412-T01	ROOM 1	DELL	OPTIPLEX 390	DC99WR1	HOWARDB	Yes	No	No	4/14/2015	$ 600.00	
CA10878	CPU	C-412-T01	ROOM 5	DELL	OPTIPLEX 380	5LGQMN1	STEWARTK	Yes	No	No	6/2/2015	$ 600.00	
CA03311	CPU	C-412-T02	ROOM 8	HP	PRO 3000 MT	MXL0050WPO	THOMASJ	Yes	No	No	7/25/2010	$ 600.00	
CA03504	PRINTER	C-412-T02		LEXMARK	C544N	98136CF	KENTD	Yes	No	No	5/2/2011	$ 480.00	
CA03634	CPU	C-412-T02		DELL	OPTIPLEX 360	3R8B1J1	KENTD	Yes	No	No	5/2/2011	$ 775.00	
CA03879	CPU	C-412-T02	ROOM 9	HP	DC 7900	MXL92716F8	THOMPSONB	Yes	No	No	10/23/2012	$ 515.00	
CA03898	CPU	C-412-T02	ROOM 2	HP	DC 7900	MXL92716XK	HUMPHREY,C	Yes	No	No	10/23/2012	$ 515.00	
CA03902	CPU	C-412-T02	ROOM 7	HP	DC 7900	MXL92716HD	ELLINGTONTJ	Yes	No	No	10/23/2012	$ 515.00	
CA04266	LASERJET COLOR PRINTER - NETWORK	C-412-T02		HP	LASERJET PRO	CND8FB00M8	WILLIAMSL	Yes	No	No	12/30/2013	$ 778.00	PR# 10853
CA04282	CELLULAR TELEPHONE	C-412-T02		BLACKBERRY	BOLD 9930	A000002628203A	JEFFERY PUCKETT	Yes	No	No	7/31/2015	$ 510.00	
CA07002	CPU	C-412-T02	ROOM 8	HP	COMPAQ 500 B	MXL9451YB9	WILDHARBERJD	Yes	No	No	10/1/2010	$ 600.00	
CA09026	CELLULAR TELEPHONE	C-412-T02		BLACKBERRY	CLASSIC SQC100-5	990000810266199	ROBERT KIRBY	Yes	No	No	2/16/2016	$ 399.99	
CA09050	PHONE NUMBER (CELLULAR)	C-412-T02		BLACKBERRY	CLASSIC SQC100-5	990000810299554	DARRIN TINSLEY	Yes	No	No	3/11/2016	$ 399.99	
CA10139	CPU	C-412-T02	ROOM 6	DELL	OPTIPLEX 360	1L4YSJ1	ROACHK	Yes	No	No	11/5/2014	$ 600.00	
CA11279	CPU	C-412-T02	ROOM 6	HP	DC5800		PUCKETTJ	Yes	No	No		$ 550.00	
CA03233	CPU	C-412-T03		HP	DC5800	MXL9080B1J	TELFAIRL	Yes	No	No	8/13/2009	$ 550.00	
CA03312	CPU	C-412-T03		HP	PRO 3000 MT	MXL0050WNX	KINGPE	Yes	No	No	2/15/2010	$ 600.00	
CA03601	CPU	C-412-T03		DELL	OPTIPLEX 360	6YZ4JG1	HONEYCUTTBK	Yes	No	No	5/2/2011	$ 775.00	
CA06837	CPU	C-412-T03		HP	DC 5800	2UA91714N0	HIDEGM	Yes	No	No	10/30/2009	$ 600.00	
CA07709	CELLULAR TELEPHONE (PDA)	C-412-T03		BLACKBERRY	9930	A0000025FDDD99	TELFAIRL	Yes	No	No	6/13/2012	$ 510.00	
CA10138	CPU	C-412-T03		DELL	OPTIPLEX 360	7L4YSJ1	BROWNBK	Yes	No	No	11/5/2014	$ 600.00	
CA10826	CPU	C-412-T03		DELL	OPTIPLEX 360	7YLWTK1	KIRBYR	Yes	No	No	5/6/2015	$ 600.00	
CA10892	CPU	C-412-T03		DELL	OPTIPLEX 360	8H9XTK1	TINSLEYD	Yes	No	No	6/2/2015	$ 600.00	
CA02591	PLOTTER	C-412-T04			DESK JET 900	SG63EC103M	CRABTREEPA	Yes	No	No	7/25/2010	$ 3,550.00	
CA03309	CPU	C-412-T04		HP	PRO 3000 MT	MXL0050WPS		Yes	No	No	7/25/2010	$ 600.00	
CA04067	CPU	C-412-T04		DELL	OPTIPLEX 3020	75NDK02	FLETCHERJ	Yes	No	No	5/29/2014	$ 1,096.00	
CA04240	CELLULAR TELEPHONE	C-412-T04		BLACKBERRY	BOLD 9930	A000002622D375	BRIAN HONEYCUTT	Yes	No	No	7/31/2015	$ 199.99	
CA04542	CPU	C-412-T04	T4	DELL	OPTIPLEX 3020	1B1RF02	BENNETTJEFF	Yes	No	No	6/6/2014	$ 555.00	

CA07026	CPU	C-412-T04		HP	PRO 3000 MT	MXL0550WNH		Yes	No	No		$ 600.00	
CA07041	CPU	C-412-T04		HP	PRO 3000 MT	MXL0550WN8		Yes	No	No	7/25/2010	$ 600.00	
CA07048	CPU	C-412-T04		HP	PRO 3000 MT	MXL0550WPW		Yes	No	No	7/25/2010	$ 600.00	
CA07737	CELLULAR TELEPHONE	C-412-T04		BLACKBERRY	BOLD 9930	A00000260862B5		Yes	No	No	4/8/2016	$ 500.00	
CA09130	CELLULAR TELEPHONE	C-412-T04		BLACKBERRY	CLASSIC SQC100-2	358474051103807	JEFFERY LYNN BENNETT	Yes	No	No	5/16/2016	$ 399.99	
C900306	BOROSCOPE	C-412-T05		OLYMPUS	ILV-C1	1000754	MALISWD	Yes	No	No	1/1/2001	$ 60,000.00	UNKNOWN
CA03187	CPU (AUTOCAD WORKSTATION)	C-412-T05		HP	XW 4600	2UA8451FGM	CRABTREEPA	Yes	No	No	5/14/2009	$ 1,118.00	
CA03256	CPU	C-412-T05		HP	DC 5800	2U9321DX8	SLUSMEYERRC	Yes	No	No	8/21/2009	$ 550.00	
CA03588	CPU	C-412-T05		DELL	OPTIPLEX 360	F8XP1J1	WALTMONBUD	Yes	No	No	5/2/2011	$ 775.00	
CA03709	CPU	C-412-T05		DELL	OPTIPLEX 360	3XHQ3J1		Yes	No	No	5/2/2011	$ 775.00	
CA04352	CPU	C-412-T05		DELL	DCNE	7NSXPH1	VICKSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04363	CAMERA, DIGITAL	C-412-T05		NIKON	COOLPIX S960	30002860	FISERKA	Yes	No	No	7/7/2014	$ 400.64	PR 12182
CA04539	CPU	C-412-T05		DELL	OPTIPLEX 3020	JB1RF02	CRABTREEVL	Yes	No	No	6/6/2014	$ 555.00	
CA07404	CELLULAR TELEPHONE (PDA)	C-412-T05		BLACKBERRY	9930	A0000025CFF76A	FUTRELLRG	Yes	No	No	4/9/2012	$ 510.00	
CA08081	CELLULAR TELEPHONE	C-412-T05		BLACKBERRY	BOLD 9900	357966049787295	JAMES ROY (JIM) LAMB	Yes	No	No	10/31/2014	$ 199.99	
CA08235	THERMAL IMAGER	C-412-T05		FLIR	E4	63940992	JAMES ROY (JIM) LAMB	Yes	No	No	1/7/2015	$ 1,131.00	
CA03576	CPU	C-412-T08		DELL	OPTILEX 360	2F7Q1J1	PRICEJ	Yes	No	No	5/2/2011	$ 775.00	
CA04007	CELLULAR TELEPHONE (PDA)	C-412-T08		BLACKBERRY	9930	A0000025FF6B22	WESTDR	Yes	No	No	6/20/2013	$ 510.00	NA
CA04072	LAPTOP	C-412-T08	B-11	DELL	ELITE BOOK 850 G1	CNU416D1RB	ROBERSONW	Yes	No	No	5/30/2014	$ 1,241.00	
CA04257	CELLULAR TELEPHONE (PDA)	C-412-T08		BLACKBERRY	9930	A00000026234483	MONTGOMERYBJ	Yes	No	No	9/25/2013	$ 500.00	
CA06488	DIGITAL CAMERA	C-412-T08		OLYMPUS	STYLUS 850SW	F07558251	SAMPLESJW	Yes	No	No	9/19/2008	$ 290.99	
CA08006	CELLULAR TELEPHONE	C-412-T08		BLACKBERRY	BOLD 9900	357966049993695	NATHAN ING	Yes	No	No	10/31/2014	$ 510.00	
CA08097	CELLULAR TELEPHONE	C-412-T08		BLACKBERRY	BOLD 9900	357966049787394	PAMELA BAIRD	Yes	No	No	10/28/2014	$ 510.00	
CA08177	CELLULAR TELEPHONE	C-412-T08		BLACKBERRY	BOLD 9900	357966049755664	TERRY SORRELL	Yes	No	No	1/2/2015	$ 199.99	
CA08688	LAPTOP	C-412-T08		HP	ELITEBOOK 850 G2	5CG5233TWV	BAIRDP	Yes	No	No		$ 1,241.00	
CA08786	CPU	C-412-T08	ROOM 2	DELL	3020 SFF		KEELINGE	Yes	No	No		$ 600.00	
CA09087	LAPTOP	C-412-T08	ROOM 3	HP	ELITEBOOK 850 G2		SORRELLT	Yes	No	No		$ 209.00	
CA09088	LAPTOP	C-412-T08		HP	ELITEBOOK 850 G2	5CG5085WZG	BELLGL	Yes	No	No		$ 1,241.00	
CA09109	CELLULAR TELEPHONE	C-412-T08		BLACKBERRY	CLASSIC SQC100-5	990000810357964	BOB PEDERSEN	Yes	No	No	4/27/2016	$ 500.00	
CA09110	CELLULAR TELEPHONE	C-412-T08		BLACKBERRY	CLASSIC SQC100-5	990000810359226	GREGORY L. BELL	Yes	No	No	4/27/2016	$ 500.00	
CA03227	CPU	C-412-T09		HP	DC 5800	2UA9321DX5	KENNICOTT	Yes	No	No	8/13/2009	$ 550.00	
CA03299	CPU	C-412-T09		HP	HP PRO 3000 MT	MXL0050WNW		Yes	No	No	2/15/2010	$ 600.00	
CA03300	CPU	C-412-T09		HP	PRO 3000 MT	MXL0050WPQ		Yes	No	No	7/25/2010	$ 600.00	
CA03673	CPU	C-412-T09		DELL	OPTIPLEX 360	3GDQ1J1	REYNOLDSHT	Yes	No	No	5/2/2011	$ 775.00	
CA03741	CPU	C-412-T09		DELL	OPTIPLEX 360	6VZZJG1	BARNESL	Yes	No	No	5/2/2011	$ 775.00	
CA04268	CELLULAR TELEPHONE (PDA)	C-412-T09		BLACKBERRY	9930	A00000262752C5	MORELANDCL	Yes	No	No	1/24/2014	$ 500.00	NA
CA04308	CPU	C-412-T09		DELL	DCNE	4GSXPH1	JONESCS	Yes	No	No	5/1/2014	$ 789.00	
CA04323	CPU	C-412-T09		DELL	DCNE	86CXPH1	JONESCS	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04375	CELLULAR TELEPHONE	C-412-T09		BLACKBERRY	9930	A00000262AE5E1F	WILDHARBERJD	Yes	No	No	7/29/2014	$ 500.00	N/A
CA06855	CPU	C-412-T09	B-25	HP	DC 5800	2UA91714LS	SEATONJW	Yes	No	No	10/30/2009	$ 600.00	
CA09362	CELLULAR TELEPHONE	C-412-T09		BLACKBERRY	CLASSIC SQC100-5	990000810355646	LISA BARNES	Yes	No	No	6/22/2016	$ 399.99	
CA10570	CPU	C-412-T09	T9	DELL	OPTIPLEX 360	4NSWTK1	TELFAIRL	Yes	No	No	2/25/2015	$ 600.00	
CA10685	CPU	C-412-T09		DELL	OPTIPLEX 360	53D2LK1	GREENBL	Yes	No	No	3/25/2015	$ 600.00	
CA07724	CELLULAR TELEPHONE (PDA)	C-412-T12		BLACKBERRY	9930	A0000025FF6623	OVERBYTL	Yes	No	No	7/27/2012	$ 510.00	
CA03640	CPU	C-412-T13		DELL	OPTIPLEX 360	CQJD1J1	CARTERGL	Yes	No	No	5/2/2011	$ 775.00	
CA04350	CPU	C-412-T13		DELL	DCNE	2HCSPH1	CARTERGL	Yes	No	No	5/15/2014	$ 789.00	N/A
CA09046	PHONE NUMBER (CELLULAR)	C-412-T13		BLACKBERRY		990000810277352	Stephen Collins	Yes	No	No	3/11/2016	$ 399.99	
CA03590	CPU	C-412-T14		DELL	OPTIPLEX 360	CX7Q1J1	CARTERGL	Yes	No	No	5/2/2011	$ 775.00	
CA03750	CPU	C-412-T14		DELL	OPTIPLEX 360	6W03JG1	CARTERGL	Yes	No	No	5/2/2011	$ 775.00	
CA03781	CPU	C-412-T14		DELL	OPTIPLEX 360	7W7Q1J1	CARTERGL	Yes	No	No	5/2/2011	$ 775.00	
CA06427	DIGITAL CAMERA	C-412-T14		OLYMPUS	STYLUS 850SW	F28505615	CARTERGL	Yes	No	No	5/8/2008	$ 247.00	4966
CA07214	BOROSCOPE (ARTICULATING VIDEO)	C-412-T14	C-410	GENERAL	DCS1600	MAJEAC0026	GOREMK	Yes	No	No	4/6/2011	$ 1,960.80	LKY-001604
CA07822	SERVER	C-420-T01		RIVERBED	CASCADE SHARK	K91PM000BC7C6	REASONJM	Yes	No	No	3/20/2013	$ 23,626.69	LKY-003764
CA03745	CPU	C-532		DELL	OPTIPLEX 360	8SPP1J1	DAVISC	Yes	No	No	5/2/2011	$ 775.00	
CA03237	CPU	C-535		HP	DC 5800	2UA9321DWY	WEBBERS	Yes	No	No	8/21/2009	$ 550.00	
CA10746	CPU	C-535		DELL	OPTIPLEX 360	JH9XTK1	WEBBERS	Yes	No	No	4/14/2015	$ 600.00	
CA10750	CPU	C-535		DELL	OPTIPLEX 360	43TWTK1	WEBBERS	Yes	No	No	4/14/2015	$ 600.00	
CA04355	CPU	C-537		DELL	DCNE	F5CXPH1		Yes	No	No	5/15/2014	$ 789.00	N/A
CA10747	CPU	C-537		DELL	OPTIPLEX 360	4WLWTK1	BURKLOWK	Yes	No	No	4/14/2015	$ 600.00	
CA04312	CPU	C-604		DELL	DCNE	6MGNPH1		Yes	No	No	5/1/2014	$ 789.00	
CA10567	CPU	C-604		DELL	OPTIPLEX 380	5JORMN1	FLETCHERJ	Yes	No	No	2/25/2015	$ 600.00	
CA08885	CELLULAR TELEPHONE	C-611		BLACKBERRY	CLASSIC SQC100-2	358474051005838	RONALD "SONNY" SUM	Yes	No	No	2/12/2016	$ 399.99	
CA04211	GAS CHROMATOGRAPH SYSTEM	C-612		INFICON	CMS 5000-1131B	70048363	CURRYD	Yes	No	No	7/2/2013	$ 44,865.56	LKY-003865
CA08954	CELLULAR TELEPHONE	C-612		BLACKBERRY	CLASSIC SQC100-5	99000081026819	JEFF BOULTON	Yes	No	No	2/11/2016	$ 399.99	
CA09043	CELLULAR TELEPHONE	C-612		BLACKBERRY		990000810299489	DENVER PARMAN	Yes	No	No	3/11/2016	$ 399.99	
CA03794	CELLULAR TELEPHONE (PDA)	C-612-T01	training offices	BLACKBERRY	9650	A0000025E3C134	BOULTONJL2	Yes	No	No	2/6/2012	$ 480.00	
CA03869	CPU	C-612-T01		HP	DC 7900	MXL92716BL	MARTINS	Yes	No	No	10/22/2012	$ 515.00	
CA03900	CPU	C-612-T01		HP	DC 7900	MXL92716VP	POYNERRW	Yes	No	No	10/23/2012	$ 515.00	
CA06425	DIGITAL CAMERA	C-612-T01		OLYMPUS	STYLUS 850SW	F28505673	BOULTONJL2	Yes	No	No	5/8/2008	$ 247.00	4966

CA07347	BIPHASIC AUTOMATED EXTERNAL DE	C-612-T01	Break Room	MEDTRONIC	LIFEPAK 500	30620691	HODGESWC	Yes	No	No	7/25/2010	$ 1,150.00	
CA01392	CPU	C-612-T02	Room # NONE	GATEWAY	BATC	5249743	CURRYD	Yes	No	No	9/4/1998	$ 2,500.00	1
CA03654	CPU	C-612-T02		DELL	OPTIPLEX 360	DQHT3J1	ASHBURNDL	Yes	No	No	5/2/2011	$ 775.00	
CA03868	CPU	C-612-T02		HP	DC 7900	MXL92716HK	BOULTONJL	Yes	No	No	10/22/2012	$ 515.00	
CA03881	CPU	C-612-T02		HP	DC 7900	MXL92716V8	MARTINS	Yes	No	No	10/23/2012	$ 515.00	
CA04210	LAPTOP	C-612-T02		DELL	CMS 5000	70048359	CURRYD	Yes	No	No	7/2/2013	$ -	LKY-003865
CA04381	CELLULAR TELEPHONE	C-612-T02		BLACKBERRY	9930	A00000262A5B31	CURRYD	Yes	No	No	8/5/2014	$ 500.00	NA
CA04385	CELLULAR TELEPHONE	C-612-T02		BLACKBERRY	9930	A00000262AA59D	BOULTONC	Yes	No	No	8/13/2014	$ 500.00	NA
CA04386	CELLULAR TELEPHONE	C-612-T02		BLACKBERRY	9930	A00000262A9211	BOULTONJL	Yes	No	No	8/13/2014	$ 500.00	N/A
CA04387	CELLULAR TELEPHONE	C-612-T02		BLACKBERRY	9930	A00000262A9213	SHIDALJT	Yes	No	No	8/13/2014	$ 500.00	NA
CA04390	CELLULAR TELEPHONE	C-612-T02		BLACKBERRY	9930	A00000262A9685	HOLZERC	Yes	No	No	8/13/2014	$ 500.00	NA
CA04391	CELLULAR TELEPHONE	C-612-T02		BLACKBERRY	9930	A00000262A9271	CLARKTA	Yes	No	No	8/13/2014	$ 500.00	NA
CA04800	CELLULAR TELEPHONE	C-612-T02		BLACKBERRY	9930	A00000262AA723	MARTINS	Yes	No	No	8/13/2014	$ 500.00	N/A
CA04801	DIGITAL CAMERA	C-612-T02		OLYMPUS	STYLUS SH-50	JMBC02337	BOULTONJL2	Yes	No	No	9/8/2014	$ 199.64	PR 12824
CA11094	CPU	C-631	MURTCO TRAILER	DELL	DELL 380		SHELBYJ	Yes	No	No		$ 600.00	
CA11100	CPU	C-631	MURTCO TRAILER	DELL	DELL 380		BARRONT	Yes	No	No		$ 600.00	
C900377	SPECTROMETER (MASS)	C-709	103	PERKIN-ELMER	6100	G2420102	CRABTREELS	No	Yes	No	3/1/2001	$ 191,000.00	
C900378	SPECTROMETER (MASS)	C-709	104	PERKIN-ELMER	6100	G2440102	CRABTREELS	No	Yes	No	3/1/2001	$ 191,000.00	
CA08774	CPU	C-709	ROOM 113	DELL	3020 SFF		MITCHELLSH	Yes	No	No		$ 600.00	
CA10893	CPU	C-709	115	DELL	OPTIPLEX 380	5K9RMN1	PRICEJO	Yes	No	No	6/2/2015	$ 600.00	
CA03231	CPU	C-710	B60 Room 14	HP	DC5800	MXL9080B1D	JACKSONTD	Yes	No	No	8/13/2009	$ 550.00	
CA03572	CPU	C-710	70C	DELL	OPTIPLEX 360	5QHT3J1	TIDWELLC	Yes	No	No	5/2/2011	$ 775.00	
CA03692	CPU	C-710	70A	DELL	OPTIPLEX 360	1RPP1J1		Yes	No	No	5/2/2011	$ 775.00	
CA03735	CPU	C-710	B-24	DELL	OPTIPLEX 360	JVKP1J1		Yes	No	No	5/2/2011	$ 775.00	
CA03887	CPU	C-710		HP	DC 7900	MXL92716GD	LEDGERWOODS	Yes	No	No	10/23/2012	$ 515.00	
CA04297	CELLULAR TELEPHONE	C-710		BLACKBERRY	BOLD 9930	A000002629B7D0	Bryan Deneve	Yes	No	No	8/25/2015	$ 500.00	
CA04309	CPU	C-710	B-26	DELL	DCNE	3ZGNPH1		Yes	No	No	5/1/2014	$ 789.00	
CA04316	CPU	C-710	B-26	DELL	DCNE	7BSXPH1		Yes	No	No	5/15/2014	$ 789.00	N/A
CA04720	CPU	C-710	13	DELL	OPTIPLEX 330	3HG5TH1	PRICEJO	Yes	No	No	10/22/2014	$ 600.00	
CA04730	CPU	C-710	59	DELL	OPTIPLEX 330	DHG5TH1	PRICEJO	Yes	No	No	10/24/2014	$ 600.00	
CA04804	CELLULAR TELEPHONE	C-710		BLACKBERRY	BOLD 9900	A00000262ADD30	TUCKER GENTLE	Yes	No	No	7/31/2015	$ 199.99	
CA06818	CPU	C-710	B60 Room 5	HP	DC 5800	2UA91714MK		Yes	No	No	7/25/2010	$ 600.00	
CA06848	CPU	C-710	B60 Room 9	HP	DC 5800	24A91714QS		Yes	No	No	7/25/2010	$ 600.00	
CA07030	CPU	C-710	B60	HP	PRO 3000 MT	MXL0550WN5		Yes	No	No	7/25/2010	$ 600.00	
CA07033	CPU (ARRA)	C-710	B60	HP	PRO 3000 MT	MXL0550WNL		Yes	No	No	7/25/2010	$ 600.00	
CA07739	CELLULAR TELEPHONE (SMART PHON	C-710		BLACKBERRY	BOLD 9900	A00000260896E7	Robert Thompson	Yes	No	No	7/27/2015	$ -	
CA08016	CELLULAR TELEPHONE	C-710		BLACKBERRY	BOLD 9900	359730050011021	TRACI LYNN CURRY	Yes	No	No	10/28/2014	$ 510.00	
CA08056	CELLULAR TELEPHONE	C-710		BLACKBERRY	BOLD 9900	357966049788343	JOHN PRICE	Yes	No	No	10/30/2014	$ 199.99	
CA08087	CELLULAR TELEPHONE	C-710		BLACKBERRY	BOLD 9900	359730050011690	ADAIR BARRETT THOM	Yes	No	No	11/3/2014	$ 510.00	
CA08240	CELLULAR TELEPHONE	C-710		BLACKBERRY	BOLD 9900	357966049751770	TY FISHER	Yes	No	No	1/12/2015	$ 199.99	
CA08448	GE VIDEO PROBE	C-710		GE	EVEREST XLG 3000B	0926F0526	Kevin Yarbrough	Yes	No	No	9/21/2015	$ 30,000.00	
CA08449	SONY VIDEO CAMERA W/ MICROSCOI	C-710		SONY	HDR-HC9	129132	Kevin Yarbrough	Yes	No	No	9/21/2015	$ 1,200.00	
CA08450	GE VIDEO PROBE	C-710		GE	EVEREST XLG 300B	0808E7596	Kevin Yarbrough	Yes	No	No	9/21/2015	$ 30,000.00	
CA08542	Cellular PHone	C-710		BLACKBERRY	BOLD 9900	357966049407019	JEFFERY "BRENT" MON	Yes	No	No	5/13/2015	$ 199.99	
CA08838	DELL CPU	C-710		DELL	OPTIPLEX 7010	JZB8P22	Matthew Purcell	Yes	No	No	9/23/2015	$ -	
CA08851	SONY DIGITAL CAMERA	C-710		SONY	CYBERSHOT DSC-S70 33MB	255153	Kevin Yarbrough	Yes	No	No	9/21/2015	$ 400.00	
CA08853	CANON DIGITAL CAMERA	C-710		CANON	DS6041	1660501145	Kevin Yarbrough	Yes	No	No	9/21/2015	$ 1,000.00	
CA08981	CELLULAR TELEPHONE	C-710		BLACKBERRY		990000810211989	Michael Hideg	Yes	No	No	3/7/2016	$ 399.99	
CA09091	CELLULAR TELEPHONE	C-710		BLACKBERRY	CLASSIC SQC100-5	990000810294290	Kevin Yarbrough	Yes	No	No	3/28/2016	$ 399.99	
CA09199	CPU	C-710	Rm 116	DELL	320	DMLV9F1	CURRYD	Yes	No	No		$ -	
CA09296	CELLULAR TELEPHONE	C-710		BLACKBERRY	CLASSIC SQC100-5	990000810360240	STUART BELL	Yes	No	No	6/15/2016	$ 399.99	
CA09338		C-710		SONY	GV-D1000	339395	DAVID CURRY	Yes	No	No	7/7/2016	$ -	
CA10079	CPU	C-710	B 60 Room 7	DELL	OPTIPLEX 380	5K8SMN1		Yes	No	No	10/21/2014	$ 600.00	
CA10104	CPU	C-710	B-32	DELL	OPTIPLEX 380	5JGTMN1	KOCSISJA	Yes	No	No	10/21/2014	$ 600.00	
CA10196	CPU	C-710	R70G	DELL	OPTIPLEX 380	5HQSMN1	MONTGOMERYB	Yes	No	No	12/4/2014	$ 600.00	
CA10204	CPU	C-710		DELL	OPTIPLEX 330	27T6XP1	ATKINSB	Yes	No	No	12/24/2014	$ 600.00	
CA10212	CPU	C-710	70B	DELL	OPTIPLEX 390	DBCCWR1	THOMPSONCC	Yes	No	No	12/24/2014	$ 600.00	
CA10243	CPU	C-710	Rm 107	DELL	OPTIPLEX 380	5LNSMN1	ATKINSB	Yes	No	No	1/28/2015	$ 600.00	
CA10244	CPU	C-710	Rm 104	DELL	OPTIPLEX 380	5JPQMN1	ATKINSB	Yes	No	No	1/28/2015	$ 600.00	
CA10245	CPU	C-710	Rm 114	DELL	OPTIPLEX 380	5JLRMN1	ATKINSB	Yes	No	No	1/28/2015	$ 600.00	
CA10246	CPU	C-710	Rm 108	DELL	OPTIPLEX 380	5K8QMN1	ATKINSB	Yes	No	No	1/28/2015	$ 600.00	
CA10247	CPU	C-710	Rm 109	DELL	OPTIPLEX 380	5K7RMN1	ATKINSB	Yes	No	No	1/28/2015	$ 600.00	
CA10248	CPU	C-710	Rm 103	DELL	OPTIPLEX 380	5JNQMN1	ATKINSB	Yes	No	No	1/28/2015	$ 600.00	
CA10748	CPU	C-710	BASEMENT	DELL	OPTIPLEX 360	5J2RMN1	CORKSJ	Yes	No	No	4/14/2015	$ 600.00	
CA10840	CPU	C-710		DELL	OPTIPLEX 380	5LCSMN1		Yes	No	No	5/6/2015	$ 600.00	
CA10875	SWTICH	C-710	B-32	CISCO	WS-C3560CG-8PC-S	F0C1852Y2TB	PRICEJO	Yes	No	No	4/24/2015	$ 1,044.00	
CA10881	CPU	C-710		DELL	OPTIPLEX 360	JVLWTK1	PRICEJO	Yes	No	No	6/2/2015	$ 600.00	
CA10882	CPU	C-710	70C	DELL	OPTIPLEX 360	F3D2LK1	PRICEJO	Yes	No	No	6/2/2015	$ 600.00	
CA10890	CPU	C-710	57	DELL	OPTIPLEX 360	8HQYSJ1	PRICEJO	Yes	No	No	6/2/2015	$ 600.00	

CA10909	CPU	C-710		DELL	OPTIPLEX 330	4FG5TH1	YLITALOD	Yes	No	No	7/13/2015	$ 600.00	
CA10910	CPU	C-710		DELL	OPTIPLEX 330	4CG5TH1	YLITALOD	Yes	No	No	7/13/2015	$ 600.00	
CA11056	CPU	C-710	Rm 116	DELL	OPTIPLEX 330	D9G5TH1	ATKINSB	Yes	No	No	7/13/2015	$ 600.00	
CA03693	CPU	C-710-B		DELL	OPTIPLEX 360	2SPP1J1	ADAIRBT	Yes	No	No	5/2/2011	$ 775.00	
CA03246	CPU	C-712		HP	DC 5800	2UA9321DXJ	THOMPSONR	Yes	No	No	8/21/2009	$ 550.00	
CA03242	CPU	C-720	Stores Office	HP	DC 5800	2UA9321DXQ	SWIFTT	Yes	No	No	8/21/2009	$ 550.00	
CA03293	CPU	C-720		HP	PRO 3000 MT	MXL0050WPH	KOCSISJA	Yes	No	No	7/25/2010	$ 600.00	
CA03571	CPU	C-720	17A	DELL	OPTIPLEX 360	CQHT3J1	MOORECAN	Yes	No	No	5/2/2011	$ 775.00	
CA03581	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	4WWS3J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03585	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	7NWC1J1	PERRYM	Yes	No	No	5/2/2011	$ 775.00	
CA03586	CPU	C-720	BREAK ROOM	DELL	OPTIPLEX 360	6WQ3JG1	MASSEYR	Yes	No	No	5/2/2011	$ 775.00	
CA03593	CPU	C-720	RECEIVING	DELL	OPTIPLEX 360	B9XP1J1	OVERBYMS	Yes	No	No	5/2/2011	$ 775.00	
CA03600	CPU	C-720	BREAKROOM	DELL	OPTIPLEX 360	6YZ8JG1	STULTSD	Yes	No	No	5/2/2011	$ 775.00	
CA03607	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	8S1P1J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03623	CPU	C-720	PROC 17-C	DELL	OPTIPLEX 360	2QJD1J1	KOCSISJA	Yes	No	No	5/2/2011	$ 775.00	
CA03627	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	4FPP1J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03630	CPU	C-720	C LAUNDRY	DELL	OPTIPLEX 360	G7LP1J1	BARKSR	Yes	No	No	5/2/2011	$ 775.00	
CA03635	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	3DRH1J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03637	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	9V7Q1J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03642	CPU	C-720	PROC 11	DELL	OPTIPLEX 360	1S7Q1J1	STEPPG	Yes	No	No	5/2/2011	$ 775.00	
CA03643	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	9QJD1J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03651	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	4QHT3J1		Yes	No	No	5/2/2011	$ 775.00	
CA03655	CPU	C-720		DELL	OPTIPLEX 360	3QHT3J1	BARKSR	Yes	No	No	5/2/2011	$ 775.00	
CA03664	CPU	C-720	WHITE ROOM 16	DELL	OPTIPLEX 360	5FDQ1J1	BOYLESTONR	Yes	No	No	5/2/2011	$ 775.00	
CA03666	CPU	C-720	MEZZ 218	DELL	OPTIPLEX 360	4RT21J1	FLEMINGJA	Yes	No	No	5/2/2011	$ 775.00	
CA03668	CPU	C-720	BREAKROOM/ ./ F	DELL	OPTIPLEX 360	7FDQ1J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03690	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	HRPP1J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03699	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	9WKP1J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03701	CPU	C-720	WR 16A	DELL	OPTIPLEX 360	8YHQ3J1	CHAMPIONLA	Yes	No	No	5/2/2011	$ 775.00	
CA03758	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	6TZ3JG1	MALRAYCL	Yes	No	No	5/2/2011	$ 775.00	
CA03774	CPU	C-720	MEZZ 218	DELL	OPTIPLEX 360	9W0P1J1	FISERKA	Yes	No	No	5/2/2011	$ 775.00	
CA03775	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	5WWS3J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03776	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	FQHT3J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03843	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	D2DN3J1	SHULTZC	Yes	No	No	5/2/2011	$ 775.00	
CA03856	CPU	C-720	PROC 7	HP	DC 7900	MXL92716XS	JODYLA	Yes	No	No	10/22/2012	$ 515.00	
CA03861	CPU	C-720	OFFICE - N TRUC	HP	DC 7900	MXL92716V9	LAWRENCEJ	Yes	No	No	10/22/2012	$ 515.00	
CA03877	CPU	C-720	OFFICE - N TRUC	HP	DC 7900	MXL92716GY	LAWRENCEJ	Yes	No	No	10/22/2012	$ 515.00	
CA03880	CPU	C-720	MEZZ 121	HP	DC 7900	MXL92716XD	REEDJ	Yes	No	No	10/23/2012	$ 515.00	
CA03883	CPU	C-720	OFFICE - N TRUC	HP	DC 7900	MXL92716DK	WALKERTL	Yes	No	No	10/23/2012	$ 515.00	
CA03886	CPU	C-720	MEZZ 105	HP	DC 7900	MXL92716TY	KELLYJ	Yes	No	No	10/23/2012	$ 515.00	
CA03891	CPU	C-720	RECEIVING	HP	DC 7900	MXL92716GG	OVERBYMS	Yes	No	No	10/23/2012	$ 515.00	
CA03892	CPU	C-720	RECEIVING	HP	DC 7900	MXL92716DZ	OVERBYMS	Yes	No	No	10/23/2012	$ 515.00	
CA03905	CPU	C-720	OFFICE - N TRUC	HP	DC 7900	MXL92716VN	HOWLEK	Yes	No	No	10/23/2012	$ 515.00	
CA03909	CPU	C-720	PROC 16	HP	DC 7900	MXL92716GT	KOCSISJA	Yes	No	No	10/23/2012	$ 515.00	
CA04077	LAPTOP	C-720	Office # 17-A	HP	ELITE BOOK 850 G1	CNU416D3HN	MOORECAN	Yes	No	No	6/20/2014	$ 1,200.00	
CA04081	LAPTOP	C-720		HP	ELITE BOOK 850	CNU416D219	JAHLBRANDT	Yes	No	No	6/20/2014	$ 209.00	
CA04115	CPU	C-720	MEZZ 210B	DELL	OPTIPLEX 3020	92PMK02	GREGORYD	Yes	No	No	8/12/2014	$ 556.00	
CA04120	CPU	C-720	R22	DELL	OPTIPLEX 3020	8ZRKK02	BALTIMORED	Yes	No	No	8/12/2014	$ 556.00	
CA04126	CPU	C-720	R114	DELL	OPTIPLEX 3020	93KRK02	THOMISLW	Yes	No	No	8/12/2014	$ 556.00	
CA04128	CPU	C-720	MEZZ 119	DELL	OPTIPLEX 3020	738FK02	BALKEYC	Yes	No	No	8/12/2014	$ 556.00	
CA04136	CPU	C-720	METROLOGY	DELL	OPTIPLEX 3020	936RK02	WHITEP	Yes	No	No	8/12/2014	$ 556.00	
CA04140	CPU	C-720	MEZZ	DELL	OPTIPLEX 3020	92SMK02	MOFFATTL	Yes	No	No	8/12/2014	$ 556.00	
CA04144	CPU	C-720	MEZZ 113	DELL	OPTIPLEX 3020	92CMK02	MOFFATTL	Yes	No	No	8/12/2014	$ 556.00	
CA04157	CPU	C-720	MEZZ 118	DELL	OPTIPLEX 3020	HL8RF02	HARRISD	Yes	No	No	8/12/2014	$ 556.00	
CA04205	CPU	C-720	PROC 15	DELL	OPTIPLEX 3020	737FK02	ROBERSON	Yes	No	No	10/9/2014	$ 600.00	
CA04206	CPU	C-720	218	DELL	OPTIPLEX 3020	68VFK02	FISERKA	Yes	No	No	10/9/2014	$ 600.00	
CA04207	CPU	C-720	30	DELL	OPTIPLEX 3020	8B08L02	PARKSG	Yes	No	No	10/9/2014	$ 600.00	
CA04218	CELLULAR TELEPHONE (PDA)	C-720		BLACKBERRY	9930	A00000262236E8	FPDP	Yes	No	No	7/22/2013	$ 510.00	NA
CA04396	Laptop / Tablet	C-720	PROC 17-C	Microsoft	Surface Pro 3	66581242353	KOCSISJA	Yes	No	No	10/21/2014	$ 1,637.34	LKY-005438
CA04398	Laptop / Tablet	C-720		Microsoft	Surface Pro 3	61472142453	KOCSISJA	Yes	No	No	10/21/2014	$ 1,637.34	LKY-005438
CA04405	CPU	C-720	MEZZ 205B	DELL	OPTIPLEX 3020	17GPF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04410	CPU	C-720	MEZZ	DELL	OPTIPLEX 3020	D04PF02	WILLETTC	Yes	No	No	6/6/2014	$ 555.00	
CA04412	CPU	C-720	RECEIVING	DELL	OPTIPLEX 3020	2BR8N02	EVANSL	Yes	No	No	6/6/2014	$ 555.00	
CA04422	CPU	C-720	MEZZ	DELL	OPTIPLEX 3020	BN3PF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04425	CPU	C-720	MEZZ 115B	DELL	OPTIPLEX 3020	GR0RF02	THOMISLW	Yes	No	No	6/6/2014	$ 555.00	
CA04430	CPU	C-720	WHITE ROOM 26	DELL	OPTIPLEX 3020	9N35N02	NELSONJO	Yes	No	No	6/6/2014	$ 555.00	
CA04439	CPU	C-720	OFFICE - N TRUC	DELL	OPTIPLEX 3020	1C03N02	LAWRENCEJ	Yes	No	No	6/6/2014	$ 555.00	
CA04447	CPU	C-720	MEZZ 134	DELL	OPTIPLEX 3020	57C3N02	OSBORNES	Yes	No	No	6/6/2014	$ 555.00	
CA04450	CPU	C-720	MEZZ 205B	DELL	OPTIPLEX 3020	4TY2N02	SCHWEITZERB	Yes	No	No	6/6/2014	$ 555.00	

CA04464	CPU	C-720	MEZZ 207	DELL	OPTIPLEX 3020	75GPF02	FLETCHERT	Yes	No	No	6/6/2014	$ 555.00	
CA04482	CPU	C-720	MEZZ	DELL	OPTIPLEX 3020	CGV3N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04487	CPU	C-720	MEZZ	DELL	OPTIPLEX 3020	BZT3N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04502	CPU	C-720	MEZZ 113	DELL	OPTIPLEX 3020	H7C3N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04504	CPU	C-720		DELL	OPTIPLEX 3020	6QC3N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04512	CPU	C-720		DELL	OPTIPLEX 3020	4R3PF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04514	CPU	C-720	MEZZ 128	DELL	OPTIPLEX 3020	2CGPF02	COOKS	Yes	No	No	6/6/2014	$ 555.00	
CA04518	CPU	C-720	PROC 6	DELL			HATTONA	Yes	No	No	6/6/2014	$ 555.00	
CA04535	CPU	C-720	Room 116	DELL	OPTIPLEX 3020	6C2PF02	KOCSISJA	Yes	No	No	6/6/2014	$ 555.00	
CA04545	CPU	C-720	MEZZ 124	DELL	OPTIPLEX 3020	10HPF02	THROGMORTONP	Yes	No	No	6/6/2014	$ 555.00	
CA04551	CPU	C-720	MEZ	DELL	OPTIPLEX 3020	2V0RF02	FLETCHERL	Yes	No	No	6/6/2014	$ 555.00	
CA04560	LAPTOP	C-720	32	HP	ELITE BOOK 850	CNU41603HP	LARKL	Yes	No	No	6/6/2014	$ 209.00	
CA04570	LAPTOP	C-720	MEZZ 108	HP	ELITE BOOK 850	CNU419BPX4	YARBROUGHM	Yes	No	No	6/6/2014	$ 209.00	
CA04574	LAPTOP	C-720	24	HP	ELITE BOOK 850	CNU4159N85	WILSONMA	Yes	No	No	6/6/2014	$ 209.00	
CA04584	LAPTOP	C-720	MEZZ	HP	ELITE BOOK 850	CNU16B1DV	SPEESP	Yes	No	No	6/6/2014	$ 209.00	
CA04587	LAPTOP	C-720	Room 24 (White F	HP	ELITE BOOK 850	CNU416D22B	WILSONMA	Yes	No	No	6/6/2014	$ 209.00	
CA04591	LAPTOP	C-720		HP	ELITE BOOK 850	CNU416D1Q2	KOCSISJA	Yes	No	No	6/6/2014	$ 209.00	
CA04601	LAPTOP	C-720	MEZZ 138	HP	ELITE BOOK 850	CNU416D1RN	GERMAINS	Yes	No	No	6/6/2014	$ 209.00	
CA04723	CPU	C-720	RECEIVING	DELL	OPTIPLEX 330	JCG5TH1	HAYDEND	Yes	No	No	10/22/2014	$ 600.00	
CA04731	CPU	C-720	MEZZ 131	DELL	OPTIPLEX 380	5LVRMN1	HARRISD	Yes	No	No	10/24/2014	$ 600.00	
CA04748	CPU	C-720	BOP	DELL	OPTIPLEX 3020	8J3LK02	DRAPERS	Yes	No	No	10/9/2014	$ 600.00	
CA04749	CPU	C-720	MEZZ 201A	DELL	OPTIPLEX 3020	HQNTV02	WALKERM	Yes	No	No	10/9/2014	$ 600.00	
CA04752	CPU	C-720	MEZZ 205	DELL	OPTIPLEX 3020		HARRISJI	Yes	No	No	11/9/2014	$ 600.00	
CA04753	CPU	C-720	MEZZ 216	DELL	OPTIPLEX 3020	726XN02	ADRIANJ	Yes	No	No	10/9/2014	$ 600.00	
CA04766	CPU	C-720	METROLOGY	DELL	OPTIPLEX 3020	FFXRR12	JONESS	Yes	No	No	10/9/2014	$ 600.00	
CA04774	CPU	C-720	MEZZ 106	DELL		4SFPR12	RUTHERFORDT	Yes	No	No	10/9/2014	$ 600.00	
CA04776	CPU	C-720	MEZZ 214	DELL	OPTIPLEX 3020	6QFPR12	BLAGGJ	Yes	No	No	10/9/2014	$ 600.00	
CA04778	CPU	C-720	MEZZ 129	DELL	OPTIPLEX 3020	3HXRR12	ALSIPM	Yes	No	No	10/9/2014	$ 600.00	
CA04779	CPU	C-720	MEZZ	DELL	OPTIPLEX 3020	B5XRR12	YANCEYML	Yes	No	No	10/9/2014	$ 600.00	
CA04780	CPU	C-720	PROC 13	DELL	OPTIPLEX 3020	9RXRR12	MCINTOSHL	Yes	No	No	10/9/2014	$ 600.00	
CA04788	CPU	C-720	MEZZ 120	DELL	OPTIPLEX 3010	HOTNPV1	SHEPPARDTJ	Yes	No	No	10/9/2014	$ 600.00	
CA04791	CPU	C-720	MEZZ 202A	DELL	OPTIPLEX 3010	D2TNPV1	HARRISD	Yes	No	No	10/9/2014	$ 600.00	
CA04793	CPU	C-720	MEZZ 219	DELL	OPTIPLEX 3010	F5T98Y1	RIGDOND	Yes	No	No	10/9/2014	$ 600.00	
CA04794	CPU	C-720	MEZZ 135B	DELL	OPTIPLEX 3010	92TNPV1	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA06860	PRINTER - NETWORK (COLOR LASERJE	C-720	OFFICE - N TRUC	HP	CP3525N	CNCC9B404C	LAWRENCEJ	Yes	No	No	11/4/2009	$ 691.00	PR 13455
CA07036	CPU	C-720	Instrument shop	HP	PRO 3000 MT	MXL0550WNG	OLIVERM	Yes	No	No	2/26/2010	$ 600.00	NA
CA07721	CELLULAR TELEPHONE (PDA)	C-720		BLACKBERRY	9930	A0000025FEFD5C	FPDP	Yes	No	No	7/18/2012	$ 510.00	
CA07726	CELLULAR TELEPHONE	C-720		BLACKBERRY	BOLD 9930	A0000025CFFB10	Greg Bell	Yes	No	No	8/25/2015	$ -	
CA07729	CELLULAR TELEPHONE (PDA)	C-720		BLACKBERRY	9930	A0000026081CEF	FPDP	Yes	No	No	8/10/2012	$ 510.00	
CA07745	CELLULAR TELEPHONE	C-720		BLACKBERRY	BOLD 9930	A0000026099162	FLUOR FEDERAL SERVIC	Yes	No	No	9/20/2012	$ 510.00	
CA07925	CELLULAR TELEPHONE	C-720		BLACKBERRY	BOLD 9930	A00000262BE98A	FLUOR FEDERAL SERVIC	Yes	No	No	1/29/2015	$ 510.00	
CA08108	CELLULAR TELEPHONE	C-720		BLACKBERRY	BOLD 9900	358474051358062	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 510.00	
CA08481	CELLULAR TELEPHONE	C-720		BLACKBERRY	BOLD 9900	357966049432454	SARAH FALLER	Yes	No	No	4/29/2015	$ 199.99	
CA08652	LAPTOP	C-720	MAINTENANCE B	HP	ELITE BOOK 850	5CG5240WGZ	GREENS	Yes	No	No	6/22/2015	$ 5,087.97	PO-0001151
CA08696	LAPTOP	C-720	WR ROOM 17	HP	ELITEBOOK 850 G2		BOYLESTONR	Yes	No	No		$ 209.00	
CA08700	LAPTOP	C-720	MEZZ	HP	ELITEBOOK 850 G2		SILLSD	Yes	No	No		$ 209.00	
CA08721	CPU	C-720	WR ROOM 33	DELL	3020 SFF		CHAMPIONLA	Yes	No	No		$ 600.00	
CA08728	CPU	C-720	WR ROOM 33	DELL	3020 SFF		CHAMPIONLA	Yes	No	No		$ 600.00	
CA08780	CPU	C-720	WR ROOM 33	DELL	3020 SFF		CHAMPIONLA	Yes	No	No		$ 600.00	
CA08784	CPU	C-720	ROOM 130	DELL	3020 SFF		WINDHORSTD	Yes	No	No		$ 600.00	
CA08814	Cellular Telephone	C-720		BLACKBERRY	BOLD 9700	351937048259921	TIMOTHY L. WALKER	Yes	No	No	7/31/2015	$ 199.99	
CA08949	CELLULAR TELEPHONE	C-720		BLACKBERRY	CLASSIC SQC100-2	358474051164494	MARY WALKER	Yes	No	No	1/26/2016	$ 399.99	
CA10005	CPU	C-720	MEZZ 220B	DELL	OPTIPLEX 3020	GMZKR12	SPEESP	Yes	No	No	10/9/2014	$ 600.00	
CA10007	CPU	C-720	BREAKROOM / PL	DELL	OPTIPLEX 3020	GS5TV02	SHULTZC	Yes	No	No	10/9/2014	$ 600.00	
CA10008	CPU	C-720	MEZZ 209B	DELL	OPTIPLEX 3020	4KQ0W02	HAWKINSS	Yes	No	No	10/9/2014	$ 600.00	
CA10011	CPU	C-720	PROC 18	DELL	OPTIPLEX 3020	3S5TV02	CORKSJ	Yes	No	No	10/9/2014	$ 600.00	
CA10013	CPU	C-720	MEZZ 117	DELL	OPTIPLEX 3020	7Q5TV02	LEDGERWOODM	Yes	No	No	10/9/2014	$ 600.00	
CA10032	CPU	C-720		DELL	OPTIPLEX 360	JWLWTK1	SMITHS	Yes	No	No	10/21/2014	$ 600.00	
CA10033	CPU	C-720		DELL	OPTIPLEX 380	5HNQMN1	STANLEYJ	Yes	No	No	10/21/2014	$ 600.00	
CA10045	CPU	C-720		DELL	OPTIPLEX 380			Yes	No	No	9/30/2015	$ 600.00	
CA10053	CPU	C-720	PROC 4	DELL	OPTIPLEX 380	5JCSMN1	JSNYDER	Yes	No	No	10/21/2014	$ 600.00	
CA10078	CPU	C-720	Breakroom	DELL	OPTIPLEX 360	8CJ2LK1	SHULTZC	Yes	No	No	10/21/2014	$ 600.00	
CA10082	CPU	C-720	WHITE ROOM 15	DELL	OPTIPLEX 380	5JZSMN1	BOYLESTONR	Yes	No	No	10/21/2014	$ 600.00	
CA10089	CPU	C-720	MEZZ 104	DELL	OPTIPLEX 330	98T6XF1	SALISBURYM	Yes	No	No	10/21/2014	$ 600.00	
CA10092	CPU	C-720	WHITE ROOM 18	DELL	OPTIPLEX 390	DB8WR1	MAGLASANGB	Yes	No	No	10/21/2014	$ 600.00	
CA10102	CPU	C-720	MAINTENANCE	DELL	OPTIPLEX 360	GMSWTK1	BURKLOWK	Yes	No	No	10/21/2014	$ 600.00	
CA10105	CPU	C-720	WHITE ROOM 34	DELL	OPTIPLEX 380	5LXQMN1	CHENIERB	Yes	No	No	10/21/2014	$ 600.00	
CA10108	CPU	C-720		DELL	OPTIPLEX 380	5KZQMN1	CASPERRL	Yes	No	No	10/21/2014	$ 600.00	
CA10113	CPU	C-720	WHITE ROOM 12	DELL	OPTIPLEX 360	GLPWTK1	WILSONMA	Yes	No	No	10/21/2014	$ 600.00	

CA10115	CPU	C-720	PROC 3	DELL	OPTIPLEX 360	5XLWTK1	KELSEYD	Yes	No	No	10/21/2014	$ 600.00	
CA10116	CPU	C-720	PROC 5	DELL	OPTIPLEX 380	5LOTMN1	JACKSONTD	Yes	No	No	10/21/2014	$ 600.00	
CA10120	CPU	C-720	PROC 8	DELL	OPTIPLEX 380	5LKSMN1	JOYCET	Yes	No	No	10/21/2014	$ 600.00	
CA10155	CPU	C-720	Mezz	DELL	OPTIPLEX 390	DCD8WR1	FLOWERSR	Yes	No	No	11/19/2014	$ 600.00	
CA10166	CPU	C-720	BOP	DELL	OPTIPLEX 330	GGG5TH1	NEIHOFFT	Yes	No	No	12/1/2014	$ 600.00	
CA10171	CPU	C-720	MEZZANINE	DELL	OPTIPLEX 390	DC8BWR1	WALDINGV	Yes	No	No	12/1/2014	$ 600.00	
CA10172	CPU	C-720	WR-24	DELL	OPTIPLEX 380	DC3DWR1	WILSONMA	Yes	No	No	12/1/2014	$ 600.00	
CA10173	CPU	C-720	PROC 18	DELL	OPTIPLEX 390	DB9BWR1	MOORECAN	Yes	No	No	12/1/2014	$ 600.00	
CA10174	CPU	C-720	MEZZ 215	DELL	OPTIPLEX 390	DC39WR1	FISERKA	Yes	No	No	12/1/2014	$ 600.00	
CA10179	CPU	C-720	R-20	DELL	OPTIPLEX 390	DC5DWR1	NELSONJO	Yes	No	No	1/28/2015	$ 600.00	
CA10180	CPU	C-720	R-25	DELL	OPTIPLEX 390	D8GBWR1	BURKETE	Yes	No	No	1/28/2015	$ 600.00	
CA10193	CPU	C-720	PROC 14	DELL	OPTIPLEX 360	H2TWTK1	SMITHTY	Yes	No	No	12/4/2014	$ 600.00	
CA10197	CPU	C-720	STORES OFFICE	DELL	OPTIPLEX 380	5HXSMN1	COLLINSSJ	Yes	No	No	12/4/2014	$ 600.00	
CA10198	CPU	C-720	BOP	DELL	OPTIPLEX 360	JLPWTK1	DRAPERS	Yes	No	No	12/4/2014	$ 600.00	
CA10200	CPU	C-720	PROC 11	DELL	OPTIPLEX 380	5JHQMN1	KICKASOLAMN	Yes	No	No	12/4/2014	$ 600.00	
CA10224	CPU	C-720	MEZZ 127	DELL	OPTIPLEX 3020	HMMXFZ1	QUIGLEYD	Yes	No	No	1/5/2015	$ 600.00	
CA10250	CPU	C-720	PROC 10	DELL	OPTIPLEX 380	5JLSMN1	KEYESTM	Yes	No	No	1/28/2015	$ 600.00	
CA10276	CPU	C-720		DELL	OPTIPLEX 380	5J3TMN1	SMITHS	Yes	No	No	2/6/2015	$ 600.00	
CA10277	CPU	C-720	MEZZ	DELL	OPTIPLEX 390	DCBBWR1	HARRISD	Yes	No	No	2/6/2015	$ 600.00	
CA10279	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 360	J2TWTK1	YANCEYML	Yes	No	No	2/6/2015	$ 600.00	
CA10280	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5JZQMN1	YANCEYML	Yes	No	No	2/6/2015	$ 600.00	
CA10281	CPU	C-720	MEZZ 219	DELL	OPTIPLEX 380	5L5RMN1	BASSGW	Yes	No	No	2/6/2015	$ 600.00	
CA10548	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5HPRMN1	YANCEYML	Yes	No	No	2/6/2015	$ 600.00	
CA10549	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5LDSMN1	YANCEYML	Yes	No	No	2/6/2015	$ 600.00	
CA10552	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5LYRMN1	YANCEYML	Yes	No	No	2/6/2015	$ 600.00	
CA10553	CPU	C-720	MEZZ 202B	DELL	OPTIPLEX 380	5HTQMN1	WALKERM	Yes	No	No	2/6/2015	$ 600.00	
CA10556	CPU	C-720	MEZZ 201B	DELL	OPTIPLEX 380	5L6TMN1	BROWNDN	Yes	No	No	2/6/2015	$ 600.00	
CA10557	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5LTRMN1	YANCEYML	Yes	No	No	2/6/2015	$ 600.00	
CA10559	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5HPQMN1	YANCEYML	Yes	No	No	2/6/2015	$ 600.00	
CA10560	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5K9QMN1	YANCEYML	Yes	No	No	2/6/2015	$ 600.00	
CA10566	CPU	C-720	MEZZ 135B	DELL	OPTIPLEX 380	5K1SMN1	HYATTE	Yes	No	No	2/25/2015	$ 600.00	
CA10568	CPU	C-720	Stores	DELL	OPTIPLEX 360		SWIFTT	Yes	No	No	2/25/2015	$ 600.00	
CA10569	CPU	C-720	BOP	DELL	OPTIPLEX 360	DVLWTK1	DRAPERS	Yes	No	No	2/25/2015	$ 600.00	
CA10571	CPU	C-720	OFFICE - N TRUC	DELL	OPTIPLEX 380			Yes	No	No	2/25/2015	$ 600.00	
CA10572	CPU	C-720	OFFICE - N TRUC	DELL	OPTIPLEX 380	5KCTMN1	RODGERSJ	Yes	No	No	2/25/2015	$ 600.00	
CA10573	CPU	C-720	OFFICE - N TRUC	DELL	OPTIPLEX 380	5JMQMN1		Yes	No	No	2/25/2015	$ 600.00	
CA10577	CPU	C-720	OFFICE - N TRUC	DELL	OPTIPLEX 380	5L6SMN1	TUCKERS	Yes	No	No	2/25/2015	$ 600.00	
CA10645	CPU	C-720	MEZZ 108	DELL	OPTIPLEX 380	5L5SMN1	BALKEYJ	Yes	No	No	2/25/2015	$ 600.00	
CA10648	CPU	C-720	WHITE ROOM 21	DELL	OPTIPLEX 360	CWLWTK1	WILSONMA	Yes	No	No	2/25/2015	$ 600.00	
CA10649	CPU	C-720	WHITE ROOM 15	DELL	OPTIPLEX 360	8YLWTK1	BENSONT	Yes	No	No	2/25/2015	$ 600.00	
CA10655	CPU	C-720	INSTRUMENT SHO	DELL	OPTIPLEX 380	5K5RMN1	BALKEYC	Yes	No	No	2/25/2015	$ 600.00	
CA10660	CPU	C-720	WHITE ROOM 19	DELL	OPTIPLEX 390	DBBBWR1	BECKRO	Yes	No	No	3/25/2015	$ 600.00	
CA10671	CPU	C-720	MEZZ 211B	DELL	OPTIPLEX 390	DC6GWR1	HARRISD	Yes	No	No	9/30/2015	$ 600.00	
CA10674	CPU	C-720	MEZZ 108	DELL	OPTIPLEX 380	5L6RMN1	BALKEYJ	Yes	No	No	3/25/2015	$ 600.00	
CA10675	CPU	C-720	MEZZ 108	DELL	OPTIPLEX 380		TAPSCOTTJ	Yes	No	No	3/25/2014	$ 600.00	
CA10676	CPU	C-720	MEZZ	DELL	OPTIPLEX 380	5JQRMN1	HARRISD	Yes	No	No	3/25/2015	$ 600.00	
CA10692	CPU	C-720	INSTRUMENT SHO	DELL	OPTIPLEX 380	5JBTMN1	BALKEYC	Yes	No	No	4/14/2015	$ 600.00	
CA10693	CPU	C-720	INSTRUMENT SHO	DELL	OPTIPLEX 380	5KXSMN1	BALKEYC	Yes	No	No	4/14/2015	$ 600.00	
CA10694	CPU	C-720	MEZZ 121	DELL	OPTIPLEX 380	5K2SMN1	KOWALCZYKN	Yes	No	No	4/14/2015	$ 600.00	
CA10721	CPU	C-720	STORES	DELL	OPTIPLEX 360	G1TWTK1	SWIFTT	Yes	No	No	4/14/2015	$ 600.00	
CA10722	CPU	C-720	STORES	DELL	OPTIPLEX 380	5KDQMN1	SWIFTT	Yes	No	No	4/14/2015	$ 600.00	
CA10731	CPU	C-720	Mezz 201B	DELL	OPTIPLEX 360	26XYSJ1	SILLSD	Yes	No	No	4/14/2015	$ 600.00	
CA10732	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5HWQMN1	YANCEYML	Yes	No	No	4/14/2015	$ 600.00	
CA10737	CPU	C-720	BOP	DELL	OPTIPLEX 380	5LGTMN1		Yes	No	No	4/14/2015	$ 600.00	
CA10739	CPU	C-720	MEZZ 107	DELL	OPTIPLEX 360	2WLWTK1	HARRISD	Yes	No	No	4/14/2015	$ 600.00	
CA10742	CPU	C-720	MEZZ 135B	DELL	OPTIPLEX 360	FQF2LK1	VAUGHANAN	Yes	No	No	4/14/2015	$ 600.00	
CA10756	CPU	C-720	WHITE ROOM 20	DELL	OPTIPLEX 380	5JRQMN1	CHAMPIONLA	Yes	No	No	4/14/2015	$ 600.00	
CA10757	CPU	C-720	MEZZ 211A	DELL	OPTIPLEX 390	DB8GWR1	WELSHKT	Yes	No	No	4/14/2015	$ 600.00	
CA10758	CPU	C-720	R59	DELL	OPTIPLEX 380	5JDRMN1	GRIMESJ	Yes	No	No	4/14/2015	$ 600.00	
CA10767	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5LPQMN1	YANCEYML	Yes	No	No	4/6/2015	$ 600.00	
CA10768	CPU	C-720	MEZZ 205	DELL	OPTIPLEX 380	5LQQMN1	HARRISJI	Yes	No	No	5/6/2015	$ 600.00	
CA10769	CPU	C-720	MEZZ 135A	DELL	OPTIPLEX 380	5HNRMN1	DAHLBERGN	Yes	No	No	5/6/2015	$ 600.00	
CA10770	CPU	C-720	MEZZ 115A	DELL	OPTIPLEX 380	5JGRMN1	OLIVERM	Yes	No	No	5/6/2015	$ 600.00	
CA10815	CPU	C-720	WR 29	DELL	OPTIPLEX 380	5K9SMN1	MILLSC	Yes	No	No	5/6/2015	$ 600.00	
CA10817	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 360	D2TWTK1	YANCEYML	Yes	No	No	5/6/2015	$ 600.00	
CA10818	CPU	C-720	MEZZ CONF ROOM	DELL	OPTIPLEX 380	5LDRMN1	HARRISD	Yes	No	No	5/6/2015	$ 600.00	
CA10824	CPU	C-720	MEZZ 134	DELL	OPTIPLEX 360	GWLWTK1	HARRISD	Yes	No	No	5/6/2015	$ 600.00	
CA10825	CPU	C-720	MEZZ 132	DELL	OPTIPLEX 380		HARRISD	Yes	No	No	5/6/2015	$ 600.00	
CA10827	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5JSQMN1	YANCEYML	Yes	No	No	5/6/2015	$ 600.00	

CA10839	CPU	C-720	BREAK ROOM / P	DELL	OPTIPLEX 380	5K9TMN1	SHULTZC	Yes	No	No	5/6/2015	$	600.00
CA10841	CPU	C-720	MEZZ CLASSROOM	DELL	OPTIPLEX 380	5J4SMN1	YANCEYML	Yes	No	No	5/6/2015	$	600.00
CA10845	CPU	C-720	PROC 2	DELL	OPTIPLEX 380	JMSWTK1	SMITHS	Yes	No	No	5/6/2015	$	600.00
CA10847	CPU	C-720	MEZZ 121	DELL	OPTIPLEX 360	72TWTK1	HOWLE	Yes	No	No	5/6/2015	$	600.00
CA10851	CPU	C-720	RECEIVING	DELL	OPTIPLEX 380	5LQRMN1	OVERBYMS	Yes	No	No	5/6/2015	$	600.00
CA10852	CPU	C-720	WR 28	DELL	OPTIPLEX 380	5JHRMN1	EASTBURNM	Yes	No	No	5/6/2015	$	600.00
CA10879	CPU	C-720	BOP	DELL	OPTIPLEX 380		NEIHOFFT	Yes	No	No		$	-
CA10885	CPU	C-720	R27	DELL	OPTIPLEX 360	CXLWTK1	FREELSJP	Yes	No	No	6/2/2015	$	600.00
CA10889	CPU	C-720	121	DELL	OPTIPLEX 380	5LTQMN1	HOWLE	Yes	No	No	6/2/2015	$	600.00
CA10891	CPU	C-720	PROC 2	DELL	OPTIPLEX 380	5JYQMN1	STANLEYJ	Yes	No	No	6/2/2015	$	600.00
CA10894	CPU	C-720	TR2	DELL	OPTIPLEX 360	HLPWTK1	CUNNINGHAMS	Yes	No	No	6/2/2015	$	600.00
CA10895	CPU	C-720	TR2	DELL	OPTIPLEX 360	4YLWTK1	CUNNINGHAMS	Yes	No	No	6/2/2015	$	600.00
CA10901	CPU	C-720		DELL	OPTIPLEX 380	5LFQMN1	VALENTINELC	Yes	No	No	6/2/2015	$	600.00
CA10908	CPU	C-720	MEZZ 206B	DELL	OPTIPLEX 360	2YLWTK1	MORRISONS	Yes	No	No	7/13/2015	$	600.00
CA10963	CPU	C-720	ROOM 105	DELL	380			Yes	No	No		$	600.00
CA04261	CELLULAR TELEPHONE	C-720 BOP		BLACKBERRY	BOLD 9930	A000002625C1A4	Christopher Toon	Yes	No	No	7/31/2015	$	510.00
CA08893	CELLULAR TELEPHONE	C-720 BOP		BLACKBERRY	CLASSIC SQC100-2	358474050999874	Matt Oliver	Yes	No	No	2/11/2016	$	399.99
CA08899	CELLULAR TELEPHONE	C-720 BOP		BLACKBERRY	CLASSIC SQC100-2	358474051014483	KEVIN R. BELL	Yes	No	No	2/12/2016	$	500.00
CA08904	CELLULAR TELEPHONE	C-720 BOP		BLACKBERRY	CLASSIC SQC100-2	358474051010101	STEVEN RAY DRAPER, JR	Yes	No	No	2/12/2016	$	399.99
CA08112	CELLULAR TELEPHONE	C-720 BRK		BLACKBERRY	BOLD 9900	357966049790364	CRYSTAL MOORE	Yes	No	No	11/13/2014	$	199.99
CA08887	CELLULAR TELEPHONE	C-720 BRK		BLACKBERRY	CLASSIC SQC100-2	358474051099526	SUMITTRA "SAM" TOOT	Yes	No	No	2/12/2016	$	399.99
CA09062	CELLULAR TELEPHONE	C-720 BRK		BLACKBERRY	CLASSIC SQC100-2	358474051360225	MICHAEL PERRY	Yes	No	No	3/1/2016	$	500.00
CA09067	CELLULAR TELEPHONE	C-720 BRK		BLACKBERRY	CLASSIC SQC100-2	358474051355126	Richard D. Massey	Yes	No	No	3/1/2016	$	399.99
CA08856	CANON DIGITAL CAMERA - POWERSH	C-720 ENG		CANON	Powershot ELPH160	62061016479	WILLIAM TURNER	Yes	No	No	9/2/2015	$	218.00
CA08857	CANON DIGITAL CAMERA - POWERSH	C-720 ENG		CANON	Powershot ELPH160	62061016478	WILLIAM TURNER	Yes	No	No	9/2/2015	$	218.00
CA08892	CELLULAR TELEPHONE	C-720 INST		BLACKBERRY	CLASSIC SQC100-2	3584740551010480	CRAIG GUZEK	Yes	No	No	2/12/2016	$	399.99
CA08980	CELLULAR TELEPHONE	C-720 INST		BLACKBERRY		990000810276216	Peton Greg	Yes	No	No	2/11/2016	$	399.99
CA08077	CELLULAR TELEPHONE	C-720 METR		BLACKBERRY	BOLD 9900	357966049789739	STEPHEN JONES	Yes	No	No	12/19/2014	$	199.99
CA08079	CELLULAR TELEPHONE	C-720 METR		BLACKBERRY	BOLD 9900	357966049789358	CHRISTOPHER "PAUL" V	Yes	No	No	11/17/2014	$	199.99
CA04253	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9930	A0000026234E2E	CASEY A. LYNN	Yes	No	No	8/12/2015	$	199.99
CA04388	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9930	A00000262A91B4	LUCAS SPRAGGS	Yes	No	No	7/31/2015	$	510.00
CA07761	CAMERA (NON-QUALITY RESOLUTION	C-720 MEZZ		CANON	POWERSHOT A2300	482065052070	SHANE REEDER	Yes	No	No	8/20/2015	$	150.00
CA07819	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9930	A00000261C9FA3	TIM SHEPPARD	Yes	No	No	4/8/2013	$	510.00
CA07947	CAMERA, DIGITAL HANDHELD	C-720 MEZZ		PANASONIC	LUMIX DMC-LX7	FA5GB001336	DONALD RAY (DONNIE)	Yes	No	No	9/3/2015	$	328.00
CA08002	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	359730050010395	SHANE REEDER	Yes	No	No	10/27/2014	$	510.00
CA08037	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	359730050006559	MIKE SALISBURY	Yes	No	No	11/10/2014	$	199.99
CA08039	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966043892844	CHARLES RODNEY BAKE	Yes	No	No	10/31/2014	$	510.00
CA08053	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049788913	KEN STEWART	Yes	No	No	10/31/2015	$	199.99
CA08067	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049794093		Yes	No	No	11/3/2014	$	199.99
CA08070	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049786503	J.B. PRICE	Yes	No	No	12/10/2014	$	199.99
CA08072	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049793541	TIM FRALIX	Yes	No	No	11/18/2014	$	199.99
CA08095	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049787592	CURTIS SHULTZ	Yes	No	No	11/18/2014	$	199.99
CA08100	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049564033	KAREN SIZEMORE	Yes	No	No	10/31/2014	$	199.99
CA08117	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049790372	MATTHEW DAVID ALSIP	Yes	No	No	11/5/2014	$	510.00
CA08243	CAMERA - DIGITAL PICTURE	C-720 MEZZ		SONY	Cybershot DSC-H400	188109	BOB FARTHING	Yes	No	No	1/16/2015	$	295.74
CA08286	CAMERA - DIGITAL PICTURE	C-720 MEZZ		OLYMPUS	SP-500UZ	J19C19240	TERRY FLETCHER	Yes	No	No		$	97.99
CA08288	CAMERA - DIGITAL PICTURE	C-720 MEZZ		CANON	PC1130	2328902646		Yes	No	No		$	349.99
CA08289	CAMERA - DIGITAL PICTURE	C-720 MEZZ		OLYMPUS	STYLUS 720 SW	A93571977		Yes	No	No		$	74.99
CA08480	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966048260807	JOHN M. ADRIAN ADRIA	Yes	No	No	6/3/2015	$	510.00
CA08483	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966048261656	DENNIS QUIGLEY	Yes	No	No		$	199.99
CA08561	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049430482	Philip Spees	Yes	No	No	5/20/2015	$	199.99
CA08568	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966049413405	DAVID GREGORY	Yes	No	No	5/12/2015	$	510.00
CA08809	Cellular Telephone	C-720 MEZZ		BLACKBERRY	BOLD 9700	351937048228777	JOSEPH DALE BLAGG	Yes	No	No	7/31/2015	$	199.99
CA08860	FLIR THERMAL IMAGER/ CAMERA	C-720 MEZZ		FLIR	FLIR-T640	55908176	MARK ALLEN DODSON	Yes	No	No	9/21/2015	$	25,125.00
CA08871	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051014178	MARK ALLEN DODSON	Yes	No	No	2/11/2016	$	399.99
CA08872	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051006695	WILLIAM TURNER	Yes	No	No		$	599.99
CA08895	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051018658	CHRIS HARGROVE	Yes	No	No	12/29/2015	$	399.99
CA08905	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051014533	WES BASS	Yes	No	No	2/12/2016	$	399.99
CA08908	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051006745	JARRED HALL	Yes	No	No	12/29/2015	$	399.99
CA08946	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	90000810291338	TIM COOPER	Yes	No	No	2/11/2016	$	399.99
CA08953	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-5	990000810265712	LOUIS MOFFAT	Yes	No	No	2/11/2016	$	399.99
CA08957	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051101595	DAVID COPELAND	Yes	No	No	3/11/2016	$	399.99
CA08960	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051167661	BRAD THOMPSON	Yes	No	No	2/7/2016	$	399.99
CA09021	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-5	990000810266827	Thomas B. Busclas	Yes	No	No	3/7/2016	$	500.00
CA09030	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-3	990004601556107	DONNIE MATTHEWS	Yes	No	No	2/26/2016	$	399.99
CA09038	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY		358474051355308	DON SHEEHAN	Yes	No	No	3/1/2016	$	399.99
CA09064	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051355175	BRAD NALL	Yes	No	No	3/7/2016	$	399.99
CA09066	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051354988	MICHAEL BOYLAN	Yes	No	No	3/7/2016	$	500.00
CA09074	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051357916	RANDY WALTON	Yes	No	No	3/17/2016	$	399.99

CA09075	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051421928	WILL EVANS	Yes	No	No	3/16/2016	$ 399.99	
CA09099	CAMERA, DIGITAL (NON-QUALITY RES	C-720 MEZZ		SONY	CYBERSHOT DSC-S650	1512457	MATTHEW DAVID ALSIP	Yes	No	No	4/7/2016	$ 99.99	
CA09273	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051680747	Scott Webber	Yes	No	No	6/2/2016	$ 399.99	
CA09294	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-5	990004601557436	DONALD RAY (DONNIE)	Yes	No	No	6/22/2016	$ 310.00	
CA09357	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-5	99000081026694	CHRISTOPHER A. BELT	Yes	No	No	6/28/2016	$ 399.99	
CA09361	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-5	990000810326415	MARRISA YANCEY	Yes	No	No	6/28/2016	$ 399.99	
CA09363	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	CLASSIC SQC100-2	358474051684020	CARRIE MAXIE	Yes	No	No	6/23/2016	$ 399.99	
CA10927	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900		BARBARA A. DENEVE	Yes	No	No	6/18/2015	$ 199.99	
CA10932	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966047047742	STEVEN B. HAWKINS	Yes	No	No	5/27/2015	$ 510.00	
CA10936	CELLULAR TELEPHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	357966047768388		Yes	No	No	5/27/2015	$ 199.99	
CA11073	CELLULAR PHONE	C-720 MEZZ		BLACKBERRY	BOLD 9900	35796605322121	Deveda N. Gray	Yes	No	No	6/18/2015	$ 199.99	
CA010926	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047896981	FLUOR FEDERAL SERVIC	Yes	No	No	11/24/2015	$ 510.00	
CA03820	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000025FCCA96	FLUOR FEDERAL SERVIC	Yes	No	No	7/30/2015	$ 199.99	
CA04001	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000261610F0	FLUOR FEDERAL SERVIC	Yes	No	No	6/5/2013	$ 510.00	
CA04002	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000261D619B	FLUOR FEDERAL SERVIC	Yes	No	No	12/18/2015	$ 500.00	
CA04215	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002621F246	FLUOR FEDERAL SERVIC	Yes	No	No	7/17/2013	$ 510.00	
CA04221	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000026223992	FLUOR FEDERAL SERVIC	Yes	No	No	7/24/2013	$ 510.00	
CA04225	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002622B16F	FLUOR FEDERAL SERVIC	Yes	No	No	8/7/2013	$ 510.00	
CA04227	CELLLULAR TELEPHONE (SMART PHON	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262281OA	FLUOR FEDERAL SERVIC	Yes	No	No	8/7/2013	$ 510.00	
CA04232	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002622D499	FLUOR FEDERAL SERVIC	Yes	No	No	8/14/2013	$ 510.00	
CA04236	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002622D151	FLUOR FEDERAL SERVIC	Yes	No	No	8/21/2013	$ 510.00	
CA04246	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000022352DD	FLUOR FEDERAL SERVIC	Yes	No	No	9/6/2013	$ 510.00	
CA04247	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026235461	FLUOR FEDERAL SERVIC	Yes	No	No	9/6/2013	$ 510.00	
CA04249	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000002623185D	FLUOR FEDERAL SERVIC	Yes	No	No	9/6/2013	$ 510.00	
CA04252	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026285366	FLUOR FEDERAL SERVIC	Yes	No	No	12/28/2015	$ 500.00	
CA04263	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002625BE7D	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 510.00	
CA04264	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000002626016E	FLUOR FEDERAL SERVIC	Yes	No	No	11/14/2013	$ 510.00	
CA04272	CELLULAR TELELPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000026273448	FLUOR FEDERAL SERVIC	Yes	No	No	1/30/2014	$ 510.00	
CA04275	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026278245	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 510.00	
CA04276	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026278BD3	FLUOR FEDERAL SERVIC	Yes	No	No	8/4/2016	$ 510.00	
CA04285	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026281C6E	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA04290	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002628567D	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 510.00	
CA04313	CELLULAR TELEPHONE (SMART PHON	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262A1B8E	FLUOR FEDERAL SERVIC	Yes	No	No	5/22/2014	$ 510.00	
CA04315	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002629E912	FLUOR FEDERAL SERVIC	Yes	No	No	5/27/2014	$ 510.00	
CA04356	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002629E943	FLUOR FEDERAL SERVIC	Yes	No	No	5/27/2014	$ 510.00	
CA04362	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002629F617	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 510.00	
CA04368	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262A253D	FLUOR FEDERAL SERVIC	Yes	No	No	4/14/2014	$ 510.00	
CA04370	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262A25F7	FLUOR FEDERAL SERVIC	Yes	No	No	12/16/2015	$ 500.00	
CA04371	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262A2598	FLUOR FEDERAL SERVIC	Yes	No	No	7/17/2014	$ 510.00	
CA04389	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262A9217	FLUOR FEDERAL SERVIC	Yes	No	No	6/27/2016	$ 510.00	
CA04811	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262BB2BF	FLUOR FEDERAL SERVIC	Yes	No	No		$ 510.00	
CA04817	CELLULAR TELEPHONE (SMART PHON	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262BAA4E	FLUOR FEDERAL SERVIC	Yes	No	No	8/27/2015	$ 199.99	
CA04820	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000262BD804	FLUOR FEDERAL SERVIC	Yes	No	No	10/28/2014	$ 510.00	
CA04822	CAMERA - DIGITAL (HANDHELD)	C-720 PROC		SONY	CYBERSHOT DSC-W830	1154319	CRYSTAL MOORE	Yes	No	No	10/20/2014	$ 95.00	PR# 13275
CA06634	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	8830	7610792842	FLUOR FEDERAL SERVIC	Yes	No	No	7/26/2015	$ 520.00	
CA06730	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	8830	7607967861	FLUOR FEDERAL SERVIC	Yes	No	No	6/16/2009	$ 420.00	
CA06741	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	7602463169	FLUOR FEDERAL SERVIC	Yes	No	No	6/30/2009	$ 510.00	
CA06794	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	8830	7602729931	FLUOR FEDERAL SERVIC	Yes	No	No	10/7/2009	$ 480.00	
CA07088	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A000001C9AF0FF	FLUOR FEDERAL SERVIC	Yes	No	No	4/21/2010	$ 199.99	
CA07127	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A000001CFC32CAE	FLUOR FEDERAL SERVIC	Yes	No	No	8/26/2010	$ 480.00	
CA07128	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A000001CFC1471	FLUOR FEDERAL SERVIC	Yes	No	No		$ 99.99	
CA07140	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9630	A000002507459A	FLUOR FEDERAL SERVIC	Yes	No	No	9/9/2008	$ 480.00	
CA07144	CELLULAR TELEPHONE	C-720 PROC		SAMSUNG	SCH-U310	A000001457D5D3	FLUOR FEDERAL SERVIC	Yes	No	No	11/12/2012	$ 49.99	
CA07152	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	A000002539463F	FLUOR FEDERAL SERVIC	Yes	No	No	11/16/2010	$ 480.00	
CA07168	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9630	A000001C23DB38	FLUOR FEDERAL SERVIC	Yes	No	No	12/15/2010	$ 510.00	
CA07176	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A00000257CAA23	FLUOR FEDERAL SERVIC	Yes	No	No	1/27/2011	$ 480.00	
CA07195	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A00000257D21AF	FLUOR FEDERAL SERVIC	Yes	No	No	2/2/2011	$ 199.99	
CA07270	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A0000025BFA036	FLUOR FEDERAL SERVIC	Yes	No	No	7/27/2011	$ 199.99	
CA07315	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A0000025CC1C5B	FLUOR FEDERAL SERVIC	Yes	No	No	11/9/2011	$ 510.00	
CA07319	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A0000025CC1C9B	FLUOR FEDERAL SERVIC	Yes	No	No	9/14/2010	$ 480.00	
CA07322	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	A0000025CC19AB	FLUOR FEDERAL SERVIC	Yes	No	No	11/4/2011	$ 480.00	
CA07325	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A0000025CC1CC0	FLUOR FEDERAL SERVIC	Yes	No	No	9/28/2011	$ 199.99	
CA07328	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	A0000025CC1EBC	FLUOR FEDERAL SERVIC	Yes	No	No	4/25/2016	$ 199.99	
CA07384	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A0000025E3C8BC	FLUOR FEDERAL SERVIC	Yes	No	No	2/13/2012	$ 480.00	
CA07385	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9650	A0000025E3CA48	FLUOR FEDERAL SERVIC	Yes	No	No	9/15/2015	$ 199.99	
CA07716	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000025FE99BB	FLUOR FEDERAL SERVIC	Yes	No	No	7/11/2012	$ 510.00	
CA07718	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000025FEFD99	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 510.00	
CA07719	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000025FEFD6E	FLUOR FEDERAL SERVIC	Yes	No	No	8/9/2016	$ 510.00	
CA07720	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000025F90906	FLUOR FEDERAL SERVIC	Yes	No	No	7/18/2012	$ 510.00	

CA07722	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000025FEFDFB	FLUOR FEDERAL SERVIC	Yes	No	No	7/25/2012	$ 510.00	
CA07735	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	A0000026081ABA	FLUOR FEDERAL SERVIC	Yes	No	No	2/11/2016	$ -	
CA07741	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026086501	FLUOR FEDERAL SERVIC	Yes	No	No	10/29/2012	$ 510.00	
CA07742	PHONE NUMBER (CELLULAR)	C-720 PROC		BLACKBERRY	BOLD 9930	A000002608654D	MATT MILLS	Yes	No	No	7/31/2015	$ 510.00	
CA07762	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000260A6A1E	FLUOR FEDERAL SERVIC	Yes	No	No	10/30/2012	$ 510.00	
CA07763	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000260A6A1E	FLUOR FEDERAL SERVIC	Yes	No	No	10/30/2012	$ 510.00	
CA07770	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026147843	FLUOR FEDERAL SERVIC	Yes	No	No	6/29/2011	$ 510.00	
CA07771	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026147809	FLUOR FEDERAL SERVIC	Yes	No	No	12/3/2012	$ 510.00	
CA07781	CELLULAR TELELPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000026154882	FLUOR FEDERAL SERVIC	Yes	No	No	1/10/2013	$ 510.00	
CA07782	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002615B20D	FLUOR FEDERAL SERVIC	Yes	No	No	1/15/2013	$ 510.00	
CA07783	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002615B1F8	FLUOR FEDERAL SERVIC	Yes	No	No	1/15/2013	$ 510.00	
CA07785	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A000002615A71D	FLUOR FEDERAL SERVIC	Yes	No	No	1/29/2013	$ 510.00	
CA07811	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000025F74A45	FLUOR FEDERAL SERVIC	Yes	No	No	2/20/2013	$ 510.00	
CA07812	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000261B0E92	FLUOR FEDERAL SERVIC	Yes	No	No	3/4/2013	$ 510.00	
CA07817	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000261C99D2	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 510.00	
CA07823	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000261CEBCD	FLUOR FEDERAL SERVIC	Yes	No	No	4/24/2013	$ 510.00	
CA07827	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000261CF589	FLUOR FEDERAL SERVIC	Yes	No	No	3/11/2016	$ 510.00	
CA07828	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A0000261CF5E9	FLUOR FEDERAL SERVIC	Yes	No	No	5/9/2013	$ 510.00	
CA07832	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	A00000261D0838	FLUOR FEDERAL SERVIC	Yes	No	No	3/10/2016	$ 510.00	
CA07948	CAMERA, DIGITAL HANDHELD	C-720 PROC		PANASONIC	LUMIX DMC-LX7	FA5GB001338	TERRY ROBERSON	Yes	No	No	9/30/2015	$ 328.00	
CA07951	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049686786	FLUOR FEDERAL SERVIC	Yes	No	No	10/16/2015	$ 510.00	
CA08009	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050006922	FLUOR FEDERAL SERVIC	Yes	No	No	10/30/2014	$ 510.00	
CA08013	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050008100	KEITH JEFFERIES	Yes	No	No	10/28/2014	$ 199.99	
CA08014	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966048108790	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 199.99	
CA08015	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050004711	CRYSTAL MOORE	Yes	No	No	12/1/2014	$ 199.99	
CA08018	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050013027	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 199.99	
CA08020	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966048150875	DONALD RAY (DONNIE)	Yes	No	No	10/31/2014	$ 510.00	
CA08022	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966048106224	FLUOR FEDERAL SERVIC	Yes	No	No	10/28/2014	$ 199.99	
CA08023	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050009413	MICHAEL GRAVES	Yes	No	No	11/10/2014	$ 199.99	
CA08032	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050012946	FLUOR FEDERAL SERVIC	Yes	No	No	10/28/2014	$ 199.99	
CA08036	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049994115	ED SELDEN	Yes	No	No	10/31/2014	$ 199.99	
CA08040	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050010601	FLUOR FEDERAL SERVIC	Yes	No	No	10/28/2014	$ 510.00	
CA08041	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050007383	FLUOR FEDERAL SERVIC	Yes	No	No	10/28/2014	$ 199.99	
CA08043	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050009744	FLUOR FEDERAL SERVIC	Yes	No	No	11/3/2014	$ 510.00	
CA08045	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049789119	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 510.00	
CA08046	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049789036	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 199.99	
CA08047	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049787246	FLUOR FEDERAL SERVIC	Yes	No	No	10/28/2014	$ 510.00	
CA08048	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049788467	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 510.00	
CA08049	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049787386	FLUOR FEDERAL SERVIC	Yes	No	No	10/30/2014	$ 199.99	
CA08050	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049786487	FLUOR FEDERAL SERVIC	Yes	No	No	11/18/2014	$ 199.99	
CA08051	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049787675	JESSICA KOCSIS PEDERS	Yes	No	No	10/28/2014	$ 199.99	
CA08054	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049788897	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2015	$ 510.00	
CA08055	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049789523	FLUOR FEDERAL SERVIC	Yes	No	No	11/5/2014	$ 510.00	
CA08057	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049790042	FLUOR FEDERAL SERVIC	Yes	No	No	11/6/2014	$ 199.99	
CA08059	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049787782	FLUOR FEDERAL SERVIC	Yes	No	No	11/3/2014	$ 510.00	
CA08062	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049786511	FLUOR FEDERAL SERVIC	Yes	No	No	11/4/2014	$ 510.00	
CA08073	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049787998	FLUOR FEDERAL SERVIC	Yes	No	No	11/7/2014	$ 199.99	
CA08075	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049788558	FLUOR FEDERAL SERVIC	Yes	No	No	11/7/2014	$ 510.00	
CA08076	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049786826	FLUOR FEDERAL SERVIC	Yes	No	No	10/28/2014	$ 199.99	
CA08083	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050011310	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 510.00	
CA08088	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047773743	FLUOR FEDERAL SERVIC	Yes	No	No	12/4/2014	$ 510.00	
CA08102	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050013365	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 199.99	
CA08103	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049787311	FLUOR FEDERAL SERVIC	Yes	No	No	12/2/2014	$ 510.00	
CA08104	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966048136973	FLUOR FEDERAL SERVIC	Yes	No	No	11/17/2014	$ 510.00	
CA08106	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049790380	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 510.00	
CA08109	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049993547	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 199.99	
CA08110	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049788046	FLUOR FEDERAL SERVIC	Yes	No	No	11/17/2014	$ 510.00	
CA08111	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050013266	FLUOR FEDERAL SERVIC	Yes	No	No	10/31/2014	$ 199.99	
CA08115	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050013381	FLUOR FEDERAL SERVIC	Yes	No	No	11/5/2014	$ 199.99	
CA08118	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049787956	FLUOR FEDERAL SERVIC	Yes	No	No	11/26/2014	$ 510.00	
CA08119	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050010890	FLUOR FEDERAL SERVIC	Yes	No	No	11/20/2014	$ 199.99	
CA08120	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	359730050013407	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08148	CELLULAR TELEPHONE	C-720 PROC		SAMSUNG	SGH-A157	359785057852512	FLUOR FEDERAL SERVIC	Yes	No	No	11/18/2014	$ 49.99	
CA08154	MOBILE HOTSPOT	C-720 PROC		AT&T	UNITE	14113001504187	JESSICA KOCSIS PEDERS	Yes	No	No	1/27/2015	$ 199.00	
CA08155	MOBILE HOT SPOT	C-720 PROC		AT&T	UNITE	14113001502983	JESSICA KOCSIS PEDERS	Yes	No	No	10/31/2014	$ 199.00	
CA08157	MOBILE HOT SPOT	C-720 PROC		AT&T	UNITE	14113001500029	JESSICA KOCSIS PEDERS	Yes	No	No	10/31/2015	$ 199.00	
CA08158	MOBILE HOT SPOT	C-720 PROC		AT&T	UNITE	14113001504054	JESSICA KOCSIS PEDERS	Yes	No	No	10/31/2015	$ 199.00	
CA08159	MOBILE HOT SPOT	C-720 PROC		AT&T	UNITE	14113001503692	JESSICA KOCSIS PEDERS	Yes	No	No	10/31/2015	$ 199.00	
CA08161	CELLULAR TELEPHONE	C-720 PROC		AT&T	UNITE	14113001500292	JESSICA KOCSIS PEDERS	Yes	No	No	10/31/2015	$ 199.00	

CA08174	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049950398	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 199.99	
CA08176	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049756522	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 199.99	
CA08178	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049757728	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 199.99	
CA08181	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049757090		Yes	No	No	1/2/2015	$ 199.99	
CA08184	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049757785	CRYSTAL MOORE	Yes	No	No	1/2/2015	$ 199.99	
CA08187	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049265128	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08188	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049715130	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 199.99	
CA08189	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049719074	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08190	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049891220	MIKE GOLIGHTLY	Yes	No	No	1/2/2015	$ 199.99	
CA08193	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049637987	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 199.99	
CA08194	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049597140	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08220	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049755581	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08222	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049755417	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08223	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049755078	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 199.99	
CA08224	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049755508	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08226	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049757181	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08227	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049757033	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 199.99	
CA08228	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049756878	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 510.00	
CA08229	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049754477	FLUOR FEDERAL SERVIC	Yes	No	No	1/2/2015	$ 199.99	
CA08230	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049754253	FLUOR FEDERAL SERVIC	Yes	No	No	1/8/2015	$ 199.99	
CA08232	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049754410	FLUOR FEDERAL SERVIC	Yes	No	No	1/8/2015	$ 510.00	
CA08242	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049751101	FLUOR FEDERAL SERVIC	Yes	No	No	1/14/2015	$ 199.99	
CA08287	CAMERA - DIGITAL PICTURE	C-720 PROC		OLYMPUS	SP-500UZ	J19C11987	FLUOR FEDERAL SERVIC	Yes	No	No		$ 450.00	
CA08456	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049419733	FLUOR FEDERAL SERVIC	Yes	No	No	3/25/2015	$ 199.99	
CA08457	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049422810	FLUOR FEDERAL SERVIC	Yes	No	No	3/25/2015	$ 510.00	
CA08484	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966048262704	FLUOR FEDERAL SERVIC	Yes	No	No		$ 510.00	
CA08489	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966048264130	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 510.00	
CA08560	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049416291	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA08562	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049432165	FLUOR FEDERAL SERVIC	Yes	No	No	10/1/2014	$ 510.00	
CA08563	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049432041	FLUOR FEDERAL SERVIC	Yes	No	No	5/1/2015	$ 510.00	
CA08564	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966049432223	FLUOR FEDERAL SERVIC	Yes	No	No	10/1/2014	$ 510.00	
CA08796	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	351937048473837	FLUOR FEDERAL SERVIC	Yes	No	No	7/22/2015	$ 199.99	
CA08799	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048288847	FLUOR FEDERAL SERVIC	Yes	No	No	7/28/2015	$ 199.99	
CA08800	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048344319	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA08803	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048312696	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA08804	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048214256	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA08805	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048315927	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA08807	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048214421	FLUOR FEDERAL SERVIC	Yes	No	No	7/30/2015	$ 199.99	
CA08808	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048219800	FLUOR FEDERAL SERVIC	Yes	No	No	7/27/2015	$ 199.99	
CA08810	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048295438	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 480.00	
CA08811	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048273823	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA08812	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048470718	FLUOR FEDERAL SERVIC	Yes	No	No		$ 199.99	
CA08813	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048312870	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA08815	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048228322	FLUOR FEDERAL SERVIC	Yes	No	No	7/31/2015	$ 199.99	
CA08830	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048313892	FLUOR FEDERAL SERVIC	Yes	No	No	8/13/2015	$ 500.00	
CA08867	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY		369093020832095	FLUOR FEDERAL SERVIC	Yes	No	No	10/2/2015	$ 199.99	
CA08870	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050996524	FLUOR FEDERAL SERVIC	Yes	No	No	2/12/2016	$ 399.99	
CA08878	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050986822	FLUOR FEDERAL SERVIC	Yes	No	No	2/11/2016	$ 399.99	
CA08879	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050997878	FLUOR FEDERAL SERVIC	Yes	No	No	2/12/2016	$ 399.99	
CA08881	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050950331	FLUOR FEDERAL SERVIC	Yes	No	No	2/12/2016	$ 399.99	
CA08897	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050997902	JESSICA BURNETT	Yes	No	No	2/12/2016	$ 399.99	
CA08906	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051006703	KEITH BRADLY BURKLO	Yes	No	No	2/12/2016	$ 399.99	
CA08907	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050988935	FLUOR FEDERAL SERVIC	Yes	No	No	2/12/2016	$ 399.99	
CA08909	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051008618	FLUOR FEDERAL SERVIC	Yes	No	No	2/12/2016	$ 399.99	
CA08911	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050999619	FLUOR FEDERAL SERVIC	Yes	No	No	2/12/2016	$ 399.99	
CA08912	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050999262	FLUOR FEDERAL SERVIC	Yes	No	No	2/12/2016	$ 399.99	
CA08918	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474050993299	FLUOR FEDERAL SERVIC	Yes	No	No	11/24/2015	$ 399.99	
CA08942	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051107634	FLUOR FEDERAL SERVIC	Yes	No	No	2/18/2016	$ 399.99	
CA08945	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	900000810287088	FLUOR FEDERAL SERVIC	Yes	No	No	2/11/2016	$ 399.99	
CA08951	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051125834	FLUOR FEDERAL SERVIC	Yes	No	No	2/11/2016	$ 399.99	
CA08955	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051125859	FLUOR FEDERAL SERVIC	Yes	No	No	2/16/2016	$ 399.99	
CA08958	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051165756	FLUOR FEDERAL SERVIC	Yes	No	No	2/17/2016	$ 500.00	
CA08977	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051180201	FLUOR FEDERAL SERVIC	Yes	No	No	2/29/2016	$ 399.99	
CA09007	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-5	990000810290629	FLUOR FEDERAL SERVIC	Yes	No	No	2/11/2016	$ 399.99	
CA09008	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-5	990000810290314	FLUOR FEDERAL SERVIC	Yes	No	No	1/21/2016	$ 399.99	
CA09013	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051266885	TERRY ROBERSON	Yes	No	No	2/16/2016	$ 399.99	
CA09015	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-5	990004601557436	FLUOR FEDERAL SERVIC	Yes	No	No	3/4/2016	$ 399.99	
CA09024	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-5	9900000810286550	FLUOR FEDERAL SERVIC	Yes	No	No	3/28/2016	$ 399.99	
CA09029	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-5	990000810276776	FLUOR FEDERAL SERVIC	Yes	No	No	2/12/2016	$ 399.99	

CA09039	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9930	357966049794093	FLUOR FEDERAL SERVIC	Yes	No	No	3/11/2016	$ 510.00	
CA09055	CELLULAR TELELPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051358062	FLUOR FEDERAL SERVIC	Yes	No	No	3/16/2016	$ 399.99	
CA09060	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051355241	FLUOR FEDERAL SERVIC	Yes	No	No	3/11/2016	$ 399.99	
CA09068	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-5	990000810271843	RONALD LEE CASPER	Yes	No	No		$ 500.00	
CA09274	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	CLASSIC SQC100-2	358474051690621	JOSEPH STANLEY	Yes	No	No	6/9/2016	$ 399.99	
CA10925	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047427852	FLUOR FEDERAL SERVIC	Yes	No	No	6/18/2015	$ 510.00	
CA10926	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047896981	FLUOR FEDERAL SERVIC	Yes	No	No	6/17/2015	$ 510.00	
CA10931	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047040135	FLUOR FEDERAL SERVIC	Yes	No	No	5/27/2015	$ 510.00	
CA10935	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	3579660478747980	FLUOR FEDERAL SERVIC	Yes	No	No	5/27/2015	$ 199.99	
CA10937	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047987186	FLUOR FEDERAL SERVIC	Yes	No	No	6/18/2015	$ 510.00	
CA10939	CELLULAR PHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047893202	FLUOR FEDERAL SERVIC	Yes	No	No	6/12/2015	$ 199.99	
CA11071	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047485611		Yes	No	No	6/18/2015	$ 199.99	
CA11072	CELLULAR PHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047780136	FLUOR FEDERAL SERVIC	Yes	No	No	6/18/2015	$ 199.99	
CA11075	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	375966045273837	FLUOR FEDERAL SERVIC	Yes	No	No	6/18/2015	$ 510.00	
CA11076	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9900	357966047042354	DAVID RICHARDSON	Yes	No	No	6/18/2015	$ 199.99	
CA11078	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048289019	FLUOR FEDERAL SERVIC	Yes	No	No		$ 199.99	
CA11079	CELLULAR TELEPHONE	C-720 PROC		BLACKBERRY	BOLD 9700	351937048289019	FLUOR FEDERAL SERVIC	Yes	No	No	6/18/2015	$ 199.99	
CA04214	CELLULAR TELEPHONE	C-720 S&R		BLACKBERRY	BOLD 9930	A000002621F3A4	Scott Overby	Yes	No	No	7/12/2016	$ 510.00	
CA08896	CELLULAR TELEPHONE	C-720 S&R		BLACKBERRY	CLASSIC SQC100-2	358474051016397	DALUCIA HAYDEN	Yes	No	No	2/12/2016	$ 399.99	
CA08093	CELLULAR TELEPHONE	C-720 STOR		BLACKBERRY	BOLD 9900	357966049787485	TERRY SWIFT	Yes	No	No	10/28/2014	$ 199.99	
CA08094	CELLULAR TELEPHONE	C-720 STOR		BLACKBERRY	BOLD 9900	359730050007003	STEVEN JAY COLLINS	Yes	No	No	12/1/2014	$ 199.99	
CA04359	CELLULAR TELEPHONE	C-720 WHIT		BLACKBERRY	BOLD 9930	A000002629EFAD	MICHAEL EASTBURN	Yes	No	No	3/4/2016	$ 199.99	
CA04372	CELLULAR TELEPHONE	C-720 WHIT		BLACKBERRY	BOLD 9900	A0000262A25AD	BRETT CHENIER	Yes	No	No		$ 199.99	
CA07535	CELLUAR TELEPHONE - TBD, NUCLEAR	C-720 WHIT		BLACKBERRY	BOLD 9900	A0000025CFA2C9	LARK LACEY	Yes	No	No	8/20/2015	$ 199.99	
CA08185	CELLULAR TELEPHONE	C-720 WHIT		BLACKBERRY	BOLD 9900	357966049924872	ROBERT LEE BECK	Yes	No	No	1/2/2015	$ 199.99	
CA08858	SONY DIGITAL CAMERA	C-720 WHIT		SONY	CYBERSHOT DSC-H20	679584	JOE NELSON	Yes	No	No	9/21/2015	$ 89.00	
CA08859	PANASONIC DIGITAL CAMERA	C-720 WHIT		PANASONIC	LUMIX DMC-FZ28	18SS09354	JOE NELSON	Yes	No	No	9/21/2015	$ 95.00	
CA09012	PHONE NUMBER (CELLULAR)	C-720 WHIT		BLACKBERRY	CLASSIC SQC100-2	358474051267073	RICK BOYLESTON	Yes	No	No	3/11/2016	$ 399.99	
CA09077	CELLULAR TELEPHONE	C-720 WHIT		BLACKBERRY	CLASSIC SQC100-2	358474051624307	WILBURN DALE BALTIM	Yes	No	No	3/31/2016	$ 399.99	
CA10928	Cellular Telephone	C-720 WHIT		BLACKBERRY	BOLD 9900	35766044876184	BRIAN PAUL	Yes	No	No	5/27/2015	$ 199.99	
CA10938	CELLULAR TELEPHONE	C-720 WHIT		BLACKBERRY	BOLD 9900	357966045328185	Cara Mills	Yes	No	No	6/17/2015	$ 500.00	
CA08902	CELLULAR TELEPHONE	C-720-C		BLACKBERRY	CLASSIC SQC100-2	358474050997118	JAMES ROGERS	Yes	No	No	2/12/2016	$ 399.99	
CA09295	CELLULAR TELELPHONE	C-724		BLACKBERRY	CLASSIC SQC100-5	990004601899671	KENT HOWLE	Yes	No	No	7/13/2016	$ 399.99	
CA04340	CPU	C-730-T01		DELL	DCNE	54CSPH1	TURNERLA	Yes	No	No	5/15/2014	$ 789.00	N/A
CA06790	PRINTER - NETWORK	C-730-T01		HP	P4015	CN04365569	TURNERLA	Yes	No	No	9/22/2009	$ 1,285.00	PRS06-4509
CA10679	CPU	C-730-T01		DELL	OPTIPLEX 380	5HWRMN1		Yes	No	No	3/25/2014	$ 600.00	
CA02145	DIGITAL CAMERA	C-730-T05		SONY	DSCW570	606164	BOULTONJL	Yes	No	No	10/1/2005	$ 275.00	1
CA03139	CPU	C-730-T05		HP	DX 2400	2UA8440T64	HOLZERC	Yes	No	No	11/25/2008	$ 450.00	
CA03323	LAPTOP	C-730-T05		HP	COMPAQ 6730b	CNU0060F2R	MARTINS	Yes	No	No	3/4/2010	$ 1,200.00	
CA04216	LAPTOP	C-730-T05		PANASONIC	CF-31 TOUGHBOOK	CF-31SFLAX1M AB23456789	MARTINS	Yes	No	No	7/16/2013	$ 3,230.11	LKY-4104
CA04325	CPU	C-730-T05		DELL	DCNE	JPGNPH1	BOULTONC	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04326	CPU	C-730-T05		DELL	DCNE	DZGNPH1	MARTINS	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04329	CPU	C-730-T05		DELL	DCNE	CNGNPH1	BOULTONC	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04331	CPU	C-730-T05		DELL	DCNE	38CXPH1	KOCSISJA	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04403	CPU	C-730-T05		DELL	OPTIPLEX 3020	J5GPF02	KINSALLK	Yes	No	No	6/6/2014	$ 555.00	
CA08231	CELLULAR TELEPHONE	C-730-T05		BLACKBERRY	BOLD 9900	357966040259476	KIM KINSALL	Yes	No	No	1/12/2015	$ 199.99	
CA09083	CELLULAR TELEPHONE	C-730-T05		BLACKBERRY	CLASSIC SQC100-5	990000810304107	JASON BOULTON	Yes	No	No	3/29/2016	$ 399.99	
CA09084	CELLULAR TELEPHONE	C-730-T05		BLACKBERRY	CLASSIC SQC100-2	990000810274490	Sam Martin	Yes	No	No	3/29/2016	$ 399.99	
CA10843	CPU	C-730-T05		DELL	OPTIPLEX 390	DCBCWR1	RAYL	Yes	No	No	5/6/2015	$ 600.00	
CA03592	CPU	C-730-T06		DELL	OPTIPLEX 360	2X7Q1J1	LEONESM	Yes	No	No	5/2/2011	$ 775.00	
CA03625	CPU	C-730-T06		DELL	OPTIPLEX 360	GQJD1J1	PEA	Yes	No	No	5/2/2011	$ 775.00	
CA03670	CPU	C-730-T06		DELL	OPTIPLEX 360	5T8D1J1	TELFAIRLL	Yes	No	No	5/2/2011	$ 775.00	
CA03677	CPU	C-730-T06		DELL	OPTIPLEX 360	6XOBJG1	KOCSISJA	Yes	No	No	5/2/2011	$ 775.00	
CA03742	CPU	C-730-T06		DELL	OPTIPLEX 360	6XV6JG1	CHASEWR	Yes	No	No	5/2/2011	$ 775.00	
CA03753	CPU	C-730-T06		DELL	OPTIPLEX 360	492P1J1	HOLLAWAYC	Yes	No	No	5/2/2011	$ 775.00	
CA03772	CPU	C-730-T06		DELL	OPTIPLEX 360	12WN3J1	MILLSMS	Yes	No	No	5/2/2011	$ 775.00	
CA04231	CELLULAR TELEPHONE (PDA)	C-730-T06		BLACKBERRY	9930	A000002622D4E7	HOLLAWAYC	Yes	No	No	8/14/2013	$ 510.00	NA
CA04267	CELLULAR TELEPHONE (PDA)	C-730-T06		BLACKBERRY	9930	A0000026274CC7	PEA	Yes	No	No	1/15/2014	$ 500.00	NA
CA04271	CELLULAR TELEPHONE (PDA)	C-730-T06		BLACKBERRY	9930	A00000026273618	MAXIECE	Yes	No	No	1/30/2014	$ 500.00	
CA06604	BIPHASIC AUTOMATED EXTERNAL DEI	C-730-T06		MEDTRONIC	LIFEPAK 500	30199136	HODGESWC	Yes	No	No	12/31/2008	$ 1,150.00	PR 8426
CA09044	PHONE NUMBER (CELLULAR)	C-730-T06		BLACKBERRY	CLASSIC SQC100-5	990000810299711	MATT MILLS	Yes	No	No	3/11/2016	$ 399.99	
CA10044	CPU	C-730-T06		DELL	OPTIPLEX 380	5HMSMN1	SHAFFERJA	Yes	No	No	10/21/2014	$ 600.00	
CA03253	CPU	C-743	RM 130	HP	DC 5800	2UA9321DXK	OVERBYMS	Yes	No	No	8/21/2009	$ 550.00	
CA03603	CPU	C-743		DELL	OPTIPLEX 360	6Z04JG1	SULLIVANT	Yes	No	No	5/2/2011	$ 775.00	
CA03771	CPU	C-743	RM 121	DELL	OPTIPLEX 360	6TZ7JG1	WATSONSP	Yes	No	No	5/2/2011	$ 775.00	
CA04070	CPU	C-743	129C	DELL	OPTIPLEX 3020	GMSNF02	RODGERSB	Yes	No	No	5/29/2014	$ 1,096.00	
CA04142	CPU	C-743	RM 129-B	DELL	OPTIPLEX 3020	74QDK02	HICKSR	Yes	No	No	8/12/2014	$ 556.00	
CA04307	CPU	C-743	Room 123	DELL	DCNE	HMGNPH1	WATSONSP	Yes	No	No	5/1/2014	$ 789.00	
CA04310	CPU	C-743	Room 101A	DELL	DCNE	1VGNPH1	WATSONSP	Yes	No	No	5/1/2014	$ 789.00	

CA04320	CPU	C-743	Room 101C	DELL	DCNE	49SXPH1	WATSONSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04348	CPU	C-743	Room 125	DELL	DCNE	FDCXPH1	WATSONSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04349	CPU	C-743	Room 125	DELL	DCNE	GQSXPH1	WATSONSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04727	CPU	C-743		DELL	OPTIPLEX 330	99G5TH1	VICKSP	Yes	No	No	10/22/2014	$ 600.00	
CA04751	CPU	C-743		DELL	OPTIPLEX 3020	D2GXN02	THREATT	Yes	No	No	10/9/2014	$ 600.00	
CA06429	PRINTER - NETWORK	C-743	RM 129-B	HP	4700N	JP4LB28444	HICKSR	Yes	No	No	7/25/2010	$ 1,299.00	
CA08490	CELLULAR TELEPHONE	C-743		BLACKBERRY	BOLD 9900	357966048263504	Ronnie D. Hicks	Yes	No	No	7/31/2015	$ 510.00	
CA08732	CPU	C-743	ROOM 131	DELL	3020 SFF		JONESDL	Yes	No	No		$ 600.00	
CA08782	CPU	C-743	ROOM 129C	DELL	3020 SFF		PRESCOTT	Yes	No	No		$ 600.00	
CA08793	CPU	C-743	ROOM 129A	DELL	3020 SFF		HICKSR	Yes	No	No		$ 600.00	
CA08875	CELLULAR TELEPHONE	C-743		BLACKBERRY	CLASSIC SQC100-2	358474050682645	TONY THREATT	Yes	No	No	2/11/2016	$ 399.99	
CA10030	CPU	C-743	RM 125	DELL	OPTIPLEX 330		WATSONSP	Yes	No	No	10/21/2014	$ 600.00	
CA10041	CPU	C-743	RM 125	DELL	OPTIPLEX 380	FH9XTK1	WATSONSP	Yes	No	No	10/21/2014	$ 600.00	
CA10042	CPU	C-743	RM 119	DELL	OPTIPLEX 380	5LHQMN1	STEGERLS	Yes	No	No	10/21/2014	$ 600.00	
CA10049	CPU	C-743	RM 125	DELL	OPTIPLEX 330	HBG5TH1	WATSONSP	Yes	No	No	10/21/2014	$ 600.00	
CA10110	CPU	C-743	131	DELL	OPTIPLEX 380	5JPSMN1	BURRUSBD	Yes	No	No	10/21/2014	$ 600.00	
CA10111	CPU	C-743		DELL	OPTIPLEX 380	5LLQMN1	ATKINSB	Yes	No	No	10/21/2014	$ 600.00	
CA10121	CPU	C-743		DELL	OPTIPLEX 380	5L8SMN1	REEVESJ	Yes	No	No	10/21/2014	$ 600.00	
CA10144	CPU	C-743		DELL	OPTIPLEX 380	5JZRMN1	ATKINSB	Yes	No	No	11/11/2014	$ 600.00	
CA10167	CPU	C-743	132	DELL	OPTIPLEX 380	5L2RMN1	GROTHEG	Yes	No	No	12/1/2014	$ 600.00	
CA10278	CPU	C-743		DELL	OPTIPLEX 380	5LBRMN1	SCOTTJR	Yes	No	No	2/6/2015	$ 600.00	
CA10654	CPU	C-743		DELL	OPTIPLEX 380	5JMRMN1	WILSONMR	Yes	No	No	2/25/2015	$ 600.00	
CA10691	CPU	C-743	RM 106B	DELL	OPTIIPLEX 360	FLPWTK1	WATSONSP	Yes	No	No	4/14/2015	$ 600.00	
CA10959	CPU	C-743	RM 130	DELL	OPTIPLEX 330	CFG5TH1	WATSONSP	Yes	No	No	9/30/2015	$ 600.00	
CA08891	CELLULAR TELEPHONE	C-743 T09		BLACKBERRY	CLASSIC SQC100-2	358474051018799	TOM PRICE	Yes	No	No	2/12/2016	$ 399.99	
CA08959	CELLULAR TELEPHONE	C-743 T09		BLACKBERRY	CLASSIC SQC100-2	358474051164387	DICKIE KUEHN	Yes	No	No	2/11/2016	$ 399.99	
CA08873	CELLULAR TELEPHONE	C-743- T1		BLACKBERRY	CLASSIC SQC100-2	35847405988463	ANDREW HARRIS	Yes	No	No	2/12/2016	$ 399.99	
CA08961	CELLULAR TELEPHONE	C-743- T1		BLACKBERRY	CLASSIC SQC100-2	990000810290348	APRIL WRIGHT	Yes	No	No	2/11/2016	$ 399.99	
CA08962	CELLULAR TELEPHONE	C-743- T1		BLACKBERRY		990000810290355	Starla Sunderland	Yes	No	No	2/18/2016	$ 500.00	
CA08965	CELLULAR TELEPHONE	C-743- T1		BLACKBERRY		358474051125784	SONIA STAHR	Yes	No	No	2/12/2016	$ 500.00	
CAO8962	CELLULAR TELEPHONE	C-743- T1		BLACKBERRY	CLASSIC SQC100-5	990000810290355	STARLA SUNDERLAND	Yes	No	No	2/11/2016	$ 399.99	
CA03896	CPU	C-743-T01		HP	DC 7900	MXL92716H3	FORTNER	Yes	No	No	10/23/2012	$ 515.00	
CA03903	CPU	C-743-T01		HP	DC 7900	MXL92716VL	ATKINSB	Yes	No	No	10/23/2012	$ 515.00	
CA03906	CPU	C-743-T01		HP	DC 7900	MXL92716VB	BROWNCB	Yes	No	No	10/23/2012	$ 515.00	
CA04219	CELLULAR TELEPHONE (PDA)	C-743-T01		BLACKBERRY	9930	A0000262239B0	THOMPSONAL	Yes	No	No	7/24/2013	$ 510.00	NA
CA04238	CELLULAR TELEPHONE (PDA)	C-743-T01		BLACKBERRY	9930	A000002622D0E6	RICES	Yes	No	No	8/30/2013	$ 500.00	NA
CA04414	CPU	C-743-T01		DELL	OPTIPLEX 3020	8TQ6N02	SUNDERLANDS	Yes	No	No	6/6/2014	$ 555.00	
CA04463	CPU	C-743-T01		DELL	OPTIPLEX 3020	1DGPF02	MAXIECE	Yes	No	No	6/6/2014	$ 555.00	
CA06820	CPU	C-743-T01	A HARRIS	HP	DC 5800	2UA91714PR	MAXIECE	Yes	No	No	7/25/2010	$ 600.00	
CA08005	CELLULAR TELEPHONE	C-743-T01		BLACKBERRY	BOLD 9900	359730050009173	CHRIS BRANDJES	Yes	No	No	10/27/2014	$ 199.99	
CA08964	CELLULAR TELEPHONE	C-743-T01		BLACKBERRY	CLASSIC SQC100-2	358474051104904	KEVIN FORTNER	Yes	No	No	2/17/2016	$ 399.99	
CA08978	CELLULAR TELEPHONE	C-743-T01		BLACKBERRY	CLASSIC SQC100-2	358474051103070	RICK JOHNSON	Yes	No	No	12/29/2015	$ 399.99	
CA09112	CELLULAR TELEPHONE	C-743-T01		BLACKBERRY	CLASSIC SQC100-5	9900000810356350	BRAD BROWN	Yes	No	No	5/4/2016	$ 399.99	
CA09360	CELLULAR TELEPHONE	C-743-T01		BLACKBERRY	CLASSIC SQC100-5	358474050999874	JOEY SCOTT	Yes	No	No	6/23/2016	$ 399.99	
CA10554	CPU	C-743-T01		DELL	OPTIPLEX 380	5K6TMN1	MAXIECE	Yes	No	No	2/6/2015	$ 600.00	
CA03305	CPU	C-743-T02		HP	HP PRO 3000 MT	MXL0050WNN		Yes	No	No	2/15/2010	$ 600.00	
CA06631	DETECTOR (MULTIGAS AUTOMATED T	C-743-T02		MSA GALAXY	SIRIUS	NA	BOSSSE	Yes	No	No	12/30/2008	$ 18,249.58	PRS06-2829
CA09031	CELLULAR TELEPHONE	C-743-T02		BLACKBERRY	CLASSIC SQC100-2	358474051299282	DAVID TAPSCOTT	Yes	No	No	3/11/2016	$ 399.99	
CA06489	DIGITAL CAMERA	C-743-T07		OLYMPUS	STYLUS 850SW	F07558227	HOMOLAPA	Yes	No	No	9/19/2008	$ 290.99	
CA03287	CPU	C-743-T09		HP	PRO 3000 MT	MXL0050WPP	KUEHNRG	Yes	No	No	7/25/2010	$ 600.00	
CA03714	CPU	C-743-T09		DELL	OPTIPLEX 360	6WPBJG1	GOREMK	Yes	No	No	5/2/2011	$ 775.00	
CA03819	CELLULAR TELEPHONE (PDA)	C-743-T09	A-10	BLACKBERRY	9930	A0000025FCC9B4	ANDERSOND	Yes	No	No	5/22/2012	$ 510.00	
CA03890	CPU	C-743-T09		HP	DC 7900	MXL92716D8	MORGANJW	Yes	No	No	10/23/2012	$ 515.00	
CA04076	LAPTOP	C-743-T09		HP	ELITE BOOK 850	CNU419BPYS	MYERSMJ	Yes	No	No	6/20/2014	$ 209.00	
CA04129	CPU	C-743-T09	RM 4/6	DELL	OPTIPLEX 3020	92NMK02	MAXIECE	Yes	No	No	8/12/2014	$ 556.00	
CA04141	CPU	C-743-T09	RM 3	DELL	OPTIPLEX 3020	93KMK02	SHAIAGL	Yes	No	No	8/12/2014	$ 556.00	
CA04156	CPU	C-743-T09	RM 1	DELL	92WLK02		BELLBA	Yes	No	No	8/12/2014	$ 556.00	
CA04281	CELLULAR TELEPHONE	C-743-T09		BLACKBERRY	BOLD 9930	A0000026281FBD	Michael Myers	Yes	No	No	8/1/2016	$ 500.00	
CA04319	CPU	C-743-T09		DELL	DCNE	F3CSPH1	ZEISSLM	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04346	CPU	C-743-T09		DELL	DCNE	HPCSPH1	HOMOLAPA	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04353	CPU	C-743-T09		DELL	DCNE	BPGNPH1	SUNDERLANDS	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04436	CPU	C-743-T09	RM 5	DELL	OPTIPLEX 3020	1523N02	SUNDERLANDCE	Yes	No	No	6/6/2014	$ 555.00	
CA04544	CPU	C-743-T09	RM 7	DELL	OPTIPLEX 3020	GXGPF02	GOLIGHTLYM	Yes	No	No	6/6/2014	$ 555.00	
CA04583	LAPTOP	C-743-T09	RM 7	HP	ELITE BOOK 850	CNU416C34L	KURSAVEJD	Yes	No	No	6/6/2014	$ 209.00	
CA08085	CELLULAR TELEPHONE	C-743-T09		BLACKBERRY	BOLD 9900	359730050011963	BRIAN ASHLEY BELL	Yes	No	No	10/31/2014	$ 199.99	
CA08191	CELLULAR TELEPHONE	C-743-T09		BLACKBERRY	BOLD 9900	357966049795819	SAM LEONE	Yes	No	No	1/2/2015	$ 199.99	
CA08225	CELLULAR TELEPHONE	C-743-T09		BLACKBERRY	BOLD 9900	357966049756845	REBECCA WILSON	Yes	No	No	1/2/2015	$ 510.00	
CA09107	CELLULAR TELEPHONE	C-743-T09		BLACKBERRY	CLASSIC SQC100-5	990000810321382	CHASITY SUNDERLAND	Yes	No	No	4/25/2016	$ 399.99	
CA10147	CPU	C-743-T09	RM 8	DELL	OPTIPLEX 380	5K6RMN1	WRENR	Yes	No	No	11/11/2014	$ 600.00	

CA08493	CELLULAR TELEPHONE	C-743-T11		BLACKBERRY	BOLD 9900	357966048265502	Franklin R Overby	Yes	No	No	7/31/2015	$ 199.99	
CA08743	CPU	C-743-T11	RM 5B	DELL	3020 SFF		CROCKERB	Yes	No	No		$ 600.00	
CA08749	CPU	C-743-T11	RM 1	DELL	3020 SFF		MALISWD	Yes	No	No		$ 600.00	
CA08775	CPU	C-743-T11	RM 6B	DELL	3020 SFF		STAHRS	Yes	No	No		$ 600.00	
CA08795	CPU	C-743-T11	RM 6A	DELL	3020 SFF		GRUBBSH	Yes	No	No		$ 600.00	
CA03756	CPU	C-743-T12		DELL	OPTIPLEX 360	6XV8JG1	WATSONRH	Yes	No	No	5/2/2011	$ 775.00	
CA03853	CPU	C-743-T12	RM 8	HP	DC 7900	MXL92716D9	SHEPPARDJE	Yes	No	No	10/22/2012	$ 515.00	
CA03854	CPU	C-743-T12	RM 5	HP	DC 7900	MXL92716F9	WATSONRH	Yes	No	No	10/22/2012	$ 515.00	
CA03866	CPU	C-743-T12	RM 4	HP	DC 7900	MXL92716G7	CHASEWR	Yes	No	No	7/25/2010	$ 600.00	
CA03870	CPU	C-743-T12	RM 6	HP	DC 7900	MXL92716X1	MAXIECE	Yes	No	No	7/25/2010	$ -	
CA03872	CPU	C-743-T12		HP	DC 7900	MXL92716P3	REYNOLDSHT	Yes	No	No	10/22/2012	$ 515.00	
CA07810	CELLULAR TELEPHONE (SMART PHON	C-743-T12		BLACKBERRY	BOLD 9930	A00000261AF7E7	RICK WATSON	Yes	No	No	7/31/2015	$ 510.00	
CA07814	CELLULAR TELEPHONE (PDA)	C-743-T12		BLACKBERRY	9930	A00000261B15FB	LAYNEKS	Yes	No	No	3/19/2013	$ 510.00	
CA08943	CELLULAR TELEPHONE	C-743-T12		BLACKBERRY	CLASSIC SQC100-5	990000810290439	GLENN SMITH	Yes	No	No	2/11/2016	$ 399.99	
CA09101	CELLULAR TELEPHONE	C-743-T12		BLACKBERRY	CLASSIC SQC100-5	990000810345860	WILLIAM "BILL" CHASE	Yes	No	No	4/6/2016	$ 399.99	
CA10156	CPU	C-743-T12	RM 3	DELL	OPTIPLEX 390	DCB8WR1	SMITHRG	Yes	No	No	12/1/2014	$ 600.00	
CA03284	CPU	C-743-T15		HP	PRO 3000 MT	MXL0050WPG	SHELTONMD	Yes	No	No	7/25/2010	$ 600.00	
CA10169	CPU	C-743-T15		DELL	OPTIPLEX 380			Yes	No	No	12/1/2014	$ 600.00	
CA01993	CPU	C-743-T16	7	HP	DC 5100 MT	2UA51702MM	ZEISSLM	Yes	No	No	6/1/2005	$ 785.00	
CA02536	CPU	C-743-T16		HP	COMPAQ	USU440075K	GLISSONJD	Yes	No	No	7/25/2010	$ 500.00	
CA03645	CPU	C-743-T16	RM 7	DELL	OPTIPLEX 360	4QJD1J1	MAXIECE	Yes	No	No	5/2/2011	$ 775.00	
CA03766	CPU	C-743-T16		DELL	OPTIPLEX 360	HDDQ1J1	STREUFERTTO	Yes	No	No	5/2/2011	$ 775.00	
CA03855	CPU	C-743-T16	RM 10	HP	DC 7900	MXL92716GS	SMITHTG	Yes	No	No	10/22/2012	$ 515.00	
CA04139	CPU	C-743-T16	RM 5	DELL	OPTIPLEX 3020	920RK02	FUTRELLRG	Yes	No	No	8/12/2014	$ 556.00	
CA04223	CELLULAR TELEPHONE (PDA)	C-743-T16	ROOM 16	BLACKBERRY	9930	A000002622B4B3	SHELTONMD	Yes	No	No	8/6/2013	$ 510.00	
CA04298	CELLULAR TELEPHONE	C-743-T16		BLACKBERRY	9930	A000002629B89E	MITCHELLRS	Yes	No	No	5/5/2014	$ 500.00	NA
CA04301	CELLULAR TELEPHONE	C-743-T16		BLACKBERRY	BOLD 9930	A000002629A978	MIKE ZEISS	Yes	No	No	2/12/2016	$ 510.00	
CA04328	CPU	C-743-T16	THIS DEVICE IS IN	DELL	DCNE	7ZGNPH1	VICKSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA06203	CPU	C-743-T16	1	SOUTHWIND		100735	GLISSONJD	Yes	No	No	7/25/2010	$ 800.00	
CA06204	CPU	C-743-T16	1			100481	GLISSONJD	Yes	No	No	3/19/2008	$ 800.00	
CA06357	CPU	C-743-T16	1	SOUTHWIND		100019	GLISSONJD	Yes	No	No	7/25/2010	$ 900.00	
CA06372	CPU	C-743-T16		HP	D530SFF	USU43205MC	SMITHTG	Yes	No	No		$ 200.00	
CA06850	CPU	C-743-T16		HP	DC 5800	2UA933154C	SHELTONMD	Yes	No	No	7/25/2010	$ 600.00	
CA07207	PRINTER - NETWORK	C-743-T16		HP	Laserjet P3015	VNBCC3H23L	SHELTONMD	Yes	No	No	3/24/2011	$ 147.97	LKY-001519
CA07710	CELLULAR TELEPHONE (PDA)	C-743-T16		BLACKBERRY	9930	A00000260A5BC6	TIPPINCA	Yes	No	No	6/25/2012	$ 510.00	
CA07734	CELLULAR TELEPHONE (PDA)	C-743-T16		BLACKBERRY	9930	A0000026081A85	BOEHMERSA	Yes	No	No	8/15/2012	$ 510.00	
CA10551	CPU	C-743-T16	RM 2	DELL	OPTIPLEX 380	5JPRMN1	TIPPINCA	Yes	No	No	2/6/2015	$ 600.00	
CA10687	CPU	C-743-T16	RM 6	DELL	OPTIPLEX 380	5HNSMN1	STREUFERTTO	Yes	No	No	3/25/2015	$ 600.00	
CA10864	CPU	C-743-T16	RM 4				ZEISSLM	Yes	No	No	6/2/2015	$ 600.00	
CA10929	Cellular Telephone	C-743-T16		BLACKBERRY	BOLD 9900	357966047109278	TODD LYNN WALKER	Yes	No	No	5/27/2015	$ 199.99	
CA04241	PORTABLE SAMPLER CONTROLLER	C-743-T17		ISCO	9710 SAMPLER	213J00232	BOULTONJL2	Yes	No	No	9/6/2013	$ 2,823.00	LKY-004127
CA03717	CPU	C-744		DELL	OPTIPLEX 360	BQHT3J1	HARGROVEC	Yes	No	No	5/2/2011	$ 775.00	
CA10733	CPU	C-744		DELL	OPTIPLEX 360	FCLYSJ1	GUZAKC	Yes	No	No	4/14/2015	$ 600.00	
CA10743	CPU	C-744		DELL	OPTIPLEX 360	DH9XTK1	GUZAKC	Yes	No	No	4/14/2015	$ 600.00	
CA03851	CPU	C-746P-T01	Room # 2	HP	DC 7900	MXL92716DW	MOORECAN	Yes	No	No	10/22/2012	$ 515.00	
CA08913	CELLULAR TELELPHONE	C-746-T08		BLACKBERRY	CLASSIC SQC100-2	358474050987721	DAVID VEACH	Yes	No	No	2/25/2016	$ -	
CA07119	CPU	C-746-U		HP	COMPAQ	USU4250Q3Z	HINESGL	Yes	No	No	7/25/2010	$ 500.00	
CA08890	CELLULAR TELEPHONE	C-746-U		BLACKBERRY	CLASSIC SQC100-5	990004601183274	GARY HINES	Yes	No	No	9/17/2015	$ 399.00	
CA03232	CPU	C-746-U1		HP	DC 5800	MXL9080B4Z	SMITHTD	Yes	No	No	8/13/2009	$ 550.00	
CA03234	CPU	C-746-U1		HP	DC 5800	2UA9321DXN	HINESGL	Yes	No	No	8/13/2009	$ 550.00	
CA04317	CPU	C-746-U1		DELL	DCNE	6MGNPH1	HINESGL	Yes	No	No	5/15/2014	$ 789.00	NA
CA06605	BIPHASIC AUTOMATED EXTERNAL DEI	C-746-U1		MEDTRONIC	LIFEPAK 500	12556418	HODGESWC	Yes	No	No	12/31/2008	$ 1,150.00	PR 8426
CA06813	CPU (ARRA)	C-746-U1		HP	DC 5800	2UA91714PC	SMITHTD	Yes	No	No	7/25/2010	$ 600.00	
CA07189	ULTRASONIC THICKNESS GUAGE	C-746-V		DEFELSKO	PosiTector UTG-ME	648112	GOREMK	Yes	No	No	2/4/2011	$ 1,833.75	LKY-001203
C900040	FORKLIFT, 5000lb	C-753-A		CLARK	GPX 25 GS	GPX2302199156	SAMPLESJW	Yes	No	No	6/30/1993	$ 24,036.00	unknown
CA03736	CPU	C-755	T-1	DELL	OPTIPLEX 360	JR0P1J1	HODGESWC	Yes	No	No	5/2/2011	$ 775.00	
CA04248	CELLULAR TELEPHONE (PDA)	C-755-T01		BLACKBERRY	9930	A000002623172C	HODGESWC	Yes	No	No	9/9/2013	$ 500.00	NA
CA04302	CELLULAR TELEPHONE	C-755-T01		BLACKBERRY	9930	A000002629C28A	TOCKSTEINDJ	Yes	No	No	5/15/2014	$ 500.00	
CA04357	BIPHASIC AED	C-755-T01		MEDTRONIC	LIFEPAK 500	32176646	HODGESWC	Yes	No	No	5/14/2014	$ 1,275.18	LKY-004904
CA04358	BIPHASIC AED	C-755-T01		MEDTRONIC	LIFEPAK 500	32196845	HODGESWC	Yes	No	No	5/14/2014	$ 1,275.18	LKY-004904
CA06424	DIGITAL CAMERA	C-755-T01		OLYMPUS	STYLUS 850SW	F28505633	HODGESWC	Yes	No	No	5/8/2008	$ 247.00	4966
CA06606	BIPHASIC AUTOMATED EXTERNAL DEI	C-755-T01		MEDTRONIC	LIFEPAK 500	12556421	HODGESWC	Yes	No	No	12/31/2008	$ 1,150.00	PR 8426
CA06607	BIPHASIC AUTOMATED EXTERNAL DEI	C-755-T01		MEDTRONIC	LIFEPAK 500	12554485	HODGESWC	Yes	No	No	12/31/2008	$ 1,150.00	PR 8426
CA06859	CPU	C-755-T01	CONF ROOM (ON	HP	DC 5800	2UA91714MN	AUSBROOKSKA	Yes	No	No	7/25/2010	$ 600.00	
CA03568	CPU	C-755-T02		DELL	OPTIPLEX 360	6V94JG1	HENRYST	Yes	No	No	5/2/2011	$ 775.00	
CA03767	CPU	C-755-T02		DELL	OPTIPLEX 360	D2WN3J1	JERRELLKL	Yes	No	No	5/2/2011	$ 775.00	
CA07740	CELLULAR TELEPHONE	C-755-T02		BLACKBERRY	BOLD 9930	A000002608650 4	STEVE HENRY	Yes	No	No		$ 199.99	
CA03308	CPU	C-755-T03		HP	PRO 3000 MT	MXL0050WPK	TOCKSTEINDJ	Yes	No	No	7/25/2010	$ 600.00	
CA04299	CELLULAR TELEPHONE	C-755-T03		BLACKBERRY	9930	A000002629C25F	KREISHERMK	Yes	No	No	5/9/2014	$ 500.00	NA

CA04393	CPU	C-755-T03		BLACKBERRY	Z420	2UA4271N8B	BROWNDD	Yes	No	No	8/20/2014	$ 1,651.78	LKY-005262
CA06644	CELLULAR TELEPHONE (PDA)	C-755-T03		BLACKBERRY	8830	7610811571	STEVE HENRY	Yes	No	No	3/18/2009	$ 520.00	PR 691
CA06835	CPU	C-755-T03	A-22	HP	DC 5800	2UA9331545	QUARLESDE	Yes	No	No	11/5/2009	$ 600.00	
CA07059	GPS HANDHELD NAVIGATION SYSTEM	C-755-T03		TRIMBLE	GEO EXPLORE 2008 SERIES	494850040	HODGESWC	Yes	No	No	6/15/2010	$ 5,125.00	PRS06-6601
CA07060	GPS HANDHELD NAVIGATION SYSTEM	C-755-T03		TRIMBLE	GEO EXPLORE 2008 SERIES	4943441573	HODGESWC	Yes	No	No	6/15/2010	$ 5,125.00	PRS06-6601
CA07061	GPS HANDHELD NAVIGATION SYSTEM	C-755-T03		TRIMBLE	GEO EXPLORE 2008 SERIES	4948449190	HODGESWC	Yes	No	No	2/15/2010	$ 5,125.00	PRS06-6601
CA07062	GPS HANDHELD NAVIGATION SYSTEM	C-755-T03		TRIMBLE	GEO EXPLORE 2008 SERIES	4948450033	HODGESWC	Yes	No	No	2/15/2010	$ 5,125.00	PRS06-6601
CA07063	GPS HANDHELD NAVIGATION SYSTEM	C-755-T03		TRIMBLE	GEO EXPLORE 2008 SERIES	4948449267	HODGESWC	Yes	No	No	2/15/2010	$ 5,125.00	PRS06-6601
CA07064	GPS HANDHELD NAVIGATION SYSTEM	C-755-T03		TRIMBLE	GEO EXPLORE 2008 SERIES	4948450037	HODGESWC	Yes	No	No	2/15/2010	$ 5,125.00	PRS06-6601
CA03252	CPU	C-755-T04		HP	dc5800	2UA9160YY6	KOCSISJA	Yes	No	No	8/21/2009	$ 550.00	
CA03764	CPU	C-755-T04		DELL	OPTIPLEX 360	9FDQ1J1	FRALIXTJ	Yes	No	No	5/2/2011	$ 775.00	
CA03911	LAPTOP	C-755-T04		DELL	LATITUDE E6400	9H35VH1	PUTMANPE	Yes	No	No	10/26/2012	$ 1,400.00	
CA04245	CELLULAR TELEPHONE (PDA)	C-755-T04		BLACKBERRY	9930	A0000026235346	COLTHARPPG	Yes	No	No	9/6/2013	$ 510.00	
CA04333	CPU	C-755-T04		DELL	DCBE	38SXPH1	KOCSISJA	Yes	No	No	5/15/2014	$ 789.00	N/A
CA06831	CPU	C-755-T04		HP	DC 5800	2UA91714M7	CUDETJ	Yes	No	No	7/25/2010	$ 600.00	
CA06839	CPU	C-755-T04	D-6	HP	DC 5800	2UA91714NK	EGBERTLM	Yes	No	No	7/25/2010	$ 600.00	
CA06843	CPU	C-755-T04	C-2	HP	DC 5800	2UA933154G	THOMPSONBL	Yes	No	No	7/25/2010	$ 600.00	
CA07171	THERMAL IMAGER	C-755-T04		Fluke Manufacturin	Ti10	TI10-10110836	EGBERTLM	Yes	No	No	12/17/2010	$ 5,261.96	LKY-001017
CA07769	CELLULAR TELEPHONE (PDA)	C-755-T04		BLACKBERRY	9930	A00000260AB5B6	STOKESW	Yes	No	No	11/20/2012	$ 510.00	
CA09051	CELLULAR TELEPHONE	C-755-T04		BLACKBERRY	CLASSIC SQC100-5	990000810278137	LYNN EGBERT	Yes	No	No	3/11/2016	$ 399.99	
CA10860	CPU	C-755-T04		DELL	OPTIPLEX 380	5KYRMN1	PUTMANPE	Yes	No	No	6/2/2015	$ 600.00	
CA04277	PRINTER - NETWORK	C-755-T06	WEST END	HP	LASERJET P3015N	VNB3S58941	AUSBROOKSKA	Yes	No	No	2/25/2014	$ 628.22	PR#11236
CA06404	LIQUID SCINTILLATION COUNTER	C-755-T06	LAB TRAILER	PACKARD	TRI-CARB 2700TR	405835	TOCKSTEINDJ	Yes	No	No	3/22/2007	$ 32,930.00	transfer
CA07118	LAPTOP	C-755-T06		DELL	LATITUDE D800	CN01W890129613863173	TOCKSTEINDJ	Yes	No	No		$ 250.00	
CA07831	COMPUTER (DESKTOP)	C-755-T06		UNISYS	3256DX	418428280	TOCKSTEINDJ	Yes	No	No	5/15/2013	$ 2,500.00	
CA04255	CELLULAR TELEPHONE	C-755-T07		BLACKBERRY	BOLD 9930	A000002623442A	BRAD BERRY	Yes	No	No	4/25/2016	$ 510.00	
CA03230	CPU	C-755-T09		HP	DC5800	2UA9340BXP	LANGDS	Yes	No	No	8/13/2009	$ 550.00	
CA03245	CPU	C-755-T09		HP	DC 5800	2UA9321DX3	JERRELLKL	Yes	No	No	8/21/2009	$ 550.00	
CA03254	CPU	C-755-T09	8-Jan	HP	dc5800	2UA9321DXD	KOCSISJA	Yes	No	No	8/21/2009	$ 550.00	
CA03647	CPU	C-755-T09		DELL	OPTIPLEX 360	29XP1J1	GLASSKD	Yes	No	No	5/2/2011	$ 775.00	
CA04279	CELLULAR TELEPHONE	C-755-T09		BLACKBERRY	9930	A000002627F7BC	RODGERSA	Yes	No	No	2/28/2014	$ 500.00	
CA04311	CPU	C-755-T09		DELL	DCNE	7BSXPH1	DAVISLS	Yes	No	No	5/1/2014	$ 789.00	
CA04335	CPU	C-755-T09		DELL	DCNE	1FSXPH1	PETERSCR	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04339	CPU	C-755-T09		DELL	DCNE	6FSXPH1	SMITHSONHT	Yes	No	No	5/15/2014	$ 789.00	N/A
CA07035	CPU	C-755-T09		HP	PRO 3000 MT	MXL00550WPB		Yes	No	No	2/26/2010	$ 600.00	
CA08175	CELLULAR TELEPHONE	C-755-T09		BLACKBERRY	BOLD 9900	357966049756530	TODD SMITHSON	Yes	No	No	1/2/2015	$ 510.00	
CA10125	CPU	C-755-T09		DELL	OPTIPLEX 380	5HVQMN1	KOCSISJA	Yes	No	No	10/21/2014	$ 600.00	
CA03842	CPU	C-755-T21		DELL	OPTIPLEX 360	DWWS3J1	KOCSISJA	Yes	No	No	5/2/2011	$ 775.00	
CA06608	BIPHASIC AUTOMATED EXTERNAL DEI	C-755-T21		MEDTRONIC	LIFEPAK 500	32187911	HODGESWC	Yes	No	No	2/2/2009	$ 1,150.00	PR 8565
CA07166	CELLULAR TELEPHONE (PDA)	C-755-T21		BLACKBERRY	9650	A000002551A0F1	LATAPROP	Yes	No	No	9/28/2011	$ 500.00	
CA03307	CPU	C-755-T23		HP	PRO 3000 MT	MXL0050WPF	AUSBROOKSKA	Yes	No	No	7/25/2010	$ 600.00	
CA03665	CPU	C-755-T23		DELL	OPTIPLEX 360	7GDQ1J1	JACKSONTD	Yes	No	No	5/2/2011	$ 775.00	
CA10735	CPU	C-755-T23		DELL	OPTIPLEX 360	9MSWTK1	TOCKSTEINDJ	Yes	No	No	4/14/2015	$ 600.00	
CA03710	CPU	C-755-T26		DELL	OPTIPLEX 360	4XHQ3J1	WHITEJD	Yes	No	No	5/2/2011	$ 775.00	
CA08731	CPU	C-757		DELL	3020 SFF		BAKERR	Yes	No	No		$ 600.00	
CA08753	CPU	C-757		DELL	3020 SFF		BAKERR	Yes	No	No		$ 600.00	
CA08772	CPU	C-757		DELL	3020 SFF		BAKERR	Yes	No	No		$ 600.00	
CA08776	CPU	C-757		DELL	3020 SFF		BAKERR	Yes	No	No		$ 600.00	
CA10727	CPU	C-757		DELL	OPTIPLEX 360	BVLWTK1	GOLIGHTLYM	Yes	No	No	4/14/2015	$ 600.00	
CA04222	CELLULAR TELEPHONE	C-764		BLACKBERRY	BOLD 9930	A0000026227C74	Tammy Fugate	Yes	No	No	8/25/2015	$ 500.00	
CA09027	CELLULAR TELEPHONE	C-764 T05		BLACKBERRY		990000810284150	JUSTIN RILEY	Yes	No	No	2/12/2016	$ 399.99	
CA09049	CELLULAR TELEPHONE	C-764 T05		BLACKBERRY	CLASSIC SQC100-5	990000810271199	BARRY KINSAL	Yes	No	No	3/11/2016	$ 399.99	
CA03616	CPU	C-764-T01		DELL	OPTIPLEX 360	5DDQ1J1	LOYDT	Yes	No	No	5/2/2011	$ 775.00	
CA03628	CPU	C-764-T01		DELL	OPTIPLEX 360	6FPP1J1	KOCSISJA	Yes	No	No	5/2/2011	$ 775.00	
CA04283	CELLULAR TELEPHONE	C-764-T01		BLACKBERRY	9930	A0000026278F23	FREELSJP	Yes	No	No	3/11/2014	$ 500.00	
CA04382	PRINTER, NETWORK, LASERJET 600	C-764-T01		HP	M602	CNDCG7F0M6	SPEARP	Yes	No	No	8/11/2014	$ 981.92	LKY-005178
CA04394	CELLULAR TELEPHONE	C-764-T01		BLACKBERRY	9930	A00000262AC67E	KEELING	Yes	No	No	8/27/2014	$ 500.00	NA
CA04496	CPU	C-764-T01	140A	DELL	OPTIPLEX 3020	CPZ2N02		Yes	No	No	6/6/2014	$ 555.00	
CA04567	LAPTOP	C-764-T01		HP	ELITE BOOK 850	CNU416D210	QUINNETTE	Yes	No	No	6/6/2014	$ 209.00	
CA08783	CPU	C-764-T01		DELL	3020 SFF		HYLKOJM	Yes	No	No		$ 600.00	
CA10223	CPU	C-764-T01		DELL	OPTIPLEX 380	5L7TMN1	GALLEGOSA	Yes	No	No	6/16/2015	$ 600.00	
CA10235	CPU	C-764-T01	B-9	DELL	OPTIPLEX 390	HL7DPS1	KOCSISJA	Yes	No	No	1/28/2015	$ 600.00	
CA10236	CPU	C-764-T01	B-18	DELL	OPTIPLEX 380	C5M1LN1	PERRYDK	Yes	No	No	1/28/2015	$ 600.00	
CA10960	CPU	C-764-T01		DELL	OPTIPLEX 380	5LMQMN1	QUINNETTE	Yes	No	No	7/13/2015	$ 600.00	
CA06610	BIPHASIC AUTOMATED EXTERNAL DEI	C-764-T02		MEDTRONIC	LIFEPAK 500	32187910	HODGESWC	Yes	No	No	2/2/2009	$ 1,150.00	PR 8565
CA03239	CPU	C-764-T03	conference room	HP	DC 5800	2UA9321DX0	BELCHERG	Yes	No	No	8/21/2009	$ 550.00	
CA03604	CPU	C-764-T03		DELL	OPTIPLEX 360	6S1P1J1	GILBERTJA	Yes	No	No	5/2/2011	$ 775.00	
CA03633	CPU	C-764-T03		DELL	OPTIPLEX 360	BM4B1J1	BELCHERG	Yes	No	No	5/2/2011	$ 775.00	
CA03716	CPU	C-764-T03		DELL	OPTIPLEX 360	HDPS3J1	CORRIGANGS	Yes	No	No	5/2/2011	$ 775.00	

CA03751	CPU	C-764-T03		DELL	OPTIPLEX 360	5WPN1J1	BELCHERG	Yes	No	No	5/2/2011	$ 775.00	
CA04258	CELLULAR TELEPHONE (PDA)	C-764-T03		BLACKBERRY	9930	A000026237EAE	BELCHERG	Yes	No	No	10/7/2013	$ 500.00	NA
CA06856	CPU	C-764-T03		HP	DC 5800	2UA91714MV	BELCHERG	Yes	No	No	10/30/2009	$ 600.00	
CA10677	CPU	C-764-T03		DELL	OPTIPLEX 380	5K2TMN1	BELCHERG	Yes	No	No	3/25/2015	$ 600.00	
CA03257	CPU	C-764-T04		HP	DC 5800	2UA9321DWZ	JOHNSONJ	Yes	No	No	8/21/2009	$ 550.00	
CA04212	CELLULAR TELEPHONE (PDA)	C-764-T04		BLACKBERRY	9930	A00000261D9A0F	JONESCS	Yes	No	No	7/17/2013	$ 510.00	NA
CA04338	CPU	C-764-T04		DELL	DCNE	6QGNPH1	VICKSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04366	PRINTER	C-764-T04		HP	P5015N	VND3R10117	JONESCS	Yes	No	No	7/7/2014	$ 589.88	LKY-005073
CA07134	PRINTER - NETWORK	C-764-T04		HP	LASERJET P4014N	CNDX406412	DUFFM	Yes	No	No	11/4/2009	$ 898.00	PR 13455
CA03235	CPU	C-764-T05		HP	DC 5800	MXL9161MSN	FORDB	Yes	No	No	8/21/2009	$ 550.00	
CA03876	CPU	C-764-T05		HP	DC 7900	MXL92716	CLARKME	Yes	No	No	10/22/2012	$ 515.00	
CA04220	CELLULAR TELEPHONE	C-764-T05		BLACKBERRY	BOLD 9930	A000002622366F	STEVE TILLEY	Yes	No	No	7/31/2015	$ 199.99	
CA04270	LAPTOP	C-764-T05		HP	ELITEBOOK 8570P	5CB3420WKM	FORDB	Yes	No	No	1/27/2014	$ 1,389.00	LKY-004563
CA04314	CELLULAR TELEPHONE (PDA)	C-764-T05		BLACKBERRY	9930	A000002629E902	JOHNSTONEEF	Yes	No	No	5/27/2014	$ 500.00	NA
CA04374	CELLULAR TELEPHONE	C-764-T05		BLACKBERRY	9930	A00000262A2626	WATSONJR	Yes	No	No	7/25/2014	$ 500.00	NA
CA04380	CELLULAR TELEPHONE	C-764-T05		BLACKBERRY	BOLD 9930	A00000262A56B8	MITCH STEWART	Yes	No	No	7/22/2016	$ 510.00	
CA06821	CPU	C-764-T05		HP	DC 5800	2UA91714N2	ERICKSONJ	Yes	No	No	7/25/2010	$ 600.00	
CA06824	CPU	C-764-T05		HP	DC 5800	2UA91714M4	JOHNSTONEEF	Yes	No	No	7/25/2010	$ 600.00	
CA07005	CPU	C-764-T05		HP	COMPAQ 500 B	MXL9451Y96	WATSONJR	Yes	No	No	10/1/2010	$ 600.00	
CA09090	CELLULAR TELEPHONE	C-764-T05		BLACKBERRY	CLASSIC SQC100-5	990000810282733	BRUCE FORD	Yes	No	No	3/31/2016	$ 399.99	
CA03115	CPU	C-764-T06		HP	DX 2400	MXL8310RSW	LAYNEKS	Yes	No	No	8/25/2008	$ 450.00	
CA03263	CPU	C-764-T06		HP	DC 5800	2UA9360KFV	STEWARTMD	Yes	No	No	9/17/2009	$ 500.00	
CA03763	CPU	C-764-T06		DELL	OPTIPLEX 360	4K4D1J1	HUGENAL	Yes	No	No	5/2/2011	$ 775.00	
CA04274	CELLULAR TELEPHONE (PDA)	C-764-T06		BLACKBERRY	9930	A0000026278261	CLAYTONB	Yes	No	No	2/14/2014	$ 500.00	NA
CA04369	CELLULAR TELEPHONE	C-764-T06		BLACKBERRY	9930	A00000262A25B8	DIETSCHCT	Yes	No	No	7/14/2014	$ 500.00	
CA06783	CELLULAR TELEPHONE (PDA)	C-764-T06		BLACKBERRY	8830	7602726142	DAVISKR	Yes	No	No	8/31/2009	$ 480.00	PRS06-4264
CA06825	CPU	C-764-T06		HP	DC 5800	2UA91714P3	DAVISKR	Yes	No	No	7/25/2010	$ 600.00	
CA07727	DIGITAL CAMERA	C-764-T06		OLYMPUS	STYLUS TOUGH-6000	H34531953	DAVISKR	Yes	No	No	7/25/2010	$ 247.00	
CA07821	CELLULAR TELEPHONE (PDA)	C-764-T06		BLACKBERRY	9930	A00000261CD596	CLARKME	Yes	No	No	4/18/2013	$ 510.00	NA
CA07927	DIGITAL CAMERA H34533585	C-764-T06		OLYMPUS	Stylus Tough 6000	H34533585	DAVISKR	Yes	No	No		$ -	
CA09073	CELLULAR TELEPHONE	C-764-T06		BLACKBERRY	CLASSIC SQC100-5	990000810304271	TODD POWERS	Yes	No	No	3/16/2016	$ 399.99	
CA09085	CELLULAR TELEPHONE	C-764-T06		BLACKBERRY	CLASSIC SQC100-3	990004601680238	LEE CAMPBELL	Yes	No	No	3/16/2016	$ 500.00	
CA03402	COMPUTER (WORKSTATION BUNDLE)	C-764-T07		HP	Z600	2UA0501N9L	MEADOWSBE	Yes	No	No	12/17/2010	$ 3,721.77	PR2378
CA03688	CPU	C-764-T07		DELL	OPTIPLEX 360	CR0P1J1	SCOTTCR	Yes	No	No	5/2/2011	$ 775.00	
CA04269	CELLULAR TELEPHONE (PDA)	C-764-T07		BLACKBERRY	9930	A00000262752D8	CRABTREELS	Yes	No	No	1/24/2014	$ 500.00	NA
CA04318	CPU	C-764-T07		DELL	DCNE	FPGNPH1	VICKSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA06327	PLOTTER / PRINTER	C-764-T07	2-Apr	HP	DESIGNJET 1055CM PLUS;	SG6BFD310H	MEADOWSBE	Yes	No	No	12/11/2007	$ 7,817.00	
CA06572	GPS HANDHELD NAVIGATION SYSTEM	C-764-T07		TRIMBLE	GEOXH 2008 SERIES	4834467668	BOULTONJL2	Yes	No	No	1/1/2008	$ 5,695.00	PRS06-1927
CA06847	CPU	C-764-T07		HP	DC 5800	2UA91714MC	LEGIERM	Yes	No	No	7/25/2010	$ 600.00	
CA07767	CELLULAR TELEPHONE (PDA)	C-764-T07		BLACKBERRY	9930	A00000260AB54B	MORROWJL	Yes	No	No	11/8/2012	$ 510.00	
CA07825	LAPTOP	C-764-T07		DELL	LATITUDE E6530	7YMYWW1	OVERBYTL	Yes	No	No	5/6/2013	$ 938.75	LKY-003886
CA03366	CPU	C-764-T08		HP	DX 2400	MXL9330JZ1	WELSHKT	Yes	No	No	7/16/2010	$ 600.00	
CA03400	COMPUTER (WORKSTATION BUNDLE)	C-764-T08		HP	Z600	2UA0501N9K	NICHOLSD	Yes	No	No	12/17/2010	$ 3,721.77	PR 2378
CA03662	CPU	C-764-T08		DELL	OPTIPLEX 360	6WQ6JG1	DUCKETTCD	Yes	No	No	5/2/2011	$ 775.00	
CA03702	CPU	C-764-T08		DELL	OPTIPLEX 360	7YHQ3J1	BURNETTJS	Yes	No	No	5/2/2011	$ 775.00	
CA04145	CPU	C-764-T08	T8	DELL	OPTIPLEX 3020	73LJK02	KLAPPI	Yes	No	No	8/12/2014	$ 556.00	
CA04377	CELLULAR TELEPHONE	C-764-T08		BLACKBERRY	BOLD 9930	A0000262A5AAD	Dylan Nichols	Yes	No	No	7/31/2015	$ 510.00	
CA06336	VIDEO CAMERA	C-764-T08		CANON	GL2	1.32E+11	NICHOLSD	Yes	No	No	12/10/2007	$ 2,400.00	
CA06729	DIGITAL CAMERA	C-764-T08		NIKON	P-5000 COOL PIX	30301142	NICHOLSD	Yes	No	No	5/19/2009	$ 2,258.00	PR 10471
CA07766	CELLULAR TELEPHONE (PDA)	C-764-T08		BLACKBERRY	9930	A00000260AB5F4	BLEWETTJR	Yes	No	No	11/8/2012	$ 510.00	
CA07820	DIGITAL CAMERA	C-764-T08		NIKON	D7000	3369593	NICHOLSD	Yes	No	No	4/10/2013	$ 1,196.95	PR 9150
CA03386	CPU	C-764-T09		HP	Z600	2UA94308V5	WELSHKT	Yes	No	No	10/1/2010	$ 3,000.00	
CA03752	CPU	C-764-T09		DELL	OPTIPLEX 360	6VYBJG1	TERRELLKA	Yes	No	No	5/2/2011	$ 775.00	
CA03904	CPU	C-764-T09		HP	DC 7900	MXL92716G9	DIETSCHCT	Yes	No	No	10/23/2012	$ 515.00	
CA04242	SCANNER (LARGE FORMAT)	C-764-T09		COLORTRAC	M40	K3042393	FISERKA	Yes	No	No	8/27/2013	$ 4,000.00	LKY-004216
CA04243	PRINTER (IMAGEROGRAF) (plotter)	C-764-T09		CANON	IPF765	AAGW4053	FISERKA	Yes	No	No	8/27/2013	$ 4,000.00	LKY-004216
CA04244	CPU	C-764-T09		ACER	VX66206	32300031701	FISERKA	Yes	No	No	8/27/2013	$ 1,000.00	LKY-004216
CA04815	Data Collector	C-764-T09		Spectro Precision	Ranger/TSC3	RS2PC56552	WELSHKT	Yes	No	No	9/15/2014	$ 5,691.00	LKY-005318
CA06042	HP 48 DATA COLLECTION	C-764-T09		TDS	RECON 200 MODEL GRAY V	FS37A18065 / 1044993	WELSHKT	Yes	No	No	10/1/2004	$ 2,199.00	
CA06858	CPU	C-764-T09		HP	DC 5800	2UA91714LG	TERRELLKA	Yes	No	No	7/25/2010	$ 600.00	
CA07080	DATA COLLECTOR (SURVEY)	C-764-T09		TDS	GNSS (RECON)	DS03A19090	WELSHKT	Yes	No	No	4/1/2010	$ 53,546.61	PRS06-6792
CA07081	DATA COLLECTOR (SURVEY)	C-764-T09		TDS	GNSS (RECON)	DS019091	WELSHKT	Yes	No	No	5/1/2011	$ 22,670.00	PR 13798
CA07215	DATA COLLECTOR (GPS HANDHELD N/	C-764-T09		Recon	400X	D584A4646250	WELSHKT	Yes	No	No	3/9/2011	$ 2,699.10	LKY-001460
CA08920	CELLULAR TELEPHONE	C-764-T09		BLACKBERRY	CLASSIC SQC100-2	358474050991004	Daniel J. Hatton	Yes	No	No	2/12/2016	$ 399.99	
CA08967	CELLULAR TELEPHONE	C-764-T09		BLACKBERRY	CLASSIC SQC100-5	990000802260754	JANA WHITE	Yes	No	No	2/11/2016	$ 399.99	
CA09018	CELLULAR TELEPHONE	C-764-T09		BLACKBERRY		990000810276693	MYRNA REDFIELD	Yes	No	No	3/11/2016	$ 399.99	
CA10740	CPU	C-764-T09	T9	DELL	OPTIPLEX 360	CH9XTK1	TERRELLKA	Yes	No	No	4/14/2015	$ 600.00	
CA03228	CPU	C-764-T10		HP	DC 5800	2UA9340BXR	KNAUSSE	Yes	No	No	8/13/2009	$ 550.00	
CA03247	CPU	C-764-T10		HP	DC 5800	2UA9321DXB	MITCHELLBE	Yes	No	No	8/21/2009	$ 550.00	

CA03401	COMPUTER (WORKSTATION BUNDLE)	C-764-T10		HP	Z600	2UA05009Z5	GARNERLK	Yes	No	No	12/17/2010	$ 3,721.77	PR 2378
CA04217	PRINTER	C-764-T10		HP	LASERJET 600	CNCCF721ZF	MITCHELLBE	Yes	No	No	7/18/2013	$ 981.92	LKY-004111
CA04250	CELLULAR TELEPHONE (PDA)	C-764-T10		BLACKBERRY	9930	A000002623540A	MORGANJW	Yes	No	No	9/9/2013	$ 500.00	NA
CA04256	CELLULAR TELEPHONE	C-764-T10		BLACKBERRY	BOLD 9930	A0000026234466	LEANNE GARNER	Yes	No	No	7/31/2016	$ 199.99	
CA06772	CELLULAR TELEPHONE	C-764-T10		BLACKBERRY	8830	7602728860	JOE TOWARNICKY	Yes	No	No	9/30/2009	$ 510.00	
CA06826	CPU	C-764-T10		HP	DC 5800	2UA91714N9	WHITEJL	Yes	No	No	7/25/2010	$ 600.00	
CA06852	CPU	C-764-T10		HP	DC 5800	2UA91714L7	KNAUSSE	Yes	No	No	10/30/2009	$ 600.00	
CA07009	CPU	C-764-T10		HP	500B	MXL9451Y9K	TOWARNICKYJ	Yes	No	No	10/1/2010	$ 600.00	
CA07150	CELLULAR TELEPHONE (PDA)	C-764-T10		BLACKBERRY	9650	A0000025105839	KNAUSSE	Yes	No	No	11/15/2010	$ 500.00	
CA07324	CELLULAR TELEPHONE (PDA)	C-764-T10		BLACKBERRY	9650	A0000025CC19A7	MITCHELLBE	Yes	No	No	9/28/2011	$ 480.00	
CA08061	CELLULAR TELEPHONE	C-764-T10		BLACKBERRY	BOLD 9900	357966049787972	KAREN WALKER	Yes	No	No	11/7/2014	$ 199.99	
CA04224	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	Z10	99000124049191	Joe Tarantino	Yes	No	No	7/31/2015	$ 500.00	
CA04384	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	BOLD 9930	A00000262AA799	FLUOR FEDERAL SERVIC	Yes	No	No	7/30/2015	$ 510.00	
CA04831	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	BOLD 9930	A00000261B71DE	Kim Terrell	Yes	No	No	7/31/2016	$ 199.99	
CA07330	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	BOLD 9650	A0000025CC1D1F		Yes	No	No	5/10/2016	$ 500.00	
CA07376	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	BOLD 9930	A0000025CE3A48	DONALD ULRICH	Yes	No	No	7/31/2015	$ 199.99	
CA08003	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	BOLD 9900	357966048071055	DAVID STROUP	Yes	No	No	10/28/2014	$ 199.99	
CA08010	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	BOLD 9900	359730050009496	JEFF JONES	Yes	No	No	10/31/2014	$ 199.99	
CA08012	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	BOLD 9900	359730050010643	DAVID MILLER	Yes	No	No	10/27/2014	$ 199.99	
CA08876	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	CLASSIC SQC100-2	358474050987887	PATTY HARRIS	Yes	No	No	2/12/2016	$ 399.99	
CA09129	CELLULAR TELEPHONE	KEVIL		BLACKBERRY	CLASSIC SQC100-3	990004601892387	Cherie Stevens	Yes	No	No	5/13/2016	$ 399.99	
CA03236	CPU	KEVIL-KY	B-26	HP	DC5800	2UA9321DX6		Yes	No	No	8/21/2009	$ 550.00	
CA03294	CPU	KEVIL-KY	C-4	HP	HP PRO 3000 MT	MXL0050WP8		Yes	No	No	2/15/2010	$ 600.00	
CA03319	LAPTOP	KEVIL-KY		HP	COMPAQ 8730w	CNU92924WF	SHAIAGL	Yes	No	No	8/4/2009	$ 1,500.00	
CA03321	LAPTOP	KEVIL-KY	LG CONFERENCE	HP	COMPAQ 6730b	CNU0060F5L	FARINHOLTC	Yes	No	No	3/4/2010	$ 1,200.00	
CA03324	LAPTOP	KEVIL-KY	16-Jun	HP	COMPAQ 6730b	CNU0060F7K	POATTJ	Yes	No	No	7/25/2010	$ 1,200.00	
CA03325	LAPTOP	KEVIL-KY	LG CONFERENCE	HP	COMPAQ 6730b	CNU0055NF3	FARINHOLTC	Yes	No	No	3/4/2010	$ 1,200.00	
CA03387	CPU	KEVIL-KY		HP	Z600	2UA00310X9	REASONJM	Yes	No	No	10/1/2010	$ 3,000.00	
CA03575	CPU	KEVIL-KY	17-Jun	DELL	OPTIPLEX 360	89XP1J1	ULRICHDM	Yes	No	No	5/2/2011	$ 775.00	
CA03579	CPU	KEVIL-KY	A-30	DELL	OPTIPLEX 360	HQHT3J1	HARDINH	Yes	No	No	5/2/2011	$ 775.00	
CA03582	CPU	KEVIL-KY		DELL	OPTIPLEX 360	J8XP1J1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03596	CPU	KEVIL-KY	A-21	DELL	OPTIPLEX 360	8X7Q1J1	TERRELLKA	Yes	No	No	5/2/2011	$ 775.00	
CA03605	CPU	KEVIL-KY		DELL	OPTIPLEX 360	5S1P1J1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03618	CPU	KEVIL-KY	KEVIL EOC	DELL	OPTIPLEX 360	DQJD1J1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03621	CPU	KEVIL-KY	1-Jun	DELL	OPTIPLEX 360	JCDQ1J1	JCONTE	Yes	No	No	5/2/2011	$ 775.00	
CA03624	CPU	KEVIL-KY		DELL	OPTIPLEX 360	1L4D1J1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03632	CPU	KEVIL-KY	D-11	DELL	OPTIPLEX 360	DGDQ1J1	BASSGW	Yes	No	No	5/2/2011	$ 775.00	
CA03641	CPU	KEVIL-KY	B-20	DELL	OPTIPLEX 360	2FDQ1J1	NALLEYRD	Yes	No	No	5/2/2011	$ 775.00	
CA03653	CPU	KEVIL-KY	A-22	DELL	OPTIPLEX 360	CWWS3J1		Yes	No	No	5/2/2011	$ 775.00	
CA03660	CPU	KEVIL-KY	RM B-5	DELL	OPTIPLEX 360	B8XP1J1	BECKR	Yes	No	No	5/2/2011	$ 775.00	
CA03663	CPU	KEVIL-KY		DELL	OPTIPLEX 360	9QHT3J1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03680	CPU	KEVIL-KY		DELL	OPTIPLEX 360	G92P1J1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03689	CPU	KEVIL-KY	5-Jun	DELL	OPTIPLEX 360	JS0P1J1	TILLERT	Yes	No	No	5/2/2011	$ 775.00	
CA03698	CPU	KEVIL-KY	A-19	DELL	OPTIPLEX 360	2R0P1J1	ALLENJ	Yes	No	No	5/2/2011	$ 775.00	
CA03732	CPU	KEVIL-KY		DELL	OPTIPLEX 360	6XV7JG1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03734	CPU	KEVIL-KY	A-26	DELL	OPTIPLEX 360	6XV5JG1	HARRISPG	Yes	No	No	5/2/2011	$ 775.00	
CA03738	CPU	KEVIL-KY		DELL	OPTIPLEX 360	6VZ5JG1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03755	CPU	KEVIL-KY	KEVIL LCR	DELL	OPTIPLEX 360	6VZ1JG1	KOCSISJA	Yes	No	No	5/2/2011	$ 775.00	
CA03760	CPU	KEVIL-KY	A-25	DELL	OPTIPLEX 360	6TZ1JG1	IHNENMW	Yes	No	No	5/2/2011	$ 775.00	
CA03761	CPU	KEVIL-KY	A-27	DELL	OPTIPLEX 360	6VO6JG1	JONESBOB	Yes	No	No	5/2/2011	$ 775.00	
CA03765	CPU	KEVIL-KY		DELL	OPTIPLEX 360	7DDQ1J1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03770	CPU	KEVIL-KY		DELL	OPTIPLEX 360	92WN3J1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA03778	CPU	KEVIL-KY	A-10	DELL	OPTIPLEX 360	4FPS3J1	STEVENSCM	Yes	No	No	5/2/2011	$ 775.00	
CA03824	CPU	KEVIL-KY		DELL	OPTIPLEX 330	6XB6JG1	TILFORDA	Yes	No	No	5/2/2011	$ 775.00	
CA04114	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	92MQK02	ATKINSB	Yes	No	No	8/12/2014	$ 556.00	
CA04118	CPU	KEVIL-KY	B-2	DELL	OPTIPLEX 3020	91LLPK02	WEGNERT	Yes	No	No	8/12/2014	$ 556.00	
CA04134	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	72XHK02	ATKINSB	Yes	No	No	8/12/2014	$ 556.00	
CA04135	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	90WKK02	ATKINSB	Yes	No	No	8/12/2014	$ 556.00	
CA04151	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	92FMK02	ATKINSB	Yes	No	No	8/12/2014	$ 556.00	
CA04155	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	7XLRR12	ATKINSB	Yes	No	No	8/12/2014	$ 556.00	
CA04203	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	8B7DL02	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04213	CELLULAR TELEPHONE (PDA)	KEVIL-KY		BLACKBERRY	9930	A000002621F2AB	MICHAEL PETRONI	Yes	No	No	7/17/2013	$ 510.00	NA
CA04239	PRINTER	KEVIL-KY	5-Jun	HP	LASER JET 4100N	USBNH22401	TILLERT	Yes	No	No	9/4/2013	$ 400.00	NA
CA04304	CPU	KEVIL-KY	16-Jun	DELL	DCNE	87CXPH1	POATTJ	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04305	CPU	KEVIL-KY	A-23	DELL	DCNE	JNSXPH1	TERRELLKA	Yes	No	No	5/1/2014	$ 789.00	
CA04322	CPU	KEVIL-KY	A-31	DELL	DCNE	2NGNPH1	HARDINH	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04330	CPU	KEVIL-KY	A-31	DELL	DCNE	CPSXPH1	HARDINH	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04343	CPU	KEVIL-KY		DELL	DCNE	CHCXPH1	CASPERRL	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04345	CPU	KEVIL-KY		DELL	DCNE	4DCXPH1	KOCSISJA	Yes	No	No	5/15/2014	$ 789.00	N/A

CA04351	CPU	KEVIL-KY		DELL	DCNE	BD5XPH1	VICKSP	Yes	No	No	5/15/2014	$ 789.00	N/A
CA04431	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	FWB3N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04433	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	1D45N02		Yes	No	No	6/6/2014	$ 555.00	
CA04441	CPU	KEVIL-KY	DILBERT	DELL	OPTIPLEX 3020	OGZ13N02	HENDERSONB	Yes	No	No	6/6/2014	$ 555.00	
CA04449	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	8VX2N02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04470	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	FL3PF02	VICKSP	Yes	No	No	6/6/2014	$ 555.00	
CA04493	CPU	KEVIL-KY	POST 1	DELL	OPTIPLEX 3020	HX0RF02	KELLENBERGERM	Yes	No	No	6/6/2014	$ 555.00	
CA04517	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	GD2PF02	ATKINSB	Yes	No	No	6/6/2014	$ 555.00	
CA04538	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	CCM5N02	ATKINSB	Yes	No	No	6/6/2014	$ 555.00	
CA04561	LAPTOP	KEVIL-KY	B-5	HP	ELITE BOOK 850	CNU419BPWZ	BORKOWSKIS	Yes	No	No	6/6/2014	$ 209.00	
CA04563	LAPTOP	KEVIL-KY		HP	ELITE BOOK 850	CNU416D22J	RICHARDSOND	Yes	No	No	6/6/2014	$ 209.00	
CA04568	LAPTOP	KEVIL-KY		HP	ELITE BOOK 850	CNU4416D20G	RNALLEY	Yes	No	No	6/6/2014	$ 209.00	
CA04571	LAPTOP	KEVIL-KY	11-Jan	HP	ELITE BOOK 850	CNU416B0QC	TUTHILLM	Yes	No	No	6/6/2014	$ 209.00	
CA04572	LAPTOP	KEVIL-KY		HP	ELITE BOOK 850		CHRISTMASS	Yes	No	No	6/6/2014	$ 209.00	
CA04573	LAPTOP	KEVIL-KY		HP	ELITE BOOK 850	CNU419BPY0	HICKSC	Yes	No	No	6/6/2014	$ 209.00	
CA04575	LAPTOP	KEVIL-KY	10-Feb	HP	ELITE BOOK 850	CNU419BP27	TUTHILLM	Yes	No	No	6/6/2014	$ 209.00	
CA04576	LAPTOP	KEVIL-KY	10-Feb	HP	ELITE BOOK 850	CNU419BPWM	LEVINEL	Yes	No	No	6/6/2014	$ 209.00	
CA04580	LAPTOP	KEVIL-KY		HP	ELITE BOOK 850	CNU419BPX1	BNICHOLS	Yes	No	No	6/6/2014	$ 209.00	
CA04581	LAPTOP	KEVIL-KY	MIDWEST AVIATI	HP	ELITE BOOK 850	CNU419BPWR	HICKSC	Yes	No	No	6/6/2014	$ 209.00	
CA04593	LAPTOP	KEVIL-KY	13-Jan	HP	ELITE BOOK 850	CNU416D21C	MILLERD	Yes	No	No	6/6/2014	$ 209.00	
CA04599	LAPTOP	KEVIL-KY		HP	ELITE BOOK 850	CNU416D1PN	SBECKETT	Yes	No	No	6/6/2014	$ 209.00	
CA04754	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	7DX2212	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04757	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	C2DMR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04758	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	6VXRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04760	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	5BDMR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04761	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	B7XRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04762	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	CCXRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04765	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	FSFRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04768	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	4YXRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04769	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	4WXRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04775	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	3QXRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04782	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	4TXRR12	ATKINSB	Yes	No	No	11/9/2014	$ 600.00	
CA04783	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	8LFPR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04784	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	F3XRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04786	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	42XRR12	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04792	CPU	KEVIL-KY		DELL	OPTIPLEX 3010	F3TNPV1		Yes	No	No	10/9/2014	$ 600.00	
CA04795	CPU	KEVIL-KY		DELL	OPTIPLEX 3010	22TNPV1	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04796	CPU	KEVIL-KY		DELL	OPTIPLEX 3010	F2TVPV1	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA04835	CELLULAR TELEPHONE	KEVIL-KY		BLACKBERRY	BOLD 9930	A0000025ED37DE	HARDINH	Yes	No	No		$ 500.00	
CA06492	DIGITAL CAMERA	KEVIL-KY	9-Jun	STARDOT TECHNOL	NETCAM XL	0030F4CA0398	REASONJM	Yes	No	No	7/25/2010	$ 899.00	
CA06612	BIPHASIC AUTOMATED EXTERNAL DEI	KEVIL-KY	Break Room	MEDTRONIC	LIFEPAK 500	31114070	HODGESWC	Yes	No	No	12/31/2008	$ 1,150.00	PR 8426
CA06791	PRINTER - NETWORK	KEVIL-KY	A-21	HP	P4014N	CNDX222356	TERRELLKA	Yes	No	No	9/29/2009	$ 1,000.00	PR 13036
CA06828	CPU	KEVIL-KY	4-Jun	HP	DC 5800	2UA91714P8	ADAMSAD	Yes	No	No	7/25/2010	$ 600.00	
CA06832	CPU (ARRA)	KEVIL-KY	B-28	HP	DC 5800	2UA91714Q8	OAKLEYSR	Yes	No	No	7/25/2010	$ 600.00	
CA06841	CPU	KEVIL-KY	C-5	HP	DC 5800	2UA91714QT	JOHNSONSM	Yes	No	No	7/25/2010	$ 600.00	
CA06863	PRINTER - NETWORK	KEVIL-KY	B-21	HP	P4014N	CNDX223349	GRIGGSP	Yes	No	No	11/4/2009	$ 898.00	PR 13455
CA06864	PRINTER - NETWORK	KEVIL-KY	4-Jun	HP	P4014N	CNDX405609	ADAMSAD	Yes	No	No	11/4/2009	$ 898.00	PR 13455
CA06928	PRINTER - NETWORK	KEVIL-KY	C-6	HP	Laserjet	CNDV224149	OAKLEYSR	Yes	No	No	7/25/2010	$ 897.00	PRS06-5408
CA07121	EXTERNAL HARD DRIVE	KEVIL-KY	9-Jun		WD WDBAAF5000 EBK-NES	WCAV55562731	REASONJM	Yes	No	No	3/1/2010	$ 150.00	
CA07135	PRINTER - NETWORK	KEVIL-KY	18-Jun		COLOR LASERJET CP3525D	CNCCB790WC	GLOVERLD	Yes	No	No	9/1/2010	$ 830.22	PR 54
CA07146	LAPTOP	KEVIL-KY	A-7	HP	Elite Book	CND0400VPZ	CAULEYM	Yes	No	No	11/9/2010	$ 1,908.56	LKY-000753
CA07190	PRINTER - NETWORK (COLOR LASERJE	KEVIL-KY	A-3	HP	CP2025	CNGS372432	HARDINH	Yes	No	No	1/18/2011	$ 489.41	PR 2767
CA07208	RECORDER (DIGITAL) VOICE	KEVIL-KY		SONY	ICD-PX820D	SO1-1705455-D	HARDINH	Yes	No	No	1/31/2011	$ 108.28	P-Card
CA07285	PRINTER - NETWORK	KEVIL-KY	A-2	HP	LASERJET CP35250	CNCC9BP07P	CAULEYM	Yes	No	No	9/30/2011	$ 1,100.00	Cost Est.
CA07350	LAPTOP	KEVIL-KY	A-10	HP	8560P ELITEBOOK	5CB1442Y1H	HARDINH	Yes	No	No	11/29/2011	$ 1,191.00	LKY-002329
CA07768	CELLULAR TELEPHONE (PDA)	KEVIL-KY		BLACKBERRY	9930	A0000025154576	CAULEYM	Yes	No	No	12/27/2012	$ 510.00	
CA08738	CPU	KEVIL-KY	DILBERT CONFER	DELL	3020 MT		HENDERSONB	Yes	No	No		$ 600.00	
CA08740	CPU	KEVIL-KY	DILBERT CONFER	DELL	3020 MT		HENDERSONB	Yes	No	No		$ 600.00	
CA08741	CPU	KEVIL-KY	DILBERT CONFER	DELL	3020 MT		HENDERSONB	Yes	No	No		$ 600.00	
CA08756	CPU	KEVIL-KY	DILBERT CONFER	DELL	3020 MT		HENDERSONB	Yes	No	No		$ 600.00	
CA08760	CPU	KEVIL-KY	DILBERT CONFER	DELL	3020 MT		HENDERSONB	Yes	No	No		$ 600.00	
CA08763	CPU	KEVIL-KY	DILBERT CONFER	DELL	3020 MT		HENDERSONB	Yes	No	No		$ 600.00	
CA08764	CPU	KEVIL-KY	DILBERT CONFER	DELL	3020 MT		HENDERSONB	Yes	No	No		$ 600.00	
CA08766	CPU	KEVIL-KY	DILBERT CONFER	DELL	3020 MT		HENDERSONB	Yes	No	No		$ 600.00	
CA10010	CPU	KEVIL-KY		DELL	OPTIPLEX 3020	1P5TV02	ATKINSB	Yes	No	No	10/9/2014	$ 600.00	
CA10012	CPU	KEVIL-KY	10-Jan	DELL	OPTIPLEX 3020	HJ5TV02	MURPHYC	Yes	No	No	10/9/2014	$ 600.00	
CA10038	CPU	KEVIL-KY		DELL	OPTIPLEX 380	SJHTMN1	HARDINH	Yes	No	No	10/21/2014	$ 600.00	
CA10260	CPU	KEVIL-KY	DILBERT	DELL	OPTIPLEX 3020	HWYWFZ1	HENDERSONB	Yes	No	No	1/28/2015	$ 600.00	
CA10678	CPU	KEVIL-KY	8-Jan	DELL	OPTIPLEX 380	5J4RMN1	MULRYM	Yes	No	No	3/25/2015	$ 600.00	

CA10846	CPU	KEVIL-KY		DELL	OPTIPLEX 360	GH9XTK1	TILFORDA	Yes	No	No	5/6/2015	$	600.00
CA03682	CPU	LIBERTYDRIVE	AA2	DELL	OPTIPLEX 360	6XPBJG1	WRIGHTWR	Yes	No	No	5/2/2011	$	775.00
CA04559	CPU	LIBERTYDRIVE		DELL	OPTIPLEX 3020	F41RF02	WHEATLEYM	Yes	No	No	6/6/2014	$	555.00
CA10159	CPU	POST 15		DELL	OPTIPLEX 390	DC48WR1	GRAYE	Yes	No	No	12/1/2014	$	600.00
CA04435	CPU	POST 48		DELL	OPTIPLEX 3020	6Y35N02	VICKSP	Yes	No	No	6/6/2014	$	555.00
CA08001	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050011385	PAUL BROOKS KREITZ	Yes	No	No	10/27/2014	$	199.99
CA08007	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049788053	ROBERT WILLIAM "ROB	Yes	No	No	10/27/2014	$	199.99
CA08011	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050013019	MIKE LEDGERWOOD	Yes	No	No	10/28/2014	$	199.99
CA08019	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049560213		Yes	No	No	11/7/2014	$	199.99
CA08024	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049993703	BRUCE SCHWEITZER	Yes	No	No	10/28/2014	$	199.99
CA08025	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050009611	WILLIAM MATHIS	Yes	No	No	10/31/2014	$	199.99
CA08026	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966048141171	CRAIG WILLET	Yes	No	No	10/28/2014	$	199.99
CA08027	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050006849	ROBERT "BLAIR" RUDD	Yes	No	No	10/31/2014	$	199.99
CA08029	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050009587	DARRELL HOWARD	Yes	No	No	10/31/2014	$	199.99
CA08030	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050007656	BRIAN HOWARD	Yes	No	No	10/28/2014	$	199.99
CA08031	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050007649	APRIL TILFORD	Yes	No	No	10/28/2014	$	199.99
CA08035	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050009660	TOM RUTHERFORD	Yes	No	No	10/28/2014	$	199.99
CA08038	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050010650	BOB FARTHING	Yes	No	No	10/28/2014	$	199.99
CA08042	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050013126	DALE WAYNE DONOHO	Yes	No	No	10/30/2014	$	199.99
CA08044	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050010668	MICHAEL "CALVIN" PIT	Yes	No	No	10/28/2014	$	199.99
CA08052	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049788038	TAMMIE POAT	Yes	No	No	11/3/2014	$	199.99
CA08065	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049794242	HEATHER GRUBBS	Yes	No	No	10/31/2014	$	199.99
CA08066	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049787980	TRENT FIELDS	Yes	No	No	10/31/2014	$	199.99
CA08069	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049786479	DON GOEBEL	Yes	No	No	10/30/2014	$	199.99
CA08074	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049786735	WAYNETTE ROBERSON	Yes	No	No	10/31/2014	$	199.99
CA08082	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050007367	JONATHAN MILLER	Yes	No	No	11/3/2014	$	199.99
CA08084	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050010882	CHRISTOPHER CLINT BA	Yes	No	No	10/28/2014	$	199.99
CA08096	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049916126	DAVID WINDHORST	Yes	No	No	10/28/2014	$	199.99
CA08099	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050009538	TERRY FLETCHER	Yes	No	No	10/28/2014	$	199.99
CA08114	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049788012	MIKE HAYDEN	Yes	No	No	11/5/2014	$	199.99
CA08116	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049787618	RICK GREEN	Yes	No	No	11/5/2014	$	199.99
CA08121	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357996047547923	MATT MAURER	Yes	No	No	11/4/2014	$	199.99
CA08125	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049788327	SUSAN ROBERTS	Yes	No	No	10/31/2014	$	199.99
CA08126	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049788780	DARON SILLS	Yes	No	No	11/3/2014	$	199.99
CA08128	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049786404	JD SOHL	Yes	No	No	11/13/2014	$	199.99
CA08152	CELLULAR TELEPHONE			AT&T	UNITE	14113001499768	GWEN NALLS	Yes	No	No	11/7/2014	$	199.00
CA08153	CELLULAR TELEPHONE			AT&T	UNITE	14113001500052	RICHARD WILLIAMS	Yes	No	No	11/11/2014	$	199.00
CA08156	CELLULAR TELEPHONE			AT&T	UNITE	14113001499891	PAUL BROOKS KREITZ	Yes	No	No	3/6/2015	$	199.00
CA08160	MOBILE HOT SPOT			AT&T	UNITE	14113001500110	JESSICA KOCSIS PEDERS	Yes	No	No	10/31/2015	$	199.00
CA08179	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966047236345	STEVEN CHRISTMAS	Yes	No	No	1/2/2015	$	199.99
CA08180	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049755631	ROBERT "BOB" PAUL M	Yes	No	No	1/2/2015	$	199.99
CA08182	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049757132	ERIN WHITNEY BURKET	Yes	No	No	1/2/2015	$	199.99
CA08183	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049757165	JOE NELSON	Yes	No	No	1/2/2015	$	199.99
CA08186	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049597868	JEFF MCALPIN	Yes	No	No	1/2/2015	$	199.99
CA08192	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049418677	STEFANIE FOUNTAIN	Yes	No	No	1/2/2015	$	199.99
CA08195	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	359730050157956	CHRIS GRANDE	Yes	No	No	1/2/2015	$	199.99
CA08221	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049755433	DAVID RIGDON	Yes	No	No	1/2/2015	$	199.99
CA08233	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049754345		Yes	No	No	1/12/2015	$	199.99
CA08234	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049751937	SHARMAN ROSE BOOKE	Yes	No	No	1/8/2015	$	199.99
CA08236	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049745384	CHARLES "KEITH" ROAC	Yes	No	No	1/12/2015	$	199.99
CA08238	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049755698	JOHN "DEREK" STULTS	Yes	No	No	1/12/2015	$	199.99
CA08239	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049748107	LUKE THOMIS	Yes	No	No	1/12/2015	$	199.99
CA08241	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966049755490	SAM WATSON	Yes	No	No	1/12/2015	$	199.99
CA08461	CAMERA					902061012743	Deveda N. Gray	Yes	No	No	3/17/2016	$	-
CA08485	cellelur telephone			BLACKBERRY	BOLD 9900	357966048261284	RANDAL COX	Yes	No	No	7/31/2015	$	199.99
CA08486	Cellular Telephone			BLACKBERRY	BOLD 9900	357966048267299	JARROD COULSON	Yes	No	No	7/31/2015	$	199.99
CA08487	Cellular Telephone			BLACKBERRY	BOLD 9900	357966048265699	JULIE WOODS	Yes	No	No	7/31/2015	$	199.99
CA08488	Cellular Telephone			BLACKBERRY	BOLD 9900	357966048261672	Clay Slusmeyer	Yes	No	No	7/31/2015	$	199.99
CA08491	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966048257837	MICHAEL YARBROUGH	Yes	No	No	7/31/2015	$	199.99
CA08492	Cellular Telephone			BLACKBERRY	BOLD 9900	357966048263975	Stacy L. Cook	Yes	No	No	7/31/2015	$	199.99
CA08494	Cellular Telephone			BLACKBERRY	BOLD 9900	357966048259379	TENTON CORNELIUS	Yes	No	No	7/31/2015	$	199.99
CA0883	HP LASERJET PRINTER			HEWLETT PACKARD	LASERJET PRO400	CNDFF07126	STAN SHUEMAKER	Yes	No	No	9/2/2015	$	369.99
CA08831	HP LASERJET PRINTER			HEWLETT PACKARD	LASERJET PRO400	CNDFF07158	STAN SHUEMAKER	Yes	No	No	9/2/2015	$	369.99
CA08835	PRINTER			HEWLETT PACKARD	LASERJET PRO400	CNDFG04728	STAN SHUEMAKER	Yes	No	No	9/2/2015	$	369.99
CA08836	HP LASERJET PRINTER			HEWLETT PACKARD	LASERJET PRO400	CNDFG04729	STAN SHUEMAKER	Yes	No	No	9/2/2015	$	369.99
CA08837	PRINTER			HEWLETT PACKARD	LASERJET PRO400	CNDFF07162	STAN SHUEMAKER	Yes	No	No	9/2/2015	$	369.99
CA08882	CELLULAR TELEPHONE			BLACKBERRY	CLASSIC SQC100-2	35847405981757	DARYL TUBBS	Yes	No	No	2/11/2016	$	399.99
CA08884	CELLULAR TELEPHONE			BLACKBERRY	CLASSIC SQC100-2	358474051031016	STEVEN WEBB DRAKE	Yes	No	No	2/12/2016	$	399.99
CA08886	CELLULAR TELEPHONE			BLACKBERRY	CLASSIC SQC100-2	358474051014111	KEVIN MCNICHOLS	Yes	No	No	2/11/2016	$	399.99

CA08900	CELLULAR TELEPHONE			BLACKBERRY	CLASSIC SQC100-2	358474051006851	GREG BARR	Yes	No	No	2/12/2016	$ 399.99	
CA08914	CELLULAR TELEPHONE			BLACKBERRY	CLASSIC SQC100-2	358474050998561	JANET ELLIOT	Yes	No	No	2/12/2016	$ 399.99	
CA08916	CELLULAR TELEPHONE			BLACKBERRY	CLASSIC SQC100-2	358474050999155	DONNIE BROWN	Yes	No	No	2/12/2016	$ 399.99	
CA08921	CELLULAR TELEPHONE			BLACKBERRY	CLASSIC SQC100-2	358474050998421	BEN CROCKER	Yes	No	No	2/12/2016	$ 399.99	
CA08938	TELEPHONE CELLULAR			BLACKBERRY	CLASSIC SQC100-2	358474051099948	JASON LAWRENCE	Yes	No	No	2/12/2016	$ 399.99	
CA08966	CELLULAR TELEPHONE			BLACKBERRY	CLASSIC SQC100-2	358474050259907	Gary Wilson	Yes	No	No	2/12/2016	$ 399.99	
CA09025	CELLULAR TELEPHONE			BLACKBERRY		990000810286080	TERESA STEPHENS	Yes	No	No	3/7/2016	$ 399.99	
CA10930	Cellular Telephone			BLACKBERRY	BOLD 9900	357966047899118		Yes	No	No	5/27/2015	$ 199.99	
CA10934	Cellular Telephone			BLACKBERRY	BOLD 9900	357966045324226		Yes	No	No	5/27/2015	$ 199.90	
CA10940	Cellular Telephone			BLACKBERRY	BOLD 9900	357966047911947		Yes	No	No	5/27/2015	$ 199.90	
CA10941	Cellular Telephone			BLACKBERRY	BOLD 9900	357966048593983		Yes	No	No	5/27/2015	$ 199.99	
Ca10942	Cellular Telephone			BLACKBERRY	BOLD 9900	357966048066634		Yes	No	No	5/27/2015	$ 199.99	
CA11074	Celluar Telephone			BLACKBERRY	BOLD 9900	357966047722765		Yes	No	No	6/18/2015	$ 199.99	
CA11077	CELLULAR TELEPHONE			BLACKBERRY	BOLD 9900	357966047903241	Johnathan D. Feiler	Yes	No	No	6/23/2185	$ 199.99	
												$ 2,606,187.57	

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	501	30039	C74043	C100	ADMINISTRATION BUILDING - A "U" SHAPED	N/A	50	19540	3610793	600	0	41182	21330	712	0	0
2	501	30040	C74044	C100	ELECTRIC LIGHTING SYSTEM - COMPLETE LIGH	N/A	50	19540	371409	600	0	41182	21330	712	0	0
2	501	30041	C74045	C100	PLUMBING AND DRAINAGE - PIPING FOR SANIT	N/A	50	19540	220471	600	0	41182	21330	712	0	0
2	501	30042	C74046	C100	HEATING AND VENTILATION - A FORCED AIR H	N/A	50	19540	1135138	600	0	41182	21330	712	0	0
2	501	30043	C74047	C100	ELECTRIC POWER SYSTEM - BUILDING POWER S	N/A	50	19540	203212	600	0	41182	21330	712	0	0
2	735	35617	C70656	C100	HEATER EXCHANGER MONEL APPROX. OZ 8'5/	116254	20	20851	2417	240	0	41182	20040	669	0	0
2	501	49300	C82086	C100	ELEVATOR PASSENGER A FULLY AUTOMATIC PA	N/A	50	30102	79156	600	131.9266667	41182	10920	365	235	31002.76667
2	620	50183	C74628	C100	SMOKE DETECTION SYSTEM. 15 SMOKE AND TH	N/A	25	26480	37919	300	0	41182	14490	484	0	0
2	610	50274	C74716	C100	A MOTION DETECTION SYSTEM IS INSTALLED I	N/A	25	29189	29596	300	0	41182	11820	395	0	0
2	610	50346	C74784	C100	THE INTRUSION DETECTION SYSTEM DATA SER	N/A	25	30772	218736	300	0	41182	10260	343	0	0
2	501	30156	C74143	C100T4	STORAGE BUILDING- A ONE STORY BUTLER BUI	N/A	40	19905	33514	480	0	41182	20970	700	0	0
2	735	30228	C74214	C100T4	C-531-1 COMPRESSED AIR SYSTEM IS DESIGNE	N/A	25	19267	22961	300	0	41182	21600	721	0	0
2	550	30263	C74248	C100T4	TOWER BASIN-PIT-FLUM. C-633-2 COOLING T	N/A	50	19449	1191120	600	0	41182	21420	715	0	0
2	550	30264	C74249	C100T4	COOL WTR PIPE-VALVES. C-633-2 COOLING W	N/A	15	19449	46496	180	0	41182	21420	715	0	0
2	550	30265	C74250	C100T4	ELEC LIGHT-POWER SYS. C-^33-2 ELECTRIC	N/A	15	19449	233269	180	0	41182	21420	715	0	0
2	550	30396	C74376	C100T4	TOWER BASIN-PIT-FLUM. C-637-2 COOLING T	N/A	50	19936	1224899	600	0	41182	20940	699	0	0
2	550	30397	C74377	C100T4	C-637-2 COOLING TWR. C-637-2 COOLING TO	N/A	15	19936	1159133	180	0	41182	20940	699	0	0
2	550	30398	C74378	C100T4	COOL WTR PIPE-VALVES. C-637-2 COOLING W	N/A	15	19936	43159	180	0	41182	20940	699	0	0
2	550	30399	C74379	C100T4	ELEC LIGHT-POWER SYS. C-637-2 ELECTRIC	N/A	15	19936	112124	180	0	41182	20940	699	0	0
2	735	46259	C82213	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24068 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46260	C82214	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24168 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46261	C82925	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24268 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46262	C82926	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24368 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46263	C82215	C100T4	GEAR REDUCER COOLING TOWER GEAR REDUCER	32 1T24468 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46264	C82927	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24568 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46265	C82928	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24668 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46266	C82929	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24768 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46267	C82930	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24868 4486	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46268	C82931	C100T4	REDUCER GEAR COOLING TOWER GEAR REDUCE	32 1T24968 4886	20	27972	5469	240	0	41182	13020	435	0	0
2	735	46619	C82932	C100T4	GEAR REDUCER WESTINGHOUSE STYLE 76R610	7610 2	20	28945	12752	240	0	41182	12060	403	0	0
2	735	46620	C82216	C100T4	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7611 3	20	28945	12752	240	0	41182	12060	403	0	0
2	735	46621	C82217	C100T4	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7611 4	20	28945	12752	240	0	41182	12060	403	0	0
2	735	46622	C82460	C100T4	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7611 5	20	28945	12752	240	0	41182	12060	403	0	0
2	735	46627	C82238	C100T4	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7612 10	20	28945	12752	240	0	41182	12060	403	0	0
2	735	46945	C82228	C100T4	MOTOR 100 HP MODEL TBFC NEMA DESIGN B	7605	20	28945	5350	240	0	41182	12060	403	0	0
2	735	46946	C82229	C100T4	MOTOR 100 HP WESTINGHOUSE MODEL TBFC	7605	20	28945	5350	240	0	41182	12060	403	0	0
2	735	46947	C82230	C100T4	MOTOR 100 HP WESTINGHOUSE MODEL TBFC	7605	20	28945	5350	240	0	41182	12060	403	0	0
2	735	46948	C82231	C100T4	MOTOR 100 HP WESTINGHOUSE MODEL TBFC	7605	20	28945	5350	240	0	41182	12060	403	0	0
2	610	48516	C81946	C100T4	PUBLIC ADDRESS AMPLIFIER OUTPUT POWER 2	A 24347	15	29433	648	180	0	41182	11580	387	0	0
2	610	48518	C81955	C100T4	PUBLIC ADDRESS AMPLIFIER OUTPUT POWER 2	A 24387	15	29433	648	180	0	41182	11580	387	0	0
2	725	48560	C73523	C100T4	TRAILER MOBILE OFFICE PORTABLE MOBILE	N/A	10	30041	17500	120	0	41182	10980	367	0	0
2	735	49232	C82233	C100T4	GEAR REDUCER RIGHT ANGLE COOLING TOWER	531269	20	30041	7555	240	0	41182	10980	367	0	0
2	735	49233	C82234	C100T4	GEAR REDUCER RIGHT ANGLE COOLING TOWER	531256	20	30041	7555	240	0	41182	10980	367	0	0
2	735	49238	C82235	C100T4	GEAR REDUCER RIGHT ANGLE COOLING TOWER	531259	20	30041	7555	240	0	41182	10980	367	0	0
2	501	50005	C74468	C100T4	ELECTRIC LIGHTING SYSTM - CONSISTS OF AL	N/A	50	20820	14859	600	0	41182	20070	670	0	0
2	501	50006	C74469	C100T4	ELECTRIC POWER SYSTEM - THIS SYSTEM PROV	N/A	50	20820	14859	600	0	41182	20070	670	0	0
2	501	50007	C74470	C100T4	HEAT AND VENTILATING SYSTEM CONSISTS OF	N/A	50	20820	24438	600	0	41182	20070	670	0	0
2	501	50008	C74471	C100T4	PLUMB DRAIN SYSTEM	N/A	50	20820	12381	600	0	41182	20070	670	0	0
2	501	50010	C74473	C100T4	C-724 AUXILLARY MAINTENANCE FACILITY CON	N/A	50	20820	228007	600	0	41182	20070	670	0	0
2	501	50169	C74615	C100T4	CLF3 CYL STORE BUILDING C-742-A IS A P	N/A	40	26023	4988	480	0	41182	14940	499	0	0
2	501	50230	C74674	C100T4	LUMBER STORAGE SHELTER C-746-JA PREFABR	N/A	40	28064	62984	480	131.2166667	41182	12930	432	48	6298.4
2	735	50239	C74683	C100T4	AN INDEPENDENT UF6 DETECTION SYSTEM WIT	N/A	25	28276	16239	300	0	41182	12720	425	0	0
2	735	50327	C74768	C100T4	COMPRESSORS	N/A	40	30194	6259371	480	13040.35625	41182	10830	362	118	1538762.038
2	735	51528	C51528	C100T4	AIR COMPRESSOR MODEL 7T2X10 SINGLE STA	30T594289	25	31716	5506	300	0	41182	9330	312	0	0
2	735	51529	C51529	C100T4	AIR COMPRESSOR	30T594290	25	31716	5504	300	0	41182	9330	312	0	0
2	735	51530	C51530	C100T4	AIR COMPRESSOR SAME AS C-51528 AIR COMP	30T594293	25	31716	5504	300	0	41182	9330	312	0	0
2	735	51531	C51531	C100T4	AIR COMPRESSOR SAME AS C51528 AIR COMPR	30T594703	25	31716	5504	300	0	41182	9330	312	0	0
2	735	51865	C51865	C100T4	FIBERGLASS TANK 5000 GAL CAP CONSTRUCTE	29655	40	32812	12926	480	26.92916667	41182	8250	276	204	5493.55
2	501	4860001		C100T5	TEMPORARY OFFICE	N/A	30	36053	0	360	0	41182	5055	169.5	190.5	0
2	501	4860002		C100T6	TEMPORARY OFFICE	N/A	30	36053	0	360	0	41182	5055	169.5	190.5	0
2	735	14240	C73299	C101	UNIT HEATER FAN SIZE 2H10 FOR ADDITION	N/A	25	19663	1328	300	0	41182	21210	708	0	0
2	501	30114	C74107	C101	CAFETERIA BUILDING - A "T" SHAPED ON STO	N/A	50	19663	563474	600	0	41182	21210	708	0	0
2	501	30115	C74108	C101	ELECTRIC LIGHTING SYSTEM - INCLUDES THE	N/A	50	19663	55064	600	0	41182	21210	708	0	0
2	501	30116	C74109	C101	PLUMBING AND DRAINAGE - INCLUDES SANITAR	N/A	50	19663	124288	600	0	41182	21210	708	0	0
2	501	30117	C74110	C101	HEATING AND VENTILATION SYSTEM - INCLUDE	N/A	50	19663	430186	600	0	41182	21210	708	0	0
2	501	30118	C74111	C101	ELECTRICA POWER SYSTEM - INCLUDES THE PO	N/A	50	19663	88657	600	0	41182	21210	708	0	0
2	615	47462	C82206	C101	FIRE PROTECTION SYSTEM MODEL D 46070 C	1202	30	28733	31862	360	0	41182	12270	410	0	0
2	501	30033	C74038	C102	HOSPITAL BUILDING - A RECTANGULAR SHAPED	N/A	50	19632	419757	600	0	41182	21240	709	0	0
2	501	30034	C74039	C102	ELECTRICA LIGHTING SYSTEM - COMPLETE LIG	N/A	50	19632	66827	600	0	41182	21240	709	0	0
2	501	30035	C74040	C102	PLUMBING AND DRAINAGE - PIPING FOR HOT A	N/A	50	19632	131041	600	0	41182	21240	709	0	0
2	501	30036	C74041	C102	HEATING AND VENTILATION - A YEAR-AROUND	N/A	50	19632	333793	600	0	41182	21240	709	0	0
2	501	30037	C74042	C102	ELECTRICAL POWER SYSTEM - BUILDING POWER	N/A	50	19632	72166	600	0	41182	21240	709	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	725	50390	50390	C102T1	TRAILER MOBILE DW DOUBLEWIDE APPROX.	102 T01	10	33877	116262	120	0	41182	7200	241	0	0
2	725	50391	50391	C102T2	TRAILER MOBILE DOUBLEWIDE APPROX. 28'	102 T02	10	33877	116262	120	0	41182	7200	241	0	0
2	725	50392	50392	C102T3	TRAILER MOBILE DOUBLEWIDE APPROX. 28'	102 T03	10	33877	116262	120	0	41182	7200	241	0	0
2	725	50393	50393	C102T4	TRAILER MOBILE DOUBLEWIDE APPROX. 28'	102 T04	10	33877	116262	120	0	41182	7200	241	0	0
2	725	50394	50394	C102T5	TRAILER MOBILE DOUBLEWIDE APPROX. 28'	102 T05	10	33877	116262	120	0	41182	7200	241	0	0
2	725	50395	50395	C102T6	TRAILER MOBILE DOUBLEWIDE APPROX. 28'	102 T06	10	33877	116260	120	0	41182	7200	241	0	0
2	735	48232	C81355	C200	COMPRESSOR AIR - MODEL KA15E3 FOR BREA	911675	25	29280	8607	300	0	41182	11730	392	0	0
2	735	48891	C81382	C200	THE OUTSIDE AIR FILTER UNIT IS FABRICATE	NONE	20	29859	19253	240	0	41182	11160	373	0	0
2	735	51258	C51258	C200	GENERATOR SET MODEL NO. 50R0Z281 ELECT	168510	20	31412	70085	240	0	41182	9630	322	0	0
2	735	51652	C51652	C200	CAMERA PIPE INSPECTION CRAWLER SYSTEM F	N/A	10	32263	55553	120	0	41182	8790	294	0	0
2	501	50270	C74712	C201	C-201 STORAGE BUILDING. A 24' X 36' PRE	N/A	40	29098	39969	480	83.26875	41182	11910	398	82	6828.0375
2	501	4860004		C201A	EMERGENCY EQUIPMENT AND STORAGE BUILDING	N/A	30	36053	0	360	0	41182	5055	169.5	190.5	0
2	501	4860005		C201B	EMERGENCY EQUIPMENT AND STORAGE BUILDING	N/A	30	36053	0	360	0	41182	5055	169.5	190.5	0
2	501	4860006		C201C	EMERGENCY EQUIPMENT AND STORAGE BUILDING	N/A	30	36053	0	360	0	41182	5055	169.5	190.5	0
2	501	50354	C80546	C202	C-202 GUARD TRAINING BLDG BUILDING CONS	N/A	50	31716	988856	600	1648.093333	41182	9330	312	288	474650.88
2	501	50276	C74718	C203	EMERGENCY VEHICLE SHELTER C-203 A PREFA	ESO 14485 SC627	40	29220	50274	480	104.7375	41182	11790	394	86	9007.425
2	501	4860007		C206	PUMPER DRAFTER PIT	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860008		C206A	STORAGE TRALER	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860009		C206B	SMOKE TRAINING	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860010		C207	FIRE TRAINING FACILITY	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860011		C212	OFFICE BUILDING	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860012		C212A	MAIN GUARD POST (GATE 15)	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	30371	C74351	C215	SECURITY PEDISTRIAN PORTAL CONSISTS OF	N/A	50	20971	18739	600	0	41182	19920	665	0	0
2	501	50342	C74780	C216	GUARD PORTAL C-216 THE C-216 GUARD POST	N/A	10	30375	43885	120	0	41182	10650	356	0	0
2	615	30288	C74273	C220A	ELECTRIC DIST SYSTEM (BUILDING C220A WAS	N/A	30	19267	25420850	360	0	41182	21600	721	0	0
2	610	30286	C74271	C220D1	COMMUNICATION SYSTEM - A VAST VERY COMP	N/A	30	19298	2536731	360	0	41182	21570	720	0	0
2	0	52687	C52687	C220D2	TELEPHONE SYSTEM - (PROCESS) PBX TELEPHO	N/A	30	34894	0	360	0	41182	6196	207.5333333	152.4666667	0
2	610	4860155	4860155	C220D2	PAX TELEPHONE SYSTEM	N/A	30	36796	0	360	0	41182	4323	145.1	214.9	0
2	650	30295	C74280	C230A	SAN + FIRE WATER DIS. SANITARY AND LOW	N/A	40	19267	4594267	480	0	41182	21600	721	0	0
2	640	30298	C74283	C230B	SANITARY SEWERS. SANITARY SEWERS - THIS	N/A	30	19359	737823	360	0	41182	21510	718	0	0
2	460	30282	C74267	C230C	STORM SEWERS AND DRAINS - THE STORM SEWE	N/A	40	19298	3847832	480	0	41182	21570	720	0	0
2	650	30297	C74282	C230D	CHILLED WATER SYSTEM. CHILLED WATER SYS	N/A	30	19298	209832	360	0	41182	21570	720	0	0
2	650	30294	C74279	C230E	PLANT WATER DIST. PLANT WATER DISTRIBUT	N/A	40	19267	1963862	480	0	41182	21600	721	0	0
2	0	52688	C52688	C230F	PROCESS WASTEWATER SYSTEM - WATER FROM C	N/A	40	34894	0	480	0	41182	6196	207.5333333	272.4666667	0
2	650	4860156	4860156	C230F	PROCESS WASTE WATER SYSTEM	N/A	30	36796	0	360	0	41182	4323	145.1	214.9	0
2	650	30296	C74281	C230G	RECIRCULATED WATER SYSTEM OUTSIDE RECIRC	N/A	40	19267	13036493	480	0	41182	21600	721	0	0
2	0	52689	C52689	C230H	HIGH - PRESSURE FIRE WATER SYSTEM - A RE	N/A	30	34894	0	360	0	41182	6196	207.5333333	152.4666667	0
2	650	4860157	4860157	C230H	HIGH PRESSURE FIRE WATER SYSTEM	N/A	30	36796	0	360	0	41182	4323	145.1	214.9	0
2	735	50340	C74778	C230J	PROCESS WASTE HEAT UTILIZATION PIPING CO	N/A	40	30347	880499	480	1834.372917	41182	10680	357	123	225627.8688
2	735	30301	C74286	C232A	C-335 ELECTRIC LIGHTING SYSTEM-THIS SYST	N/A	25	19359	259792	300	0	41182	21510	718	0	0
2	735	30300	C74285	C232B	DRY AIR DISTRIBUTION SYSTEM CONSISTS PRI	N/A	25	19298	1946701	300	0	41182	21570	720	0	0
2	735	30460	C74431	C232C	OXY ACETY PIPING- CONSISTS OF OUTSIDE PI	N/A	25	20514	23273	300	0	41182	20370	680	0	0
2	645	30292	C74277	C232D	STEAM DISTRIBUTION SYSTEM - THE STEAM IS	N/A	25	19298	3027414	300	0	41182	21570	720	0	0
2	625	50185	C74630	C232E	GAS TELEMETERING. GAS TELEMETERING STAT	N/A	25	26572	2576	300	0	41182	14400	481	0	0
2	735	14444	C82338	C300	FAN SILENTVANE SIZE 115 STYLE 9A31051	NP50073 A	20	19571	3101	240	0	41182	21300	711	0	0
2	735	14452	C82339	C300	BATTERY CHARGER AC 460 VOLTS DC 129 VO	GEH 1495	10	19571	3023	120	0	41182	21300	711	0	0
2	610	14459	C82092	C300	MASTER CONSOLE #1 TYPE 1017 MODEL 114	1141	30	19298	4551	360	0	41182	21570	720	0	0
2	610	14460	C82094	C300	MASTER CONSOLE #2 TYPE 1017 MODEL 114	114.3	30	19298	4551	360	0	41182	21570	720	0	0
2	610	14461	C82093	C300	EMERGENCY COMM. CONSOLE TYPE 1017 MODE	114.2	30	19298	3997	360	0	41182	21570	720	0	0
2	501	30142	C74129	C300	C-300 CENTRAL CONTROL BUILDING - A LOW	N/A	50	19571	865460	600	0	41182	21300	711	0	0
2	735	30143	C74130	C300	ELECTRIC POWER SYSTEM COVERS THE AC-DC P	N/A	30	19571	176754	360	0	41182	21300	711	0	0
2	501	30144	C74131	C300	PLUMBING AND DRAINAGE - COVERS THE FLOOR	N/A	50	19571	30228	600	0	41182	21300	711	0	0
2	501	30145	C74132	C300	HEATING VENTILATING AND AIR CONDITIONIN	N/A	50	19571	99162	600	0	41182	21300	711	0	0
2	735	30146	C74133	C300	INSTRUMENTATION CONVERS ALL PANELS BOARD	N/A	25	19571	1692792	300	0	41182	21300	711	0	0
2	501	30147	C74134	C300	ELECTRIC LIGHTING SYSTEM - COVERS THE NO	N/A	50	19571	75422	600	0	41182	21300	711	0	0
2	610	47854	C73581	C300	X CONSOLE REMOTE CONTROL MODEL T1600BM	222CCL1472	30	28975	0	360	0	41182	12030	402	0	0
2	610	47855	C74792	C300	X CONSOLE REMOTE CONTROL MODEL T1600BM	222CCL1473	30	28975	0	360	0	41182	12030	402	0	0
2	610	47858	C73582	C300	TERMINAL PAX DIAL MODEL NO E09DAL1000AR	T54M82	30	28975	9888	360	0	41182	12030	402	0	0
2	610	47941	C74795	C300	X CONSOLE REMOTE CONTROL MODEL NO. T160	222CD0279	30	29341	1272	360	0	41182	11670	390	0	0
2	610	48363	C82091	C300	ONE HUNDRED (100) FT TELL STEEL RADAR AN	N/A	30	29555	26117	360	0	41182	11460	383	0	0
2	735	50100	C74552	C300	AUTOMATIC CASCADE LOAD CONTROLLER CONSIS	N/A	20	22950	23575	240	0	41182	17970	600	0	0
2	470	50338	C74776	C300	PARKING LOT EXPANSION C-300 THE EXISTING	N/A	30	30285	9267	360	25.74166667	41182	10740	359	1	25.74166667
2	735	50368	50368	C300	TV SAMERA SYS. REMOTE VIDEO MONITORING	N/A	15	32781	133982	180	0	41182	8280	277	0	0
2	610	50387	50387	C300	RADIO SINGLE-SIDE BAND RADIO RADIO SSB	N/A	30	33847	0	360	0	41182	7230	242	118	0
2	610	51756	C51756	C300	MOBILE COMMUN. SYS. INCLUDES: RADIO BAS	447HN50105	30	32539	30722	360	85.33888889	41182	8520	285	75	6400.416667
2	501	4860013		C300531	INSTRUMENTATION TUNNEL	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860014		C300533	INSTRUMENTATION TUNNEL	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860015		C300535	INSTRUMENTATION TUNNEL	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860016		C300537	INSTRUMENTATION TUNNEL	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	50283	C74725	C302	CASCADE OPERATIONS - DATA CENTER C-302	DIR KA 129 1	50	29737	514779	600	857.965	41182	11280	377	223	191326.195
2	501	4860017		C303	SUPERVISORY CONTROL & DATA ACQUISITION B	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	50375	50375	C304	C-304 OP TRAINING BLDG SINGLE STORY PREF	N/A	40	33511	1009492	480	2103.108333	41182	7560	253	227	477405.5917

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	4244	C77834	C310	PUMP CENTRIFUGA HORIZ SIZE 38 INTAKE	2A-6030	40	16680	21601	480	0	41182	24150	806	0	0
2	735	4698	C81967	C310	PUMP VACUUM DVM-12-18-14 WATER JACKET	12693	15	19328	6416	180	0	41182	21540	719	0	0
2	735	4963	C80568	C310	CONDENSER FREON SIZE A CELL-3 (INVENT	MV74042	20	19328	5839	240	0	41182	21540	719	0	0
2	735	4964	C80570	C310	FREON CONDENSER TYPE DB-231-H SIZE 19-	MV74043	20	19328	5552	240	0	41182	21540	719	0	0
2	735	4965	C80573	C310	FREON CONDENSER TYPE DB-231-H SIZE 19-	MV74044	20	19328	5551	240	0	41182	21540	719	0	0
2	735	4966	C80566	C310	CONDENSER FREON CELL-1 INVENTORY 6 PAG	MV74045	20	19328	5840	240	0	41182	21540	719	0	0
2	735	4967	C80572	C310	FREON CONDENSER TYPE DB-231-H SIXE 19-	MV74046	20	19328	5551	240	0	41182	21540	719	0	0
2	735	4969	C80574	C310	FREON CONDENSER TYPE DB-231-H SIZE 19-	MV7404A8	20	19328	5619	240	0	41182	21540	719	0	0
2	735	4985	C82318	C310	FREON CONDENSER HEAT EXCHANGER	7406B9	20	19328	2477	240	0	41182	21540	719	0	0
2	735	5013	C77793	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	2A6181	40	17136	7112	480	0	41182	23700	791	0	0
2	735	5014	C77692	C310	PUMP ALLIS-CHALMER RPM DRIVE 355O DIRE	2A6174	40	17136	7113	480	0	41182	23700	791	0	0
2	735	5015	C77754	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	2A6183	40	17136	7113	480	0	41182	23700	791	0	0
2	735	5017	C77724	C310	PUMP ALLIS CHALMER RPM DRIVE 3550 DIRE	2A6172	40	17136	7113	480	0	41182	23700	791	0	0
2	735	5020	C77740	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	1AS6396	40	17501	7113	480	0	41182	23340	779	0	0
2	735	5021	C77694	C310	PUMP STAGE A.C. BLOWER (INVENTORY 6 P	1AS6401	40	17501	7113	480	0	41182	23340	779	0	0
2	735	5023	C77787	C310	PUMP STAGE A.C. BLOWER CELL-7 STAGE-5	1AS6665	40	17501	7113	480	0	41182	23340	779	0	0
2	735	5025	C77701	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	1AS6390	40	17501	7113	480	0	41182	23340	779	0	0
2	735	5027	C77864	C310	PUMP ALLIS-CHALMERS (BLOWERS) CENTRIFU	2A-6119	40	17136	25164	480	0	41182	23700	791	0	0
2	735	5028	C77822	C310	PUMP CENTRIFUGAL COMPRESSOR ALLIS CHAL	2A6129	40	17136	6302	480	0	41182	23700	791	0	0
2	735	5867	C77784	C310	MTR WEST 200 HP	N/A	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5868	C77709	C310	MOTOR INDUCTION AC 200 HP CLASS B INS	2S9B8230	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5869	C77841	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	1S9B8230	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5871	C77747	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	6S9B8230	20	19328	2535	240	0	41182	21540	719	0	0
2	735	5872	C77723	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	8S9B8230	20	19328	2283	240	0	41182	21540	719	0	0
2	735	5873	C77749	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	11S9B8230	20	19328	2535	240	0	41182	21540	719	0	0
2	735	5874	C80600	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	5S9B8230	20	19328	2535	240	0	41182	21540	719	0	0
2	735	5875	C77698	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	13S9B8230	20	19328	2535	240	0	41182	21540	719	0	0
2	735	5876	C85407	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	12S9B8230	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5877	C77859	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	10S9B8230	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5879	C77672	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	3S9B8230	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5880	C77808	C310	MOTOR INDUCTION AC 200 HP CLASS B IN	9S9B8230	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5881	C77757	C310	MOTOR SPECIALLY DESIGNED 200 HP INDUCTI	8S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5882	C77853	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	13S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5883	C77847	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	9S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5885	C77958	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	10S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5886	C77727	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	2S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5888	C77970	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	6S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5890	C77835	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	3S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5892	C77890	C310	MOTOR AC INDUCTION CLASS A INSULATION	4S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5893	C80601	C310	MOTOR ELECTRIC 200 HP FRAME X-505-Z V	1S12B2526	20	19298	2829	240	0	41182	21570	720	0	0
2	735	5894	C77763	C310	MOTOR ELECTRIC WESTINGHOUSE FRAME X-505	3S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5895	C77696	C310	MOTOR ELECTRIC FRAME X 505-Z VOLT 440	4S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5898	C77689	C310	MOTOR ELECTRIC FRAME X505-Z VOLT 440 P	2S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5899	C79852	C310	MOTOR ELECTRIC FRAME X505-Z VOLT 440 P	20S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5901	C81310	C310	MOTOR ELECTRIC FRAME X505-Z VOLT 440 P	15S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5902	C77952	C310	MOTOR ELECTRIC FRAME X 505-Z VOLT 440	18S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5903	C77905	C310	MOTOR ELECTRIC FRAME X 505-Z VOLT 440	1S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5904	C77929	C310	MOTOR ELECTRIC FRAME X 505-Z VOLT 440	7S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5905	C80602	C310	MOTOR ELECTRIC FRAME X-505-Z VOLT 440	8S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5906	C77865	C310	MOTOR ELECTRIC FRAME X 505-Z VOLT 440	17S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5907	C77739	C310	MOTOR ELECTRIC TYPE C.S. INDUCTION FRA	11S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5908	C85372	C310	MOTOR ELECTRIC TYPE C.S. INDUCTION FRAM	13S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5912	C77707	C310	MOTOR ELECTRIC TYPE C.S. INDUCTION FRAM	6S9B8229	20	19328	2036	240	0	41182	21540	719	0	0
2	735	5915	C77790	C310	MOTOR ELECTRIC TYPE C.S. INDUCTION FRAM	10S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5918	C77735	C310	MOTOR ELECTRIC TYPE C.S. INDUCTION FRAM	9S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5919	C85405	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	22S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5920	C77733	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	21S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5921	C77702	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	20S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5922	C77794	C310	MOTOR ELECTRIC TYPE CS INDUSTION FRA	2S10N4557	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5923	C77769	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	3S10N4557	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5924	C77691	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	24S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5925	C77923	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	23S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5928	C77796	C310	MOTOR ELECTIRC TYPE CS INDUCTION FRA	25S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5929	C77751	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	31S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5930	C77788	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	32S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5931	C77717	C310	MOTOR ELECTRIC TYPE CS INDUCTION FRA	28S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5933	C77761	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	36S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5934	C77715	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	37S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5935	C77829	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	26S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5936	C77681	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	38S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5938	C77674	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	30S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5939	C77711	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	39S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	5940	C77786	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	35S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5942	C77704	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	40S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5943	C77877	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	1S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5945	C77755	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	8S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5946	C77798	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	9S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5948	C77816	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	33S 9R 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5949	C85408	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	42S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5951	C77792	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	7S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5952	C77767	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	11S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5953	C77917	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	13S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5954	C77947	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	12S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5955	C77745	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	14S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5956	C77782	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	4S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5958	C77894	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	6S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5959	C77964	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	2S 10N 4556	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5960	C77774	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	15S 10N 4555	20	19328	2036	240	0	41182	21540	719	0	0
2	735	5961	C85406	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	1S 10N 4556	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5962	C77759	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	27S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5963	C77676	C310	MOTOR AC INDUCTION FRAME X-505-Z 440 VOL	19S 9B 8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5966	C77844	C310	MOTOR INDUCTION AC CLASS INSULATION CLOC	XH6957267	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5967	C77926	C310	MOTOR INDUCTION AC CLASS INSULATION CLOC	NI6957271	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5969	C79871	C310	MOTOR INDUCTION AC CLASS A INSULATION CO	YH6960448	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5975	C77856	C310	MOTOR INDUCTION AC CLASS A INSULATION CO	YH6960444	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5977	C77806	C310	MOTOR INDUCTION AC CLASS A INSULATION CL	YH6959884	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5978	C77813	C310	MOTOR INDUCTION AC CLASS INSULATION COUN	YH6959882	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5982	C77826	C310	MOTOR INDUCTION CLASS A INSULATION CLOCK	XH6957266	20	19328	1311	240	0	41182	21540	719	0	0
2	735	5986	C77908	C310	MOTOR INDUCTION AC CLASS A INSULATION CC	ZH 6962322	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5987	C77883	C310	MOTOR INDUCTION AC CLASS A INSULATION CL	ZH6962316	20	19328	1017	240	0	41182	21540	719	0	0
2	735	5991	C77892	C310	MOTOR INDUCTION AC CLASS A INSULATION CW	ZH 6962312	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5992	C81969	C310	MOTOR INDUCTION AC CLASS A INSULATION CO	ZH6962318	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5993	C77920	C310	MOTOR INDUCTION AC CLASS A CLOCKWISE MTR	ZH 6962321	20	19328	1311	240	0	41182	21540	719	0	0
2	735	5994	C80673	C310	MOTOR INDUCTION AC 100 HP CLASS A CLO	ZH6962319	20	19328	1310	240	0	41182	21540	719	0	0
2	735	5996	C85370	C310	MOTOR INDUCTION AC 100 HP CLASS A INS	ZH6962315	20	19328	1311	240	0	41182	21540	719	0	0
2	735	5997	C77884	C310	MOTOR INDUCTION AC 100 HP CLASS A INS	ZH6962320	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5998	C77950	C310	MOTOR INDUCTION AC 100 HP CLASS A INS	ZH6962326	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5999	C77902	C310	MOTOR INDUCTION AC 100 HP CLASS A INS	ZH6962328	20	19298	1370	240	0	41182	21570	720	0	0
2	735	6001	C77955	C310	MOTOR INDUCTION AC 100 HP CLASS A INS	NI6963522	20	19328	1543	240	0	41182	21540	719	0	0
2	735	6002	C77832	C310	MOTOR INDUCTION AC 100 HP CLASS A INS	ZH6962330	20	19328	1543	240	0	41182	21540	719	0	0
2	735	6004	C77932	C310	MOTOR INDUCTION AC 100HP CLASS A INSU	NI6963525	20	19328	1543	240	0	41182	21540	719	0	0
2	735	6005	C77888	C310	MOTOR SPECIALLY DESIGNED 100 HP AC INDU	NI6963526	20	19540	933	240	0	41182	21330	712	0	0
2	735	6007	C77914	C310	MOTOR SPECIALLY DESIGNED 100 HP AC INDU	NI6963523	20	19328	1017	240	0	41182	21540	719	0	0
2	735	6008	C79870	C310	MOTOR SPECIALLY DESIGNED 100 HP AC INDU	ZH6962331	20	19328	1017	240	0	41182	21540	719	0	0
2	735	6009	C77874	C310	MOTOR SPECIALLY DESIGNED 100 HP AC INDU	ZH6962314	20	19328	1255	240	0	41182	21540	719	0	0
2	735	6011	C77838	C310	MOTOR INDUCTION AC 100 HP CLASS B INS	YH6960988	20	19328	1710	240	0	41182	21540	719	0	0
2	735	6012	C77862	C310	MOTOR INDUCTION AC 100 HP GRADE B INS	YH6960987	20	19328	1185	240	0	41182	21540	719	0	0
2	735	6013	C77802	C310	MOTOR INDUCTION A 100 HP CLASS B INSU	NI6963533	20	19328	1185	240	0	41182	21540	719	0	0
2	735	6017	C77820	C310	MOTOR INDUCTION AC 100 HP CLASS B INS	YH6960983	20	19328	1710	240	0	41182	21540	719	0	0
2	735	6018	C77880	C310	MOTOR INDUCTION A 100 HP CLASS B INSU	NI6963535	20	19328	1710	240	0	41182	21540	719	0	0
2	735	6019	C77896	C310	MOTOR INDUCTION AC 100 HP CLASS B INS	NI6963536	20	19328	1185	240	0	41182	21540	719	0	0
2	735	6020	C77961	C310	MOTOR INDUCTION AC 100 HP CLASS B INS	NI6963534	20	19328	1710	240	0	41182	21540	719	0	0
2	735	6121	C77851	C310	PUMP ALLIS-CHALMER COMPRESSOR 92-AC	2A6113	40	17106	24353	480	0	41182	23730	792	0	0
2	735	6122	C77815	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL C	2A6140	40	17106	7113	480	0	41182	23730	792	0	0
2	735	6123	C77943	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL.	2A6124	40	17106	24353	480	0	41182	23730	792	0	0
2	735	6419	C77766	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	1AS6328	40	17471	7113	480	0	41182	23370	780	0	0
2	735	6420	C77677	C310	PUMP STAGE A.C. BLOWER CELL-5 STAGE-5	2A6150	40	17106	7113	480	0	41182	23730	792	0	0
2	735	6421	C77795	C310	PUMP STAGE A.D. CLOWER CELL-3 STAGE-6	2A6157	40	17106	7113	480	0	41182	23730	792	0	0
2	735	6422	C77699	C310	PUMP STAGE (BLOSER) A.D. CELL-3 STAGE-	2A6151	40	17106	7113	480	0	41182	23730	792	0	0
2	735	6423	C77934	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL C	2A6143	40	17106	25164	480	0	41182	23730	792	0	0
2	735	6424	C77940	C310	PUMP ALLIS-CHALMER CELL-6 STAGE-5B. CO	2A6116	40	17106	25164	480	0	41182	23730	792	0	0
2	735	7409	C77762	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD7027	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7410	C77779	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD7023	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7411	C77722	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD6932	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7412	C77682	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD7019	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7413	C77710	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD7574	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7414	C77889	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	1AD7203	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7415	C77764	C310	PUMP AC (CENTRIFUGAL COMPRESSOR) NOZZLE	1AD7010	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7417	C77746	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD7249	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7421	C77742	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD7021	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7422	C77887	C310	PUMP AC (CENTRIFUGAL COMPRESSOR) NOZZLE	1AD7026	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7424	C81314	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	1AD6919	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7425	C77734	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD7011	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7426	C77748	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	1AD7189	40	17440	7113	480	0	41182	23400	781	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	7428	C77797	C310	PUMP ALLIS CHALMER RPM DRIVE 3550 DIRE	1AD7205	40	17440	7113	480	0	41182	23400	781	0	0
2	735	7429	C77775	C310	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	1AD7215	40	17440	7113	480	0	41182	23400	781	0	0
2	735	7477	C77807	C310	PUMP ALLIS-CHAMLER (BLOSER) CNET HORIZ	1AD7190	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7478	C77893	C310	PUMP ALLIS-CHALMER (BLOWER) CNET HORIZ	1AD7210	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7479	C77708	C310	PUMP ALLIS CHALMER 92A MOTOR HP-200	1AD7611	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7480	C77688	C310	PUMP AC (CENTRIFUGAL COMPRESSOR) NOZZLE	1AD7609	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7481	C77712	C310	PUMP ALLIS CHALMER 92A MOTORHP-200 R	1AD7198	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7484	C77756	C310	PUMP ALLIS CHALMERS 92A MOTOR HP-200	1AD7618	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7485	C77801	C310	PUMP ALLIS-CHALMERS 92A MOTOR HP-200	1AD7616	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7497	C80677	C310	PUMP ALLIS CHALMERS 92A MOTOR HP-2000	1AD7212	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7498	C77891	C310	PUMP ALLIS-CHALMER 92A MOTOR HP-200	1AD7214	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7499	C77673	C310	PUMP AC (BLOWER) CENT HORIZ CELL-5 ST	1AD6929	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7500	C77770	C310	PUMP AC (BLOWER) CENT HORIZ. CELL-5 S	1AD7016	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7538	C80675	C310	PUMP ALLIS-CHALMER (BLOSER) CENT HORIZ.	1AD6927	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7539	C77803	C310	PUMP BLOWER ALLIS-CHALMER CENT. HORIZ	1AD6920	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7541	C77750	C310	PUMP BLOWER ALLIS-CHALMER CENT. HORIZ	1AD7201	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7542	C80674	C310	PUMP ALLIS-CHALMER (BLOWER) CENT HORIZ.	1AD7009	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7543	C80667	C310	PUMP ALLIS-CHALMER CENT HORIZ.(BLOWER)	1AD7196	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7544	C77885	C310	PUMP AC (CENTRIFUGAL COMPRESSOR) NOZZLE	1AD7018	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7545	C77728	C310	PUMP AC (CENTRIFUGAL COMPRESSOR) NOZZLE	1AD7024	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7680	C77683	C310	MOTOR INDUCTION SPECIALLY DESIGNED 20	43S9B8229	20	19328	2036	240	0	41182	21540	719	0	0
2	735	7681	C77693	C310	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	4S10N4556	20	19328	2036	240	0	41182	21540	719	0	0
2	735	7697	C77706	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CO	1AS6386	40	17287	6302	480	0	41182	23550	786	0	0
2	735	7700	C80676	C310	PUMP ALLIS-CHALMERS 92A MOTOR HP-200	1AS6397	40	17348	7085	480	0	41182	23490	784	0	0
2	735	7701	C77752	C310	PUMP ALLIS-CHALMER (BLOWER) CENT HORIZ	1AS6673	40	17348	7113	480	0	41182	23490	784	0	0
2	735	7702	C77697	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL C	1AS6402	40	17348	6302	480	0	41182	23490	784	0	0
2	735	7703	C77703	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CO	1AS6399	40	17348	6302	480	0	41182	23490	784	0	0
2	735	7704	C77895	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CO	1AS7531	40	17348	6302	480	0	41182	23490	784	0	0
2	735	7705	C77680	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL	1AS7497	40	17348	6302	480	0	41182	23490	784	0	0
2	735	7874	C80630	C310	PUMP ALLIS-CHALMER (BLOWER) CENT HOR	1AS6657	40	17318	7113	480	0	41182	23520	785	0	0
2	735	7877	C80666	C310	PUMP STAGE AC BLOWER CELL-8 STAGE-4B.	1AS6679	40	17318	7113	480	0	41182	23520	785	0	0
2	735	7957	C77783	C310	PUMP AC (CENTRIFUGAL COMPRESSOR) NOZZLE	1AS7538	40	17257	12181	480	0	41182	23580	787	0	0
2	735	8503	C80634	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 8	1AD 7220	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8504	C77738	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 9	1AD 7218	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8506	C77726	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 8	1AD 7195	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8507	C77732	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 9	2A 6179	40	16861	7113	480	0	41182	23970	800	0	0
2	735	8508	C77744	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 1	1AD 7208	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8511	C77777	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 1	1AS 6332	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8512	C77736	C310	COMPRESSOR CENTRIFUF\GAL (AC PUMP) CELL	1AD 6926	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8520	C77789	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 10	1AD 7211	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8522	C77809	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 10	2A 6167	40	16861	7113	480	0	41182	23970	800	0	0
2	735	8524	C77799	C310	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 7	2A 6162	40	16861	7113	480	0	41182	23970	800	0	0
2	735	8570	C77954	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CEL	2A 6128	40	16833	25164	480	0	41182	24000	801	0	0
2	735	8571	C77959	C310	PUMP (BLOWER) CNETRIFUGAL HORIZONTAL CEL	2A 6146	40	16833	25164	480	0	41182	24000	801	0	0
2	735	8572	C77957	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CEL	2AD 6274	40	16833	25164	480	0	41182	24000	801	0	0
2	735	8573	C77968	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CEL	2A 6125	40	16833	25164	480	0	41182	24000	801	0	0
2	735	8574	C77873	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CEL	2AD 6285	40	16833	25164	480	0	41182	24000	801	0	0
2	735	8575	C77812	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CEL	2AD 6280	40	16802	7113	480	0	41182	24030	802	0	0
2	735	8576	C77928	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CEL	2A 6112	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8577	C77963	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CEL	2A 6139	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8578	C77879	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL PUM	2A 6266	40	17167	24353	480	0	41182	23670	790	0	0
2	735	8579	C77867	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL COM	2A 6131	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8580	C77971	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL COM	2A 6118	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8581	C77965	C310	PUMP (BLOWER) 3550 DIRECT CENTRIFUGAL HO	2A 6147	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8582	C77949	C310	PUMP (BLOWER) RPM DRIVE 3550 DIRECT CENT	2AD 6261	40	16802	25136	480	0	41182	24030	802	0	0
2	735	8584	C77937	C310	PUMP RPM DRIVE 3550 DIRECT CENTRIFUGAL H	2A 6120	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8585	C77901	C310	PUMP (BLOWER) RPM DRIVE 3550 DIRECT CENT	2AD 6301	40	16802	7113	480	0	41182	24030	802	0	0
2	735	8586	C77951	C310	PUMP (BLOWER) RPM DRIVE 3550 DIRECT CENT	2AD 6267	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8587	C77870	C310	PUMP (BLOWER) RPM DRIVE 3550 DIRECT CENT	2AD 6310	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8588	C77849	C310	PUMP (BLOWER) RPM DRIVE 3550 DIRECT CENT	2AD 6263	40	16802	25164	480	0	41182	24030	802	0	0
2	735	8589	C77858	C310	PUMP (BLOWER) RPM DRIVE 3550 DIRECT CENT	2A 6078	40	16802	24377	480	0	41182	24030	802	0	0
2	735	8701	C77876	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL COM	2A 6117	40	16833	25164	480	0	41182	24000	801	0	0
2	735	8702	C77855	C310	PUMP (BLOWER) CENGRIFUGAL HORIZONTAL COM	2A 6134	40	16802	25136	480	0	41182	24030	802	0	0
2	735	8743	C77825	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL COM	2A 6106	40	16771	6599	480	0	41182	24060	803	0	0
2	735	8744	C77904	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL COM	2A 6025	40	16771	6326	480	0	41182	24060	803	0	0
2	735	8745	C77913	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL COM	2A 6063	40	16771	6326	480	0	41182	24060	803	0	0
2	735	8746	C77898	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL COM	2A 6046	40	16771	6326	480	0	41182	24060	803	0	0
2	735	9007	C77910	C310	PUMP CENTRIFUGAL COMPRESSOR COMP AC 92 C	2A 6083	40	16741	5515	480	0	41182	24090	804	0	0
2	735	9861	C77714	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL SIZ	1AD 7202	40	17045	6302	480	0	41182	23790	794	0	0
2	735	10922	C80678	C310	SCALES PLATFORM WITH PRINTOMATIC WEIGHE	6156244	20	19298	0	240	0	41182	21570	720	0	0
2	735	11415	C80552	C310	DRAIN TANK LUBE OIL TEMP 650 DEGREE F	N/A	40	19328	6512	480	0	41182	21540	719	0	0
2	735	11421	C82048	C310	LUBE OIL COOLER FABRICATED TO SPEC. AT	N/A	20	19328	8620	240	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	11426	C80575	C310	GRAVITY SUPPLY TANK LUBE OIL MAX WORKI	N/A	40	19328	5207	480	0	41182	21540	719	0	0
2	735	11531	C77977	C310	FAN SUPPLY BELT DRIVEN MULTIBLADE CE	1	20	19328	4877	240	0	41182	21540	719	0	0
2	735	11533	C77975	C310	FAN SUPPLY BELT DRIVEN MULTIBLADE CE	2	20	19328	4878	240	0	41182	21540	719	0	0
2	735	11535	C77979	C310	FAN SUPPLY BELT DRIVEN MULTIBLADE CENT	3	20	19328	4879	240	0	41182	21540	719	0	0
2	735	11537	C77980	C310	FAN SUPPLY BELT DRIVEN MULTIBLADE CE	4	20	19328	4877	240	0	41182	21540	719	0	0
2	735	11539	C77973	C310	FAN SUPPLY BELT DRIVEN MULTIBLADE CE	5	20	19328	4878	240	0	41182	21540	719	0	0
2	735	11541	C77982	C310	FAN SUPPLY BLET DRIVEN MULTIBLADE CN	6	20	19328	4879	240	0	41182	21540	719	0	0
2	735	11551	C80558	C310	BATTERY CHARGER PLANO AC RATING 220/4	N/A	10	19328	16244	120	0	41182	21540	719	0	0
2	735	11576	C80553	C310	DIESEL ENGINE 500 HP 12 CYLINDER 5 3/	12B196	10	19328	44714	120	0	41182	21540	719	0	0
2	735	11577	C80554	C310	GENERATOR ELECTRIC KVA 375 KW 300 48	6917678	20	19328	14010	240	0	41182	21540	719	0	0
2	610	14648	C82197	C310	PA EVACUATION AMPLIFIER #1430-A INVENTO	N/A	30	19298	809	360	0	41182	21570	720	0	0
2	610	14649	C82198	C310	PA PROCESS AMPLIFIER #1420-A INVENTORY	N/A	30	19298	694	360	0	41182	21570	720	0	0
2	735	18100	C77861	C310	PUMP CENTRIFUGAL HORIZONTAL CELL-2 STA	2A6075	40	16741	24377	480	0	41182	24090	804	0	0
2	735	18126	C77772	C310	PUMP CENTRIFUGAL HORIZONTAL. COMPRESSOR	1AD7015	40	17075	6302	480	0	41182	23760	793	0	0
2	735	18127	C77805	C310	PUMP CENTRIFUGAL HORIZONTAL COMPRESSOR	1AD7224	40	17075	6302	480	0	41182	23760	793	0	0
2	735	19107	C80621	C310	PUMP CENTRIFUGAL ALLIS CHALMERS SIZE	2A6061	40	16649	23478	480	0	41182	24180	807	0	0
2	735	19318	C77818	C310	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL	2A6042	40	16649	5427	480	0	41182	24180	807	0	0
2	735	19368	C80672	C310	CENTRIFUGAL PUMP SIZE COMP. CASING 38-A	2A6065	40	16649	84925	480	0	41182	24180	807	0	0
2	735	24874	C82317	C310	AIR MOTORED WEIGHT SCALE TRANSFER CAR C	6172EE	20	19997	3995	240	0	41182	20880	697	0	0
2	735	29418	C73399	C310	CAR AIR MOTORER WEIGH SCALE TRANSFER J	9527EE	20	20575	2910	240	0	41182	20310	678	0	0
2	501	30193	C74180	C310	C-310 PURGE + PRODUCT BUILDING - A WINDO	N/A	40	19328	3676391	480	0	41182	21540	719	0	0
2	735	30194	C74181	C310	PRODUCT SAMPLING REFRIGERATION SYSTEM CO	N/A	20	19328	60643	240	0	41182	21540	719	0	0
2	501	30195	C74182	C310	ELECTRIC LIGHTING SYSTEM-THIS COVERS THE	N/A	40	19328	248284	480	0	41182	21540	719	0	0
2	501	30196	C74183	C310	PLUMBING AND DRAINAGE- THIS INCLUDES SAN	N/A	40	19328	153432	480	0	41182	21540	719	0	0
2	501	30197	C74184	C310	HEATING AND VENTILATING SYSTEM- COVERS V	N/A	40	19328	421592	480	0	41182	21540	719	0	0
2	735	30198	C74185	C310	C-310 PROCESS GAS PIPING INCLUDES PROCES	N/A	40	19328	9916938	480	0	41182	21540	719	0	0
2	735	30199	C74186	C310	COOLANT SYSTEM INCLUDES ALL COOLANT PIPI	N/A	30	19328	710635	360	0	41182	21540	719	0	0
2	735	30200	C74187	C310	LUBE OIL SYSTEM IS DESIGNED TO SUPPLY A	N/A	20	19328	512756	240	0	41182	21540	719	0	0
2	735	30201	C74188	C310	SEAL EXHAUST SYSTEM IS DESIGNED TO EXHAU	N/A	25	19328	97096	300	0	41182	21540	719	0	0
2	735	30202	C74189	C310	DRY AIR SYSTEM IS DESIGNED TO PROVIDE TH	N/A	25	19328	125676	300	0	41182	21540	719	0	0
2	735	30203	C74190	C310	RECIRCULATING WATER SYSTEM PROVIDES THE	N/A	40	19328	162434	480	0	41182	21540	719	0	0
2	735	30204	C74191	C310	ELECTRIC POWER SYSTEM INCLUDES PROCESS P	N/A	30	19328	1936715	360	0	41182	21540	719	0	0
2	735	30205	C74192	C310	CELL AND PIPE ENCLOSURES SYSTEM COVERS C	N/A	40	19328	914778	480	0	41182	21540	719	0	0
2	735	30206	C74193	C310	C-310 INSTRUMENTATION SYSTEM CONTAINS CO	N/A	25	19328	2063890	300	0	41182	21540	719	0	0
2	735	30207	C74194	C310	NITROGEN SYSTEM DESIGNED TO SERVE THREE	N/A	25	19328	113586	300	0	41182	21540	719	0	0
2	735	33282	C81315	C310	BRIDGE CRANE 49'2" SPAN 47'6" HOOKLIF	7931	30	21670	35600	360	0	41182	19230	642	0	0
2	735	33283	C81316	C310	BRIDGE CRANE 49'2" SPAN 47'6" HOOKLIFT	7930	30	21670	35599	360	0	41182	19230	642	0	0
2	735	33356	C77828	C310	CENTRIFUGAL PUMP IMPELLER TYPE HIGH SP	2A 6031	40	21670	6428	480	0	41182	19230	642	0	0
2	735	33429	C77731	C310	MOTOR INDUCTION 200HP 3 PHASE 60 CYCL	3 S 13N2645	20	19936	1850	240	0	41182	20940	699	0	0
2	735	33430	C77810	C310	MOTOR INDUCTION 3 PHASE 60 CYCLES 440	1S 14N5426	20	20240	2847	240	0	41182	20640	689	0	0
2	735	33431	C77800	C310	MOTOR INDUCTION 3 PHASE 60 CYCLES 440 VO	1S 14N5706	20	19936	1850	240	0	41182	20940	699	0	0
2	735	33432	C77713	C310	MOTOR INDCUTION 200 HO 3 PHASE 60 CYCLE	2 S 9B3573	20	19145	1975	240	0	41182	21720	725	0	0
2	735	33433	C77721	C310	MOTOR INDUCTION 3 PHASE 60 CYCLES 440 VO	4 S 9B3571	20	19145	1975	240	0	41182	21720	725	0	0
2	735	33434	C77765	C310	MOTOR INDUCTION 3 PHASE 60 CYCLES 440 VO	11 S 9B3573	20	19145	1975	240	0	41182	21720	725	0	0
2	735	33435	C77737	C310	MOTOR INDCUTION 3 PHASE 60 CYCLES 440 VO	10S 13N2645	20	19936	1850	240	0	41182	20940	699	0	0
2	735	33436	C77719	C310	MOTOR INDUCTION 3 PHASE 60 CYCLES 440 VO	2S 14N5706	20	19936	1850	240	0	41182	20940	699	0	0
2	735	33923	C80659	C310	TWELLIOTT PUMP ERD 6D11 E3 494 PUMP TWEL	3 5148	40	17867	5451	480	0	41182	22980	767	0	0
2	735	33924	C80660	C310	TWELLIOTT PUMP ERD 6D11-E3-646 PUMP TWEL	3 5300	40	17867	5451	480	0	41182	22980	767	0	0
2	735	33925	C80661	C310	TWELLIOTT PUMP ERD 6D11-E3-990 PUMP TWEL	3 5644	40	17867	5453	480	0	41182	22980	767	0	0
2	735	34044	C80555	C310	PUMP (COMPRESSOR) RECIPROCATING PISTON T	N/A	15	17684	14711	180	0	41182	23160	773	0	0
2	735	34045	C80556	C310	PUMP (COMPRESSOR) RECIPROCATING PISTON T	N/A	15	17684	14711	180	0	41182	23160	773	0	0
2	735	34139	C77869	C310	SPEED INCREASER SIZE 1422 INPUT RPM 3555	P 7397 2	20	21670	6780	240	0	41182	19230	642	0	0
2	735	34653	C77881	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2.5	P 8475 3	20	21670	6478	240	0	41182	19230	642	0	0
2	735	34654	C77942	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2.	P 8475 4	20	21670	6477	240	0	41182	19230	642	0	0
2	735	34655	C77936	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2.5	P 8475 5	20	21670	6477	240	0	41182	19230	642	0	0
2	735	34658	C77939	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2.5	P 8474 8	20	21670	6477	240	0	41182	19230	642	0	0
2	735	34660	C77945	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2.5	P 8475 10	20	21670	6477	240	0	41182	19230	642	0	0
2	735	34665	C77969	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2.5	P 8475 15	20	21670	6477	240	0	41182	19230	642	0	0
2	735	34668	C77863	C310	SPEED INCREASER INPUT 3555 RATIO 2.54:1	P 8475 18	20	21670	6477	240	0	41182	19230	642	0	0
2	735	34671	C77866	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2	P 8475 21	20	21670	6478	240	0	41182	19230	642	0	0
2	735	34672	C77972	C310	SPEED INCREASER INPUT RPM 3555 RATIO 3	P 8475 22	20	21670	6477	240	0	41182	19230	642	0	0
2	735	34674	C80669	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2	P 8475 24	20	21670	10165	240	0	41182	19230	642	0	0
2	735	34679	C77872	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2	P 8475 29	20	21670	6479	240	0	41182	19230	642	0	0
2	735	34680	C77830	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2	P 8475 30	20	21670	6478	240	0	41182	19230	642	0	0
2	735	34681	C77948	C310	SPEED INCREASER INPUT RPM 3555 RATIO 2	P 8475 31	20	21670	6478	240	0	41182	19230	642	0	0
2	735	35459	C82316	C310	PUMP VACUUM DVM 12-18-14 WATER JACKETE	12692	15	19328	4219	180	0	41182	21540	719	0	0
2	735	35934	C81996	C310	CONTINUOUS ASSAY SAMPLER CONSISTS OF CA	N/A	15	23711	6160	180	0	41182	17220	575	0	0
2	735	46909	C74007	C310	ANALYZER INFRARED MODEL MIRANII PROCE	434/436	15	28245	23214	180	0	41182	12750	426	0	0
2	735	48174	C85327	C310	CONVERTR-CHRYSLER CONVERTR AIZE 2. CONV	B-212X ORDGP #8	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48175	C85328	C310	CONVERTER-CHRYLSER CONVERTER SIZE 2. CO	B215XN ORGDP 8	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48176	C85329	C310	CONVERTER-CHRYSLER CONVERTER SIZE 2. CO	B275XN ORGDP 9	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48177	C85330	C310	Converter-Chrysler Converter size 2. CO	B-334XN ORGDP 1	40	16649	38001	480	0	41182	24180	807	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	48178	C85331	C310	CONVERTER-CHRYSLER CONVERTER SIZE 2. CO	B-347NP ORGDP 1	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48179	C85332	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER	B 558X	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48184	C85333	C310	CONVERTER - CHRYSLER CONVERTER SIZE 2.	B-558X ORGDP 16	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48185	C85334	C310	CONVERTER-CHRYSLER CONVERTER SIZE 2. CO	B-881N ORGDP 13	40	17014	38000	480	0	41182	23820	795	0	0
2	735	48186	C85335	C310	CONVERTER-CHRYSLER CONVERTER SIZE 2. CO	B998NR ORGDP 1	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48187	C85336	C310	CONVERTER-CHRYSLER CONVERTER SIZE 2. CON	B-702N ORGDP 16	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48188	C85337	C310	CONVERTER-CHRYSLER CONVERTER SIZE 2. CO	B1096N ORGDP 14	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48189	C85338	C310	CONVERTER - CHRYSLER CONVERTER SIZE 2.	B785N ORGDP 162	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48210	C85339	C310	Converter- Chrysler Converter: size 2. C	B1041N ORGDP 14	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48211	C85340	C310	Converter-Chrysler Converter: size 2. CO	B830N ORGDP 163	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48212	C85341	C310	Convertr Chrysler converter: size 2. CON	B539X ORGDP 125	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48213	C85342	C310	Converter-Chrusler converter: size 2. C	B70XN ORGDP 93	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48214	C85343	C310	Convertr - Chrysler converter: size 2. C	B534X ORGDP 125	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48217	C77882	C310	Compressor AC 92A model AC 92A size 9	2AD-210	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48218	C77831	C310	Compressor AC92A modell AC 92A size	2AD-182	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48220	C80622	C310	Compressor AC 92A model AC 92a size	2AD1421 ERD-6D1	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48223	C77930	C310	Speed Increaser size 1422 RPM input-35	K600-3 ORGDP 27	20	28306	6596	240	0	41182	12690	424	0	0
2	735	48224	C77845	C310	SPEED INCREASER - SIZE 1422 RPM INPUT 3	K6500-2 ORGDP 2	20	28306	6595	240	0	41182	12690	424	0	0
2	735	48225	C77916	C310	Speed increaser - size 1422 RPM Input -	K65001 ORGDP 27	20	28306	6596	240	0	41182	12690	424	0	0
2	735	48226	C77842	C310	SPEED INCREASER SIZE 1422 RPM INPUT 35	K6500-3 ORGDP 2	20	28306	6596	240	0	41182	12690	424	0	0
2	735	48227	C85404	C310	SPEED INCREASER SIZE 1422 RPM INPUT 35	U0727-4 ORGDP 2	20	28855	8982	240	0	41182	12150	406	0	0
2	735	48247	C85344	C310	CONVERTER CHRYSLER CONVERTER SIZE 2. C	B352N ORGDP 154	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48248	C85345	C310	CONVERTR CHRYSLER CONVERTER SIZE 2. CO	B93N ORGDP 1047	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48249	C85346	C310	CONVERTER - CHRYSLER CONVERTER SIZE 2.	B83N ORGDP 1865	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48250	C85347	C310	CONVERTER - CHRYSLER CONVERTER SIZE 2.	B568X ORGDP 104	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48251	C85348	C310	CONVERTER - CHRYSLER CONVERTER SIZE 2.	B560X ORGDP 186	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48252	C85349	C310	CONVERTER - CHRYSLER CONVERTER SIZE 2.	B476X ORGDP 115	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48256	C77931	C310	COMPRESSOR AC 92 SIZE 92K AC COMPRESSO	2AD-132 ERD 6D1	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48257	C77843	C310	COMPRESSOR AC 92 - SIZE 92K AC COMPRESS	2AD171 ERD-6D11	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48258	C77846	C310	COMPRESSOR AC-92-SIZE 92K AC COMPRESSOR	2AD-218 6D11C2A	40	16649	24697	480	0	41182	24180	807	0	0
2	735	48259	C77925	C310	COMPRESSOR AC 92 - SIZE 92K AC COMPRESS	2AD-278 ERD-6D1	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48260	C80624	C310	COMPRESSOR AS 92 - SIZE 92K AC COMPRESS	2AD-291	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48262	C85350	C310	CONVERTR "B" - CHRYSLER CONVERTER SIZE	B564X	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48264	C85351	C310	CONVERTER "B" CHRYLSER CONVERTER SIZE	B555X	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48265	C85352	C310	CONVERTER "B" CHRYSLER CONVERTER SIZE	B60XN	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48266	C85353	C310	CONVERTER "B" CHRYSLER CONVERTER SIZE	B60N	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48267	C85354	C310	CONVERTER "B" CHRYSLER CONVERTER SIZE	B508N	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48283	C85355	C310	CONVERTER CHRYLSER CONVERTER - SIZE 2.	B287X	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48284	C85356	C310	CONVERTER CHRYSLER CONVERTER - SIZE 2. C	B120XN	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48285	C85357	C310	CONVERTER - CHRYSLER CONVERTER - SIZE 2.	B519X	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48287	C85358	C310	CONVERTER - CHRYSLER CONVERTER - SIZE 2.	B295N	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48288	C85359	C310	CONVERTER - CHRYSLER CONVERTER - SIZE 2.	B563XN	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48289	C77915	C310	COMPRESSOR AC 92 - MODEL AC-92A SIZE 9	2AD-271	40	17014	24698	480	0	41182	23820	795	0	0
2	735	48290	C77922	C310	COMPRESSOR AC 92 - MODEL AC-92A SIZE 9	2AD297	40	17014	24698	480	0	41182	23820	795	0	0
2	735	48291	C77840	C310	COMPRESSOR AC 92. - MODEL AC-92A SIE 92	2AD-303	40	17014	24698	480	0	41182	23820	795	0	0
2	735	48293	C77946	C310	COMPRESSOR AC 92 - MODEL AC-92A SIZE 92	195084	40	17014	24697	480	0	41182	23820	795	0	0
2	735	48296	C85360	C310	CONVERTER - CHRYSLER CONVERTER - SIZE 2.	B360X	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48297	C85361	C310	CONVERTER - CNRYSLER CONVERTER - SIZE 2.	B678N	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48298	C85362	C310	CONVERTER - CHRYSLER CONVERTER - SIZE 2.	B753N	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48334	C80549	C310	VACUUM PUMP MODEL 412H ROTARY SINGLE S	84216	15	29402	9042	180	0	41182	11610	388	0	0
2	735	48335	C80550	C310	VACUUM PUMP MODEL 412H ROTARY SINGLE S	84216	15	29402	9042	180	0	41182	11610	388	0	0
2	735	48336	C80551	C310	VACUUM PUMP MODEL 412 H ROTARY SINGLE	84216	15	29402	9042	180	0	41182	11610	388	0	0
2	735	48342	C77725	C310	MOTOR WESTINGHOUSE 200 HP ELECTRIC IND	21S9B3571	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48344	C77685	C310	MOTOR WESTINGHOUSE 200 HP ELECTRIC IND	14X9B3572	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48345	C77776	C310	MOTOR WESTINGHOUSE 200 HP ELECTRIC IND	13X9B3572	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48346	C77804	C310	MOTOR WESTINGHOUSE 200 HP ELECTING IND	9S9B3572	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48347	C77967	C310	MOTOR WESTINGHOUSE 200 HP WESTINGHOUS	39 S 9B3572 ORG	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48349	C77886	C310	200 HP WESTINGHOUSE ELECTRIC INDUCTION M	2 S 9B3573 21	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48350	C77778	C310	200 HP WESTINGHOUSE ELECTRIC INDUCTION M	40 S 9B3573 ORG	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48351	C77899	C310	200 HP WESTINGHOUSE ELECTRIC INDUCTION M	20 S 9B3573 OR	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48352	C77687	C310	200 HP WESTINGHOUSE ELECTRIC INDUCTION M	42 S 9B3574	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48353	C77911	C310	200 HP WESTINGHOUSE ELECTRIC INDUCTION M	7 S 9B3575 ORG	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48354	C77753	C310	200 HP WESTINGHOUSE ELECTRIC INDUCTION M	16 S 9B3575 O	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48355	C77823	C310	200 HP WESTINGHOUSE ELECTRIC INDUCTION M	60 S 9B3575 O	20	19145	1975	240	0	41182	21720	725	0	0
2	735	48356	C77741	C310	200 HP WESTINGHOUSE ELECTRIC INDUCTION M	3 S 10N4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	48386	C85363	C310	CONVERTER	N/A	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48387	C85364	C310	CONVERTER CHRYSLER CONVERTER SIZE 2 CO	B266N 154818	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48388	C85365	C310	CONVERTER CHRYSLER CONVERTER SIZE 2 CO	N/A	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48389	C85366	C310	CONVERTER CHRYSLER CONVERTER SIZE 2 CO	B404N 156907	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48434	C85367	C310	CONVERTER CHRYSLER CONVERTER SIZE 2. C	B91N 104776	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48435	C84987	C310	CONVERTER CHRYSLER CONVERTER SIZE 2 CO	B 1203N 244257	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48436	C84988	C310	CONVERTER CHRYSLER CONVERTER SIZE 2 CO	B87N 104795	40	16649	38001	480	0	41182	24180	807	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	48448	C84989	C310	CONVERTER CHRYSLER CONVERTER SIZE 2 CO	B64N ORGDP 132	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48449	C84990	C310	CONVERTER CHRYSLER CONVERTER SIZE 2 CO	B699N ORGDP 16	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48450	C84991	C310	CONVERTER CHRYSLER CONVERTER SIZE 2 CO	B314X ORGDP 93	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48452	C84992	C310	X CONVERTER CHRYSLER CONVERTER SIZE 2	B499XN ORGDP 1	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48453	C84993	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER	B62N ORGDP 186	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48454	C84994	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER	B467N ORGDP 16	40	29402	38001	480	79.16875	41182	11610	388	92	7283.525
2	735	48462	C84995	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER B	B104N ORGDP 18	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48463	C84996	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER B	B498X ORGDP 11	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48464	C84997	C310	CHRYSLER CONVERTER SIZE 2 B CONVERTER	B498X ORGDP 11	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48466	C84998	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER	B71N	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48468	C84999	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER	B523X	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48472	C85000	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER B	B565XN ORGDP 1	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48473	C85001	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER B	B518XN ORGDP 1	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48474	C85002	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER B	B748N ORGDP 16	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48482	C85003	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER "B"	B521XN ORGDP 1	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48483	C85004	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER "B"	B513X ORGDP 12	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48484	C85005	C310	CHRYSLER CONVERTER SIZE 2 CONVERTER "B"	B125N ORGDP 18	40	16649	38000	480	0	41182	24180	807	0	0
2	735	48643	C77956	C310	SPPED INCREASER SIZE 1422 2 TO 1 RATIO	N/A	20	30681	6500	240	0	41182	10350	346	0	0
2	735	48644	C77962	C310	SPEED INCREASER SIZE 1422 2 TO 1 RATIO	N/A	20	30681	6500	240	0	41182	10350	346	0	0
2	735	48645	C80668	C310	SPEED INCREASER SIZE 1422 2 TO 1 RATIO	N/A	20	30681	6500	240	0	41182	10350	346	0	0
2	735	48646	C77966	C310	SPEED INCREASER SIZE 1422 2 TO 1 RATIO	N/A	20	30681	6500	240	0	41182	10350	346	0	0
2	735	48647	C77953	C310	SPEED INCREASER SIZE 1422 2 TO 1 RATIO	N/A	20	30681	6500	240	0	41182	10350	346	0	0
2	735	48648	C77848	C310	SPEED INCREASER SIZE 1422 2 TO 1 RATIO	N/A	20	30681	6500	240	0	41182	10350	346	0	0
2	735	48659	C77875	C310	SPEED INCREASER SIZE 1422 2 TO 1 RATIO	N/A	20	30681	6500	240	0	41182	10350	346	0	0
2	735	48660	C81309	C310	SPEED REDUCER SIZE 1422 2 TO 1 RATIO	N/A	20	30681	6500	240	0	41182	10350	346	0	0
2	735	48669	C80557	C310	GEAR MOTOR 40 HP MODEL 5K324KXL 1049	ER	20	29555	27707	240	0	41182	11460	383	0	0
2	735	49083	C80567	C310	HEAT EXCHANGER (CONDENSER) PER SPEC. ES	3325 N.B. NO 10	20	29890	21908	240	0	41182	11130	372	0	0
2	735	49084	C80565	C310	HEAT EXCHANGER (CONDENSER) PER SPEC. ES	3326	20	29890	21908	240	0	41182	11130	372	0	0
2	735	49085	C80569	C310	HEAT EXCHANGER (CONDENSER) PER SPEC. E	3327	20	29890	21909	240	0	41182	11130	372	0	0
2	735	49801	C77821	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 1	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49802	C77824	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 2	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49803	C77827	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 3	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49804	C77900	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 4	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49805	C77912	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 5	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49807	C77819	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 7	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49808	C77906	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 8	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49809	C77903	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 9	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49810	C77897	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 9	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49811	C77814	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 11	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49812	C77909	C310	SPEED INCREASER SIZE-1422 HP 100/200	F4540 12	20	31016	7470	240	0	41182	10020	335	0	0
2	735	49855	C80571	C310	HEATER EXCHANGER NB NUMBER 3676 HEATER	N/A	20	31016	19460	240	0	41182	10020	335	0	0
2	735	49941	C49941	C310	HEAT EXCHANGER NB 3227 (CONDENSER) SHE	831852	20	31016	9302	240	0	41182	10020	335	0	0
2	735	50032	C74489	C310	F2 RECOVERY PIPE SYSTEM CONSISTS OF 300	N/A	25	21640	25101	300	0	41182	19260	643	0	0
2	501	50039	C74496	C310	SPRINKLER SYSTEM - CONSISTS OF A WET-TYP	N/A	40	21670	21651	480	0	41182	19230	642	0	0
2	735	50102	C74554	C310	UF6 DETECTION SYSTEM WITHDRAWAL ROOM C	N/A	25	23223	1810	300	0	41182	17700	591	0	0
2	735	50103	C74555	C310	UF6 DETECTION SYSTEM WITHDRAWAL ROOM C	N/A	25	23223	1809	300	0	41182	17700	591	0	0
2	735	50140	C74587	C310	NAF TRAP FACILITY DESIGNED TO REMOVE IM	N/A	25	24776	491988	300	0	41182	16170	540	0	0
2	735	50168	C74614	C310	TOP PURGE SYSTEM JET IMPROVED TOPS PURG	N/A	25	26023	21647	300	0	41182	14940	499	0	0
2	735	50170	C74616	C310	ANNUNCIATOR SYSTEM A MODERN ANNUNCIATOR	N/A	25	26053	26516	300	0	41182	14910	498	0	0
2	735	50174	C74619	C310	VIBRATION PROTECTION SYSTEM FOR HIGH SPE	N/A	25	26176	41383	300	0	41182	14790	494	0	0
2	470	50178	C74623	C310	CONCRETE PAD CONCRETE PAD EAST SIDE AND	N/A	30	26358	28230	360	0	41182	14610	488	0	0
2	735	50179	C74624	C310	ELECTRIFIED CRANE RAIL SYSTEM 145' RUN	N/A	30	22950	41206	360	0	41182	17970	600	0	0
2	735	50189	C74634	C310	VIBRATION MONITORING SYSTEM FOR LOW SPE	N/A	25	26754	39603	300	0	41182	14220	475	0	0
2	610	50355	50355	C310	VIDEO MONITORING SYSTEMS ARE INSTALLED A	N/A	25	31897	248607	300	0	41182	9150	306	0	0
2	735	50359	50359	C310	BUFFER ALARM SYSTEM FOR EAST AND WEST NO	N/A	25	31928	45781	300	0	41182	9120	305	0	0
2	735	51107	C51107	C310	NORMETEX PUMP FOR UF6 SERVICE. MACHINE	229	15	31198	746751	180	0	41182	9840	329	0	0
2	735	51273	C51273	C310	BRIDGE CRANE 20-TON WITH MINOR MOTORS	4022	30	31563	325654	360	904.5944444	41182	9480	317	43	38897.56111
2	735	51391	C51391	C310	ASSAY SPECTROMETER 20 CM RADIUS ASSAY S	N/A	25	31381	218064	300	0	41182	9660	323	0	0
2	735	51393	C51393	C310	ASSAY SPECTROMETER 20 CM RADIUS ASSAY S	ESO 15663	25	31381	218065	300	0	41182	9660	323	0	0
2	735	51495	C51495	C310	NORMETEX PUMP FOR UF6 SERVICE MACHINE	231	15	31867	258444	180	0	41182	9180	307	0	0
2	735	51659	C51659	C310	ANALYZER INFRARED GAS ANALYZER FOXBO	556	15	32233	27921	180	0	41182	8820	295	0	0
2	735	51660	C51660	C310	ANALYZER FOXBORO 973 INFRARED GAS MI	557	15	32233	27921	180	0	41182	8820	295	0	0
2	735	51661	C51661	C310	ANALYZER INFRARED GAS 973 MIRAN PROCESS	558	15	32233	27921	180	0	41182	8820	295	0	0
2	735	51769	C51769	C310	OVEN PROCESS	N/A	20	30132	46723	240	0	41182	10890	364	0	0
2	735	51770	C51770	C310	OVEN PROCESS MOD OEB-383 CABINET TYPE A	254242	20	30132	46723	240	0	41182	10890	364	0	0
2	735	51771	C51771	C310	OVEN PROCESS MOD OEB-383 CABINET TYPE A	254243	20	30132	46723	240	0	41182	10890	364	0	0
2	735	51772	C51772	C310	OVEN PROCESS MOD OEB-383 CABINET TYPE A	25424	20	30132	46723	240	0	41182	10890	364	0	0
2	735	51773	C51773	C310	OVEN PROCESS MOD OEB-383 CABINET TYPE A	254244	20	30132	46723	240	0	41182	10890	364	0	0
2	735	51774	C51774	C310	OVEN PROCESS MOD OEB-383 CABINET TYPE A	254246	20	30132	46723	240	0	41182	10890	364	0	0
2	735	51775	C51775	C310	OVEN PROCESS MOD OEB-383 CABINET TYPE AP	254245	20	30132	46723	240	0	41182	10890	364	0	0
2	735	51812	C51812	C310	GENERATOR SET DIESEL MODEL SR4 1800 R	58BH4886	20	29006	146367	240	0	41182	12000	401	0	0
2	735	51825	C51825	C310	GENERATOR DIESEL 350 KW MODEL SR4 1800	54BH3026	20	25384	83479	240	0	41182	15570	520	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	51852	C51852	C310	MOTOR ELECTRIC WESTINGHOUSE 200 HP 3 PH	14S9B3560	20	18171	1910	240	0	41182	22680	757	0	0
2	735	51853	C51853	C310	MOTOR WESTINGHOUSE 200 HP 3 PH 60 CY	48S9B3571	20	18171	2468	240	0	41182	22680	757	0	0
2	735	51854	C51854	C310	MOTOR ELECT WESTINGHOUSE 200 HP 3 PH	56S9B3575	20	18171	2468	240	0	41182	22680	757	0	0
2	735	51855	C51855	C310	MOTOR 200 HP WESTINGHOUSE 200 HP 3 PH 60	3759B3572	20	18171	2468	240	0	41182	22680	757	0	0
2	735	51856	C51856	C310	MOTOR 200 HP WESTINGHOUSE 200 HP 3 PH	44S9B3572	20	18171	2403	240	0	41182	22680	757	0	0
2	735	51857	C51857	C310	MOTOR 200 HP WESTINGHOUSE 3 PH 60 CY	18S9B3575	20	18171	2468	240	0	41182	22680	757	0	0
2	735	51858	C51858	C310	MOTOR 200 HP WESTINGHOUSE 3 PH 60 CY	2959B3572	20	18171	2468	240	0	41182	22680	757	0	0
2	735	51859	C51859	C310	MOTOR 200 HP WESTINGHOUSE 3 PH 60 CY	36S9B3560	20	18171	2468	240	0	41182	22680	757	0	0
2	735	51996	C51996	C310	SCALE PLATFORM HIGH PRECISION CAPACITY 0	44956	20	25811	153597	240	0	41182	15150	506	0	0
2	501	4860018		C310331	ENCLOSED BRIDGE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	735	33922	C80662	C310A	TWELLIOTT PUMP ERD 6D11-E3-437 PUMP TWEL	3 5091	40	17867	5451	480	0	41182	22980	767	0	0
2	735	33926	C80665	C310A	TWELLIOTT PUMP PUMP TWELLIOTT	N/A	40	17867	5453	480	0	41182	22980	767	0	0
2	735	33927	C80663	C310A	TWELLIOTT PUMP ERD 6D11-E3-1066 PUMP TWE	3 5720	40	17867	5453	480	0	41182	22980	767	0	0
2	735	33928	C80664	C310A	TWELLIOTT PUMP PUMP TWELLIOTT	N/A	40	17867	5453	480	0	41182	22980	767	0	0
2	735	50237	C74681	C310A	UF6 DETECTION SYSTEM C-310-A AN INDEPE	N/A	25	28276	16238	300	0	41182	12720	425	0	0
2	501	4860020		C310B	MOBILE OFFICE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	735	5897	C80701	C315	MOTOR ELECTRIC FRAME X505-Z VOLT 440	14S12B2526	20	19328	2036	240	0	41182	21540	719	0	0
2	735	5900	C80694	C315	MOTOR ELECTRIC FRAME X505-Z VOLT 440 P	16S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5913	C81862	C315	MOTOR ELECTRIC TYPE C.S. INDUCTION FRAM	5S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5950	C80697	C315	MOTOR SPECIALLY DESIGNED 200 HP AC INDUC	3S 10N 4556	20	19328	2562	240	0	41182	21540	719	0	0
2	735	8425	C81993	C315	CONDENSER WASTE	N/A	20	19298	5845	240	0	41182	21570	720	0	0
2	735	8426	C81994	C315	CONDENSER WASTE	N/A	20	19298	5091	240	0	41182	21570	720	0	0
2	735	8427	C81995	C315	CONDENSER WASTE (HTEAT EXCHANGERS) SIZE	MV 7423 3	20	19298	5845	240	0	41182	21570	720	0	0
2	735	10537	C85489	C315	TRANSFER CAR STEEL CAPACITY 28 000 LBS	S926EE2	20	19298	3328	240	0	41182	21570	720	0	0
2	735	10538	C80680	C315	SCALE PLATFORM TYPE 40 000 LBS. CAPACI	G156246	20	19298	13249	240	0	41182	21570	720	0	0
2	735	10920	C80679	C315	SCALES PLATFORM PRINTOMATIC WEIGHER. S	G156245	20	19298	86676	240	0	41182	21570	720	0	0
2	735	10921	C85488	C315	TRANSFER CAR AIR MOTORED WEIGHT SCALE	S926EE3	20	19298	3329	240	0	41182	21570	720	0	0
2	735	10924	C75037	C315	SCALES PLATFORM WITH PRINTOMATIC WEIGHE	G156243	20	19298	81135	240	0	41182	21570	720	0	0
2	735	10925	C85487	C315	TRANSFER CAR AIR MOTORED WEIGHT SCALE	S926EE4	20	19298	3329	240	0	41182	21570	720	0	0
2	735	10940	C80691	C315	SPHERICAL SURGE DRUM 33' 9" STEEL PLATE	7622406	40	19298	39977	480	0	41182	21570	720	0	0
2	735	10941	C80690	C315	SPHERICAL SURGE DRUM 33'9" STEEL PLATE	N/A	40	19298	39977	480	0	41182	21570	720	0	0
2	735	10942	C82324	C315	LUBE OIL COOLER MAX. TEMP. 200 DEGREE	18214	20	19298	1430	240	0	41182	21570	720	0	0
2	735	10982	C81992	C315	TANK WASTE ACCUMULATOR 10% NICKEL CLAD	308512	40	19298	5778	480	0	41182	21570	720	0	0
2	501	30165	C74152	C315	C-315 SURGE AND WASTE BLDG. -AN IRREGULA	N/A	40	19298	2193842	480	0	41182	21570	720	0	0
2	501	30166	C74153	C315	LIGHTING SYSTEM- THIS SYSTEM IS DISIGNED	N/A	40	19298	115232	480	0	41182	21570	720	0	0
2	501	30167	C74154	C315	PLUMBING AND DRAINAGE - THIS SYSTEM HAND	N/A	40	19298	101202	480	0	41182	21570	720	0	0
2	501	30168	C74155	C315	HEATING AND VENTILATING SYSTEM-THIS IS A	N/A	40	19298	162163	480	0	41182	21570	720	0	0
2	735	30169	C74156	C315	WASTE SAMPLING REFRIGERATION SYSTEM IS D	N/A	20	19298	12999	240	0	41182	21570	720	0	0
2	735	30170	C74157	C315	PROCESS GAS PIPING SYSTEM COVERS ALL PRO	N/A	40	19298	1177451	480	0	41182	21570	720	0	0
2	735	30171	C74158	C315	COOLANT SYSTEM DESIGNATED TO AFFECT HEAT	N/A	30	19298	54321	360	0	41182	21570	720	0	0
2	735	30172	C74159	C315	AUXILIARY SYSTEM DESIGNATED TO FURNISH S	N/A	25	19298	49956	300	0	41182	21570	720	0	0
2	735	30174	C74161	C315	RECIRCULATING WATER SYSTEM DESIGNATED TO	N/A	40	19298	40869	480	0	41182	21570	720	0	0
2	735	30175	C74162	C315	ELECTRIC POWER SYSTEM IS TO FURNISH PROC	N/A	30	19298	345827	360	0	41182	21570	720	0	0
2	735	30176	C74163	C315	CELL AND PIPE ENCLUSURES COVERS THE INSU	N/A	40	19298	122322	480	0	41182	21570	720	0	0
2	735	30177	C74164	C315	INSTRUMENT AND CONTROL SYSTEM DESIGNED T	N/A	25	19298	470807	300	0	41182	21570	720	0	0
2	735	33929	C80695	C315	AC PUMP CENTRIFUGAL HORIZONTAL K-25 PROP	3 5834	40	16649	5020	480	0	41182	24180	807	0	0
2	735	42088	C80692	C315	CONTINUOUS SAMPLING STATION IN METAL CA	N/A	15	23162	7547	180	0	41182	17760	593	0	0
2	735	44370	C80703	C315	WATER CHILLER 480 VOLTS 60 CYCLES 3 P	71641	20	26723	23929	240	0	41182	14250	476	0	0
2	735	48818	C82002	C315	MODEL KD-50 KINNEY HIGH VACUUM PUMP ME	80 0746/V50011	15	29951	8130	180	0	41182	11070	370	0	0
2	735	48819	C82003	C315	MODEL KD-50 KENNEY HIGH VACUUM PUMP ME	800746/V500110	15	29951	8129	180	0	41182	11070	370	0	0
2	470	50092	C74544	C315	SLAB CONCRETE CONCRETE SLAB 96' LONG 6	N/A	30	22646	75012	360	0	41182	18270	610	0	0
2	735	50238	C74682	C315	AN INDEPENDENT UF6 DETECTION SYSTEM WIT	N/A	25	28276	16239	300	0	41182	12720	425	0	0
2	735	50290	C74732	C315	ALARM MONITORING C-315 EQUIPMENT WAS I	N/A	25	29951	203189	300	0	41182	11070	370	0	0
2	735	51271	C51271	C315	CRANE GANTRY 20 TON TWENTY TON SPECIA	4023	30	31351	259627	360	721.1861111	41182	9690	324	36	25962.7
2	735	51588	C51588	C315	NORMETEX PUMP FOR UF6 SERVICE MACHIN.N	382	15	31958	258444	180	0	41182	9090	304	0	0
2	735	51649	C51649	C315	ELECTRIC OVERHEAD CRANE 5-TON CAP. WIRE	N/A	30	32173	16235	360	45.09722222	41182	8880	297	63	2841.125
2	735	51681	C51681	C315	PUMP FOR UF6 SERVICE TYPE (M3/H) 600 FUR	383	15	32355	715981	180	0	41182	8700	291	0	0
2	735	51682	C51682	C315	PUMP UF6 SERVICE TYPE(M 3/H) 600 FURNISH	436	15	32355	715981	180	0	41182	8700	291	0	0
2	501	4860021		C315331	TIE LINE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	30029	C74034	C320	TELEPHONE BUILDING - A ONE-STORY REINFOR	N/A	50	19298	47032	600	0	41182	21570	720	0	0
2	501	30030	C74035	C320	ELECTRICAL LIGHTING SYSTEM COVERS THE L	N/A	50	19298	8915	600	0	41182	21570	720	0	0
2	501	30031	C74036	C320	PLUMBING AND DRAINAGE - COVERS ROOF GUTT	N/A	50	19298	243	600	0	41182	21570	720	0	0
2	501	30032	C74037	C320	HEATING AND VENTILATING - COVERS HEATING	N/A	50	19298	2683	600	0	41182	21570	720	0	0
2	735	373	C82520	C331	CONVERTER 00 CELL 2 STAGE 5 CONVERTER 00	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	374	C82521	C331	CONVERTER 00 CELL 3.6 STAGE 6 CONVERTER	119 U 276	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	375	C82522	C331	CONVERTER 00 CELL 3.10 STAGE 8 CONVERTER	119 U 189	40	29036	140228	480	292.1416667	41182	11970	400	80	23371.33333
2	735	376	C82523	C331	CONVERTER 00 CELL 2 STAGE 8 CONVERTER 00	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	377	C85008	C331	CONVERTER 00 CELL 3 STAGE 4 CONVERTER 00	119 U 166	40	19328	17684	480	0	41182	21540	719	0	0
2	735	380	C82526	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U192	40	19328	17684	480	0	41182	21540	719	0	0
2	735	382	C82528	C331	CONVERTER "000" CELL:1.4 STAGE:9 CONVE	119U66	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	383	C82529	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U281	40	19328	17684	480	0	41182	21540	719	0	0
2	735	384	C82530	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U233	40	19328	17684	480	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	388	C82535	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U242	40	19328	17684	480	0	41182	21540	719	0	0
2	735	390	C82537	C331	CONVERTER 00 CELL 2 STAGE 1 CONVERTER 00	1997	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	391	C82538	C331	CONVERTER 00 CELLL 3.4 STAGE 3 CONVERTER	2031	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	392	C82539	C331	CONVERTER 00 CELL 2 STAGE 7 CONVERTER 00	1997	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	395	C82541	C331	CONVERTER 00 CELL 34 STAGE 8 CONVERTER 0	2031	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	396	C82542	C331	CONVERTER 00 CELL 3.4 STAGE 9 CONVERTER	2031	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	398	C82544	C331	CONVERTER 00 CELL 2 STAGE 8 CONVERTER 00	119 U 204	40	28521	128748	480	268.225	41182	12480	417	63	16898.175
2	735	399	C82545	C331	CONVERTER 00 CELL 3.6 STAGE 9 CONVERTER	119 U 219	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	400	C82546	C331	CONVERTER 00 CELL 3.6 STAGE 8 CONVERTER	119 U 175	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	401	C82547	C331	CONVERTER 00 CELL 3.6 STAGE 4 CONVERTER	119 U 215	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	403	C82550	C331	CONVERTER 00 CELL 3.6 STAGE 10 CONVERTER	119 U 177	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	405	C82552	C331	CONVERTER 00 CELL 2.3 STAGE 10 CONVERTER	119 U 198	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	407	C82553	C331	CONVERTER 00	N/A	40	29036	140228	480	292.1416667	41182	11970	400	80	23371.33333
2	735	408	C82554	C331	CONVERTER 00 CELL 3.7 STAGE 5 CONVERTER	119 U 210	40	29098	142449	480	296.76875	41182	11910	398	82	24335.0375
2	735	411	C82557	C331	CONVERTER "00" CELL:1.6 STAGE:3 CONVER	119U61	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	412	C82558	C331	CONVERTER 00 CELL 3.4 STAGE 1 CONVERTER	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	416	C82562	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U263	40	19328	17684	480	0	41182	21540	719	0	0
2	735	417	C82563	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U257	40	19328	17684	480	0	41182	21540	719	0	0
2	735	420	C82566	C331	CONVERTER "00" CELL:1.8 STAGE:1 CONVER	119U249	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	422	C82568	C331	CONVERTER 00 CELL 3.8 STAGE 5 CONVERTER	119 U 52	40	29189	134343	480	279.88125	41182	11820	395	85	23789.90625
2	735	424	C82569	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U67	40	19328	17684	480	0	41182	21540	719	0	0
2	735	425	C82570	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL JN	119U395	40	19328	17684	480	0	41182	21540	719	0	0
2	735	426	C82571	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U311	40	19328	17684	480	0	41182	21540	719	0	0
2	735	427	C82572	C331	CONVERTER "00" CELL:1.8 STAGE:3 CONVER	119U227	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	428	C82573	C331	CONVERTER 00 CELL 2 STAGE 10 CONVERTER 0	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	429	C82574	C331	CONVERTER CELL 3.8 STAGE 3 CONVERTER	119U356	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	430	C82575	C331	CONVERTER 00 CELL 2 STAGE 4 CONVERTER 00	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	432	C82577	C331	CONVERTER 00 CELL 3.8 STAGE 10 CONVERTER	119 U 112	40	29189	134343	480	279.88125	41182	11820	395	85	23789.90625
2	735	433	C82578	C331	CONVERTER "00" CELL:1.8 STAGE:2 CONVER	119U116	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	435	C82580	C331	CONVERTER 00 CELL 3.4 STAGE 4 CONVERTER	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	436	C82581	C331	CONVERTER 00 CELL 3.6 STAGE 3 CONVERTER	119 U 62	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	438	C82583	C331	CONVERTER 00 CELL 6 STAGE 7 CONVERTER 00	119 U 348	40	19328	17684	480	0	41182	21540	719	0	0
2	735	440	C82585	C331	CONVERTER 00 CELL 3.4 STAGE 5 CONVERTER	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	443	C82587	C331	CONVERTER 00 CELL 3.4 STAGE 7 CONVERTER	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	444	C82588	C331	CONVERTER 00 CELL 3.4 STAGE 10 CONVERTER	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	445	C82589	C331	CONVERTER 00 CELL 2 STAGE 3 CONVERTER 00	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	458	C82603	C331	CONVERTER 00 CELL 3.10 STAGE 9 CONVERTER	119 V 58	40	29036	140228	480	292.1416667	41182	11970	400	80	23371.33333
2	735	461	C82606	C331	CONVERTER 00 CELL 3.8 STAGE 1 CONVERTER	119 V 69	40	29189	134343	480	279.88125	41182	11820	395	85	23789.90625
2	735	462	C82607	C331	CONVERTER TYPE 0-0 UNIT HAD SERIAL NO	119U327	40	19328	19219	480	0	41182	21540	719	0	0
2	735	465	C82610	C331	CONVERTER 00 CELL 3.8 STAGE 7 CONVERTER	119 V 329	40	29189	134343	480	279.88125	41182	11820	395	85	23789.90625
2	735	470	C82614	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U85	40	19328	18736	480	0	41182	21540	719	0	0
2	735	472	C82616	C331	CONVERTER 00 CELL 3.7 STAGE 8 CONVERTER	119 V 51	40	29098	142449	480	296.76875	41182	11910	398	82	24335.0375
2	735	476	C82620	C331	CONVERTER -- CELL 3.8 STAGE 8 CONVERTER	119 V 2	40	29189	134343	480	279.88125	41182	11820	395	85	23789.90625
2	735	478	C82622	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U78	40	19328	19219	480	0	41182	21540	719	0	0
2	735	479	C82623	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U262	40	19328	19219	480	0	41182	21540	719	0	0
2	735	480	C82624	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U34	40	19328	18736	480	0	41182	21540	719	0	0
2	735	481	C82625	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U32	40	19328	18736	480	0	41182	21540	719	0	0
2	735	482	C82626	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U40	40	19328	18736	480	0	41182	21540	719	0	0
2	735	483	C82627	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U167	40	19328	18736	480	0	41182	21540	719	0	0
2	735	484	C82628	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U248	40	19328	18736	480	0	41182	21540	719	0	0
2	735	485	C82629	C331	CONVERTER 00 CELL 3.1 STAGE 1 CONVERTER	119 V 379	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	486	C82630	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U63	40	19328	18736	480	0	41182	21540	719	0	0
2	735	492	C82636	C331	CONVERTERS TYPE 0-0 UNIT HEAD SERIAL N	119U129	40	19328	18736	480	0	41182	21540	719	0	0
2	735	494	C82637	C331	CONVERTER TYPE0-0 UNIT HEAD SERIAL NO	119U86	40	19328	19219	480	0	41182	21540	719	0	0
2	735	495	C82638	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U180	40	19328	19219	480	0	41182	21540	719	0	0
2	735	496	C85006	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U11	40	19328	19219	480	0	41182	21540	719	0	0
2	735	497	C85374	C331	CONVERTER TYPE 0-0 UNIT INVENTORY 22	119 V 49	40	19053	17684	480	0	41182	21810	728	0	0
2	735	498	C82639	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U82	40	19328	19219	480	0	41182	21540	719	0	0
2	735	500	C82640	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U16	40	19328	19219	480	0	41182	21540	719	0	0
2	735	501	C75952	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U251	40	19328	19219	480	0	41182	21540	719	0	0
2	735	502	C82641	C331	CONVERTER 00 CELL 2.10 STAGE 1 CONVERTER	N/A	40	28337	153053	480	318.8604167	41182	12660	423	57	18175.04375
2	735	505	C82644	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U73	40	19328	19219	480	0	41182	21540	719	0	0
2	735	506	C82645	C331	CONVERTER 00 CELL 3.5 STAGE 10 CONVERTER	119 V 229	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	507	C76935	C331	CONVERTER "00" CELL:2.7 STAGE:1 CONVER	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	508	C82646	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U48	40	19328	19219	480	0	41182	21540	719	0	0
2	735	509	C82647	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U72	40	19328	19219	480	0	41182	21540	719	0	0
2	735	510	C82648	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U33	40	19328	18736	480	0	41182	21540	719	0	0
2	735	512	C82650	C331	CONVERTER 00 CELL 2 STAGE 1 CONVERTER 00	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	513	C82651	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U24	40	19328	19219	480	0	41182	21540	719	0	0
2	735	514	C82652	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U195	40	19328	19219	480	0	41182	21540	719	0	0
2	735	516	C82654	C331	CONVERTER "00" CELL:3.9 STAGE:6 CONVER	N/A	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	518	C82656	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U292	40	19328	19219	480	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	519	C82657	C331	CONVERTER 00 CELL 2.3 STAGE 5 CONVERTER	119 U 71	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	520	C82658	C331	CONVERTER TYPE 0-0 CELL:7 STAGE:8 CONVER	119 U 234	40	19328	19219	480	0	41182	21540	719	0	0
2	735	522	C77079	C331	CONVERTER 00 CELL 3.1 STAGE 2 CONVERTER	119 V 161	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	523	C82660	C331	CONVERTER TYPE 0-0 CELL:9 STAGE:7 CONVER	119 U 172	40	19328	19219	480	0	41182	21540	719	0	0
2	735	525	C82662	C331	CONVERTER TYP 0-0 CELL:9 STAGE:2 CONVERT	119 U 94	40	19328	19219	480	0	41182	21540	719	0	0
2	735	526	C82663	C331	CONVERTER TYPE 0-0 UNIT CELL:9 STAGE:7 C	119 U 57	40	19328	19219	480	0	41182	21540	719	0	0
2	735	527	C82664	C331	CONVERTER "00" CELL:27 STAGE:4 CONVERTER	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	528	C82665	C331	CONVERTER TYPE 0-0 UNIT CELL:9 STAGE:1 C	119 U 25	40	19328	19219	480	0	41182	21540	719	0	0
2	735	529	C82666	C331	CONVERTER TYPE 0-0 UNIT CELL:9 STAGE:3 C	119 U 84	40	19328	19219	480	0	41182	21540	719	0	0
2	735	530	C82667	C331	CONVERTER TYPE 0-0 UNIT CELL:9 STAGE:4 C	119 U 42	40	19328	19219	480	0	41182	21540	719	0	0
2	735	531	C82668	C331	CONVERTER 00 CELL 3.5 STAGE 6 CONVERTER	119 V 46	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	532	C82669	C331	CONVERTER 00	N/A	40	19328	19219	480	0	41182	21540	719	0	0
2	735	533	C82670	C331	CONVERTER TYPE 0-0 UNIT CELL:4 STAGE:8 C	119 U 277	40	19328	19219	480	0	41182	21540	719	0	0
2	735	534	C82671	C331	CONVERTER 00 CELL 3.6 STAGE 5 CONVERTER	119 V 182	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	535	C82672	C331	CONVERTER TYPE 0-0 UNIT CELL:7 STAGE:1 C	119 U 342	40	19328	19219	480	0	41182	21540	719	0	0
2	735	536	C82673	C331	CONVERTER 00 CELL 2.3 STAGE 8 CONVERTER	119 V 43	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	537	C82674	C331	CONVERTER TYPE 0-0 UNIT CELL:8 STAGE:6 C	119 U 12	40	19328	19219	480	0	41182	21540	719	0	0
2	735	538	C82675	C331	CONVERTER TYPE 0-0 UNIT CEll:10 STAGE:8	119 U 285	40	19328	19219	480	0	41182	21540	719	0	0
2	735	540	C82677	C331	CONVERTER TYPE 0-0 UNIT CELL:6 STAGE:4 C	119 U 146	40	19328	18736	480	0	41182	21540	719	0	0
2	735	541	C82678	C331	CONVERTER TYPE 0-0 UNIT CELL:6 STAGE:2 C	119 U 68	40	19328	19219	480	0	41182	21540	719	0	0
2	735	542	C82679	C331	CONVERTER TYPE 0-0 UNIT CELL:8 STAGE:10	119 U 154	40	19328	19219	480	0	41182	21540	719	0	0
2	735	543	C82680	C331	CONVERTER TYPE 0-0 UNIT CELL:8 STAGE:8 C	119 U 252	40	19328	19219	480	0	41182	21540	719	0	0
2	735	544	C82681	C331	CONVERTER TYPE 0-0 UNIT CELL:8 STAGE:2 C	119 U 106	40	19328	19219	480	0	41182	21540	719	0	0
2	735	545	C82682	C331	CONVERTER 00 CELL 2.3 STAGE 3 CONVERTER	119 U 174	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	546	C82683	C331	CONVERTER TYPE 0-0 UNIT CELL:7 STAGE:6 C	119 U 160	40	19328	19219	480	0	41182	21540	719	0	0
2	735	548	C82684	C331	CONVERTER TYPE 0-0 UNIT CELL:10 STAGE:5	119 U 22	40	19328	19219	480	0	41182	21540	719	0	0
2	735	549	C82685	C331	CONVERTER 00	N/A	40	19328	19219	480	0	41182	21540	719	0	0
2	735	550	C82794	C331	CONVERTER 00 CELL 2.10 STAGE 2 CONVERTER	N/A	40	28337	153053	480	318.8604167	41182	12660	423	57	18175.04375
2	735	551	C82686	C331	CONVERTER TYPE 0-0 UNIT CELL:8 STAGE:7 C	119 U 278	40	19328	18736	480	0	41182	21540	719	0	0
2	735	552	C82687	C331	CONVERTER 00 CELLL 2.3 STAGE 6 CONVERTER	119 U 117	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	553	C82688	C331	CONVERTER TYPE 0-0 UNIT CELL:8 STAGE:1 C	119 U 187	40	19328	18736	480	0	41182	21540	719	0	0
2	735	554	C82689	C331	CONVERTER 00 CELL 3.5 STAGE 3 CONVERTER	119 U 336	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	555	C82690	C331	CONVERTER TYPE 0-0 UNIT CELL:2 STAGE:3 C	119 U 17	40	19328	19219	480	0	41182	21540	719	0	0
2	735	556	C82691	C331	CONVERTER TYPE 0-0 UNIT CELL:2 STAGE:2 C	119 U 170	40	19328	19219	480	0	41182	21540	719	0	0
2	735	557	C82692	C331	CONVERTER TYPE 0-0 UNIT CELL:2 STAGE:4 C	119 U 79	40	19328	19219	480	0	41182	21540	719	0	0
2	735	558	C82693	C331	CONVERTER TYPE 0-0 UNIT CELL:2 STAGE:5 C	119 U 159	40	19328	19219	480	0	41182	21540	719	0	0
2	735	560	C82695	C331	CONVERTER TYPE 0-0 UNIT CELL:5 STAGE:9 C	119 U 220	40	19328	19219	480	0	41182	21540	719	0	0
2	735	561	C82696	C331	CONVERTER TYPE 0-0 UNIT CELL:6 STAGE:9 C	119 U 324	40	19328	19219	480	0	41182	21540	719	0	0
2	735	562	C82697	C331	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U 168	40	19328	19219	480	0	41182	21540	719	0	0
2	735	567	C82700	C331	CONVERTER 00 CELL 2.10 STAGE 9 CONVERTER	N/A	40	28337	153053	480	318.8604167	41182	12660	423	57	18175.04375
2	735	568	C82701	C331	CONVERTER TYPE 0-0 UNIT CELL:6 STAGE:5 C	119 U 265	40	19328	19219	480	0	41182	21540	719	0	0
2	735	569	C82702	C331	CONVERTER TYPE 0-0 UNIT CELL:10 STAGE:2	119 U 205	40	19328	19219	480	0	41182	21540	719	0	0
2	735	570	C82703	C331	CONVERTER TYPE 0-0 UNIT CELL:10 STAGE:4	119 U 303	40	19328	19219	480	0	41182	21540	719	0	0
2	735	571	C82704	C331	CONVERTER 00 CELL 3.5 STAGE 1 CONVERTER	119 U 287	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	572	C82705	C331	CONVERTER TYPE 0-0 UNIT CELL:10 STAGE:1	119 U 4	40	19328	19219	480	0	41182	21540	719	0	0
2	735	573	C82706	C331	CONVERTER TYPE 0-0 UNIT CELL:10 STAGE:6	119 U 60	40	19328	19219	480	0	41182	21540	719	0	0
2	735	574	C82707	C331	CONVERTER TYPE 0-0 UNIT CELL:10 STAGE:10	119 U 99	40	19328	19219	480	0	41182	21540	719	0	0
2	735	575	C82708	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 199	40	19328	19219	480	0	41182	21540	719	0	0
2	735	576	C82709	C331	CONVERTER "000" CELL:2.7 STAGE:3 CONVERT	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	577	C82710	C331	CONVERTER 00	N/A	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	578	C82711	C331	CONVERTER 31X 00 CELL 2.2 STAGE 2 CONVE	119 U 206	40	28156	139952	480	291.5666667	41182	12840	429	51	14869.9
2	735	579	C82712	C331	CONVERTER 31X 00 CELL 2.2 STAGE 1 CONVER	119 U 337	40	28156	139952	480	291.5666667	41182	12840	429	51	14869.9
2	735	580	C82713	C331	CONVERTER 00 CELL 2.3 STAGE 9 CONVERTER	119 U 221	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	581	C82714	C331	CONVERTER 00 CELL 8 STAGE 4 CONVERTER 00	N/A	40	28306	153052	480	318.8583333	41182	12690	424	56	17856.06667
2	735	582	C82715	C331	CONVERTER 00 CELL 8 STAGE 2 CONVERTER 00	N/A	40	28306	153052	480	318.8583333	41182	12690	424	56	17856.06667
2	735	583	C82716	C331	CONVERTER 00 CELL 8 STAGE 8 CONVERTER 00	N/A	40	28306	153052	480	318.8583333	41182	12690	424	56	17856.06667
2	735	584	C82717	C331	CONVERTER 00 DATE IN SERVICE 11/52 CONVE	119 U 377	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	585	C82718	C331	CONVERTER "000" CELL:2.7 STAGE:5 CONVERT	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	586	C82719	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 173	40	19328	18736	480	0	41182	21540	719	0	0
2	735	587	C82720	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 270	40	19328	18736	480	0	41182	21540	719	0	0
2	735	588	C82721	C331	CONVERTER 00 DATE IN SERVICE 11/52 CONVE	119 U 267	40	28306	153052	480	318.8583333	41182	12690	424	56	17856.06667
2	735	589	C82722	C331	CONVERTER 00 DATE IN SERVICE 11/52 CONVE	119 U 20	40	28306	153052	480	318.8583333	41182	12690	424	56	17856.06667
2	735	590	C77378	C331	CONVERTER O-O UNIT CONVERTER 00	119 U 139	40	19328	18736	480	0	41182	21540	719	0	0
2	735	591	C82723	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 315	40	19328	18736	480	0	41182	21540	719	0	0
2	735	592	C82724	C331	CONVERTER 00	N/A	40	19328	19219	480	0	41182	21540	719	0	0
2	735	593	C82725	C331	CONVERTER "000" CELL:2.7 STAGE:9 CONVERT	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	595	C82727	C331	CONVERTER TYPE 0-0 CONVERTER 00	119 U 111	40	19328	18736	480	0	41182	21540	719	0	0
2	735	596	C82728	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 223	40	28306	153052	480	318.8583333	41182	12690	424	56	17856.06667
2	735	597	C82729	C331	CONVERTER TYPE 0-0UNIT HEAD SERIAL NO.	119 U 27	40	28337	153053	480	318.8604167	41182	12660	423	57	18175.04375
2	735	598	C82730	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 30	40	28306	153052	480	318.8583333	41182	12690	424	56	17856.06667
2	735	599	C82731	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 246	40	19328	18736	480	0	41182	21540	719	0	0
2	735	600	C82732	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 201	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	601	C82733	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 245	40	19328	18736	480	0	41182	21540	719	0	0
2	735	602	C82734	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 18	40	19328	19219	480	0	41182	21540	719	0	0
2	735	603	C82735	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 238	40	19328	18736	480	0	41182	21540	719	0	0
2	735	604	C82736	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 39	40	28337	153053	480	318.8604167	41182	12660	423	57	18175.04375
2	735	605	C82737	C331	CONVERTER "000" CELL:2.7 STAGE:6 CONVERT	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	606	C82738	C331	CONVERTER TYPE 0-0 UNIT CONVERTER 00	119 U 104	40	19328	18736	480	0	41182	21540	719	0	0
2	735	607	C82739	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 169	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	608	C82740	C331	CONVERTER "00" CELL: 2.7 STAGE: 10. CO	N/A	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	610	C82741	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 41	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	611	C82742	C331	CONVERTER TUPE 0-0 UNIT HEAD - CELL:	119U236	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	616	C82746	C331	CONVERTER TYPE 0-0 UNIT. CONVERTER 00	119U239	40	28398	154738	480	322.3708333	41182	12600	421	59	19019.87917
2	735	617	C82747	C331	CONVERTER TUPE 0-0 UNIT. CONVERTER 00	119U402	40	19328	18736	480	0	41182	21540	719	0	0
2	735	618	C82748	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 29	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	626	C82751	C331	CONVERTER TYPE 0-0 UNIT. CONVERTER 00	119U284	40	19328	19219	480	0	41182	21540	719	0	0
2	735	627	C82752	C331	CONVERTER TPE 0-0 UNIT. CONVERTER 00	119U77	40	19328	19219	480	0	41182	21540	719	0	0
2	735	628	C82753	C331	CONVERTER TYPE 0-0 UNIT. CONVERTER 00	119U96	40	19328	19219	480	0	41182	21540	719	0	0
2	735	629	C82754	C331	CONVERTER TYPE 0-0 UNIT. CONVERTER 00	119U88	40	19328	18736	480	0	41182	21540	719	0	0
2	735	630	C82755	C331	CONVERTER 00	N/A	40	19328	19219	480	0	41182	21540	719	0	0
2	735	631	C82756	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 9	40	28337	153053	480	318.8604167	41182	12660	423	57	18175.04375
2	735	632	C82757	C331	CONVERTER TPE 0-0 UNIT HEAD SERIAL NO.	119U109	40	19328	19219	480	0	41182	21540	719	0	0
2	735	633	C82758	C331	CONVERTER TUPE 0-0 UNIT HEAD SERIAL NO.	119U250	40	19328	19219	480	0	41182	21540	719	0	0
2	735	634	C82759	C331	CONVERTER TUPE 0-0 UNIT HEAD SERIAL NO	119U385	40	19328	19219	480	0	41182	21540	719	0	0
2	735	635	C82760	C331	CONVERTER TYPE 0-0 NIT HEAD SERIAL NO.1	119U50	40	19328	19219	480	0	41182	21540	719	0	0
2	735	638	C82763	C331	CONVERTRE TYPE 0-0 UNIT HEAD SERIAL NO.	119U5	40	19328	19219	480	0	41182	21540	719	0	0
2	735	639	C82764	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U44	40	19328	19219	480	0	41182	21540	719	0	0
2	735	642	C82767	C331	CONVERTER TUPE 0-0 UNIT HEAD SERIAL NO	119U131	40	19328	19219	480	0	41182	21540	719	0	0
2	735	646	C82771	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 310	40	28490	128748	480	268.225	41182	12510	418	62	16629.95
2	735	647	C82772	C331	CONVERTER TUPE 0-0 UNIT HEAD SERIAL NO	119U140	40	19328	18736	480	0	41182	21540	719	0	0
2	735	651	C82776	C331	CONVERTER TYPE0-0 UNIT HEAD SERIAL NO.	119U347	40	19328	18736	480	0	41182	21540	719	0	0
2	735	652	C82777	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U366	40	19328	18736	480	0	41182	21540	719	0	0
2	735	653	C82778	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U133	40	19328	17684	480	0	41182	21540	719	0	0
2	735	654	C82779	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119U338	40	19328	18736	480	0	41182	21540	719	0	0
2	735	655	C82780	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U241	40	19328	18736	480	0	41182	21540	719	0	0
2	735	656	C82781	C331	CONVERTER TPE 0-0 UNIT HEAD SERIAL NO.	119U372	40	28306	153052	480	318.8583333	41182	12690	424	56	17856.06667
2	735	657	C82782	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U360	40	19328	18736	480	0	41182	21540	719	0	0
2	735	659	C82784	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119U100	40	19328	18736	480	0	41182	21540	719	0	0
2	735	660	C82785	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119U264	40	19328	18736	480	0	41182	21540	719	0	0
2	735	661	C82786	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U260	40	19328	18736	480	0	41182	21540	719	0	0
2	735	662	C82787	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U268	40	19328	18736	480	0	41182	21540	719	0	0
2	735	663	C82788	C331	CONVERTER TYP 0-0 UNIT HEAD SERIAL NO.	119U306	40	19328	18736	480	0	41182	21540	719	0	0
2	735	664	C82789	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U149	40	19328	18736	480	0	41182	21540	719	0	0
2	735	665	C82790	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119U297	40	19328	18736	480	0	41182	21540	719	0	0
2	735	670	C82796	C331	CONVERTER TYPE 0-0 INIT HEAD SERIAL NO.	119U305	40	19328	18736	480	0	41182	21540	719	0	0
2	735	671	C82797	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119U45	40	19328	18736	480	0	41182	21540	719	0	0
2	735	672	C85007	C331	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U 393	40	19328	17684	480	0	41182	21540	719	0	0
2	735	675	C82800	C331	CONVERTER "00" CELL: 1.4 STAGE: 6. CON	119U19	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	678	C82803	C331	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U 406	40	19328	17684	480	0	41182	21540	719	0	0
2	735	680	C82805	C331	CONVERTER "00" CELL: 1.4 STAGE: 10. CO	119U369	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	681	C82806	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 123	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	683	C82935	C331	CONVERTER "00" CELL: 1.4 STAGE: 2. CON	119U6	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	684	C82936	C331	CONVERTER "00" CELL: 1.4 STAGE: 3. CONV	119U101	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	685	C82937	C331	CONVERTER "00" CELL: 1.2. STAGE: 2. CON	119U138	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	687	C82939	C331	CONVERTER 00	N/A	40	19328	18736	480	0	41182	21540	719	0	0
2	735	688	C82940	C331	CONVERTER TUPE 0-0 UNIT HEAD SERIAL NO	119U296	40	19328	18736	480	0	41182	21540	719	0	0
2	735	690	C82942	C331	CONVERTER "00" CELL:1.4 STAGE: 4. CONV	119U224	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	691	C82943	C331	CONVERTER "00" CELL: 1.2 STAGE: 1. CON	119U346	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	692	C82944	C331	CONVERTER "00" CELL: 1.1 STAGE: 7. CO	119U414	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	693	C82945	C331	CONVERTER "00" CELL: 1.6 STAGE: 10. CO	119U400	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	696	C82501	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 110	40	19328	17684	480	0	41182	21540	719	0	0
2	735	699	C82949	C331	CONVERTER "00" CELL: 1.6 STAGE: 4. CONV	119U399	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	700	C82808	C331	CONVERTER "00" CELL 1.6 STAGE: 2. CONV	119U325	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	701	C82809	C331	CONVERTER "00" CELL: 4.1 STAGE: 4. CON	119U340	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	702	C82810	C331	CONVERTR "00" CELL: 1.6 STAGE 6. CONVER	1119U147	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	704	C82812	C331	CONVERTER "00" CELL: 4.1 STAGE: 5. CON	119U14	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	706	C82814	C331	CONVERTER "00" CELL: 1.6 STAGE: 5. CON	119U394	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	707	C82815	C331	CONVERTER "00" CELL: 1.2 STAGE: 10. CO	119U357	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	708	C82816	C331	CONVERTER "00" CELL: 1.4 STAGE: 5. CON	119U349	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	709	C82817	C331	CONVERTER "00" CELL 1.4 STAGE: 1. CONV	119U135	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	710	C82507	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 114	40	19328	17684	480	0	41182	21540	719	0	0
2	735	712	C82819	C331	CONVERTER "00" CELL: 1.8 STAGE: 6. CON	119U368	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	714	C82821	C331	CONVERTER "00" CELL: 1.4 STAGE: 8. CON	119U307	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	726	C82833	C331	CONVERTER "00" CELL: 4.1 STAGE: 7. CONV	119U361	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	727	C82834	C331	CONVERTER "00" CELL: 1.8 STAGE: 10. CON	119U145	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	730	C82500	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 213	40	19328	17684	480	0	41182	21540	719	0	0
2	735	733	C82841	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U137	40	19328	17684	480	0	41182	21540	719	0	0
2	735	738	C82846	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U352	40	19328	17684	480	0	41182	21540	719	0	0
2	735	749	C82859	C331	CONVERTER "00" CONVERTER 00	N/A	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	753	C82863	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U237	40	19328	17684	480	0	41182	21540	719	0	0
2	735	755	C82865	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119U413	40	19328	17684	480	0	41182	21540	719	0	0
2	735	756	C82866	C331	CONVERTER "00" CONVERTER 00	119 U 391	40	29189	134343	480	279.88125	41182	11820	395	85	23789.90625
2	735	758	C82868	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U775	40	19328	19219	480	0	41182	21540	719	0	0
2	735	763	C82873	C331	CONVERTR "00" CELL: 1.4 STAGE: 7 CONVER	119U416	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	764	C82874	C331	CONVERTER "00" CONVERTER 00	N/A	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	776	C82880	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U291	40	19328	17028	480	0	41182	21540	719	0	0
2	735	778	C82881	C331	CONVERTER "00" CONVERTER 00	119 U 273	40	28490	128626	480	267.9708333	41182	12510	418	62	16614.19167
2	735	780	C82883	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U115	40	19328	17028	480	0	41182	21540	719	0	0
2	735	781	C82884	C331	CONVERTER "00" CONVERTER 00	N/A	40	28398	154616	480	322.1166667	41182	12600	421	59	19004.88333
2	735	782	C82885	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U54	40	19328	17028	480	0	41182	21540	719	0	0
2	735	783	C82886	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U397	40	19328	17028	480	0	41182	21540	719	0	0
2	735	784	C82887	C331	CONVERTR TYPE 0-0 UNIT HEAD SERIAL NO.	119U35	40	19328	17028	480	0	41182	21540	719	0	0
2	735	785	C82888	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U407	40	19328	17028	480	0	41182	21540	719	0	0
2	735	787	C82499	C331	CONVERTER TYPE 0-0 UNIT HEAD CONVERTER	119 U 36	40	19328	17028	480	0	41182	21540	719	0	0
2	735	817	C76024	C331	MOTOR HP1700 MOTOR INDUCTION-UPRATED	63S 43P 243	20	29798	15189	240	0	41182	11220	375	0	0
2	735	819	C76069	C331	MTOR 1700HP INDUCTION-UPRATED MOTOR 17	10S 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	824	C76048	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	8843P244	20	29402	15189	240	0	41182	11610	388	0	0
2	735	830	C76115	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	5S 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	831	C76118	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	18 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	832	C76170	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	38 43P 243	20	28702	20779	240	0	41182	12300	411	0	0
2	735	834	C75992	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	16S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	836	C76154	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	8S 43P 243	20	29189	20779	240	0	41182	11820	395	0	0
2	735	842	C76014	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	7S 43P 243	20	29251	20779	240	0	41182	11760	393	0	0
2	735	843	C76109	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	54S 43P 243	20	29494	15189	240	0	41182	11520	385	0	0
2	735	846	C76137	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	68S 43P 243	20	29189	20779	240	0	41182	11820	395	0	0
2	735	849	C76096	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	17S 43P 243	20	28945	20779	240	0	41182	12060	403	0	0
2	735	850	C76099	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	21S 43P 243	20	28945	20779	240	0	41182	12060	403	0	0
2	735	851	C76146	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	32S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	852	C75993	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	27S 43P 243	20	28398	19678	240	0	41182	12600	421	0	0
2	735	853	C76040	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	28S 43P 243	20	29798	15189	240	0	41182	11220	375	0	0
2	735	855	C76153	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	31S 43P 243	20	29189	20779	240	0	41182	11820	395	0	0
2	735	856	C76094	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	25S 43P 244	20	28945	20779	240	0	41182	12060	403	0	0
2	735	857	C76093	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	18S 43P 244	20	28945	20779	240	0	41182	12060	403	0	0
2	735	858	C75973	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	26S 43P 244	20	28490	19678	240	0	41182	12510	418	0	0
2	735	861	C76002	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRTED MO	30S 43P 243	20	28763	20779	240	0	41182	12240	409	0	0
2	735	863	C76016	C331	MOTOR 1700 HP MOTOR INDUCTIN-UPRTED MOT	22S 43P 243	20	29251	20779	240	0	41182	11760	393	0	0
2	735	864	C76097	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	23S 43P 244	20	28945	20779	240	0	41182	12060	403	0	0
2	735	865	C76010	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRTED M	18S 43P 243	20	28490	19678	240	0	41182	12510	418	0	0
2	735	871	C75969	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	29S 43P 244	20	29251	20779	240	0	41182	11760	393	0	0
2	735	875	C75978	C331	MOTOR 1700 HP MOTOR INDUCTIN-UPRATED MO	21S 43P 244	20	28763	20779	240	0	41182	12240	409	0	0
2	735	876	C76081	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	27S 43P 244	20	29494	15189	240	0	41182	11520	385	0	0
2	735	878	C76171	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	34S 43P 244	20	28702	20779	240	0	41182	12300	411	0	0
2	735	879	C76116	C331	MOTOR 1700 HP MOTOR INDUCTIN-UPRATED MO	37S 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	881	C75994	C331	MTR.WEST 1700 HO MOTOR INDUCTION - UPRA	38S-43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	885	C76050	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	12S 18G 292	20	29402	15189	240	0	41182	11610	388	0	0
2	735	886	C76129	C331	MOTOR 1700 HP MOTOR INDUCTIN-UPRATED MO	10S 18G 292	20	29798	15189	240	0	41182	11220	375	0	0
2	735	887	C76117	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	12S 18G 291	20	29159	20779	240	0	41182	11850	396	0	0
2	735	888	C76071	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	11S 18G 292	20	29159	20779	240	0	41182	11850	396	0	0
2	735	890	C76160	C331	MOTOR 1700 HP MOTOR INDUCTIN-UPRATED M	42S 43P 244	20	28490	19678	240	0	41182	12510	418	0	0
2	735	891	C76070	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	44S 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	893	C76003	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	1S 18G 291	20	28763	20779	240	0	41182	12240	409	0	0
2	735	895	C76095	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	13S 18G 291	20	28945	20779	240	0	41182	12060	403	0	0
2	735	896	C76043	C331	MTR. WEST 1700 HP MOTOR INDUCTION-UPRAT	47S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	897	C75972	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	46S 43P 244	20	28490	19678	240	0	41182	12510	418	0	0
2	735	898	C76156	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	48S 43P 244	20	29189	20779	240	0	41182	11820	395	0	0
2	735	899	C76066	C331	MTR. WEST. 1700 HP MOTOR INDUCTION-UPRA	43S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	900	C75996	C331	MTR.WESTINGHOUSE 1700 HP MOTOR INDUCTIO	13S 18G 292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	901	C76067	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	15S 18G 292	20	28398	19678	240	0	41182	12600	421	0	0
2	735	902	C76126	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	14S 18G 291	20	29798	15189	240	0	41182	11220	375	0	0
2	735	904	C76163	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRTED M	51S 43P 244	20	28702	20779	240	0	41182	12300	411	0	0
2	735	905	C76059	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	40S 43P 244	20	29798	15189	240	0	41182	11220	375	0	0
2	735	906	C76089	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	52S 43P 244	20	28945	20779	240	0	41182	12060	403	0	0
2	735	907	C75987	C331	MTR. WEST. 1700 HP MOTOR INDUCTION-UPRA	45S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	908	C75982	C331	MTR.WEST. 1700 HP MOTOR INDUCTION-UPRAT	50S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	909	C75983	C331	MTR.WEST. 1700 HP MOTOR INDUCTION-UPRAT	49S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	912	C76122	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	42S 43P 243	20	28702	20779	240	0	41182	12300	411	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	917	C76012	C331	MOTOR 1700 HP. MOTOR INDUCTION-UPRATE	17S-18G-291	20	29251	20779	240	0	41182	11760	393	0	0
2	735	918	C76005	C331	MOTOR 1700 HP	N/A	20	28763	20779	240	0	41182	12240	409	0	0
2	735	920	C75968	C331	MOTOR 1700 HP	N/A	20	29251	20779	240	0	41182	11760	393	0	0
2	735	921	C76121	C331	c MOTOR 1700 HP	55S-43P-244	20	28702	20779	240	0	41182	12300	411	0	0
2	735	922	C76111	C331	MOTOR HP 1700	N/A	20	28886	20779	240	0	41182	12120	405	0	0
2	735	923	C76038	C331	MTR. WEST 1700 HP MOTOR INDUCTION - UPR	21S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	924	C76135	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	15S 18G 291	20	29189	20779	240	0	41182	11820	395	0	0
2	735	925	C75989	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	18S 18G 291	20	29798	15189	240	0	41182	11220	375	0	0
2	735	926	C76006	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	19S 18G 291	20	28763	20779	240	0	41182	12240	409	0	0
2	735	931	C76139	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	29S 18G 291	20	29189	20779	240	0	41182	11820	395	0	0
2	735	933	C76082	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	28S 18G 292	20	29494	15189	240	0	41182	11520	385	0	0
2	735	934	C76108	C331	MOTOR HP 1700	N/A	20	29494	15189	240	0	41182	11520	385	0	0
2	735	940	C76131	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	49S 43P 243	20	28490	19678	240	0	41182	12510	418	0	0
2	735	941	C76132	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	50S 43P 243	20	28490	19678	240	0	41182	12510	418	0	0
2	735	948	C76124	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	24S 18G 291	20	28702	20779	240	0	41182	12300	411	0	0
2	735	949	C76026	C331	MTR. WEST. 1700 HP MOTOR INDUCTIN - UPR	23S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	952	C75974	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	3S 43P 244	20	28490	19678	240	0	41182	12510	418	0	0
2	735	953	C75981	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	5S 43P 244	20	28763	20779	240	0	41182	12240	409	0	0
2	735	955	C76009	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	D5 153 C2	20	28490	19678	240	0	41182	12510	418	0	0
2	735	956	C76008	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	33S 18G 291	20	28490	19678	240	0	41182	12510	418	0	0
2	735	957	C76004	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	32S 18G 291	20	28763	20779	240	0	41182	12240	409	0	0
2	735	958	C75975	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	30S 18G 291	20	28490	19678	240	0	41182	12510	418	0	0
2	735	959	C76011	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	4S 43P 244	20	28490	19678	240	0	41182	12510	418	0	0
2	735	962	C75971	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	31S 18G 292	20	29251	20779	240	0	41182	11760	393	0	0
2	735	963	C75976	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRAATED	29S 18G 292	20	28490	19678	240	0	41182	12510	418	0	0
2	735	968	C76134	C331	MOTOR 1700 HP MOTOR INDUCTIN-UPRATED M	38S 18G 292	20	28490	19678	240	0	41182	12510	418	0	0
2	735	971	C76125	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	36S 18G 291	20	29798	15189	240	0	41182	11220	375	0	0
2	735	975	C75977	C331	MOTOR 1700 HP	18 60P 665	20	28763	20779	240	0	41182	12240	409	0	0
2	735	976	C76080	C331	MOTOR HP 1700. MOTOR INDUCTION-UPRAT	328 18G 292	20	29494	15159	240	0	41182	11520	385	0	0
2	735	977	C76103	C331	MOT0R 1700 HP MOTOR INDUCTION-UPRATED M	418 18G 291	20	29067	20779	240	0	41182	11940	399	0	0
2	735	979	C76100	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	378 18G 291	20	29067	20779	240	0	41182	11940	399	0	0
2	735	980	C76104	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	388 18G 291	20	29067	20779	240	0	41182	11940	399	0	0
2	735	981	C76087	C331	MOTOR 1700 WH. MOTOR INDUCTION-UPRATE	408 18G 292	20	29067	20779	240	0	41182	11940	399	0	0
2	735	987	C76077	C331	MOTOR HP 1700 MOTOR INDUCTION-UPRATED MO	378 18G 292	20	28886	20779	240	0	41182	12120	405	0	0
2	735	989	C76144	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	438 18G 291	20	29159	20779	240	0	41182	11850	396	0	0
2	735	991	C76105	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	448 18G 291	20	29494	15189	240	0	41182	11520	385	0	0
2	735	992	C76166	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	98 18G 292	20	29798	15189	240	0	41182	11220	375	0	0
2	735	994	C76150	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	68 18G 292	20	29159	20779	240	0	41182	11850	396	0	0
2	735	995	C76028	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	568 43P 243	20	28398	19678	240	0	41182	12600	421	0	0
2	735	996	C76029	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	598 43P 243	20	28398	19678	240	0	41182	12600	421	0	0
2	735	997	C75962	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	60S43P243	20	29433	15189	240	0	41182	11580	387	0	0
2	735	998	C76167	C331	MOTOR HP 1700 MOTOR INDUCTION-UPRATED MO	628 43P 243	20	29798	15189	240	0	41182	11220	375	0	0
2	735	999	C76021	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	698 43P 243	20	28398	19678	240	0	41182	12600	421	0	0
2	735	1003	C76052	C331	MOTOR 1700 HP MOT0R INDUCTION-UPRATED MO	378 43P 244	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1004	C76141	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	118 186 291	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1005	C76142	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	398 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1007	C76049	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	388 43P 244	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1008	C76034	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	368 43P 244	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1009	C76036	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	348 18G 291	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1010	C76035	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	478 18G 291	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1013	C76148	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	628 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1014	C76149	C331	MOTOR 1700 HP MOTOR INDUCTION UPRATED M	488 18G 292	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1015	C76151	C331	MOT0R 1700 HP MOT0R INDUCTION-UPRATED MO	458 18G 292	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1016	C76051	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	558 43P 243	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1017	C76140	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	578 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1018	C76143	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	758 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1019	C75991	C331	MOTOR WESTINGHOUSE 1700 HP MOT0R INDUCTI	35S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1021	C76065	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	78 18G 292	20	28398	19678	240	0	41182	12600	421	0	0
2	735	1022	C76061	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED 1	478 18G 292	20	28398	19678	240	0	41182	12600	421	0	0
2	735	1023	C76133	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	48S 18G 291	20	28490	19678	240	0	41182	12510	418	0	0
2	735	1025	C76123	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	458 18G 291	20	28702	20779	240	0	41182	12300	411	0	0
2	735	1026	C76031	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	428 18G 291	20	28398	19678	240	0	41182	12600	421	0	0
2	735	1027	C76086	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	658 43P 244	20	29067	20779	240	0	41182	11940	399	0	0
2	735	1029	C76007	C331	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	76S 43P 243	20	28490	19678	240	0	41182	12510	418	0	0
2	735	1030	C76047	C331	MTR. WESTINGHOUSE 1700 HP INDUCTION-UPR	64S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1031	C76063	C331	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	77S 43P 243	20	29341	15189	240	0	41182	11670	390	0	0
2	735	1032	C76112	C331	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	81S 43P 243	20	28886	20779	240	0	41182	12120	405	0	0
2	735	1033	C75964	C331	MOTOR 1700 HP MOTOR INDUCTION UPRATED	84-43P-243	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1035	C76113	C331	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	82S 43P 243	20	28886	20779	240	0	41182	12120	405	0	0
2	735	1036	C76155	C331	MOTOR 1700HP INDUCTION-UPRATED MOTOR 1	42S 18G 292	20	29189	20779	240	0	41182	11820	395	0	0
2	735	1038	C76000	C331	MTR. WEST 1700 HP MOTOR INDUCTION - UP	52S-18G-291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1044	C76169	C331	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	53S 18G 292	20	28702	20779	240	0	41182	12300	411	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1047	C76161	C331	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	19S 43P 244	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1049	C76085	C331	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	46S 18G 292	20	29067	20779	240	0	41182	11940	399	0	0
2	735	1056	C76114	C331	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	78S 43P 243	20	28886	20779	240	0	41182	12120	405	0	0
2	735	1058	C76073	C331	MOTOR HP 1700	N/A	20	28886	20779	240	0	41182	12120	405	0	0
2	735	1060	C76152	C331	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	79S 43P 243	20	29189	20779	240	0	41182	11820	395	0	0
2	735	1062	C76074	C331	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	71S 43P 244	20	28886	20779	240	0	41182	12120	405	0	0
2	735	1064	C76075	C331	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	70S 43P 244	20	28886	20779	240	0	41182	12120	405	0	0
2	735	1065	C76084	C331	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	44S 18G 292	20	29067	20779	240	0	41182	11940	399	0	0
2	735	1066	C75980	C331	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	49S 18G 292	20	28763	20779	240	0	41182	12240	409	0	0
2	735	1068	C76083	C331	MOTOR 1700 WH INDUCTION-UPRATED MOTOR	52S 18G 292	20	29067	20779	240	0	41182	11940	399	0	0
2	735	1069	C76147	C331	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	16S 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1070	C76101	C331	MOTOR 1700 WH INDUCTION-UPRATED MOTOR	85S 43P 243	20	29067	20779	240	0	41182	11940	399	0	0
2	735	1072	C76013	C331	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	87S 43G 243	20	29251	20779	240	0	41182	11760	393	0	0
2	735	1075	C76019	C331	MTR. WEST. HP 1700 INDUCTION-UPRATED M	57S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1077	C76102	C331	MOTOR 1700 WH INDUCTION-UPRATED MOTOR	68S 18G 291	20	29067	20779	240	0	41182	11940	399	0	0
2	735	1079	C76057	C331	MTR WEST 1700 HP	N/A	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1080	C76001	C331	MTR. WEST. 1700 HP MOTOR INDUCTION - U	59S-18G-291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1081	C75986	C331	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	63S18G-292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1085	C76030	C331	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	55S 18G 291	20	28398	19678	240	0	41182	12600	421	0	0
2	735	1088	C76091	C331	MTR. WEST. 1700 HP MOTOR INDUCTION-UP	61S 18G 292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1089	C76037	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	618 43P 243	20	29341	15189	240	0	41182	11670	390	0	0
2	735	1090	C76039	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	90S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1096	C75979	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	65S 18G 292	20	28763	20779	240	0	41182	12240	409	0	0
2	735	1097	C75985	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	68S-18G-292	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1098	C76138	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	53S 43P 243	20	29189	20779	240	0	41182	11820	395	0	0
2	735	1100	C76090	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	76S 43P 244	20	28945	20779	240	0	41182	12060	403	0	0
2	735	1101	C76053	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	57S 18G 292	20	28398	19678	240	0	41182	12600	421	0	0
2	735	1103	C76136	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	69S 186 291	20	29189	20779	240	0	41182	11820	395	0	0
2	735	1104	C76130	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	62S 18G 291	20	28490	19678	240	0	41182	12510	418	0	0
2	735	1105	C76064	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	74S 18G 292	20	28398	19678	240	0	41182	12600	421	0	0
2	735	1106	C76168	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	72S 18G 291	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1107	C76076	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	60S 18G 292	20	28886	20779	240	0	41182	12120	405	0	0
2	735	1109	C76033	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	71S 18G 291	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1111	C76046	C331	MOTOR INDUCTION-UPDATED MTR WEST 1700 H	73S 18G 292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1112	C76032	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	65S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1117	C76079	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	81S 43P 244	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1119	C75967	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	83S 43P 244	20	29251	20779	240	0	41182	11760	393	0	0
2	735	1121	C75998	C331	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	93S-43P-243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1122	C76018	C331	MOTOR INDUCTION- UPRATED MTR WEST 1700	96S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1126	C75997	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	75S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1129	C76015	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	66S 18G 291	20	28945	20779	240	0	41182	12060	403	0	0
2	735	1132	C76107	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	28 22G 73	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1133	C76078	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	1S 22G 74	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1134	C75918	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	69S-18G-292	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1135	C76022	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	6S 22G 73	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1136	C76162	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	75S 18G 292	20	28702	20779	240	0	41182	12300	411	0	0
2	735	1137	C75970	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	72S 18G 292	20	29251	20779	240	0	41182	11760	393	0	0
2	735	1140	C75963	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	4S-226-73	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1141	C75920	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	13S-226-74	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1142	C75917	C331	MOTOR HP 1700	N/A	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1143	C75919	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	9S-22G-74	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1144	C76119	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	100S 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1148	C76127	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	7S 22G 74	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1150	C76072	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	15S 22G 74	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1157	C76120	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	10S 22G 73	20	28702	20779	240	0	41182	12300	411	0	0
2	735	1165	C75988	C331	MOTOR WESTINGHOUSE INDUCTION-UPRATED M	93S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1170	C76041	C331	MTR. WEST. INDUCTION-UPRATED MTR WEST 1	91S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1171	C75916	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	86S-43P-244	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1172	C75966	C331	MOTOR 1700 HP MOTOR INDUCTION - UPRATE	104S-43P-243	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1174	C76092	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	101S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1175	C76098	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	99S 43P 243	20	28945	20779	240	0	41182	12060	403	0	0
2	735	1180	C75984	C331	MTR. WEST 1700 HP MOTOR INDUCTION - UPR	17S22G-74	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1182	C76020	C331	MTR. WEST. INDUCTION-UPRATED MTR WEST	24S 22G 73	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1183	C75999	C331	MTR. WEST. 1700 HP MOTOR INDUCTION = UP	26S-22G-74	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1186	C76042	C331	MTR. WEST. INDUCTION-UPRATED MTR WEST	21S 22G 74	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1189	C76106	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	22S 22G 73	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1196	C76157	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	101S 43P 244	20	28490	19678	240	0	41182	12510	418	0	0
2	735	1197	C76056	C331	MOTOR INDUCTION SPECIALLY DESIGNED A.C	N/A	20	19328	6071	240	0	41182	21540	719	0	0
2	735	1198	C76158	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	100S 43P 244	20	28490	19678	240	0	41182	12510	418	0	0
2	735	1199	C76159	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	97S 43P 244	20	28490	19678	240	0	41182	12510	418	0	0
2	735	1200	C76165	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	95S 43P 244	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1210	C76044	C331	MTR. WEST. INDUCTION-UPRATED MTR WEST	12S 22G 74	20	28368	19678	240	0	41182	12630	422	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1212	C75965	C331	MOTOR 1700 HP MOTOR INDUCTION = UPRATE	14S-22G-73	20	29433	15189	240	0	41182	11580	387	0	0
2	735	1217	C76128	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	10S 22G 74	20	29798	14708	240	0	41182	11220	375	0	0
2	735	1219	C76164	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	3S 22G 21	20	29798	15129	240	0	41182	11220	375	0	0
2	735	1222	C76068	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	2S 18G 292	20	29159	20298	240	0	41182	11850	396	0	0
2	735	1316	C79851	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1319	C79718	C331	COMPRESSOR AXIAL FLOW. CELL: 3.4 STAG	10845	40	28398	50136	480	104.45	41182	12600	421	59	6162.55
2	735	1320	C79720	C331	COMPRESSOR AXIAL FLOW CELL 3.4 STAGE 2	N/A	40	28398	50136	480	104.45	41182	12600	421	59	6162.55
2	735	1321	C79606	C331	COMPRESSOR AXIAL FLOW CELL 1.9 STAGE 8	N/A	40	28733	31705	480	66.05208333	41182	12270	410	70	4623.645833
2	735	1322	C79593	C331	COMPRESSOR AXIAL FLOW CELL: 2.5 STAGE	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1326	C79490	C331	COMPRESSOR AXIAL FLOW CELL: 4.10 STAGE	N/A	40	28490	38875	480	80.98958333	41182	12510	418	62	5021.354167
2	735	1330	C79754	C331	COMPRESSOR AXIAL FLOW CELL 3.4 STAGE 6	N/A	40	28398	50136	480	104.45	41182	12600	421	59	6162.55
2	735	1332	C79826	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1333	C79486	C331	COMPRESSOR AXIAL FLOW - CELL: 1.7 STAG	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1334	C79683	C331	COMPRESSOR AXIAL FLOW W/COVER UNIT 21 C	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1336	C79776	C331	COMPRESSOR AXIAL FLOW CELL: 4.7 STAGE	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1339	C79507	C331	COMPRESSOR AXIAL FLOW CELL: 1.5 STAGE	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1341	C79723	C331	COMPRESSOR AXIAL FLOW CELL 3.6 STAGE 8	N/A	40	28490	44408	480	92.51666667	41182	12510	418	62	5736.033333
2	735	1342	C79513	C331	COMPRESSOR AXIAL FLOW CELL: 2.3 STAGE	N/A	40	28490	44408	480	92.51666667	41182	12510	418	62	5736.033333
2	735	1343	C79837	C331	COMPRESSOR AXIAL FLOW CELL: 4.10 STAG	N/A	40	28490	38875	480	80.98958333	41182	12510	418	62	5021.354167
2	735	1345	C79783	C331	COMPRESSOR AXIAL FLOW CELL: 4.9 STAGE	N/A	40	28763	31705	480	66.05208333	41182	12240	409	71	4689.697917
2	735	1346	C79748	C331	COMPRESSOR AXIAL FLOW CELL 3.6 STAGE 5	N/A	40	28490	44408	480	92.51666667	41182	12510	418	62	5736.033333
2	735	1349	C79501	C331	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1354	C79572	C331	COMPRESSOR AXIAL FLOW CELL 2.3 STAGE 9	N/A	40	28490	44408	480	92.51666667	41182	12510	418	62	5736.033333
2	735	1355	C79550	C331	COMPRESSOR AXIAL FLOW CELL: 1.8 STAGE	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1356	C79678	C331	COMPRESSOR AXIAL FLOW CELL 3.7 STAGE 5	N/A	40	29098	48087	480	100.18125	41182	11910	398	82	8214.8625
2	735	1358	C79618	C331	COMPRESSOR AXIAL FLOW CELL 4 STAGE 10 C	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1359	C79595	C331	COMPRESSOR AXIAL FLOW CELL: 2.7 STAGE	N/A	40	28398	50136	480	104.45	41182	12600	421	59	6162.55
2	735	1360	C79631	C331	COMPRESSOR AXIAL FLOW CELL 8 STAGE 2 CO	N/A	40	28306	50136	480	104.45	41182	12690	424	56	5849.2
2	735	1361	C79735	C331	COMPRESSOR AXIAL FLOW CELL 3.10 STAGE 2	N/A	40	29036	48087	480	100.18125	41182	11970	400	80	8014.5
2	735	1363	C79580	C331	COMPRESSOR AXIAL FLOW CELL: 2.7 STAGE	N/A	40	28398	50136	480	104.45	41182	12600	421	59	6162.55
2	735	1366	C79736	C331	COMPRESSOR AXIAL FLOW CELL 2 STAGE 7 CO	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1367	C79838	C331	COMPRESSOR AXIAL FLOW CELL: 4.1 STAGE	N/A	40	28490	38875	480	80.98958333	41182	12510	418	62	5021.354167
2	735	1368	C79627	C331	COMPRESSOR AXIAL FLOW CELL 2 STAGE 1 CO	N/A	40	28521	44408	480	92.51666667	41182	12480	417	63	5828.55
2	735	1369	C79628	C331	COMPRESSOR AXIAL FLOW CELL 8 STAGE 10 C	N/A	40	28306	50136	480	104.45	41182	12690	424	56	5849.2
2	735	1371	C79630	C331	COMPRESSOR AXIAL FLOW CELL 8 STAGE 4 CO	N/A	40	28306	50136	480	104.45	41182	12690	424	56	5849.2
2	735	1372	C79582	C331	COMPRESSOR AXIAL FLOW CELL: 2.7 STAGE	N/A	40	28398	49584	480	103.3	41182	12600	421	59	6094.7
2	735	1375	C79648	C331	COMPRESSOR AXIAL FLOW CELL 6 STAGE 5 CO	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1377	C79774	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	31705	480	66.05208333	41182	12000	401	79	5218.114583
2	735	1380	C79636	C331	COMPRESSOR AXIAL FLOW CELL 2.10 STAGE 2	N/A	40	28337	50136	480	104.45	41182	12660	423	57	5953.65
2	735	1382	C79514	C331	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28490	44408	480	92.51666667	41182	12510	418	62	5736.033333
2	735	1384	C79487	C331	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1385	C79548	C331	COMPRESSOR AXIAL FLOW CELL1.8 STAGE:5	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1386	C79650	C331	CMOPRESSOR AXIAL FLOW CELL 6 STAGE 7 CO	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1387	C79866	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1389	C79497	C331	COMPRESSOR AXIAL FLOW CELL: 1.9 STAGE	N/A	40	28886	31705	480	66.05208333	41182	12120	405	75	4953.90625
2	735	1390	C79798	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	31705	480	66.05208333	41182	12000	401	79	5218.114583
2	735	1391	C79818	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1392	C79714	C331	COMPRESSOR AXIAL FLOW CELL 2 STAGE 45 C	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1394	C79597	C331	COMPRESSOR AXIAL FLOW CELL:2.7 STAGE:	N/A	40	28398	50136	480	104.45	41182	12600	421	59	6162.55
2	735	1395	C79566	C331	COMPRESSOR AXIAL FLOW CELL 5 STAGE 7 CO	N/A	40	28276	30154	480	62.82083333	41182	12720	425	55	3455.145833
2	735	1396	C79738	C331	COMPRESSOR AXIAL FLOW CELL 3.10 SG\TGE	N/A	40	29036	48087	480	100.18125	41182	11970	400	80	8014.5
2	735	1397	C79737	C331	COMPRESSOR AXIAL FLOW CELL 3.10 STAGE 3	N/A	40	29036	48087	480	100.18125	41182	11970	400	80	8014.5
2	735	1404	C79483	C331	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1407	C79644	C331	COMPRESSOSR AXIAL FLOW CELL 8 STAGE 5 CO	N/A	40	28306	50136	480	104.45	41182	12690	424	56	5849.2
2	735	1408	C80180	C331	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	N/A	40	29280	44407	480	92.51458333	41182	11730	392	88	8141.283333
2	735	1409	C79722	C331	COMPRESSOR AXIAL FLOW CELL 3.6 STAGE 10	N/A	40	28490	44408	480	92.51666667	41182	12510	418	62	5736.033333
2	735	1412	C79529	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1416	C79839	C331	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28490	38875	480	80.98958333	41182	12510	418	62	5021.354167
2	735	1419	C79576	C331	COMPRESSO AXIAL FLOW CELL:2 STAGE:7 CO	N/A	40	28521	44408	480	92.51666667	41182	12480	417	63	5828.55
2	735	1421	C79793	C331	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1424	C79586	C331	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:7	N/A	40	28368	50136	480	104.45	41182	12630	422	58	6058.1
2	735	1426	C79768	C331	COMPRESSOR AXIAL FLOW CELL:8 STAGE:3	N/A	40	28184	36573	480	76.19375	41182	12810	428	52	3962.075
2	735	1428	C79799	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	31705	480	66.05208333	41182	12000	401	79	5218.114583
2	735	1432	C79527	C331	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1433	C79767	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28975	31705	480	66.05208333	41182	12030	402	78	5152.0625
2	735	1434	C79646	C331	COMPRESSOR AXIAL FLOW CELL:8 STAGE:9 C	N/A	40	28306	50136	480	104.45	41182	12690	424	56	5849.2
2	735	1435	C79657	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:3 C	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1443	C79481	C331	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1444	C79836	C331	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28490	38875	480	80.98958333	41182	12510	418	62	5021.354167
2	735	1445	C79569	C331	COMPRESSOR AXIAL FLO	N/A	40	28490	40728	480	84.85	41182	12510	418	62	5260.7
2	735	1447	C79526	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1449	C79629	C331	COMPRESSOR AXIAL FLOW CELL:8 STAGE:8	N/A	40	28306	46456	480	96.78333333	41182	12690	424	56	5419.866667

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1450	C79495	C331	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28886	31705	480	66.05208333	41182	12120	405	75	4953.90625
2	735	1451	C79626	C331	COMPRESSOR AXIAL FLOW CELL:6 STAGE:2 C	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1453	C79564	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1456	C79834	C331	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28886	31705	480	66.05208333	41182	12120	405	75	4953.90625
2	735	1457	C79766	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28975	31705	480	66.05208333	41182	12030	402	78	5152.0625
2	735	1458	C79661	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1459	C79832	C331	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28490	38875	480	80.98958333	41182	12510	418	62	5021.354167
2	735	1462	C79499	C331	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1463	C79620	C331	COMPRESSOR AXIAL FLOW CELL:4 STAGE:4 C	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1465	C79756	C331	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:9	N/A	40	28398	46456	480	96.78333333	41182	12600	421	59	5710.216667
2	735	1466	C79760	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1467	C79686	C331	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:9	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1468	C79612	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1469	C79734	C331	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:4	N/A	40	29036	44407	480	92.51458333	41182	11970	400	80	7401.166667
2	735	1470	C79831	C331	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28490	38875	480	80.98958333	41182	12510	418	62	5021.354167
2	735	1471	C79596	C331	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	28398	46456	480	96.78333333	41182	12600	421	59	5710.216667
2	735	1475	C79577	C331	COMPRESSOR AXIAL FLO	N/A	40	28521	40728	480	84.85	41182	12480	417	63	5345.55
2	735	1476	C79747	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:9 C	N/A	40	28490	40728	480	84.85	41182	12510	418	62	5260.7
2	735	1477	C80108	C331	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28490	40728	480	84.85	41182	12510	418	62	5260.7
2	735	1480	C79601	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:2	N/A	40	28521	40728	480	84.85	41182	12480	417	63	5345.55
2	735	1486	C79780	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28763	31705	480	66.05208333	41182	12240	409	71	4689.697917
2	735	1487	C79652	C331	COMPRESSO AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1488	C79592	C331	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:1	N/A	40	28368	46456	480	96.78333333	41182	12630	422	58	5613.433333
2	735	1489	C79517	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1490	C79591	C331	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:2	N/A	40	28368	46456	480	96.78333333	41182	12630	422	58	5613.433333
2	735	1491	C79518	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1492	C79689	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1493	C79570	C331	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:6	N/A	40	28490	40728	480	84.85	41182	12510	418	62	5260.7
2	735	1494	C79560	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1496	C81291	C331	COMPRESSOR AXIAL FLOW CELL:2.7 STAGE:1	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1499	C79634	C331	COMPRESSOR AXIAL FLOW CELL:2.10 STAGE:8	N/A	40	28337	46456	480	96.78333333	41182	12660	423	57	5516.65
2	735	1502	C79502	C331	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1503	C79772	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	31705	480	66.05208333	41182	12000	401	79	5218.114583
2	735	1505	C79584	C331	COMPRESSOR AXIAL FLOW CELL:29 STAGE:5	N/A	40	28368	46456	480	96.78333333	41182	12630	422	58	5613.433333
2	735	1507	C79672	C331	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:3	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1510	C79810	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1511	C79506	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1513	C79640	C331	COMPRESSOR AXIAL FLOW CELL: 2.10 STAGE:	N/A	40	28337	46456	480	96.78333333	41182	12660	423	57	5516.65
2	735	1514	C79778	C331	COMPERSSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1515	C79553	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1516	C79645	C331	COMPRESSOR AXIAL FLOW CELL: 8 STAGE: 7	N/A	40	28306	46456	480	96.78333333	41182	12690	424	56	5419.866667
2	735	1517	C79583	C331	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE:	N/A	40	28368	46456	480	96.78333333	41182	12630	422	58	5613.433333
2	735	1518	C79779	C331	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1519	C79800	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28975	31705	480	66.05208333	41182	12030	402	78	5152.0625
2	735	1520	C79802	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28975	31705	480	66.05208333	41182	12030	402	78	5152.0625
2	735	1521	C79697	C331	COMPRESSOR AXIAL FLOW CELL: 3.5 STAGE:	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1523	C79684	C331	COMPRESSOR AXIAL FLOW CELL: 3.9 STAGE:	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1524	C79844	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1526	C79651	C331	COMPRESSOR AXIAL FLOW CELL: 6 STAGE: 9	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1528	C79521	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1529	C79530	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1533	C79857	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1534	C79482	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	31 033	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1535	C79850	C331	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28368	46456	480	96.78333333	41182	12630	422	58	5613.433333
2	735	1537	C79667	C331	COMPRESSOR AXIAL FLOW CELL: 3.3 STAGE:	N/A	40	28886	44407	480	92.51458333	41182	12120	405	75	6938.59375
2	735	1538	C79701	C331	COMPRESSOR AXIAL FLOW CELL: 1.5 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1539	C79796	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	31705	480	66.05208333	41182	12000	401	79	5218.114583
2	735	1540	C79528	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1541	C79725	C331	COMPRESSOR AXIAL FLOW CELL: 3.6 STAGE:	N/A	40	28490	40728	480	84.85	41182	12510	418	62	5260.7
2	735	1542	C79703	C331	COMPRESSOR AXIAL FLOW CELL: 3.3 STAGE:	N/A	40	28886	44407	480	92.51458333	41182	12120	405	75	6938.59375
2	735	1544	C79670	C331	COMRPESSOR AXIAL FLOW CELL: 3.3 STAGE:	N/A	40	28886	44407	480	92.51458333	41182	12120	405	75	6938.59375
2	735	1545	C79470	C331	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28763	44407	480	92.51458333	41182	12240	409	71	6568.535417
2	735	1547	C80165	C331	COMPRESSOR AXIAL FLOW CELL:2.5 STAGE:	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1548	C79726	C331	COMPRESSOR AXIAL FLOW CELL: 3.1 STAGE:	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1550	C79788	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28763	31705	480	66.05208333	41182	12240	409	71	4689.697917
2	735	1552	C79692	C331	COMPRESSOR AXIAL FLOW CELL: 3.7 STAGE:	N/A	40	29098	44407	480	92.51458333	41182	11910	398	82	7586.195833
2	735	1553	C81290	C331	COMPRESSOR AXIAL FLOW CELL: 8 STAGE: 6	N/A	40	28306	46456	480	96.78333333	41182	12690	424	56	5419.866667
2	735	1554	C79835	C331	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28490	38875	480	80.98958333	41182	12510	418	62	5021.354167
2	735	1555	C79574	C331	COMPRESSOR AXIAL FLOW CELL: 2 STAGE: 6	N/A	40	28521	40728	480	84.85	41182	12480	417	63	5345.55
2	735	1557	C79578	C331	COMPRESSOR AXIAL FL	N/A	40	28398	46456	480	96.78333333	41182	12600	421	59	5710.216667
2	735	1558	C79498	C331	COMPRESSOR AXIAL FLOW CELL:2.8 STAGE:	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1560	C79699	C331	COMPRESSOR AXIAL FLOW CELL: 3.5 STAGE:	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1562	C79590	C331	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE:	N/A	40	28368	46456	480	96.78333333	41182	12630	422	58	5613.433333
2	735	1565	C79642	C331	COMPRESSOR AXIAL FLOW CELL: 2.10 STAGE:	N/A	40	28337	46456	480	96.78333333	41182	12660	423	57	5516.65
2	735	1566	C79477	C331	COMPRESSOR AXIAL FLOW WITH COMVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1567	C79784	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28763	31705	480	66.05208333	41182	12240	409	71	4689.697917
2	735	1568	C79721	C331	COMPRESSOR AXIAL FLOW CELL: 3.4 STATE:	N/A	40	28398	46456	480	96.78333333	41182	12600	421	59	5710.216667
2	735	1569	C79821	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1570	C79801	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28975	31705	480	66.05208333	41182	12030	402	78	5152.0625
2	735	1571	C79598	C331	COMPRESSOR AXIAL FLOW CELL: 2 STAGE: 10	N/A	40	28521	40728	480	84.85	41182	12480	417	63	5345.55
2	735	1572	C79713	C331	COMPRESSOR AXIAL FLOW CELL: 2 STAGE: 8	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1574	C79758	C331	COMPRESSOR AXIAL FLOW CELL: 2 STAGE: 5	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1575	C79741	C331	COMPRESSOR AXIAL FLOW CELL: 3.10 STAGE:	N/A	40	29036	44407	480	92.51458333	41182	11970	400	80	7401.166667
2	735	1577	C79773	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	31705	480	66.05208333	41182	12000	401	79	5218.114583
2	735	1578	C79814	C331	COMPRESSOR AXIAL FLOW CELL:2.8 STAGE:	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1580	C79525	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1583	C81288	C331	COMPRESSOR AXIAL FLOW CELL: 1.3 STAGE:	N/A	40	28337	30154	480	62.82083333	41182	12660	423	57	3580.7875
2	735	1584	C79682	C331	COMPRESSOR AXIAL FLOW CELL: 3.9 STAGE:	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1586	C79546	C331	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	31705	480	66.05208333	41182	11700	391	89	5878.635417
2	735	1589	C79715	C331	COMPRESSOR AXIAL FLOW CELL: 2 STAGE: 2	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1590	C79600	C331	COMPRESSOR AXIAL FLOW CELL: 2 STAGE: 4	N/A	40	28521	40728	480	84.85	41182	12480	417	63	5345.55
2	735	1592	C79712	C331	COMPRESSOR AXIAL FLOW CELL: 2 STAGE: 0	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1593	C79491	C331	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28886	31705	480	66.05208333	41182	12120	405	75	4953.90625
2	735	1594	C79677	C331	COMPRESSOR AXIAL FLOW CELL: 3.7 STAGE:	N/A	40	29098	44407	480	92.51458333	41182	11910	398	82	7586.195833
2	735	1598	C79731	C331	COMPRESSOR AXIAL FLOW CELL: 2.1 STAGE:	N/A	40	28671	44407	480	92.51458333	41182	12330	412	68	6290.991667
2	735	1599	C79594	C331	COMPRESSOR AXIAL FLOW CELL:2.7 STAGE:	N/A	40	28398	46456	480	96.78333333	41182	12600	421	59	5710.216667
2	735	1601	C80963	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1603	C79669	C331	COMPRESSOR AXIAL FLOW CELL: 3.3 STAGE:	N/A	40	28886	44407	480	92.51458333	41182	12120	405	75	6938.59375
2	735	1607	C79503	C331	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1609	C79535	C331	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1611	C79633	C331	COMPRESSOR AXIAL FLOW CELL:2.10 STAGE:1	N/A	40	28337	46456	480	96.78333333	41182	12660	423	57	5516.65
2	735	1612	C79675	C331	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1613	C79654	C331	COMPRESSOR AXIAL FLOW CELL:4 STAGE:6 C	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1614	C79794	C331	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1616	C79508	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	40728	480	84.85	41182	12420	415	65	5515.25
2	735	1623	C79559	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1624	C79849	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1625	C79563	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1626	C79841	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1627	C79558	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1631	C79534	C331	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1632	C79825	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1633	C79847	C331	COMPRESSOR AXILA FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1636	C79658	C331	COMPR AXIAL FLOW	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1638	C79824	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1640	C79605	C331	COMPRESSOR AXIAL FLOW CELL:5 STAGE:4 C	N/A	40	28276	30154	480	62.82083333	41182	12720	425	55	3455.145833
2	735	1641	C79786	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28763	31705	480	66.05208333	41182	12240	409	71	4689.697917
2	735	1643	C79549	C331	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1644	C79551	C331	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1645	C79562	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1648	C79819	C331	COMPRESSOR AXIAL FLOW STAGE:1 COMPRESS	N/A	40	28368	30154	480	62.82083333	41182	12630	422	58	3643.608333
2	735	1649	C79817	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1650	C79520	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1652	C79519	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1654	C79465	C331	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1658	C79716	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:1 C	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1659	C79538	C331	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	31705	480	66.05208333	41182	11700	391	89	5878.635417
2	735	1661	C79539	C331	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	31705	480	66.05208333	41182	11700	391	89	5878.635417
2	735	1665	C79660	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1667	C79775	C331	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	29098	31705	480	66.05208333	41182	11910	398	82	5416.270833
2	735	1668	C79622	C331	COMPRESSOR AXIAL FLOW CELL:4 STAGE:1 C	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1669	C79795	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	31705	480	66.05208333	41182	12000	401	79	5218.114583
2	735	1671	C79733	C331	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:8	N/A	40	29036	44407	480	92.51458333	41182	11970	400	80	7401.166667
2	735	1674	C79757	C331	COMPRESSOR AXIAL FLO	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1677	C79867	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1679	C79812	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1691	C79719	C331	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:4	N/A	40	28398	46456	480	96.78333333	41182	12600	421	59	5710.216667
2	735	1694	C79587	C331	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:5	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1698	C79536	C331	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1709	C79813	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1710	C81289	C331	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1711	C79588	C331	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:10	N/A	40	28368	46456	480	96.78333333	41182	12630	422	58	5613.433333
2	735	1716	C79665	C331	COMPRESSOR AXIAL FLOW CELL:3.1 STAGE:7	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1717	C79557	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29433	43957	480	91.57708333	41182	11580	387	93	8516.66875

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1720	C79700	C331	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:2	N/A	40	28975	43957	480	91.57708333	41182	12030	402	78	7143.0125
2	735	1721	C79792	C331	COMPRESSOR AXILA FLOW CELL:4.7 STAGE:	N/A	40	29098	31255	480	65.11458333	41182	11910	398	82	5339.395833
2	735	1724	C79785	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28763	31255	480	65.11458333	41182	12240	409	71	4623.135417
2	735	2058	C79765	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28975	39637	480	82.57708333	41182	12030	402	78	6441.0125
2	735	4699	C82309	C331	PUMP VACUUM DVM 12-18-14 WITH UNFIRED	12694	15	19540	3880	180	0	41182	21330	712	0	0
2	735	4703	C80586	C331	PUMP VACUUM WITH BASE OIL SEPARATOR T	12698	15	19328	5973	180	0	41182	21540	719	0	0
2	735	4772	C82426	C331	VACUUM PUMP TYPE D.V.D. SIZE 14-9-18 3	14355	15	18901	2020	180	0	41182	21960	733	0	0
2	735	4921	C78392	C331	CONDENSER 24 200 000 BTU PER HOUR FOR	MV73421	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4922	C78391	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV73422	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4923	C78404	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV7342-3	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4924	C80540	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV-73424	20	19328	16530	240	0	41182	21540	719	0	0
2	735	4925	C78406	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV73425	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4926	C78401	C331	CONDENSER 24 200 000 CTU PER HOUR FOR C	MV73426	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4927	C78407	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV73427	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4928	C78385	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV73428	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4929	C78393	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV73429	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4930	C85409	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734210	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4931	C78423	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734211	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4932	C78421	C331	CONDENSER 24 000 000 BTU PER HOUR FOR C	MV734212	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4933	C78386	C331	CONDENSER 24 000 000 BTU PER HOUR FOR C	V734213	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4934	C78384	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV7734214	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4935	C78408	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734215	20	19328	16530	240	0	41182	21540	719	0	0
2	735	4936	C78405	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734216	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4937	C78409	C331	CONDENSER 24 000 000 BTU PER HOUR FOR C	MV734217	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4938	C78394	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734218	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4939	C78390	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734219	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4940	C78389	C331	CONDENSER 24 000 000 BTU PER HOUR FOR C	MV734220	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4941	C78420	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734221	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4942	C78396	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734222	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4943	C78410	C331	CONDENSER FREON 24 200 000 BTU PER HOU	MV734223	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4944	C78411	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734224	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4945	C78413	C331	CONDENSER 23 200 000 BTU PER HOUR FOR C	MV734225	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4946	C78418	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734226	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4947	C78417	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734227	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4948	C78398	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734228	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4949	C78419	C331	CONDENSER 24 000 000 BTU PER HOUR FOR C	MV734229	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4950	C78403	C331	CONDENSER 24 000 000 BTU PER HOUR FOR C	MV734230	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4951	C78402	C331	CONDENSER 24 000 000 BTU PER HOUR FOR C	MV734231	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4952	C78415	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734232	20	19328	18356	240	0	41182	21540	719	0	0
2	735	4953	C78395	C331	CONDENSER 24 000 000 BTU PER HOUR FOR C	MV734233	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4954	C78399	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734234	20	19328	18353	240	0	41182	21540	719	0	0
2	735	4955	C78388	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734235	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4956	C78387	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734236	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4957	C78412	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734237	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4958	C78422	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734238	20	19328	18354	240	0	41182	21540	719	0	0
2	735	4959	C78400	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734239	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4960	C78414	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734240	20	19328	18355	240	0	41182	21540	719	0	0
2	735	4961	C78416	C331	CONDENSER 24 200 000 BTU PER HOUR FOR C	MV734241	20	19328	18356	240	0	41182	21540	719	0	0
2	735	4968	C82294	C331	CONDENSER FREON OR HEAT EXCHANGER HEAT	MV7404A7	20	19328	4068	240	0	41182	21540	719	0	0
2	735	4992	C82297	C331	FREON CONDENSER; HEAT EXCHANGER	MV74331	20	19328	2285	240	0	41182	21540	719	0	0
2	735	4997	C82300	C331	CONDENSER FREON HEAT EXCHANGER	MV7407A3	20	19328	1942	240	0	41182	21540	719	0	0
2	735	5016	C80657	C331	PUMP A.C. (BLOWER) CENT. HORIZ. INVENTO	2A6165	40	17136	7113	480	0	41182	23700	791	0	0
2	735	5022	C79469	C331	PUMP STAGE A.C. BLOWER CELL-7 STAGE-	1AS6668	40	17501	7113	480	0	41182	23340	779	0	0
2	735	5024	C80618	C331	PUMP ALLIS-CHALMER RPM DRIVE 3550 DIRE	1AS6405	40	17501	7113	480	0	41182	23340	779	0	0
2	735	5026	C80400	C331	PUMP ALLIS-CHALMER (BLOSER) CENTRIFUGA	2A6138	40	17136	7113	480	0	41182	23700	791	0	0
2	735	5878	C77743	C331	MOTOR INDUCTION AC 200 HP CLASS B IN	4S9B8230	20	19328	2809	240	0	41182	21540	719	0	0
2	735	5884	C51593	C331	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	5S12B2526	20	19298	2829	240	0	41182	21570	720	0	0
2	735	5889	C85380	C331	MOTOR SPECIALLY DESIGNED 200 HP AC INDU	11S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5891	C77935	C331	MOTOR AC INDUCTION CLASS A INSULATION	12S12B2526	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5917	C79472	C331	MOTOR ELECTRIC TYPE C.S. INDUCTION FRAM	17S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5927	C77941	C331	MOTOR ELECTRIC TYPE CS INDUCTION FRA	29S9B8229	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5957	C80599	C331	MOTOR SPECIALLY DESIGNED AC INDUCTION FR	5S 10N 4555	20	19328	2562	240	0	41182	21540	719	0	0
2	735	5964	C79863	C331	MOTOR INDUCTION AC 100 HP CLASS A INSULA	YH6960445	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5965	C77850	C331	MOTOR INDUCTION AC CLASS A INSULATION CO	YH695890	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5968	C79864	C331	MOTOR INDUCTION AC CLASS A INSULATION CL	YH6959887	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5970	C79855	C331	MOTOR INDUCTION AC CLASS A INSULATION CO	YH695988	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5971	C79856	C331	MOTOR INDUCTION AC CLASS A INSULATION CO	YH6960446	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5972	C77944	C331	MOTOR INDUCTION AC CLASS A INSULATION CL	YH6959881	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5973	C79859	C331	MOTOR INDUCTION AC CLASS A INSULATION CL	YH6959886	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5974	C79854	C331	MOTOR INDUCTION AC CLASS A INSULATION CL	YH6960447	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5976	C79872	C331	MOTOR INDUCTION AC CLASS A INSULATION CO	YH6959883	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5979	C76274	C331	MOTOR INDUCTION AC CLASS A INSULATION CL	YH6957268	20	19328	1543	240	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	5981	C77938	C331	MOTOR INDUCTION AC CLASS A INSULATION CO	YH6959889	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5983	C79877	C331	MOTOR INDUCTION AC CLASS INSULATION CW M	XH 6957269	20	19540	1171	240	0	41182	21330	712	0	0
2	735	5984	C79876	C331	MOTOR INDUCTION AC CLASS A INSULATION CW	XH 6957270	20	19540	1171	240	0	41182	21330	712	0	0
2	735	5985	C76273	C331	MOTOR INDUCTION AC CLASS A INSULATION CC	ZH 6962323	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5988	C79865	C331	MOTOR INDUCTION AC CLASS A INSULATION CL	ZH6962317	20	19328	1017	240	0	41182	21540	719	0	0
2	735	5990	C79861	C331	MOTOR INDUCTION CLASS A INSULATION CW MT	ZH 6962324	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5995	C81287	C331	MOTOR INDUCTION AC 100 HP CLASS A INS	ZH6962313	20	19328	1017	240	0	41182	21540	719	0	0
2	735	6000	C79874	C331	MOTOR INDUCTION AC 100 HP CLASS A INS	NI6963524	20	19328	1543	240	0	41182	21540	719	0	0
2	735	6006	C79858	C331	MOTOR SPECIALLY DESIGNED 100 HP AC INDU	ZH6962327	20	19328	1017	240	0	41182	21540	719	0	0
2	735	6010	C79853	C331	MOTOR INDUCTION AC 100 HP CLASS B INS	YH6960984	20	19328	1185	240	0	41182	21540	719	0	0
2	735	6014	C79860	C331	MOTOR INDUCTION AC 100 HP CLASS B INS	YH6960985	20	19328	1185	240	0	41182	21540	719	0	0
2	735	6015	C79862	C331	MOTOR INDUCTION AC 100 HP CLASS B INS	YH6960986	20	19328	1710	240	0	41182	21540	719	0	0
2	735	6119	C80399	C331	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CE	2A6126	40	17106	7113	480	0	41182	23730	792	0	0
2	735	6127	C80603	C331	SQUIRREL CAGE INDUCTION MOTOR 300 HP 4	1S12B2466	20	19328	6214	240	0	41182	21540	719	0	0
2	735	6128	C78424	C331	SQUIRREL CAGE INDUCTION MOTOR 300 HP 4	2S12B2467	20	19328	6214	240	0	41182	21540	719	0	0
2	735	6129	C78425	C331	SQUIRREL CAGE INDUCTION MOTOR 300 HP 4	1S12B2467	20	19328	6213	240	0	41182	21540	719	0	0
2	735	6427	C80638	C331	PUMP STAGE (BLOSER) CENTRIFUGAL HORIZO	2A6115	40	17106	6302	480	0	41182	23730	792	0	0
2	735	7408	C80629	C331	PUMP AC (CENTRIFUGAL COMPRESSOR) NOZZLE	1AD7199	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7416	C80628	C331	PUMP ALLIS-CHALMER 92A MOTOR HP-300	1AD7029	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7418	C80627	C331	CENTRIFUGAL PUMP (COMPRESSOR) NOZZLE AN	1AD7206	40	17318	6504	480	0	41182	23520	785	0	0
2	735	7420	C79473	C331	PUMP ALLIS CHALMER 92A MOTOR HP-200	1AD6921	40	17410	7113	480	0	41182	23430	782	0	0
2	735	7540	C80646	C331	PUMP ALLIS-CHALMER CNET. HORIZ. (BLOWE	1AD7191	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7699	C80656	C331	PUMP ALLIS-CHALMER (BLOSER) CENT HORIZ	1AS6672	40	17348	7113	480	0	41182	23490	784	0	0
2	735	7706	C80632	C331	PUMP BLOWER CENT HORIZ (BOOSTER STATIO	1AS7530	40	17348	7085	480	0	41182	23490	784	0	0
2	735	7761	C82438	C331	FREON CONDENSER 100 LB. PRESSURE SQ IN-	1111911	20	17623	1407	240	0	41182	23220	775	0	0
2	735	7867	C82296	C331	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV74374	20	19540	1672	240	0	41182	21330	712	0	0
2	735	7870	C82295	C331	PREON CONDENSER AS PER BUYER'S JOB SPECI	MV74383	20	19540	2851	240	0	41182	21330	712	0	0
2	735	7873	C80648	C331	PUMP STAGE AC BLOWER CELL-8 STAGE-2B	2A6166	40	16953	7113	480	0	41182	23880	797	0	0
2	735	8295	C82310	C331	PUMP VACUUM ROTARY 50 CFM. PMP VAC BR	31507125	15	16892	4520	180	0	41182	23940	799	0	0
2	735	8505	C80647	C331	COMPRESSOR CENTRIFUGAL (AC PUMP CELL 8 S	1AD 6930	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8519	C80640	C331	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 10	1AS 7020	40	17226	7113	480	0	41182	23610	788	0	0
2	735	8523	C80631	C331	COMPRESSOR CENTRIFUGAL (AC PUMP) CELL 7	1AD 7216	40	17226	7113	480	0	41182	23610	788	0	0
2	735	9008	C80615	C331	PUMP CENTRIFUGAL COMPRESSOR COMP AC 92 C	2A 6032	40	16741	6326	480	0	41182	24090	804	0	0
2	735	9863	C80616	C331	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL COM	1AS 7496	40	17106	6302	480	0	41182	23730	792	0	0
2	735	10048	C81893	C331	TANK GRAVITY SUPPLY SIZE 8' DIA. 23'3"	N/A	40	19328	6676	480	0	41182	21540	719	0	0
2	735	10314	C85392	C331	OVERHEAD CRANE 15 TON CAPACITY CRANE UP	14015	30	19328	56566	360	0	41182	21540	719	0	0
2	735	10345	C82134	C331	REFRIGERATION SYSTEM FOR F-114 RECOVERY	N/A	20	19328	16065	240	0	41182	21540	719	0	0
2	735	10787	C80614	C331	CRANE 15 TON OVERHEAD TYPE-CRANE UPRAT	C14012	30	19328	56566	360	0	41182	21540	719	0	0
2	735	10791	C80613	C331	CRANE 15 TON OVERHEAD TYPE-CRANE UPRATE	C14014T	30	19328	56566	360	0	41182	21540	719	0	0
2	735	10923	C85486	C331	TRANSFER CAR AIR MOTORED WEIGHT SCALE	S926EE1	20	19298	3328	240	0	41182	21570	720	0	0
2	735	10953	C80326	C331	TANK LUBE OIL DRAIN PRESSURE 120 LBS.	23324	40	19328	7266	480	0	41182	21540	719	0	0
2	735	10954	C82076	C331	COOLER LUBE OIL DESIGN HORIZONTAL. FOR	12653	20	19328	12431	240	0	41182	21540	719	0	0
2	735	10955	C80591	C331	BATTERY CHARGER AC RATING (CONVERTS AC	N/A	10	19328	17624	120	0	41182	21540	719	0	0
2	735	10957	C81281	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	82511	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10958	C81280	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	82512	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10959	C81277	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	82513	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10960	C81276	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	82514	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10961	C81273	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	82515	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10962	C81272	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	82516	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10963	C81269	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	82517	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10964	C81268	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL 2	82518	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10965	C81265	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	82519	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10966	C81264	C331	SURGE DRUM 40' LONG 8' DIAM STEEL 2000 C	825110	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10967	C81266	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	825111	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10968	C81267	C331	SURGE DRUM 40' LONG 8' DIAMETER' STEEL	825112	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10969	C81271	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	825113	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10970	C81270	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	825114	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10971	C81275	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	825115	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10972	C81274	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	825116	40	19328	6430	480	0	41182	21540	719	0	0
2	735	10973	C81278	C331	SURGE DURM 40' LONG 8' DIAMETER STEEL	825117	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10974	C81279	C331	SURGE DURM 40' LONG 8' DIAMETER STEEL	825118	40	19328	6430	480	0	41182	21540	719	0	0
2	735	10975	C81282	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	825119	40	19328	6431	480	0	41182	21540	719	0	0
2	735	10976	C81283	C331	SURGE DRUM 40' LONG 8' DIAMETER STEEL	825120	40	19328	6430	480	0	41182	21540	719	0	0
2	735	10989	C81873	C331	HOLDING DRUM STEEL 16' LONG 5' DIAMETE	A1269A	40	19328	5778	480	0	41182	21540	719	0	0
2	735	10990	C81874	C331	HOLDING DRUM STEEL 16' LONG 5' DIAMET	A1269B	40	19328	5778	480	0	41182	21540	719	0	0
2	735	10991	C85016	C331	HOLDING DRUM STEEL 16' LONG 5' DIAMETE	A1269D	40	19328	5779	480	0	41182	21540	719	0	0
2	735	10992	C81876	C331	HOLDING DRUM STEEL 16' LONG 5' DIAMET	A1269C	40	19328	5778	480	0	41182	21540	719	0	0
2	735	11037	C82010	C331	SURGE TANK 8' DIAM. 40' LONG WATER CAP	94443	40	19328	6703	480	0	41182	21540	719	0	0
2	735	11038	C82011	C331	SURGE TANK 8' DIA. 40' LONG WATER CAP.	94436	40	19328	6703	480	0	41182	21540	719	0	0
2	735	11039	C82012	C331	SURGE TANK 8' DIAM. 40' LONG WATER CAP.	9443	40	19328	6703	480	0	41182	21540	719	0	0
2	735	11040	C82013	C331	SURGE TANK 8' DIAM. 40' LONG WATER CAP	9443	40	19328	6702	480	0	41182	21540	719	0	0
2	735	11041	C82014	C331	SURGE TANK 8' DIAM. 40' LONG WATER CAP	9443	40	19328	6703	480	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	11430	C85390	C331	CRANE OVERHEAD TYPE 15 TON CAPACITY-CRA	14013	30	19328	56566	360	0	41182	21540	719	0	0
2	735	11434	C85391	C331	CRANE OVERHEAD TYPE 15 TON CAPACITY. C	14011	30	19328	41432	360	0	41182	21540	719	0	0
2	735	11443	C80327	C331	LUBE OIL DRAIN TANK 14100 GALLON CAPACI	N/A	40	19328	7266	480	0	41182	21540	719	0	0
2	735	11449	C82077	C331	LUBE OIL COOLER 2' DIAMETER 23' LONG.	12652	20	19328	12431	240	0	41182	21540	719	0	0
2	735	11450	C80589	C331	BATTERY CHARGER (PART OF AN EMERGENCY LI	N/A	10	19328	17624	120	0	41182	21540	719	0	0
2	735	11451	C81886	C331	GRAVITY SUPPLY TANK 8" DIAMETER 20'6"	N/A	40	19328	6676	480	0	41182	21540	719	0	0
2	735	11663	C85394	C331	OVERHEAD CRANE 15 TON CAPACITY. CRANE P	14016	30	19328	56567	360	0	41182	21540	719	0	0
2	735	11670	C77195	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	39904	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11672	C77197	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	4 2	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11674	C77199	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	4 3	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11676	C77202	C331	FAN EXHAUST SIZE 11 TYPE-LLD 66" 90	4 4	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11678	C77204	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	4 5	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11680	C77205	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	4 6	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11682	C77207	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	4 7	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11684	C77209	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	4 8	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11686	C77211	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	7625507	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11688	C77213	C331	FAN EXHAUSE SIZE 11 TYPE-LLD 66" 90	4 10	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11714	C77215	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 10	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11716	C77217	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 9	20	19328	5890	240	0	41182	21540	719	0	0
2	735	11718	C77219	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 8	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11720	C77221	C331	SUPPLY FAN SIXE 11 66" 90 000 CFM. FA	3 7	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11722	C77223	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 6	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11724	C77225	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 5	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11726	C77227	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 4	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11728	C77231	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 3	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11730	C77233	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 2	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11732	C77235	C331	SUPPLY FAN SIZE 11 66" 90 000 CFM. FA	3 1	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11734	C80592	C331	DIESEL ENGINE 12 CYLINDER BORE 5 3/4	12B194	10	19328	42314	120	0	41182	21540	719	0	0
2	735	11736	C80593	C331	GENERATOR AC FRAME 976S 375 KVA 300	6917534	20	19328	13585	240	0	41182	21540	719	0	0
2	735	11747	C80595	C331	DIESEL ENGINE 12 CYLINDER BORE 5 3/4	12B197	10	19328	42312	120	0	41182	21540	719	0	0
2	735	11749	C80594	C331	GENERATOR AC FRAME 976S 375 KVA 300	6917533	20	19328	13585	240	0	41182	21540	719	0	0
2	735	11775	C80329	C331	F-114 COOLANT DRAIN TANK HORIZONTAL SI	8988	40	19328	8348	480	0	41182	21540	719	0	0
2	735	11782	C82078	C331	LUBE OIL COOLER SIZE 24" X 23' DESIGN	12655	20	19328	12431	240	0	41182	21540	719	0	0
2	735	11784	C80328	C331	LUBE OIL DRAIN TANK 14 100 GALLONG CAPA	23325	40	19328	7266	480	0	41182	21540	719	0	0
2	735	11785	C81884	C331	LUBE OIL GRAVITY SUPPLY TANK HORIZONTAL	23321	40	19328	6676	480	0	41182	21540	719	0	0
2	735	11798	C85393	C331	CRANE OVERHEAD 15 TON CAPACITY TRAVLI	14017	30	19328	56567	360	0	41182	21540	719	0	0
2	735	11806	C85395	C331	CRANE OVERHEAD 15 TON CAPACITY TRAVLIF	14018	30	19328	56567	360	0	41182	21540	719	0	0
2	735	11832	C77237	C331	SUPPLY FAN TYPE LLD 66" FAN SUPPLY BF	2 1	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11834	C77239	C331	SUPPLY FAN TYPE LLD 66". FAN SUPPLY BF	2 2	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11836	C77241	C331	SUPPLY FAN TYPE LLD 66" FAN SUPPLY BF	2 3	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11838	C77243	C331	SUPPLY FAN TYPE LLD 66" FAN SUPPLY BF	2 4	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11840	C77245	C331	SUPPLY FAN TYPE LLD 66" FAN SUPPLY BF	2 5	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11842	C77247	C331	SUPPLY FAN TYPE LLD 66" FAN SUPPLY BF	2 6	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11844	C77249	C331	SUPPLY FAN TYPE LLD 66" FAN SUPPLY BF	2 7	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11846	C77251	C331	SUPPLY FAN TYPE LLD 66". FAN SUPPLY BF	2 8	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11848	C77253	C331	SUPPLY FAN TYPE LLD 66" FAN SUPPLY BF	2 9	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11850	C77255	C331	SUPPLY FAN TYPE LLD 66". FAN SUPPLY BF	2 10	20	19328	5888	240	0	41182	21540	719	0	0
2	735	11859	C80581	C331	BATTERY CHARGER PHANO DIAGRAM T9676325	N/A	10	19328	17625	120	0	41182	21540	719	0	0
2	735	11993	C77277	C331	SUPPLY FAN 90 000 CFM TYPE LLD. FAN SU	1 1	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11995	C77275	C331	SUPPLY FAN 90 000 CFM TYPE LLD FAN SUP	1 2	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11997	C77273	C331	SUPPLY FAN 90 000 CFM TYPE LLD. FAN SU	1 3	20	19328	5889	240	0	41182	21540	719	0	0
2	735	11999	C77269	C331	SUPPLY FAN 90 000 CFM TYPE LLD. FAN SU	1 4	20	19328	5889	240	0	41182	21540	719	0	0
2	735	12001	C77267	C331	SUPPLY FAN 90 000 CFM TYPE LLD. FAN SU	1 5	20	19328	5889	240	0	41182	21540	719	0	0
2	735	12003	C77265	C331	SUPPLY FAN 90 000 CFM TYPE LLD. FAN SU	1 6	20	19328	5889	240	0	41182	21540	719	0	0
2	735	12005	C77263	C331	SUPPLY FAN 90 000 CFM TYPE LLD. FAN SU	1 7	20	19328	5889	240	0	41182	21540	719	0	0
2	735	12007	C77261	C331	SUPPLY FAN 90 000 CFM TYPE LLD. FAN SU	1 8	20	19328	5889	240	0	41182	21540	719	0	0
2	735	12009	C77259	C331	SUPPLY FAN 90 000 CFM TYPE LLD FAN SUP	1 9	20	19328	5889	240	0	41182	21540	719	0	0
2	735	12011	C77257	C331	SUPPLY FAN 90 000 CFM TYPE LLD. FAN SU	1 10	20	19328	5889	240	0	41182	21540	719	0	0
2	735	12046	C80343	C331	LUBE OIL DRAIN TANK MAX WP 30 LBS MAX	23323	40	19328	7266	480	0	41182	21540	719	0	0
2	735	12047	C82079	C331	LUBE OIL COOLER SHELL + TUBE TYPE 250	12654	20	19328	12431	240	0	41182	21540	719	0	0
2	735	12048	C81293	C331	LUBE OIL GRAVITY SUPPLY TANK 8455 GALLO	32320	40	19328	6676	480	0	41182	21540	719	0	0
2	735	12049	C80590	C331	BATTERY CHARGER AC RATING-220/440 VOLTS	N/A	10	19328	17624	120	0	41182	21540	719	0	0
2	735	14873	C85412	C331	PUMP TURBINE VERTICAL SHAFT RECIRCULA	PN8026	20	19755	8718	240	0	41182	21120	705	0	0
2	735	16001	C79750	C331	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:7	N/A	40	28490	41283	480	86.00625	41182	12510	418	62	5332.3875
2	735	16013	C79755	C331	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:7	N/A	40	28398	47011	480	97.93958333	41182	12600	421	59	5778.435417
2	735	16014	C79771	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	32260	480	67.20833333	41182	12000	401	79	5309.458333
2	735	16016	C79811	C331	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 1	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16017	C79532	C331	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16018	C79603	C331	COMPRESSOR AXIAL FLO	N/A	40	28521	41285	480	86.01041667	41182	12480	417	63	5418.65625
2	735	16019	C79639	C331	COMPRESSOR AXIAL FLOW CELL:2.10 STAGE:5	N/A	40	28337	47008	480	97.93333333	41182	12660	423	57	5582.2
2	735	16022	C79770	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	32257	480	67.20208333	41182	12000	401	79	5308.964583
2	735	16027	C79830	C331	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28490	39427	480	82.13958333	41182	12510	418	62	5092.654167

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16031	C79561	C331	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:9 C	N/A	40	28763	44959	480	93.66458333	41182	12240	409	71	6650.185417
2	735	16036	C79614	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:8 CO	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16038	C79808	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	29433	44959	480	93.66458333	41182	11580	387	93	8710.80625
2	735	16040	C79544	C331	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	32257	480	67.20208333	41182	11700	391	89	5980.985417
2	735	16041	C79484	C331	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	29098	32257	480	67.20208333	41182	11910	398	82	5510.570833
2	735	16043	C79751	C331	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:9	N/A	40	28490	41280	480	86	41182	12510	418	62	5332
2	735	16044	C80067	C331	COMPRESSOR AXIAL FLOW CELL: 3.10 STAG	N/A	40	29036	44959	480	93.66458333	41182	11970	400	80	7493.166667
2	735	16046	C79625	C331	COMPRESSOR AXIAL FLOW CELL:6 STAGE:4 CO	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16047	C79619	C331	COMPRESSOR AXIAL FLOW CELL:4 STAGE:8 CO	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16049	C79512	C331	COMPRESSOR AXIAL FLOW CELL:5 STAGE:10 C	N/A	40	28276	30706	480	63.97083333	41182	12720	425	55	3518.395833
2	735	16051	C82184	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:7 CO	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16052	C79581	C331	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:	N/A	40	29159	44959	480	93.66458333	41182	11850	396	84	7867.825
2	735	16053	C79752	C331	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:	N/A	40	28398	47008	480	97.93333333	41182	12600	421	59	5778.066667
2	735	16055	C79711	C331	COMPRESSOR AXIAL FLOW CELL3.8 STAGE:1	N/A	40	29280	44959	480	93.66458333	41182	11730	392	88	8242.483333
2	735	16056	C79710	C331	COM[RESSOR AXIAL FLOW CELL:3.1 STAGE:	N/A	40	28855	44959	480	93.66458333	41182	12150	406	74	6931.179167
2	735	16061	C79676	C331	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	N/A	40	28975	44959	480	93.66458333	41182	12030	402	78	7305.8375
2	735	16062	C79656	C331	COMPRESSOR AXIAL FLOW CELL:4 STAGE:9	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16065	C79637	C331	COMPRESSOR AXIAL FLOW CELL:8 STAGE:1	N/A	40	28184	37111	480	77.31458333	41182	12810	428	52	4020.358333
2	735	16069	C79828	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29829	44959	480	93.66458333	41182	11190	374	106	9928.445833
2	735	16074	C79746	C331	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	N/A	40	29189	44959	480	93.66458333	41182	11820	395	85	7961.489583
2	735	16075	C79607	C331	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28490	41280	480	86	41182	12510	418	62	5332
2	735	16076	C79727	C331	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	N/A	40	29189	44959	480	93.66458333	41182	11820	395	85	7961.489583
2	735	16077	C79515	C331	COMPRESSOR AXIAL FLOW CELL:4 STAGE:2	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16081	C79479	C331	COMPRESSOR AXIAL FLOW CELL: 1.5 STAGE	N/A	40	29280	32257	480	67.20208333	41182	11730	392	88	5913.783333
2	735	16082	C79845	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29829	44959	480	93.66458333	41182	11190	374	106	9928.445833
2	735	16084	C79848	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29433	44959	480	93.66458333	41182	11580	387	93	8710.80625
2	735	16086	C79816	C331	COMPRESSOR AXIAL FLOW CELL:6 STAGE:10	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16089	C79504	C331	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:	N/A	40	29280	32257	480	67.20208333	41182	11730	392	88	5913.783333
2	735	16091	C79471	C331	COMPRESSOR AXIAL FLOW CELL:4 STAGE:5	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16095	C79638	C331	COMPRESSOR AXIAL FLOW CELL:2.10 STAGE	N/A	40	28337	47008	480	97.93333333	41182	12660	423	57	5582.2
2	735	16100	C79744	C331	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	N/A	40	29189	44959	480	93.66458333	41182	11820	395	85	7961.489583
2	735	16101	C79543	C331	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	32257	480	67.20208333	41182	11700	391	89	5980.985417
2	735	16108	C79613	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:10	N/A	40	28276	47009	480	97.93541667	41182	12720	425	55	5386.447917
2	735	16113	C79781	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28763	32258	480	67.20416667	41182	12240	409	71	4771.495833
2	735	16116	C79705	C331	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:	N/A	40	28886	44960	480	93.66666667	41182	12120	405	75	7025
2	735	16119	C79505	C331	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:	N/A	40	29280	32258	480	67.20416667	41182	11730	392	88	5913.966667
2	735	16122	C79573	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:3	N/A	40	28521	41281	480	86.00208333	41182	12480	417	63	5418.13125
2	735	16124	C79545	C331	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	32258	480	67.20416667	41182	11700	391	89	5981.170833
2	735	16125	C79602	C331	COMPRESSOR AXIAL FLOW CELL:6 STAGE:1	N/A	40	28276	47009	480	97.93541667	41182	12720	425	55	5386.447917
2	735	16128	C79589	C331	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28368	47009	480	97.93541667	41182	12630	422	58	5680.254167
2	735	16134	C79769	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28975	32258	480	67.20416667	41182	12030	402	78	5241.925
2	735	16135	C79829	C331	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 1	31 395	40	19755	20711	480	0	41182	21120	705	0	0
2	735	16136	C79500	C331	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	29098	32258	480	67.20416667	41182	11910	398	82	5510.741667
2	735	16138	C79833	C331	COMPRESSOR AXIAL FLOW CELL:410 STAGE:	N/A	40	28490	39427	480	82.13958333	41182	12510	418	62	5092.654167
2	735	16141	C79492	C331	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28886	32258	480	67.20416667	41182	12120	405	75	5040.3125
2	735	16145	C79804	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28975	32259	480	67.20625	41182	12030	402	78	5242.0875
2	735	16146	C79522	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:1	N/A	40	29433	44961	480	93.66875	41182	11580	387	93	8711.19375
2	735	16147	C79791	C331	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	29098	32259	480	67.20625	41182	11910	398	82	5510.9125
2	735	16148	C79523	C331	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29433	41750	480	86.97916667	41182	11580	387	93	8089.0625
2	735	16149	C79688	C331	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:	N/A	40	28975	44961	480	93.66875	41182	12030	402	78	7306.1625
2	735	16150	C79585	C331	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28368	47010	480	97.9375	41182	12630	422	58	5680.375
2	735	16153	C79571	C331	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28490	41282	480	86.00416667	41182	12510	418	62	5332.258333
2	735	16155	C79531	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29433	44961	480	93.66875	41182	11580	387	93	8711.19375
2	735	16156	C79510	C331	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 1	N/A	40	19755	20713	480	0	41182	21120	705	0	0
2	735	16158	C79623	C331	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 1	31006	40	19755	20713	480	0	41182	21120	705	0	0
2	735	16159	C79724	C331	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:	N/A	40	28490	41282	480	86.00416667	41182	12510	418	62	5332.258333
2	735	16160	C79782	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28763	32259	480	67.20625	41182	12240	409	71	4771.64375
2	735	16161	C79489	C331	COMPRESSOR AXAIL FLOW CELL:1.9 STAGE:	N/A	40	28886	32259	480	67.20625	41182	12120	405	75	5040.46875
2	735	16162	C79846	C331	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 1	31 231	40	19755	20713	480	0	41182	21120	705	0	0
2	735	16163	C79568	C331	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	28702	44961	480	93.66875	41182	12300	411	69	6463.14375
2	735	16166	C81879	C331	COMPRESSOR AXIAL FLOW CELL:2.5 STAGE:	N/A	40	28855	44961	480	93.66875	41182	12150	406	74	6931.4875
2	735	16168	C79621	C331	COMPRESSOR AXIAL FLOW CELL:5 STAGE:2	N/A	40	28276	30708	480	63.975	41182	12720	425	55	3518.625
2	735	16171	C79745	C331	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	N/A	40	29189	44961	480	93.66875	41182	11820	395	85	7961.84375
2	735	16172	C79493	C331	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28886	32259	480	67.20625	41182	12120	405	75	5040.46875
2	735	16173	C79680	C331	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	29098	44961	480	93.66875	41182	11910	398	82	7680.8375
2	735	16175	C79617	C331	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 1	N/A	40	19755	20713	480	0	41182	21120	705	0	0
2	735	16176	C79708	C331	COMPRESSOR AXIAL FLOW CELL:3.1 STAGE:	N/A	40	28855	44961	480	93.66875	41182	12150	406	74	6931.4875
2	735	16177	C79698	C331	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	N/A	40	28975	44961	480	93.66875	41182	12030	402	78	7306.1625
2	735	16178	C79693	C331	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	29098	44961	480	93.66875	41182	11910	398	82	7680.8375
2	735	16179	C79709	C331	COMPRESSOR AXIAL FLOW CELL:3.1 STAGE:	N/A	40	28855	44961	480	93.66875	41182	12150	406	74	6931.4875
2	735	16180	C79749	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41282	480	86.00416667	41182	12420	415	65	5590.270833
2	735	16181	C79673	C331	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	N/A	40	28975	44961	480	93.66875	41182	12030	402	78	7306.1625

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16182	C79547	C331	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29433	44961	480	93.66875	41182	11580	387	93	8711.19375
2	735	16183	C79556	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29433	44961	480	93.66875	41182	11580	387	93	8711.19375
2	735	16186	C79690	C331	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:	N/A	40	28975	44961	480	93.66875	41182	12030	402	78	7306.1625
2	735	16187	C79797	C331	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	32260	480	67.20833333	41182	12000	401	79	5309.458333
2	735	16189	C79704	C331	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:	N/A	40	28886	44962	480	93.67083333	41182	12120	405	75	7025.3125
2	735	16190	C79565	C331	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28763	44962	480	93.67083333	41182	12240	409	71	6650.629167
2	735	16194	C79663	C331	COMPRESSOR AXIAL FLOW CELL:3.1 STAGE:	N/A	40	28855	44962	480	93.67083333	41182	12150	406	74	6931.641667
2	735	16196	C79608	C331	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28763	44962	480	93.67083333	41182	12240	409	71	6650.629167
2	735	16197	C79679	C331	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	29098	44962	480	93.67083333	41182	11910	398	82	7681.008333
2	735	16202	C79552	C331	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:3	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16203	C80170	C331	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE	N/A	40	28733	44962	480	93.67083333	41182	12270	410	70	6556.958333
2	735	16205	C79691	C331	A\COMPRESSOR AXIAL FLOW CELL:3.9 STAG	N/A	40	28975	44962	480	93.67083333	41182	12030	402	78	7306.325
2	735	16207	C79599	C331	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28490	41283	480	86.00625	41182	12510	418	62	5332.3875
2	735	16210	C79474	C331	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28549	41283	480	86.00625	41182	12450	416	64	5504.4
2	735	16214	C79480	C331	COMPRESSOR AXIAL FLOW CELL:1/5 STAGE:	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16215	C79789	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28763	32260	480	67.20833333	41182	12240	409	71	4771.791667
2	735	16217	C79494	C331	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28886	32260	480	67.20833333	41182	12120	405	75	5040.625
2	735	16220	C79664	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11222600	40	28855	44962	480	93.67083333	41182	12150	406	74	6931.641667
2	735	16221	C79761	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16226	C79805	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:10	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16227	C79540	C331	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE:2	N/A	40	29311	32260	480	67.20833333	41182	11700	391	89	5981.541667
2	735	16236	C79524	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11940	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16242	C79671	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	6757	40	28886	44962	480	93.67083333	41182	12120	405	75	7025.3125
2	735	16244	C79668	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	6757	40	28886	44962	480	93.67083333	41182	12120	405	75	7025.3125
2	735	16246	C79615	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10513	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16247	C79687	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11376	40	28975	44962	480	93.67083333	41182	12030	402	78	7306.325
2	735	16248	C79624	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL F	10513	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16250	C79674	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11376	40	28975	44962	480	93.67083333	41182	12030	402	78	7306.325
2	735	16253	C79567	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11940	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16254	C79740	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10513	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16257	C79702	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	6757	40	28886	44962	480	93.67083333	41182	12120	405	75	7025.3125
2	735	16259	C79635	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10588	40	28337	47011	480	97.93958333	41182	12660	423	57	5582.55625
2	735	16260	C79878	C331	AXIAL FLOW COMPRESSOR UNIT 260 GROUP 26	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16261	C79555	C331	AXIAL FLOW COMPRESSOR UNIT 261 GROUP 27	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16263	C79753	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10664	40	28398	47011	480	97.93958333	41182	12600	421	59	5778.435417
2	735	16264	C79542	C331	COMPRESSOR AXIAL FLOW CELL: 1.10 STAGE:3	N/A	40	29311	32260	480	67.20833333	41182	11700	391	89	5981.541667
2	735	16265	C79516	C331	AXIAL FLOW COMPRESSOR UNIT 265 PART 402	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16266	C79707	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11226	40	28855	44962	480	93.67083333	41182	12150	406	74	6931.641667
2	735	16267	C79694	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11527	40	29098	44962	480	93.67083333	41182	11910	398	82	7681.008333
2	735	16268	C79787	C331	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:4 C	N/A	40	28763	32260	480	67.20833333	41182	12240	409	71	4771.791667
2	735	16269	C79496	C331	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:4 C	N/A	40	28886	32260	480	67.20833333	41182	12120	405	75	5040.625
2	735	16270	C79762	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:6 C	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16271	C79641	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10588	40	28337	47011	480	97.93958333	41182	12660	423	57	5582.55625
2	735	16272	C79666	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	1122600	40	28855	44962	480	93.67083333	41182	12150	406	74	6931.641667
2	735	16275	C79696	C331	AXIAL FLOW COMPRESSOR 1800 RPM UNIT 27	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16276	C79728	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29189	44962	480	93.67083333	41182	11820	395	85	7962.020833
2	735	16284	C80100	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16287	C79616	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16290	C79649	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16298	C79803	C331	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:2 C	N/A	40	28975	32260	480	67.20833333	41182	12030	402	78	5242.25
2	735	16299	C80124	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16300	C79777	C331	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:6 C	N/A	40	29098	32260	480	67.20833333	41182	11910	398	82	5511.083333
2	735	16304	C79485	C331	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:5 C	N/A	40	29098	32260	480	67.20833333	41182	11910	398	82	5511.083333
2	735	16307	C79695	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29098	44962	480	93.67083333	41182	11910	398	82	7681.008333
2	735	16310	C79659	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16311	C79685	C331	AXIAL FLOW COMPRESSOR 1800 RPM UNIT 311	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16314	C79742	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL F	N/A	40	29189	44962	480	93.67083333	41182	11820	395	85	7962.020833
2	735	16318	C79730	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL F	N/A	40	29189	44962	480	93.67083333	41182	11820	395	85	7962.020833
2	735	16319	C79807	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:4 C	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16320	C79739	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL F	N/A	40	29036	44962	480	93.67083333	41182	11970	400	80	7493.666667
2	735	16322	C79743	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29189	44962	480	93.67083333	41182	11820	395	85	7962.020833
2	735	16324	C80099	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16332	C79647	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL F	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16333	C79643	C331	AXIAL FLOW COMPRESSOR 1800 RPM UNIT 33	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16334	C79579	C331	COMPRESSOR AXIAL FLOW CELL:2.7 STAGE:5 C	N/A	40	28398	47011	480	97.93958333	41182	12600	421	59	5778.435417
2	735	16335	C79632	C331	AXIAL FLOW COMPRESSOR 1800 RPM UNIT 33	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16336	C79729	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29189	44962	480	93.67083333	41182	11820	395	85	7962.020833
2	735	16338	C79537	C331	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE:10	N/A	40	29311	32260	480	67.20833333	41182	11700	391	89	5981.541667
2	735	16340	C79575	C331	COMPRESSOR AXIAL FLOW CELL:2 STAGE:6 COM	N/A	40	28521	41283	480	86.00625	41182	12480	417	63	5418.39375
2	735	16342	C79763	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:7 C	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16343	C79764	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:9 C	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16344	C79843	C331	AXIAL FLOW COMPRESSOR UNIT 344 GROUP 35	N/A	40	19755	20714	480	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16354	C79662	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28855	44962	480	93.67083333	41182	12150	406	74	6931.641667
2	735	16358	C79827	C331	AXIAL FLOW COMPRESSOR CELL:1 STAGE:2 POS	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16359	C79820	C331	AXIAL FLOW COMPRESSOR CELL:1 STAGE:8 POS	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16361	C79655	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16363	C79681	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29098	41750	480	86.97916667	41182	11910	398	82	7132.291667
2	735	16365	C79809	C331	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:1 C	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16367	C79822	C331	AXIAL FLOW COMPRESSOR CELL:5 STAGE:4 POS	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16370	C79759	C331	AXIAL FLOW COMPRESSOR 1800 RPM COMPR AX	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16376	C79823	C331	COMPRESSOR AXIAL FLOW TYPE 31 COMPRESSOR	N/A	40	19755	17024	480	0	41182	21120	705	0	0
2	735	16378	C79806	C331	COMPRESSOR AXIAL FLO	N/A	40	29433	44962	480	93.67083333	41182	11580	387	93	8711.3875
2	735	16381	C79475	C331	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28763	44962	480	93.67083333	41182	12240	409	71	6650.629167
2	735	16385	C79511	C331	COMPRESSOR AXIAL FLOW CELL: 4-7 STAGE	N/A	40	28975	44962	480	93.67083333	41182	12030	402	78	7306.325
2	735	16386	C79611	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28763	44962	480	93.67083333	41182	12240	409	71	6650.629167
2	735	16387	C79609	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28763	44962	480	93.67083333	41182	12240	409	71	6650.629167
2	735	16389	C79610	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28763	44962	480	93.67083333	41182	12240	409	71	6650.629167
2	735	16393	C79541	C331	AXIAL FLOW COMPRESSOR 1800 RPM UNIT 39	31341	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16394	C80172	C331	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE;	N/A	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16395	C79840	C331	AXIAL FLOW COMPRESSOR 1800 RPM CELL-1	31283	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16397	C79717	C331	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28398	47011	480	97.93958333	41182	12600	421	59	5778.435417
2	735	16402	C79488	C331	COMPRESSOR AXIAL FLO	N/A	40	29098	32261	480	67.21041667	41182	11910	398	82	5511.254167
2	735	16405	C79815	C331	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 4	N/A	40	19755	17022	480	0	41182	21120	705	0	0
2	735	16407	C79842	C331	AXIAL FLOW COMPRESSOR 1800 RPM CELL-1	31150	40	19755	20715	480	0	41182	21120	705	0	0
2	735	16411	C76237	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106992	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16412	C76183	C331	MOTOR ELECTRIC 950 HP 4260 VOLTS 112	106991	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16413	C76199	C331	MOTOR ELECTRIC 950HP 4160 VOLTS 112	106993	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16414	C76226	C331	MOTOR 950 HP 4260 VOLTS 112 AMPS 3 P	106994	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16415	C75951	C331	MOTOR INDUCTION-UPRATED MOTOR 1650 HPEM	106995	20	28824	26613	240	0	41182	12180	407	0	0
2	735	16416	C76204	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106996	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16417	C76189	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	106997	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16419	C76257	C331	MOTOR ELECTRIC 950 HP 4160 VOTLS 112	106999	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16421	C75895	C331	MOTOR ELECTRIC 4160 VOLTS 112 AMPS 9	106901	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16424	C75894	C331	MOTOR ELECTRIC 4160 VOLTS 112 AMPS 9	106904	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16429	C75889	C331	MOTOR ELECTRIC 4160 VOLTS 112 AMPS 9	106953	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16430	C75891	C331	MOTOR ELECTRIC 4160 VOLTS 112 AMPS 9	106990	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16434	C76176	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106948	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16440	C75879	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106955	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16458	C75874	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106919	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16461	C75910	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106923	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16463	C76217	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106925	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16466	C75912	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106927	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16467	C76228	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106929	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16474	C75873	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106930	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16475	C75911	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106931	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16478	C75876	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106972	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16480	C75872	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106975	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16481	C75950	C331	MOTOR HP 1650 MOTOR INDUCTION-UPRATED.	106932	20	29798	20322	240	0	41182	11220	375	0	0
2	735	16515	C75901	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107006	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16517	C75887	C331	MOTOR ELECTRIC 4160 VOLTS 112 AMPS 9	107052	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16519	C76190	C331	MOTOR 950 HP 4160 V. 112 AMPS 3 PH	107056	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16521	C75913	C331	MOTOR 950 HP 4160 V 112 A 3 PHASE 6	107001	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16525	C76219	C331	MOTOR 950 HP 4160 V. 112 A 3 PH 60	107011	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16526	C76173	C331	MOTOR 950 HP 4160 V. 112 AMPS 3 PH	107056	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16528	C75907	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107058	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16533	C75898	C331	MTR ELEC MACH 950	N/A	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16541	C76210	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107017	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16542	C76221	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107018	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16546	C76193	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107066	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16548	C76196	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107068	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16550	C76195	C331	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107070	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16557	C76172	C331	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107072	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16560	C75881	C331	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107075	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16561	C75949	C331	MOTOR INDUCTION UPRATED HP 1650. MOTOR	107022	20	29036	26613	240	0	41182	11970	400	0	0
2	735	16562	C75904	C331	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107027	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16564	C75897	C331	MOTOR 950 HP 4160 V. 112 A 3 PHASE	107029	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16565	C76205	C331	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107030	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16569	C76191	C331	MOTOR 950 HP 4160 V 112 A 3 PH 60 CY	107079	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16571	C76203	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107031	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16573	C75892	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60 C	107034	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16579	C75890	C331	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107084	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16585	C76272	C331	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107041	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16586	C75875	C331	MOTOR 950 HP 4160 V 112 A 3 PH 60 CY	107086	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16591	C75955	C331	MOTOR 1650 HP EM MOTOR 1650 HPEM	107042	20	28824	26612	240	0	41182	12180	407	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16596	C75926	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107091	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16597	C75930	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107092	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16598	C75884	C331	MOTOR 950 HP 4160 V. 112 A 3 PHASE	107093	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16600	C75883	C331	MOTOR 950 HP 4160 V. 112 A 3 PH 60 C	107095	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16604	C75914	C331	MOTOR 950 HP 4160 V. 112 A 3 PHASE	107049	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16605	C75954	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107050	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16607	C75928	C331	MOTOR 1650 HP EM MOTOR INDUCTION UPRATE	107097	20	28824	26612	240	0	41182	12180	407	0	0
2	735	16611	C76240	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107101	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16612	C76241	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 H	107103	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16613	C76239	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107104	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16614	C75947	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107105	20	29036	26612	240	0	41182	11970	400	0	0
2	735	16617	C80596	C331	MOTOR 950 HP 4160 V 112 A 3 PHASE 6	107152	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16619	C76252	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107154	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16620	C76253	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107155	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16621	C76198	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107108	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16623	C76238	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107110	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16626	C76175	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107156	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16628	C76264	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107158	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16629	C75924	C331	MOTOR INDUCTION 1650HP-UPRATED MOTOR 16	107159	20	28855	26381	240	0	41182	12150	406	0	0
2	735	16630	C76248	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107160	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16631	C76222	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107102	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16632	C75902	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107113	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16633	C75958	C331	MOTOR INDUCTION 1650-UPRATED MOTOR HP 1	107114	20	28855	26612	240	0	41182	12150	406	0	0
2	735	16635	C75945	C331	MOTOR INDUCTION 1650 HP-UPRATED MOTOR HP	107107	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16637	C76181	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107162	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16638	C76269	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107163	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16639	C76174	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107164	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16640	C76258	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107165	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16641	C76224	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107116	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16642	C76223	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107117	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16643	C76218	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107118	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16645	C76236	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107120	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16647	C76268	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107167	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16648	C76256	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107168	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16649	C76255	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107169	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16650	C76267	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107170	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16651	C75941	C331	MOTOR INDUCTION 1650 HP-UPRATED. MOTOR H	107121	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16652	C76261	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107122	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16655	C76201	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107125	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16657	C75931	C331	MOTOR INDUCTION 1650 HP-UPRATED MOTOR HP	107172	20	29036	26612	240	0	41182	11970	400	0	0
2	735	16660	C75934	C331	MOTOR INDUCTION 1650 HP-UPRATED MOTOR HP	107175	20	29036	26612	240	0	41182	11970	400	0	0
2	735	16662	C75943	C331	MOTOR INDUCTION 1650 HP-UPRATED MOTOR HP	107128	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16663	C76220	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107129	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16665	C75944	C331	MOTOR INDUCTION 1650 HP-UPRATED MOTOR HP	107131	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16666	C75886	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107176	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16667	C75933	C331	MOTOR INDUCTION 1650 HP-UPRATED MOTOR HP	107177	20	29036	26612	240	0	41182	11970	400	0	0
2	735	16668	C76259	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107178	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16673	C76206	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107134	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16674	C75899	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107135	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16675	C76250	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107181	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16676	C76265	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107182	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16677	C76260	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107183	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16678	C76230	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107184	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16679	C75885	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107185	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16681	C76235	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107137	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16682	C76233	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107138	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16683	C76234	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107139	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16685	C76271	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107186	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16686	C76263	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107187	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16688	C76266	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107189	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16689	C75957	C331	MOTOR INDUCTION 1650 HP-UPRATED MOTOR H	107190	20	28855	26612	240	0	41182	12150	406	0	0
2	735	16693	C76231	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107144	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16694	C76227	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107145	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16695	C76229	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107146	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16697	C75923	C331	MOTOR 1650 MOTOR INDUCTION UPRATED. MOT	107192	20	28855	26186	240	0	41182	12150	406	0	0
2	735	16699	C76262	C331	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107194	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16700	C76180	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107195	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16701	C75896	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107147	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16704	C76225	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107150	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16705	C75942	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107201	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16706	C75940	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107196	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16707	C76254	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107197	20	19755	11051	240	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16708	C75936	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED	107198	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16709	C75938	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED. M	107199	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16710	C75937	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED	107200	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16711	C75900	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107202	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16712	C76243	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107203	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16713	C76244	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107205	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16715	C76246	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107206	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16716	C76187	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107251	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16718	C75882	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107253	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16721	C75953	C331	MOTOR 1650 HP EM MOTOR INDUCTION UPRATE	107207	20	28824	26612	240	0	41182	12180	407	0	0
2	735	16722	C76214	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 PH	107208	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16723	C75909	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107209	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16724	C76212	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107210	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16725	C76216	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107211	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16726	C75946	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107256	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16727	C75939	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107257	20	28886	26612	240	0	41182	12120	405	0	0
2	735	16733	C75932	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107214	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16734	C76211	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107215	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16736	C76179	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107262	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16737	C76177	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107263	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16738	C76178	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107264	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16740	C76213	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 PH	107127	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16742	C76209	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107217	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16745	C76208	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107220	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16746	C76184	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107266	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16748	C75959	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107268	20	28855	26612	240	0	41182	12150	406	0	0
2	735	16749	C75935	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107269	20	29036	26612	240	0	41182	11970	400	0	0
2	735	16752	C76200	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107271	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16753	C76247	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107272	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16754	C76249	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107273	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16755	C76251	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107274	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16756	C75905	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 PH	107222	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16757	C75948	C331	MOTOR HP 1650 MOTOR INDUCTION UPRATED.	107223	20	29036	26612	240	0	41182	11970	400	0	0
2	735	16759	C76207	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107226	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16760	C76185	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 60	107275	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16761	C75961	C331	MOTOR INDUCTION 1650 HP-UPRATED. MOTOR	107227	20	28855	26612	240	0	41182	12150	406	0	0
2	735	16763	C75903	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107229	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16764	C75877	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107230	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16765	C76186	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107277	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16767	C76188	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107178	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16768	C76215	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107279	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16769	C76202	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107280	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16770	C75880	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107281	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16775	C76182	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107283	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16779	C75927	C331	MOTOR INDUCTION-UPRATED 1650 HP MOTOR 1	107276	20	28824	26612	240	0	41182	12180	407	0	0
2	735	16780	C76232	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107284	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16781	C76242	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107238	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16782	C76245	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107239	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16792	C75956	C331	MOTOR 1650 HP INDUCTION-UPRATED. MOTOR	107242	20	28824	26612	240	0	41182	12180	407	0	0
2	735	16801	C75893	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107301	20	19755	10537	240	0	41182	21120	705	0	0
2	735	16804	C75960	C331	MOTOR INDUCTION 1650 HP-UPRATED. MOTOR	107305	20	28855	26186	240	0	41182	12150	406	0	0
2	735	16805	C75921	C331	MOTOR INDUCTION 1650 HP-UPRATED. MOTOR	107311	20	28855	26186	240	0	41182	12150	406	0	0
2	735	16806	C75888	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107312	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16807	C75925	C331	MOTOR INDUCTION 1650 HP-UPRATED. MOTOR	107313	20	28855	26612	240	0	41182	12150	406	0	0
2	735	16808	C76270	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107314	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16809	C75922	C331	MOTOR INDUCTION 1650 HP-UPRATED. MOTOR	107315	20	28855	26612	240	0	41182	12150	406	0	0
2	735	16814	C76192	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107297	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16815	C76194	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107298	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16817	C76197	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107246	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16818	C75908	C331	MOTOR 950 HP 4160 VOLTS 3 PHASE 60 C	107249	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16819	C75929	C331	MOTOR INDUCTION 1650 HP-UPRATED. MOTOR	107299	20	28824	26612	240	0	41182	12180	407	0	0
2	735	16820	C75878	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107300	20	19755	7107	240	0	41182	21120	705	0	0
2	735	17624	C82299	C331	CONDENSER PRODUCT TYPE AB 232 H SIZE	MV74224	20	19936	2790	240	0	41182	20940	699	0	0
2	735	18895	C82303	C331	COOLER COOLANT WHITLOCK HEAT EXCHANGE	42393	20	17014	2560	240	0	41182	23820	795	0	0
2	735	19365	C80649	C331	CENTRIFUGAL PUMP SIZE COMP. CASING 38A	2A 6036	40	16649	13925	480	0	41182	24180	807	0	0
2	735	19754	C84408	C331	00 CONVERTER CONVERTER 00	107U571	40	19755	19300	480	0	41182	21120	705	0	0
2	735	20001	C84409	C331	CONVERTER "00" CELL:2.10 STAGE:6. CONVE	N/A	40	28337	153162	480	319.0875	41182	12660	423	57	18187.9875
2	735	20002	C84410	C331	CONVERTER "00" CELL:2.10 STAGE:4. CONVE	N/A	40	28337	153162	480	319.0875	41182	12660	423	57	18187.9875
2	735	20003	C84411	C331	CONVERTER "00" CELL:2.10 STAGE:7 CONVE	N/A	40	28337	153162	480	319.0875	41182	12660	423	57	18187.9875
2	735	20004	C84412	C331	CONVERTER "00" CELL"2.10 STAGE:8 CONVE	N/A	40	28337	153162	480	319.0875	41182	12660	423	57	18187.9875
2	735	20007	C84415	C331	CONVERTER "00" CONVERTER 00	127U183	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20008	C84416	C331	CONVERTER "00" CONVERTER 00	127U119	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	20010	C84418	C331	CONVERTER 31X TYPE CONVERTER 31X	127U208	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20011	C84419	C331	CONVERTER TYPE 31X CONVERTER 31X	127U21	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20013	C84421	C331	CONVERTER 31X TYPE CONVERTER 31X	127U191	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20014	C84422	C331	CONVERTER 31X TYPE CONVERTER 31X	127U285	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20015	C84423	C331	CONVERTER "00" CELL:3.7 STAGE:2 CONVER	127U211	40	29098	142558	480	296.9958333	41182	11910	398	82	24353.65833
2	735	20017	C84425	C331	CONVERTER "00" CELL 1.8 STAGE 7 CONVERT	127U174	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20018	C84426	C331	CONVERTER "00" CELL 1.2 STAGE: 9 CONVER	127U299	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20020	C84428	C331	CONVERTER "00" CELL 3.7 STAGE 9 CONVERTE	127U298	40	29098	142558	480	296.9958333	41182	11910	398	82	24353.65833
2	735	20021	C84429	C331	CONVERTER "OO" CELL: 4 STAGE: 7 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20023	C84431	C331	CONVERTER "00" CELL 1.8 STAGE 5 CONVERTE	127U288	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20024	C84432	C331	CONVERTER "00" CELL 1.8 STAGE 8 CONVERTE	127U249	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20025	C84433	C331	CONVERTER "OO" CELL: 3.7 STAGE: 6 CONV	127 U 297	40	29098	142558	480	296.9958333	41182	11910	398	82	24353.65833
2	735	20026	C84434	C331	CONVERTER "OO" CELL: 3.7 STAGE: 10 CON	127 U 200	40	29098	142558	480	296.9958333	41182	11910	398	82	24353.65833
2	735	20028	C84436	C331	CONVERTER "OO" CELL: 2.1 STAGE: 5 CONV	127 U 202	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20035	C84443	C331	CONVERTER "OO" CELL: 2.1 STAGE: 6 CONV	127 U 184	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20038	C84446	C331	CONVERTER "OO" CELL: 3.7 STAGE: 3 CONV	127 U 295	40	29098	142558	480	296.9958333	41182	11910	398	82	24353.65833
2	735	20039	C84447	C331	CONVERTER "OO" CELL: 3.7 STAGE: 7 CONV	127 U 207	40	29098	142558	480	296.9958333	41182	11910	398	82	24353.65833
2	735	20040	C84448	C331	CONVERTER "OO" CELL: 3.7 STAGE: 1 CONV	127 U 209	40	29098	142558	480	296.9958333	41182	11910	398	82	24353.65833
2	735	20042	C84450	C331	CONVERTER "OO" CELL: 2 STAGE: 2 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20043	C84451	C331	CONVERTER "OO" CELL: 2 STAGE: 4 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20044	C84452	C331	CONVERTER "OO" CELL: 2 STAGE: 7 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20045	C84453	C331	CONVERTER "OO" CELL: 4 STAGE: 6 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20046	C84454	C331	CONVERTER "OO" CELL: 2 STAGE: 5 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20047	C84455	C331	CONVERTER "OO" CELL: 2 STAGE: 3 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20048	C84456	C331	CONVERTER "OO" CELL: 2 STAGE: 10 CONVE	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20049	C84457	C331	CONVERTER "OO" CELL: 2 STAGE: 8 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20050	C84458	C331	CONVERTER "OO" CELL: 3.10 STAGE: 7 CON	127 U 308	40	29036	140337	480	292.36875	41182	11970	400	80	23389.5
2	735	20052	C84459	C331	CONVERTER "OO" CELL: 2.3 STAGE: 2 CONV	127 U 162	40	28490	128857	480	268.4520833	41182	12510	418	62	16644.02917
2	735	20053	C84460	C331	CONVERTER "OO" CELL: 3.7 STAGE: 4 CONV	127 U 197	40	29098	142558	480	296.9958333	41182	11910	398	82	24353.65833
2	735	20054	C84461	C331	CONVERTER "OO" CELL: 3.10 STAGE: 6 CON	127 U 130	40	29036	140337	480	292.36875	41182	11970	400	80	23389.5
2	735	20061	C84468	C331	CONVERTER 31X TYPE CELL 7 STAGE 1 CONVE	127U112	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20062	C84469	C331	CONVERTER "OO" CELL: 2.3 STAGE: 7 CONV	127 U 282	40	28490	128857	480	268.4520833	41182	12510	418	62	16644.02917
2	735	20072	C84479	C331	CONVERTER "OO" CELL: 3.8 STAGE: 3 CONV	127 U 294	40	29189	134452	480	280.1083333	41182	11820	395	85	23809.20833
2	735	20073	C84480	C331	CONVERTER "OO" CELL: 3.9 STAGE: 3 CONV	N/A	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20075	C84482	C331	CONVERTER "OO" CELL: 3.10 STAGE: 5 CON	127 U 192	40	29036	140337	480	292.36875	41182	11970	400	80	23389.5
2	735	20076	C84483	C331	CONVERTER "OO" CELL: 3.10 STAGE: 10 CO	127 U 206	40	29036	140337	480	292.36875	41182	11970	400	80	23389.5
2	735	20077	C84484	C331	CONVERTER "OO" CELL: 3.10 STAGE: 3 CON	127 U 170	40	29036	140337	480	292.36875	41182	11970	400	80	23389.5
2	735	20078	C84485	C331	CONVERTER "OO" CELL: 2 STAGE: 6 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20079	C84486	C331	CONVERTER CELL: 10 STAGE: 7 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20083	C82506	C331	CONVERTER "OO" CELL: 3.9 STAGE: 4 CONV	N/A	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20088	C84494	C331	CONVERTER "OO" CELL: 3.9 STAGE: 1 CONV	N/A	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20107	C84513	C331	CONVERTER TYPE 31X CELL 2 STAGE 8 CONV	127U279	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20123	C84529	C331	CONVERTER "00" CELL 1.2 STAGE 7 CONVERTE	127U115	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20124	C84530	C331	CONVERTER TYPE 31X CONVERTER 31X	127U224	40	19755	18611	480	0	41182	21120	705	0	0
2	735	20136	C84542	C331	CONVERTER TYPE 31X CELL 2 STAGE 10 CON	127U257	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20146	C84552	C331	CONVERTER "OO" CELL: 2.3 STAGE: 1 CONV	127 U 148	40	28490	128857	480	268.4520833	41182	12510	418	62	16644.02917
2	735	20163	C84569	C331	CONVERTER "OO" CELL: 3.1 STAGE: 3 CONV	127 U 284	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20177	C84583	C331	CONVERTER "OO" CELL: 3.1 STAGE: 6 CONV	127 U 84	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20182	C84588	C331	CONVERTER "OO" CELL: 8 STAGE: 10 CONVE	N/A	40	28306	153162	480	319.0875	41182	12690	424	56	17868.9
2	735	20191	C84597	C331	CONVERTER 00	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20192	C84598	C331	CONVERTER 00	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20193	C84599	C331	CONVERTER "00" CELL:2.1 STAGE:4 CONVERTE	127 U 160	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20196	C84602	C331	CONVERTER 00	N/A	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20199	C84605	C331	CONVERTER "00" CELL:2.1 STAGE:3 CONVERTE	127 U 56	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20201	C84607	C331	CONVERTER "0" CELL:6 STAGE:9 CONVERTER 0	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20202	C84608	C331	CONVERTER "00" CELL:6 STAGE:8 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20203	C84609	C331	CONVERTER "00" C-331 CELL 4.1 STAGE 2	127U29	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20204	C84610	C331	CONVERTER "00" C-331 CELL 4.1 STAGE 1	127U145	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20205	C84611	C331	CONVERTER "00" C-331 CELL 4.1 STAGE 10	127U199	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20206	C84612	C331	CONVERTER "00" C-331 CELL 4.1 STAGE 3	127U153	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20208	C84614	C331	CONVERTER "00" CELL:3.1 STAGE:9 CONVERTE	127 U 70	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20210	C84616	C331	CONVERTER 00	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20211	C84617	C331	CONVERTER "00" CELL:3.1 STAGE:5 CONVERTE	127 U 72	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20212	C84618	C331	CONVERTER "00" CELL:3.1 STAGE:8 CONVERTE	127 U 121	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20220	C84626	C331	CONVERTER "00" C-335 CELL 2.1 STAGE 8	127U506	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20221	C84627	C331	CONVERTER "00" CELL:3.3 STAGE:1 CONVERTE	126 U 137	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125
2	735	20222	C84628	C331	CONVERTER TYPE 31X C-331 CELL 2 STAGE	127U62	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20224	C84630	C331	CONVERTER "00" CELL:6 STAGE:4 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20230	C84636	C331	CONVERTER "00" CELL:3.9 STAGE:5 CONVERTE	N/A	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20235	C84641	C331	CONVERTER "00" C-331 CELL 1.2 STAGE 3	127U86	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20236	C84642	C331	CONVERTER "00" CELL:3.8 STAGE:2 CONVERTE	127 U 74	40	29189	134452	480	280.1083333	41182	11820	395	85	23809.20833
2	735	20238	C84644	C331	CONVERTR "00" C-331 CELL 3.3 STAGE 9 C	127U39	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	20242	C84648	C331	CONVERTER "00" CELL:3.9 STAGE:7 CONVERTE	N/A	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20255	C84661	C331	CONVERTER "00" CELL:4 STAGE:8 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20256	C84662	C331	CONVERTER TYPE 31X C-331 CELL 4 STAGE	127U11	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20257	C84663	C331	CONVERTER "00" C-331 CELL 3.3 STAGE 2 C	127U852	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125
2	735	20258	C84664	C331	CONVERTER "00" CELL:6 STAGE:2 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20263	C84669	C331	CONVERTER TYPE 31X C-331 CELL 2 STAGE	127U41	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20264	C84670	C331	CONVERTER "00" CELL:6 STAGE:5 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20265	C84671	C331	CONVERTER TYPE 31X C-331 CELL 2 STAGE	127U81	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20266	C84672	C331	CONVERTER TYPE 31X C-331 CELL 2 STAGE	127U65	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20267	C84673	C331	CONVERTER "00" CELL:2.9 STAGE:2 CONVERTE	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20268	C84674	C331	CONVERTER TYPE 31X C-331 CELL 2 STAGE	127U48	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20269	C84675	C331	CONVERTER C-335 CELL 10 STAGE 8 CONVER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20270	C84676	C331	CONVERTER TYPE 31X C-331 CELL 2 STAG	127U49	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20271	C84677	C331	CONVERTER TYPE 31X C-331 CELL 2 STAGE	127U33	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20272	C84678	C331	CONVERTER "00" C-331 C3LL 1.6 STAGE 8	127U27	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20274	C84680	C331	CONVERTER "00" CELL:3.3 STAGE:6 CONVERTE	127 U 242	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125
2	735	20277	C84682	C331	CONVERTER 31X 00 CELL:2.2 STAGE:5 CONVE	127 7 414	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20278	C84683	C331	CONVERTER TYPE 31X C-331 CELL 4 STAE	127U228	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20279	C84684	C331	CONVERTER "00" CELL:6 STAGE:1 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20280	C84685	C331	CONVERTER "00" CELL:4 STAGE:10 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20281	C84686	C331	CONVERTER "00" CELL:6 STAGE:3 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20282	C84687	C331	CONVERTER 31X OO CELL:2.2 STAGE:4 CONVE	127 U 30	40	28156	140041	480	291.7520833	41182	12840	429	51	14879.35625
2	735	20287	C84692	C331	CONVERTER"00" CELL:2 STAGE:9 CONVERTER 0	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20292	C84697	C331	CONVERTER "00" CELL:6 STAGE:10 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20293	C84698	C331	CONVERTER "00" CELL:6 STAGE:6 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20294	C84699	C331	CONVERTER "00" CELL:6 STAGE:7 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20295	C84700	C331	CONVERTER "00" C-331 CELL 4.1 STAGE 6 C	127U454	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20296	C84701	C331	CONVERTER TYEP 31X C-335-1 CELL 2 ST	127U417	40	19755	19812	480	0	41182	21120	705	0	0
2	735	20297	C84702	C331	CONVERTER "00" C-331 CELL 1.6 STAGE 9	127U438	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20314	C84718	C331	CONVERTER "00" CELL:4 STAGE:9 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20321	C84725	C331	CONVERTER "00" CELL:3.6 STAGE:7 CONVERTE	127 U 508	40	28490	128857	480	268.4520833	41182	12510	418	62	16644.02917
2	735	20322	C84726	C331	CONVERTER "00" CELL:.2 STAGE:2 CONVERTER	127 U 489	40	28521	128857	480	268.4520833	41182	12480	417	63	16912.48125
2	735	20323	C84727	C331	CONVERTER "00" CELL"2.1 STAGE:2 CONVERTE	127 U 251	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20330	C84734	C331	CONVERTER "00" CELL:3.5 STAGE:8 CONVERTE	107 U 292	40	28975	138620	480	288.7916667	41182	12030	402	78	22525.75
2	735	20331	C84735	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	107U255	40	19814	17482	480	0	41182	21060	703	0	0
2	735	20333	C84737	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	107U366	40	19814	17482	480	0	41182	21060	703	0	0
2	735	20334	C84738	C331	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	107U298	40	19814	17482	480	0	41182	21060	703	0	0
2	735	20339	C84743	C331	CONVERTER 31X 00 CELL:2.2 STAGE:3 CONVE	127 U 214	40	28156	140041	480	291.7520833	41182	12840	429	51	14879.35625
2	735	20345	C84749	C331	CONVERTER "00" CELL:.2.9 STAGE:5 CONVERTE	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20346	C84750	C331	CONVERTER "00" CELL:.2.9 STAGE:3 CONVERTE	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20347	C84751	C331	CONVERTER "00" CELL:.2.9 STAGE:1 CONVERTE	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20348	C84752	C331	CONVERTER "00" CELL:2.9 STAGE:10 CONVERT	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20349	C84753	C331	CONVERTER "0" CELL:2.1 STAGE:8 CONVERTER	127 U 571	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20350	C84754	C331	CONVERTER "0" CELL:2.9 STAGE:4 CONVERTER	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20351	C84755	C331	CONVERTER "0" CELL:2.9 STAGE:6 CONVERTER	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20352	C84756	C331	CONVERTER TYPE 31X C-335-1 CELL 5 STA	127U816	40	19755	19813	480	0	41182	21120	705	0	0
2	735	20356	C84760	C331	CONVERTER "00" CELL:3.4 STAGE:2 CONVERTE	N/A	40	28398	154847	480	322.5979167	41182	12600	421	59	19033.27708
2	735	20357	C84761	C331	CONVERTER "00" CELL:3.3 STAGE:8 CONVERTE	127 U 528	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125
2	735	20362	C84766	C331	CONVERTER "00 CELL 3.10 STAGE 1. CONVE	127U418	40	29036	140337	480	292.36875	41182	11970	400	80	23389.5
2	735	20365	C84769	C331	CONVERTER "00" CELL 2 STAGE 9 CONVERTE	127U491	40	28521	128857	480	268.4520833	41182	12480	417	63	16912.48125
2	735	20366	C84770	C331	CONVERTER "00" CELL 2 STAGE 5 CONVERTE	127U543	40	28521	128857	480	268.4520833	41182	12480	417	63	16912.48125
2	735	20367	C84771	C331	CONVERTER "0" CELL 2 STAGE 3 CONVERTER	127U540	40	28521	128857	480	268.4520833	41182	12480	417	63	16912.48125
2	735	20368	C84772	C331	CONVERTER "00" CELL 2 STAGE 4 CONVERTE	127U473	40	28521	128857	480	268.4520833	41182	12480	417	63	16912.48125
2	735	20369	C84773	C331	CONVERTR "00" C-331 CELL 1.2 STAGE 4 C	127U531	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20371	C84775	C331	CONVERTR C-335 CELL 3.4 STAGE 10 CONVE	127U497	40	29159	142786	480	297.4708333	41182	11850	396	84	24987.55
2	735	20379	C84780	C331	CONVERTER "00" C-331 CELL 2.7 STAGE 2	N/A	40	28398	154847	480	322.5979167	41182	12600	421	59	19033.27708
2	735	20380	C84781	C331	CONVERTER "00" CELL 2.9 STAGE 7 CONVER	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20381	C84782	C331	CONVERTER "00" CELL 2.9 STAGE 8 CONVER	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20382	C84783	C331	CONVERTER "00" CELL 2.9 STAGE 9 CONVER	N/A	40	28368	154847	480	322.5979167	41182	12630	422	58	18710.67917
2	735	20389	C84789	C331	CONVERTER "00" CELL 3.8 STAGE 4 CONVER	127U576	40	29189	134452	480	280.1083333	41182	11820	395	85	23809.20833
2	735	20390	C84790	C331	CONVERTER "00" CELL 3.8 STAGE 9 CONVER	127U503	40	29189	134452	480	280.1083333	41182	11820	395	85	23809.20833
2	735	20392	C84792	C331	CONVERTER "00" CELL 3.3 STAGE 7 CONVER	127U570	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125
2	735	20394	C84794	C331	CONVERTER "00" CELL 3.3 STAGE 3 CONVER	127U604	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125
2	735	20396	C84796	C331	CONVERTER "00" CELL 3.3 STAGE 4 CONVER	127U593	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125
2	735	20398	C84798	C331	CONVERTER "00" CELL 3.3 STAGE 5 CONVER	127U557	40	28886	139069	480	289.7270833	41182	12120	405	75	21729.53125
2	735	20400	C84800	C331	CONVERTER "00" CELL 2 STAGE 7 CONVERTE	127U566	40	28521	128857	480	268.4520833	41182	12480	417	63	16912.48125
2	735	20401	C84801	C331	CONVERTER "00" CELL 2 STAGE 10 CONVERT	127U562	40	28521	128857	480	268.4520833	41182	12480	417	63	16912.48125
2	735	20402	C84802	C331	CONVERTER "00" CELL 2 STAGE 6 CONVERTE	127U575	40	28521	128857	480	268.4520833	41182	12480	417	63	16912.48125
2	735	20413	C84806	C331	CONVERTER "00" CELL 2.1 STAGE 10 CONVE	127U585	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20414	C84807	C331	CONVERTER "00" CELL 2.1 STAGE 9 CONVER	127U612	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20415	C84808	C331	CONVERTER "00: CELL 2.1 STAGE 1 CONVER	127U567	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875
2	735	20416	C84809	C331	CONVERTER "00" CELL 2.1 STAGE 7 CONVER	127U598	40	28763	137958	480	287.4125	41182	12240	409	71	20406.2875

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23503	C82259	C331	HEAT EXCHANGER SIZE 19-120 TYPE DB432H N	MV 7205	20	19997	6616	240	0	41182	20880	697	0	0
2	735	23509	C82437	C331	HEAT EXCHANGER TYPE DB 432 H SIZE 15-120	MV 7677 9	20	19814	4577	240	0	41182	21060	703	0	0
2	735	23510	C80537	C331	HEAT EXCHANGER SHELL + TUBE TYPE BOOSTER	MV 7677 7	20	19755	4912	240	0	41182	21120	705	0	0
2	735	24789	C80650	C331	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL S	ERD 6D11 A 1AS	40	19540	12123	480	0	41182	21330	712	0	0
2	735	25945	C80587	C331	PUMP VACUUM SPECIAL BRONZE 200 CFM T	12811	15	19997	9668	180	0	41182	20880	697	0	0
2	735	27155	C76275	C331	MOTOR ELECTRIC 300 HP D.D. 3 PH 60	1S13B5134	20	19755	8760	240	0	41182	21120	705	0	0
2	735	28007	C80538	C331	HEAT EXCHANGER TYPE DB432H SHELL AND T	MV 7677 10	20	19997	4932	240	0	41182	20880	697	0	0
2	735	28008	C80539	C331	HEAT EXCHANGER TYPE DB432H SHELL AND T	MW 7677 11	20	19997	4931	240	0	41182	20880	697	0	0
2	735	28009	C81294	C331	CRANE MANUAL OPERATED I BEAM TYPE CAP	N/A	30	19328	6068	360	0	41182	21540	719	0	0
2	735	28010	C81889	C331	CRANE MANUAL OPERATED I BEAM TYPE CAP	N/A	30	19328	6068	360	0	41182	21540	719	0	0
2	735	28011	C81883	C331	CRANE MANUAL OPERATED I BEAM TYPE CAP	N/A	30	19328	6068	360	0	41182	21540	719	0	0
2	735	28012	C81888	C331	CRANE MANUAL OPERATED I BEAM TYPE CAP	N/A	30	19328	6068	360	0	41182	21540	719	0	0
2	735	28016	C81887	C331	CRANE MANUAL OPERATED I BEAM TYPE CAP	N/A	30	19328	6069	360	0	41182	21540	719	0	0
2	735	28563	C82135	C331	FREON 12 REFRIGERATION FOR P.G. RECOVERY	N/A	20	19328	30951	240	0	41182	21540	719	0	0
2	501	30236	C74222	C331	C-331 PROCESS BUILDING-A WINDOWLESS TWO-	N/A	40	19328	16077059	480	0	41182	21540	719	0	0
2	501	30237	C74223	C331	C-331 ELECTRIC LIGHTING SYSTEM-THIS SYST	N/A	40	19328	1484470	480	0	41182	21540	719	0	0
2	501	30238	C74224	C331	C-331 PLUMBING AND DRAINAGE SYSTEM-THIS	N/A	40	19328	368220	480	0	41182	21540	719	0	0
2	501	30239	C74225	C331	C-331 HEATING AND VENTILATION SYSTEM- HE	N/A	40	19328	4533890	480	0	41182	21540	719	0	0
2	735	30240	C74226	C331	C-331 PG PIPING SYSTEM IS DESIGNED TO TR	N/A	40	19328	505262	480	0	41182	21540	719	0	0
2	735	30241	C74227	C331	C-331 COOLANT SYSTEM IS PART OF THE MECH	N/A	30	19328	209948	360	0	41182	21540	719	0	0
2	735	30242	C74228	C331	C-331 PG RECOVERY SYSTEM SYSTEM IS TO RE	N/A	25	19328	34835	300	0	41182	21540	719	0	0
2	735	30243	C74229	C331	C-331 LUBE AND HYDRAULIC OIL SYSTEM IS D	N/A	20	19328	3386060	240	0	41182	21540	719	0	0
2	735	30244	C74230	C331	C-331 SEAL EXHAUST SYSTEM IS TO PROVIDE	N/A	25	19328	794253	300	0	41182	21540	719	0	0
2	735	30245	C74231	C331	C-331 NITROGEN SYSTEM SUPPLIES DRY INERT	N/A	25	19328	550103	300	0	41182	21540	719	0	0
2	735	30246	C74232	C331	C-331 DRY AIR SYSTEM PORVIDES AIR AS THE	N/A	25	19328	451217	300	0	41182	21540	719	0	0
2	735	30247	C74233	C331	C-331 RECIRCULATING WATER SYSTEM PROVIDE	N/A	40	19328	889701	480	0	41182	21540	719	0	0
2	735	30248	C74234	C331	C-331 ELECTRIC POWER SYSTEM IS DIVIDED I	N/A	30	19328	12603063	360	0	41182	21540	719	0	0
2	735	30249	C74235	C331	C-331 CELLS AND PIPE ENCLUSURES SYSTEM I	N/A	40	19328	299400	480	0	41182	21540	719	0	0
2	735	30250	C74236	C331	c-331 instruments and controls system is	N/A	25	19328	329223	300	0	41182	21540	719	0	0
2	735	32363	C85316	C331	CONVERTER TYPE 00 UNIT CONVERTER 00	127 U 350	40	19328	19219	480	0	41182	21540	719	0	0
2	735	32364	C85317	C331	CONVERTER TYPE 00 UNIT CONVERTER 00	127 U 351	40	19328	19219	480	0	41182	21540	719	0	0
2	735	32365	C85318	C331	CONVERTER TYPE 00 UNIT CONVERTER 00	127 U 335	40	19328	19219	480	0	41182	21540	719	0	0
2	735	32366	C85319	C331	CONVERTER "000" CELL: 3.3 STAGE:10 CONVE	127 U 398	40	28886	138959	480	289.4979167	41182	12120	405	75	21712.34375
2	735	33168	C82301	C331	HEAT EXCHANGER OVERALL SIZE-LENGTH 127"	44779	20	16649	2385	240	0	41182	24180	807	0	0
2	735	33437	C79468	C331	MTR WEST 200 HP	N/A	20	20240	2847	240	0	41182	20640	689	0	0
2	735	33988	C80597	C331	MOTOR ELECTRIC 200 HP 550 VOLTS 60 CYCLE	136	20	19024	1597	240	0	41182	21840	729	0	0
2	735	34136	C79732	C331	COMPRESSOR AXIAL FLOW CELL: 3.10 STAGE	N/A	40	29036	45592	480	94.98333333	41182	11970	400	80	7598.666667
2	735	34677	C80545	C331	SPEED INCREASER INPUT RPM 3555 RATIO 2	P 8475 27	20	21670	6477	240	0	41182	19230	642	0	0
2	735	34734	C81545	C331	FREON DRYING UNIT COMPLETE DESIGN PRESS	N/A	20	21458	7935	240	0	41182	19440	649	0	0
2	735	34773	C82305	C331	GRAPHITE HEAT EXCHANGER "KARBATE" SERI	HE956 1	20	21640	2433	240	0	41182	19260	643	0	0
2	735	34774	C82306	C331	GRAPHITE HEAT EXCHANGER "KARBATE" SERIE	HE956 2	20	21640	2434	240	0	41182	19260	643	0	0
2	735	35460	C82307	C331	GRAPHITE HEAT EXCHANGER SERIES 310-16	HE 1599 1	20	22036	1875	240	0	41182	18870	630	0	0
2	735	35894	C75915	C331	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107026	20	19755	7702	240	0	41182	21120	705	0	0
2	735	36186	C82136	C331	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	6500	300	0	41182	18570	620	0	0
2	735	43581	C80617	C331	COMPRESSOR CENTRIFUGAL HORIZONTAL SIZ	1AD7163	40	16284	6646	480	0	41182	24540	819	0	0
2	735	43582	C81284	C331	COMPRESSOR CENTRIFUGAL HORIZONTAL SIZ	1AD7405	40	16284	6646	480	0	41182	24540	819	0	0
2	735	43610	C81285	C331	COMPRESSOR SIZE 92A 16" INTAKE 12" DI	1AD6994	40	16284	6646	480	0	41182	24540	819	0	0
2	735	44378	C82137	C331	AUXILIARY HEADER VALUE PURGE AND EVACUA	N/A	25	26176	28019	300	0	41182	14790	494	0	0
2	735	44813	C79604	C331	COMPRESSOR AXIAL FLOW CELL :5 STAGE:8	N/A	40	28276	29103	480	60.63125	41182	12720	425	55	3334.71875
2	735	44815	C79554	C331	COMPRESSOR AXIAL FLOW TYPE 31 1800 RP	31 320	40	20148	18869	480	0	41182	20730	692	0	0
2	735	44816	C79880	C331	COMPRESSOR AXIAL FLOW TYPE 31 1800 RP	31 463	40	20148	18869	480	0	41182	20730	692	0	0
2	735	44820	C79653	C331	COMPRESSOR AXIAL FLOW CELL:5 STAGE:3	N/A	40	28276	27499	480	57.28958333	41182	12720	425	55	3150.927083
2	735	45496	C75995	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	1S18G292	20	28398	19197	240	0	41182	12600	421	0	0
2	735	45497	C76025	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	1S22G73	20	28398	19678	240	0	41182	12600	421	0	0
2	735	45498	C76058	C331	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	5C18G292	20	28398	19678	240	0	41182	12600	421	0	0
2	735	45499	C76023	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	6S18G291	20	28398	19197	240	0	41182	12600	421	0	0
2	735	45501	C76062	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	18S22G74	20	28398	19678	240	0	41182	12600	421	0	0
2	735	45502	C75990	C331	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	23S22G74	20	28398	19678	240	0	41182	12600	421	0	0
2	735	45503	C76054	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	25S22G73	20	28398	19678	240	0	41182	12600	421	0	0
2	735	45504	C76027	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	25S22G74	20	28398	19678	240	0	41182	12600	421	0	0
2	735	45505	C76055	C331	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	27S22G74	20	28398	19197	240	0	41182	12600	421	0	0
2	735	45508	C76088	C331	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	3S18G291	20	28945	20779	240	0	41182	12060	403	0	0
2	735	45509	C76110	C331	MOTOR INDUCTION-UPRATED MOTOR HP 1700	3S22G73	20	28886	20779	240	0	41182	12120	405	0	0
2	735	45511	C76045	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	5S18G291	20	28368	19292	240	0	41182	12630	422	0	0
2	735	45512	C76060	C331	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	103S43P244	20	28368	19292	240	0	41182	12630	422	0	0
2	735	45668	C80323	C331	100 H P AC MOTOR ELECTRIC ALLIS CHALME	13700MK620NS-1-	20	16284	1103	240	0	41182	24540	819	0	0
2	735	45670	C80321	C331	ELECTRIC ALLIS CHALMERS 100 HP TYPE A	13777MK-620NS-1	20	16284	1103	240	0	41182	24540	819	0	0
2	735	45672	C80316	C331	AC MOTOR ELECTRIC ALLIS CHALMERS 100	13777MK-620-NS-	20	16284	1103	240	0	41182	24540	819	0	0
2	735	45674	C80318	C331	AC MOTOR ELECTRIC ALLIS CHALMERS 100	13777MI-620NS-1	20	16284	1103	240	0	41182	24540	819	0	0
2	735	45675	C79467	C331	COMPRESSOR CENTRIFUGAL HORIZONTAL ALL	1AS 6918	40	16649	6647	480	0	41182	24180	807	0	0
2	735	45676	C80325	C331	AC MOTOR ELECTRIC ALLIS CHALMERS 100	14616MK-620NS-1	20	16284	1103	240	0	41182	24540	819	0	0
2	735	45680	C80320	C331	100 HP AC MOTOR ELECTRIC ALLIS CHALMER	13770MK 620NS1	20	16284	1103	240	0	41182	24540	819	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	45682	C80317	C331	100 HP AC MOTOR ELECTRIC ALLIS CHALMER	13770MK 62ONS 1	20	16284	1103	240	0	41182	24540	819	0	0
2	735	45683	C79464	C331	COMPRESSOR CENTRIFUGAL HORIZONTAL ALL	1AS 6807	40	16649	6647	480	0	41182	24180	807	0	0
2	735	45684	C80319	C331	100 HP AC MOTOR ELECTRIC ALLIS CHALMER	1377OMK 620NS 1	20	16284	1103	240	0	41182	24540	819	0	0
2	735	46975	C80493	C331	FAN EXHAUSE 66" MODEL TB6602PIZY BEL	WCE 7	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46977	C80491	C331	FAN EXHAUSE 66" MODEL TB6602PIZY BEL	WCE 8	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46985	C80535	C331	MODEL TB6602 PIZY BELT-DRIVEN TURB AXIA	NCE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46987	C80533	C331	FAN EXHAUST 66" MODEL TB6602PIZY BELT-	NCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46989	C80531	C331	MODEL TB6602PIZY BELT-DRIVEN TURB AXIAL	NCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46991	C80523	C331	MODEL TB6602PIZY BELT-DRIVEN TURB AXIAL	NCE 4	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46993	C80522	C331	FAN EXHAUST 66" MODEL TB6602PIZY BEL	NCE 5	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46995	C80520	C331	MODEL TB6602PIZY BELT DRIVEN TURB ACIAL	NCE 6	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46997	C80518	C331	FAN EXHAUSE 66" MODEL TB6602PIZY BEL	NCE 7	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46999	C80516	C331	MODEL TB6602PIZY BELT-DRIVEN TURB AXIAL	NCE 8	20	28945	10458	240	0	41182	12060	403	0	0
2	735	47201	C80504	C331	MODEL TB6602 PIZY BELT DRI EN TURB-AXIA	SCE1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	47203	C80506	C331	MODEL TB6602 PIZY BELT DRIVEN TURB-AXIA	SCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	47205	C80508	C331	MODEL TB6602 PIZY BELT DRIVEN TURB-AXIA	SCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	47207	C80510	C331	MODEL TB6602 PIZY ABELT DRIVEN TURN-AXI	SCE 4	20	28945	10458	240	0	41182	12060	403	0	0
2	735	47404	C79463	C331	S O #21395 UPRATED SPEED INCREASER FOR C	34865	20	28671	10163	240	0	41182	12330	412	0	0
2	735	47405	C79466	C331	S O #21395 UPRATED SPEED INCREASER FOR C	34867	20	28671	10163	240	0	41182	12330	412	0	0
2	735	47406	C79461	C331	SO #21395 UPRATED SPEED INCREASER FOR C-	34866	20	28733	10163	240	0	41182	12270	410	0	0
2	735	47421	C80588	C331	PUMP VACUUM BR SINGLE STAGE ROTARY TYPE	2 99442	15	29737	27930	180	0	41182	11280	377	0	0
2	735	47500	C77271	C331	FAN SUPPLY SIZE + TYPE 7660 AF DW 66"	76 3720 SFI 3A	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47502	C82016	C331	FAN SUPPLY SIZE + TYPE 7660 AF DW 66"	76 3721 SF2 3A	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47504	C77229	C331	FAN SUPPLY SIZE + TYPE 7660 AF DW 66"	76 3716 SF3 3A	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47506	C82015	C331	FAN SUPPLY SIZE + TYPE 7660 AF DW 66" IM	76 3718 SF4 3A	20	28945	7840	240	0	41182	12060	403	0	0
2	735	48209	C80313	C331	Converter-Chrylser Converter size 2. CO	B557X ORGDP 168	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48215	C81878	C331	Compressor AC92A model AC 92a size 92	2AD198	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48216	C80401	C331	Compressor AC 92A model AC 92A size 9	2AD-125	40	16649	24697	480	0	41182	24180	807	0	0
2	735	48219	C82133	C331	Compressor AC92A model AC 92A size 9	2AD-169 ERD-6D1	40	16649	24698	480	0	41182	24180	807	0	0
2	735	48263	C80297	C331	CONVERTER "B" - CHRYSLER CONVERTR SIZE	B280XN	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48292	C80623	C331	COMPRESSOR AC 92 - MODEL AC-92A SIZE 92	2AD-308	40	17014	24698	480	0	41182	23820	795	0	0
2	735	48294	C80311	C331	CONVERTER CHRYSLER CONVERTER - SIZE 2.	B562XN	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48295	C80315	C331	CONVERTER CHRYSLER CONVERTER - SIZE 2. C	B204XN	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48299	C80314	C331	CONVERTER CHRYSLER CONVERTER - SIZE 2. C	B88XN	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48320	C80580	C331	VACUUM PUMP	N/A	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48321	C80604	C331	VACUUM PUMP MODEL 412H LOT CD-81369 R	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48322	C80605	C331	VACUUM PUMP MODEL 412H LOT CD81369 ROT	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48323	C80578	C331	VACUUM PUMP MODEL 412H LOT CD81369 RO	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48324	C80576	C331	VACUUM PUMP MODEL 412H LOT CD-81369 R	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48325	C80606	C331	VACUUM PUMP MODEL 412H LOT CD-81369 R	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48326	C80579	C331	VACUUM PUMP MODEL 412H LOT CD-81369 R	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48337	C80577	C331	VACUUM PUMP MODEL 412H ROTARY SINGLE S	84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48467	C80312	C331	CHRYSLER CONVERTER SIZE 2 CONVERTER	B 301N	40	16649	38001	480	0	41182	24180	807	0	0
2	735	48566	C81988	C331	MOTOR 40 HP ACE MODEL 11713-BX2942 40	804522A 1	20	29464	5263	240	0	41182	11550	386	0	0
2	735	49806	C81968	C331	SPEED INCREASER SIZE-1422 HP 100/200	F4540 6	20	31016	7470	240	0	41182	10020	335	0	0
2	501	50034	C74491	C331	AUTOMATIC SPRINKLER SYSTEM WITH ALARM S	N/A	40	21640	334879	480	0	41182	19260	643	0	0
2	470	50172	C74618	C331	BRIDGE C-331 C-333 ENCLOSED BRIDGE BETWE	N/A	35	26084	62466	420	0	41182	14880	497	0	0
2	735	50214	C74658	C331	CASCADE VIBRATION DETECTION SYSTEM THIS	N/A	25	27514	164942	300	0	41182	13470	450	0	0
2	735	50246	C74689	C331	THIS BUILDING DID NOT PREVIOUSLY HAVE RE	N/A	20	28276	139002	240	0	41182	12720	425	0	0
2	735	50248	C74691	C331	C-331 CELLS AND PIPE ENCLOSURE - THIS SY	N/A	40	28276	8638532	480	17996.94167	41182	12720	425	55	989831.7917
2	735	50249	C74692	C331	INSTRUMENTS AND CONTROLS C-331 INSTRUMEN	N/A	25	28276	10617189	300	0	41182	12720	425	0	0
2	735	50250	C74693	C331	PG PIPING SYSTEM C-331 PG PIPING SYST	N/A	40	28276	25918077	480	53995.99375	41182	12720	425	55	2969779.656
2	735	50251	C74694	C331	C-331 COOLANT SYSTEM - THIS SYSTEM IS PA	N/A	30	28276	5291309	360	0	41182	12720	425	0	0
2	470	50255	C74697	C331	BRIDGE C-310 TO C-331 ENCLOSED BRIDGE B	N/A	35	28459	142085	420	338.297619	41182	12540	419	1	338.297619
2	735	51006	C51006	C331	ASSAY SPECTROMETER 20 CM RADIUS ASSAY S	N/A	25	31078	191242	300	0	41182	9960	333	0	0
2	735	51009	C51009	C331	ASSAY SPECTROMETER 20 CM RADIUS ASSAY	N/A	25	31078	191243	300	0	41182	9960	333	0	0
2	501	51068	C51068	C331	ELEVATOR FREIGHT 7-1/2 TON OILDRAULIC	N/A	40	31078	150432	480	313.4	41182	9960	333	147	46069.8
2	735	51479	C51479	C331	TRANSFER CAR CYLINDER MODEL W083-147	AWF0202A	20	31593	18000	240	0	41182	9450	316	0	0
2	735	56525	C-8254	C331	CONVERTER PROCESS (GASEOUS DIFFUSION CA		40	37986	0	480	0	41182	3150	106	374	0
2	735	56526	C-8257	C331	CONVERTER PROCESS (GASEOUS DIFFUSION CA		40	37986	0	480	0	41182	3150	106	374	0
2	735	56527	C-8255	C331	CONVERTER PROCESS (GASEOUS DIFFUSION CA		40	37986	0	480	0	41182	3150	106	374	0
2	735	56528	C-8235	C331	CONVERTER PROCESS (GASEOUS DIFFUSION C		40	37986	0	480	0	41182	3150	106	374	0
2	735	56529	C-8216	C331	CONVERTER PROCESS (GASEOUS DIFFUSION CA		40	37986	0	480	0	41182	3150	106	374	0
2	735	56530	C-8245	C331	CONVERTER PROCESS (GASEOUS DIFFUSION CA		40	37986	0	480	0	41182	3150	106	374	0
2	735	56531	C-8251	C331	CONVERTER PROCESS (GASEOUS DIFFUSION CA		40	37986	0	480	0	41182	3150	106	374	0
2	735	56532	C-46184	C331	FILTER OIL - HONAN CRANE-OIL FILTER/PUR		20	37986	0	240	0	41182	3150	106	134	0
2	735	56533	C-23519	C331	CONDENSER - RCW DMSA # E-00902		20	37986	0	240	0	41182	3150	106	134	0
2	735	56534	C-32375	C331	CONDENSER CART - DMSA #E-00902 TRANFERRE		20	37986	0	240	0	41182	3150	106	134	0
2	735	58216	C8216	C331	CONVERTER PROCESS - 2X SPARE FROM DMSA'		40	37986	0	480	0	41182	3150	106	374	0
2	735	58345	C8345	C331	CONVERTER PROCESS - 2X SPARE FROM DMSA		40	37986	0	480	0	41182	3150	106	374	0
2	735	2103576	814762	C331	TRANSFORMER 6000/8000 KVA GENERAL ELECT	B-983576	30	20301	92408.88	360	0	41182	20580	687	0	0
2	501	4860022		C331333	ENCLOSED BRIDGE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	501	4860023		C331333	TIE LINE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860024		C331335	TIE LINE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860025		C331410	TIE LINE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	735	3564	C78593	C333	COMPRESSOR AXIAL FLOW. CELL: 4.8 STAG	57819119 00R1	40	28671	105084	480	218.925	41182	12330	412	68	14886.9
2	735	3569	C78705	C333	COMPRESSOR AXIAL FLOW CELL:6 STAGE:5	N/A	40	28276	128292	480	267.275	41182	12720	425	55	14700.125
2	735	3570	C78587	C333	COMPRESSOR AXIAL FLOW. CELL: 4.10 STAG	57B17 008L	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3571	C78700	C333	COMPRESSOR AXIAL FLOW. CELL: 3.3 STAGE	N/A	40	28398	147374	480	307.0291667	41182	12600	421	59	18114.72083
2	735	3572	C78880	C333	COMPRESSOR AXIAL FLOW. CELL: 8 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3573	C78885	C333	COMPRESSOR AXIAL FLOW. CELL: 3.1 STAGE	N/A	40	28337	128891	480	268.5229167	41182	12660	423	57	15305.80625
2	735	3574	C78735	C333	COMPRESSOR AXIAL FLOW. CELL: 1 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3575	C78701	C333	COMPRESSOR AXIAL FLOW. CELL: 4 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3576	C78689	C333	COMPRESSOR AXIAL FLOW. CELL: 5.7 STAGE	57B17 014R	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3578	C78626	C333	COMPRESSOR AXIAL FLOW. CELL: 1.5 STAGE	57B17 016R	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3580	C78680	C333	COMPRESSOR AXIAL FLOW. CELL: 5.9 STAGE	57B17 018R	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3581	C78676	C333	COMPRESSOR AXIAL FLOW. CELL: 5.7 STAGE	57B17 019R	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3582	C78794	C333	COMPRESSOR AXIAL FLOW. CELL: 9 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3583	C78470	C333	COMPRESSOR AXIAL FLOW. CELL: 5.3 STAGE	N/A	40	28733	104812	480	218.3583333	41182	12270	410	70	15285.08333
2	735	3584	C78831	C333	COMPRESSOR AXIAL FLOW. CELL: 1.10 STAG	57B17 022R	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3585	C78871	C333	COMPRESSOR AXIAL FLOW. CELL: 1.9 STAG	57B17 023L	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3586	C78690	C333	COMPRESSOR AXIAL FLOW. CELL: 5.7 STAG	57B17 024L	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3588	C78847	C333	COMPRESSOR AXIAL FLOW. CELL: 1.9 STAGE	57B17 026L	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3589	C78578	C333	COMPRESSOR AXIAL FLOW. CELL: 4.6 STAGE	57B17 027L	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3590	C78569	C333	COMPRESSOR AXIAL FLOW. CELL: 4.2 STAGE	57B 028L	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3592	C78840	C333	COMPRESSOR AXIAL FLOW. CELL: 6.7 STAGE	57B17 030	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3594	C78946	C333	COMPRESSOR AXIAL FL	N/A	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3595	C78942	C333	COMPRESSOR AXIAL FLOW. CELL: 1.5 STAGE:	57B17 033R	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3596	C78827	C333	COMPRESSOR AXIAL FLOW. CELL: 6.5 STA	57B17 034R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3597	C78469	C333	COMPRESSOR AXIAL FLOW. CELL: 3.10 STAG	57B17 035R	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3598	C78608	C333	COMPRESSOR AXIAL FLOW. CELL: 3.1 STAGE	57B17 035R	40	28337	128891	480	268.5229167	41182	12660	423	57	15305.80625
2	735	3599	C78649	C333	COMPRESSOR AXIAL FLOW. CELL: 7 STAGE:	N/A	40	28306	147374	480	307.0291667	41182	12690	424	56	17193.63333
2	735	3600	C78767	C333	COMPRESSOR AXIAL FLOW. CELL: 5.6 STAGE	57B17 038R	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3601	C78865	C333	COMPRESSOR AXIAL FLOW. CELL: 1.10 STAG	57B17 039L	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3602	C78709	C333	COMPRESSOR AXIAL FLOW. CELL: 8 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3603	C78563	C333	COMPRESSOR AXIAL FLOW. CELL: 3.3 STAGE	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3604	C78853	C333	COMPRESSOR AXIAL FLOW. CELL: 5.6 STAGE	57B17 042	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3605	C78531	C333	COMPRESSOR AXIAL FLOW. STAGE: 6.8 STAG	57B17 043L	40	29829	123295	480	256.8645833	41182	11190	374	106	27227.64583
2	735	3606	C78543	C333	COMPRESSOR AXIAL FLOW. CELL: 3.10 STAG	57B17 044L	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3608	C78729	C333	COMPRESSOR AXIAL FLOW. CELL: 3 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3609	C78918	C333	COMPRESSOR AXIAL FLOW. CELL: 6.5 STAGE	57B17 047R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3610	C78779	C333	COMPRESSOR AXIAL FLOW. CELL: 1 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3611	C78647	C333	COMPRESSOR AXIAL FLOW CELL:6 STAGE:8	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3612	C78606	C333	COMPRESSOR AXIAL FLOW. CELL: 1.6 STAGE	57B17 050R	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3614	C78759	C333	COMPRESSOR AXIAL FLOW. CELL: 7 STAGE:	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3616	C78947	C333	COMPRESSOR AXIAL FLOW. CELL: 1.7 STAGE	57B17 054R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3617	C78607	C333	COMOPRESSOR AXIAL FLOW. CELL: 4.2 STAG	57B17 055	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3618	C78850	C333	COMPRESSOR AXIAL FLOW. CELL: 6.3 STAGE	57B17 056	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3619	C78733	C333	COMPRESSOR AXIAL FLOW. CELL: 1 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3621	C78538	C333	COMPRESSOR AXIAL FLOW. CELL: 3.8 STAGE	57B17 059L	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3622	C78708	C333	COMPRESSOR AXIAL FLOW. CELL: 3.4 STAGE	57B17 060L	40	28490	133779	480	278.70625	41182	12510	418	62	17279.7875
2	735	3624	C78492	C333	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:4	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3625	C78658	C333	COMPRESSOR AXIAL FLOW CELL:2 STAGE:3 C	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3628	C78940	C333	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:8	57B17066R	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3629	C78915	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:2	57B17067P	40	28763	104812	480	218.3583333	41182	12240	409	71	15503.44167
2	735	3630	C78787	C333	COMPRESSOR AXIAL FLOW CELL:5 STAGE:7 C	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3631	C78790	C333	COMPRESSOR AXIAL FLOW CELL:7 STAGE:6 C	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3633	C78620	C333	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:2	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3634	C78881	C333	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:5	57B17072	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3635	C78860	C333	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:8	57B17073L	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3636	C78662	C333	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:1	57B17074L	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3638	C78858	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:3	57B17076L	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3639	C78574	C333	COMPRESSOR AXIAL FL	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3640	C78539	C333	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:4	57B17078L	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3641	C78742	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:4	57B17079L	40	29006	104812	480	218.3583333	41182	12000	401	79	17250.30833
2	735	3642	C78597	C333	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:5	N/A	40	28337	147374	480	307.0291667	41182	12660	423	57	17500.6625
2	735	3645	C78504	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:5.	N/A	40	28549	115296	480	240.2	41182	12450	416	64	15372.8
2	735	3646	C78467	C333	COMPRESSOR AXIAL FLOW CELL:3.1O STAGE:4	57B17 084R	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3647	C78943	C333	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:5	57B17 085R	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3648	C78616	C333	COMPRESSOR AXIAL FLOW CELL:6.5 STAGE:1	57B17 086R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3650	C78876	C333	COMPRESSOR AXIAL FLOW CELL:5 STAGE:5	57B17 088L	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3651	C78739	C333	COMPRESSOR AXIAL FLOW CELL:5.2 STAGE:	57B17 089L	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3652	C78872	C333	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	57B17 0900L	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3653	C78703	C333	COMPRESSOR AXIAL FLOW CELL:4 STAGE:2	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	3654	C78486	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE:7	57B17 092L	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3655	C78704	C333	COMPRESSOR AXIAL FLOW CELL:6 STAGE:7	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3657	C78738	C333	COMPRESSOR AXIAL FLOW CELL:5.2 STAGE:	57B17 095L	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3658	C78736	C333	COMPRESSOR AXIAL FLOW CELL:5.2 STAGE:	57B17 096	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3659	C78609	C333	COMPRESSOR AXIAL FLOW CELL:6.8 STAGE:	57B17 079R	40	29829	123295	480	256.8645833	41182	11190	374	106	27227.64583
2	735	3661	C78820	C333	COMPRESSOR AXIAL FLOW CELL:6.3 STAGE:	57B17 099R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3662	C78595	C333	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:	57B17 100R	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3663	C78499	C333	COMPRESSOR AXIAL FLOW CELL:6.8 STAGE:	57B17 101R	40	29829	123295	480	256.8645833	41182	11190	374	106	27227.64583
2	735	3664	C78799	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	57B17 102R	40	29006	104812	480	218.3583333	41182	12000	401	79	17250.30833
2	735	3665	C78495	C333	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3666	C78825	C333	COMPRESSOR AXIAL FLOW CELL:6.5 STAGE:	57B17 104	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3667	C78555	C333	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3669	C82145	C333	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	57B17 107L	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3670	C78720	C333	COMPRESSOR AXIAL FLOW CELL:7 STAGE:7	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3671	C78875	C333	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	57B17 109L	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3672	C78849	C333	COMPRESSOR AXIAL FLOW CELL:6.3 STAGE:	57B17 110L	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3673	C78723	C333	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	57B17 111	40	28490	133779	480	278.70625	41182	12510	418	62	17279.7875
2	735	3674	C78844	C333	COMPRESSOR AXIAL FLOW CELL:1 STAGE:8	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3675	C78617	C333	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3676	C78763	C333	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:	57B17 114R	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3677	C78473	C333	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	57B17 115R	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3678	C78945	C333	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	57B17 116R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3679	C78770	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	57B17 117R	40	29006	104812	480	218.3583333	41182	12000	401	79	17250.30833
2	735	3680	C78783	C333	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE	57B17 118R	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3681	C78944	C333	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:	57B17 119R	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3682	C78496	C333	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3683	C78740	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	57B17 121L	40	29006	104812	480	218.3583333	41182	12000	401	79	17250.30833
2	735	3684	C78906	C333	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3686	C78809	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	57B17 124L	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3689	C78912	C333	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:	57B17 127	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3690	C78489	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE:1	57B17 128	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3691	C78821	C333	COMPRESSOR AXIAL FLOW CELL:6.3 STAGE:	57B17 129R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3692	C78769	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	57B17 120R	40	29006	104812	480	218.3583333	41182	12000	401	79	17250.30833
2	735	3693	C78483	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE: CO	57B17 131R	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3694	C78673	C333	COMPRESSOR AXIAL FLOW CELL:5.5 STAGE:	57B17 132	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3695	C78934	C333	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	57B17 133	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3696	C78797	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	57B17 134R	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3697	C78641	C333	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	28549	133780	480	278.7083333	41182	12450	416	64	17837.33333
2	735	3698	C78772	C333	COMPRESSOR AXIAL FLOW CELL:5.2 STAGE:	57B17 136R	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3699	C78532	C333	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:	57B17 137L	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3700	C78882	C333	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	57B17 138L	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3701	C78686	C333	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	57B17 139L	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3702	C78727	C333	COMPRESSOR AXIAL FLOW CELL:5.9 STAGE:	57B17 140L	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3703	C78698	C333	COMPRESSOR AXIAL FLOW CELL:5.3 STAGE:	57B17 141	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3704	C78737	C333	COMPRESSOR AXIAL FLOW CELL:5.2 STAGE:	57B17 142L	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3705	C78905	C333	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3706	C78554	C333	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3708	C78917	C333	COMPRESSOR AXIAL FLOW CELL:6.8 STAGE:	57B17 146	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3709	C78468	C333	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE	57B17 147R	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3710	C78636	C333	COMPRESSOR AXIAL FLOW CELL:5 STAGE:1	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3711	C78762	C333	COMPRESSOR AXIAL FLOW CELL:5.8 STAGE:	57B17 149R	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3712	C78624	C333	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	57B17 150R	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3714	C78466	C333	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE	57B17 152R	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3716	C78684	C333	COMPRESSOR AXIAL FLOW CELL:5.9 STAGE:	57B17 154L	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3717	C78533	C333	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:	57B17 155	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3718	C78527	C333	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3719	C78864	C333	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	57B17 157L	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3720	C78580	C333	COMPRESSOR AXIAL FLOW CELL:4.6 STAGE:	N/A	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3721	C78520	C333	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	28549	115297	480	240.2020833	41182	12450	416	64	15372.93333
2	735	3724	C78654	C333	COMPRESSOR AXIAL FLOW CELL:4.6 STAGE:	N/A	40	28671	123295	480	256.8645833	41182	12330	412	68	17466.79167
2	735	3725	C78477	C333	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:	57B17 163	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3726	C78632	C333	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	57B17 164	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3727	C78596	C333	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:	57B17 165R	40	28490	133779	480	278.70625	41182	12510	418	62	17279.7875
2	735	3728	C78778	C333	COMPRESSOR AXIAL FLOW CELL:1 STAGE:5	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3729	C78512	C333	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	57B17 167R	40	28580	115296	480	240.2	41182	12420	415	65	15613
2	735	3731	C78646	C333	COMPRESSSOR AXIAL FLOW CELL:6 STAGE:6	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3732	C78541	C333	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE	57B17 170	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3733	C78526	C333	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3734	C78869	C333	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	57B17 172L	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3735	C78707	C333	COMPRESSOR AXIAL FLOW CELL:6 STAGE:1	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3738	C78873	C333	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	57B17 176	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3741	C78677	C333	COMPRESSOR AXIAL FLOW CELL:5.7 STAGE:	57B17 179	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	3742	C78602	C333	COMPRESSOR AXIAL FLOW CELL:4.4 STAGE:	57B17 180	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3743	C78482	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE:2	57B17 181	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3744	C78511	C333	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	57B17 182	40	28580	115296	480	240.2	41182	12420	415	65	15613
2	735	3745	C78642	C333	COMPRESSOR AXIAL FLOW CELL:8 STAGE:5	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3746	C78802	C333	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	57B17 184	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3747	C78939	C333	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	57B17 185	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3748	C78743	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	57B17 186	40	29006	104812	480	218.3583333	41182	12000	401	79	17250.30833
2	735	3749	C78749	C333	COMPRESSOR AXIAL FLOW CELL:5.8 STAGE:	57B17 187	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3750	C78561	C333	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3751	C78845	C333	COMPRESSOR AXIAL FLOW CELL:6.5 STAGE:	57B17 189	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3752	C78581	C333	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:	57B17 190	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3753	C78717	C333	COMPRESSOR AXIAL FLOW CELL:4 STAGE:8	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3754	C78528	C333	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3755	C78659	C333	COMPRESSOR AXIAL FLOW CELL:1 STAGE:4	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3756	C78841	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE:1	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3757	C78789	C333	COMPRESSOR AXIAL FLOW CELL:7 STAGE:4	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3758	C78494	C333	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3759	C78682	C333	COMPRESSOR AXIAL FLOW CELL:5.9 STAGE:	57B17 197R	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3760	C78948	C333	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	57B17 090L	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3761	C78653	C333	COMPRESSOR AXIAL FLOW CELL:2 STAGE:4	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3762	C78612	C333	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3763	C78639	C333	COMPRESSOR AXIAL FLOW CELL:5.10 STAGE	57B17 201	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3764	C78919	C333	COMPRESSOR AXIAL FLOW CELL:6.7 STAGE:	57B17 202	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3765	C78656	C333	COMPRESSOR AXIAL FLOW CELL:2 STAGE:7	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3766	C78716	C333	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	57B17 204L	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3767	C78883	C333	COMPRESSOR AXIAL FLOW CELL:5 STAGE:2	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3769	C78842	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE:3	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3770	C78688	C333	COMPRESSOR AXIAL FLOW CELL:5.7 STAGE:	57B17 208	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3771	C78848	C333	COMPRESSOR AXIAL FLOW CELL:6.3 STAGE:	57B17 209	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3772	C78874	C333	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	57B17 210	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3773	C78788	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE:4	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3774	C78913	C333	COMPRESSOR AXIAL FLOW CELL:6.7 STAGE:	57B17 212	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3775	C78792	C333	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	57B17 213	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3776	C78505	C333	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	28549	115297	480	240.2020833	41182	12450	416	64	15372.93333
2	735	3778	C78785	C333	COMPRESSOR AXIAL FLOW CELL:5 STAGE:3	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3779	C78589	C333	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	57B17 217	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3780	C78614	C333	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3781	C78908	C333	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3782	C78907	C333	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3783	C78559	C333	COMPRESSOR AXIAL FLOW CELL:6.10 STAGE	57B17 221	40	29311	104812	480	218.3583333	41182	11700	391	89	19433.89167
2	735	3785	C78553	C333	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3786	C78877	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	57B17 224	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3788	C78851	C333	COMPRESSOR AXIAL FLOW CELL:6.3 STAGE:	57B17 226	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3789	C78777	C333	COMPRESSOR AXIAL FLOW CELL:1 STAGE:3	N/A	40	28276	128564	480	267.8416667	41182	12720	425	55	14731.29167
2	735	3792	C78628	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	57B17 230	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3794	C78766	C333	COMPRESSOR AXIAL FLOW CELL:2 STAGE:2 CO	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3795	C78644	C333	COMPRESSOR AXIAL FLOW CELL:2 STAGE:6	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3796	C78758	C333	COMPRESSOR AXIAL FLOW CELL:5 10 STAGE:6	57B17234	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3797	C78487	C333	COMPRESSOR AXIAL FL	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3798	C78734	C333	COMPRESSOR AXIAL FLOW CELL:1 STAGE:4 CO	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3799	C78534	C333	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:5	57B17237	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3800	C81868	C333	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:1	57B17238	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3801	C78747	C333	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:6	57B17239	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3802	C78540	C333	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:6	57817240	40	28671	123295	480	256.8645833	41182	12330	412	68	17466.79167
2	735	3803	C78859	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:1	57817241	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3804	C78702	C333	COMPRESSOR AXIAL FLOW CELL:4 STAGE:4 CO	N/A	40	28276	128564	480	267.8416667	41182	12720	425	55	14731.29167
2	735	3805	C78774	C333	COMPRESSOR AXIAL FLOW CELL:5.2 STAGE:6	57B17243	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3806	C78613	C333	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:4	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3807	C78773	C333	COMPRESSOR AXIAL FLOW CELL:52 STAGE:4	57B17 245	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3808	C78618	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE 1	57817241	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3809	C78476	C333	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:6	57B17 247	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3810	C78645	C333	COMPRESSOR AXIAL FLOW CELL:6 STAGE:4	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3811	C78619	C333	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:7	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3812	C78768	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:8	57B17 250	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3813	C78761	C333	COMPRESSOR AXIAL FLOW CELL:5.8 STAGE:3	57B17 251	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3814	C78603	C333	COMPRESSOR AXIAL FLOW CELL:4.4 STAGE:7	57B17 25	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3815	C78808	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:7	57B17 253	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3816	C78562	C333	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:5	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3818	C78514	C333	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:8	57B17 456	40	28490	133779	480	278.70625	41182	12510	418	62	17279.7875
2	735	3819	C78663	C333	COMPRESSOR AXIAL FLOW CELL:5.1 STAGE:2	57B17 257	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3820	C78692	C333	COMPRESSOR AXIAL FLOW CELL:5.5 STAGE:8	57B17 258	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3821	C78748	C333	COMPRESSOR AXIAL FLOW CELL:5.8 STAGE:8	57B17 259	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	3822	C78565	C333	COMPRESSOR AXIAL FLOW CELL:6.10 STAGE:	57B17 260	40	29311	104812	480	218.3583333	41182	11700	391	89	19433.89167
2	735	3825	C78936	C333	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:7	57B17 263	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3826	C78678	C333	COMPRESSOR AXIAL FLOW CELL:5.7 STAGE:6	57B17 264	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3827	C78803	C333	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:7	57B17 265	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3828	C78776	C333	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:4	N/A	40	28521	133780	480	278.7083333	41182	12480	417	63	17558.625
2	735	3829	C78545	C333	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:1	57B17 267	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3830	C78935	C333	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:5	57B17 268	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3832	C78556	C333	COMPRESSOR AXIAL FL	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3833	C78886	C333	COMPRESSOR AXIAL FLOW CELL:3.1 STAGE:6	N/A	40	28337	128891	480	268.5229167	41182	12660	423	57	15305.80625
2	735	3834	C78746	C333	COMPRESSOR AXIAL FLOW CELL:5.6 STAGE:3	57B17 272	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3835	C78525	C333	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:7	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3836	C78861	C333	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:6	57B17 274	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3837	C78857	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:5	57B17 275	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3838	C78550	C333	COMPRESSOR AXIAL FL	N/A	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3839	C78506	C333	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:8	N/A	40	28521	133780	480	278.7083333	41182	12480	417	63	17558.625
2	735	3840	C78623	C333	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:8	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3841	C78652	C333	COMPRESSOR AXIAL FLOW CELL:5.6 STAGE:6	57B17 279	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3842	C78798	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:6	57B17 280	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3843	C78622	C333	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:6	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3845	C78508	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:1	57B17 283	40	29829	94428	480	196.725	41182	11190	374	106	20852.85
2	735	3846	C78775	C333	COMPRESSOR AXIAL FLOW CELL:5.2 STAGE:8	57B17 284	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3848	C78909	C333	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:4	57B17 286	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3849	C78524	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:5	N/A	40	28549	115296	480	240.2	41182	12450	416	64	15372.8
2	735	3850	C78750	C333	COMPRESSOR AXIAL FLOW CELL:5.8 STAGE:4	57B17 288	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3851	C78862	C333	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:4	57B17 289	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3852	C78837	C333	COMPRESSOR AXIAL FLOW CELL:6.9 STAGE:6	57B17 290	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3853	C78731	C333	COMPRESSOR AXIAL FLOW CELL:5 STAGE:2 C	57B17 291	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3854	C78730	C333	COMPRESSOR AXIAL FLOW CELL:5 STAGE:6 C	57B17 292	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3855	C78719	C333	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:2	57B17 293	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3856	C78828	C333	COMPRESSOR AXIAL FLOW CELL:6.7 STAGE:2	57B17 294	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3857	C78471	C333	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:3	57B17 295	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3858	C78793	C333	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:3	57B17 296	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3859	C78765	C333	COMPRESSOR AXIAL FLOW CELL:5.8 STAGE:1	57B17 297	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3860	C78635	C333	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:7	57B17 298	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3861	C78807	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:8	57B17 299	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3862	C78782	C333	COMPRESSOR AXIAL FLOW CELL:5 STAGE:7 C	57B17 300	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3863	C78669	C333	COMPRESSOR AXIAL FLOW CELL:5.3 STAGE:4	57B17 301	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3866	C78537	C333	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:4	57B17 304	40	28490	133779	480	278.70625	41182	12510	418	62	17279.7875
2	735	3867	C78718	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE:5 C	57B17 305	40	28521	133780	480	278.7083333	41182	12480	417	63	17558.625
2	735	3870	C78536	C333	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:1	57B17 308	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3871	C78878	C333	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:4	57B17 309	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3872	C78829	C333	COMPRESSOR AXIAL FLOW CELL:4.2 STAGE:2	57B17 310	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3873	C78675	C333	COMPRESSOR AXIAL FLOW CELL:5.5 STAGE:7	57B17 311	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3875	C78474	C333	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:2	57B17 313	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3876	C78621	C333	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:4	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3877	C78481	C333	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:7	57B17 315	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3878	C78547	C333	COMPRESSOR AXIAL FLOW CELL:6.10 STAGE:	57B17 316R	40	29311	104812	480	218.3583333	41182	11700	391	89	19433.89167
2	735	3879	C78914	C333	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:5	57B17 317	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3881	C78567	C333	COMPRESSOR AXIAL FLOW CELL:10 STAGE:3	57B17 319	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3882	C78867	C333	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE:	57B17 320L	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3883	C78551	C333	COMPRESSOR AXIAL FLOW CELL:6.10 STAGE:	57B17 321L	40	29311	104812	480	218.3583333	41182	11700	391	89	19433.89167
2	735	3884	C78687	C333	COMPRESSOR AXIAL FLOW CELL:10 STAGE:7	57B17 322L	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3885	C78488	C333	COMPRESSOR AXIAL FLOW CELL:3 STAGE:3 C	57B17 323L	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3886	C78910	C333	COMPRESSOR AXIAL FLOW CELL:6.10 STAGE:	57B17 324	40	29311	104812	480	218.3583333	41182	11700	391	89	19433.89167
2	735	3887	C78755	C333	COMPRESSOR AXIAL FLOW CELL:5.10 STAGE:	57B17 325	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3888	C78629	C333	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE:	57B17 326R	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3889	C78500	C333	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:6	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3892	C78920	C333	COMPRESSOR AXIAL FLOW CELL:6.8 STAGE:7	57B17 330R	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3893	C78916	C333	COMPRESSOR AXIAL FLOW CELL:6.10 STAGE:	57B17 331R	40	29311	104812	480	218.3583333	41182	11700	391	89	19433.89167
2	735	3895	C78546	C333	COMPRESSOR AXIAL FLOW CELL:10 STAGE:4 C	57B17 333	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3897	C78582	C333	COMPRESSOR AXIAL FLOW CELL:5.10 STAGE:	57B17 335L	40	28886	123295	480	256.8645833	41182	12120	405	75	19264.84375
2	735	3899	C78560	C333	COMPRESSOR AXIAL FLOW CELL:1 STAGE:8 C	57B17 337L	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3901	C78529	C333	COMPRESSOR AXIAL FLOW CELL:2.1 STATE:8	57B17 339L	40	28702	123295	480	256.8645833	41182	12300	411	69	17723.65625
2	735	3902	C78697	C333	COMPRESSOR AXIAL FLOW CELL:5.7 STAGE:1	57B17 340	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3903	C78699	C333	COMPRESSOR AXIAL FLOW CELL:5.3 STAGE:1	57B17 341L	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3904	C78757	C333	COMPRESSOR AXIAL FLOW CELL:5.10 STAGE:	57B17 342R	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3905	C78674	C333	COMPRESSOR AXIAL FLOW CELL:5.5 STAGE	31242	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3906	C78933	C333	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	34508	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3908	C78681	C333	COMPRESSOR AXIAL FLOW CELL:5.9 STAGE:	17661	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3910	C78651	C333	COMPRESSOR AXIAL FLOW 3910 CELL:4 STA	29302	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3911	C78472	C333	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	30016	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3913	C78745	C333	COMPRESSOR AXIAL FLOW CELL: 5.6 STAGE	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	3914	C78811	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3915	C78523	C333	COMPRESSOR AXIAL FLOW CELL: 4.5 STAGE	N/A	40	28549	115296	480	240.2	41182	12450	416	64	15372.8
2	735	3916	C78810	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3917	C80748	C333	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3918	C78753	C333	COMPRESSOR AXIAL FLOW CELL: 1.3 STAGE	30960	40	29189	122696	480	255.6166667	41182	11820	395	85	21727.41667
2	735	3919	C78588	C333	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	30052	40	28702	104213	480	217.1104167	41182	12300	411	69	14980.61875
2	735	3920	C78522	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	28549	115296	480	240.2	41182	12450	416	64	15372.8
2	735	3923	C78670	C333	COMPRESSOR AXIAL FLOW CELL:5.3 STAGE:	31242	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3924	C78824	C333	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	29711	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3925	C78938	C333	COMPRESSOR AXIAL FLOW CELL: 1.3 STAGE	30960	40	29189	104213	480	217.1104167	41182	11820	395	85	18454.38542
2	735	3926	C78796	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	31262	40	28975	104213	480	217.1104167	41182	12030	402	78	16934.6125
2	735	3928	C78834	C333	COMPRESSOR AXIAL FLOW CELL:6.9 STAGE:	32671	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3929	C78856	C333	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3931	C78579	C333	COMPRESSOR AXIAL FLOW CELL:4.6 STAGE:	30425	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3932	C78843	C333	COMPRESSOR AXIAL FLOW CELL:6.7 STAGE:	32671	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3934	C78549	C333	COMPRESSOR AXIAL FLOW CELL:6.10 STAGE	32773	40	29311	104812	480	218.3583333	41182	11700	391	89	19433.89167
2	735	3935	C78577	C333	COMPRESSOR AXIAL FLOW CELL:4.6 STAGE:	30425	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3938	C78650	C333	COMPRESSOR AXIAL FLOW 3938 CELL:4 STAG	29302	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3939	C81866	C333	COMPRESSOR AXIAL FLOW CELL:4.6 STAGE:	30425	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3941	C78800	C333	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3942	C78604	C333	COMPRESSOR AXIAL FLOW 3942 CELL:3 STA	29302	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3943	C78804	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3944	C78598	C333	COMPRESSOR AXIAL FLOW CELL:4.6 STAGE:	30425	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3946	C78515	C333	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28580	115296	480	240.2	41182	12420	415	65	15613
2	735	3947	C78724	C333	COMPRESSOR AXIAL FLOW CELL:6.5 STAGE:	32671	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3948	C78542	C333	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE	30016	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3949	C78552	C333	COMPRESSOR AXIAL FLOW CELL:6.10 STAGE	32773	40	29311	104812	480	218.3583333	41182	11700	391	89	19433.89167
2	735	3953	C78685	C333	COMPRESSOR AXIAL FLOW CELL:5.10 STAGE	17661	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3954	C78806	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3955	C81863	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	28549	115296	480	240.2	41182	12450	416	64	15372.8
2	735	3956	C78600	C333	COMPRESSOR AXIAL FLOW 3956 CELL:7 STA	29302	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3957	C78507	C333	COMPRESSOR AXIAL FLOW CELL: 4.7 STAGE	N/A	40	28549	115297	480	240.2020833	41182	12450	416	64	15372.93333
2	735	3958	C78805	C333	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	31650	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	3959	C78503	C333	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	28549	115296	480	240.2	41182	12450	416	64	15372.8
2	735	3960	C78781	C333	COMPRESSOR AXIAL FLOW CELL:4.4 STAGE:	30425	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3962	C78518	C333	COMPLESSOR AXIAL FLOW - CELL: 4.7 STAG	N/A	40	28549	115297	480	240.2020833	41182	12450	416	64	15372.93333
2	735	3963	C78696	C333	COMPRESSOR AXIAL FLOW - CELL: 5.3 STAG	N/A	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3964	C78557	C333	COMPRESSOR AXIAL FLOW - CELL: 7 STAGE:	57B17-402L	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3965	C78558	C333	COMPRESSOR AXIAL FLOW - CELL: 6.9 STAG	N/A	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3966	C78493	C333	COMPRESSOR AXIAL FLOW - CELL: 4.1 STAG	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3967	C78879	C333	COMPRESSOR AXIAL FLOW - CELL: 1.5 STAG	N/A	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3968	C78530	C333	COMPRESSOR AXIAL FLOW - CELL: 3.4 STAG	N/A	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3969	C78519	C333	COMPRESSOR AXIAL FLOW - CELL: 4.7 STAG	N/A	40	28549	115297	480	240.2020833	41182	12450	416	64	15372.93333
2	735	3970	C78832	C333	COMPRESSOR AXIAL FL	N/A	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3971	C78611	C333	COMPRESSOR AXIAL FLOW - CELL: 3.1 STAG	N/A	40	28337	128891	480	268.5229167	41182	12660	423	57	15305.80625
2	735	3972	C78601	C333	COMPRESSOR AXIAL FLOW - CELL: 4.4 STAG	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3973	C78756	C333	COMPRESSOR AXIAL FLOW - CELL: 5.10 STA	N/A	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3974	C78478	C333	COMPRESSOR AXIAL FLOW - CELL: 3.4 STAG	N/A	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3975	C78615	C333	COMPRESSOR AXIAL FLOW - CELL: 3.3 STAG	N/A	40	28398	128891	480	268.5229167	41182	12600	421	59	15842.85208
2	735	3976	C78479	C333	COMPRESSOR AXIAL FLOW - CELL: 3.4 STAG	N/A	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3977	C78480	C333	COMPRESSOR AXIAL FLOW - CELL: 3.4 STAG	N/A	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	3978	C78754	C333	COMPRESSOR AXIAL FLOW - CELL: 5.10 STA	N/A	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3979	C78573	C333	COMPRESSOR AXIAL FLOW - CELL: 6.9 STAG	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3980	C78586	C333	COMPRESSOR AXIAL FLOW - CELL: 4.10 STA	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3981	C78715	C333	COMPRESSOR AXIAL FLOW - CELL: 10 STAGE	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3983	C78584	C333	COMPRESSOR AXIAL FLOW - CELL: 4.8 STAG	N/A	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	3984	C78585	C333	compressor axial flow cell: 4.10 stag	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3986	C78648	C333	COMPRESSOR AXIAL FLOW CELL: 4.6 STAGE	N/A	40	28671	123295	480	256.8645833	41182	12330	412	68	17466.79167
2	735	3987	C78484	C333	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3988	C78591	C333	COMPRESSOR AXIAL FLOW CELL; 4.10 STAG	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3989	C78631	C333	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	3992	C78671	C333	COMPRESSOR AXIAL FLOW CELL: 5.3 STAGE	N/A	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	3993	C78590	C333	COMPRESSOR AXIAL FLOW CELL: 4.10 STAG	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3994	C78657	C333	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3995	C78713	C333	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3996	C78732	C333	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3997	C78836	C333	COMPRESSOR AXIAL FLOW CELL: 6.9 STAGE	N/A	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3998	C78521	C333	COMPRESSOR AXIAL FLOW CELL: 4.5 STAGE	N/A	40	28549	115296	480	240.2	41182	12450	416	64	15372.8
2	735	3999	C78722	C333	COMPRESSOR AXIAL FLOW CELL: 7 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4000	C78741	C333	COMPRESSOR AXIAL FLOW CELL: 4.5 STAGE	N/A	40	29006	104812	480	218.3583333	41182	12000	401	79	17250.30833
2	735	4001	C78870	C333	COMPRESSOR AXIAL FLOW CELL: 1.9 STAGE	N/A	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	4002	C78592	C333	COMPRESSOR AXIAL FLOW CELL: 4.10 STAG	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	4003	C78822	C333	COMPRESSOR AXIAL FLOW CELL: 6.3 STAGE	N/A	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	4004	C78633	C333	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4005	C78937	C333	COMPRESSOR AXIAL FLOW CELL: 1.3 STAGE	N/A	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	4006	C78502	C333	COMPRESSOR AXIAL FLOW CEOLL: 4.5 STAG	N/A	40	28549	115296	480	240.2	41182	12450	416	64	15372.8
2	735	4008	C78498	C333	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	4009	C78835	C333	COMPRESSOR AXIAL FLOW CELL: 6.9 STAGE	N/A	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	4010	C78640	C333	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4011	C78852	C333	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	4012	C78866	C333	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	4014	C78812	C333	COMPRESSOR AXIAL FLOW CELL: 6.1 STAGE	N/A	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	4015	C78517	C333	COMPRESSOR AXIAL FLOW CELL: 4.7 STAGE	N/A	40	28549	115297	480	240.2020833	41182	12450	416	64	15372.93333
2	735	4016	C78863	C333	COMPRESSOR AXIAL FLOW - CELL: 9 C STAGE	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4019	C78605	C333	COMPRESSOR AXIAL FLOW CELL: 4.2 STAGE	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	4020	C78509	C333	COMPRESSOR AXIAL FLOW CELL: 4.9 STAGE	57B17-458R	40	28580	115296	480	240.2	41182	12420	415	65	15613
2	735	4021	C78510	C333	COMPRESSOR AXIAL FLOW CELL: 4.9 STAGE	57B17-459R	40	28580	115296	480	240.2	41182	12420	415	65	15613
2	735	4024	C78833	C333	COMPRESSOR AXIAL FLOW CELL: 6.9 STAGE	57B17-462R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	4025	C78594	C333	COMPRESSOR AXIAL FLOW CELL: 4.8 STAGE	57B17-463R	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	4026	C78683	C333	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B17-646R	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	4027	C78711	C333	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4028	C78535	C333	COMPRESSOR AXIAL FLOW CELL: 3.6 STAGE	57B17-466L	40	28490	115296	480	240.2	41182	12510	418	62	14892.4
2	735	4029	C78751	C333	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B17-467L	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	4030	C78576	C333	COMPRESSOR AXIAL FLOW CELL: 4.4 STAGE	57B17-468L	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	4032	C78764	C333	COMPRESSOR AXIAL FLOW CELL: 6.9 STAGE	57B17-470L	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	4033	C78516	C333	COMPRESSOR AXIAL FLOW CELL: 4.9 STAGE	57B17-471L	40	28580	115296	480	240.2	41182	12420	415	65	15613
2	735	4034	C78712	C333	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4035	C78795	C333	COMPRESSOR AXIAL FLOW CELL: 4.2 STAGE	57B17-473R	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	4036	C78760	C333	COMPRESSOR AXIAL FLOW CELL: 5.6 STAGE	57B17-474R	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	4037	4037	C333	COMPRESSOR AXIAL FLOW CELL: 5.6 STAGE	57B17-475R	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	4039	C78634	C333	COMPRESSOR AXIAL FLOW CELL: 1.8 STAGE	57B17-477R	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	4040	C78630	C333	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	57B17-478R	40	29159	104812	480	218.3583333	41182	11850	396	84	18342.1
2	735	4041	C78672	C333	COMPRESSOR AXIAL FLOW CELL: 5.5 STAGE	57B17-479B	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	4042	C78643	C333	COMPRESSOR AXIAL FLO	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4043	C78710	C333	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4044	C78583	C333	COMPRESSOR AXIAL FLOW CELL: 4.8 STAGE	57B17-482L	40	28671	104812	480	218.3583333	41182	12330	412	68	14848.36667
2	735	4045	C78839	C333	COMPRESSOR AXIAL FLOW CELL: 6.7 STAGE	57B17-483L	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	4047	C78854	C333	COMPRESSOR AXIAL FLOW CELL: 1.4 STAGE	57B17-485L	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	4048	C78694	C333	COMPRESSOR AXIAL FLOW CELL: 5.5 STAGE	57B17-486L	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	4049	C78744	C333	COMPRESSOR AXIAL FLOW CELL: 5.6 STAG	57B17-487L	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	4050	C78855	C333	COMPRESSOR AXIAL FLOW CELL: 1.4 STAGE	57B17,488L	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	4051	C78572	C333	COMPRESSOR AXIAL FLOW CELL: 4.2 STAGE	57B17-489L	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	4052	C78801	C333	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28975	104812	480	218.3583333	41182	12030	402	78	17031.95
2	735	4055	C78599	C333	COMPRESSOR AXIAL FLOW CELL: 4.7 STAGE	N/A	40	28549	133780	480	278.7083333	41182	12450	416	64	17837.33333
2	735	4056	C78548	C333	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	57B170494R	40	28521	133780	480	278.7083333	41182	12480	417	63	17558.625
2	735	4704	C82293	C333	PUMP VACUUM WITH BASE OIL SEPARATOR T	12699	15	19540	4465	180	0	41182	21330	712	0	0
2	735	4761	C82284	C333	PUMP VACUUM KINNEY 300 CFM. PMP VAC K	14370	15	19540	2734	180	0	41182	21330	712	0	0
2	735	4766	C82283	C333	PUMP VACUUM KINNEY 300 CFM. PMP VAC K	14336	15	19540	2670	180	0	41182	21330	712	0	0
2	735	4774	C82285	C333	PUMP VACUUM KINNEY 300 CFM. PMP VAC K	14351	15	19236	2734	180	0	41182	21630	722	0	0
2	735	4780	C82278	C333	PUMP VACUUM KINNEY 300 CFM. PMP VAC K	14611	15	19236	2689	180	0	41182	21630	722	0	0
2	735	4829	C82277	C333	PUMP KINNEY VACUUM 300 CFM. PMP VAC KI	14581	15	19236	2673	180	0	41182	21630	722	0	0
2	735	4971	C82311	C333	CONDENSER FREON INVENTORY 11 PAGE 5 O	74052	20	19328	3298	240	0	41182	21540	719	0	0
2	735	5980	C80728	C333	MOTOR INDUCTION AC CLASS A INSULATION CL	YH6959885	20	19328	1543	240	0	41182	21540	719	0	0
2	735	5989	C80729	C333	MOTOR INDUCTION AC CLASS A INSULATION CW	ZH 6962325	20	19328	1543	240	0	41182	21540	719	0	0
2	735	6116	C78892	C333	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL CO	2A6121	40	17106	6302	480	0	41182	23730	792	0	0
2	735	6514	C78156	C333	SQUIRREL CAGE INDUCTION MOTOR 700 HP 4	3S46P615	20	19540	7314	240	0	41182	21330	712	0	0
2	735	6516	C78167	C333	SQUIRREL CAGE INDUCTION MOTOR 700 HP 4	4S46P615	20	19540	7795	240	0	41182	21330	712	0	0
2	735	6517	C81871	C333	SQUIRREL CAGE INDUCTION MOTOR 700 HP 4	1S46P615	20	19298	8184	240	0	41182	21570	720	0	0
2	735	6847	C75707	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	690500	20	29617	28503	240	0	41182	11400	381	0	0
2	735	6848	C75789	C333	MOTOR INDUCTION-UPRATED MOTOR 3300 HP GE	6905601	20	29128	35198	240	0	41182	11880	397	0	0
2	735	6849	C75640	C333	MOTOR 3300HP MOTOR INDUCTION-UPRATED. MO	6905602	20	28580	36910	240	0	41182	12420	415	0	0
2	735	6850	C75842	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	6905603	20	29311	28643	240	0	41182	11700	391	0	0
2	735	6851	C75843	C333	MOTOR INDUCTION-UPRATED. 3300 HP MOTOR	6905604	20	29311	28643	240	0	41182	11700	391	0	0
2	735	6852	C75743	C333	MOTOR INCUTION-UPRATED MOTOR 3300 HP	6905605	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6853	C75857	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	117350	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6854	C75870	C333	MOTOR GE 1750 HP	N/A	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6855	C75852	C333	MOTOR INDUCTION 3300 HP-UPRATED. MOTOR 3	N/A	20	28855	35198	240	0	41182	12150	406	0	0
2	735	6856	C75792	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6905609	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6857	C75814	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6905610	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6858	C75837	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	6905611	20	29311	28643	240	0	41182	11700	391	0	0
2	735	6859	C75827	C333	MOTOR 3300 HP INDUCTION-UPRATED MOTOR 33	N/A	20	28855	35198	240	0	41182	12150	406	0	0
2	735	6860	C75860	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905613	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6861	C75723	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6905614	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6862	C75738	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905615	20	29402	28643	240	0	41182	11610	388	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	6863	C75776	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905616	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6864	C75736	C333	GE 3000 MOTOR HP-UPRATED MTR G E 3000	6905617	20	28368	36910	240	0	41182	12630	422	0	0
2	735	6865	C75770	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6905618	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6866	C75742	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6905619	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6867	C75778	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905620	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6868	C75673	C333	3300 HP MOTOR INDUCTION-UPRATED 1750-330	6905621	20	28914	35198	240	0	41182	12090	404	0	0
2	735	6869	C75759	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905622	20	29251	35198	240	0	41182	11760	393	0	0
2	735	6870	C75774	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905623	20	29798	28643	240	0	41182	11220	375	0	0
2	735	6871	C75764	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6905624	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6872	C75722	C333	GE 3000 MOTOR-UPRATED MTR G E 3000	6905625	20	28368	36910	240	0	41182	12630	422	0	0
2	735	6873	C75864	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6905626	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6874	C75786	C333	3300 HP GE MOTOR INDUCTION-UPRATED MOTOR	6905627	20	29128	35198	240	0	41182	11880	397	0	0
2	735	6875	C75662	C333	3000 HP MOTOR INDUCTION-UPRATED 3000 HP	6905628	20	28975	35198	240	0	41182	12030	402	0	0
2	735	6876	C75816	C333	MOTOR 3300HP GE MOTOR INDUCTION -UPRATE	6905629	20	29098	35198	240	0	41182	11910	398	0	0
2	735	6877	C75839	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905630	20	29311	28643	240	0	41182	11700	391	0	0
2	735	6878	C75799	C333	3300HP GE MOTOR INDUCTION-UPRATED MOTOR	6905631	20	29098	35198	240	0	41182	11910	398	0	0
2	735	6879	C75849	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905632	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6880	C75727	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905633	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6881	C81867	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905634	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6882	C75688	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6905635	20	29036	35198	240	0	41182	11970	400	0	0
2	735	6883	C75638	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6905636	20	28580	36910	240	0	41182	12420	415	0	0
2	735	6884	C75751	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905637	20	29280	35198	240	0	41182	11730	392	0	0
2	735	6885	C75765	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905638	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6886	C75785	C333	3300 HP GE MOTOR INDUCTION-UPRATED MOTOR	6905639	20	29128	35198	240	0	41182	11880	397	0	0
2	735	6887	C75818	C333	3300 HP GE MOTOR INDUCTION-UPRATED MOTOR	6905640	20	29098	35198	240	0	41182	11910	398	0	0
2	735	6888	C75683	C333	3000 HP MOTOR INDUCTION-UPRATED 3000 HP	6905641	20	28975	35198	240	0	41182	12030	402	0	0
2	735	6889	C75830	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905642	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6890	C75718	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905643	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6891	C75763	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905644	20	29220	34492	240	0	41182	11790	394	0	0
2	735	6892	C75719	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905645	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6893	C75677	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905646	20	28886	35198	240	0	41182	12120	405	0	0
2	735	6894	C75708	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6905647	20	28580	36910	240	0	41182	12420	415	0	0
2	735	6895	C75854	C333	MOTOR 3 300 HP INDUCTION-UPRATED. MOTOR	6905656	20	28855	35198	240	0	41182	12150	406	0	0
2	735	6896	C75717	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905649	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6897	C75869	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905650	20	29798	28643	240	0	41182	11220	375	0	0
2	735	6898	C75646	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905651	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6899	C75847	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905652	20	29402	28643	240	0	41182	11610	388	0	0
2	735	6900	C75682	C333	3000 HP MOTOR INDUCTION-UPRATED 3000 HP	6905653	20	28975	35198	240	0	41182	12030	402	0	0
2	735	6901	C75756	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905654	20	29280	35198	240	0	41182	11730	392	0	0
2	735	6902	C75679	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905655	20	28886	35198	240	0	41182	12120	405	0	0
2	735	6903	C75824	C333	MOTOR 3300 HP INDUCTION-UPRATED MOTOR 3	6905695	20	28855	35198	240	0	41182	12150	406	0	0
2	735	6904	C75695	C333	3300 HP GE MOTOR INDUCTION-UPRATED MOTOR	6905657	20	28824	35198	240	0	41182	12180	407	0	0
2	735	6905	C75813	C333	MOTOR SPECIALLY DESIGNED 1750 HP 2300	6905658	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6906	C75731	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905659	20	29402	28643	240	0	41182	11610	388	0	0
2	735	6907	C75831	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905660	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6908	C75730	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905661	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6909	C75851	C333	3000 HP MOTOR INDUCTION-UPRATED MOTOR 30	6905662	20	28490	36910	240	0	41182	12510	418	0	0
2	735	6910	C75795	C333	MOTOR SPECIALLY DESIGNED 1750 HP 2300	6905663	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6911	C75850	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905664	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6912	C75753	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6905665	20	29280	35198	240	0	41182	11730	392	0	0
2	735	6913	C75777	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905666	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6914	C75767	C333	MOTOR 3000 HP MOTOR INDUCTION-UPRATED.	6905667	20	28490	36910	240	0	41182	12510	418	0	0
2	735	6915	C75856	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6905668	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6916	C75838	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905669	20	29311	28643	240	0	41182	11700	391	0	0
2	735	6917	C75651	C333	3000 HP MOTOR INDUCTION-UPRATED. 3000 H	6905670	20	28975	35198	240	0	41182	12030	402	0	0
2	735	6918	C75686	C333	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	6905671	20	29036	35198	240	0	41182	11970	400	0	0
2	735	6919	C75635	C333	MOTIR 3000 HP MOTOR INDUCTION-UPRATED	6905672	20	28490	36910	240	0	41182	12510	418	0	0
2	735	6920	C75811	C333	MOTOR 1750 HP 2300 VOLTS 3 PHASE 60	6905673	20	19540	14521	240	0	41182	21330	712	0	0
2	735	6921	C75848	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED. 3	6905674	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6922	C75653	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED.	6905675	20	29006	35198	240	0	41182	12000	401	0	0
2	735	6923	C78157	C333	3000 MOTOR UPRATED. MTR G E 3000	6905676	20	28368	36910	240	0	41182	12630	422	0	0
2	735	6924	C75801	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6905677	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6925	C75661	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905678	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6926	C75701	C333	MOTOR 3000 HP MOTOR INDUCTION-UPRATED.	6905679	20	28490	36910	240	0	41182	12510	418	0	0
2	735	6927	C75639	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6905680	20	28580	36910	240	0	41182	12420	415	0	0
2	735	6928	C75754	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905681	20	29280	35198	240	0	41182	11730	392	0	0
2	735	6929	C75794	C333	MOTOR 1750 HP 2300VOLT 3 PHASE 60 CY	6905682	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6930	C75678	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905683	20	28886	35198	240	0	41182	12120	405	0	0
2	735	6931	C75755	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905684	20	29280	35198	240	0	41182	11730	392	0	0
2	735	6932	C75690	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED.	6905685	20	29006	35198	240	0	41182	12000	401	0	0
2	735	6933	C75812	C333	MOTIR 1750 HP 2300 VOLT 3 PHASE 60 C	6905686	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6934	C75805	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6905687	20	19540	15371	240	0	41182	21330	712	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	6935	C75665	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905688	20	28886	35198	240	0	41182	12120	405	0	0
2	735	6936	C75745	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905689	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6937	C78166	C333	3300 HP MOTOR INDUCTION-UPRATED. 3300 H	6905690	20	29706	28643	240	0	41182	11310	378	0	0
2	735	6938	C75699	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED.	6950691	20	29098	35198	240	0	41182	11910	398	0	0
2	735	6939	C75732	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905692	20	29402	28643	240	0	41182	11610	388	0	0
2	735	6940	C75684	C333	3000 HP MOTOR INDUCTION-UPRATED. 3000 H	6905693	20	28975	35198	240	0	41182	12030	402	0	0
2	735	6941	C75725	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6905694	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6942	C75855	C333	MOTOR 3300 HP INDUCTION-UPRATED MOTOR 3	6905648	20	28855	35198	240	0	41182	12150	406	0	0
2	735	6943	C75652	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED.	6905696	20	28824	35198	240	0	41182	12180	407	0	0
2	735	6944	C75836	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED/	6905697	20	29311	28643	240	0	41182	11700	391	0	0
2	735	6945	C75783	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 3	6905698	20	29128	35198	240	0	41182	11880	397	0	0
2	735	6946	C78165	C333	MOTIR 1750 HP 2300 VOLT 3 PHASE 60 CY	6095699	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6947	C75758	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942400	20	29280	35198	240	0	41182	11730	392	0	0
2	735	6948	C75666	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942401	20	28886	35198	240	0	41182	12120	405	0	0
2	735	6950	C75716	C333	3300 HP MOTOR MOTOR INDUCTION-UPRTED 33	6942403	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6951	C75680	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942404	20	28886	35198	240	0	41182	12120	405	0	0
2	735	6952	C75634	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942405	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6953	C75840	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942406	20	29311	28643	240	0	41182	11700	391	0	0
2	735	6954	C75806	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942407	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6955	C75664	C333	3000 HP MOTOR INDUCTION-UPRATED. 3000	6942408	20	28975	35198	240	0	41182	12030	402	0	0
2	735	6956	C75775	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942409	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6957	C75768	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6942410	20	28824	35198	240	0	41182	12180	407	0	0
2	735	6958	C75700	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED M	6942411	20	29098	35198	240	0	41182	11910	398	0	0
2	735	6959	C75822	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6942412	20	28824	35198	240	0	41182	12180	407	0	0
2	735	6960	C75867	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942413	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6961	C78169	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942414	20	29402	28643	240	0	41182	11610	388	0	0
2	735	6962	C75735	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942415	20	29402	28643	240	0	41182	11610	388	0	0
2	735	6963	C75720	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	74001	20	29798	28643	240	0	41182	11220	375	0	0
2	735	6964	C75737	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942417	20	29402	28643	240	0	41182	11610	388	0	0
2	735	6965	C75797	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942418	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6966	C75858	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942419	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6967	C75859	C333	MOTO5R 1750 HP 23 VOLT 3 PHASE 60 CY	6942420	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6968	C75820	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6942421	20	28824	35198	240	0	41182	12180	407	0	0
2	735	6969	C75781	C333	330 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942422	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6970	C75713	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942423	20	29494	28643	240	0	41182	11520	385	0	0
2	735	6971	C75825	C333	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR 3	6942424	20	28855	35198	240	0	41182	12150	406	0	0
2	735	6972	C75650	C333	MOTOR 3000 MOTOR UPRATED MTR G E 3000	6942425	20	28368	36910	240	0	41182	12630	422	0	0
2	735	6973	C75741	C333	330 HP MOTOR MOTOR INDUCTION-UPRATED 33	6042426	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6974	C75788	C333	MOTOR 3000 MOTOR UPRATED MTR G E 3000	6942427	20	28368	36910	240	0	41182	12630	422	0	0
2	735	6975	C75670	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRTED 17	6942428	20	28914	35198	240	0	41182	12090	404	0	0
2	735	6976	C75654	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED M	6942429	20	29006	35198	240	0	41182	12000	401	0	0
2	735	6977	C75808	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942430	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6978	C75698	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942431	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6979	C75696	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6943432	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6980	C75826	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED MO	6942433	20	28855	35198	240	0	41182	12150	406	0	0
2	735	6981	C75800	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942434	20	29617	28643	240	0	41182	11400	381	0	0
2	735	6982	C75769	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942435	20	29220	35198	240	0	41182	11790	394	0	0
2	735	6983	C75671	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6042436	20	28914	35198	240	0	41182	12090	404	0	0
2	735	6984	C75866	C333	MOTOR 1750 2300 VOLT 3 PHASE 60 CYCL	6942437	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6985	C75669	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6942438	20	29098	35198	240	0	41182	11910	398	0	0
2	735	6986	C75803	C333	MOTIR 1750 HP 2300 VOLT 3 PHASE 60 C	6942439	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6987	C75693	C333	MOTOR 3000 MOTOR UPRATED. MTR G E 3000	6942440	20	28368	36204	240	0	41182	12630	422	0	0
2	735	6988	C75649	C333	MOTOR 3300 MNOTOR INDUCTION-UPRATED MO	6942441	20	28824	35198	240	0	41182	12180	407	0	0
2	735	6989	C75641	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942442	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6990	C75705	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6942443	20	28580	36910	240	0	41182	12420	415	0	0
2	735	6991	C75861	C333	MOTOR 1750 HP 230O VOLTS 3 PHASE 60	6942444	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6993	C75817	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6942446	20	28824	35198	240	0	41182	12180	407	0	0
2	735	6994	C75645	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED M	6942447	20	28914	35198	240	0	41182	12090	404	0	0
2	735	6995	C75862	C333	MOTOR 1750 2300 VOLT 3 PHASE 60 CYCL	6942448	20	19540	15371	240	0	41182	21330	712	0	0
2	735	6996	C75706	C333	MOTOR 33300 HP MOTOR INDUCTION-UPRATED	6942449	20	28580	36910	240	0	41182	12420	415	0	0
2	735	6997	C75846	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942450	20	29402	28643	240	0	41182	11610	388	0	0
2	735	6998	C75821	C333	MOTOR 3300 UPRATED MOTOR INDUCTION-UPRA	6942451	20	29098	35198	240	0	41182	11910	398	0	0
2	735	6999	C75642	C333	3300 HP MOTOR INDUCTION-UPRATED. 3300 H	6942452	20	29706	28643	240	0	41182	11310	378	0	0
2	735	7000	C75667	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942453	20	28886	35198	240	0	41182	12120	405	0	0
2	735	7001	C75648	C333	MOTOR 3000 HP MOTOR INDUCTION-UPRATED	6942454	20	28490	36910	240	0	41182	12510	418	0	0
2	735	7002	C75819	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	N/A	20	28824	34492	240	0	41182	12180	407	0	0
2	735	7003	C75791	C333	MOTOR 4000 HP INDUCTION 4000 HP FL RP	6942456	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7004	C75868	C333	MOTOR 1750 PH 2300 VOLT 3 PHASE 60 C	6942457	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7005	C75804	C333	MOTOR 1750 HOP 2300 VOLT 3 HPASE 60	6942458	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7006	C75643	C333	MOTOR 3000 MOTOR UPRATED MTR G E 3000	6942459	20	28368	36910	240	0	41182	12630	422	0	0
2	735	7007	C75660	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED M	6942460	20	29036	35198	240	0	41182	11970	400	0	0
2	735	7008	C75689	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED MO	6942461	20	29006	35198	240	0	41182	12000	401	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	7009	C75771	C333	MOTOR 3000 MOTOR UPRATED MTR G E 3000	6942462	20	28368	36910	240	0	41182	12630	422	0	0
2	735	7010	C75809	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942463	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7011	C75807	C333	MOTOR 1750 2300 VOLT 3 PHASE 60 CYCL	6942464	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7012	C78170	C333	MOTOR 3000 MOTOR UPRATED MTR G E 3000	6942465	20	28368	36910	240	0	41182	12630	422	0	0
2	735	7013	C75675	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED	6942466	20	28914	35198	240	0	41182	12090	404	0	0
2	735	7014	C75709	C333	3300 HP MOTOR MOTOT INDUCTION-UPRATED 3	6942467	20	29617	28643	240	0	41182	11400	381	0	0
2	735	7017	C75729	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	69642470	20	29617	28643	240	0	41182	11400	381	0	0
2	735	7018	C75714	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942471	20	29494	28643	240	0	41182	11520	385	0	0
2	735	7019	C75865	C333	MOTOR 1750 HP 2300 VOLTS 3 PHASE 60	D6942472	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7020	C75715	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED.	6942473	20	29494	28643	240	0	41182	11520	385	0	0
2	735	7021	C75739	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942474	20	29220	35198	240	0	41182	11790	394	0	0
2	735	7022	C75796	C333	MOTOR 1750 HP 230 VOLTS 3 PHASE 60 C	6942475	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7023	C75633	C333	MOTOR 3300 HP MOTOR INDUCTION-UPRATED M	6942476	20	28914	35198	240	0	41182	12090	404	0	0
2	735	7024	C75694	C333	MOTOR 3000 MOTOR UPRATED MTR G E 3000	6942477	20	28368	36910	240	0	41182	12630	422	0	0
2	735	7025	C75782	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942478	20	29494	28643	240	0	41182	11520	385	0	0
2	735	7026	C75712	C333	3300 HP MOTOR MOTOR INDUCTION-UPRATED 3	6942479	20	29494	28643	240	0	41182	11520	385	0	0
2	735	7027	C75871	C333	MOTOR 1750 HP 2300 VOLT S 3 PHASE 60	6942480	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7028	C75681	C333	3000 HP MOTOR INDUCTION-UPRATED. 3000 H	6942481	20	28975	35198	240	0	41182	12030	402	0	0
2	735	7029	C78153	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942482	20	29706	28643	240	0	41182	11310	378	0	0
2	735	7030	C75779	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942483	20	29494	28643	240	0	41182	11520	385	0	0
2	735	7031	C75841	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942484	20	29311	28643	240	0	41182	11700	391	0	0
2	735	7032	C75790	C333	3300 HP GE MOTOR INDUCTION-UPRATED MOTOR	6942485	20	29128	35198	240	0	41182	11880	397	0	0
2	735	7033	C75780	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942486	20	29494	28643	240	0	41182	11520	385	0	0
2	735	7034	C75828	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942487	20	29617	28643	240	0	41182	11400	381	0	0
2	735	7036	C75674	C333	3300 HP MOTOR INDUCTION-UPRATED 1750-330	6942489	20	28914	35198	240	0	41182	12090	404	0	0
2	735	7037	C75757	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942490	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7038	C75697	C333	3000 HP MOTOR INDUCTION-UPRATED MOTOR 30	6942491	20	28490	36910	240	0	41182	12510	418	0	0
2	735	7039	C75703	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942492	20	29706	28643	240	0	41182	11310	378	0	0
2	735	7040	C75702	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942493	20	29706	28643	240	0	41182	11310	378	0	0
2	735	7041	C75655	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942494	20	29006	35198	240	0	41182	12000	401	0	0
2	735	7042	C75815	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 50 C	6942495	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7043	C75740	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942496	20	29220	35198	240	0	41182	11790	394	0	0
2	735	7044	C75704	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942497	20	29798	28643	240	0	41182	11220	375	0	0
2	735	7045	C75685	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942498	20	29036	35198	240	0	41182	11970	400	0	0
2	735	7046	C75691	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942499	20	29006	35198	240	0	41182	12000	401	0	0
2	735	7047	C75668	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942500	20	28886	35198	240	0	41182	12120	405	0	0
2	735	7048	C75733	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942501	20	29402	28643	240	0	41182	11610	388	0	0
2	735	7049	C75692	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942502	20	29006	35198	240	0	41182	12000	401	0	0
2	735	7050	C75724	C333	3000 MOTOR -UPRATED MTR G E 3000	6942503	20	28368	36910	240	0	41182	12630	422	0	0
2	735	7051	C75658	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942504	20	29036	35198	240	0	41182	11970	400	0	0
2	735	7052	C75863	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942505	20	29617	28643	240	0	41182	11400	381	0	0
2	735	7053	C75647	C333	3000 HPMOTOR INDUCTION-UPRATED MOTOR 300	6942506	20	28490	36910	240	0	41182	12510	418	0	0
2	735	7054	C75746	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942507	20	29220	35198	240	0	41182	11790	394	0	0
2	735	7055	C75845	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942508	20	29402	28643	240	0	41182	11610	388	0	0
2	735	7056	C75752	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942509	20	29280	35198	240	0	41182	11730	392	0	0
2	735	7057	C75656	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942510	20	29006	35198	240	0	41182	12000	401	0	0
2	735	7058	C75829	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942511	20	29617	28643	240	0	41182	11400	381	0	0
2	735	7059	C75636	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942512	20	28580	36910	240	0	41182	12420	415	0	0
2	735	7060	C78193	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942513	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7061	C75766	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942514	20	29220	35198	240	0	41182	11790	394	0	0
2	735	7062	C75711	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942515	20	28580	36910	240	0	41182	12420	415	0	0
2	735	7063	C75762	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942516	20	29251	35198	240	0	41182	11760	393	0	0
2	735	7065	C75798	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942518	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7066	C75749	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942519	20	29251	35198	240	0	41182	11760	393	0	0
2	735	7067	C75760	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942520	20	29251	35198	240	0	41182	11760	393	0	0
2	735	7068	C75748	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942521	20	29251	35198	240	0	41182	11760	393	0	0
2	735	7069	C75761	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942522	20	29251	35198	240	0	41182	11760	393	0	0
2	735	7070	C75750	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942523	20	29251	35198	240	0	41182	11760	393	0	0
2	735	7071	C75784	C333	3300 HP GE MOTOR INDUCTION-UPRATED MOTOR	6942524	20	29128	34492	240	0	41182	11880	397	0	0
2	735	7072	C75747	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942525	20	29251	35198	240	0	41182	11760	393	0	0
2	735	7073	C75773	C333	GE 3000 MOTOR-UPRATED MTR G E 3000	6942526	20	28368	36910	240	0	41182	12630	422	0	0
2	735	7074	C75834	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942527	20	29402	28643	240	0	41182	11610	388	0	0
2	735	7075	C75853	C333	MOTOR 3300 HP INDUCTION-UPRATED MOTOR 3	6942528	20	28855	35198	240	0	41182	12150	406	0	0
2	735	7076	C75744	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942529	20	29220	35198	240	0	41182	11790	394	0	0
2	735	7077	C75844	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942530	20	29402	28643	240	0	41182	11610	388	0	0
2	735	7078	C75835	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942531	20	29402	28643	240	0	41182	11610	388	0	0
2	735	7079	C75687	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942532	20	29036	35198	240	0	41182	11970	400	0	0
2	735	7080	C75793	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942533	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7081	C75637	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942534	20	29617	27937	240	0	41182	11400	381	0	0
2	735	7082	C75832	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942535	20	29402	28643	240	0	41182	11610	388	0	0
2	735	7083	C75659	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942536	20	29036	35198	240	0	41182	11970	400	0	0
2	735	7084	C75833	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942537	20	29402	28643	240	0	41182	11610	388	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	7085	C75728	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942538	20	29617	27937	240	0	41182	11400	381	0	0
2	735	7086	C75676	C333	3300 HP MOTOR INDUCTION-UPRATED 1750-330	6942539	20	28914	35198	240	0	41182	12090	404	0	0
2	735	7087	C75657	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6942540	20	29036	35198	240	0	41182	11970	400	0	0
2	735	7088	C75810	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942541	20	19540	14521	240	0	41182	21330	712	0	0
2	735	7089	C75787	C333	3300 HP GE MOTOR INDUCTION-UPRATED MOTOR	6942542	20	29128	35198	240	0	41182	11880	397	0	0
2	735	7090	C75721	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942543	20	19540	15371	240	0	41182	21330	712	0	0
2	735	7091	C75672	C333	3300 HP GE MOTOR INDUCTION-UPRATED MOTOR	6942544	20	29098	35198	240	0	41182	11910	398	0	0
2	735	7092	C75802	C333	MOTOR 1750 HP 2300 VOLT 3 PHASE 60 C	6942545	20	19540	14521	240	0	41182	21330	712	0	0
2	735	7093	C78159	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942546	20	29617	28643	240	0	41182	11400	381	0	0
2	735	7094	C75710	C333	3000 HP MOTOR INDUCTION-UPRATED MOTOR 30	6942547	20	28490	36910	240	0	41182	12510	418	0	0
2	735	7095	C75772	C333	GE 3000 MOTOR-UPRATED MTR G E 3000	6942548	20	28368	36910	240	0	41182	12630	422	0	0
2	735	7096	C75726	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	6942549	20	29617	27937	240	0	41182	11400	381	0	0
2	735	7098	C74876	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	2S45P21	20	28490	40147	240	0	41182	12510	418	0	0
2	735	7099	C74867	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	3S45P21	20	29159	38465	240	0	41182	11850	396	0	0
2	735	7100	C78158	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	1821G788	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7101	C74854	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	2S21G788	20	29067	38465	240	0	41182	11940	399	0	0
2	735	7102	C74895	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	3S21P788	20	29280	38465	240	0	41182	11730	392	0	0
2	735	7103	C74893	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	4S21G788	20	29280	38465	240	0	41182	11730	392	0	0
2	735	7104	C74878	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	5S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7105	C74877	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	6S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7106	C74986	C333	3300 HPW MOTOR INDUCTION-UPRATED MOTOR	7S21G788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7107	C74864	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	8821G788	20	29251	38465	240	0	41182	11760	393	0	0
2	735	7108	C74983	C333	3300 HP WESTINGHOUSE MOTOR INDUCTION-UPR	9S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7109	C74966	C333	2000 HP SPECIALLY DESIGNED A.C. INDUCTIO	10S21G788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7110	C78196	C333	MOTOR INDUCTION AC SPECIALLY DESIGNED	11S21G788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7111	C74913	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	12S21G788	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7112	C78149	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	13S21G788	20	29036	38465	240	0	41182	11970	400	0	0
2	735	7113	C74988	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	14S21G788	20	29189	37835	240	0	41182	11820	395	0	0
2	735	7114	C75017	C333	MTR WEST 2000 HP	N/A	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7115	C75004	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	16S21G788	20	29251	38465	240	0	41182	11760	393	0	0
2	735	7116	C78150	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	17S21G788	20	29036	38465	240	0	41182	11970	400	0	0
2	735	7117	C75000	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	18S21G788	20	29189	38465	240	0	41182	11820	395	0	0
2	735	7118	C74873	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	19S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7119	C74875	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	20S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7120	C74957	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	21S21G788	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7121	C75025	C333	MOTOR INDUCTION AC SPECIALLY DESIGNED	22S21G788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7122	C74891	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	32S21G788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7123	C78191	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	24S21G788	20	29706	29910	240	0	41182	11310	378	0	0
2	735	7124	C78186	C333	3300 HPW MOTOR INDUCTION-UPRATED MOTOR	25S21G788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7125	C74886	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR I	26S21G788	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7126	C74935	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	27S21G788	20	29706	29910	240	0	41182	11310	378	0	0
2	735	7127	C74970	C333	2000 HP SPECIALLY DESIGNED A.C. INDUCTIO	28S21G788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7128	C74926	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	29S21G788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7129	C75016	C333	2000 HP SPECIALLY DESIGNED A.C. INDUCTI	30S21G78	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7130	C74899	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	31S21G788	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7131	C74984	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	32S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7132	C74997	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	33S21G788	20	28855	38465	240	0	41182	12150	406	0	0
2	735	7133	C74974	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	34S21G788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7134	C74995	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 3	35S21G788	20	28855	38465	240	0	41182	12150	406	0	0
2	735	7135	C74866	C333	3300 HP WESTINGHOUSE MOTOR INDUCTION-UPR	36S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7136	C74905	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	37S21G788	20	28671	37835	240	0	41182	12330	412	0	0
2	735	7137	C75022	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	38S21G788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7138	C74902	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	39S21G788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7139	C75010	C333	3300 HPW MOTOR INDUCTION-UPRATED MOTOR	40S21G788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7140	C74868	C333	3300 HP-WESTINGHOUSE MOTOR INDUCTION-UPR	41S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7141	C74962	C333	MOTOR 2000 HP SPECIALLLY DESIGNED AC I	42S21G788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7142	C74811	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	43S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7143	C78152	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	44S21G788	20	29036	38465	240	0	41182	11970	400	0	0
2	735	7144	C78151	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	45S21G788	20	29036	38465	240	0	41182	11970	400	0	0
2	735	7145	C74826	C333	MOTOR SPECIALLY DESIGNED A C INDUCTION 2	46S 21G 788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7146	C78189	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HPW	47S 21G 788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7147	C78173	C333	MOTOR INDUCTION UPRATED 3300 HP MOTOR	488 21G 788	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7148	C74871	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	49S 21G 788	20	28945	38465	240	0	41182	12060	403	0	0
2	735	7149	C74851	C333	MOTOR INDUCTION UPRATED 3300 HP MOTOR	50S 21G 788	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7150	C74922	C333	MOTOR INDUCTION UPRATED MOTOR IND.-UPR.	51S 21G 788	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7151	C74819	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	52S 21G 788	20	28945	38465	240	0	41182	12060	403	0	0
2	735	7152	C75007	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HPW	53S 21G 788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7153	C74853	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP WH	52S 21G 788	20	29067	38465	240	0	41182	11940	399	0	0
2	735	7154	C78163	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	55S 21G 788	20	28914	38465	240	0	41182	12090	404	0	0
2	735	7155	C74916	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	56S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7156	C75014	C333	SPECIALLY DESIGNED AC INDUCTION MOTOR 23	57S 21G 788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7157	C74915	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	58S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	7158	C74918	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	59S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7159	C78192	C333	MOTOR INDUCTION UPRATED 3300 HP MOTOR	60S 21G 788	20	29706	29910	240	0	41182	11310	378	0	0
2	735	7160	C74827	C333	MOTOR INDUCTION UPRATED MOTOR 3300HP	61S 21G 788	20	29036	38465	240	0	41182	11970	400	0	0
2	735	7161	C74903	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	62S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7162	C74932	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	63S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7163	C74890	C333	MOTOR INDUCTION UPRATED 3300 HP MOTOR	64S 21G 788	20	29280	38465	240	0	41182	11730	392	0	0
2	735	7164	C75009	C333	MOTOR INDUCTION UPRATED MOTOR 3300HPW	65S 21G 788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7165	C74912	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	66S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7166	C81865	C333	MOTOR INDUCTION UPRATED MOTOR 3300HP	67S 21G 788	20	29036	38465	240	0	41182	11970	400	0	0
2	735	7167	C75013	C333	SPECIALLY DESIGNED A C INDUCTION MOTOR 2	68S 21G 788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7169	C78168	C333	SPECIALLY DESIGNED A C INDUCTION MOTOR 2	70S 21G 788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7170	C74850	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	71S 21G 788	20	29159	38465	240	0	41182	11850	396	0	0
2	735	7171	C74849	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	72S 21G 788	20	29159	38465	240	0	41182	11850	396	0	0
2	735	7172	C74865	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP WE	73S 21G 788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7173	C74861	C333	MOTOR INDUCTION UPRATED 3300 HP IND-UPRA	74S 21G 788	20	28975	38465	240	0	41182	12030	402	0	0
2	735	7174	C74917	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	75S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7175	C78195	C333	MOTOR INDUCTION UPRATED 3300 HP MOTOR	76S 21G 788	20	29706	29910	240	0	41182	11310	378	0	0
2	735	7176	C78197	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	77S 21G 788	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7177	C74869	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	78S 21G 788	20	28945	38465	240	0	41182	12060	403	0	0
2	735	7178	C75020	C333	SPECIALLY DESIGNED A C INDUCTION MOTOR 2	79S 21G 788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7179	C74872	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	80S 21G 788	20	28945	38465	240	0	41182	12060	403	0	0
2	735	7180	C75015	C333	MTR WEST 2000 HP	N/A	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7182	C74961	C333	SPECIALLY DESIGNED A C INDUCTION MOTOR 2	83S 21G 788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7183	C74880	C333	MOTOR INDUCTION UPRATED 3300 HP MOTOR	84S 21G 788	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7184	C74910	C333	MOTOR INDUCTION UPRATED MOTOR 3300HP WH	85S 21G 788	20	29098	38465	240	0	41182	11910	398	0	0
2	735	7185	C75019	C333	SPECIALLY DESIGNED A C INDUCTION MOTOR 2	86S 21G 788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7187	C74879	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	88S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7188	C74908	C333	MOTOR INDUCTION UPRATED MOTOR 3300HP WH	89S 21G 788	20	29098	38465	240	0	41182	11910	398	0	0
2	735	7189	C74946	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	90S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7190	C74887	C333	MOTOR INDUCTION UPRATED MOTOR IND.-UPR.	91S 21G 788	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7191	C74892	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP IN	92S 21G 788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7192	C74856	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP WH	93S 21G 788	20	29067	38465	240	0	41182	11940	399	0	0
2	735	7193	C74835	C333	MOTOR INDUCTION UPRATED 3300 HP MOTOR	94S 21G 788	20	29251	38465	240	0	41182	11760	393	0	0
2	735	7194	C78161	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	95S 21G 788	20	28914	38465	240	0	41182	12090	404	0	0
2	735	7195	C74821	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	96S 21G 788	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7196	C78164	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP WE	97S 21G 788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7197	C74858	C333	MOTOR INDUCTION UPRATED MOTOR 3300 HP	98S 21G 788	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7198	C78200	C333	MOTOR 3300HP MOTOR 3300 HP	99S 21G 788	20	28763	38465	240	0	41182	12240	409	0	0
2	735	7200	C74885	C333	SPECIALLY DESIGNED A C INDUCTION MOTOR 2	101S 21G 788	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7201	C74907	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	102S21G788	20	29098	38465	240	0	41182	11910	398	0	0
2	735	7202	C74909	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	103S21G788	20	29098	38465	240	0	41182	11910	398	0	0
2	735	7203	C75008	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 3	104S21G788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7204	C74862	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	105S21G788	20	29251	38465	240	0	41182	11760	393	0	0
2	735	7205	C74855	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	106S21G788	20	29067	38465	240	0	41182	11940	399	0	0
2	735	7206	C74894	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	107S21G788	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7207	C74874	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	108S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7208	C74852	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	109S21G788	20	28975	38465	240	0	41182	12030	402	0	0
2	735	7209	C74896	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	110S21G788	20	28975	38465	240	0	41182	12030	402	0	0
2	735	7210	C78198	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	111S21G788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7211	C74857	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	112S21G788	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7212	C78162	C333	3300 HP MOTOR INDUCTION-UPRATED 2000-300	113S21G788	20	28914	38465	240	0	41182	12090	404	0	0
2	735	7213	C75003	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	114S21G788	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7214	C75023	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	115S21G788	20	19540	19169	240	0	41182	21330	712	0	0
2	735	7215	C74816	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	116S21G788	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7216	C78199	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	117S21G788	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7217	C78160	C333	3300 HP MOTOR INDUCTION-UPRATED 2000-330	118S21G788	20	28914	38465	240	0	41182	12090	404	0	0
2	735	7218	C74998	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 3	119S21G788	20	28855	38465	240	0	41182	12150	406	0	0
2	735	7219	C74938	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	1S21G789	20	29706	29910	240	0	41182	11310	378	0	0
2	735	7220	C74841	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	2S21G789	20	29067	38465	240	0	41182	11940	399	0	0
2	735	7221	C74963	C333	MOTOR INDUCTION AC SPECIALLY DESIGNED	3S-21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7222	C74933	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	4S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7223	C74883	C333	3300 HP MOTOR INDUCTION-UPRATED 2000-33	5S21G789	20	28914	38465	240	0	41182	12090	404	0	0
2	735	7224	C74994	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 3	6S21G789	20	28855	38465	240	0	41182	12150	406	0	0
2	735	7225	C74956	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	7S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7226	C74898	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	8S21G789	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7227	C75018	C333	MOTOR INDUCTION AC SPECIALLY DESIGNED	9S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7228	C74964	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	10S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7229	C74928	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	11S21G789	20	29098	38465	240	0	41182	11910	398	0	0
2	735	7230	C74949	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	12S21G789	20	29098	38465	240	0	41182	11910	398	0	0
2	735	7231	C74967	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	13S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7232	C74830	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	14S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7233	C74888	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	15S21G789	20	28580	40777	240	0	41182	12420	415	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	7234	C74817	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	16S21G789	20	28945	38465	240	0	41182	12060	403	0	0
2	735	7235	C74823	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	17S21G789	20	19540	16982	240	0	41182	21330	712	0	0
2	735	7236	C74924	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	18S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7237	C74919	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	19S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7238	C74959	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	20S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7239	C74889	C333	MOTOR INDUCTION-UPRATED- 3300 HP MOTOR 3	21S21G789	20	28763	38465	240	0	41182	12240	409	0	0
2	735	7240	C74952	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	22S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7241	C74906	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	23S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7242	C74982	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	24S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7243	C81864	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	25S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7244	C74972	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	26S21G789	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7245	C75012	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	27S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7246	C74820	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	28S21G789	20	28945	38465	240	0	41182	12060	403	0	0
2	735	7247	C74863	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	29S21G789	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7249	C75026	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	31S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7250	C74824	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	32S21G789	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7251	C78155	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	33S21G789	20	29036	38465	240	0	41182	11970	400	0	0
2	735	7252	C74882	C333	3300 HPW MOTOR INDUCTION-UPRATED MOTOR	34S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7253	C74848	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	35S21G789	20	29159	38465	240	0	41182	11850	396	0	0
2	735	7254	C74840	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	36S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7255	C74948	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	37S21G789	20	29280	38465	240	0	41182	11730	392	0	0
2	735	7256	C74973	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	38S21G789	20	29159	38465	240	0	41182	11850	396	0	0
2	735	7257	C75011	C333	MOTOR INDUCTION AC SPECIALLY DESIGNED	39S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7258	C74960	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	40S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7259	C74991	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 3	41S21G789	20	28855	38465	240	0	41182	12150	406	0	0
2	735	7260	C74838	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	42S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7261	C74934	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	43S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7262	C74968	C333	MOTOR INDUCTION AC SPECIALLY DESIGNED	44S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7264	C75006	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	46S21G789	20	28490	41962	240	0	41182	12510	418	0	0
2	735	7265	C74936	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	47S21G789	20	29706	29910	240	0	41182	11310	378	0	0
2	735	7266	C74989	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	48S21G789	20	29189	38465	240	0	41182	11820	395	0	0
2	735	7267	C75024	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	49S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7268	C74978	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	50S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7269	C78172	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	51S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7270	C74923	C333	MOTOR INDUCTION-UPRATED-3300 HP MOTOR 33	52S21G789	20	28763	38465	240	0	41182	12240	409	0	0
2	735	7271	C75005	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	53S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7272	C74904	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	54S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7273	C74987	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	5S21G789	20	29189	38465	240	0	41182	11820	395	0	0
2	735	7274	C74971	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	56S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7275	C74920	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	57S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7276	C74815	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	1557P752	20	28975	38465	240	0	41182	12030	402	0	0
2	735	7277	C74846	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	59S21G789	20	29159	38465	240	0	41182	11850	396	0	0
2	735	7278	C74845	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	60S21G789	20	29159	38465	240	0	41182	11850	396	0	0
2	735	7279	C74993	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 3	61S21G789	20	28855	38465	240	0	41182	12150	406	0	0
2	735	7280	C74927	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	62S21G879	20	29098	38465	240	0	41182	11910	398	0	0
2	735	7281	C74981	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	63S-21G-789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7282	C74930	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	64S21G789	20	29098	38465	240	0	41182	11910	398	0	0
2	735	7283	C74953	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	65S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7284	7284	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	66S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7285	C74965	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	67S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7286	C74999	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	68S21G789	20	29189	38465	240	0	41182	11820	395	0	0
2	735	7287	C74931	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	69S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7288	C74839	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	70S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7289	C78177	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	71S21G789	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7290	C74825	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	72S21G789	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7291	C74844	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	73S21G789	20	29067	38465	240	0	41182	11940	399	0	0
2	735	7292	C74921	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	74S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7293	C74813	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	75S21G789	20	28975	38465	240	0	41182	12030	402	0	0
2	735	7294	C74911	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	76821G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7295	C74818	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	77S21G789	20	28945	38465	240	0	41182	12060	403	0	0
2	735	7297	C74860	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	79S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7298	C74925	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	80S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7299	C74829	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	81S21G789	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7300	C74937	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	82S21G789	20	29706	29910	240	0	41182	11310	378	0	0
2	735	7301	C74837	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	83S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7302	C74941	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	84S21G789	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7303	C74951	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	85S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7304	C74977	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	86S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7305	C74881	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	87S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7306	C78181	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	88S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7307	C74842	C333	3300 HP WH MOTOR INDUCTION-UPRATED MOTOR	89S21G789	20	29067	38465	240	0	41182	11940	399	0	0
2	735	7308	C74975	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	90S21G789	20	28824	38465	240	0	41182	12180	407	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	7309	C74897	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	91S21G789	20	28975	38465	240	0	41182	12030	402	0	0
2	735	7310	C74954	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	92S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7311	C74950	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	93S21G789	20	28975	38465	240	0	41182	12030	402	0	0
2	735	7312	C74847	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	94S21G789	20	28975	38465	240	0	41182	12030	402	0	0
2	735	7313	C74843	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	95S21G789	20	29067	38465	240	0	41182	11940	399	0	0
2	735	7314	C74901	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	96S21G789	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7315	C74836	C333	3300 HP MOTOR INDUCTION-UPRATEDC 3300 HP	97S21G789	20	29251	38465	240	0	41182	11760	393	0	0
2	735	7316	C74832	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	98S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7317	C74958	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	99S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7318	C75021	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	100S21G789	20	19540	17741	240	0	41182	21330	712	0	0
2	735	7319	C74942	C333	3300 HP MOTOR INDUCTION-UPRATED 2000-330	101S21G789	20	28914	38465	240	0	41182	12090	404	0	0
2	735	7320	C74980	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	102S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7321	C74812	C333	MOTOR INDUCTION-UPRATED-3300 HP MOTOR 33	103S21G789	20	28763	38465	240	0	41182	12240	409	0	0
2	735	7322	C74834	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	104S21G789	20	29251	38465	240	0	41182	11760	393	0	0
2	735	7323	C74943	C333	MOTOR INDUCTION-UPRATED-3300 HP MOTOR 33	105S21G789	20	28763	38465	240	0	41182	12240	409	0	0
2	735	7324	C74814	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	106S21G789	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7325	C74929	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	107S21G789	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7326	C74833	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	108S21G789	20	29251	38465	240	0	41182	11760	393	0	0
2	735	7327	C74944	C333	MOTOR INDUCTION-UPRATED-3300 HP MOTOR 33	109S21G789	20	28763	38465	240	0	41182	12240	409	0	0
2	735	7328	C75001	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	110S21G789	20	29189	38465	240	0	41182	11820	395	0	0
2	735	7329	C74947	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	111S21G789	20	29280	38465	240	0	41182	11730	392	0	0
2	735	7330	C74979	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	112S21G789	20	28824	37835	240	0	41182	12180	407	0	0
2	735	7331	C74822	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	113S21G789	20	28490	40777	240	0	41182	12510	418	0	0
2	735	7332	C78190	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	114S21G789	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7333	C74831	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	115S21G789	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7334	C74939	C333	3300 HP MOTOR INDUCTION-UPRATED 2000-330	116S21G789	20	28914	38465	240	0	41182	12090	404	0	0
2	735	7335	C74976	C333	3300 HP W MOTOR INDUCTION-UPRATED MOTOR	117S21G789	20	28824	38465	240	0	41182	12180	407	0	0
2	735	7336	C74985	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	118S21G789	20	29251	38465	240	0	41182	11760	393	0	0
2	735	7337	C74990	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	119S21G789	20	29189	38465	240	0	41182	11820	395	0	0
2	735	7338	C74914	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	120S21G789	20	28671	38465	240	0	41182	12330	412	0	0
2	735	7339	C74940	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	121S21G789	20	28914	38465	240	0	41182	12090	404	0	0
2	735	7340	C74945	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR 33	1S23G363	20	28763	37835	240	0	41182	12240	409	0	0
2	735	7341	C74859	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	2S23G363	20	28580	40777	240	0	41182	12420	415	0	0
2	735	7342	C78171	C333	3300 HP MOTOR INDUCTION-UPRATED 3300 HP	3S23G363	20	29798	29910	240	0	41182	11220	375	0	0
2	735	7343	C74884	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	4S23G363	20	19540	16982	240	0	41182	21330	712	0	0
2	735	7344	C74969	C333	2000 HP SPECIALLY DESIGNED AC INDUCTION	1S23G364	20	19540	16982	240	0	41182	21330	712	0	0
2	735	7345	C74992	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 3	2S23G364	20	28855	38465	240	0	41182	12150	406	0	0
2	735	7346	C74870	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	3S23G364	20	28945	37835	240	0	41182	12060	403	0	0
2	735	7347	C74828	C333	3300 HP MOTOR INDUCTION-UPRATED MOTOR 33	4S23G364	20	29036	37835	240	0	41182	11970	400	0	0
2	735	7501	7501	C333	PUMP AC (BLOWER) CENT HORIZ. CELL-5 ST	1AD7017	40	17379	7113	480	0	41182	23460	783	0	0
2	735	7955	C80760	C333	PUMP BLOWER CNETRIFUGAL HORIZONTAL I	1AS7493	40	17257	12184	480	0	41182	23580	787	0	0
2	735	8303	C78113	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV74213	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8305	C78141	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV74215	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8311	C78208	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742111	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8313	C78235	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742113	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8315	C78108	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742115	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8321	C78142	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742121	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8322	C78133	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742122	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8323	C78147	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742123	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8324	C78132	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742124	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8325	C78135	C333	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV742125	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8326	C78134	C333	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV742126	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8327	C78112	C333	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV742127	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8328	C78118	C333	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV742128	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8329	C78114	C333	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV742129	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8330	C78207	C333	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV742130	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8331	C78115	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742131	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8332	C78097	C333	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV742132	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8337	C78138	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742137	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8340	C78206	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742140	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8343	C78231	C333	FREON CONDNESERS AS PER BUYER'S SPECIFIC	MV742143	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8347	C78335	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742147	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8348	C78449	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742148	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8349	C78254	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742149	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8350	C78213	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742150	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8351	C78256	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742151	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8352	C78211	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742152	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8353	C78251	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742153	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8354	C78102	C333	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742154	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8356	C78255	C333	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742156	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8357	C78260	C333	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742157	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8358	C78252	C333	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742158	20	19540	12923	240	0	41182	21330	712	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	8359	C78259	C333	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742159	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8360	C78257	C333	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742160	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8362	C78258	C333	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742162	20	19540	11743	240	0	41182	21330	712	0	0
2	735	8373	C78106	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743211	20	19540	11743	240	0	41182	21330	712	0	0
2	735	8375	C78104	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743213	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8376	C78103	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743214	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8377	C78116	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743215	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8378	C78093	C333	FREON CONDENSER AS PER PUYER'S JOB SPECI	MV743216	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8380	C78233	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743218	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8382	C78109	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743220	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8383	C78128	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743221	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8385	C81869	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743223	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8387	C78217	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743225	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8389	C78099	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743227	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8391	C78232	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743229	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8397	C78239	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743235	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8398	C78105	C333	FREON CONDENSER AS PER BUYER'S JOB O	MV743236	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8399	C78237	C333	FREON CONDENSER AS PER BUYER'S JOB' SPEC	MV743237	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8400	C78236	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743238	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8401	C78238	C333	FREON CONDENSOR AS PER BUYER'S JOB SPECI	MV743239	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8402	C78240	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743240	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8403	C78204	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743241	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8404	C78219	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743242	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8405	C78229	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743243	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8409	C78201	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743247	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8410	C78228	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743248	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8411	C78203	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743249	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8415	C78241	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743253	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8417	C78249	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743255	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8419	C78247	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743257	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8420	C78242	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743258	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8421	C78248	C333	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743259	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8422	C78250	C333	CONDENSER FREON	N/A	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8849	C85401	C333	PMP VAC BR	N/A	15	19328	5128	180	0	41182	21540	719	0	0
2	735	9935	C82436	C333	HEATER BOX TRENT 400 VOLTS 60 CYCLE PHAS	61450	25	16983	1240	300	0	41182	23850	796	0	0
2	735	11811	C82138	C333	REFRIGERATION SYSTEM COMPLETE UNIT. UNI	3314504	20	19540	12705	240	0	41182	21330	712	0	0
2	735	12453	C82018	C333	CRANE BRIDGE 10 TON HAND GEARED TYPE	40209	30	19540	8151	360	0	41182	21330	712	0	0
2	735	12582	C77389	C333	SUPPLY FAN SIZE 11 TYPE LLD CFM 90 00	7 4	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13173	C77387	C333	SUPPLY FAN SIZE 11 TYPE LLD CFM 90 00	7 5	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13225	C77374	C333	SUPPLY FAN SIZE 11 TYPE LLD CFM 90 00	6 9	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13227	C77377	C333	SUPPLY FAN SIZE 11 TYPE LLD CFM 90 00	6 8	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13229	C77379	C333	SUPPLY FAN SIZE 11 TYPE LLD CFM 90 00	6 7	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13231	C77381	C333	SUPPLY FAN SIZE 11 TYPE LLD CFM 90 00	6 6	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13233	C77385	C333	SUPPLY FAN SIZE 11 TYPE LLD CFM 90 00	6 5	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13235	C77364	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	5 9	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13237	C77366	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	5 8	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13239	C77368	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	5 7	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13241	C77370	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	5 6	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13243	C82289	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	4 6	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13245	C77356	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	4 7	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13247	C77358	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	4 8	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13249	C77360	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	4 9	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13251	C77362	C333	FAN SUPPLY BELT DRIVE. FAN SUPPLY BF	4 10	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13253	C77345	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	3 11	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13255	C77347	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	3 10	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13257	C77348	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	3 9	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13259	C77350	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	3 8	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13261	C77352	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	3 7	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13263	C77297	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	2 7	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13265	C77295	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	2 8	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13267	C77293	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	2 9	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13269	C77291	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	2 10	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13271	C77289	C333	FUPPLY FAN SIZE 11 TYPE LLD ORDER #M-	2 11	20	19540	4412	240	0	41182	21330	712	0	0
2	735	13273	C77287	C333	SUPPLY FAN SIZE 11 TYPE LLD ORDRE #M-	2 5	20	19540	4413	240	0	41182	21330	712	0	0
2	735	13284	C80710	C333	TANK LUBE OIL DRAIN MAX TEMP 150 DEGRE	AGL1064	40	19540	5624	480	0	41182	21330	712	0	0
2	735	13285	C80709	C333	TANK LUBE OIL DRAIN MAX TMEP 150 DEGR	AGL1065	40	19540	5624	480	0	41182	21330	712	0	0
2	735	13286	C82252	C333	LUBE OIL COOLER MAX WP 80 TEMP 200 DEGR	H22923HBS1336	20	19540	15797	240	0	41182	21330	712	0	0
2	735	13287	C77669	C333	LUBE OIL GRAVITY SUPPLY TANK MAX WP 15	N/A	40	19540	6807	480	0	41182	21330	712	0	0
2	735	13288	C82288	C333	BATTERY CHARGER AC RATING 220/440 VOLTS	GEH1495A	10	19540	4573	120	0	41182	21330	712	0	0
2	735	13377	C80711	C333	TANK LUBE OIL DRAIN PSI 40 TEMP 150	AGL1066	40	19540	5623	480	0	41182	21330	712	0	0
2	735	13378	C80712	C333	TANK LUBE OIL DRAIN PSI 40 TEMP 150	AGL1062	40	19540	5624	480	0	41182	21330	712	0	0
2	735	13380	C82257	C333	COOLER LUBE OIL MAX WP SHELL 80# TUBE	H2924	20	19540	15797	240	0	41182	21330	712	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	13381	C82286	C333	CHARGER BATTERY AMPS 25. CHARGER BATTE	GEH1495A	10	19540	4573	120	0	41182	21330	712	0	0
2	735	13382	C77668	C333	TANK GRAVITY SUPPLY. TANK SUPPLY GRAVI	N/A	40	19540	6806	480	0	41182	21330	712	0	0
2	735	13391	C80714	C333	LUBE OIL DRAIN TANK WT LBS 13000 CAPAC	AGL1059	40	19540	5624	480	0	41182	21330	712	0	0
2	735	13392	C80713	C333	LUBE OIL DRAIN TANK WT LBS 13000 CAPAC	AGL1063	40	19540	5623	480	0	41182	21330	712	0	0
2	735	13394	C82253	C333	COOLER LUBE OIL TEMP SHELL 200 DEGREE	H2919	20	19540	15797	240	0	41182	21330	712	0	0
2	735	13395	C82287	C333	BATTERY CHARGER 220/440 VOLTS 3 PH 60	GEH1495A	10	19540	4573	120	0	41182	21330	712	0	0
2	735	13396	C77667	C333	GRAVITY SUPPLY TANK MAX TEMP 650 DEGREE	N/A	40	19540	6807	480	0	41182	21330	712	0	0
2	735	13402	C85402	C333	COOLANT DRAIN TANK WP. 400 LBS 250 DEG	MB1521307	40	19540	23082	480	0	41182	21330	712	0	0
2	735	13403	C85403	C333	COOLANT DRAIN TANK WP. 400 LBS 250 DEG	MB1521308	40	19540	23083	480	0	41182	21330	712	0	0
2	735	13409	C78063	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SU	NB#26788	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13410	C78062	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SU	NB#26790	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13411	C78061	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SUR	NB#36780	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13412	C78060	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SUR	NB#26799	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13413	C78059	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SUR	NB#26792	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13414	C78058	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SUR	NB#26791	40	19540	7295	480	0	41182	21330	712	0	0
2	735	13415	C78057	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SU	NB#26782	40	19540	7295	480	0	41182	21330	712	0	0
2	735	13416	C78056	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SUR	NB#26781	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13417	C78055	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SURG	76215774	40	19540	7293	480	0	41182	21330	712	0	0
2	735	13418	C78054	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SU	NB#26785	40	19540	7295	480	0	41182	21330	712	0	0
2	735	13419	C78064	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SU	NB#26795	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13420	C78065	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SUR	NB#26796	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13421	C78066	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SUR	NB#26797	40	19540	7295	480	0	41182	21330	712	0	0
2	735	13422	C78067	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SURG	NB#26798	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13423	C78068	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SURG	NB#26794	40	19540	7293	480	0	41182	21330	712	0	0
2	735	13424	C78069	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SURG	NB#26793	40	19540	7295	480	0	41182	21330	712	0	0
2	735	13425	C78070	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SUR	NB#26789	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13426	C78071	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SURG	NB#26784	40	19540	7293	480	0	41182	21330	712	0	0
2	735	13427	C78072	C333	SURGE DRUM 15 600 GAL CAPACITY. DRUM SUR	NB#26787	40	19540	7295	480	0	41182	21330	712	0	0
2	735	13428	C78073	C333	SURGE DRUM 15 600 GAL CAPACITY DRUM SURG	NB#26786	40	19540	7294	480	0	41182	21330	712	0	0
2	735	13431	C80791	C333	HOLDING TANK NICKEL PLATED 60" DIA X 1	44735	40	19540	5104	480	0	41182	21330	712	0	0
2	735	13432	C80792	C333	HOLDING TANK NICKEL PLATED 60" DIA X 1	44734	40	19540	5103	480	0	41182	21330	712	0	0
2	735	13433	C80793	C333	HOLDING TANK NICKEL PLATED 60" DIA X 1	76216439	40	19540	5103	480	0	41182	21330	712	0	0
2	735	13434	C80794	C333	HOLDING TANK NICKEL PLATED 60" DIA X 1	44736	40	19540	5106	480	0	41182	21330	712	0	0
2	735	13488	C80779	C333	CRANE BRIDGE 36 TON CAPACITY WITH TROL	14217B	30	19540	93785	360	0	41182	21330	712	0	0
2	735	13492	C80785	C333	CRANE BRIDGE 36 TON UPRATED FROM 26 TO	14221B	30	19540	94163	360	0	41182	21330	712	0	0
2	735	13496	C81870	C333	CRANE BRIDGE 23 TON CAPACITY. CRANE WH	7042	30	19540	67574	360	0	41182	21330	712	0	0
2	735	13573	C80780	C333	CRANE BRIDGE 36 TON CAPACITY UPRATED FR	14215B	30	19540	93539	360	0	41182	21330	712	0	0
2	735	13577	C80781	C333	CRANE BRIDGE 15 TON CAPACITY. CRANE P	CH12804B	30	19540	25897	360	0	41182	21330	712	0	0
2	735	13585	C80782	C333	CRANE BRIDGE 36 TON CAPACITY (UPRATED	14218B	30	19540	96653	360	0	41182	21330	712	0	0
2	735	13589	C80783	C333	CRANE BRIDGE 15 TON CAPACITY INVENTOR	CH12808B	30	19540	25897	360	0	41182	21330	712	0	0
2	735	13593	C80784	C333	CRANE BRIDGE 36 TON CAPACITY (UPRATED	14222B	30	19540	95074	360	0	41182	21330	712	0	0
2	735	13636	C80795	C333	COMPRESSOR FOR FRICK REFRIGERATION SYSTE	56375	25	19540	9088	300	0	41182	21330	712	0	0
2	735	13638	C80796	C333	COMPRESSOR FREON CHARGED 2 LBS. FOR FRI	18394 5J2	25	19540	5631	300	0	41182	21330	712	0	0
2	735	13641	C80798	C333	COMPRESSOR FOR FRICK REFRIGERATION SYSTE	56372	25	19540	9088	300	0	41182	21330	712	0	0
2	735	13643	C80797	C333	COMPRESSOR FREON CHARGED 2 LBS. FOR FRI	18395 5J2	25	19540	5632	300	0	41182	21330	712	0	0
2	735	13648	C80722	C333	DIESEL ENGINE 12 CYLINDER 500 HP INVE	IF 7158	10	19540	45015	120	0	41182	21330	712	0	0
2	735	13649	C80721	C333	GENERATOR ELECTRIC AC 375 KVA 300 KW	6917825	20	19540	14042	240	0	41182	21330	712	0	0
2	735	13674	C80778	C333	CRANE BRIDGE 36 TON CAPACITY (UPRATED	14229B	30	19540	93605	360	0	41182	21330	712	0	0
2	735	13690	C80788	C333	CRANE BRIDGE 15 TON CAPACITY INVENTOR	CH12811B	30	19540	25897	360	0	41182	21330	712	0	0
2	735	13702	C80776	C333	CRANE BRIDGE 36 TON CAPACITY (UPRATED	14228B	30	19540	93605	360	0	41182	21330	712	0	0
2	735	13706	C80777	C333	CRANE BRIDGE 15 TON CAPACITY INVENTOR	CH12813B	30	19540	25896	360	0	41182	21330	712	0	0
2	735	13710	C80790	C333	CRANE BRIDGE 36 TON CAPACITY (UPRATED	14227B	30	19540	96652	360	0	41182	21330	712	0	0
2	735	13718	C80787	C333	CRANE BRIDGE 36 TON CAPACITY (UPRATED	14225B	30	19540	96472	360	0	41182	21330	712	0	0
2	735	13722	C80789	C333	CRANE OVERHEAD 36 TON (UPRATED FRO 26	14226B	30	19540	86834	360	0	41182	21330	712	0	0
2	735	14002	C80724	C333	DIESEL ENGINE 12 CYLINDER BORE 5-3/4	BF 7948	10	19540	45015	120	0	41182	21330	712	0	0
2	735	14003	C85400	C333	TWO GENERATORS MADE TOGETHER ONE AC AND	6917840	20	19540	14042	240	0	41182	21330	712	0	0
2	735	14013	C80726	C333	DIESEL ENGINE 12 CYLINDER BORE 5-3/4	9F7839	10	19540	45015	120	0	41182	21330	712	0	0
2	735	14014	C80725	C333	TWO GENERATORS MADE TOGETHER AC GENERAT	6917821 71126	20	19540	14042	240	0	41182	21330	712	0	0
2	735	14277	C77391	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	7 3	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14280	C77393	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	7 2	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14282	C77395	C333	FAN SUPPY 90 000 CFM SIZE 11 TYPE LL	7 1	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14284	C77397	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	6 1	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14286	C77399	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	6 2	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14288	C77401	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	6 3	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14290	C77403	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	6 4	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14292	C77334	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	39934	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14294	C77336	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	39935	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14296	C77338	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	39936	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14298	C77340	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	39937	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14300	C77342	C333	FAN SUPPLY 90 000 CFM SIZE 11 TYPE L	39938	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14303	C77324	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39908	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14305	C77326	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39907	20	19540	4413	240	0	41182	21330	712	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	14307	C77328	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39906	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14309	C77330	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39905	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14311	C77332	C333	SUPPLY FAN 90 000 CFM SIZE UU INVENTO	39904	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14313	C77312	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39873	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14315	C77314	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39874	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14317	C77316	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39875	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14319	C77318	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39876	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14320	C77322	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39877	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14322	C77320	C333	SUPPLY FAN 90 000 CFM SIZE 11 INVENTO	39878	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14324	C77301	C333	SUPPLY FAN 90 000 CFM SIZE 11 TYPE LL	39850	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14326	C77303	C333	SUPPLY FAN 90 000 CFM SIZE 11 TYPE LL	39849	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14328	C77305	C333	SUPPLY FAN 90 000 CFM SIZE 11 TYPE LL	39848	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14330	C77307	C333	SUPPLY FAN 90 000 CFM SIZE 11 TYPE LL	39847	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14332	C77309	C333	SUPPLY FAN 90 000 CFM SIZE 11 TYPE LL	2 2	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14334	C77311	C333	SUPPLY FAN 90 000 CFM SIZE 11 TYPE LLD	2 1	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14336	C77279	C333	SUPPLY FAN 90 000 CFM SIZE 11 TYPE LL	1 1	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14338	C77281	C333	SUPPLY FAN 90 000 CFM 11 TYPE LLD INV	1 2	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14340	C77283	C333	SUPPLY FAN 90 000 CFM SIZE 11 TYPE LL	1 3	20	19540	4413	240	0	41182	21330	712	0	0
2	735	14342	C77285	C333	SUPPLY FAN 90 000 VFM SIZE 11 TYPE LL	1 4	20	19540	4412	240	0	41182	21330	712	0	0
2	735	14352	C80715	C333	LUBE OIL DRAIN TANK YEAR 1952 40 PSI	AGL 1053	40	19540	5624	480	0	41182	21330	712	0	0
2	735	14353	C80716	C333	LUBE OIL DRAIN TANK YEAR 1952 40 PSI	AGL 1058	40	19540	5624	480	0	41182	21330	712	0	0
2	735	14354	C82254	C333	LUBE OIL COOLER HSB #1384 WP 80# TEMP	H2921	20	19540	15797	240	0	41182	21330	712	0	0
2	735	14355	C82292	C333	BATTERY CHARGER OR (PHANO) VOLTS 220/44	N/A	10	19540	4573	120	0	41182	21330	712	0	0
2	735	14382	C80718	C333	LUBE OIL DRAIN TANK WT 13000 LBS CAP.	AGL 1061	40	19540	5623	480	0	41182	21330	712	0	0
2	735	14383	C80717	C333	LUBE OIL DRAIN TANK WT. 13000 LBS. CAP	AGL 1056	40	19540	5624	480	0	41182	21330	712	0	0
2	735	14384	C82255	C333	LUBE OIL COOLER HSB# 1385 WP SHELL 80#	2922	20	19540	15797	240	0	41182	21330	712	0	0
2	735	14385	C82291	C333	BATTERY OR PHANO CHARGER VOLTS 220/440	GEH 1495A	10	19540	4573	120	0	41182	21330	712	0	0
2	735	14394	C80720	C333	LUBE OIL DRAIN TANK WT. 13000 LBS CAPA	AGL 1060	40	19540	5624	480	0	41182	21330	712	0	0
2	735	14395	C80719	C333	LUBE OIL DRAIN TANK WT. 13000 LBS CAPA	AGL 1057	40	19540	5623	480	0	41182	21330	712	0	0
2	735	14396	C82256	C333	LUBE OIL COOLER SEE INVENTORY 49 PAGE	H 2920	20	19540	15797	240	0	41182	21330	712	0	0
2	735	14397	C82290	C333	BATTERY OR PHANO CHARGER AC VOLTS 220/	GEH 1495 A	10	19540	4574	120	0	41182	21330	712	0	0
2	735	14426	C77666	C333	GRAVITY SUPPLY TANK MAX. AWP 15 PSI MA	N/A	40	19540	6806	480	0	41182	21330	712	0	0
2	735	14427	C77670	C333	GRAVITY SUPPLY TANK MAX. AWP 15 PSI MA	N/A	40	19540	6807	480	0	41182	21330	712	0	0
2	735	14428	C77671	C333	GRAVITY SUPPLY TANK MAX. AWP 15PSI MAX	N/A	40	19540	6807	480	0	41182	21330	712	0	0
2	735	15003	C82894	C333	CONVERTER "000" CELL:2 STAGE:8 CONVERTE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15005	C82896	C333	CONVERTER "000" CELL:1.5 STAGE:5 CONVE	121U5	40	29189	213950	480	445.7291667	41182	11820	395	85	37886.97917
2	735	15006	C82897	C333	CONVERTER "000" CELL:3.7 STAGE:3 CONVE	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15007	C82495	C333	CONVERTER "000" CELL: 1.1 STAGE: 6 CON	121U7	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15008	C82898	C333	CONVERTER "000" CELL: 3.4 STAGE: 2 CON	121U8	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15009	C82899	C333	CONVERTER "000" CELL: 5-6 STAGE: 1 CO	121-U-9	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15010	C82900	C333	CONVERTER "000" CELL: 6.1 STAGE: 8. CO	121-U-10	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15015	C82905	C333	CONVERTER "000" CELL: STAGE: 4. CONVER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15016	C82906	C333	CONVERTR "000" CELL: 4.9 STAGE: 8. CON	121-U-16	40	28580	199903	480	416.4645833	41182	12420	415	65	27070.19792
2	735	15020	C82909	C333	CONVERTER "000" CELL: 5.7 STAGE: 5. CO	121-U-20	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15021	C82910	C333	CONVERTER "000" CELL: 9 STAGE: 5. CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15022	C82911	C333	CONVERTER "000" CELL: 6.8 STAGE: 1. CO	121-U-22	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15024	C82913	C333	CONVERTER "000" CELL: 5-6 STAGE: 4. CO	121-U-24	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15025	C82914	C333	CONVERTER "000" CELL: 3.9 STAGE: 1. CO	121-U-25	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15029	C82918	C333	CONVERTER "000" CELL: 1 STAGE: 2. CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15032	C82921	C333	CONVERTER"000" CELL: 3 STAGE: 7. CONVE	121-U-32	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15033	C82950	C333	CONVERTER "000" CELL: 4.8 STAGE: 2 CON	121-U-33	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15036	C82953	C333	CONVERTER"000" CELL: 3 STAGE: 3. CONVE	121-U-36	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15038	C82956	C333	CONVERTER "000" CELL 4.10 STAGE: 3 CO	121-U-38	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15040	C82958	C333	CONVERTER "000" CELL: 4.9 STAGE: 4. CO	121-U-40	40	28580	199903	480	416.4645833	41182	12420	415	65	27070.19792
2	735	15042	C82960	C333	CONVERTER "000" CELL:1.1 STAGE: 4. CON	121-U-42	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15044	C82962	C333	CONVERTER "000" CELL: 4.7 STAGE: 4. CO	N/A	40	28549	195226	480	406.7208333	41182	12450	416	64	26030.13333
2	735	15046	C82964	C333	CONVERTER "000" CELL:6 STAGE:7 CONVERT	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15047	C82965	C333	CONVERTER "000" CELL: 1.3 STAGE: 6 CON	121-U-47	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15048	C82966	C333	CONVERTER "000" CELL: 1.5 STAGE: 4 CON	121-U-48	40	29189	213950	480	445.7291667	41182	11820	395	85	37886.97917
2	735	15049	C82967	C333	CONVERTER "000" CELL: 4.9 STAGE: 3. CON	N/A	40	28580	199903	480	416.4645833	41182	12420	415	65	27070.19792
2	735	15050	C82968	C333	CONVERTER "000" CELL: 3.4 STAGE: 6 CON	121-U-50	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15051	C82969	C333	CONVERTER "000" CELL: 4.4 STAGE: 1 CON	121-U-51	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15052	C82970	C333	CONVERTER "000" CELL: 3.6 STAGE: 8.	121-U-52	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15054	C82972	C333	CONVERTER "000" CELL: 4.6 STAGE: 1 CON	121-U-54	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15055	C82973	C333	CONVERTER "000" CELL: 5.4 STAGE: 5 CON	121-U-55	40	29006	222315	480	463.15625	41182	12000	401	79	36589.34375
2	735	15056	C82974	C333	CONVERTER "000" CELL: 3.1 STAGE: 3 CON	N/A	40	28337	216791	480	451.6479167	41182	12660	423	57	25743.93125
2	735	15057	C82975	C333	CONVERTER "000" CELL:6 STAGE:8 CONVERT	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15059	C82977	C333	CONVERTER "000" CELL: 7 STAGE: 2. CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15060	C82978	C333	CONVERTER "000" CELL: 2 STAGE: 4. CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15062	C82980	C333	CONVERTR "000" CELL 5.3 STAGE: 7 CONVE	N/A	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15063	C82981	C333	CONVERTER "000" CELL: 3.4 STAGE: 4 CON	121-U-63	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15065	C82983	C333	CONVERTER "000" CELL: 6.3 STAGE: 4 CON	122-U-65	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	15066	C82984	C333	CONVERTER "OOO" CELL: 3.4 STAGE: 7 CO	4589	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15067	C82985	C333	CONVERTER "OOO" CELL: 5.4 STAGE: 8 CON	4854	40	29006	222315	480	463.15625	41182	12000	401	79	36589.34375
2	735	15068	C82986	C333	CONVERTER "OOO" CELL: 4.10 STAGE: 6 CO	4651	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15069	C82987	C333	CONVERTER "OOO" CELL: 1.4 STAGE: 6 CON	4838	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15070	C82988	C333	CONVERTER "OOO" CELL: 5.4 STAGE: 6 CON	4854	40	29006	222315	480	463.15625	41182	12000	401	79	36589.34375
2	735	15071	C82989	C333	CONVERTER "OOO" CELL: 5.4 STAGE: 4 CON	4854	40	29006	222315	480	463.15625	41182	12000	401	79	36589.34375
2	735	15072	C82990	C333	CONVERTER "OOO" CELL: 1.10 STAGE: 5 CO	4932	40	29159	225403	480	469.5895833	41182	11850	396	84	39445.525
2	735	15073	C82991	C333	CONVERTER "OOO" CELL: 3.4 STAGE: 1 CON	4589	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15074	C82992	C333	CONVERTER "OOO" CELL: 5 STAGE: 1 CONVE	4480	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15075	C82993	C333	CONVERTER "OOO" CELL: 3 STAGE: 6 CONVE	4604	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15076	C82994	C333	CONVERTER "OOO" CELL: 4.9 STAGE: 6 CON	N/A	40	28580	199903	480	416.4645833	41182	12420	415	65	27070.19792
2	735	15077	C82995	C333	CONVERTER "OOO" CELL: 1.5 STAGE: 3 CON	4948	40	29189	213950	480	445.7291667	41182	11820	395	85	37886.97917
2	735	15078	C82996	C333	CONVERTER "OOO" CELL: 1.7 STAGE: 1 CON	4994	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15079	C82997	C333	CONVERTER "OOO" CELL: 7 STAGE: 7 CONVE	4480	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15080	C82998	C333	CONVERTER "OOO" CELL: 3.10 STAGE: 1 CO	4589	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15081	C81377	C333	CONVERTER "OOO" CELL: 3.6 STAGE: 4 CON	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15082	C84000	C333	CONVERTER "OOO" CELL: 3.3 STAGE: 1 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15083	C84001	C333	CONVERTER "OOO" CELL: 6.7 STAGE: 2 CON	N/A	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15084	C84002	C333	CONVERTER "OOO" CELL: 6.9 STAGE: 1 CON	N/A	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15085	C84003	C333	CONVERTER "OOO" CELL: 1.7 STAGE: 5 CON	N/A	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15086	C84004	C333	CONVERTER "OOO" CELL: 5.9 STAGE: 7 CON	N/A	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15087	C84005	C333	CONVERTER "OOO" CELL: 3 STAGE: 1 CONVE	N/A	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15089	C84007	C333	CONVERTER "000" CELL-5 UNIT 1 STAGE-8	121U89	40	19540	94529	480	0	41182	21330	712	0	0
2	735	15090	C84008	C333	CONVERTER "OOO" CELL: 4.1 STAGE: 8 CON	N/A	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15092	C84010	C333	CONVERTER "OOO" CELL: 1.2 STAGE: 3 CON	N/A	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15093	C84011	C333	CONVERTER "OOO" CELL: 1.10 STAGE: 3 CO	N/A	40	29159	225403	480	469.5895833	41182	11850	396	84	39445.525
2	735	15094	C84012	C333	CONVERTER "OOO" CELL: 4.6 STAGE: 8 CON	N/A	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15095	C84013	C333	CONVERTER "OOO" CELL: 1.5 STAGE: 1 CON	N/A	40	29189	213950	480	445.7291667	41182	11820	395	85	37886.97917
2	735	15096	C84014	C333	CONVERTER "OOO" CELL: 5 STAGE: 6 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15097	C84015	C333	CONVERTER "OOO" CELL: 3.8 STAGE: 1 CON	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15098	C84016	C333	CONVERTER "OOO" CELL: 5.7 STAGE: 3 CON	N/A	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15100	C84026	C333	CONVERTER "OOO" CELL: 1.5 STAGE: 6 CON	N/A	40	29189	213950	480	445.7291667	41182	11820	395	85	37886.97917
2	735	15101	C84027	C333	CONVERTER "OOO" CELL: 5 STAGE: 2 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15102	C84017	C333	CONVERTER "OOO" CELL: 5 STAGE: 7 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15103	C84018	C333	CONVERTER "OOO" CELL: 4 STAGE: 5 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15104	C84019	C333	CONVERTER "OOO" CELL: 5 STAGE: 3 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15105	C84020	C333	CONVERTER "OOO" CELL: 6.7 STAGE: 1 CON	N/A	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15106	C84021	C333	CONVERTER "OOO" CELL: 3.4 STAGE: 3 CON	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15107	C84022	C333	CONVERTER "OOO" CELL: 2 STAGE: 1 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15108	C84023	C333	CONVERTER "OOO" CELL: 5.4 STAGE: 3 CON	N/A	40	29006	222315	480	463.15625	41182	12000	401	79	36589.34375
2	735	15109	C84024	C333	CONVERTER "OOO" CELL: 10 STAGE: 1 CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15111	C84028	C333	CONVERTER "OOO" CELL: 5.9 STAGE: 4 CON	N/A	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15112	C84029	C333	CONVERTER "OOO" CELL: 3.8 SSTAGE: 2 CO	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15113	C84030	C333	CONVERTER "OOO" CELL: 9 STAGE: 6 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15114	C84031	C333	CONVERTER "OOO" CELL: 3.5 STAGE: 6 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15115	C84032	C333	CONVERTER "OOO" CELL: 10 STAGE: 2 CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15117	C84034	C333	CONVERTER "OOO" CELL: 5.7 STAGE: 8 CON	N/A	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15120	C84037	C333	CONVERTER "OOO" CELL: 3.8 STAGE: 8 CON	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15121	C84038	C333	CONVERTER "OOO" CELL: 2 STAGE: 3 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15122	C84039	C333	CONVERTER "OOO" CELL: 5.7 STAGE: 7 CON	N/A	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15123	C84040	C333	CONVERTER "OOO" CELL: 3.10 STAGE: 3 CO	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15124	C84041	C333	CONVERTER "OOO" CELL: 3.3 STAGE: 8 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15128	C84045	C333	CONVERTER "OOO" CELL: 6.3 STAGE: 7 CON	N/A	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15130	C84047	C333	CONVERTER "OOO" CELL: 2 STAGE: 5 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15132	C84049	C333	CONVERTER "OOO" CELL: 5.2 STAGE: 6 CON	N/A	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15133	C84050	C333	CONVERTER "OOO" CONVERTER 000	121 U 133	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15134	C84051	C333	CONVERTER "OOO" CELL: 6.8 STAGE: 2 CON	121 U 134	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15137	C84054	C333	CONVERTER "OOO" CELL: 3.6 STAGE: 1 CON	121 U 137	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15139	C84056	C333	CONVERTER "OOO" CELL: 1.5 STAGE: 7 CON	121 U 139	40	29189	213950	480	445.7291667	41182	11820	395	85	37886.97917
2	735	15140	C84057	C333	CONVERTER "OOO" CELL: 3.10 STAGE: 7 CO	121 U 140	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15141	C84058	C333	CONVERTER "OOO" CELL: 3 STAGE: 2 CONVE	121 U 141	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15142	C84059	C333	CONVERTER "OOO" CELL: 6.3 STAGE: 3 CON	121 U 142	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15145	C84062	C333	CONVERTER "OOO" CELL: 3.3 STAGE: 3 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15146	C84063	C333	CONVERTER "OOO" CELL: 3.10 STAGE:8 CON	121 U 146	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15147	C84064	C333	CONVERTER "OOO" CELL: 1.2 STAGE: 5 CON	121 U 147	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15148	C84065	C333	CONVERTER "OOO" CELL: 7 CTAGE: 6 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15149	C84066	C333	CONVERTER "OOO" CELL: 3.8 STAGE: 6 CON	121 U 149	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15150	C84067	C333	CONVERTER "OOO" CELL: 8 STAGE: 3 CONVE	121 U 150	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15153	C84070	C333	CONVERTER "OOO" CELL: 6.1 STAGE: 3 CON	121 U 153	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15154	C84071	C333	CONVERTER "OOO" CELL: 1.9 STAGE: 1 CON	121 U 154	40	29159	225403	480	469.5895833	41182	11850	396	84	39445.525
2	735	15155	C84072	C333	CONVERTER "OOO" CELL: 3.8 STAGE: 7 CON	121 U 155	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15156	C84073	C333	CONVERTER "OOO" CELL: 10 STAGE: 5 CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	15157	C84074	C333	CONVERTER "OOO" CELL: 6.1 STAGE: 6 CON	121 U 157	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15158	C84075	C333	CONVERTER "OOO" CELL: 6.7 STAGE: 7 CON	121 U 158	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15159	C84076	C333	CONVERTER "OOO" CELL: 1.2 STAGE: 4 CON	121 U 159	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15160	C84077	C333	CONVERTER "OOO" CELL: 5.2 STAGE: 4 CON	121 U 160	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15162	C84079	C333	CONVERTER "OOO" CELL: 1.4 STAGE: 7 CON	121 U 162	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15164	C84081	C333	CONVERTER "OOO" CELL: 8 STAGE: 4 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15167	C84084	C333	CONVERTER "OOO" CELL: 1.7 STAGE: 3 CON	121 U 167	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15170	C84087	C333	CONVERTER "OOO" CELL: 3 STAGE: 8 CONVE	121 U 170	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15171	C84088	C333	CONVERTER 000	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15173	C84090	C333	CONVERTER "OOO" CELL: 3.6 STAGE: 7 CON	121 U 173	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15174	C84091	C333	CONVERTER "OOO" CELL: 1.4 STAGE: 5 CON	121 U 174	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15175	C84092	C333	CONVERTER "OOO" CELL: 1.4 STAGE: 8 CON	121 U 175	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15176	C84093	C333	CONVERTER "OOO" CELL: 3.9 STAGE: 2 CON	121 U 176	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15177	C84094	C333	CONVERTER "OOO" CELL: 5.8 STAGE: 1 CON	121 U 177	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15178	C84095	C333	CONVERTER "OOO" CELL: 4.4 STAGE: 5 CON	121 U 178	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15179	C84096	C333	CONVERTER "OOO" CELL: 3.10 STAGE: 3 CO	121 U 179	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15181	C84098	C333	CONVERTER "OOO" CELL: 8 STAGE: 7 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15182	C84099	C333	CONVERTER "OOO" CELL: 3.9 STAGE: 8 CON	121 U 182	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15183	C84100	C333	CONVERTER "OOO" CELL: 1.10 STAGE: 4 CO	121 U 183	40	29159	225403	480	469.5895833	41182	11850	396	84	39445.525
2	735	15184	C84101	C333	CONVERTER "OOO" CELL: 3.9 STAGE: 5 CON	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15187	C84104	C333	CONVERTER "OOO" CELL: 6.1 STAGE: 5 CON	121 U 187	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15188	C84105	C333	CONVERTER "000" CELL-5 UNIT 1 STAGE-7	121U188	40	19540	94529	480	0	41182	21330	712	0	0
2	735	15189	C84106	C333	CONVERTER "OOO" CELL:5 STAGE: 5 CONVER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15190	C84107	C333	CONVERTER "OOO" CELL: 3.9 STAGE: 3 CON	121 U 190	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15191	C84108	C333	CONVERTER "OOO" CELL: 3.3 STAGE: 5 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15193	C84110	C333	CONVERTER "OOO" CELL: 4.4 STAGE: 3 CON	121 U 193	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15194	C84111	C333	CONVERTER "OOO" HEAD SERIAL NUMBERS 121	121 U 194	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15195	C84112	C333	CONVERTER "OOO" CELL: 6.10 STAGE: 4 CO	N/A	40	29311	221037	480	460.49375	41182	11700	391	89	40983.94375
2	735	15196	C84113	C333	CONVERTER "OOO" CELL: 4.8 STAGE: 4 CON	121 U 196	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15197	C84114	C333	CONVERTER "OOO" CELL: 4.10 STAGE: 1 CO	121 U 197	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15198	C84115	C333	CONVERTER "OOO" HEAD SERIAL NUMBERS 121	121 U 198	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15199	C84116	C333	CONVERTER "OOO" CELL: 4.6 STAGE: 2 CON	121 U 199	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15202	C84119	C333	CONVERTER "OOO" CELL: 3.8 STAGE: 5 CON	121 U 202	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15204	C84121	C333	CONVERTER "OOO" CELL: 5.7 STAGE: 6 CON	121 U 204	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15205	C84122	C333	CONVERTER "OOO" CELL: 5 STAGE: 8 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15206	C84123	C333	CONVERTER "OOO" CELL: 3.3 STAGE: 6 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15208	C84125	C333	CONVERTER "OOO" CELL: 8 STAGE: 3 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15209	C84126	C333	CONVERTER "OOO" CELL: 10 STAGE: 8 CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15211	C84128	C333	CONVERTER "OOO" CELL: 6.7 STAGE: 6 CON	121 U 211	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15212	C84129	C333	CONVERTER "OOO" CELL: 4.8 STAGE: 5 CON	121 U 212	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15218	C84135	C333	CONVERTER "OOO" CELL:4.4 STAGE: 5 CONV	121 U 218	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15220	C84137	C333	CONVERTER "OOO" CELL: 8 STAGE: 2 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15221	C84138	C333	CONVERTER "OOO" CELL: 4.1 STAGE: 2 CON	126 U 221	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15222	C84139	C333	CONVERTER "OOO" CELL: 5.3 STAGE: 1 CON	121 U 222	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15224	C84141	C333	CONVERTER "OOO" CELL:1.4 STAGE: 4 CONV	121 U 224	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15225	C84142	C333	CONVERTER "OOO" CELL: 1 STAGE: 6 CONV	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15226	C84143	C333	CONVERTER "OOO" HEAD SERIAL NUMBERS 121	121 U 226	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15228	C84145	C333	CONVERTER "000" CELL:6 STAGE:6 CONVERT	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15229	C84146	C333	CONVERTER "OOO" HEAD SERIAL NUMBERS 121	121 U 229	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15230	C84147	C333	CONVERTER "OOO" CELL: 6.7 STAGE: 8 CON	121 U 230	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15231	C84148	C333	CONVERTER "OOO" CELL: 8 STAGE: 1 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15233	C84150	C333	CONVERTER "OOO" CELL: 2 STAGE: 7 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15236	C84153	C333	CONVERTER "OOO" CELL: 8 STAGE: 5 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15237	C84154	C333	CONVERTER "000" CELL-5 UNIT 1 STAGE-5	121U237	40	19540	94530	480	0	41182	21330	712	0	0
2	735	15238	C84155	C333	CONVERTER "000" CELL:6 STAGE:5 CONVERT	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15239	C84156	C333	CONVERTER "OOO" CELL: 5.9 STAGE: 6 CON	121 U 239	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15240	C84157	C333	CONVERTER "OOO" CELL: 3.10 STAGE: 4 CO	N/A	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15244	C84161	C333	CONVERTER "000" CELL:6 STAGE:2 CONVERT	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15246	C84163	C333	CONVERTER "OOO" CELL: 4.6 STAGE: 5 CON	121 U 246	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15248	C84165	C333	CONVERTER "000" CELL:6 STAGE:3 CONVERT	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15249	C84166	C333	CONVERTER "OOO" CELL: 3.3 STAGE: 4 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15250	C84167	C333	CONVERTER "OOO" CELL: 5.5 STAGE: 2 CON	121 U 250	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15251	C84168	C333	CONVERTER "OOO" CELL: 6.3 STAGE: 6 CON	121 U 251	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15252	C84169	C333	CONVERTER "OOO" CELL: 1.7 STAGE: 7 CON	121 U 252	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15253	C84170	C333	CONVERTER "OOO" CELL: 6.10 STAGE: 2 CO	N/A	40	29311	221037	480	460.49375	41182	11700	391	89	40983.94375
2	735	15254	C84171	C333	CONVERTER "OOO" CELL: 3.7 STAGE: 1 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15255	C84172	C333	CONVERTER "OOO" CELL: 3.3 STAGE: 7 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15256	C84173	C333	CONVERTER "OOO" CELL: 6.7 STAGE: 4 CON	121 U 256	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15257	C84174	C333	CONVERTER "OOO" CELL: 5.8 STAGE: 3 CON	121 U 257	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15258	C84175	C333	CONVERTER "OOO" CELL: 1.9 STAGE: 4 CON	121 U 258	40	29159	225403	480	469.5895833	41182	11850	396	84	39445.525
2	735	15259	C84176	C333	CONVERTER "OOO" CELL: 6.3 STAGE: 1 CON	121 U 259	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15260	C84177	C333	CONVERTER "OOO" CELL: 1.7 STAGE: 6 CON	121 U 260	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	15261	C84178	C333	CONVERTER "OOO" CELL: 6.1 STAGE: 7 CON	121 U 261	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15262	C84179	C333	CONVERTER "OOO" CELL: 7 STAGE: 1 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15264	C84181	C333	CONVERTER "OOO" CELL: 3 STAGE: 7 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15266	C84183	C333	CONVERTER "000" CELL:9 STAGE:4 CONVERT	121U266	40	19540	94579	480	0	41182	21330	712	0	0
2	735	15269	C84186	C333	CONVERTR "OOO" CELL: 1.7 STAGE: 4 CONV	121 U 269	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15270	C84187	C333	CONVERTER "OOO" CELL: 1.3 STAGE: 8 CON	121 U 270	40	29189	213950	480	445.7291667	41182	11820	395	85	37886.97917
2	735	15271	C84188	C333	CONVERTER "OOO" CELL: 5.8 STAGE: 7 CON	121 U 271	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15272	C84228	C333	CONVERTER "OOO" CELL: 3.5 STAGE: 5 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15274	C84230	C333	CONVERTER "000" CELL:6 STAGE:1 CONVERT	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15276	C84232	C333	CONVERTER "OOO" CELL: 4.2 STAGE: 2 CON	121 U 276	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15277	C84233	C333	CONVERTER "OOO" CELL: 9 STAGE: 8 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15279	C84235	C333	CONVERTER "OOO" CELL: 1 STAGE: 8 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15281	C84236	C333	CONVERTER "OOO" CELL: 3.5 STAGE: 2 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15282	C84241	C333	CONVERTER "OOO" CELL: 1.1 STAGE: 8 CON	121 U 282	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15283	C84237	C333	CONVERTER "OOO" CELL: 3.4 STAGE: 8 CON	121 U 283	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15284	C84242	C333	CONVERTER "OOO" CELL: 3 STAGE: 2 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15285	C84238	C333	CONVERTER "OOO" CELL: 3.7 STAGE: 7 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15286	C84239	C333	CONVERTER "OOO" CELL: 3.5 STAGE: 4 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15288	C84244	C333	CONVERTER "OOO" CELL: 3 STAGE: 8 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15291	C84247	C333	CONVERTER "OOO" CELL: 3.8 STAGE: 4 CON	121 U 291	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15295	C84251	C333	CONVERTER "OOO" CELL: 4.2 STAGE: 6 CO	121 U 295	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15296	C84252	C333	CONVERTER "000" CELL: 1.7 STAGE: 8 CONVE	121 U 296	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15300	C84256	C333	CONVERTER "000" CELL: 3.10 STAGE: 2 CONV	121 U 300	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15301	C84257	C333	CONVERTER "000" CELL:1 STAGE:3 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15303	C84259	C333	CONVERTER "000" CELL:5.2 STAGE:7 CONVERT	121 U 303	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15304	C84260	C333	CONVERTER "000" CEL:3.10 STAGE:6 CONVERT	121 U 304	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15305	C84261	C333	CONVERTER "000" CELL:4.4 STAGE:7 CONVERT	121 U 305	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15307	C84263	C333	CONVERTER "000" CELL:3.7 STAGE:4 CONVERT	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15308	C84264	C333	CONVERTER "000" CELL:59 STAGE:2 CONVERTE	121 U 308	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15312	C84268	C333	CONVERTER "000" CELL:4.10 STAGE:5 CONVER	121 U 312	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15313	C84269	C333	CONVERTER "000" CELL:7 STAGE:8 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15314	C84270	C333	CONVERTER "000" CELL:6.10 STAGE:7 CONVER	N/A	40	29311	221037	480	460.49375	41182	11700	391	89	40983.94375
2	735	15315	C84271	C333	CONVERTER "000" CELL:3 STAGE:3 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15316	C84272	C333	CONVERTER "000" CELL:6.7 STAGE:3 CONVERT	121 U 316	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15317	C84273	C333	CONVERTER "000" CELL:1.4 STAGE:1 CONVERT	121 U 317	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15318	C84274	C333	CONVERTER "000" CELL:3.7 STAGE:8 CONVERT	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15319	C84275	C333	CONVERTER "000" CELL:10 STAGE:3 CONVERTE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15324	C85009	C333	CONVERTER "000" CELL:3.7 STAGE:5 CONVERT	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15325	C84280	C333	CONVERTER "000" CELL:3.7 STAGE:5 CONVERT	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15327	C84282	C333	CONVERTER "000" CELL:1.2 STAGE:8 CONVERT	121 U 327	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15328	C84283	C333	CONVERTER "000" CELL:8 STAGE:6 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15329	C84284	C333	CONVERTER 000	N/A	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15334	C84288	C333	CONVERTER "000" CELL:4.2 STAGE:8 CONVERT	121 U 334	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15336	C84290	C333	CONVERTER "000" CELL:8 STAGE:8 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15339	C84293	C333	CONVERTER "000" CELL:1.1 STAGE:2 CONVERT	121 U 339	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15340	C84294	C333	CONVERTER "000" CELL:3.6 STAGE:6 CONVERT	121 U 340	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15341	C84295	C333	CONVERTER 000	N/A	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15342	C84296	C333	CONVERTER "000" CELL:5.9 STAGE:8 CONVERT	121 U 341	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15343	C84297	C333	CONVERTER "000" CELL:4.2 STAGE:4 CONVERT	121 U 343	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15344	C84298	C333	CONVERTER "000" CELL:5.2 STAGE:5 CONVERT	121 U 344	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15345	C84300	C333	CONVERTER "000" CELL:9 STAGE:3 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15347	C84302	C333	CONVERTER "000" CELL:9 STAGE:4 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15348	C84303	C333	CONVERTER "000" CELL:5.8 STAGE:5 CONVERT	121 U 348	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15349	C84299	C333	CONVERTER "000" CELL:5.8 STAGE:6 CONVERT	121 U 349	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15351	C84305	C333	CONVERTER "000" CELL:9 STAGE:2 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15352	C84306	C333	CONVERTER "000" CELL:9 STAGE:1 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15353	C84307	C333	CONVERTER "OOO" CELL: 4.2 STAGE: 1 CON	121 U 353	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15355	C84309	C333	CONVERTER "OOO" CELL: 6.1 STAGE: 1 CON	121 U 355	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15356	C84310	C333	CONVERTER "OOO" CELL: 1.8 STAGE: 4 CON	121 U 356	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15357	C84311	C333	CONVERTER "OOO" CELL: 3.1 STAGE: 8 CON	N/A	40	28337	216791	480	451.6479167	41182	12660	423	57	25743.93125
2	735	15360	C84313	C333	CONVERTER "OOO" CELL: 1.5 STAGE: 2 CON	121 U 360	40	29189	213950	480	445.7291667	41182	11820	395	85	37886.97917
2	735	15361	C84314	C333	CONVERTER "OOO" CELL: 3 STAGE: 4 CONVE	121 U 361	40	28521	192599	480	401.2479167	41182	12480	417	63	25278.61875
2	735	15363	C84316	C333	CONVERTER "OOO" CELL: 4 STAGE: 8 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15364	C84318	C333	CONVERTER "OOO" CELL: 4.9 STAGE: 6 CON	121 U 364	40	28580	199903	480	416.4645833	41182	12420	415	65	27070.19792
2	735	15365	C84319	C333	CONVERTER "OOO" CELL: 5.3 STAGE: 8 CON	121 U 365	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15366	C84320	C333	CONVERTER "OOO" CELL: 5.7 STAGE: 4 CON	121 U 366	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15369	C84323	C333	CONVERTER "OOO" CELL: 6.5 STAGE: 8 CON	121 U 369	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15370	C84324	C333	CONVERTER "OOO" CELL: 6.7 STAGE: 5 CON	121 U 370	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15372	C84326	C333	CONVERTER "OOO" CELL: 4.8 STAGE: 1 CON	121 U 372	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15373	C84327	C333	CONVERTER "OOO" CELL: 3.5 STAGE: 1 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15374	C84328	C333	CONVERTER "OOO" CELL: 3.6 STAGE: 2 CON	121 U 374	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15375	C84329	C333	CONVERTER "OOO" CELL: 5.8 STAGE: 4 CON	121 U 375	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	15377	C84331	C333	CONVERTER "OOO" CELL: 1 STAGE: 7 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15378	C84332	C333	CONVERTER "OOO" CELL: 5.9 STAGE: 5 CON	121 U 378	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15380	C84334	C333	CONVERTER "OOO" CELL: 1.2 STAGE: 2 CON	121 U 380	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15381	C84335	C333	CONVERTER "OOO" CELL:3.7 STAGE: 2 CON	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15382	C84336	C333	CONVERTER "OOO" CELL: 1.2 STAGE: 7 CON	121 U 382	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15383	C84337	C333	CONVERTER "OOO" CELL: STAGE: CONVERTE	121 U 383	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15384	C84338	C333	CONVERTER "OOO" CELL: 1.2 STAGE: 6 CON	121 U 384	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15385	C84339	C333	CONVERTER "OOO" CELL: 6.9 STAGE: 8 CON	121 U 385	40	29280	221139	480	460.70625	41182	11730	392	88	40542.15
2	735	15386	C84340	C333	CONVERTER "OOO" CELL: 1.9 STAGE: 6 CON	121 U 386	40	29159	225403	480	469.5895833	41182	11850	396	84	39445.525
2	735	15389	C84343	C333	CONVERTER "OOO" CELL: 3.9 STAGE: 6 CON	121 U 389	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15390	C84344	C333	CONVERTER "OOO" CELL: 1.10 STAGE: 6 CO	121 U 390	40	29159	225403	480	469.5895833	41182	11850	396	84	39445.525
2	735	15391	C84345	C333	CONVERTER "OOO" CELL: 1.8 STAGE: 6 CON	121 U 391	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15392	C84346	C333	CONVERTER "OOO" CELL: 6.10 STAGE: 1 CO	N/A	40	29311	221037	480	460.49375	41182	11700	391	89	40983.94375
2	735	15394	C84348	C333	CONVERTER "OOO" CELL: 1.8 STAGE: 5 CON	121 U 394	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15395	C84349	C333	CONVERTER "OOO" CELL: 5.9 STAGE: 1 CON	121 U 395	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15396	C84350	C333	CONVERTER "OOO" CELL: 1.8 STAGE: 2 CON	121 U 396	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15398	C84352	C333	CONVERTER "OOO" CELL: 1.1 STAGE: 1 CON	121 U 398	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15399	C85010	C333	CONVERTER "OOO" CELL: 5.6 STAGE: 3 CON	121 U 399	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15400	C84353	C333	CONVERTER "OOO" CELL: 5.10 STAGE: 8 CO	121 U 400	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15401	C84354	C333	CONVERTER "OOO" CELL: 1.8 STAGE: 3 CON	121 U 401	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15402	C84355	C333	CONVERTER "OOO" CELL: 1.4 STAGE: 5 CON	121 U 402	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15403	C84189	C333	CONVERTER "OOO" CELL: 1.4 STAGE: 3 CON	121 U 403	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15404	C84190	C333	CONVERTER "OOO" CELL: 4.6 STAGE: 8 CON	121 U 404	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15405	C84191	C333	CONVERTER "OOO" CELL: 1.6 STAGE: 5 CON	121 U 405	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15409	C84195	C333	CONVERTER 000	N/A	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15410	C84196	C333	CONVERTER "000" CELL:6.10 STAGE:6 CONVER	N/A	40	29311	221037	480	460.49375	41182	11700	391	89	40983.94375
2	735	15411	C84197	C333	CONVERTER "000" CELL:5.5 STAGE:5 CONVERT	121 U 411	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15412	C84198	C333	CONVERTER "000" CELL:1.8 STAGE:7 CONVERT	121 U 412	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15414	C82496	C333	CONVERTER TYPE 000 UNIT INVENTORY 48 P	121 U 414	40	19540	40495	480	0	41182	21330	712	0	0
2	735	15415	C84200	C333	CONVERTER "000" CELL:1.9 STAGE:2 CONVERT	121 U 415	40	29159	225403	480	469.5895833	41182	11850	396	84	39445.525
2	735	15417	C84202	C333	CONVERTER "000" CELL:6.8 STAGE:8 CONVERT	121 U 417	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15418	C84203	C333	CONVERTER "000" CELL:5.2 STAGE:3 CONVERT	121 U 418	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15419	C84204	C333	CONVERTER 000	N/A	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15420	C84205	C333	CONVERTER "000" CELL:5.10 STAGE:6 CONVER	121 U 420	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15421	C84206	C333	CONVERTER "000" CELL:5.4 STAGE:2 CONVERT	121 U 421	40	29006	222315	480	463.15625	41182	12000	401	79	36589.34375
2	735	15422	C84207	C333	CONVERTER "000" CELL:6.10 STAGE:5 CONVER	N/A	40	29311	221037	480	460.49375	41182	11700	391	89	40983.94375
2	735	15423	C84208	C333	CONVERTER "000" CELL:10 STAGE:6 CONVERTE	N/A	40	28886	218594	480	455.4041667	41182	12120	405	75	34155.3125
2	735	15424	C84209	C333	CONVERTER "000" CELL:4.9 STAGE:5 CONVERT	121 U 424	40	28580	199903	480	416.4645833	41182	12420	415	65	27070.19792
2	735	15427	C84212	C333	CONVERTER "000" CELL:9 STAGE:7 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15429	C84214	C333	CONVERTER "000" CELL:1.6 STAGE :2 CONVER	121 U 429	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15430	C84215	C333	CONVERTER "000" CELL:5.2 STAGE:8 CONVERT	121 U 430	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15432	C84217	C333	CONVERTER "000" CELL:1.6 STAGE:3 CONVERT	121 U 432	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15433	C84218	C333	CONVERTER 000	N/A	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15435	C84221	C333	CONVERTER "000" CELL:1.8 STAGE:1 CONVERT	121 U 435	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15436	C84222	C333	CONVERTER "000" CELL:4.10 STAGE:8 CONVER	121 U 436	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15437	C84223	C333	CONVERTER "000" CELL:4.6 STAGE:4 CONVERT	121 U 437	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15439	C84225	C333	CONVERTER "000" CELL:1.6 STAGE:6 CONVERT	121 U 439	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15440	C84226	C333	CONVERTER "000" CELL:6.8 STAGE:3 CONVERT	121 U 440	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15443	C84356	C333	CONVERTER 000	N/A	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15445	C84358	C333	CONVERTER "000" CELL:4.8 STAGE:6 CONVERT	121 U 445	40	28671	218715	480	455.65625	41182	12330	412	68	30984.625
2	735	15446	C84359	C333	CONVERTER "000" CELL:4.7 STAGE:8 CONVERT	N/A	40	28549	195226	480	406.7208333	41182	12450	416	64	26030.13333
2	735	15449	C84362	C333	CONVERTER "000" CELL:5.10 STAGE:3 CONVER	121 U 449	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15451	C84363	C333	CONVERTER "000" CELL:5.4 STAGE:1 CONVERT	121 U 451	40	29006	222315	480	463.15625	41182	12000	401	79	36589.34375
2	735	15453	C84365	C333	CONVERTER "000" CELL:4.7 STAGE:6 CONVERT	N/A	40	28549	195226	480	406.7208333	41182	12450	416	64	26030.13333
2	735	15455	C84367	C333	CONVERTER "000" CELL:1.4 STAGE:2 CONVERT	121 U 455	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15456	C84368	C333	CONVERTER "000" CELL:5.10 STAGE:5 CONVER	121 U 456	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15457	C84369	C333	CONVERTER "000" CELL:5.6 STAGE:5 CONVERT	121 U 457	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15462	C84374	C333	CONVERTER TYPE 000 UNIT CELL-8 STAGE-	121U462	40	19540	95511	480	0	41182	21330	712	0	0
2	735	15463	C84375	C333	CONVERTER "000" CELL:6.8 STAGE:4 CONVERT	121 U 463	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15464	C84376	C333	CONVERTER "000" CELL:4.10 STAGE:7 CONVER	121 U 464	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15465	C84377	C333	CONVERTER "000" CELL:4.10 STAGE:2 CONVER	121 U 465	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15466	C84378	C333	CONVERTER "000" CELL:4.10 STAGE:4 CONVER	121 U 466	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15467	C84379	C333	CONVERTER "000" CELL:1.2 STAGE:1 CONVERT	121 U 467	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15468	C84380	C333	CONVERTER "000" CELL:5.5 STAGE:8 CONVERT	121 U 468	40	28855	218467	480	455.1395833	41182	12150	406	74	33680.32917
2	735	15469	C84381	C333	CONVERTER "000" CELL:3.5 STAGE:8 CONVERT	N/A	40	28398	219107	480	456.4729167	41182	12600	421	59	26931.90208
2	735	15470	C84382	C333	CONVERTER "000" CELL:3.6 STAGE:5 CONVERT	121 U 470	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15471	C84383	C333	CONVERTER "000" CELL:1.1 STAGE:3 CONVERT	121 U 471	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15473	C84385	C333	CONVERTER "000" CELL:1.6 STAGE:1 CONVERT	121 U 473	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15475	C84387	C333	CONVERTER 000	N/A	40	28975	220271	480	458.8979167	41182	12030	402	78	35794.0375
2	735	15476	C84388	C333	CONVERTER "000" CELL:5.10 STAGE:1 CONVER	121 U 476	40	28886	220295	480	458.9479167	41182	12120	405	75	34421.09375
2	735	15477	C84389	C333	CONVERTER 000	N/A	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15480	C84392	C333	CONVERTER "000" CELL:1.1 STAGE:7 CONVERT	121 U 480	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	15482	C84394	C333	CONVERTER "000" CELL:3.9 STAGE:4 CONVERT	121 U 482	40	28490	192599	480	401.2479167	41182	12510	418	62	24877.37083
2	735	15483	C84395	C333	CONVERTER "000" CELL:5.6 STAGE:2 CONVERT	121 U 483	40	28975	220069	480	458.4770833	41182	12030	402	78	35761.2125
2	735	15484	C84396	C333	CONVERTER "000" CELL:5.9 STAGE:3 CONVERT	121 U 484	40	28886	220092	480	458.525	41182	12120	405	75	34389.375
2	735	15486	C84398	C333	CONVERTER "000" CELL:3.9 STAGE:7 CONVERT	121 U 486	40	28490	192396	480	400.825	41182	12510	418	62	24851.15
2	735	15487	C84399	C333	CONVERTER "OOO" CELL:1.10 STAGE:7 CONVER	121 U 487	40	29159	225200	480	469.1666667	41182	11850	396	84	39410
2	735	15488	C84400	C333	CONVERTER "000" CELL:5.6 STAGE:7 CONVERT	121 U 488	40	28975	220068	480	458.475	41182	12030	402	78	35761.05
2	735	15490	C84401	C333	CONVERTER "000" CELL:6.8 STAGE:+ CONVERT	121 U 490	40	29829	219694	480	457.6958333	41182	11190	374	106	48515.75833
2	735	15491	C84402	C333	CONVERTER "000" CELL:5.7 STAGE:1 CONVERT	121 U 491	40	28855	218264	480	454.7166667	41182	12150	406	74	33649.03333
2	735	15492	C84403	C333	CONVERTER "000" CELL:4.6 STAGE:3 CONVERT	N/A	40	28671	218512	480	455.2333333	41182	12330	412	68	30955.86667
2	735	15493	C84404	C333	CONVERTER "000" CELL:1.8 STAGE:8 CONVERT	N/A	40	29036	221835	480	462.15625	41182	11970	400	80	36972.5
2	735	15494	C84405	C333	CONVERTER "000" CELL:3.5 STAGE:7 CONVER	N/A	40	28398	218904	480	456.05	41182	12600	421	59	26906.95
2	735	15495	C84406	C333	CONVERTER "000" CELL:5.4 STAGE:7 CONVERT	121 U 495	40	29006	222112	480	462.7333333	41182	12000	401	79	36555.93333
2	735	15497	C84407	C333	CONVERTER "000" CELL:4.8 STAGE:7 CONVERT	N/A	40	28671	218512	480	455.2333333	41182	12330	412	68	30955.86667
2	735	16559	C78174	C333	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107074	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16587	C78178	C333	MOTOR 950 HP 4160 V. 112 A 3 PHASE	107087	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16739	C80764	C333	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107265	20	19755	11051	240	0	41182	21120	705	0	0
2	735	17737	C82282	C333	KINNEY VACUUM PUMP 300 CFM 6 V BELT DR	14392	15	16468	3118	180	0	41182	24360	813	0	0
2	735	17741	C82281	C333	KINNEY VACUUM PUMP 300 CFM 6 BELT DRIV	14597	15	16649	3227	180	0	41182	24180	807	0	0
2	735	17757	C82275	C333	PUMP VACUUM KINNEY 300 CFM 6 V BELT	14552	15	16649	3226	180	0	41182	24180	807	0	0
2	735	17767	C82280	C333	KINNEY VACUUM PUMP 300 CFM 6 V BELT DR	14417	15	16284	3005	180	0	41182	24540	819	0	0
2	735	18116	C80761	C333	CENTRIFUGAL COMPRESSOR TYPE IMPELLER HP	FRD1AS316	40	19540	11971	480	0	41182	21330	712	0	0
2	735	18128	C78188	C333	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL. C	1AD7217	40	17075	6302	480	0	41182	23760	793	0	0
2	735	19083	C80762	C333	PUMP MODIFIED CENTRIFUGAL ALLIS CHALM	1AS317	40	19540	12122	480	0	41182	21330	712	0	0
2	735	19282	C82276	C333	VACUUM PUMP TYPE DVD SIZE 14-9-18 303	14579	15	20240	2377	180	0	41182	20640	689	0	0
2	735	19356	C82279	C333	PUMP VACUUM 300 CFM SIZE 14 9 18 6 V	14664	15	16649	3960	180	0	41182	24180	807	0	0
2	735	19366	C78180	C333	CENTRIFUGAL PUMP SIZE COMP CASING 38A	2A6060	40	16649	13926	480	0	41182	24180	807	0	0
2	735	19499	C78154	C333	MOTOR ELECTRIC 700 HP 4160 V. 60 CYC	2S50P650	20	19997	13039	240	0	41182	20880	697	0	0
2	735	23001	C84810	C333	CONVERTER "00" CELL 1.10 STAGE 2 CONVE	126-U-86	40	29159	225060	480	468.875	41182	11850	396	84	39385.5
2	735	23003	C84812	C333	CONVERTER "00" CELL 4.7 STAGE 3 CONVER	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23007	C84816	C333	CONVERTER "000" CELL 3 STAGE 5 CONVERT	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23008	C84817	C333	CONVERTER "000" CELL 5 STAGE 4 CONVERT	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23009	C84818	C333	CONVERTER "000" CELL 3.1 STAGE 1 CONVE	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23010	C84819	C333	CONVERTER "000" CELL 4.5 STAGE 5.8 CON	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23012	C84821	C333	CONVERTER "000" CELL 5.6 STAGE 6. CONV	N/A	40	28975	219928	480	458.1833333	41182	12030	402	78	35738.3
2	735	23015	C84824	C333	CONVERTER "OOO" CELL: 1.9 STAGE: 8 CON	126 U 207	40	29159	225060	480	468.875	41182	11850	396	84	39385.5
2	735	23017	C84826	C333	CONVERTER "OOO" CELL: 4 STAGE: 7 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23020	C84829	C333	CONVERTER "OOO" CELL: 3 STAGE: 1 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23024	C84833	C333	CONVERTER "OOO" CELL: 1.10 STAGE: 1 CO	126 U 251	40	29159	225060	480	468.875	41182	11850	396	84	39385.5
2	735	23025	C84834	C333	CONVERTER "OOO" CELL: 5.1 STAGE: 8 CON	126 U 278	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23028	C84835	C333	CONVERTER "OOO" CELL: 1.9 STAGE: 5 CON	126 U 19	40	29159	225060	480	468.875	41182	11850	396	84	39385.5
2	735	23032	C84840	C333	CONVERTER "OOO" INVENTORY 74 PAGE 16 O	126 U 76	40	19997	41273	480	0	41182	20880	697	0	0
2	735	23036	C84844	C333	CONVERTER "OOO" CELL: 6.1 STAGE: 2 CON	126 U 70	40	29098	224747	480	468.2229167	41182	11910	398	82	38394.27917
2	735	23042	C84849	C333	CONVERTER "OOO" CELL: 6.9 STAGE: 5 CON	126 U 63	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23045	C84851	C333	CONVERTER "OOO" CELL: 4.6 STAGE: 6 CON	126 U 83	40	28671	218372	480	454.9416667	41182	12330	412	68	30936.03333
2	735	23046	C84852	C333	CONVERTER "OOO" CELL: 1.9 STAGE: 3 CON	126 U 10	40	29159	225060	480	468.875	41182	11850	396	84	39385.5
2	735	23047	C84853	C333	CONVERTER "OOO" CELL: 6.9 STAGE: 6 CON	126 U 11	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23048	C84854	C333	CONVERTER "OOO" CELL: 4.8 STAGE: 3 CON	126 U 22	40	28671	218372	480	454.9416667	41182	12330	412	68	30936.03333
2	735	23060	C84863	C333	CONVERTER "OOO" CELL: 3.6 STAGE: 3 CON	126 U 129	40	28490	192256	480	400.5333333	41182	12510	418	62	24833.06667
2	735	23062	C84865	C333	CONVERTER "OOO" CELL: 4.6 STAGE: 7 CON	126 U 32	40	28671	218372	480	454.9416667	41182	12330	412	68	30936.03333
2	735	23066	C84869	C333	CONVERTER "OOO" CELL: 1 STAGE: 4 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23067	C84870	C333	CONVERTER "OOO" CELL: 6.10 STAGE: 8 CO	N/A	40	29311	220694	480	459.7791667	41182	11700	391	89	40920.34583
2	735	23068	C84871	C333	CONVERTER "OOO" CELL: 6.9 STAGE: 2 CON	126 U 315	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23069	C84872	C333	CONVERTER "OOO" INVENTORY 74 PAGE 10 O	126 U 3	40	19997	41272	480	0	41182	20880	697	0	0
2	735	23070	C84873	C333	CONVERTER "OOO" CELL: 6.9 STAGE: 7 CON	126 U 5	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23071	C84874	C333	CONVERTER "000" CELL 6.9 STAGE 3 CONVE	126U332	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23077	C84880	C333	CONVERTER TYPE 000 CELL-8 STAGE-3 CON	126U205	40	19997	41272	480	0	41182	20880	697	0	0
2	735	23079	C84882	C333	CONVERTER "000" CELL 3.5 STAGE 3 CONVE	N/A	40	28398	218764	480	455.7583333	41182	12600	421	59	26889.74167
2	735	23084	C84887	C333	CONVERTER "000" CELL 6.9 STAGE 4 CONVE	126U309	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23085	C84888	C333	CONVERTER "000" CELL 4.8 STAGE 8 CONVE	126U443	40	28671	218372	480	454.9416667	41182	12330	412	68	30936.03333
2	735	23087	C84890	C333	CONVERTER "000" CELL 4.4 STAGE 2. CONV	126U199	40	28702	218474	480	455.1541667	41182	12300	411	69	31405.6375
2	735	23088	C84891	C333	CONVERTER "000" CELL 1.9 STAGE 7 CONVE	126U135	40	29159	225060	480	468.875	41182	11850	396	84	39385.5
2	735	23090	C84893	C333	CONVERTER TYPE 000 CELL-3 STAGE-2 CON	126U141	40	19997	93658	480	0	41182	20880	697	0	0
2	735	23091	C84894	C333	CONVERTER "000" CELL 1.6 STAGE 8 CONVE	126U142	40	28975	219928	480	458.1833333	41182	12030	402	78	35738.3
2	735	23093	C84896	C333	CONVERTER "000" CELL 4.7 STAGE 1 CONVE	N/A	40	28549	194882	480	406.0041667	41182	12450	416	64	25984.26667
2	735	23095	C84897	C333	CONVERTER "000" CELL 6.3 STAGE 5 CONVE	126U158	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23099	C84900	C333	CONVERTER "000" CELL 4.4 STAGE 4 CONVE	126U261	40	28702	218474	480	455.1541667	41182	12300	411	69	31405.6375
2	735	23100	C82193	C333	CONVERTER "000" CELL 9 STAGE 3 CONVERT	N/A	40	19997	40341	480	0	41182	20880	697	0	0
2	735	23101	C84901	C333	CONVERTER "000" CELL 4.7 STAGE 7 CONVE	N/A	40	28549	194882	480	406.0041667	41182	12450	416	64	25984.26667
2	735	23103	C84903	C333	CONVERTER "000" CELL 4.1 STAGE 1 CONVE	126U325	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23106	C84906	C333	CONVERTER "000" CELL 6.3 STAGE 8 CONVE	126U181	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23118	C85032	C333	CONVERTER "000" CELL 4.3 STAGE 8 CONVE	126U295	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23119	C85033	C333	CONVERTER "000" CELL 4.3 STAGE 6 CONVE	126U296	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23121	C85035	C333	CONVERTER "000" CELL 4.4 STAGE 8 CONVE	126U363	40	28702	218474	480	455.1541667	41182	12300	411	69	31405.6375
2	735	23123	C85037	C333	CONVERTER "000" CELL 4.1 STAGE 7 CONVE	126U292	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23124	C82192	C333	CONVERTER "000" CELL 9 STAGE 8 CONVERT	N/A	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23125	C85038	C333	CONVERTER "000" CELL 4.3 STAGE 5 CONVE	126U299	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23128	C85041	C333	CONVERTER "000" CELL 1 STAGE 1 CONVERT	N/A	40	28276	218250	480	454.6875	41182	12720	425	55	25007.8125
2	735	23129	C85042	C333	CONVERTER "000" CELL 5.5 STAGE 3 CONVE	126U112	40	28855	218123	480	454.4229167	41182	12150	406	74	33627.29583
2	735	23130	C85043	C333	CONVERTER "OOO" CELL: 5.5 STAGE: 7 CON	126 U 285	40	28855	218123	480	454.4229167	41182	12150	406	74	33627.29583
2	735	23137	C85050	C333	CONVERTER "OOO" CELL: 1.10 STAGE: 8 CO	126 U 633	40	29159	225059	480	468.8729167	41182	11850	396	84	39385.325
2	735	23139	C85052	C333	CONVERTER "OOO" CELL: 4.3 STAGE: 3 CON	126 U 639	40	28521	192255	480	400.53125	41182	12480	417	63	25233.46875
2	735	23140	C85053	C333	CONVERTER 000	N/A	40	28549	194882	480	406.0041667	41182	12450	416	64	25984.26667
2	735	23142	C85055	C333	CONVERTER "OOO" CELL: 4.3 STAGE: 7 CON	126 U 111	40	28521	192255	480	400.53125	41182	12480	417	63	25233.46875
2	735	23143	C85056	C333	CONVERTER "OOO" CELL: 4.3 STAGE: 2 CON	126 U 374	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23144	C85057	C333	CONVERTER "OOO" CELL: 4.1 STAGE: 6 CON	126 U 191	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23157	C85070	C333	CONVERTER "OOO" CELL: 1.5 STAGE: 8 CON	126 U 631	40	29189	213607	480	445.0145833	41182	11820	395	85	37826.23958
2	735	23168	C85081	C333	CONVERTER "OOO" CELL: 1.3 STAGE: 7 CON	126 U 546	40	29189	213607	480	445.0145833	41182	11820	395	85	37826.23958
2	735	23172	C85085	C333	CONVERTER "OOO" CELL: 3.8 STAGE: 3 CON	126 U 648	40	28490	192256	480	400.5333333	41182	12510	418	62	24833.06667
2	735	23175	C85088	C333	CONVERTER "OOO" CELL: 5.10 STAGE: 2 CO	126 U 651	40	28886	219952	480	458.2333333	41182	12120	405	75	34367.5
2	735	23182	C85094	C333	CONVERTER "OOO" CELL: 4 STAGE: 6 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23188	C85101	C333	CONVERTER "000" CELL 4 STAGE 2 CONVERT	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23205	C85118	C333	CONVERTER TYPE 999 CELL-1 STAGE-8 CON	126U824	40	19997	93657	480	0	41182	20880	697	0	0
2	735	23207	C82497	C333	CONVERTER "000" CELL 2 UNIT 6 STAGE 7	126U835	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23208	C85120	C333	CONVERTER "000" CELL 1.3 STAGE 2 CONVE	126U812	40	29189	213607	480	445.0145833	41182	11820	395	85	37826.23958
2	735	23209	C85121	C333	CONVERTER 000	N/A	40	29280	220795	480	459.9895833	41182	11730	392	88	40479.08333
2	735	23210	C85122	C333	CONVERTER "000" CELL 1.3 STAGE 1 CONVE	126U833	40	29189	213607	480	445.0145833	41182	11820	395	85	37826.23958
2	735	23211	C85123	C333	CONVERTER "000" CELL 4.5 STAGE 5.1 CON	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23214	C85126	C333	CONVERTER "000" CELL 5.2 STAGE 2 CONVE	126U850	40	29036	221695	480	461.8645833	41182	11970	400	80	36949.16667
2	735	23215	C84912	C333	CONVERTER "000" CELL 7 STAGE 5 CONVERT	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23216	C84913	C333	CONVERTER "000" CELL 4.7 STAGE 5 CONVE	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23219	C84916	C333	CONVERTER "000" CELL 1.3 STAGE 4 CONVE	126U866	40	29189	213607	480	445.0145833	41182	11820	395	85	37826.23958
2	735	23236	C84932	C333	CONVERTER "000" CELL 4.5 STAGE 5.7 CON	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23277	C84969	C333	CONVERTER "OOO" CELL: 5.8 STAGE: 2 CON	126 U 768	40	28886	219952	480	458.2333333	41182	12120	405	75	34367.5
2	735	23278	C84970	C333	CONVERTER "OOO" CELL: 4.1 STAGE: 4 CON	126 U 695	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23280	C84972	C333	CONVERTER "OOO" CELL: 5.2 STAGE: 1 CON	126 U 658	40	29036	221695	480	461.8645833	41182	11970	400	80	36949.16667
2	735	23283	C84975	C333	CONVERTER "OOO" CELL: 10 STAGE: 7 CONV	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23284	C84976	C333	CONVERTER "OOO" CELL: 10 STAGE: 4 CONV	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23296	C85128	C333	CONVERTER "OOO" CELL: 4.1 STAGE: 5 CON	126 U 921	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23297	C85129	C333	CONVERTER "OOO" CELL: 4.3 STAGE: 4 CON	126 U 968	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23298	C85130	C333	CONVERTER "OOO" CELL: 4.1 STAGE: 3 CON	126 U 931	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23299	C85131	C333	CONVERTER "OOO" CELL: 4 STAGE: 4 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23301	C85133	C333	CONVERTER "OOO" CELL: 5.3 STAGE: 5 CON	126 U 965	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23303	C85135	C333	CONVERTER "OOO" CELL: 5.3 STAGE: 6 CON	126 U 964	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23305	C85137	C333	CONVERTER "OOO" CELL: 5.3 STAGE: 2 CON	126 U 996	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23306	C85138	C333	CONVERTER "OOO" CELL: 4.9 STAGE: 1 CON	126 U 930	40	28580	199560	480	415.75	41182	12420	415	65	27023.75
2	735	23307	C85139	C333	CONVERTER "OOO" CELL: 5.STAGE: 3 CON	126 U 982	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23308	C85140	C333	CONVERTER "OOO" CELL: 5.3 STAGE: 4 CON	126 U 981	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23309	C85141	C333	CONVERTER "000" CELL 6.5 STAGE 6 CONVE	126U800	40	28702	218474	480	455.1541667	41182	12300	411	69	31405.6375
2	735	23313	C85146	C333	CONVERTER "OOO" CELL: 4.4 STAGE: 6 CON	126 U 999	40	28702	218474	480	455.1541667	41182	12300	411	69	31405.6375
2	735	23314	C85147	C333	CONVERTER "OOO" INVENTORY 80 PAGE 9 OF	126 U 989	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23315	C85148	C333	CONVERTER TYPE 000 CELL-9 STAGE-M CON	SSO 35186	40	19997	93654	480	0	41182	20880	697	0	0
2	735	23316	C85149	C333	CONVERTER "OOO" CELL: 6.5 STAGE: 3 CON	126 U 985	40	29280	220795	480	459.9895833	41182	11730	392	88	40479.08333
2	735	23317	C85150	C333	CONVERTER "OOO" CELL: 6.5 STAGE: 5 CON	126 U 1016	40	29280	220795	480	459.9895833	41182	11730	392	88	40479.08333
2	735	23318	C85151	C333	CONVERTER "OOO" INVENTORY 80 PAGE 10 O	126 U 1014	40	19997	38641	480	0	41182	20880	697	0	0
2	735	23319	C85152	C333	CONVERTER "OOO" CELL: 6.5 STAGE: 4 CON	126 U 1017	40	29280	220795	480	459.9895833	41182	11730	392	88	40479.08333
2	735	23327	C85160	C333	CONVERTER "OOO" CELL: 5.5 STAGE: 4 CON	126 U 991	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23328	C85161	C333	CONVERTER "OOO" CELL: 3 STAGE: 5 CONVE	126 U 1000	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23329	C85162	C333	CONVERTER "OOO" CELL: 6.5 STAGE: 7 CON	126 U 1011	40	29280	220795	480	459.9895833	41182	11730	392	88	40479.08333
2	735	23330	C85163	C333	CONVERTER "OOO" INVENTORY 80 PAGE 9 OF	126 U 1005	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23332	C85165	C333	CONVERTER "OOO" INVENTORY 80 PAGE 9 OF	126 U 1038	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23333	C85166	C333	CONVERTER "OOO" CELL: 6.3 STAGE: 2 CON	126 U 1009	40	29280	220795	480	459.9895833	41182	11730	392	88	40479.08333
2	735	23335	C85168	C333	CONVERTER "OOO" INVENTORY 80 PAGE 10 O	126 U 1018	40	19997	38641	480	0	41182	20880	697	0	0
2	735	23336	C85169	C333	CONVERTER "OOO" CELL: 4.5 STAGE: 5.3 C	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23355	C85187	C333	CONVERTER "OOO" CELL: 2 STAGE: 2 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23358	C85190	C333	CONVERTER "OOO" CELL: 4.3 STAGE: 1 CON	126 U 1095	40	28521	192256	480	400.5333333	41182	12480	417	63	25233.6
2	735	23363	C85194	C333	CONVERTER "OOO" CELL: 1.3 STAGE: 6 CON	126 U 1114	40	29189	213607	480	445.0145833	41182	11820	395	85	37826.23958
2	735	23364	C85195	C333	CONVERTER "OOO" CELL: 4.4 STAGE: 3 CON	126 U 1034	40	28702	218474	480	455.1541667	41182	12300	411	69	31405.6375
2	735	23365	C85196	C333	CONVERTER "OOO" CELL: 6.5 STAGE: 1 CON	126 U 1105	40	29280	220795	480	459.9895833	41182	11730	392	88	40479.08333
2	735	23366	C85197	C333	CONVERTER "OOO" CELL: 1.3 STAGE: 5 CON	126 U 1112	40	29189	213607	480	445.0145833	41182	11820	395	85	37826.23958
2	735	23369	C85200	C333	CONVERTER "000" CELL:6 STAGE:4 CONVERTE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23371	C85202	C333	CONVERTER "OOO" CELL: 2.1 STAGE: 6 CON	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23373	C85204	C333	CONVERTER "OOO" CELL: 5.1 STAGE: 1 CON	126 U 1064	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23374	C85205	C333	CONVERTER "OOO" CELL: 5.1 STAGE: 2 CON	126 U 1109	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23375	C85206	C333	CONVERTER "OOO" CELL:5.1 STAGE: 3 CONV	126 U 1138	40	28855	218124	480	454.425	41182	12150	406	74	33627.45

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23404	C85235	C333	CONVERTER "OOO" CELL: 5.7 STAGE: 2 CON	126 U 1111	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23416	C85247	C333	CONVERTER "OOO" CELL: 1.7 STAGE: 2 CON	126 U 1267	40	29280	220796	480	459.9916667	41182	11730	392	88	40479.26667
2	735	23419	C85250	C333	CONVERTER "OOO" CELL: 1 STAGE: 5 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23438	C85268	C333	CONVERTER "000" CELL 5.1 STAGE 5 CONVE	126U1239	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23440	C85270	C333	CONVERTER "000" CELL 5.3 STAGE 1 CONVE	126U1173	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23441	C85271	C333	CONVERTER "000" CELL 5.1 STAGE 4 CONVE	126U1255	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23442	C85272	C333	CONVERTER "000" CELL 5.1 STAGE 1 CONVE	126U1139	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23443	C85273	C333	CONVERTER "000" CELL 3.3 STAGE 2 CONVE	N/A	40	28398	218764	480	455.7583333	41182	12600	421	59	26889.74167
2	735	23445	C85275	C333	CONVERTER "000" CELL 4.7 STAGE 2 CONVE	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23449	C85279	C333	CONVERTER "000" CELL 7 STAGE 3 CONVERT	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23452	C85282	C333	CONVERTER "000" CELL 4.5 STAGE 5.6 CON	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23453	C85283	C333	CONVERTER "000" CELL 3 STAGE 4 CONVERT	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23455	C85285	C333	CONVERTER "000" CELL 3 STAGE 6 CONVERTE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23458	C85288	C333	CONVERTER "000" CELL 4.5 STAGE S-5 CON	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23464	C85294	C333	CONVERTER "000" CELL 5.1 STAGE 6 CONVE	126U1141	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23466	C85296	C333	CONVERTER "000" CELL 5.5 STAGE 6 CONVE	126U1254	40	28855	218124	480	454.425	41182	12150	406	74	33627.45
2	735	23470	C85300	C333	CONVERTER "000" CELL 3.1 STAGE 7 CONVE	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23473	C85303	C333	CONVERTER "000" CELL 3.1 STAGE 5 CONVE	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23475	C85305	C333	CONVERTER "000" CELL 3.1 STAGE 2 CONVE	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23476	C85306	C333	CONVERTER "000" CELL 4.5 STAGE 5.2' CO	N/A	40	28549	194883	480	406.00625	41182	12450	416	64	25984.4
2	735	23479	C85309	C333	CONVERTER "000" CELL:4 STAGE:3 CONVERTER	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23480	C85310	C333	CELL "000" CELL:3.1 STAGE:4 CONVERTER 00	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23482	C85312	C333	CONVERTER TYPE 000 CONVERTER 000	126 U 1186	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23501	C82312	C333	HEAT EXCHANGER TYPE DB 432H SIZE 15-120	MV 7204 2	20	19755	4262	240	0	41182	21120	705	0	0
2	735	23504	C82313	C333	HEAT EXCHANGER SIZE 15-120 SIZE 400-C-B-	MV 7678 3	20	19997	4014	240	0	41182	20880	697	0	0
2	735	23514	C82314	C333	HEAT ECHANGER TYPE DB-432H 400C-B-1 N B	MV 7678 2	20	19997	4543	240	0	41182	20880	697	0	0
2	735	23519	C80743	C333	HEAT EXCHANGER TYPE TU-U-13 CELL #2 HEAT	NB 2502	20	19755	23686	240	0	41182	21120	705	0	0
2	735	23520	C78110	C333	HEAT EXCHANGER TYPE TU-U CELL #4 HEAT EX	NB 2507	20	19755	23684	240	0	41182	21120	705	0	0
2	735	23524	C78129	C333	HEAT EXCHANGER TYPE TU-U CELL #1 HEAT EX	N B 2504	20	19755	23684	240	0	41182	21120	705	0	0
2	735	23527	C78214	C333	HEAT EXCHANGER TYPE TU-U CELL #7 HEAT EX	N B 2510	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23529	C78137	C333	HEAT EXCHANGER CELL 2 HEAT EXCHANGER	2509	20	19755	23686	240	0	41182	21120	705	0	0
2	735	23530	C78220	C333	HEAT EXCHANGER CELL 4 HEAT EXCHANGER	2501	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23531	C78222	C333	HEAT EXCHANGER CELL 6 HEAT EXCHANGER	2517	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23532	C78246	C333	HEAT EXCHANGER CELL 8 HEAT EXCHANGER	2513	20	19755	23686	240	0	41182	21120	705	0	0
2	735	23533	C78136	C333	HEAT EXCHANGER CELL 10 HEAT EXCHANGER	2514	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23534	C78111	C333	HEAT EXCHANGER CELL 1 HEAT EXCHANGER	2516	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23535	C78119	C333	HEAT EXCHANGER CELL-3. HEAT EXCHANGER	2503	20	19755	23684	240	0	41182	21120	705	0	0
2	735	23536	C78107	C333	HEAT EXCHANGER	N/A	20	19755	23686	240	0	41182	21120	705	0	0
2	735	23537	C78243	C333	HEAT EXCHANGER CELL 7 HEAT EXCHANGER	2532	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23539	C78101	C333	HEAT EXCHANGER	N/A	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23542	C78096	C333	HEAT EXCHANGER SHELL + TUBE TYPE CELL 8	2535	20	19755	23686	240	0	41182	21120	705	0	0
2	735	23544	C78086	C333	HEAT EXCHANGER SHELL + TUBE TYPE CELL 1	2520	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23546	C78212	C333	HEAT EXCHANGER SHELL + TUBE TYPE CELL 5	2528	20	19755	23684	240	0	41182	21120	705	0	0
2	735	23547	C78227	C333	HEAT EXCHANGER SHELL + TUBE TYPE CELL 7	2522	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23548	C78202	C333	HEAT EXCHANGER SHELL + TUBE TYPE 12646 S	NB 2536	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23550	C78087	C333	HEAT EXCHANGER SHELL + TUBE CELL 3 HEAT	2526	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23551	C78223	C333	HEAT EXCHANGER SHELL + TUBE CELL 5 12646	NB 2538	20	19755	23684	240	0	41182	21120	705	0	0
2	735	23553	C78226	C333	HEAT EXCHANGER SHELL + TUBE TYPE CELL	2529	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23554	C78117	C333	HEAT EXCHANGER SHELL + TUBE TYPE CELL	2523	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23555	C78210	C333	HEAT EXCHANGER SHELL + TUBE TYPE CELL	2525	20	19755	23686	240	0	41182	21120	705	0	0
2	735	23556	C78234	C333	HEAT EXCHANGER SHELL + TUBE TYPE CELL	2534	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23559	C78088	C333	HEAT EXCHANGER NB #2763 SHELL + TUBE TY	41	20	19755	23393	240	0	41182	21120	705	0	0
2	735	23583	C78253	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2631	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23606	C78205	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2554	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23607	C78209	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2561	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23645	C78090	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2578	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23646	C78224	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2580	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23647	C78230	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2584	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23648	C78139	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2582	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23649	C78140	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2595	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23650	C78148	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2587	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23651	C78130	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2598	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23652	C78123	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2544	20	19997	23064	240	0	41182	20880	697	0	0
2	735	23653	C78121	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2565	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23654	C78245	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2569	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23655	C78091	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2570	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23656	C78215	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2572	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23658	C78125	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2576	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23659	C78089	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2592	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23660	C78095	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2588	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23661	C78216	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2557	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23668	C78131	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2585	20	19997	23065	240	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23669	C78225	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2597	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23670	C78120	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2594	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23671	C78126	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2728	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23672	C78218	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2540	20	19997	23064	240	0	41182	20880	697	0	0
2	735	23673	C78122	C333	HEAT EXCHANGER SHELL AND TYBE TYPE CEL	NB2568	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23674	C78127	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2558	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23675	C78124	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2577	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23676	C78092	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2571	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23677	C78094	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2586	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23678	C78098	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2583	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23701	C78830	C333	COMPRESSOR AXIAL FLOW CELL 3 STAGE 8	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23702	C78771	C333	COMPRESSOR AXIAL FLOW CELL 4.5 STAGE	57B18687R	40	29006	107801	480	224.5854167	41182	12000	401	79	17742.24792
2	735	23703	C78780	C333	COMPRESSOR AXIAL FLOW CELL 3 STAGE 2	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23706	C78791	C333	COMPRESSOR AXIAL FLOW CELL 10 STAGE 6	N/A	40	28276	150363	480	313.25625	41182	12720	425	55	17229.09375
2	735	23708	C78475	C333	COMPRESSOR AXIAL FLOW CELL 3.6 STAGE	57B18680R	40	28490	118285	480	246.4270833	41182	12510	418	62	15278.47917
2	735	23709	C78490	C333	COMPRESSOR AXIAL FLOW CELL 8 STAGE COM	57B186976	40	27575	94244	480	196.3416667	41182	13410	448	32	6282.933333
2	735	23710	C78728	C333	COMPRESSOR AXIAL FLOW CELL 3 STAGE 7	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23713	C78706	C333	COMPRESSOR AXIAL FLOW CELL:6 STAGE:3	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23714	C78846	C333	COMPRESSOR AXIAL FLOW CELL 6.1 STAGE	57B186956	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23715	C78784	C333	COMPRESSOR AXIAL FLOW CELL 7 STAGE 8	N/A	40	28306	131879	480	274.7479167	41182	12690	424	56	15385.88333
2	735	23721	C78566	C333	COMPRESSOR AXIAL FLOW CELL 3 STAGE 3	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23723	C78691	C333	COMPRESSOR AXIAL FLOW CELL 5.1 STAGE	57B18696L	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23727	C78786	C333	COMPRESSOR AXIAL FLOW CELL 4.8 STAGE	57B18749R	40	28671	107801	480	224.5854167	41182	12330	412	68	15271.80833
2	735	23729	C78816	C333	COMPRESSOR AXIAL FLOW CELL 6.1 STAGE	57B18753R	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23730	C78818	C333	COMPRESSOR AXIAL FLOW CELL 6.1 STAGE	57B18751R	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23733	C78625	C333	COMPRESSOR AXIAL FLOW CELL 6.1 STAGE	57B18759R	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23734	C78817	C333	COMPRESSOR AXIAL FLOW CELL 1.8 STAGE	57B18757R	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23735	C78627	C333	COMPRESSOR AXIAL FLOW CELL 1.9 STAGE	57B18758R	40	29159	107801	480	224.5854167	41182	11850	396	84	18865.175
2	735	23736	C78813	C333	COMPRESSOR AXIAL FLOW CELL 6.4 STAGE	57B18762L	40	28975	107801	480	224.5854167	41182	12030	402	78	17517.6625
2	735	23738	C78668	C333	COMPRESSOR AXIAL FLOW CELL 5.3 STAGE	57B18756R	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23740	C78693	C333	COMPRESSOR AXIAL FLOW CELL 5.5 STAGE	57B18765L	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23741	C78725	C333	COMPRESSOR AXIAL FLOW CELL 5 STAGE 6	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23744	C78660	C333	COMPRESSOR AXIAL FLOW CELL 5.3 STAGE	57B18763L	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23746	C78564	C333	COMPRESSOR AXIAL FLOW CELL 4.2 STAGE	57B18769L	40	28702	107801	480	224.5854167	41182	12300	411	69	15496.39375
2	735	23747	C78815	C333	AXIAL FLOW COMPRESSOR CELL 1 STAGE 2 C	57B18771L	40	19997	59762	480	0	41182	20880	697	0	0
2	735	23748	C78665	C333	COMPRESSOR AXIAL FLOW CELL 5.1 STAGE	57B18780R	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23751	C78868	C333	COMPRESSOR AXIAL FLOW CELL 1.9 STAGE	57B18772L	40	29159	107801	480	224.5854167	41182	11850	396	84	18865.175
2	735	23752	C78513	C333	COMPRESSOR AXIAL FLOW CELL 4.9 STAGE	57B18773L	40	28580	118285	480	246.4270833	41182	12420	415	65	16017.76042
2	735	23753	C78814	C333	COMPRESSOR AXIAL FLOW CELL 6.1 STAGE	57B18774L	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23754	C78884	C333	COMPRESSOR AXIAL FLOW CELL 3.1 STAGE	N/A	40	28337	131880	480	274.75	41182	12660	423	57	15660.75
2	735	23755	C78661	C333	COMPRESSOR AXIAL FLOW CELL 5.1 STAGE	57B18792L	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23756	C78695	C333	COMPRESSOR AXIAL FLOW CELL 5.5 STAGE	57B18791L	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23757	C78544	C333	COMPRESSOR AXIAL FLOW CELL 5.1 STAGE	57B18797L	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23758	C78568	C333	COMPRESSOR AXIAL FLOW CELL 3.1 STAGE	N/A	40	28337	131880	480	274.75	41182	12660	423	57	15660.75
2	735	23761	C78667	C333	COMPRESSOR AXIAL FLOW CELL 5.1 STAGE	57B18810R	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23763	C78941	C333	COMPRESSOR AXIAL FLOW CELL 1.9 STAGE	57B18809R	40	29159	107801	480	224.5854167	41182	11850	396	84	18865.175
2	735	23764	C78819	C333	COMPRESSOR AXIAL FLOW CELL 6.1 STAGE	57B18826R	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23765	C78666	C333	COMPRESSOR AXIAL FLOW CELL 5.1 STAGE	57B18823B	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23767	C78485	C333	COMPRESSOR AXIAL FLOW CELL 4 STAGE 3	N/A	40	28276	150363	480	313.25625	41182	12720	425	55	17229.09375
2	735	23768	C78679	C333	COMPRESSOR AXIAL FLOW CELL 7 STAGE 2	N/A	40	28306	150394	480	313.3208333	41182	12690	424	56	17545.96667
2	735	23769	C78826	C333	COMPRESSOR AXIAL FLOW CELL 6.5 STAGE	57B18832R	40	29280	107801	480	224.5854167	41182	11730	392	88	19763.51667
2	735	23770	C78823	C333	COMPRESSOR AXIAL FLOW CELL 6.3 STAGE	57B18833R	40	29280	107801	480	224.5854167	41182	11730	392	88	19763.51667
2	735	23771	C78610	C333	COMPRESSOR AXIAL FLOW CELL 3.1 STAGE	N/A	40	28337	131880	480	274.75	41182	12660	423	57	15660.75
2	735	23773	C78570	C333	COMPRESSOR AXIAL FLOW CELL 4.2 STAGE	57B18836L	40	28702	107801	480	224.5854167	41182	12300	411	69	15496.39375
2	735	23775	C78575	C333	COMPRESSOR AXIAL FLOW CELL 4.4 STAGE	57B18835L	40	28702	107801	480	224.5854167	41182	12300	411	69	15496.39375
2	735	23777	C78571	C333	COMPRESSOR AXIAL FLOW CELL 7 STAGE 3	N/A	40	28306	150362	480	313.2541667	41182	12690	424	56	17542.23333
2	735	23780	C78664	C333	COMPRESSOR AXIAL FLOW CELL 5.1 STAGE	57B18831R	40	28855	107801	480	224.5854167	41182	12150	406	74	16619.32083
2	735	23783	C78721	C333	COMPRESSOR AXIAL FLOW CELL 9 STAGE 8	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23785	C78911	C333	COMPRESSOR AXIAL FLOW CELL 3.9 STAGE	57B18842L	40	28490	118285	480	246.4270833	41182	12510	418	62	15278.47917
2	735	23786	C78726	C333	COMPRESSOR AXIAL FLOW CELL 5 STAGE 4	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23816	C78638	C333	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	57B18 1022R	40	27606	94245	480	196.34375	41182	13380	447	33	6479.34375
2	735	23844	C82195	C333	AXIAL FLOW COMPRESSOR CELL: 6 UNIT: 4	57B18 1212R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23873	C78924	C333	COMPRESSOR AXIAL FLOW CELL: 6.6. STAG	N/A	40	28368	86743	480	180.7145833	41182	12630	422	58	10481.44583
2	735	23877	C78923	C333	COMPRESSOR AXIAL FLOW CELL: 6.6 STAGE	N/A	40	28368	86743	480	180.7145833	41182	12630	422	58	10481.44583
2	735	23896	C80745	C333	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	131881	480	274.7520833	41182	12720	425	55	15111.36458
2	735	23901	C78928	C333	COMPRESSOR AXIAL FLOW CELL:6.4 STAGE:	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23902	C78929	C333	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23908	C78899	C333	COMPRESSOR AXIAL FLOW CELL:6.4 STAGE:	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23909	C80747	C333	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 4	57B18 1343L	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	23916	C78897	C333	COMPRESSOR AXIAL FLOW CELL:6.4 STAGE:	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23933	C80746	C333	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23934	C78927	C333	COMPRESSOR AXIAL FLOW CELL:6.4 STAGE:	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23935	C78926	C333	COMPRESSOR AXIAL FLOW CELL:6.4 STAGE:	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23937	C78714	C333	COMPRESSOR AXIAL FLO	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23944	C78898	C333	COMPRESSOR AXIAL FLOW CELL:6.4 STAGE:	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23965	C78895	C333	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23966	C78637	C333	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	57B18 1404R	40	27606	94245	480	196.34375	41182	13380	447	33	6479.34375
2	735	23984	C78930	C333	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23987	C78900	C333	COMPRESSOR AXIAL FLOW CELL:10 STAGE:1	N/A	40	28276	131881	480	274.7520833	41182	12720	425	55	15111.36458
2	735	24011	C78896	C333	COMPRESSOR AXIAL FLO	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	24012	C80742	C333	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	24118	C78925	C333	COMPRESSOR AXIAL FLOW CELL 6.4 STAGE	57B181576L	40	27210	61365	480	127.84375	41182	13770	460	20	2556.875
2	735	24124	C78922	C333	COMPRESSOR AXIAL FLOW CELL: STAGE: 4	N/A	40	28368	86741	480	180.7104167	41182	12630	422	58	10481.20417
2	735	24131	C78902	C333	COMPRESSOR AXIAL FLOW CELL: 6.6 STAGE	N/A	40	28368	86741	480	180.7104167	41182	12630	422	58	10481.20417
2	735	24143	C78921	C333	COMPRESSOR AXIAL FLOW CELL: 6.6. STAG	N/A	40	28368	86742	480	180.7125	41182	12630	422	58	10481.325
2	735	24160	C78932	C333	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	86741	480	180.7104167	41182	12720	425	55	9939.072917
2	735	24161	C78931	C333	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	86741	480	180.7104167	41182	12720	425	55	9939.072917
2	735	24166	C80744	C333	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	28337	86741	480	180.7104167	41182	12660	423	57	10300.49375
2	735	24169	C78901	C333	COMPRESSOR AXIAL FLOW CELL: 6.6 STAGE	N/A	40	28368	86742	480	180.7125	41182	12630	422	58	10481.325
2	735	24170	C78903	C333	COMPRESSOR AXIAL FLOW CELL: 6.6 STAGE	N/A	40	28368	86741	480	180.7104167	41182	12630	422	58	10481.20417
2	735	24171	C78904	C333	COMPRESSOR AXIAL FLOW CELL: 6.6 STAGE	N/A	40	28368	86741	480	180.7104167	41182	12630	422	58	10481.20417
2	735	24173	C78894	C333	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	86741	480	180.7104167	41182	12720	425	55	9939.072917
2	735	24182	C78893	C333	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	86741	480	180.7104167	41182	12720	425	55	9939.072917
2	735	24185	C82196	C333	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 4	57B18 1630L	40	27850	94284	480	196.425	41182	13140	439	41	8053.425
2	735	24188	C78497	C333	COMPRESSOR AXIAL FLOW CELL: 4.1 STAGE	N/A	40	28521	112991	480	235.3979167	41182	12480	417	63	14830.06875
2	735	24197	C78752	C333	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 623L	40	28886	105940	480	220.7083333	41182	12120	405	75	16553.125
2	735	24880	C78175	C333	GEAR INCREASER	N/A	20	19997	5358	240	0	41182	20880	697	0	0
2	735	25932	C80749	C333	PUMP VACUUM SPECIAL BRONZE 200 CFM T	12809	15	19997	9668	180	0	41182	20880	697	0	0
2	735	25985	C80750	C333	PUMP VACUUM SPECIAL BRONZE 200 CFM T	12812	15	19997	9669	180	0	41182	20880	697	0	0
2	735	27803	C78179	C333	GEAR INCREASER 950 HP GEAR 1781 RPM P	18275	20	19997	5742	240	0	41182	20880	697	0	0
2	735	27805	C80763	C333	GEAR INCREASER 950 HP GEAR 1781 RPM P	18276	20	19997	5741	240	0	41182	20880	697	0	0
2	735	28241	C78100	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB# 2596	20	19997	23065	240	0	41182	20880	697	0	0
2	735	28242	C78221	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB# 2599	20	19997	23065	240	0	41182	20880	697	0	0
2	735	28243	C78244	C333	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB# 2764	20	19997	23067	240	0	41182	20880	697	0	0
2	501	30318	C74302	C333	C-333 PROCESS BUILDING-A WINDOWLESS TWO-	N/A	40	19540	37675285	480	0	41182	21330	712	0	0
2	501	30319	C74303	C333	C-333 ELECTRIC LIGHTING SYSTEM- THIS SYS	N/A	40	19540	3282896	480	0	41182	21330	712	0	0
2	501	30320	C74304	C333	PLUMB-DRAIN SYS	N/A	40	19540	1351570	480	0	41182	21330	712	0	0
2	501	30321	C74305	C333	C-333 HEATING AND VENTILATION SYSTEM- ST	N/A	40	19540	6957741	480	0	41182	21330	712	0	0
2	735	30323	C74306	C333	C-333 PG RECOVERY SYSTEM RECOVERS THE PR	N/A	25	19540	54630	300	0	41182	21330	712	0	0
2	735	30324	C74307	C333	C-333 LUBE AND HYDRAULIC OIL SYSTEM IS D	N/A	20	19540	4854661	240	0	41182	21330	712	0	0
2	735	30325	C74308	C333	C-333 SEAL EXHAUST SYSTEM PROVIDES A MEA	N/A	25	19540	761693	300	0	41182	21330	712	0	0
2	735	30326	C74309	C333	C 33 NITROGEN SYSTE	N/A	25	19540	806062	300	0	41182	21330	712	0	0
2	735	30327	C74310	C333	C-333 DRY AIR SYSTEM PROVIDES AIR AS THE	N/A	25	19540	711069	300	0	41182	21330	712	0	0
2	735	30328	C74311	C333	C-333 RECIRCULATING WATER SYSTEM PROVIDE	N/A	40	19540	2614396	480	0	41182	21330	712	0	0
2	735	30329	C74312	C333	ELEC POWER SYSTEM	N/A	30	19540	31242751	360	0	41182	21330	712	0	0
2	735	32001	C85315	C333	CONVERTER "000" CELL:1.3 STAGE:3 CONVERT	126 U 1504	40	29189	213298	480	444.3708333	41182	11820	395	85	37771.52083
2	735	34579	C81366	C333	MAGNETIC SEPARATOR TYPE EM 12' LOWER BEL	29889	20	21489	10023	240	0	41182	19410	648	0	0
2	735	34580	C85320	C333	CONVERTER "000" CELL:2 STAGE:6 CONVERTER	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	34581	C85321	C333	CONVERTER "000" CELL: 6.5 STAGE:2 CONVER	126 U 1779	40	29280	220795	480	459.9895833	41182	11730	392	88	40479.08333
2	735	34733	C85399	C333	FREON DRYING UNIT COMPLETE DESIGN PRESS	N/A	20	21458	7934	240	0	41182	19440	649	0	0
2	735	35349	C82103	C333	46 EACH "OOO" RECYCLE COOLERS - 21 COOLE	N/A	20	21854	195256	240	0	41182	19050	636	0	0
2	735	35499	C85324	C333	CONVERTER "OOO" CELL: 4 STAGE: 1 CONVE	N/A	40	28276	217889	480	453.9354167	41182	12720	425	55	24966.44792
2	735	35509	C85325	C333	"OOO" CONVERTER UNIT COMPLETE WITH HEAD	126 U 303	40	19905	39316	480	0	41182	20970	700	0	0
2	735	36108	C75663	C333	MOTOR INDUCTION-UPRATED 3000 HP IND-UPRA	6942468	20	28975	34020	240	0	41182	12030	402	0	0
2	735	36109	C75823	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	6942469	20	29617	27465	240	0	41182	11400	381	0	0
2	735	36110	C75734	C333	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	6942445	20	29402	27465	240	0	41182	11610	388	0	0
2	735	36111	C75644	C333	MOTOR INDUCTION-UPRATED 3300 HP 3300 H	6942488	20	29706	27465	240	0	41182	11310	378	0	0
2	735	36180	C82139	C333	UFI DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36181	C82140	C333	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36182	C82142	C333	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36183	C82143	C333	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36184	C82144	C333	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36185	C82141	C333	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36247	C82315	C333	HEAT EXCHANGER SIZE 15-120 TYPE DB43214	N/A	20	22371	3054	240	0	41182	18540	619	0	0
2	735	36591	C80727	C333	AUTOCLAVE	N/A	20	22950	14332	240	0	41182	17970	600	0	0
2	735	45654	C71568	C333	MODEL NO MPO SIZE: 8'X X' X 71/2 HIGH	320 467	20	27575	5254	240	0	41182	13410	448	0	0
2	735	45655	C85550	C333	MODEL NO MPO SIZE: 8' X 8' X 7 1/2' HIG	321468	20	27575	5255	240	0	41182	13410	448	0	0
2	735	46593	C78053	C333	SURGE DRUM NB-3584 MAX. DESIGN PRESSUR	7375U	40	28368	12529	480	26.10208333	41182	12630	422	58	1513.920833
2	735	46594	C78052	C333	SURGE DRUM NB-3685 MAX. DESIGN PRESSUR	7375V	40	28368	12529	480	26.10208333	41182	12630	422	58	1513.920833
2	735	46595	C78075	C333	SURGE DRUM NB-3697 MAX. DESIGN PRESSUR	7375W	40	28398	12529	480	26.10208333	41182	12600	421	59	1540.022917
2	735	46596	C78074	C333	SURGE DRUM NB-3698 MAX. DESIGN PRESSUR	7375X	40	28398	12529	480	26.10208333	41182	12600	421	59	1540.022917
2	735	46644	C71871	C333	X MAN COOLER PORTABLE MOBILE AIR CONDI	5162 08	20	28215	25080	240	0	41182	12780	427	0	0
2	735	46671	C71221	C333	X MAN COOLER PORTABLE MOBIEL AIR CONDI	5162 03	20	28215	25641	240	0	41182	12780	427	0	0
2	735	46674	C71873	C333	X MAN COOLER PORTABLE MOBILE AIR CONDI	5162 04	20	28215	25641	240	0	41182	12780	427	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	46680	C71872	C333	X MAN COOLER MOBILE AIR CONDITIONING UN	5162 15	20	28215	25641	240	0	41182	12780	427	0	0
2	735	46760	C82261	C333	FAN EXHAUST 54" MODEL VA54-BD BELT D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46762	C82262	C333	FAN EXHAUST 54" MODEL VA54-BD BELT D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46764	C82263	C333	MODEL VA54-BD BELT DRIVEN VANEAXIAL FAN	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46766	C82264	C333	FAN EXHAUST 54" MODEL VA54-BD BELT D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46768	C82265	C333	FAN EXHAUST 54" MODEL VA54-BD BELT D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46770	C82266	C333	FAN EXHAUST 54" MODEL VA 54-BD BELT D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46772	C82267	C333	FAN EXHAUST 54" MODEL VA54-BD BELT DR	60526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46774	C82268	C333	FAN EXHAUST 54" MODEL VA54-BD BELT DR	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46778	C80432	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	NCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46780	C80430	C333	FAN EXHAUST 66" MODEL TB6602PIZY BEL	NCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46782	C80420	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	ECE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46784	C80409	C333	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46786	C80407	C333	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46788	C80405	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	WCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46790	C80403	C333	MODEL TB6602 PIZY BELT DRIVEN TRUB-AXIA	WCE 4	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46792	C80438	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	WCE 5	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46794	C80436	C333	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE6	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46822	C80418	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	ECE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46824	C80422	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	ECE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46826	C80424	C333	FAN EXHAUST 66" MODEL TB6602PIZY BEL	ECE 4	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46828	C80426	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	ECE 5	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46830	C80428	C333	FAN EXHAUST 66" MODEL TB6602PIZY BEL	ECE 6	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46832	C80416	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	SCE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46834	C80414	C333	FAN EXHAUST 66" MODEL TB6602 PIZY BE	SCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46836	C80412	C333	FAN EXHAUST 66" MODEL TB6602PIZY BEL	SCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46894	C82269	C333	FAN EXHAUST 54" MODEL VA54-BD BELT-D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46896	C82270	C333	FAN EXHAUST 54" MODEL VA54-BD BELT D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46898	C82271	C333	FAN EXHAUST 54" MODEL VA54-BD BELT D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46900	C82272	C333	FAN EXHAUST 54" MODEL VA54-BD BELT D	80526	20	28945	8152	240	0	41182	12060	403	0	0
2	735	46973	C80434	C333	FAN EXHAUSE 66" MODEL TB6602PIZY BEL	WCE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	47125	C78050	C333	NB-3704 MAX DEISGN PRESSURE-15 PSI AT 3	7375AA	40	28398	12529	480	26.10208333	41182	12600	421	59	1540.022917
2	735	47126	C78051	C333	SURGE DRUM NB-3705 MAX DESIGN PRESSURE	7375BB	40	28398	12529	480	26.10208333	41182	12600	421	59	1540.022917
2	735	47127	C78076	C333	SURGE DRUM NB-3706 MAX DESIGN PRESSURE	7375CC	40	28398	12529	480	26.10208333	41182	12600	421	59	1540.022917
2	735	47128	C78077	C333	NB-3707 MAX DESIGN PRESSURE-15 PSI AT 3	7375DD	40	28398	12529	480	26.10208333	41182	12600	421	59	1540.022917
2	735	47129	C78085	C333	SURGE DRUM NB-3711 MAX DESIGN PRESSURE-	7375	40	28398	12529	480	26.10208333	41182	12600	421	59	1540.022917
2	735	47130	C78084	C333	SURGE DRUM NB-3712 MAX DESIGN PRESSURE-	7375FF	40	28398	12529	480	26.10208333	41182	12600	421	59	1540.022917
2	735	47131	C78045	C333	NB3713 MAX DESIGN PRESSURE-15 PSI AT 30	7375GG	40	28429	12529	480	26.10208333	41182	12570	420	60	1566.125
2	735	47132	C78044	C333	NB-3714 MAX DESIGN PRESSURE-15 PSI AT 3	7375HH	40	28429	12529	480	26.10208333	41182	12570	420	60	1566.125
2	735	47133	C78078	C333	SURGE DRUM NB-3715 MAX DESIGN PRESSURE-	7375JJ	40	28429	12529	480	26.10208333	41182	12570	420	60	1566.125
2	735	47134	C78082	C333	SURGE DRUM NB-3716 MAX DESIGN PRESSURE-	7375KK	40	28429	12529	480	26.10208333	41182	12570	420	60	1566.125
2	735	47135	C78083	C333	SURGE DRUM NB-3718 MAX DESIGN PRESSURE-	7375LL	40	28429	12529	480	26.10208333	41182	12570	420	60	1566.125
2	735	47136	C78081	C333	SURGE DRUM NB-3726 MAX DESIGN PRESSURE	7375MM	40	28459	12529	480	26.10208333	41182	12540	419	61	1592.227083
2	735	47137	C78079	C333	SURGE DRUM NB-3727 MAX DESIGN PRESSURE	7375NN	40	28459	12529	480	26.10208333	41182	12540	419	61	1592.227083
2	735	47138	C78046	C333	SURGE DRUM NB-3737 MAX DESIGN PRESSURE-	7375PP	40	28459	12529	480	26.10208333	41182	12540	419	61	1592.227083
2	735	47139	C78080	C333	SURGE DRUM NB-3738 MAX DESIGN PRESSURE	7375QQ	40	28459	12529	480	26.10208333	41182	12540	419	61	1592.227083
2	735	47140	C78049	C333	SURGE DRUM NB-3744 MAX DESIGN PRESSURE	7375RR	40	28490	12529	480	26.10208333	41182	12510	418	62	1618.329167
2	735	47141	C78048	C333	SURGE DRUM NB-3745 MAX DESIGN PRESSURE	737555	40	28490	12529	480	26.10208333	41182	12510	418	62	1618.329167
2	735	47142	C78047	C333	SURGE DRUM NB-3748 MAX DESIGN PRESSURE	7375TT	40	28490	12529	480	26.10208333	41182	12510	418	62	1618.329167
2	735	47289	C85326	C333	CONVERTER "000" CELL: 9 UNIT: 4 2ND FLO	N/A	40	28521	177000	480	368.75	41182	12480	417	63	23231.25
2	735	47419	C80740	C333	PUMP VACUUM SINGLE STAGE ROTARY TYPE 9	2 9944 1	15	29737	27930	180	0	41182	11280	377	0	0
2	735	47431	C78887	C333	MOTOR 5809H 4160 VOLTS 3 PHASE 60 CPS	1S 78	20	28733	19575	240	0	41182	12270	410	0	0
2	735	47432	C78891	C333	MOTOR 4160 VOLTS 3 PHASE 60 CPS POLES 2	2S 78	20	28733	19575	240	0	41182	12270	410	0	0
2	735	47433	C78889	C333	MOTOR 5809H 4160 VOLTS 3-PHASE 60 CPS	3S 78	20	28733	19576	240	0	41182	12270	410	0	0
2	735	47508	C77383	C333	FAN SUPPLY SIZE + TYPE 7730 AF DW 73" I	76 3592 SF6 5A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47510	C77372	C333	FAN SUPPLY SIZE + TYPE 7730 AF DW 73" IM	76 3591 SF5 5A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47512	C77354	C333	FAN SUPPLY SIZE + TYPE 7730 AF DW 73" IM	76 3593 SF3 6A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47514	C77299	C333	FAN SUPPLY SIZE + TYPE 7730 AF DW 73" IM	76 3467 SF2 6A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47595	C80741	C333	COMPRESSOR GAS SINGLE STAGE HORIZONTA	XIXF 344	25	29006	29768	300	0	41182	12000	401	0	0
2	735	48243	C78187	C333	MOTOR 600 HP WESTINGHOUSE MODEL HSDP	2S-78	20	29280	23119	240	0	41182	11730	392	0	0
2	735	48244	C78182	C333	MOTOR 60 HP WESTINGHOUSE MODEL HSDP 6	3S-78	20	29280	23119	240	0	41182	11730	392	0	0
2	735	48246	C78183	C333	MOTOR 600 HP WESTINGHOUSE - MODEL HSDP	5S-78	20	29280	23119	240	0	41182	11730	392	0	0
2	735	48310	C80733	C333	VACUUM PUM MODEL 412H-11 LOT CD-81367	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48311	C85015	C333	VACUUM PUMP MODEL 412H LOT CD-81369 R	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48312	C85014	C333	VACUUUM PUMP MODEL 412H LOT CD-81369	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48313	C80736	C333	VACUUM PUMP MODEL 412H LOT CD81369 RO	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48314	C80734	C333	VACUUM PUMP MODEL 412 LOT CD-81369 RO	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48315	C80735	C333	VACUUM PUMP MODEL 412H LOT CD81369 RO	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48316	C80731	C333	VACUUM PUMP MODEL 412H LOT CD81369 RO	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48317	C80732	C333	VACUUM PUMP MDEL 4312H LOT CD 81369 R	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48318	C85013	C333	VACUUM PUMP MODEL 412H LOT CD-81369 R	CC84216	15	29402	9044	180	0	41182	11610	388	0	0
2	735	48319	C80768	C333	VACUUM PUMP MODEL 412H LOT CD-81369 R	CC84216	15	29402	9044	180	0	41182	11610	388	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	48338	C80765	C333	VACUUM PUMP MODEL 412H ROTARY SINGLE S	84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48425	C80773	C333	CONDENSER REBOILER DIMENSIONS: (APPROX)	12946	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48426	C80774	C333	CONDENSER REBOILER DIMENSIONS: (APPROX	12951	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48427	C80769	C333	CONDENSER REBOILER DIMENSIONS: (APPROX	12947	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48428	C80771	C333	CONDENSER REBOILER DIMENSIONS: (APPROX	12949	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48429	C80410	C333	CONDENSER REBOILER DIMENSIONS: (APPROX	12948	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48430	C80772	C333	CONDENSER REBOILER DIMENSIONS: (APPR0X	12934	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48431	C80759	C333	CONDENSER REBOILER DIMENSIONS: (APPROX	12950	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48432	C80775	C333	CONDENSER REBOILER DIMENSIONS: (APPROX	12954	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48433	C80770	C333	CONDENSER REBOILER DIMENSIONS: (APPROX)	12955	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48510	C80751	C333	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	409	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48511	C80753	C333	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	416	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48512	C80756	C333	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	413	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48513	C80757	C333	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	420	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48514	C80758	C333	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	437	20	29890	92156	240	0	41182	11130	372	0	0
2	735	48909	C80754	C333	FREEZER/SUBLIMER M.W.O. NO 2246 FREEZER	426	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48910	C80755	C333	M.W.O. NO 2246 FREEZER/SUBLIMER VESSEL	427	20	29829	96464	240	0	41182	11190	374	0	0
2	735	49003	C80752	C333	M.W.O. NO 2246 FREEZER/SUBLIMER VESSEL	429	20	29829	92156	240	0	41182	11190	374	0	0
2	735	49440	C73933	C333	1200 GALLON CARBON STEEL SAND SLURRY TAN	2JA17	40	30741	5770	480	12.02083333	41182	10290	344	136	1634.833333
2	735	49544	C73936	C333	MODEL 150 CENTRIFUGAL PUMP. 2500 GPM AT	11519950	20	30741	7447	240	0	41182	10290	344	0	0
2	735	49545	C73937	C333	MODEL 5K445BL318 125 HP GENERAL ELECTRI	FS232056	20	30741	4300	240	0	41182	10290	344	0	0
2	501	50035	C74492	C333	AUTOMATIC SPRINKLER SYSTEM WITH ALARM S	N/A	40	21640	804289	480	0	41182	19260	643	0	0
2	735	50148	C74594	C333	PROCESS ALARM (VIBRATION PROTECTION FOR	N/A	25	25719	4325	300	0	41182	15240	509	0	0
2	735	50240	C74684	C333	C-333 INSTRUMENTS AND CONTROLS - THE PUR	N/A	25	28276	14537598	300	0	41182	12720	425	0	0
2	735	50241	C74685	C333	C-333 CELLS AND PIPE ENCLOSURES - THIS S	N/A	40	28276	12921071	480	26918.89792	41182	12720	425	55	1480539.385
2	735	50242	C74686	C333	PG PIPING PG PIPING SYSTEM C-3	N/A	40	28276	41924230	480	87342.14583	41182	12720	425	55	4803818.021
2	735	50243	C74687	C333	C-333 COOLANT SYSTEM - THIS SYSTEM IS A	N/A	30	28276	12547982	360	0	41182	12720	425	0	0
2	735	50244	C74688	C333	"OOO" RECYCLE COOLERS COOLER RECYCLE 46	N/A	20	28276	364064	240	0	41182	12720	425	0	0
2	501	51020	C51020	C333	ELEVATOR FREIGHT 7-1/2 TON OILDRAULIC	N/A	40	31078	151962	480	316.5875	41182	9960	333	147	46538.3625
2	735	51580	C51580	C333	PUMP NORMETEX FOR UF6 SERVICE MACHINE	380	15	31836	627443	180	0	41182	9210	308	0	0
2	735	51650	C51650	C333	FREEZER/SUBLIMER 48" MITTERNIGHT BOILER	2432	20	32173	253032	240	0	41182	8880	297	0	0
2	735	51703	C51703	C333	FREEZER/SUBLIMER CHILLER LIQUID SIZE 4'	405	20	32477	258538	240	0	41182	8580	287	0	0
2	735	51704	C51704	C333	FREEZER/SUBLIMER VESSEL CHILLER LIQUID S	433	20	29737	258538	240	0	41182	11280	377	0	0
2	735	51707	C51707	C333	FREEZER/SUBLIMER VESSEL CHILLER LIQUID S	412	20	29525	258537	240	0	41182	11490	384	0	0
2	735	51708	C51708	C333	FREEZER/SUBLIMER VESSEL CHILLER LIQUIED	400	20	29433	258537	240	0	41182	11580	387	0	0
2	735	51709	C51709	C333	FREEZER/SUBLIMER VESSEL CHILLER LIQUIED	411	20	29525	258538	240	0	41182	11490	384	0	0
2	735	51710	C51710	C333	FREEZER/SUBLIMER 9 1/2' HIGH FREEZER/SUB	14660	20	32294	247865	240	0	41182	8760	293	0	0
2	735	51711	C51711	C333	FREEZER/SUBLIMER VESSEL CHILLER LIQUIED	422	20	29767	258537	240	0	41182	11250	376	0	0
2	735	51712	C51712	C333	FREEZER/SUBLIMER	N/A	20	29737	258538	240	0	41182	11280	377	0	0
2	735	51726	C51726	C333	PUMP HYDRAULIC ELEC POWERED W/INTERNAL S	ADO 062	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51727	C51727	C333	PUMP HYDRAULIC PUMP HYDRAULER	ADO362	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51728	C51728	C333	PUMP HYDRAULIC PUMP HYDRAULER	OFOC 320	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51729	C51729	C333	PUMP HYDRAULIC PUMP HYDRAULIC	ADO 061	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51730	C51730	C333	PUMP HYDRAULIC PUMP HYDRAULIC	ADO 060	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51731	C51731	C333	PUMP HYDRAULIC PUMP HYDRAULIC	ADO 364	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51735	C51735	C333	PUMP HYDRAULIC ELEC POWERED W/INTERNAL S	OFOC 308	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51736	C51736	C333	PUMP HYDRAULIC ELEC POWERED W/INTERNAL S	ADO 363	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51737	C51737	C333	PUMP HYDRAULIC ELEC POWERED W/INTERNAL S	ADO 361	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51797	C51797	C333	COMPRESSOR AXIAL FLOW CARRIER MODIFIE	801R	40	29464	137522	480	286.5041667	41182	11550	386	94	26931.39167
2	735	51798	C51798	C333	COMPRESSOR AXIAL FLOW CARRIER MODIFIE	870R	40	29464	137522	480	286.5041667	41182	11550	386	94	26931.39167
2	735	51898	C51898	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP MOT	66S24G66	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51899	C51899	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP MOTO	26G497	20	25599	42800	240	0	41182	15360	513	0	0
2	735	51900	C51900	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP UPRA	955S4G66	20	25599	42800	240	0	41182	15360	513	0	0
2	735	51901	C51901	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP. MOT	97S24G66	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51902	C51902	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP. MOT	150S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51903	C51903	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP MOT	93S24G66	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51904	C51904	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP. M	142S24G67	20	25599	42800	240	0	41182	15360	513	0	0
2	735	51905	C51905	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP UPR	58S24G66	20	25599	42800	240	0	41182	15360	513	0	0
2	735	51906	C51906	C333	MOTOR ELECTRIC WESTINGHOUSE 3300 HP MOT	38S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51907	C51907	C333	MOTOR ELECTRIC WESTINGHOUSE 950/135 HP	4S50P653	20	19905	23668	240	0	41182	20970	700	0	0
2	735	51908	C51908	C333	MOTOR ELECTRIC WESTINGHOUSE 950/135 HP	2S50P653	20	19905	23668	240	0	41182	20970	700	0	0
2	735	51909	C51909	C333	MOTOR ELECTRIC WESTINGHOUSE 950/135 HP	1S50P653	20	19905	23668	240	0	41182	20970	700	0	0
2	735	51910	C51910	C333	MOTOR ELECTRIC WESTINGHOUSE 950/135 HP	2S50P653	20	19905	23668	240	0	41182	20970	700	0	0
2	735	51911	C51911	C333	REDUCER GEAR SPEED INCREASER 950 HP	18263	20	25599	6125	240	0	41182	15360	513	0	0
2	735	51912	C51912	C333	REDUCER GEAR SPEED INCREASER 950 HP F	18264	20	25599	5789	240	0	41182	15360	513	0	0
2	735	51913	C51913	C333	REDUCER GEAR SPEED INCREASER 950 HP	18266	20	25599	6125	240	0	41182	15360	513	0	0
2	735	51914	C51914	C333	REDUCER GEAR SPEED INCRESER 950 HP FO	18265	20	25599	6125	240	0	41182	15360	513	0	0
2	735	51990	C51990	C333	ELECTRIC MOTOR 3300 HP UPRATED CUP. MOTO	147S24G67	20	18475	42800	240	0	41182	22380	747	0	0
2	735	51991	C51991	C333	MOTOR WESTINGHOUSE 3300 HP UPRATED CUP	105S24G66	20	18475	42800	240	0	41182	22380	747	0	0
2	735	51992	C51992	C333	MOTOR ELECTRIC 3300 HP UPRATED CUP MOTO	8036738	20	18475	40724	240	0	41182	22380	747	0	0
2	735	51993	C51993	C333	MOTOR 3300 HP ELECTRIC UPRATED CUP. MOT	8036636	20	18475	40724	240	0	41182	22380	747	0	0
2	735	51994	C51994	C333	MOTOR ELECTRIC 3300 HP. UPRATED CUP. MO	8036591	20	18475	40724	240	0	41182	22380	747	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	51995	C51995	C333	MOTOR ELECTRIC 3300 HP UPRATED CUP. MOT	8036729	20	18475	40724	240	0	41182	22380	747	0	0
2	735	52097	C52097	C333	MOTOR ELECTRIC 3300 HP. MOTOR WEST 33	118S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52098	C52098	C333	MOTOR 3300 HP. MOTOR WEST 3300 HP	138S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52099	C52099	C333	MOTOR ELECTIRC 3300 HP. MOTOR WEST 33	108S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52100	C52100	C333	MOTOR ELECTRIC 3300 HP MOTOR WEST 33	133S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52101	C52101	C333	MOTOR ELECTRIC 3300 HP MOTOR WEST 330	5S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52102	C52102	C333	MOTOR ELECTRIC 3300 HP. MOTOR WEST 33	37524G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52103	C52103	C333	MOTOR ELECTRIC 3300 HP. MOTOR WEST 33	16S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52104	C52104	C333	MOTOR ELECTRIC 3300 HP. MOTOR WEST 33	122S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52105	C52105	C333	MOTOR ELECTRIC 3300 HP. MOTOR WEST 33	29S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52106	C52106	C333	MOTOR ELECTRIC 3300 HP. MOTOR WEST 3	56S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52107	C52107	C333	MOTOR ELECTRIC. MOTOR WEST 3300 HP	74S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52108	C52108	C333	MOTOR ELECTRIC 3300 HP. MOTOR WEST 33	57S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52109	C52109	C333	motor electric 3300 hp. MOTOR WEST 33	42S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52110	C52110	C333	MOTOR ELECTRIC 3300 HP MOTOR WEST 330	73S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52111	C52111	C333	MOTOR ELECTRIC 3300 HP MOTOR WEST 330	7S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52112	C52112	C333	MOTOR ELECTRIC 3300 HP. MOTOR WEST 33	52S24G66	20	18628	42800	240	0	41182	22230	742	0	0
2	735	52137	C52137	C333	AIR FILTRATION SYS 2000 CFM PORTABLE 3'	2P09H5MM099003	20	33297	18248	240	0	41182	7770	260	0	0
2	735	52310	C52310	C333	MOTOR ELECTRIC GE 3300 HP. MOTOR ELECT	8036608	20	26754	40724	240	0	41182	14220	475	0	0
2	735	52311	C52311	C333	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	8036795	20	26754	40724	240	0	41182	14220	475	0	0
2	735	52312	C52312	C333	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	8036769	20	26754	40724	240	0	41182	14220	475	0	0
2	735	52313	C52313	C333	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	8036684	20	26754	40724	240	0	41182	14220	475	0	0
2	735	52314	C52314	C333	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	8036772	20	26754	40724	240	0	41182	14220	475	0	0
2	735	52315	C52315	C333	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 3300	8036502	20	26754	40724	240	0	41182	14220	475	0	0
2	735	52316	C52316	C333	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 3300	8036683	20	26754	40724	240	0	41182	14220	475	0	0
2	735	52317	C52317	C333	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	8036617	20	26754	40724	240	0	41182	14220	475	0	0
2	735	317778	317778	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	317780	317780	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	317782	317782	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	317784	317784	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	317800	317800	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	317802	317802	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	317804	317804	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	317806	317806	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	318144	318144	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	318224	318224	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	318226	318226	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	318228	318228	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCAH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	318230	318230	C333	MOTOR - TRANSFERED FROM K-25 TO PADUCH		20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	1504661	806303	C333	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U1243	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504749	806382	C333	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U1244	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504769	806402	C333	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U1022	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504771	806404	C333	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U1242	40	20301	202903	480	0	41182	20580	687	0	0
2	735	1504774	806407	C333	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U975	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504775	806408	C333	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U971	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504776	806409	C333	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U963	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504780	806413	C333	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U1230	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504796	806429	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U980	40	20301	209950	480	0	41182	20580	687	0	0
2	735	1504809	806442	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1252	40	20301	241731	480	0	41182	20580	687	0	0
2	735	1504816	806448	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1311	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504826	806458	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1003	40	20301	241731	480	0	41182	20580	687	0	0
2	735	1504847	806479	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1393	40	20301	209950	480	0	41182	20580	687	0	0
2	735	1504968	806600	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUI	126U1501	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504973	806605	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUI	126U1493	40	20301	241731	480	0	41182	20580	687	0	0
2	735	1505006	806638	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUIL	126U1539	40	20301	209950	480	0	41182	20580	687	0	0
2	735	1505009	806641	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUIL	126U1554	40	20301	209950	480	0	41182	20580	687	0	0
2	735	1505065	806697	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1253	40	20301	278447	480	0	41182	20580	687	0	0
2	735	1505097	806728	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1641	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1505100	806731	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1663	40	20301	278447	480	0	41182	20580	687	0	0
2	735	1505111	806741	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1701	40	20301	278447	480	0	41182	20580	687	0	0
2	735	1505191	806821	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUIL	126U1759	40	20301	241731	480	0	41182	20580	687	0	0
2	735	1505216	806846	C333	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1730	40	20301	241734	480	0	41182	20580	687	0	0
2	735	1510905	809480	C333	CONVERTER SIZE 33 TYPE 000 MODIFIED -	B00018	40	32477	278703	480	580.63125	41182	8580	287	193	112061.8313
2	735	2001517	811799	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038119	20	20301	31841	240	0	41182	20580	687	0	0
2	735	2001518	811800	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038120	20	20301	31774	240	0	41182	20580	687	0	0
2	735	2001519	811801	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038121	20	20301	31774	240	0	41182	20580	687	0	0
2	735	2001521	811803	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELEC	8038123	20	20301	22700	240	0	41182	20580	687	0	0
2	735	2001526	811808	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038128	20	20301	22511.84	240	0	41182	20580	687	0	0
2	735	2001527	811809	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038129	20	20301	31774	240	0	41182	20580	687	0	0
2	735	2001538	811820	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038140	20	20301	22511.84	240	0	41182	20580	687	0	0
2	735	2001543	811825	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELEC	8038145	20	20301	31842	240	0	41182	20580	687	0	0
2	735	2001545	811827	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038147	20	20301	31841	240	0	41182	20580	687	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	2001567	811849	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038169	20	20301	31774	240	0	41182	20580	687	0	0
2	735	2001594	811876	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELEC	8038196	20	20301	22700	240	0	41182	20580	687	0	0
2	735	2001600	811882	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELEC	8038202	20	20301	31842	240	0	41182	20580	687	0	0
2	735	2001606	811888	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELEC	8038208	20	20301	31842	240	0	41182	20580	687	0	0
2	735	2001629	811911	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038231	20	20301	31841	240	0	41182	20580	687	0	0
2	735	2001631	811913	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELEC	8038233	20	20301	31842	240	0	41182	20580	687	0	0
2	735	2001637	811919	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELEC	8038239	20	20301	31842	240	0	41182	20580	687	0	0
2	735	2001672	811954	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038274	20	20301	31774	240	0	41182	20580	687	0	0
2	735	2001673	811955	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038275	20	20301	22511.84	240	0	41182	20580	687	0	0
2	735	2001674	811956	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038276	20	20301	22511.84	240	0	41182	20580	687	0	0
2	735	2001677	811959	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELEC	8038279	20	20301	22700	240	0	41182	20580	687	0	0
2	735	2001688	811970	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038290	20	20301	31774	240	0	41182	20580	687	0	0
2	735	2001725	812007	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038327	20	20301	31841	240	0	41182	20580	687	0	0
2	735	2001734	812016	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038336	20	20301	31774	240	0	41182	20580	687	0	0
2	735	2001739	812021	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038341	20	20301	31841	240	0	41182	20580	687	0	0
2	735	2001758	812040	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038360	20	20301	22511.84	240	0	41182	20580	687	0	0
2	735	2001781	812063	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038383	20	20301	31774	240	0	41182	20580	687	0	0
2	735	2001785	812067	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038387	20	20301	22511.84	240	0	41182	20580	687	0	0
2	735	2001798	812080	C333	MOTOR GE 1750 HP 2300 VOLT ELECTRIC M	8038400	20	20301	31841	240	0	41182	20580	687	0	0
2	735	2001804	812086	C333	MOTOR G. E. 1750 H.P. 2300 VOLT ELECT	8038406	20	20301	31845	240	0	41182	20580	687	0	0
2	735	2001833	812115	C333	MOTOR G. E. 3300 H. P. 2300 VOLT ELECT	8037665	20	20301	31838	240	0	41182	20580	687	0	0
2	735	2001897	812173	C333	MOTOR GENERAL ELECTRIC 600 HP 2300 VO	TL6942154	20	20148	11565.98	240	0	41182	20730	692	0	0
2	735	2007384	813267	C333	MOTOR ELECTRIC AC PROCESS - WESTINGHO	34-S-24G66	20	33116	42800	240	0	41182	7950	266	0	0
2	735	2007385	813268	C333	MOTOR ELECTRIC AC PROCESS - WESTINGHO	79-S-24G66	20	33116	42800	240	0	41182	7950	266	0	0
2	735	2007393	813276	C333	MOTOR ELECTRIC AC PROCESS - WESTINGHO	156-S-24G67	20	33116	42800	240	0	41182	7950	266	0	0
2	735	2007394	813277	C333	MOTOR ELECTRIC AC PROCESS - WESTINGHO	158-S-24G67	20	33116	42800	240	0	41182	7950	266	0	0
2	735	2007395	813278	C333	MOTOR ELECTRIC AC PROCESS - WESTINGHO	54-S-24G67	20	33116	42800	240	0	41182	7950	266	0	0
2	735	2100816	813920	C333	GENERATOR DIESEL - WITH A 406.25 KVA CO	88788-6	25	30802	91521.23	300	0	41182	10230	342	0	0
2	735	2100817	813921	C333	GENERATOR DIESEL - WITH A 406.25 KVA CO	8878811	25	30802	91521.23	300	0	41182	10230	342	0	0
2	735	2303419	819032	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1667R	40	20301	108356.13	480	0	41182	20580	687	0	0
2	735	2303433	819046	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1722L	40	20301	108356.13	480	0	41182	20580	687	0	0
2	735	2303434	819047	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1641R	40	20301	108356.13	480	0	41182	20580	687	0	0
2	735	2303436	819049	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1693R	40	20301	108356.13	480	0	41182	20580	687	0	0
2	735	2303449	819062	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1710R	40	20301	84873.57	480	0	41182	20580	687	0	0
2	735	2303450	819063	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1726L	40	20301	84873.57	480	0	41182	20580	687	0	0
2	735	2303485	819098	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1759R	40	20301	91664	480	0	41182	20580	687	0	0
2	735	2303536	819149	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1782R	40	20301	95794	480	0	41182	20580	687	0	0
2	735	2303539	819152	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1820L	40	20301	95794	480	0	41182	20580	687	0	0
2	735	2303540	819153	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1806R	40	20301	95794	480	0	41182	20580	687	0	0
2	735	2303578	819190	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1851L	40	20301	85469	480	0	41182	20580	687	0	0
2	735	2303596	819208	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1856R	40	20301	97479	480	0	41182	20580	687	0	0
2	735	2303613	819225	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1893L	40	20301	97890	480	0	41182	20580	687	0	0
2	735	2303620	819232	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1880R	40	20301	97890	480	0	41182	20580	687	0	0
2	735	2303624	819236	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1897L	40	20301	85469	480	0	41182	20580	687	0	0
2	735	2303672	819284	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1933R	40	20301	97953	480	0	41182	20580	687	0	0
2	735	2303691	819303	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1952R	40	20301	119099.45	480	0	41182	20580	687	0	0
2	735	2303748	819360	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2008R	40	20301	92036	480	0	41182	20580	687	0	0
2	735	2303824	819436	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2078R	40	20301	101431.04	480	0	41182	20580	687	0	0
2	735	2303831	819443	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2107L	40	20301	95794	480	0	41182	20580	687	0	0
2	735	2303848	819460	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2114L	40	20301	118185.45	480	0	41182	20580	687	0	0
2	735	2303851	819463	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2097-R	40	20301	112322.45	480	0	41182	20580	687	0	0
2	735	2303880	819492	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2145R	40	20301	95790	480	0	41182	20580	687	0	0
2	735	2303923	819535	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2173R	40	20301	98682	480	0	41182	20580	687	0	0
2	735	2303935	819547	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2210L	40	20301	95794	480	0	41182	20580	687	0	0
2	735	2303937	819549	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2208L	40	20301	95794	480	0	41182	20580	687	0	0
2	735	2303939	819551	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2227L	40	20301	98682	480	0	41182	20580	687	0	0
2	735	2303954	819566	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2289R	40	20301	95794	480	0	41182	20580	687	0	0
2	735	2303980	819592	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2274L	40	20301	119099.45	480	0	41182	20580	687	0	0
2	735	2304003	819615	C333	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2197R	40	20301	101431.04	480	0	41182	20580	687	0	0
2	735	2305292	820016	C333	COMPRESSOR AXIAL FLOW - MODIFIED TYPE	B01241	40	32477	149642	480	311.7541667	41182	8580	287	193	60168.55417
2	735	36543	C81453	C333A	SCALE PLATFORM INDUSTRIAL 20 TON EQ.	N/A	20	22950	70535	240	0	41182	17970	600	0	0
2	735	36602	C81458	C333A	BRIDGE CRANE 20 TON CRANE 20T	N/A	30	19997	30420	360	0	41182	20880	697	0	0
2	735	45996	C73874	C333A	X TRANSFER CAR AIR MOTORED PRODUCT CYLI	N/A	20	27850	5845	240	0	41182	13140	439	0	0
2	735	46486	C81459	C333A	CRANE BRIDGE ELECTRIC OVERHEAD SHAW-BO	38907	30	28215	135695	360	0	41182	12780	427	0	0
2	501	50105	C74557	C333A	BUILDING IS A STEEL-FRAMED STRUCTURE 48'	N/A	40	22950	818924	480	0	41182	17970	600	0	0
2	501	50106	C74558	C333A	ELECTRIC LIGHTING SYSTEM CONSISTS OF 36	N/A	40	22950	14173	480	0	41182	17970	600	0	0
2	501	50107	C74559	C333A	PLUMBING AND DRAINAGE SYSTEM CONSISTS OF	N/A	40	22950	6973	480	0	41182	17970	600	0	0
2	735	50108	C74560	C333A	ELECT. POWER SYSTEM PROCESS POWER OBTAI	N/A	30	22950	396890	360	0	41182	17970	600	0	0
2	735	50109	C74561	C333A	RECIRCULATING WATER SYSTEM CONSISTS OF	N/A	40	22950	4535	480	0	41182	17970	600	0	0
2	735	50110	C74562	C333A	DRY AIR SYSTEM CONSISTS OF 580 FT OF PI	N/A	25	22950	6009	300	0	41182	17970	600	0	0
2	735	50111	C74563	C333A	INSTRUMENTATION INCLUDES CONTROLS FOR ST	N/A	25	22950	297627	300	0	41182	17970	600	0	0
2	735	50112	C74564	C333A	PG PIPING PROCESS GAS PIPING SYSTEM TIE	N/A	40	22950	1354849	480	0	41182	17970	600	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	51746	C51746	C333A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PANE	14703	20	32477	505971	240	0	41182	8580	287	0	0
2	735	51747	C51747	C333A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PA	14705	20	32477	505970	240	0	41182	8580	287	0	0
2	735	51748	C51748	C333A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PA	14846	20	32477	505970	240	0	41182	8580	287	0	0
2	735	51749	C51749	C333A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PA	14702	20	32477	505970	240	0	41182	8580	287	0	0
2	735	51750	C51750	C333A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PA	14700	20	32477	505970	240	0	41182	8580	287	0	0
2	735	51751	C51751	C333A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PAN	14697	20	32477	505970	240	0	41182	8580	287	0	0
2	735	51752	C51752	C333A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PA	14699	20	32477	505970	240	0	41182	8580	287	0	0
2	735	51753	C51753	C333A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PA	14701	20	32477	505970	240	0	41182	8580	287	0	0
2	735	378	C82524	C335	CONVERTER CELL 3.7 STAGE 5 CONVERTER	119 U 231	40	28702	137884	480	287.2583333	41182	12300	411	69	19820.825
2	735	379	C82525	C335	CONVERTER CELL 3.4 STAGE 1 CONVERTER	119 U 200	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	381	C82527	C335	CONVERTER CELL 4.7 STAGE 10 CONVERTER	119U216	40	28975	138941	480	289.4604167	41182	12030	402	78	22577.9125
2	735	385	C82532	C335	CONVERTER CELL 3.7 STAGE 2 CONVERTER	119 U 164	40	28702	137884	480	287.2583333	41182	12300	411	69	19820.825
2	735	386	C82533	C335	CONVERTER CELL 4 STAGE 10 CONVERTER	119 U 144	40	28184	142417	480	296.7020833	41182	12810	428	52	15428.50833
2	735	387	C82534	C335	CONVERTER CELL 3.8 STAGE 9 CONVERTER	119 U 212	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	389	C82536	C335	CONVERTER CELL 1.2 STAGE 5 CONVERTER	119U59	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	394	C82540	C335	CONVERTER 00 CELL 2.3 STAGE 5.4 CONVERTE	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	397	C82543	C335	CONVERTER CELL 4 STAGE 8 CONVERTER	119 U 235	40	28184	142417	480	296.7020833	41182	12810	428	52	15428.50833
2	735	402	C82549	C335	CONVERTER 00 CELL 2.3 STAGE 5.8 CONVERTE	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	404	C82551	C335	CONVERTER 00 CELL 2.3 STAGE S.3 CONVERTE	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	409	C82555	C335	CONVERTER 00 CELL 4.3 STAGE 2 CONVERTER	119 U 225	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	410	C82556	C335	CONVERTER "00" CELL:3.5 STAGE:9 CONVER	119U156	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	413	C82559	C335	CONVERTER 00 CELL 2.9 STAGE 1 CONVERTER	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	414	C82560	C335	CONVERTER 00 CELL 3.4 STAGE 4 CONVERTER	119 U 181	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	415	C82561	C335	CONVERTER-00 CELL 2.1 STAGE 4 CONVERTE	119U125	40	28671	137808	480	287.1	41182	12330	412	68	19522.8
2	735	418	C82564	C335	CONVERTER "00" CELL: 3.9 STAGE:10 CONV	N/A	40	28975	138942	480	289.4625	41182	12030	402	78	22578.075
2	735	419	C82565	C335	CONVERTER CELL 6 STAGE 8 CONVERTER	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	421	C82567	C335	CONVERTER CELL 1.4 STAGE-8 CONVERTER	119U3	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	431	C82576	C335	CONVERTER CELL 3.8 STAGE 5 CONVERTER	119 U 102	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	434	C82579	C335	CONVERTER CELL 10 STAGE 10 CONVERTER	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	437	C82582	C335	CONVERTER 00 CELL 4.5 STAGE 5 CONVERTER	119 U 191	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	439	C82584	C335	CONVERTER CELL 3.7 STAGE 10 CONVERTER	119 U 193	40	28702	137884	480	287.2583333	41182	12300	411	69	19820.825
2	735	441	C82591	C335	CONVERTER CELL 3.4 STAGE 8 CONVERTER	119 U 158	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	442	C82586	C335	CONVERTER 00 CELL 2.3 STAGE 5.6 CONVERTE	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	446	C82590	C335	CONVERTER 00 CELL 3.3 STAGE 9 CONVERTER	119 U 320	40	28671	137808	480	287.1	41182	12330	412	68	19522.8
2	735	447	C82592	C335	CONVERTER 00 CELL 2.3 STAGE S.2 CONVERTE	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	448	C82593	C335	CONVERTER-00 CELL 2.1 STAGE 9 CONVERTE	119U53	40	28671	137808	480	287.1	41182	12330	412	68	19522.8
2	735	449	C82594	C335	CONVERTER 00 CELL 3.7 STAGE 1 CONVERTER	119 U 286	40	28702	137884	480	287.2583333	41182	12300	411	69	19820.825
2	735	450	C82595	C335	CONVERTER CELL 3.7 STAGE 1 CONVERTER	N/A	40	28580	133948	480	279.0583333	41182	12420	415	65	18138.79167
2	735	451	C82596	C335	CONVERTER CELL 1.2 STAGE 1 CONVERTER	119U217	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	452	C82597	C335	CONVERTER 00 CELL 2.1 STAGE 5 CONVERTE	119U275	40	28671	137808	480	287.1	41182	12330	412	68	19522.8
2	735	453	C82598	C335	CONVERTER CELL 3.8 STAGE 10 CONVERTER	119 U 375	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	454	C82599	C335	CONVERTER 00 CELL 2.5 STAGE 4 CONVERTER	N/A	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	455	C82600	C335	CONVERTER CELL 4.7 STAGE 1 CONVERTER	119U202	40	28975	138941	480	289.4604167	41182	12030	402	78	22577.9125
2	735	456	C82601	C335	CONVERTER	N/A	40	28580	133948	480	279.0583333	41182	12420	415	65	18138.79167
2	735	457	C82602	C335	CONVERTER 00 CELL 2-3 STAGE S-5 CONVER	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	459	C82604	C335	CONVERTER CELL 3.8 STAGE 1 CONVERTER	N/A	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	460	C82605	C335	CONVERTER CELL 3.8 STAGE 6 CONVERTER	119 V 80	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	463	C82608	C335	CONVERTER CELL 2.9 STAGE 5 CONVERTER	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	464	C82609	C335	CONVERTER CELL 3.7 STAGE 3 CONVERTER	119 V 409	40	28702	137884	480	287.2583333	41182	12300	411	69	19820.825
2	735	467	C82611	C335	CONVERTER 00 CELL 4.5 STAGE 10 CONVERTER	119 V 126	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	468	C82612	C335	CONVERTER 00 CELL 2 STAGE 1 CONVERTER 00	119 V 118	40	28521	128748	480	268.225	41182	12480	417	63	16898.175
2	735	469	C82613	C335	CONVERTER 00 CELL 4.5 STAGE 4 CONVERTER	119 V 120	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	471	C82615	C335	CONVERTER CELL 2.9 STAGE 8 CONVERTER	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	473	C82617	C335	CONVERTER CELL 3.8 STAGE 7 CONVERTER	119 V 197	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	474	C82618	C335	CONVERTER CELL 1.6 STAGE 3 CONVERTER	119U37	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	475	C82619	C335	CONVERTER 00 CELL 4.1 STAGE 4 CONVERTER	119 V 253	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	477	C82621	C335	CONVERTER 00 CELL 2.3 STAGE S-1 CONVERTE	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	487	C82631	C335	CONVERTER 00 CELL 2.5 STAGE 8 CONVERTER	N/A	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	488	C82632	C335	CONVERTER 00 CELL 2.5 STAGE 2 CONVERTER	N/A	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	489	C82633	C335	CONVERTER 00 CELL 2.5 STAGE 10 CONVERTER	N/A	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	490	C82634	C335	CONVERTER 00 CELL 2.5 STAGE 3 CONVERTER	N/A	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	491	C82635	C335	CONVERTER 00 CELL 2.5 STAGE 7 CONVERTER	N/A	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	503	C82642	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U74	40	19328	19219	480	0	41182	21540	719	0	0
2	735	504	C82643	C335	CONVERTER CELL 1.4 STAGE 5 CONVERTER	119U97	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	511	C82649	C335	CONVERTER CELL 2.9 STAGE 4 CONVERTER	N/A	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	515	C82653	C335	CONVERTER 00 CELL 2.5 STAGE 5 CONVERTER	N/A	40	28855	137630	480	286.7291667	41182	12150	406	74	21217.95833
2	735	517	C82655	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U15	40	19328	18736	480	0	41182	21540	719	0	0
2	735	521	C82659	C335	CONVERTER CELL: 1.4 STAGE: 7 CONVERTER	N/A	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	524	C82661	C335	CONVERTER TYPE 0-0 CELL:9 STAGE:6 CONVER	119 U 269	40	19328	19219	480	0	41182	21540	719	0	0
2	735	539	C82676	C335	CONVERTER 00 INVENTORY 22 PAGE 29 OF 51	119 U 10	40	19328	19219	480	0	41182	21540	719	0	0
2	735	559	C82694	C335	CONVERTER 00 CELL 4.5 STAGE 3 CONVERTER	119 U 90	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	563	C82698	C335	CONVERTER 00 INVENTORY 22 PAGE 19 OF 51	119 U 142	40	19328	19219	480	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	564	C82699	C335	CONVERTER 00 CELL 6 STAGE 6 CONVERTER 00	119 U 163	40	19328	19219	480	0	41182	21540	719	0	0
2	735	594	C82726	C335	CONVERTER 00 DATE IN SERVICE 11/52 CONVE	119 U 302	40	28156	139952	480	291.5666667	41182	12840	429	51	14869.9
2	735	612	C82743	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119 U 196	40	28184	142417	480	296.7020833	41182	12810	428	52	15428.50833
2	735	613	C82744	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119 U 326	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	615	C82745	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119 U 293	40	28184	142417	480	296.7020833	41182	12810	428	52	15428.50833
2	735	623	C82750	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 244	40	28184	142417	480	296.7020833	41182	12810	428	52	15428.50833
2	735	636	C82761	C335	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U 354	40	19328	19219	480	0	41182	21540	719	0	0
2	735	637	C82762	C335	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U 332	40	19328	19219	480	0	41182	21540	719	0	0
2	735	640	C82765	C335	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U 295	40	19328	19219	480	0	41182	21540	719	0	0
2	735	641	C82766	C335	CONVERTER TYPE O-O-UNIT HEAD SERIAL NO	119 U 351	40	19328	19219	480	0	41182	21540	719	0	0
2	735	643	C82768	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL N	119 U 396	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	644	C82769	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 98	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	645	C82770	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 316	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	648	C82773	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 309	40	28580	133948	480	279.0583333	41182	12420	415	65	18138.79167
2	735	649	C82774	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 298	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	650	C82775	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 339	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	658	C82783	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 55	40	28549	130660	480	272.2083333	41182	12450	416	64	17421.33333
2	735	667	C82791	C335	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U 343	40	19328	19219	480	0	41182	21540	719	0	0
2	735	668	C82792	C335	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U70	40	19328	19219	480	0	41182	21540	719	0	0
2	735	669	C82793	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO.	119U333	40	19328	19219	480	0	41182	21540	719	0	0
2	735	673	C82798	C335	CONVERTER CELL 1.4 STAGE 4. CONVERTER	119U401	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	674	C82799	C335	CONVERTER CELL 1.2 STAGE 9. CONVERTER	119U148	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	676	C82801	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 322	40	28702	137884	480	287.2583333	41182	12300	411	69	19820.825
2	735	677	C82802	C335	CONVERTER - CELL: 1.4 STAGE: 9. CONVERT	119U329	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	679	C82804	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U8	40	19328	18736	480	0	41182	21540	719	0	0
2	735	682	C82807	C335	CONVERTER CELL 1.4 STAGE 6. CONVERTER	119U108	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	686	C82938	C335	CONVERTER TYPE O-O UNIT HEAD SERIAL NO	119 U 47	40	19328	19219	480	0	41182	21540	719	0	0
2	735	689	C82941	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 81	40	29311	139499	480	290.6229167	41182	11700	391	89	25865.43958
2	735	695	C82946	C335	CONVERTER CELL 1.6 STAGE 1. CONVERTER	119U143	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	697	C82947	C335	CONVERTER CELL 1.2 STAGE 6. CONVERTER	119U376	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	698	C82948	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119 U 152	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	703	C82811	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U388	40	19328	18736	480	0	41182	21540	719	0	0
2	735	705	C82813	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U321	40	19328	17684	480	0	41182	21540	719	0	0
2	735	711	C82818	C335	CONVERTER	119 U 390	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	713	C82820	C335	CONVERTER CELL 1.6 STAGE 4. CONVERTER	119U355	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	715	C82822	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U412	40	19328	18736	480	0	41182	21540	719	0	0
2	735	716	C82823	C335	CONVERTER	119 U 405	40	28975	138941	480	289.4604167	41182	12030	402	78	22577.9125
2	735	717	C82824	C335	CONVERTER TUPE 0-0 UNIT HEAD SERIAL NO	119U367	40	19328	18736	480	0	41182	21540	719	0	0
2	735	718	C82825	C335	CONVERTER - CELL: 1.2 STAGE: 8. CONVERT	119U335	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	719	C82826	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U1	40	19328	18736	480	0	41182	21540	719	0	0
2	735	720	C82827	C335	CONVERTER	119 U 387	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	721	C82828	C335	CONVERTR CELL 1.4 STAGE 2. CONVERTER	119U150	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	722	C82829	C335	CONVERTER TYPE 0-0 UNIT HEAD SERCIAL N	119U290	40	19328	18736	480	0	41182	21540	719	0	0
2	735	723	C82830	C335	CONVERTER TYPE0-0 UNIT HEAD SERIAL NO.	119U279	40	19328	18736	480	0	41182	21540	719	0	0
2	735	724	C82831	C335	CONVERTER "00" CELL: 1.6 STAGE: 1. CON	119U289	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	725	C82832	C335	CONVERTER TPE 0-0 UNIT HEAD SERIAL NO.	119U365	40	19328	18736	480	0	41182	21540	719	0	0
2	735	728	C82835	C335	CONVERTER TYPE 0-0 UNIT HEAD SERIAL NO	119U294	40	19328	18736	480	0	41182	21540	719	0	0
2	735	729	C82836	C335	CONVERTER CONVERTER 00	119 U 382	40	29311	139499	480	290.6229167	41182	11700	391	89	25865.43958
2	735	731	C82837	C335	CONVERTER CELL: 1.2 STAGE: 4. CONVERTE	119U415	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	732	C82838	C335	CONVERTER	N/A	40	28276	154365	480	321.59375	41182	12720	425	55	17687.65625
2	735	734	C82842	C335	CONVERTER CONVERTER 00	119 U 288	40	29311	139499	480	290.6229167	41182	11700	391	89	25865.43958
2	735	735	C82843	C335	CONVERTER CONVERTER 00	119 U 350	40	29311	139499	480	290.6229167	41182	11700	391	89	25865.43958
2	735	736	C82844	C335	CONVERTER CONVERTER 00	119 U 194	40	29280	139574	480	290.7791667	41182	11730	392	88	25588.56667
2	735	737	C82845	C335	CONVERTER 00	119 U 386	40	29311	139499	480	290.6229167	41182	11700	391	89	25865.43958
2	735	739	C82847	C335	CONVERTER "00" CELL: 4.1 STAGE: 8. CON	119U185	40	29433	138706	480	288.9708333	41182	11580	387	93	26874.2875
2	735	740	C82848	C335	CONVERTER CELL: 1.6 STAGE: 10. CONVERT	119U26	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	741	C82850	C335	CONVERTER CELL: 1.6 STAGE: 7. CONVERTE	119U183	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	742	C82851	C335	CONVERTER TUPE 0-0 UNIT HEAD SERIAL NO	119U403	40	19328	18736	480	0	41182	21540	719	0	0
2	735	743	C82853	C335	CONVERTER 00	119 U 136	40	29311	139499	480	290.6229167	41182	11700	391	89	25865.43958
2	735	744	C82854	C335	CONVERTER OO CONVERTER 00	119 U 344	40	29311	139499	480	290.6229167	41182	11700	391	89	25865.43958
2	735	745	C82855	C335	CONVERTER CELL: 1.6 STAGE: 8. CONVERTE	119U331	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	746	C82856	C335	CONVERTER - CEL: 1.2 STAGE: 10. CONVERT	119U410	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	747	C82857	C335	CONVERTER OO CONVERTER 00	119 U 92	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	748	C82858	C335	CONVERTER CELL: 1.6 STAGE: 6. CONVERTE	119U383	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	750	C82860	C335	CONVERTER 00	119 U 460	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	751	C82861	C335	CONVERTER CELL: 1.6 STAGE: 9. CONVERTE	119U132	40	29159	142677	480	297.24375	41182	11850	396	84	24968.475
2	735	752	C82862	C335	CONVERTR CELL: 1.4 STAGE: 10. CONVERTE	119U141	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	754	C82864	C335	CONVERTER CELL: 1.2 STAGE: 3. CONVERTE	119U419	40	29829	138669	480	288.89375	41182	11190	374	106	30622.7375
2	735	757	C82867	C335	CONVERTER 00	119 U 184	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	759	C82870	C335	CONVERTER	119 U 89	40	28975	138941	480	289.4604167	41182	12030	402	78	22577.9125
2	735	760	C82871	C335	CONVERTER 00	119 U 418	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	762	C82872	C335	CONVETRER TYPE 0-0 UNIT HEAD INVENTORY	119 U 314	40	19328	17684	480	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	765	C82875	C335	CONVERTER 00	119 U 178	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	766	C82876	C335	CONVERTER	119 U 408	40	28975	138941	480	289.4604167	41182	12030	402	78	22577.9125
2	735	767	C82877	C335	CONVERTER	119 U 398	40	28975	138941	480	289.4604167	41182	12030	402	78	22577.9125
2	735	768	C82878	C335	CONVERTER	119 U 417	40	28975	138941	480	289.4604167	41182	12030	402	78	22577.9125
2	735	769	C82879	C335	CONVERTER "00" CELL: 4.5 STAGE: 6. CON	119U389	40	29006	140429	480	292.5604167	41182	12000	401	79	23112.27292
2	735	779	C82882	C335	CONVERTER CELL: 1.4 STAGE: 3 CONVERTER	119U121	40	29829	138548	480	288.6416667	41182	11190	374	106	30596.01667
2	735	786	C82889	C335	CONVERTER CELL: 1.4 STAGE:1 CONVERTER	119U162	40	29829	138548	480	288.6416667	41182	11190	374	106	30596.01667
2	735	788	C82890	C335	CONVERTER	119 U 176	40	29159	142555	480	296.9895833	41182	11850	396	84	24947.125
2	735	789	C82891	C335	CONVERTER CELL: 1.2 STAGE: 2. CONVERTE	119U374	40	29829	138548	480	288.6416667	41182	11190	374	106	30596.01667
2	735	813	C76917	C335	MOTOR INDUCTION - UPRATED MTR WEST 1700	15 43P 244	20	28368	19638	240	0	41182	12630	422	0	0
2	735	814	C77057	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	2S 43P 244	20	29220	20779	240	0	41182	11790	394	0	0
2	735	815	C76974	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	60S 43P 244	20	28671	21029	240	0	41182	12330	412	0	0
2	735	816	C77033	C335	MOTOR HP 1700 MOTOR INDUCTION - UPRATE	12S-43P-244	20	29311	15189	240	0	41182	11700	391	0	0
2	735	818	C76937	C335	MOTOR 1700HP MOTOR INDUCTION-UPRATED	11S 42P 244	20	28671	21029	240	0	41182	12330	412	0	0
2	735	820	C77019	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	58S 43P 244	20	29617	15189	240	0	41182	11400	381	0	0
2	735	821	C77070	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	57S 43P 244	20	29617	15189	240	0	41182	11400	381	0	0
2	735	822	C76998	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	2S 43P 243	20	29036	20779	240	0	41182	11970	400	0	0
2	735	823	C76980	C335	MOTOR INDUCTIOB-UPRATED MOTOR HP 1700	9S 43P 244	20	29036	20779	240	0	41182	11970	400	0	0
2	735	825	C76946	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	9S 43P 244	20	28671	21029	240	0	41182	12330	412	0	0
2	735	826	C76930	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	67S 43P 243	20	28671	21029	240	0	41182	12330	412	0	0
2	735	827	C76990	C335	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	15S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	828	C77064	C335	MOTOR INDUCTION-UPRATED MOTOR 1750 HP	13S 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	829	C76939	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	4S 43P 243	20	28671	21029	240	0	41182	12330	412	0	0
2	735	833	C76901	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED.	6843P243	20	29251	20779	240	0	41182	11760	393	0	0
2	735	835	C76925	C335	MOTOR INDUCTION-UPRATED MTR WEST 1700	68S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	837	C77023	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	31S 18G 291	20	29617	15189	240	0	41182	11400	381	0	0
2	735	838	C76938	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	14S 43P 244	20	28671	21029	240	0	41182	12330	412	0	0
2	735	839	C76940	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	13S 43P 243	20	28671	21029	240	0	41182	12330	412	0	0
2	735	840	C76941	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	12S 43P 243	20	28671	21029	240	0	41182	12330	412	0	0
2	735	841	C76950	C335	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	15S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	844	C76889	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	71S 43P 243	20	28580	19678	240	0	41182	12420	415	0	0
2	735	845	C77062	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	59S 43P 244	20	29311	15189	240	0	41182	11700	391	0	0
2	735	847	C76991	C335	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	23S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	848	C77030	C335	MOTOR INDUCTION-UPRATED MOTOR 1750 HP	20S 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	854	C76919	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	19S 43P 243	20	29464	15189	240	0	41182	11550	386	0	0
2	735	859	C77036	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	20S 43P 244	20	29311	15189	240	0	41182	11700	391	0	0
2	735	860	C77012	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	29S-43P-243	20	28580	19678	240	0	41182	12420	415	0	0
2	735	862	C77014	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	24S 43P 243	20	28580	19678	240	0	41182	12420	415	0	0
2	735	866	C76943	C335	MOTOR 1700 HP MOTOR INDUCTIN-UPRATED MOT	22S 43P 244	20	28671	21029	240	0	41182	12330	412	0	0
2	735	867	C76983	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	24S 43P 244	20	29036	20779	240	0	41182	11970	400	0	0
2	735	868	C76996	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	25S 43P 243	20	29036	20779	240	0	41182	11970	400	0	0
2	735	869	C76866	C335	MTR. WEST 1700 HP MOTOR INDUCTION - UPR	33S43P243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	870	C77010	C335	MOTOR INDUCTION-UPRATED	348 43P 243	20	28580	19678	240	0	41182	12420	415	0	0
2	735	872	C76978	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	33S 43P 244	20	28763	20779	240	0	41182	12240	409	0	0
2	735	873	C76869	C335	MOTOR 1700 HP	N/A	20	29402	15189	240	0	41182	11610	388	0	0
2	735	874	C77071	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	28S 43P 244	20	29798	15189	240	0	41182	11220	375	0	0
2	735	877	C77013	C335	MOTOR 1700 HP MOTOR INDUCTIN-UPRATED MOT	26S 43P 243	20	28580	19678	240	0	41182	12420	415	0	0
2	735	880	C76921	C335	MTR. WEST 1700 HP MOTOR INDUCTION - UPR	31S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	882	C76899	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	4S 18G 291	20	29341	15189	240	0	41182	11670	390	0	0
2	735	883	C76955	C335	MOTOR 1700 HOP MOTOR INDUCTION- UPRATE	3S 18G 292	20	28671	21029	240	0	41182	12330	412	0	0
2	735	884	C76928	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	2S 18G 291	20	28671	21029	240	0	41182	12330	412	0	0
2	735	889	C76987	C335	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	41S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	892	C76903	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	35S 43P 244	20	29036	20779	240	0	41182	11970	400	0	0
2	735	894	C77050	C335	MOTOR. 1700 HP MOTOR INDUCTION-UPRATED	14S 18G 292	20	29798	15189	240	0	41182	11220	375	0	0
2	735	903	C76952	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	17S 18G 292	20	28671	21029	240	0	41182	12330	412	0	0
2	735	910	C76976	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	53S 43P 244	20	28763	20779	240	0	41182	12240	409	0	0
2	735	911	C77025	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	43S 43P 243	20	29617	15189	240	0	41182	11400	381	0	0
2	735	913	C77032	C335	MOTOR 1750 HP MOTOR INDUCTION-UPRATED M	41S 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	914	C76953	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	32S 43P 244	20	28671	21029	240	0	41182	12330	412	0	0
2	735	915	C76966	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	16S 18G 292	20	28580	19678	240	0	41182	12420	415	0	0
2	735	916	C76965	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	18S 18G 292	20	28580	19678	240	0	41182	12420	415	0	0
2	735	919	C76957	C335	MOTOR 7100 HP. MOTOR INDUCTION-UPRATE	16S-18G-291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	927	C76979	C335	MOTOR 1700 HP MOTOR INDUCTION- UPRATED	19S 18G 292	20	28763	20779	240	0	41182	12240	409	0	0
2	735	928	C77011	C335	MOTOR 1700 HP MOTOR INDUCTION - UPRATED	20S 18G 291	20	28580	19678	240	0	41182	12420	415	0	0
2	735	929	C76929	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	20S 18G 292	20	28671	21029	240	0	41182	12330	412	0	0
2	735	930	C76977	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	21S 18G 292	20	28763	20779	240	0	41182	12240	409	0	0
2	735	932	C76881	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	25S 18G 292	20	29494	15189	240	0	41182	11520	385	0	0
2	735	935	C76872	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	27S 18G 292	20	29402	15189	240	0	41182	11610	388	0	0
2	735	936	C76879	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	24S 18G 292	20	29494	15189	240	0	41182	11520	385	0	0
2	735	937	C76967	C335	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	46S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	938	C77000	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	45S 438 243	20	28763	20779	240	0	41182	12240	409	0	0
2	735	939	C76891	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	52S 43P 243	20	28580	19678	240	0	41182	12420	415	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	942	C76906	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	48S 43P 243	20	29402	15189	240	0	41182	11610	388	0	0
2	735	943	C77001	C335	MOTOR 1700 HP MOTOR INDUCTION UPRATED	47S 43P 243	20	28763	20779	240	0	41182	12240	409	0	0
2	735	944	C77002	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	25S 18G 291	20	28763	20779	240	0	41182	12240	409	0	0
2	735	945	C77004	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	27S 18G 291	20	28763	20779	240	0	41182	12240	409	0	0
2	735	946	C77003	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	22S 18G 291	20	28763	20779	240	0	41182	12240	409	0	0
2	735	947	C76986	C335	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	23S 18G 292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	950	C76951	C335	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	26S 18G 291	20	28368	19647	240	0	41182	12630	422	0	0
2	735	951	C76927	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATAED	28S 18G 291	20	28671	21029	240	0	41182	12330	412	0	0
2	735	954	C77087	C335	MOTOR 1700 HP MOTOR INDUCTIN-UPRATED MO	6S 43P 244	20	28580	19678	240	0	41182	12420	415	0	0
2	735	960	C76968	C335	MOTOR 1700 HP MOTOR INDUCTION- UPRATED	30S 18G 292	20	28580	19678	240	0	41182	12420	415	0	0
2	735	961	C76969	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	34S 18G 292	20	28580	19678	240	0	41182	12420	415	0	0
2	735	964	C77029	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	11S 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	965	C77026	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	10S 43P 243	20	29617	15189	240	0	41182	11400	381	0	0
2	735	966	C77031	C335	MOTOR 1750 HP MOTOR INDUCTION-UPRATED M	9S 43P 243	20	29159	20779	240	0	41182	11850	396	0	0
2	735	967	C77024	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	14S 43P 243	20	29617	15189	240	0	41182	11400	381	0	0
2	735	969	C77034	C335	MOTOR 1700 HP MOTOR IONDUCITON-UPRATED M	39S 18G 291	20	29311	15189	240	0	41182	11700	391	0	0
2	735	970	C77058	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	36S 18G 292	20	29311	15189	240	0	41182	11700	391	0	0
2	735	972	C76888	C335	MOTOR HP 1700	N/A	20	29311	15189	240	0	41182	11700	391	0	0
2	735	973	C77061	C335	MOTOR 1700 HP. MOTOR INDUCTION. MOTOR	335 18G 292	20	29311	15189	240	0	41182	11700	391	0	0
2	735	974	C77053	C335	MOTOR 1700 HP	228 186 292	20	29220	20748	240	0	41182	11790	394	0	0
2	735	978	C77068	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED	398 18G 292	20	29617	15189	240	0	41182	11400	381	0	0
2	735	982	C77054	C335	MOTOR 1700 HP. MOTOR INDUCTION-UPRATED	618 43P 244	20	29220	20779	240	0	41182	11790	394	0	0
2	735	983	C77044	C335	MOTOR INDUCTION SPECIALLY DESIGNED A.C	72S 43P 243	20	19328	6071	240	0	41182	21540	719	0	0
2	735	984	C76890	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	588 43P 243	20	28580	19678	240	0	41182	12420	415	0	0
2	735	985	C77008	C335	MOTOR HP 1700 MOTOR INDUCTION-UPRATED M	738 43P 243	20	28671	21029	240	0	41182	12330	412	0	0
2	735	986	C77042	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	668 43P 243	20	29220	20779	240	0	41182	11790	394	0	0
2	735	988	C76942	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	415 18G 292	20	28671	21029	240	0	41182	12330	412	0	0
2	735	990	C76923	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MT	46S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	993	C76902	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED M	108 18G 291	20	29341	15189	240	0	41182	11670	390	0	0
2	735	1000	C76982	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	88 18G 292	20	29036	20779	240	0	41182	11970	400	0	0
2	735	1001	C76997	C335	MOTOR 1700 HPMOTOR INDUCTION-UPRATED MOT	368 43P 243	20	29036	20779	240	0	41182	11970	400	0	0
2	735	1002	C76981	C335	MOTOR HP 1700 MOTOR INDUCTION-UPRATED M	398 43P 244	20	29036	20779	240	0	41182	11970	400	0	0
2	735	1006	C76995	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	408 43P 243	20	29036	20779	240	0	41182	11970	400	0	0
2	735	1011	C76900	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	749 43P 243	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1012	C76999	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	708 43P 243	20	29036	20779	240	0	41182	11970	400	0	0
2	735	1020	C77028	C335	MOTOR 1700 HP MOTOR INDUCTION-UPRATED MO	98 18G 291	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1024	C76875	C335	MOTOR 1700 MOTOR INDUCTION-UPRATED MOTOR	438 18G 292	20	29341	15189	240	0	41182	11670	390	0	0
2	735	1028	C77066	C335	MOTOR 1750 HP INDUCTION-UPRATED MOTOR	63S 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1034	C77005	C335	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	83S 43P 243	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1037	C76972	C335	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	5039	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1039	C80585	C335	MTR. WEST HP 1700 INDUCTION-UPRATED MT	49S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1040	C76913	C335	MTR. WESTINGHOUSE 1700 HP MOTOR INDUCT	54S-18G-291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1041	C76949	C335	MTR. WEST 1700 HP INDUCTION-UPRATED MT	55S 18G 292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1042	C77006	C335	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	5039	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1043	C76922	C335	MTR. WESTINGHOUSE 1700 HP INDUCTION-UP	56S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1045	C77049	C335	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	51S 18G 292	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1046	C76924	C335	MTR. WEST. HP 1700 INDUCTION-UPRATED M	53S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1048	C76893	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	50S 18G 291	20	28580	19678	240	0	41182	12420	415	0	0
2	735	1050	C76892	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	51S 18G 291	20	28580	19678	240	0	41182	12420	415	0	0
2	735	1051	C76885	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	66S 43P 244	20	28580	19678	240	0	41182	12420	415	0	0
2	735	1052	C77069	C335	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	67S 43P 244	20	29617	15189	240	0	41182	11400	381	0	0
2	735	1053	C77063	C335	MOTOR 1750 HP INDUCTION-UPRATED MOTOR	68S 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1054	C77067	C335	MOTOR 1750 HP INDUCTION-UPRATED MOTOR	72S 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1055	C77065	C335	MOTOR 1750 HP INDUCTION-UPRATED MOTOR	17S 43P 244	20	29159	20779	240	0	41182	11850	396	0	0
2	735	1057	C76884	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	69S 43P 244	20	28580	19678	240	0	41182	12420	415	0	0
2	735	1059	C76876	C335	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	64S 43P 244	20	29341	15189	240	0	41182	11670	390	0	0
2	735	1061	C77041	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	80S 43P 243	20	29220	20779	240	0	41182	11790	394	0	0
2	735	1063	C76887	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	74S 43P 244	20	28580	19678	240	0	41182	12420	415	0	0
2	735	1067	C76948	C335	MTR. WEST. HP 1700 INDUCTION-UPRATED M	50S 18G 292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1071	C76909	C335	MTR. WEST.1700 HP MOTOR INDUCTION - UP	86S-43P-243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1073	C77038	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	88S 43P 243	20	29220	20779	240	0	41182	11790	394	0	0
2	735	1074	C77039	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	89S 43P 243	20	29220	20779	240	0	41182	11790	394	0	0
2	735	1076	C77040	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	58S 18G 291	20	29220	20779	240	0	41182	11790	394	0	0
2	735	1078	C76971	C335	MOTOR HP 1700 MOTOR INDUCTION-UPRATED	66S 48G 292	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1082	C76970	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	62S 18G 292	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1083	C76908	C335	MOTOR 1700 HP INDUCTION-UPRATED MOTOR	61S 18G 291	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1084	C77007	C335	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	64S 18G 291	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1086	C76883	C335	MOTOR HP 1700 INDUCTION-UPRATED MOTOR	64S 18G 292	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1087	C77009	C335	MOTOR HP 1700 MOTOR INDUCTION-UPRATED	63S 18G 291	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1091	C76960	C335	MTR WEST 1700 HP	N/A	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1092	C77056	C335	MOTOR INDUCTION - UPRATED MOTOR 1700 HP	56S 18G 292	20	29220	20779	240	0	41182	11790	394	0	0
2	735	1093	C76934	C335	MOTOR INDUCTION - UPRATED MTR WEST 1700	60S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1094	C76984	C335	MOTOR INDUCTION SPECIALLY DESIGNED A.C	N/A	20	19328	6071	240	0	41182	21540	719	0	0
2	735	1095	C76959	C335	MOTOR INDUCTION - UPRATED MTR WEST 1700	75S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1099	C76961	C335	MOTOR INDUCTION - U RATED MTR WEST 1700	77S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1102	C76994	C335	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	70S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1108	C76993	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	74S 18G 291	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1110	C76988	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	70S 18G 292	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1113	C76985	C335	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	73S 18G 291	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1114	C76864	C335	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	71S 18G 292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1115	C76880	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	78S 43P 244	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1116	C76868	C335	MOTOR 1700 HP MOTOR INDUCITON - UPRATE	79S-43P-244	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1118	C76989	C335	MOTOR INDUCTION-UPRATED MTR WEST 1700 H	80S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1120	C76964	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	82S 43P 244	20	29464	15189	240	0	41182	11550	386	0	0
2	735	1123	C76926	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	N/A	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1124	C76992	C335	MOTOR INDUCTION - UPRATED MTR WEST 1700	94S 43P 243	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1125	C76882	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	38 22G 74	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1127	C76911	C335	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	7S-22G-73	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1128	C76910	C335	MTR. WEST 1700 HP MOTOR INDUCTION - UPR	5S-22G-73	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1130	C76895	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	97S 43P 243	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1131	C76916	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	92S 43P 243	20	29464	15189	240	0	41182	11550	386	0	0
2	735	1139	C76904	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	21S 22G 73	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1145	C77046	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	102S 43P 243	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1146	C76867	C335	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	4S-22G-74	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1147	C77043	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	8S 22G 73	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1149	C76871	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	2S 22G 74	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1151	C76914	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	8S 22G 74	20	29464	15189	240	0	41182	11550	386	0	0
2	735	1152	C76963	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	16S 22G 74	20	29464	15189	240	0	41182	11550	386	0	0
2	735	1153	C77055	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	11S 22G 74	20	29220	20779	240	0	41182	11790	394	0	0
2	735	1154	C76962	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	6S 22G 74	20	29464	15189	240	0	41182	11550	386	0	0
2	735	1155	C77048	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	14S 22G 74	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1156	C77037	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	11S 22G 73	20	29311	15189	240	0	41182	11700	391	0	0
2	735	1158	C77059	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	9S 22G 73	20	29311	15189	240	0	41182	11700	391	0	0
2	735	1159	C76907	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	16S 22G 73	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1161	C76898	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	18S 22G 73	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1162	C76905	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	19S 22G 73	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1163	C76897	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	17S 22G 73	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1166	C76936	C335	MOTOR WESTINGHOUSE INDUCTION-UPRATED M	88S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1167	C76931	C335	MTR. WEST. INDUCTION-UPRATED MTR WEST	89S 43P 244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1168	C76954	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	5039	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1169	C76944	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	90S 43P 244	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1173	C77027	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	20S 22G 73	20	29617	15189	240	0	41182	11400	381	0	0
2	735	1176	C77047	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	98S 43P 243	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1177	C77045	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	103S 43P 243	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1181	C76947	C335	MOTOR WEST. INDUCTION-UPRATED MTR WEST	22S 22G 74	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1184	C77020	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	67S 18G 292	20	29617	15189	240	0	41182	11400	381	0	0
2	735	1187	C76933	C335	MTR. WEST. INDUCTION-UPRATED MTR WEST	19S 22G 74	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1188	C76956	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	21S 22G 73	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1190	C76865	C335	MTR. WEST. 1700HP MOTOR INDUCTION - UPR	92S-43P-244	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1191	C76145	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	15S 22G 73	20	29464	15189	240	0	41182	11550	386	0	0
2	735	1192	C76894	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	27S 22G 72	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1193	C76896	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	26S 22G 73	20	29494	15189	240	0	41182	11520	385	0	0
2	735	1194	C76886	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	98S 43P 244	20	28580	19678	240	0	41182	12420	415	0	0
2	735	1195	C76873	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	102S 43P 244	20	28580	19678	240	0	41182	12420	415	0	0
2	735	1201	C77060	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	94S 43P 244	20	29341	15189	240	0	41182	11670	390	0	0
2	735	1202	C76878	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	99S 43P 244	20	29341	15189	240	0	41182	11670	390	0	0
2	735	1203	C76877	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	96S 43P 244	20	29341	15189	240	0	41182	11670	390	0	0
2	735	1206	C76932	C335	MTR. WEST. INDUCTION-UPRATED MTR WEST	58S 18G 292	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1207	C77051	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	24S 22G 74	20	29798	15189	240	0	41182	11220	375	0	0
2	735	1208	C76870	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	29S 22G 74	20	29402	15189	240	0	41182	11610	388	0	0
2	735	1209	C76912	C335	MTR. WEST. 1700 HP MOTOR INDUCTION - UP	13S-22G-73	20	28368	19678	240	0	41182	12630	422	0	0
2	735	1211	C76973	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	28S 22G 74	20	28671	21029	240	0	41182	12330	412	0	0
2	735	1213	C76945	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	18 SSG 21	20	28671	21450	240	0	41182	12330	412	0	0
2	735	1214	C76958	C335	MTR. WEST. INDUCTION-UPRATED MTR WEST	2S 22G 21	20	28368	20098	240	0	41182	12630	422	0	0
2	735	1216	C76975	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	104S 43P 244	20	28763	20295	240	0	41182	12240	409	0	0
2	735	1220	C76920	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	23S 22G 73	20	29464	14708	240	0	41182	11550	386	0	0
2	735	1221	C76918	C335	MOTOR INDUCTION-UPRATED MOTOR 1700 HP	28S 22G 73	20	29464	14708	240	0	41182	11550	386	0	0
2	735	1223	C76874	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	7S 18G 291	20	29341	14708	240	0	41182	11670	390	0	0
2	735	1314	C79912	C335	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	N/A	40	28763	31704	480	66.05	41182	12240	409	71	4689.55
2	735	1315	C79890	C335	COMPRESSOR AXIAL FLOW CELL: 2.2 STAGE	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1317	C79981	C335	COMPRESSOR AXIAL FLOW CELL: 1.8 STAGE	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1318	C80232	C335	COMPRESSOR AXIAL FLOW CELL: 4.5 STAGE	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1323	C79995	C335	COMPRESSOR AXIAL FLOW CELL: 2.1 STAGE	N/A	40	28671	44407	480	92.51458333	41182	12330	412	68	6290.991667
2	735	1324	C79911	C335	COMPRESSOR AXIAL FLOW CELL: 1.4 STAGE	N/A	40	28580	38875	480	80.98958333	41182	12420	415	65	5264.322917

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1325	C79997	C335	OCMPRESSOR AXIAL FLOW CELL: 2.1 STAGE	N/A	40	28671	44407	480	92.51458333	41182	12330	412	68	6290.991667
2	735	1327	C80077	C335	COMPRESSOR AXIAL FLOW W/ COVER UNIT 14 C	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1328	C80192	C335	COMPRESSOR AXIAL FLOW CELL 3.4 STAGE 3 C	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1329	C80228	C335	COMPRESSOR AXIAL FLOW CELL STAGE 2 COMP	N/A	40	28368	30154	480	62.82083333	41182	12630	422	58	3643.608333
2	735	1331	C80259	C335	COMPRESSOR AXIAL FLOW CELL 4.10 STAGE	N/A	40	28855	31705	480	66.05208333	41182	12150	406	74	4887.854167
2	735	1335	C79887	C335	COMPRESSOR AXIAL FLOW CELL STAGE COMPRE	N/A	40	28580	40728	480	84.85	41182	12420	415	65	5515.25
2	735	1337	C79982	C335	COMPRESSOR AXIAL FLOW CELL: 1.6 STAGE	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1338	C79956	C335	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1340	C80243	C335	COMPRESSOR AXIAL FLOW CELL 4.7 STAGE 2	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1344	C80140	C335	COMPRESSOR AXIAL FLOW CELL 3.2 STAGE 9	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1347	C79986	C335	COMPRESSOR AXIAL FLOW CELL: 1.6 STAGE	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1350	C79960	C335	COMPRESSOR AXIAL FLOW CELL: 1.6 STAGE	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1351	C80162	C335	COMPRESSOR AXIAL FLOW CELL 3.10 STAGE 8	N/A	40	28733	44407	480	92.51458333	41182	12270	410	70	6476.020833
2	735	1352	C79959	C335	COMPRESSOR AXIAL FLOW CELL: 1.6 STAGE	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1353	C80070	C335	COMPRESSOR AXIAL FLOW CELL 10 STAGE 6 C	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1362	C79923	C335	COMPRESSOR AXIAL FLOW CELL: 2.3 STAGE	N/A	40	28490	40728	480	84.85	41182	12510	418	62	5260.7
2	735	1364	C80190	C335	COMPRESSOR AXIAL FLOW CELL 3.6 STAGE 7	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1365	C79891	C335	COMPRESSOR AXIAL FLOW CELL: 2.1 STAGE	N/A	40	28671	44407	480	92.51458333	41182	12330	412	68	6290.991667
2	735	1370	C80153	C335	COMPRESSOR XIAL FLOW CELL 3.6 STAGE 4 C	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1373	C80264	C335	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28855	31705	480	66.05208333	41182	12150	406	74	4887.854167
2	735	1374	C80007	C335	COMPRESSOR AXIAL FLOW CELL 2.5 STAGE 9	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1378	C80241	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29433	44407	480	92.51458333	41182	11580	387	93	8603.85625
2	735	1379	C80025	C335	COMPRESSOR AXIAL FLOW CELL 2.7 STAGE 4	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1381	C80214	C335	COMPRESSOR AXIAL FLOW CELL 4.1 STAGE 4	N/A	40	29280	44407	480	92.51458333	41182	11730	392	88	8141.283333
2	735	1383	C79994	C335	COMPRESSOR AXIAL FLOW CELL:2 STAGE:6	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1388	C80222	C335	COMPRESSOR AXIAL FLOW CELL 2.9 STAGE 1	N/A	40	28549	40728	480	84.85	41182	12450	416	64	5430.4
2	735	1393	C79989	C335	COMPRESSOR AXIAL FLOW CELL 1.4 STAGE 6	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1398	C80133	C335	COMPRESSOR AXIAL FLOW CELL 3.3 STAGE 1	N/A	40	28671	44407	480	92.51458333	41182	12330	412	68	6290.991667
2	735	1399	C80154	C335	COMPRESSOR AXIAL FLOW CELL 1.9 STAGE 1	N/A	40	28886	35385	480	73.71875	41182	12120	405	75	5528.90625
2	735	1401	C80224	C335	COMPRESSOR AXIAL FLOW CELL 4.3 STAGE 4	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1402	C79941	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	N/A	40	28580	38875	480	80.98958333	41182	12420	415	65	5264.322917
2	735	1403	C80015	C335	COMPRESSOR AXIAL FLOW CELL 2.9 STAGE 6	N/A	40	28549	40728	480	84.85	41182	12450	416	64	5430.4
2	735	1405	C80184	C335	COMPRESSOR AXIAL FLOW CELL 4.7 STAGE 5	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1406	C80186	C335	COMPRESSOR AXIAL FLOW CELL 4.5 STAGE 9	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1410	C80213	C335	CMOPRESSOR AXIAL FLOW CELL 4.1 STAGE 2	N/A	40	29280	44407	480	92.51458333	41182	11730	392	88	8141.283333
2	735	1411	C80149	C335	COMPRESSOR AXIAL FLOW CELL 3.4 STAGE 1	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1413	C80279	C335	CMOPRESSOR AXIAL FLOW CELL 4.8 STAGE 6 C	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1414	C79980	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1415	C80078	C335	COMPRESSOR AXIAL FLOW CELL 6 STGE 3 COM	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1417	C80001	C335	COMPRESSOR AXIAL FLOW CELL 2.3 STAGE 5.	N/A	40	28549	40728	480	84.85	41182	12450	416	64	5430.4
2	735	1418	C80145	C335	COMPRESSOR AXIAL FLOW CELL 3.2 STAGE 1	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1420	C80115	C335	COMPRESSOR AXIAL FLO	N/A	40	28733	44407	480	92.51458333	41182	12270	410	70	6476.020833
2	735	1422	C80046	C335	COMPRESSOR AXIAL FLOW CELL:2.2 STAGE:2	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1423	C80251	C335	COMPRESSOR AXIAL FLOW CELL:8 STAGE:2 C	N/A	40	28184	36573	480	76.19375	41182	12810	428	52	3962.075
2	735	1425	C80191	C335	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:9	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1427	C80202	C335	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:7	N/A	40	28975	35385	480	73.71875	41182	12030	402	78	5750.0625
2	735	1429	C80045	C335	COMPRESSOR AXIAL FL0W CELL:2.2 STAGE:4	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1430	C80030	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:4	N/A	40	28337	30154	480	62.82083333	41182	12660	423	57	3580.7875
2	735	1431	C80031	C335	COMPRESSOR AXIAL FLOW CELL:2.5 STAGE:2	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1436	C80267	C335	COMPRESSOR AXIAL FLOW CELL:3.2 STAGE:3	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1437	C80072	C335	COMPRESSOR AXIAL FLOW CELL:10 STAGE:9	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1438	C79950	C335	COMPRESSOR AXIAL FLOW CELL:3.5 STAGE:	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1439	C80236	C335	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:10	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1440	C80033	C335	COMPRESSOR AXIAL FLO	N/A	40	28549	40728	480	84.85	41182	12450	416	64	5430.4
2	735	1441	C80235	C335	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:10	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1442	C79949	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1446	C80201	C335	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:9	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1448	C80128	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	40728	480	84.85	41182	12420	415	65	5515.25
2	735	1452	C79927	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	28763	31705	480	66.05208333	41182	12240	409	71	4689.697917
2	735	1454	C80168	C335	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:5	N/A	40	28733	44407	480	92.51458333	41182	12270	410	70	6476.020833
2	735	1455	C80110	C335	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:5	N/A	40	28733	44407	480	92.51458333	41182	12270	410	70	6476.020833
2	735	1460	C80142	C335	COMPRESSOR AXIAL FLOW CELL:3.2 STAGE:8	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1461	C79963	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1464	C79869	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1472	C80021	C335	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:2	N/A	40	28549	40728	480	84.85	41182	12450	416	64	5430.4
2	735	1473	C79979	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1478	C80047	C335	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:1	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1479	C79922	C335	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28733	31705	480	66.05208333	41182	12270	410	70	4623.645833
2	735	1481	C80230	C335	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:2	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1482	C80043	C335	COMPRESSOR AXIAL FLOW CELL:2.2 STAGE:10	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1483	C80178	C335	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:6	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1484	C80002	C335	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:S-	N/A	40	28549	40728	480	84.85	41182	12450	416	64	5430.4

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1485	C80086	C335	COMPRESSOR AXIAL FLOW CELL:4 STAGE:7 C	N/A	40	28184	36482	480	76.00416667	41182	12810	428	52	3952.216667
2	735	1495	C79971	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	31705	480	66.05208333	41182	11700	391	89	5878.635417
2	735	1497	C79478	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1498	C79926	C335	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28733	31705	480	66.05208333	41182	12270	410	70	4623.645833
2	735	1500	C80161	C335	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:1	N/A	40	28733	44407	480	92.51458333	41182	12270	410	70	6476.020833
2	735	1501	C79944	C335	COMPRESSOR AXIAL FLOW CELL:11 STAGE:4	N/A	40	28337	30154	480	62.82083333	41182	12660	423	57	3580.7875
2	735	1504	C80076	C335	COMPRESSOR AXIAL FLOW CELL:2.8 STAGE:7	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1506	C80205	C335	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:3	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1508	C80185	C335	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:3	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1509	C80116	C335	COMPRESSOR AXIAL FLOW CELL: 3.9 STAGE	N/A	40	28733	44407	480	92.51458333	41182	12270	410	70	6476.020833
2	735	1512	C80040	C335	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28671	44407	480	92.51458333	41182	12330	412	68	6290.991667
2	735	1522	C79938	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	N/A	40	28580	38875	480	80.98958333	41182	12420	415	65	5264.322917
2	735	1525	C80273	C335	COMPRESSOR AXIAL FLOW CELL:2 STAGE:5	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1527	C79909	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1530	C80132	C335	COMPRESSOR AXIAL FLOW CELL: 3.3 STAGE:	N/A	40	28671	44407	480	92.51458333	41182	12330	412	68	6290.991667
2	735	1531	C80028	C335	COMPRESSOR AXIAL FLOW CELL: 2.5 STAGE:	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1532	C80293	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1536	C80176	C335	COMPRESSOR AXIAL FLOW CELL: 4.7 STAGE:9	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1543	C79984	C335	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1549	C80233	C335	COMPRESSOR AXIAL FLOW CELL 4.5 STAGE:	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1551	C79928	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	28763	31705	480	66.05208333	41182	12240	409	71	4689.697917
2	735	1556	C80107	C335	COMPRESSOR AXIAL FLOW CELL: 3.7 STAGE:	N/A	40	28702	44407	480	92.51458333	41182	12300	411	69	6383.50625
2	735	1559	C80141	C335	COMPRESSOR AXIAL FLOW CELL: 3.2 STAGE:	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1561	C80226	C335	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE:	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1564	C80012	C335	COMPRESSOR AWIAL FLOW CELL: 2.7 STAGE:	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1573	C80111	C335	COMPRESSOR AXIAL FLOW CELL: 3.6 STAGE:	N/A	40	28490	40728	480	84.85	41182	12510	418	62	5260.7
2	735	1576	C80245	C335	COMPRESSOR AXIAL FLOW CELL: 4.7 STAGE:	N/A	40	28975	44407	480	92.51458333	41182	12030	402	78	7216.1375
2	735	1579	C80049	C335	COMPRESSOR AXIAL FLOW CELL: 4 STAGE: 8	N/A	40	28184	36482	480	76.00416667	41182	12810	428	52	3952.216667
2	735	1581	C80147	C335	COMPRESSOR AXIAL FLOW CELL: 3.4 STAGE:	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1582	C80169	C335	COMPRESSOR AXIAL FLOW CELL: 3.10 STAGE:	N/A	40	28733	44407	480	92.51458333	41182	12270	410	70	6476.020833
2	735	1585	C80285	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1587	C79868	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1588	C80195	C335	COMPRESSOR AXIAL FLOW CELL: 4.5 STAGE:	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1591	C80249	C335	COMPRESSOR AXIAL FLOW CELL: 8 STAGE: 8	N/A	40	28184	36573	480	76.19375	41182	12810	428	52	3962.075
2	735	1595	C80275	C335	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1596	C80193	C335	COMPRESSOR AXIAL FLOW CELL: 3.4 STAGE:	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1597	C80009	C335	COMPRESSOR AXIAL FLOW CELL: 2.7 STAGE:	N/A	40	28855	44407	480	92.51458333	41182	12150	406	74	6846.079167
2	735	1600	C79957	C335	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1602	C80066	C335	COMPRESSSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1604	C80069	C335	COMPRESSOR AXIAL FLOW CELL:10 STAGE:5	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1605	C79456	C335	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	N/A	40	28337	30154	480	62.82083333	41182	12660	423	57	3580.7875
2	735	1606	C79999	C335	COMPRESSOR AXIAL FLOW CELL:23 STAGE:S-5	N/A	40	28549	40728	480	84.85	41182	12450	416	64	5430.4
2	735	1608	C79998	C335	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:S-	N/A	40	28549	40728	480	84.85	41182	12450	416	64	5430.4
2	735	1610	C80063	C335	COMPRESSOR AXIAL FLOW CELL:10 STAGE:10	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1615	C79990	C335	COMPRESSOR AXIAL FLO	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1617	C79879	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1618	C79961	C335	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1619	C79946	C335	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1620	C79954	C335	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1621	C79947	C335	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1622	C79948	C335	COMPRESSOR AXILA FLOW CELL:1.2 STAGE:	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1628	C79966	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1630	C79952	C335	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1635	C79988	C335	COMPRESSOR AXIAL FLOW CELL: 1.4 STAGE	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1637	C79991	C335	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1639	C79955	C335	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1646	C79983	C335	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29159	44407	480	92.51458333	41182	11850	396	84	7771.225
2	735	1647	C79993	C335	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29829	44407	480	92.51458333	41182	11190	374	106	9806.545833
2	735	1651	C80255	C335	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:8	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1653	C80188	C335	COMPRESSOR AXIAL FLOW CELL:4.5 STAGE:6	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1655	C80203	C335	COMPRESSOR AXIAL FLOW CELL:3.2 STAGE:5	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1656	C80276	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	31705	480	66.05208333	41182	11700	391	89	5878.635417
2	735	1657	C79905	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	N/A	40	28580	38875	480	80.98958333	41182	12420	415	65	5264.322917
2	735	1660	C79962	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1662	C80143	C335	COMPRESSOR AXIAL FLO	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1664	C80206	C335	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:9	N/A	40	29280	44407	480	92.51458333	41182	11730	392	88	8141.283333
2	735	1666	C80105	C335	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:5	N/A	40	28702	44407	480	92.51458333	41182	12300	411	69	6383.50625
2	735	1670	C80051	C335	COMPRESSOR AXIAL FLOW CELL:4 STAGE:2 C	N/A	40	28184	36482	480	76.00416667	41182	12810	428	52	3952.216667
2	735	1672	C80061	C335	COMPRESSOR AXIAL FLOW CELL:2.8 STAGE:2	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1673	C80209	C335	COMPRESSOR AXIAL FLOW CELL:3.2 STAGE:6	N/A	40	29311	44407	480	92.51458333	41182	11700	391	89	8233.797917
2	735	1675	C79987	C335	COMPRESSOR AXIAL FLOW CELL:8 STAGE:3	N/A	40	28306	46456	480	96.78333333	41182	12690	424	56	5419.866667
2	735	1676	C80286	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	1678	C80247	C335	COMPRESSOR AXIAL FLOW CELL:2.2 STAGE:1	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1680	C79945	C335	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	N/A	40	28337	30154	480	62.82083333	41182	12660	423	57	3580.7875
2	735	1681	C80229	C335	COMPRESSOR AXIAL FLOW CELL:2 STAGE:3 C	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1682	C80029	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1683	C80198	C335	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:6	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1684	C80272	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106974	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1685	C80283	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1686	C80197	C335	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:7	N/A	40	29006	44407	480	92.51458333	41182	12000	401	79	7308.652083
2	735	1687	C80277	C335	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:3	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1688	C80138	C335	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1689	C80240	C335	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1690	C79509	C335	COMPR AXIAL FLOW	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1692	C80239	C335	COMPRESSOR AXIAL FLOW CELL:4.8 STAGE:	N/A	40	28398	30154	480	62.82083333	41182	12600	421	59	3706.429167
2	735	1693	C80269	C335	COMPRESSOR AXIAL FLOW CELL:8 STAGE:1	N/A	40	28184	36573	480	76.19375	41182	12810	428	52	3962.075
2	735	1695	C80088	C335	COMPRESSOR AXIAL FLOW CELL:2.2 STAGE:3	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1696	C80211	C335	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:3	N/A	40	29280	44407	480	92.51458333	41182	11730	392	88	8141.283333
2	735	1697	C79889	C335	COMPRESSOR AXIAL FLOW CELL:2.2 STAGE:7	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1699	C79964	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	31705	480	66.05208333	41182	11730	392	88	5812.583333
2	735	1700	C80044	C335	COMPRESSOR AXIAL FLOW CELL:2.2 STAGE:8	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1701	C80060	C335	COMPRESSOR AXIAL FLOW CELL:2.8 STAGE:4	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1702	C80050	C335	COMPRESSOR AXIAL FLOW CELL:4 STAGE:4 C	N/A	40	28184	36482	480	76.00416667	41182	12810	428	52	3952.216667
2	735	1705	C80081	C335	COMPRESSOR AXIAL FLOW CELL:6 STAGE:7 C	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1706	C80068	C335	COMPRESSOR AXIAL FLOW CELL:10 STAGE:3	N/A	40	28276	46456	480	96.78333333	41182	12720	425	55	5323.083333
2	735	1707	C80074	C335	COMPRESSOR AXIAL FLOW CELL:2.8 STAGE:5	N/A	40	28156	35917	480	74.82708333	41182	12840	429	51	3816.18125
2	735	1708	C80084	C335	COMPRESSOR AXIAL FLOW CELL:4 STAGE:5 C	N/A	40	28184	36482	480	76.00416667	41182	12810	428	52	3952.216667
2	735	1712	C80065	C335	COMPRESSOR AXIAL FL0W WITH COVER UNIT	N/A	40	19328	19559	480	0	41182	21540	719	0	0
2	735	1713	C80090	C335	COMPRESSOR AXIAL FLOW CELL:2.2 STAGE:6	N/A	40	28156	35477	480	73.91041667	41182	12840	429	51	3769.43125
2	735	1714	C80112	C335	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:7	N/A	40	28733	44407	480	92.51458333	41182	12270	410	70	6476.020833
2	735	1715	C79892	C335	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28671	43957	480	91.57708333	41182	12330	412	68	6227.241667
2	735	1718	C79951	C335	COMPRESSOR AXIAL FLOW CELL:8 STAGE:1	N/A	40	28306	46006	480	95.84583333	41182	12690	424	56	5367.366667
2	735	1719	C79893	C335	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29829	43957	480	91.57708333	41182	11190	374	106	9707.170833
2	735	1722	C80135	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	48659	480	101.3729167	41182	12420	415	65	6589.239583
2	735	1723	C80164	C335	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:2	N/A	40	28733	52338	480	109.0375	41182	12270	410	70	7632.625
2	735	1725	C79899	C335	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	N/A	40	28337	29704	480	61.88333333	41182	12660	423	57	3527.35
2	735	4978	C80501	C335	CONDENSER FREON HEAT EXCHANGER	74062	20	19328	2414	240	0	41182	21540	719	0	0
2	735	6130	C76863	C335	SQUIRREL CAGE INDUCTION MOTOR 300 HP 4	3S12B2467	20	19328	5842	240	0	41182	21540	719	0	0
2	735	7419	C80875	C335	CENTRIFUGAL PUMP (COMPRESSOR) NOZZLE AN	1AD7200	40	17379	6510	480	0	41182	23460	783	0	0
2	735	7423	C80876	C335	PUMP AC (CENTRIFUGAL COMPRESSOR) SIZE C	1AD6923	40	17410	6302	480	0	41182	23430	782	0	0
2	735	8306	C78465	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV74216	20	19540	12925	240	0	41182	21330	712	0	0
2	735	8307	C78450	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV74217	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8308	C80166	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV74218	20	19540	12925	240	0	41182	21330	712	0	0
2	735	8317	C78434	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742117	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8318	C78433	C335	GREON CONDENSERS AS PER BUYER'S JOB SPEC	MV 7421 18	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8320	C80879	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742120	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8338	C78464	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742138	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8342	C78427	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742142	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8345	C78441	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742145	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8346	C78426	C335	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742146	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8355	C78442	C335	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742155	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8393	C78458	C335	FREON CONDENSER AS PER BUYERS JOB SPECIF	MV743231	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8396	C78440	C335	FREON CONDENSER AS PER BUYER'S JOB SPEC.	MV743234	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8412	C78459	C335	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743250	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8413	C78457	C335	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743251	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8414	C78443	C335	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743252	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8423	C78456	C335	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743261	20	19540	12923	240	0	41182	21330	712	0	0
2	735	9937	C82330	C335	HEATER JACKET TRENT 440 VLTS 60 CYCLE PH	61644	25	20240	736	300	0	41182	20640	689	0	0
2	735	14431	C77190	C335	MOTOR ELECTRIC 375/100 HP 4160 VOLTS	1S 68P 911	20	19755	10209	240	0	41182	21120	705	0	0
2	735	14751	C81971	C335	MOTOR ELECTRIC 375/100 HP 4160 VOLTS	1S5OP683	20	19755	10411	240	0	41182	21120	705	0	0
2	735	14754	C77189	C335	MOTOR ELECTRIC 375/100 HP 4160 VOLTS	2S50P683	20	19755	10411	240	0	41182	21120	705	0	0
2	735	14755	C80915	C335	CRANE 15 TON CAPACITY. CRANE 15 TON P &	14866B	30	19755	54793	360	0	41182	21120	705	0	0
2	735	14759	C81001	C335	CRANE 15 TON CAPACITY. CRANE 15 TON P &	14863B	30	19755	54792	360	0	41182	21120	705	0	0
2	735	14768	C80869	C335	TANK DRAIN LUBE OIL STEEL SIZE 8' X	B2214F	40	19755	7683	480	0	41182	21120	705	0	0
2	735	14769	C82080	C335	COOLER LUBE OIL STEEL 550 GALLON CAPAC	13799	20	19755	11206	240	0	41182	21120	705	0	0
2	735	14770	C80883	C335	TANK GRAVITY LUBE OIL STEEL 150 DEGR	B2214A	40	19755	6740	480	0	41182	21120	705	0	0
2	735	14771	C82327	C335	BATTERY CHARGER ELECTRIC PHANO CHARGER	GEH1495A	10	19755	4079	120	0	41182	21120	705	0	0
2	735	14772	C77566	C335	FAN SUPPLY HS SIZE 657 FAN SUPPLY AM	4 1	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14774	C77568	C335	FAN SUPPLY HS SIZE 657 FAN SUPPLY AM	4 2	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14776	C77570	C335	FAN SUPPLY HS SIZE 657. FAN SUPPLY AM	4 3	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14778	C77574	C335	FAN SUPPLY HS SIZE 657 FAN SUPPLY AM	4 4	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14780	C77576	C335	FAN SUPPLY HS SIZE 657. FAN SUPPLY AM	4 5	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14782	C77580	C335	SUPPLY FAN HS SIZE 657. FAN SUPPLY AM	4 6	20	19755	5672	240	0	41182	21120	705	0	0
2	735	14784	C77582	C335	FAN SUPPLY HS SIZE 657 FAN SUPPLY AM	4 7	20	19755	5671	240	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	14786	C77584	C335	SUPPLY FAN HS SIZE 657.; FAN SUPPLY AM	4 8	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14788	C77586	C335	FAN SUPPLY HS SIZE 657 FAN SUPPLY AM	4 9	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14790	C77588	C335	FAN SUPPLY HS SIZE 657. FAN SUPPLY AM	4 10	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14806	C81002	C335	CRANE 15 TON CAPACITY CRANE 15 TON P &	14868B	30	19755	54792	360	0	41182	21120	705	0	0
2	735	14814	C82081	C335	LUBE OIL COOLER 550 GAL CAPACITY. COOLE	13798	20	19755	11206	240	0	41182	21120	705	0	0
2	735	14815	C80868	C335	LUBE OIL DRAIN TANK STEEL WP 30 PSI 8	B2214E	40	19755	7683	480	0	41182	21120	705	0	0
2	735	14816	C80884	C335	LUBE OIL GRAVITY TANK STEEL WP 15 PSI	B2214D	40	19755	6739	480	0	41182	21120	705	0	0
2	735	14817	C82326	C335	BATTERY CHARGER ELECTRIC AC RATING V 2	GEH1495A	10	19755	4079	120	0	41182	21120	705	0	0
2	735	14818	C81003	C335	CRANE ELECTRIC 15 TON CAPACITY. CRANE	14870B	30	19755	39175	360	0	41182	21120	705	0	0
2	735	14822	C77611	C335	SUPPLY FAN HS. FAN SUPPLY AM	3 1	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14824	C77609	C335	SUPPLY FAN HS FAN SUPPLY AM	3 2	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14826	C77607	C335	SUPPLY FAN HS FAN SUPPLY AM	3 3	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14828	C77603	C335	SUPPLY FAN HS FAN SUPPLY AM	3 4	20	19755	5672	240	0	41182	21120	705	0	0
2	735	14830	C77601	C335	SUPPLY FAN HS FAN SUPPLY AM	3 5	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14832	C77597	C335	SUPPLY FAN HS FAN SUPPLY AM	3 6	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14834	C77595	C335	SUPPLY FAN HS FAN SUPPLY AM	3 7	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14836	C77594	C335	SUPPLY FAN HS FAN SUPPLY AM	3 8	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14838	C77592	C335	SUPPLY FAN HS FAN SUPPLY AM	3 9	20	19755	5671	240	0	41182	21120	705	0	0
2	735	14840	C77590	C335	SUPPLY FAN HS FAN SUPPLY AM	3 10	20	19755	5672	240	0	41182	21120	705	0	0
2	735	16002	C79907	C335	COMPRESSOR AXIAL FLOW STAGE:5 COMPRESS	N/A	40	28368	30709	480	63.97708333	41182	12630	422	58	3710.670833
2	735	16003	C80881	C335	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16004	C80171	C335	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:9	N/A	40	28733	44962	480	93.67083333	41182	12270	410	70	6556.958333
2	735	16005	C80160	C335	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 5	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16006	C79933	C335	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 6	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16007	C79924	C335	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28733	32260	480	67.20833333	41182	12270	410	70	4704.583333
2	735	16008	C80114	C335	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:10	N/A	40	28733	44962	480	93.67083333	41182	12270	410	70	6556.958333
2	735	16009	C79929	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	28763	32496	480	67.7	41182	12240	409	71	4806.7
2	735	16010	C80274	C335	COMPRESSOR AXIAL FLOW STAGE:6 COMPRESS	N/A	40	28368	30706	480	63.97083333	41182	12630	422	58	3710.308333
2	735	16011	C80079	C335	COMPRESSOR AXIAL FLOW CELL:6 STAGE:5 CO	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16015	C80123	C335	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:1	N/A	40	28763	44962	480	93.67083333	41182	12240	409	71	6650.629167
2	735	16020	C79974	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	29048	480	60.51666667	41182	11700	391	89	5385.983333
2	735	16021	C79976	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	32257	480	67.20208333	41182	11700	391	89	5980.985417
2	735	16023	C79975	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	32257	480	67.20208333	41182	11700	391	89	5980.985417
2	735	16024	C80196	C335	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:9	N/A	40	29006	44959	480	93.66458333	41182	12000	401	79	7399.502083
2	735	16028	C79935	C335	COMPRESSOR AXIAL FLOW STAGE:4 COMPRESS	N/A	40	28368	30706	480	63.97083333	41182	12630	422	58	3710.308333
2	735	16029	C79932	C335	COMPRESSOR AXIAL FLOW 1800 RPM CELL-3	N/A	40	19755	20710	480	0	41182	21120	705	0	0
2	735	16032	C80094	C335	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:3	N/A	40	28671	44959	480	93.66458333	41182	12330	412	68	6369.191667
2	735	16033	C79913	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	28763	32257	480	67.20208333	41182	12240	409	71	4771.347917
2	735	16034	C80210	C335	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:5	N/A	40	29280	44959	480	93.66458333	41182	11730	392	88	8242.483333
2	735	16035	C80212	C335	COMPRESSOR AXIAL FLOW CELL:2.10 STAGE:1	N/A	40	28337	47008	480	97.93333333	41182	12660	423	57	5582.2
2	735	16037	C79934	C335	COMPRESSOR AXIAL FLOW STAGE:10 COMPRES	N/A	40	28368	30706	480	63.97083333	41182	12630	422	58	3710.308333
2	735	16039	C80126	C335	COMPRESSOR AXIAL FLOW STAGE:8 COMPRESSO	N/A	40	28368	30706	480	63.97083333	41182	12630	422	58	3710.308333
2	735	16042	C79972	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE	N/A	40	29311	32257	480	67.20208333	41182	11700	391	89	5980.985417
2	735	16045	C79931	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	28763	32257	480	67.20208333	41182	12240	409	71	4771.347917
2	735	16048	C79942	C335	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	N/A	40	28337	30706	480	63.97083333	41182	12660	423	57	3646.3375
2	735	16050	C80085	C335	COMPRESSOR AXIAL FLOW CELL:4 STAGE:6 CO	N/A	40	28184	37020	480	77.125	41182	12810	428	52	4010.5
2	735	16054	C80268	C335	COMPRESSOR AXIAL FLOW CELL:8 STAGE:5	N/A	40	28184	37111	480	77.31458333	41182	12810	428	52	4020.358333
2	735	16057	C79965	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	32257	480	67.20208333	41182	11730	392	88	5913.783333
2	735	16058	C79967	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE:	N/A	40	29311	32257	480	67.20208333	41182	11700	391	89	5980.985417
2	735	16059	C80023	C335	COMPRESSOR AXIAL FLOW CELL:2.7 STAGE:	N/A	40	28855	44959	480	93.66458333	41182	12150	406	74	6931.179167
2	735	16060	C80101	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41280	480	86	41182	12420	415	65	5590
2	735	16063	C79476	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	N/A	40	28337	30706	480	63.97083333	41182	12660	423	57	3646.3375
2	735	16064	C79978	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	32257	480	67.20208333	41182	11730	392	88	5913.783333
2	735	16066	C80064	C335	COMPRESSOR AXIAL FLOW CELL:10 STAGE:8	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16067	C80223	C335	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	29006	44959	480	93.66458333	41182	12000	401	79	7399.502083
2	735	16068	C80250	C335	COMPRESSOR AXIAL FLOW CELL:8 STAGE:4	N/A	40	28184	37111	480	77.31458333	41182	12810	428	52	4020.358333
2	735	16070	C80208	C335	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	29280	44959	480	93.66458333	41182	11730	392	88	8242.483333
2	735	16071	C80082	C335	COMPRESSOR AXIAL FLOW CELL:6 STAGE:9	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16072	C80270	C335	COMPRESSOR AXIAL FLOW CELL:8 STAGE:7	N/A	40	28184	37111	480	77.31458333	41182	12810	428	52	4020.358333
2	735	16073	C79985	C335	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	N/A	40	29159	44959	480	93.66458333	41182	11850	396	84	7867.825
2	735	16078	C80053	C335	COMPRESSOR AXIAL FLOW CELL:6 STAGE:10	N/A	40	28276	47008	480	97.93333333	41182	12720	425	55	5386.333333
2	735	16079	C80146	C335	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:	N/A	40	29159	41750	480	86.97916667	41182	11850	396	84	7306.25
2	735	16080	C80189	C335	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:	N/A	40	29311	44959	480	93.66458333	41182	11700	391	89	8336.147917
2	735	16083	C80004	C335	COMPRESSOR AXIAL FLOW CELL:2.5 STAGE:	N/A	40	28855	44959	480	93.66458333	41182	12150	406	74	6931.179167
2	735	16085	C80062	C335	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29829	44959	480	93.66458333	41182	11190	374	106	9928.445833
2	735	16087	C80059	C335	COMPRESSOR AXIAL FLOW CELL:2.8 STAGE:	N/A	40	28156	36456	480	75.95	41182	12840	429	51	3873.45
2	735	16088	C80020	C335	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28549	41280	480	86	41182	12450	416	64	5504
2	735	16090	C80880	C335	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	29280	32257	480	67.20208333	41182	11730	392	88	5913.783333
2	735	16093	C80013	C335	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28549	41280	480	86	41182	12450	416	64	5504
2	735	16094	C80139	C335	COMPRESSOR AXIAL FLOW CELL:3.2 STAGE:	N/A	40	29311	44959	480	93.66458333	41182	11700	391	89	8336.147917
2	735	16096	C80120	C335	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	28702	44959	480	93.66458333	41182	12300	411	69	6462.85625
2	735	16097	C80026	C335	COMPRESSOR AXIAL FLOW CELL:2.7 STAGE:	N/A	40	28855	44959	480	93.66458333	41182	12150	406	74	6931.179167

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16098	C80127	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41280	480	86	41182	12420	415	65	5590
2	735	16099	C80035	C335	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28549	41280	480	86	41182	12450	416	64	5504
2	735	16102	C79903	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	N/A	40	28580	39426	480	82.1375	41182	12420	415	65	5338.9375
2	735	16103	C80003	C335	COMPRESSOR AXIAL FLOW CELL:2.5 STAGE:	N/A	40	28855	44959	480	93.66458333	41182	12150	406	74	6931.179167
2	735	16104	C80006	C335	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE	N/A	40	28733	44960	480	93.66666667	41182	12270	410	70	6556.666667
2	735	16106	C80036	C335	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:	N/A	40	28549	41281	480	86.00208333	41182	12450	416	64	5504.133333
2	735	16107	C79943	C335	COMPRESSOR AXIAL FLOW CELL:1.1 STAGE:	N/A	40	28337	30707	480	63.97291667	41182	12660	423	57	3646.45625
2	735	16110	C80075	C335	COMPRESSOR AXIAL FLOW CELL:2.8 STAGE:	N/A	40	28156	36456	480	75.95	41182	12840	429	51	3873.45
2	735	16111	C79992	C335	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29829	41751	480	86.98125	41182	11190	374	106	9220.0125
2	735	16112	C80017	C335	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28549	41282	480	86.00416667	41182	12450	416	64	5504.266667
2	735	16114	C80087	C335	COMPRESSOR AXIAL FLOW CELL:4 STAGE:9	N/A	40	28184	37021	480	77.12708333	41182	12810	428	52	4010.608333
2	735	16115	C80032	C335	COMPRESSOR AXIAL FLO	N/A	40	28337	30707	480	63.97291667	41182	12660	423	57	3646.45625
2	735	16117	C80244	C335	COMPRESSOR AXIAL FLOW CELL:407 STAGE:	N/A	40	28975	44960	480	93.66666667	41182	12030	402	78	7306
2	735	16118	C80038	C335	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28671	44959	480	93.66458333	41182	12330	412	68	6369.191667
2	735	16120	C80080	C335	COMPRESSOR AXIAL FLOW CELL:6 STAGE:6	N/A	40	28276	47009	480	97.93541667	41182	12720	425	55	5386.447917
2	735	16123	C80177	C335	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	28975	44960	480	93.66666667	41182	12030	402	78	7306
2	735	16126	C80246	C335	COMPRESSOR AXIAL FLOW CELL:4.7 STAGE:	N/A	40	28975	44960	480	93.66666667	41182	12030	402	78	7306
2	735	16127	C80238	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41281	480	86.00208333	41182	12420	415	65	5590.135417
2	735	16129	C80122	C335	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:	N/A	40	28702	44960	480	93.66666667	41182	12300	411	69	6463
2	735	16130	C80199	C335	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:	N/A	40	29159	44960	480	93.66666667	41182	11850	396	84	7868
2	735	16131	C80011	C335	COMPRESSOR AXIAL FLOW CELL:2.7 STAGE:	N/A	40	28855	44960	480	93.66666667	41182	12150	406	74	6931.333333
2	735	16132	C79917	C335	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28733	32258	480	67.20416667	41182	12270	410	70	4704.291667
2	735	16133	C79910	C335	COMPRESSOR AXIAL FLOW STAGE:7 COMPRESS	N/A	40	28368	30707	480	63.97291667	41182	12630	422	58	3710.429167
2	735	16137	C80218	C335	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:	N/A	40	29829	44959	480	93.66458333	41182	11190	374	106	9928.445833
2	735	16139	C80151	C335	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:	N/A	40	29311	44960	480	93.66666667	41182	11700	391	89	8336.333333
2	735	16140	C79919	C335	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28733	32258	480	67.20416667	41182	12270	410	70	4704.291667
2	735	16142	C80008	C335	COMPRESSOR AXIAL FLOW CELL:2.7 STAGE:	N/A	40	28855	44959	480	93.66458333	41182	12150	406	74	6931.179167
2	735	16143	C80194	C335	COM[RESSOR AXIAL FLOW CELL:4.5 STAGE:	N/A	40	29006	44960	480	93.66666667	41182	12000	401	79	7399.666667
2	735	16144	C80204	C335	COMPRESSOR AXIAL FLOW CELL:4.3 STAGE:	N/A	40	29006	44960	480	93.66666667	41182	12000	401	79	7399.666667
2	735	16151	C79977	C335	COMPRESSOR AXIAL FLOW CELL:1.8 STAGE:	N/A	40	29280	32259	480	67.20625	41182	11730	392	88	5914.15
2	735	16152	C79888	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41282	480	86.00416667	41182	12420	415	65	5590.270833
2	735	16157	C80148	C335	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:	N/A	40	29159	44961	480	93.66875	41182	11850	396	84	7868.175
2	735	16164	C79920	C335	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:	N/A	40	28733	32259	480	67.20625	41182	12270	410	70	4704.4375
2	735	16165	C80150	C335	COMPRESSOR AXIAL FLOW CELL:3.4 STAGE:	N/A	40	29159	44961	480	93.66875	41182	11850	396	84	7868.175
2	735	16167	C80248	C335	COMPRESSOR AXIAL FLOW CELL:8 STAGE:10	N/A	40	28184	37114	480	77.32083333	41182	12810	428	52	4020.683333
2	735	16169	C80018	C335	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28549	41282	480	86.00416667	41182	12450	416	64	5504.266667
2	735	16170	C80005	C335	COMPRESSOR AXIAL FLOW CELL:2.5 STAGE:	N/A	40	28855	44961	480	93.66875	41182	12150	406	74	6931.4875
2	735	16174	C80167	C335	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:	N/A	40	28733	44961	480	93.66875	41182	12270	410	70	6556.8125
2	735	16184	C80014	C335	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28549	41282	480	86.00416667	41182	12450	416	64	5504.266667
2	735	16185	C80057	C335	COMPRESSOR AXIAL FLOW CELL:6 STAGE:1	N/A	40	28276	47010	480	97.9375	41182	12720	425	55	5386.5625
2	735	16188	C79937	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	N/A	40	28580	39430	480	82.14583333	41182	12420	415	65	5339.479167
2	735	16191	C81308	C335	COMPRESSOR AXIAL FLOW CELL:5 STAGE:9	N/A	40	28276	30709	480	63.97708333	41182	12720	425	55	3518.739583
2	735	16192	C80207	C335	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16193	C80266	C335	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28855	32260	480	67.20833333	41182	12150	406	74	4973.416667
2	735	16195	C80093	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16198	C80144	C335	COMPRESSOR AXIAL FLOW CELL:3.2 STAGE:	N/A	40	29311	44962	480	93.67083333	41182	11700	391	89	8336.704167
2	735	16199	C80039	C335	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16200	C80179	C335	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	N/A	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16201	C80261	C335	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE	N/A	40	28855	32260	480	67.20833333	41182	12150	406	74	4973.416667
2	735	16204	C80113	C335	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:	N/A	40	28733	44962	480	93.67083333	41182	12270	410	70	6556.958333
2	735	16206	C80216	C335	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16208	C80152	C335	COMPRESSOR AXIAL FLOW CELL:3.6 STAGE:	N/A	40	29311	44962	480	93.67083333	41182	11700	391	89	8336.704167
2	735	16209	C80048	C335	COMPRESSOR AXIAL FLOW CELL:4 STAGE:10	N/A	40	28184	37024	480	77.13333333	41182	12810	428	52	4010.933333
2	735	16211	C80181	C335	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	N/A	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16212	C80098	C335	COMPRESSOR AXIAL FLOW CELL:3.3 STAGE:	N/A	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16213	C80016	C335	COMPRESSOR AXIAL FLOW CELL:2.9 STAGE:	N/A	40	28549	41283	480	86.00625	41182	12450	416	64	5504.4
2	735	16216	C80130	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10926	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16218	C79940	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	N/A	40	28580	39430	480	82.14583333	41182	12420	415	65	5339.479167
2	735	16219	C80157	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	6269	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16222	C79908	C335	COMPRESSOR AXIAL FLOW STAGE:3 COMPRESS	N/A	40	28368	30709	480	63.97708333	41182	12630	422	58	3710.670833
2	735	16223	C79894	C335	COMPRESSOR AXIAL FLOW CELL:1.2 STAGE:9	N/A	40	29829	44962	480	93.67083333	41182	11190	374	106	9929.108333
2	735	16224	C80104	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10926	40	28702	44962	480	93.67083333	41182	12300	411	69	6463.2875
2	735	16225	C79936	C335	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:1	N/A	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16228	C80158	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	6269	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16229	C80131	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10926	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16230	C80091	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11076	40	28733	44962	480	93.67083333	41182	12270	410	70	6556.958333
2	735	16232	C80173	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	6269	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16233	C79996	C335	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:7	N/A	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16234	C79918	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	1107600	40	28733	32260	480	67.20833333	41182	12270	410	70	4704.583333
2	735	16235	C80155	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11789	40	29311	44962	480	93.67083333	41182	11700	391	89	8336.704167
2	735	16237	C80117	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11076	40	28733	44962	480	93.67083333	41182	12270	410	70	6556.958333
2	735	16238	C80163	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11076	40	28733	44962	480	93.67083333	41182	12270	410	70	6556.958333

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16239	C79970	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE:2	N/A	40	29311	32260	480	67.20833333	41182	11700	391	89	5981.541667
2	735	16240	C80000	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10513	40	28276	30709	480	63.97708333	41182	12720	425	55	3518.739583
2	735	16241	C79973	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE:5	N/A	40	29311	32260	480	67.20833333	41182	11700	391	89	5981.541667
2	735	16243	C79921	C335	COMPRESSOR AXIAL FLOW CELL:1.9 STAGE:9 C	N/A	40	28733	32260	480	67.20833333	41182	12270	410	70	4704.583333
2	735	16245	C80022	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10926	40	28702	44962	480	93.67083333	41182	12300	411	69	6463.2875
2	735	16249	C79968	C335	COMPRESSOR AXIAL FLOW CELL:1.10 STAGE:8	N/A	40	29311	32260	480	67.20833333	41182	11700	391	89	5981.541667
2	735	16251	C80271	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10162	40	28184	37115	480	77.32291667	41182	12810	428	52	4020.791667
2	735	16252	C79902	C335	COMPRESSOR AXIAL FLOW CELL: STAGE:9 COMP	N/A	40	28368	30709	480	63.97708333	41182	12630	422	58	3710.670833
2	735	16255	C80231	C335	AXIAL FLOW COMPRESSOR 1800 RPM UNIT 25	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16256	C80159	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	6269	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16258	C80034	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28549	41283	480	86.00625	41182	12450	416	64	5504.4
2	735	16262	C80071	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	10513	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16273	C79916	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:9 C	N/A	40	28763	32260	480	67.20833333	41182	12240	409	71	4771.791667
2	735	16274	C80182	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11789	40	29311	44962	480	93.67083333	41182	11700	391	89	8336.704167
2	735	16277	C80137	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16278	C80055	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16280	C79904	C335	COMPRESSSOR AXIAL FLOW CELL:1.3 STAGE:6	N/A	40	28580	39430	480	82.14583333	41182	12420	415	65	5339.479167
2	735	16281	C80187	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29006	44962	480	93.67083333	41182	12000	401	79	7399.995833
2	735	16282	C79906	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:9 C	N/A	40	28580	39430	480	82.14583333	41182	12420	415	65	5339.479167
2	735	16283	C80092	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16285	C80252	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16286	C80225	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29006	44962	480	93.67083333	41182	12000	401	79	7399.995833
2	735	16288	C80125	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16289	C80056	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16291	C80083	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28184	37024	480	77.13333333	41182	12810	428	52	4010.933333
2	735	16292	C80183	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29311	44962	480	93.67083333	41182	11700	391	89	8336.704167
2	735	16293	C80102	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16294	C80278	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16295	C80242	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28855	44962	480	93.67083333	41182	12150	406	74	6931.641667
2	735	16296	C79939	C335	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:4 C	N/A	40	28580	39430	480	82.14583333	41182	12420	415	65	5339.479167
2	735	16297	C80253	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16301	C80097	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16303	C80174	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16305	C80042	C335	COMPRESSOR AXIAL FLOW CELL:2.3 STAGE:5.1	N/A	40	28549	41283	480	86.00625	41182	12450	416	64	5504.4
2	735	16306	C80260	C335	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE:2	N/A	40	28855	32260	480	67.20833333	41182	12150	406	74	4973.416667
2	735	16308	C79930	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:2 C	N/A	40	28763	32260	480	67.20833333	41182	12240	409	71	4771.791667
2	735	16309	C80234	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29006	44962	480	93.67083333	41182	12000	401	79	7399.995833
2	735	16312	C80103	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16313	C80175	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16316	C80256	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16317	C80254	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16323	C80882	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16325	C80221	C335	COMPRESSOR AXIAL FLOW UNIT 325 GROUP 33	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16326	C80258	C335	COMPRESSSOR AXIAL FLOW CELL:4.10 STAGE:8	N/A	40	28855	32260	480	67.20833333	41182	12150	406	74	4973.416667
2	735	16327	C80024	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28855	44962	480	93.67083333	41182	12150	406	74	6931.641667
2	735	16328	C80257	C335	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE:10	N/A	40	28855	32260	480	67.20833333	41182	12150	406	74	4973.416667
2	735	16329	C79958	C335	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:8 C	N/A	40	29159	44962	480	93.67083333	41182	11850	396	84	7868.35
2	735	16330	C80010	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28855	44962	480	93.67083333	41182	12150	406	74	6931.641667
2	735	16331	C80263	C335	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE:5	N/A	40	28855	32260	480	67.20833333	41182	12150	406	74	4973.416667
2	735	16337	C80156	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	29280	44962	480	93.67083333	41182	11730	392	88	8243.033333
2	735	16339	C80237	C335	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:4 C	N/A	40	29280	32260	480	67.20833333	41182	11730	392	88	5914.333333
2	735	16341	C80262	C335	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE:3	N/A	40	28855	32260	480	67.20833333	41182	12150	406	74	4973.416667
2	735	16346	C80058	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28156	36459	480	75.95625	41182	12840	429	51	3873.76875
2	735	16347	C80134	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16348	C80219	C335	AXIAL FLOW COMPRESSOR UNIT 348 GROUP 35	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16349	C80121	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28702	44962	480	93.67083333	41182	12300	411	69	6463.2875
2	735	16350	C80284	C335	AXIAL FLOW COMPRESSOR UNIT 350 GROUP 35	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16351	C80200	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28398	47011	480	97.93958333	41182	12600	421	59	5778.435417
2	735	16352	C80089	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28156	36459	480	75.95625	41182	12840	429	51	3873.76875
2	735	16353	C80280	C335	AXIAL FLOW COMPRESSOR 1800 RPM COMPR AX	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16355	C80037	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28490	41283	480	86.00625	41182	12510	418	62	5332.3875
2	735	16356	C80019	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28549	41283	480	86.00625	41182	12450	416	64	5504.4
2	735	16357	C79953	C335	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:8 C	N/A	40	29829	44962	480	93.67083333	41182	11190	374	106	9929.108333
2	735	16360	C80106	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28702	41750	480	86.97916667	41182	12300	411	69	6001.5625
2	735	16362	C80282	C335	AXIAL FLOW COMPRESSOR CELL:5 STAGE:7 POS	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16364	C80265	C335	COMPRESSOR AXIAL FLOW CELL:4.10 STAGE:7	N/A	40	28855	29048	480	60.51666667	41182	12150	406	74	4478.233333
2	735	16366	C80119	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28702	44962	480	93.67083333	41182	12300	411	69	6463.2875
2	735	16368	C80129	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16375	C80027	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28184	33886	480	70.59583333	41182	12810	428	52	3670.983333
2	735	16377	C80054	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28276	47011	480	97.93958333	41182	12720	425	55	5386.677083
2	735	16379	C80136	C335	COMPRESSOR AXIAL FLOW TYPE 31 1800 RPM	N/A	40	19755	17024	480	0	41182	21120	705	0	0
2	735	16380	C79914	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	28763	32260	480	67.20833333	41182	12240	409	71	4771.791667

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16382	C80281	C335	AXIAL FLOW COMPRESSOR 1800 RPM COMPR AX	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16383	C79897	C335	COMPRESSOR AXIAL FLOW CELL: 1.1 STAGE	N/A	40	28337	30709	480	63.97708333	41182	12660	423	57	3646.69375
2	735	16384	C79915	C335	COMPRESSOR AXIAL FLOW CELL:1.7 STAGE:	N/A	40	28763	32260	480	67.20833333	41182	12240	409	71	4771.791667
2	735	16390	C80096	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16391	C80095	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16392	C80878	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28337	30709	480	63.97708333	41182	12660	423	57	3646.69375
2	735	16396	C80220	C335	AXIAL FLOW COMPRESSOR 1800 RPM UNIT 39	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16398	C80041	C335	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	N/A	40	28671	44962	480	93.67083333	41182	12330	412	68	6369.616667
2	735	16399	C80227	C335	AXIAL FLOW COMPRESSOR 1800 RPM UNIT 39	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16401	C80073	C335	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28156	36460	480	75.95833333	41182	12840	429	51	3873.875
2	735	16404	C80118	C335	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:	N/A	40	28733	44963	480	93.67291667	41182	12270	410	70	6557.104167
2	735	16406	C79969	C335	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	29311	32261	480	67.21041667	41182	11700	391	89	5981.727083
2	735	16408	C79925	C335	COMPRESSOR AXIAL FLOW CELL: 1.9 STAGE	N/A	40	28733	32032	480	66.73333333	41182	12270	410	70	4671.333333
2	735	16410	C80215	C335	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	29280	44735	480	93.19791667	41182	11730	392	88	8201.416667
2	735	16418	C76769	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106998	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16420	C77083	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107000	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16422	C77122	C335	MOTOR INDUCTION-UPRATED. MOTOR 1650 HPE	106902	20	28824	26613	240	0	41182	12180	407	0	0
2	735	16423	C77133	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	106903	20	29617	20323	240	0	41182	11400	381	0	0
2	735	16425	C76812	C335	MOTOR ELECTRIC 950 HP 3 PH 60 CYCLES	106905	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16426	C77108	C335	MOTOR INDUCTION-UPRATED MOTOR 1650 HPEM	106946	20	28824	26613	240	0	41182	12180	407	0	0
2	735	16427	C77169	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106947	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16428	C77095	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1650	106949	20	29617	20323	240	0	41182	11400	381	0	0
2	735	16431	C76804	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106906	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16432	C77148	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106907	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16433	C77140	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106908	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16435	C76787	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106950	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16436	C77184	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106951	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16437	C77145	C335	MTR ELEC MACH 950	N/A	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16438	C77147	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106910	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16439	C76768	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106952	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16441	C77153	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106911	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16442	C76770	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106954	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16443	C77149	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106914	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16444	C76807	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106915	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16445	C77181	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106959	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16446	C76830	C335	MOTOR ELECTRIC 4160 VOLTS 112 AMPS 95	106912	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16447	C76764	C335	MOTOR ELECTRIC 950 HP 3 PH 60 CYCLES	106958	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16448	C77183	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106957	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16449	C77096	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1650	106956	20	29617	20323	240	0	41182	11400	381	0	0
2	735	16450	C76828	C335	MOTOR ELECTRIC 4160 VOLTS 112 AMPS 9	106916	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16451	C77141	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106917	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16452	C77146	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106918	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16453	C76803	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106920	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16454	C77192	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106961	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16455	C77171	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106963	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16456	C77175	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106960	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16457	C77143	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106913	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16459	C77180	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106962	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16460	C77182	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106964	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16462	C76805	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106924	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16464	C76772	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106965	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16465	C77185	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106966	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16468	C77186	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106967	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16469	C77187	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106968	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16470	C76771	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106969	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16471	C77163	C335	MOTOR ELECTRIC 950 HP 3 PH 60 CY 17	106922	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16472	C77142	C335	MOTOR ELECTRIC 950 HP 4160 V 112 AMP	106926	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16473	C77144	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106928	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16476	C77191	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106970	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16477	C77110	C335	MOTOR HP 1650 MOTOR INDUCTION UPRATED. M	106971	20	29645	20323	240	0	41182	11370	380	0	0
2	735	16479	C76775	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106973	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16482	C76824	C335	MOTOR ELECTRIC 950 HP 3 PH 60 CY 17	106933	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16483	C77152	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106935	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16484	C77178	C335	MTR ELEC MACH 950	N/A	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16485	C77179	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106977	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16486	C77134	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1650	106934	20	29617	20322	240	0	41182	11400	381	0	0
2	735	16487	C77162	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106936	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16488	C77098	C335	MOTOR 1650 HP INDUCTION-UPRATED	106976	20	29617	20322	240	0	41182	11400	381	0	0
2	735	16489	C77082	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1650	106978	20	29798	20322	240	0	41182	11220	375	0	0
2	735	16490	C77099	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1650	106980	20	29617	20322	240	0	41182	11400	381	0	0
2	735	16491	C77154	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106921	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16492	C77151	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106937	20	19755	11051	240	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16493	C77157	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106938	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16494	C77150	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106939	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16495	C77161	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106940	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16496	C77177	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106979	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16497	C77176	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106981	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16498	C77075	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106982	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16499	C77165	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106983	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16500	C77167	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106984	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16501	C77076	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106941	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16502	C77077	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106942	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16503	C77159	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106943	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16504	C77156	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106944	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16505	C77158	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106945	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16506	C77172	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106985	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16507	C77174	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106986	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16508	C77173	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106987	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16509	C77170	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	106988	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16510	C77166	C335	MOTOR ELECTRIC 4160 VOLTS 112 AMPS 9	106989	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16511	C76800	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107002	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16512	C77155	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107003	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16513	C76823	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107004	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16514	C76802	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107005	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16516	C77084	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107051	20	19755	10771	240	0	41182	21120	705	0	0
2	735	16518	C77109	C335	MOTOR INDUCTION-UPRATED. MOTOR 1650 HPE	107053	20	28824	26612	240	0	41182	12180	407	0	0
2	735	16520	C76784	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107055	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16522	C77135	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	107007	20	29280	26612	240	0	41182	11730	392	0	0
2	735	16523	C76808	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PH	107008	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16524	C77022	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107009	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16527	C77101	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107057	20	29311	20322	240	0	41182	11700	391	0	0
2	735	16529	C77080	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1650	107059	20	29798	20322	240	0	41182	11220	375	0	0
2	735	16530	C77102	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107060	20	29311	20322	240	0	41182	11700	391	0	0
2	735	16531	C76789	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107012	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16532	C76790	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107013	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16534	C76859	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107015	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16535	C76837	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107016	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16536	C76858	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107061	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16538	C76851	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107063	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16539	C76816	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107064	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16540	C77015	C335	MOTOR 950 HP 4160 V. 112 AJPS 3 PHAS	107065	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16543	C76806	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107019	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16544	C77072	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107020	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16545	C76861	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 6	107021	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16547	C76767	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107067	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16549	C76856	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107069	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16551	C77090	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	107010	20	29280	26613	240	0	41182	11730	392	0	0
2	735	16552	C77021	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107023	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16553	C77127	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107024	20	29311	20323	240	0	41182	11700	391	0	0
2	735	16554	C76840	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107025	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16556	C77100	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107071	20	29311	20323	240	0	41182	11700	391	0	0
2	735	16558	C77104	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107073	20	29311	20323	240	0	41182	11700	391	0	0
2	735	16563	C77136	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	107028	20	29280	26613	240	0	41182	11730	392	0	0
2	735	16566	C76829	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107076	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16567	C76783	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107077	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16568	C76847	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PH	107078	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16570	C76781	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107080	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16572	C76852	C335	MOTOR 950 HP 4160 V. 112 AMPS 3 PHAS	107032	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16574	C76792	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107035	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16575	C77131	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107036	20	29617	20323	240	0	41182	11400	381	0	0
2	735	16576	C76780	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60 C	107081	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16577	C76776	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107082	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16578	C76826	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107083	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16580	C76854	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107085	20	19755	11052	240	0	41182	21120	705	0	0
2	735	16581	C77125	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107037	20	29311	20323	240	0	41182	11700	391	0	0
2	735	16582	C77128	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107038	20	29311	20323	240	0	41182	11700	391	0	0
2	735	16583	C77126	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107039	20	29311	20322	240	0	41182	11700	391	0	0
2	735	16584	C76834	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PHASE	107040	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16588	C76850	C335	MOTOR 950 HP 4160 V 112 A 3 PH 60 CY	107088	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16589	C77094	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	107089	20	29280	26612	240	0	41182	11730	392	0	0
2	735	16590	C76848	C335	MOTOR 950 HP 4160 V 112 AMPS 3 PH 60	107090	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16592	C76842	C335	MOTOR 950 HP 4160 V. 112 A 3 PH 60 C	107043	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16593	C77123	C335	MOTOR INDUCTION-UPRATED 1650 HP IND-UPRA	9172	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16594	C76817	C335	MOTOR 950 HP 4160 V. 112 A 3 PH 60 C	107045	20	19755	11051	240	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16595	C77121	C335	MOTOR INDUCTION-UPRATED 1650 HP IND-UPRA	107046	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16599	C76849	C335	MOTOR 950 HP 4160 V. 112 A 3 PH 60 C	107094	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16601	C76860	C335	MOTOR 950 HP 4160 V 112 A 3 PH 60 CY	107033	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16602	C76836	C335	MOTOR 950 HP 4160 V. 112 A 3 PH 60 C	107047	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16603	C77124	C335	MOTOR INDUCTION-UPRATED 1650 HP IND-UPRA	107048	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16606	C76820	C335	MOTOR 950 HP 4160 V 112 A 3 PHASE 6	107096	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16608	C77092	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	107098	20	29280	26612	240	0	41182	11730	392	0	0
2	735	16609	C76843	C335	MOTOR 950 HP 4160 V. 112 A 3 PH 60 C	107099	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16610	C77168	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107100	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16615	C77139	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	107106	20	29280	26612	240	0	41182	11730	392	0	0
2	735	16616	C76786	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107151	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16618	C77093	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	107153	20	29280	26612	240	0	41182	11730	392	0	0
2	735	16622	C77129	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107109	20	29311	20322	240	0	41182	11700	391	0	0
2	735	16624	C76833	C335	MOTOR 950 HP 4160 VOLT 112 AMPS 3 PH	107111	20	19755	10771	240	0	41182	21120	705	0	0
2	735	16625	C76822	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107112	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16627	C76766	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107157	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16634	C76788	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107115	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16636	C76862	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107161	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16644	C77137	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	107119	20	29280	26612	240	0	41182	11730	392	0	0
2	735	16646	C76773	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107166	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16653	C76832	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107123	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16654	C76791	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107124	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16656	C77103	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107171	20	29311	20322	240	0	41182	11700	391	0	0
2	735	16658	C77106	C335	MOTOR INDUCTION-UPRATED. 1650 HP IND-UPR	107173	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16659	C77097	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107174	20	29617	20322	240	0	41182	11400	381	0	0
2	735	16661	C77132	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107126	20	29617	20322	240	0	41182	11400	381	0	0
2	735	16664	C76809	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107130	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16669	C77114	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107179	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16670	C76845	C335	MOTOR 950 PH 4160 VOLTS 112 AMPS 3 P	107180	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16671	C76814	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107132	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16672	C76853	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107133	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16680	C77138	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	107136	20	29280	26612	240	0	41182	11730	392	0	0
2	735	16684	C76798	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107140	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16687	C77105	C335	MOTOR HP 1650 INDUCTION-UPRATED	9172	20	28975	26612	240	0	41182	12030	402	0	0
2	735	16690	C77073	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107141	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16691	C76838	C335	MOTOR ELECTRIC 950 HP 4160 VOLTS 112	107142	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16692	C77130	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107143	20	29617	20322	240	0	41182	11400	381	0	0
2	735	16696	C76857	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107191	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16698	C76785	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107193	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16702	C76796	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107148	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16703	C76821	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107149	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16714	C76819	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107204	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16717	C76844	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107252	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16719	C77112	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107254	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16720	C77107	C335	MOTOR INDUCTION-UPRATED. MOTOR 1650 HP	107255	20	29006	26612	240	0	41182	12000	401	0	0
2	735	16728	C77085	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107258	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16729	C76855	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 PH	107259	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16731	C77016	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107212	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16732	C76818	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107213	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16735	C76827	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 PH	107261	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16741	C76811	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 PH	107216	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16743	C77078	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	169174912	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16744	C77120	C335	MOTOR INDUCTION-UPRATED. MOTOR 1650 HP	107219	20	29006	26612	240	0	41182	12000	401	0	0
2	735	16747	C76763	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107267	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16750	C77091	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1700	107270	20	29280	26612	240	0	41182	11730	392	0	0
2	735	16751	C76795	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107221	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16762	C76831	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107228	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16766	C76835	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107231	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16771	C76794	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107232	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16772	C76797	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107233	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16773	C76841	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107234	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16774	C77018	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107282	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16776	C77164	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107237	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16777	C77160	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107235	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16778	C76793	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107236	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16783	C76779	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107285	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16784	C76782	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107286	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16785	C76778	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	N/A	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16786	C77086	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107225	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16787	C77088	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107240	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16788	C77193	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107288	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16789	C76765	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107289	20	19755	11051	240	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16790	C76774	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	AT4011482	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16791	C77115	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107241	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16793	C77118	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107243	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16794	C77074	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107244	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16795	C77116	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107245	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16796	C77117	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107291	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16797	C76846	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107292	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16798	C77113	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107293	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16799	C77111	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107294	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16800	C77119	C335	MOTOR INDUCTION-UPRATED. MOTOR HP 1650	107295	20	29645	20322	240	0	41182	11370	380	0	0
2	735	16802	C76825	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107303	20	19755	10537	240	0	41182	21120	705	0	0
2	735	16803	C76813	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107304	20	19755	10537	240	0	41182	21120	705	0	0
2	735	16810	C76839	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107248	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16811	C76799	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107247	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16812	C76801	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107250	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16813	C76777	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107296	20	19755	11051	240	0	41182	21120	705	0	0
2	735	16816	C76810	C335	MOTOR 950 HP 4160 VOLTS 112 AMPS 3 P	107302	20	19755	11051	240	0	41182	21120	705	0	0
2	735	19469	C77188	C335	MOTOR INDUCTION 375/100 HP 4160 VOLTS	1S50P682	20	19755	10411	240	0	41182	21120	705	0	0
2	735	20005	C84413	C335	CONVERTER "00" CONVERTER 00	127U126	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20006	C84414	C335	CONVERTER 31X CONVERTER 31X	127U167	40	19755	18276	480	0	41182	21120	705	0	0
2	735	20009	C84417	C335	CONVERTER 00 CELL 3.2 STAGE 2 CONVERTE	127U175	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20012	C84420	C335	CONVERTER "00" CONVERTER 00	127U13	40	29433	138815	480	289.1979167	41182	11580	387	93	26895.40625
2	735	20016	C84424	C335	CONVERTER	127U205	40	29159	142786	480	297.4708333	41182	11850	396	84	24987.55
2	735	20019	C84427	C335	CONVERTER 00 CELL 3.2 STAGE 1 CONVERTE	127U182	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20022	C84430	C335	CONVERTER CELL: 3.4 STAGE: 3 CONVERTER	127 U 185	40	29159	142786	480	297.4708333	41182	11850	396	84	24987.55
2	735	20027	C84435	C335	CONVERTER CELL 1.6 STAGE 5 CONVERTER	127U136	40	29159	142786	480	297.4708333	41182	11850	396	84	24987.55
2	735	20029	C84437	C335	CONVERTER CELL: 3.7 STAGE: 9 CONVERTER	127 U 139	40	28702	137993	480	287.4854167	41182	12300	411	69	19836.49375
2	735	20030	C84438	C335	CONVERTER "OO" CELL: 2.7 STAGE: 7 CONV	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20031	C84439	C335	CONVERTER "OO" CELL: 3.10 STAGE: 4 CON	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20032	C84440	C335	CONVERTER "OO" CELL: 3.9 STAGE: 10 CON	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20033	C84441	C335	CONVERTER CELL: 3.7 STAGE: 7 CONVERTER	127 U 168	40	28702	137993	480	287.4854167	41182	12300	411	69	19836.49375
2	735	20034	C84442	C335	CONVERTER "OO" CELL: 3.10 STAGE: 9 CON	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20036	C84444	C335	CONVERTER "OO" CELL: 3.9 STAGE: 2 CONV	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20037	C84445	C335	CONVERTER CELL: 3.7 STAGE: 6 CONVERTER	127 U 213	40	28702	137993	480	287.4854167	41182	12300	411	69	19836.49375
2	735	20041	C84449	C335	CONVERTER "OO" CELL: 3.10 STAGE: 4 CON	127 U 198	40	29036	140337	480	292.36875	41182	11970	400	80	23389.5
2	735	20055	C84462	C335	CONVERTER CELL: 4 STAGE: 2 CONVERTER	127 U 142	40	28184	142526	480	296.9291667	41182	12810	428	52	15440.31667
2	735	20056	C84463	C335	CONVERTER 31X "OO" CELL: 2.8 STAGE: 8	127 U 190	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20057	C84464	C335	CONVERTER CELL 6 STAGE 3 CONVERTER	127U165	40	19755	20087	480	0	41182	21120	705	0	0
2	735	20058	C84465	C335	CONVERTER 31X "OO" CELL: 2.8 STAGE: 1	127 U 181	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20059	C84466	C335	CONVERTER 31X "OO" CELL: 2.8 STAGE:	127 U 135	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20060	C84467	C335	CONVERTER CELL: 4 STAGE: 7 CONVERTER	127 U 122	40	28184	142526	480	296.9291667	41182	12810	428	52	15440.31667
2	735	20063	C84470	C335	CONVERTER "OO" CELL: 4.3 STAGE: 8 CONV	127 U 293	40	29006	140539	480	292.7895833	41182	12000	401	79	23130.37708
2	735	20064	C84471	C335	CONVERTER "OO" CELL: 4.5 STAGE: 1 CONV	127 U 304	40	29006	140539	480	292.7895833	41182	12000	401	79	23130.37708
2	735	20065	C84472	C335	CONVERTER CELL: 6 STAGE: 9 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20066	C84473	C335	CONVERTER CELL: 10 STAGE: 4 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20067	C84474	C335	CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20068	C84475	C335	CONVERTER CELL: 10 STAGE: 3 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20069	C84476	C335	CONVERTER CELL: 10 STAGE: 5 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20070	C84477	C335	CONVERTER CELL: 6 STAGE: 1 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20071	C84478	C335	CONVERTER CELL: 6 STAGE: 10 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20074	C84481	C335	CONVERTER "OO" CELL: 4.5 STAGE: 2 CONV	127 U 172	40	29006	140539	480	292.7895833	41182	12000	401	79	23130.37708
2	735	20080	C84487	C335	CONVERTER CELL: 10 STAGE: 1 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20081	C84488	C335	CONVERTER "OO" CELL: 3.9 STAGE: 6 CONV	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20084	C84490	C335	CONVERTER CELL: 3.4 STAGE: 6 CONVERTER	127 U 181	40	29159	142786	480	297.4708333	41182	11850	396	84	24987.55
2	735	20085	C84491	C335	CONVERTER CELL: 3.4 STAGE: 7 CONVERTER	127 U 290	40	29159	142786	480	297.4708333	41182	11850	396	84	24987.55
2	735	20086	C84492	C335	CONVERTER CELL: 6 STAGE: 2 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20087	C84493	C335	CONVERTER "OO" CELL: 4.5 STAGE: 7 CONV	127 U 305	40	29006	140539	480	292.7895833	41182	12000	401	79	23130.37708
2	735	20089	C84495	C335	CONVERTER "OO" CELL: 3.6 STAGE: 3 CONV	127 U 266	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20090	C84496	C335	CONVERTER CELL: 6 STAGE: 7 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20091	C84497	C335	CONVERTER CELL: 6 STAGE: 3 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20092	C84498	C335	CONVERTER CELL: 10 STAGE: 2 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20093	C84499	C335	CONVERTER "OO" CELL: 3.9 STAGE: 7 CONV	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20094	C84500	C335	CONVERTER "OO" CELL: 3.6 STAGE: 8 CONV	127 U 303	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20095	C84501	C335	CONVERTER "OO" CELL: 4.1 STAGE: 10 CON	127 U 276	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20096	C84502	C335	CONVERTER "OO" CELL: 4.1 STAGE: 7 CONV	127 U 194	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20097	C84503	C335	CONVERTER "OO" CELL: 4.1 STAGE: 9 CONV	127 U 309	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20098	C84504	C335	CONVERTER "OO" CELL: 4.1 STAGE: 5 CONV	127 U 283	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20099	C84505	C335	CONVERTER "OO" CELL: 4.3 STAGE: 3 CONV	127 U 178	40	29006	140539	480	292.7895833	41182	12000	401	79	23130.37708
2	735	20100	C84506	C335	CONVERTER "OO" CELL: 4.5 STAGE: 9 CONV	127 U 264	40	29006	140539	480	292.7895833	41182	12000	401	79	23130.37708
2	735	20101	C84507	C335	CONVERTER "OO" CELL: 3.9 STAGE: 1 CONV	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20102	C84508	C335	CONVERTER CELL: 3.7 STAGE: 2 CONVERTER	127 U 221	40	28702	137993	480	287.4854167	41182	12300	411	69	19836.49375
2	735	20103	C84509	C335	CONVERTER "OO" CELL: 4.1 STAGE: 6 CONV	127 U 250	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	20104	C84510	C335	CONVERTER "OO" CELL: 3.6 STAGE: 5 CONV	127 U 262	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20105	C84511	C335	CONVERTER "OO" CELL: 3.2 STAGE: 8 CONV	127 U 244	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20106	C84512	C335	CONVERTER "OO" CELL: 3.2 STAGE: 5 CONV	127 U 247	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20108	C84514	C335	CONVERTER TYPE 31X CELL 2 STAGE 9 CONV	127U267	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20109	C84515	C335	CONVERTER TYPE 31X CELL 2 STAGE 6 CONV	127U253	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20110	C84516	C335	CONVERTER TYPE 31X CONVERTER 31X	127U252	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20111	C84517	C335	CONVERTER TYPE 31X CELL 2 STAGE 1 CONV	127U220	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20112	C84518	C335	CONVERTER TYPE 31X CELL 2 STAGE 2 CONV	127U263	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20113	C84519	C335	CONVERTER TYPE 31X CELL 2 STAGE 3 CONV	127U255	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20114	C84520	C335	CONVERTER TYPE 31X CELL 2 STAGE 4 CONV	127U241	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20115	C84521	C335	CONVERTER TYPE 31X CELL 2 STAGE 5 CONVE	127U225	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20116	C84522	C335	CONVERTER 31X TYPE CELL 2 STAGE 10 CON	127U239	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20117	C84523	C335	CONVERTER TYPE 31X CELL 4 STAGE 10 CON	127U217	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20118	C84524	C335	CONVERTER TYPE 31X CELL 3 STAGE 1 CONV	127U159	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20119	C84525	C335	CONVERTER 31X "OO" CELL: 3.8 STAGE:	127 U 246	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20120	C84526	C335	CONVERTER 31X "OO" CELL: 2.8 STAGE:	127 U 240	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20121	C84527	C335	CONVERTER CELL: 4 STAGE: 3 CONVERTER	127 U 114	40	28184	142526	480	296.9291667	41182	12810	428	52	15440.31667
2	735	20122	C84528	C335	CONVERTER CELL: 4 STAGE: 5 CONVERTER	127 U 245	40	28184	142526	480	296.9291667	41182	12810	428	52	15440.31667
2	735	20125	C84531	C335	CONVERTER TYPE 31X CELL 6 STAGE 8 CONV	127U243	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20126	C84532	C335	CONVERTR TYPE 31X CELL 6 STAGE 7 CONVE	127U236	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20127	C84533	C335	CONVERTER TYPE 31X CELL 6 STAGE 9 CONVE	127U125	40	19755	19811	480	0	41182	21120	705	0	0
2	735	20128	C84534	C335	CONVERTER "OO" CELL: 2.3 STAGE: 5-9 CO	N/A	40	28549	130769	480	272.4354167	41182	12450	416	64	17435.86667
2	735	20129	C84535	C335	CONVERTER TYPE 31X CELL 5 STAGE 1 CONVE	127U256	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20130	C84536	C335	CONVERTER TYPE 31X CELL 5 STAGE 2 CONVE	127U91	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20131	C84537	C335	CONVERTER TYPE 31X CELL 5 STAGE 4 CONV	127U218	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20132	C84538	C335	CONVERTER TYPE 31X CONVERTER 31X	127U281	40	19755	19328	480	0	41182	21120	705	0	0
2	735	20133	C84539	C335	CONVERTER CELL 2.1 STAGE 1 CONVERTER	127U268	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20134	C84540	C335	CONVERTER 31X "OO" CELL: 2.8 STAGE:	127 U 212	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20135	C84541	C335	CONVERTER CELL: STAGE: CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20137	C84543	C335	CONVERTER CELL: STAGE: CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20138	C84544	C335	CONVERTER CELL: 3.3. STAGE: 8 CONVERTE	127 U 54	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20139	C84545	C335	CONVERTER 31X	N/A	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20140	C84546	C335	CONVERTER TYPE 31X CELL 5 STAGE 10 CON	127U50	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20141	C84547	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 227	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20142	C84548	C335	CONVERTER TYPE 31X CELL 3 STAGE 10 CO	127U63	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20143	C84549	C335	CONVERTER TYPE 31X CELL 4 STAGE 9 CON	127U9	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20144	C84550	C335	CONVERTER TYPE 31X CELL 4 STAGE 8 CONV	127U93	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20145	C84551	C335	CONVERTER TYPE 31X CELL 4 STAGE 7 CON	127U286	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20147	C84553	C335	CONVERTER 31X "OO" CELL: 2.8 STAGE:	127 U 296	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20148	C84554	C335	CONVERTER TYPE 31X CELL 3 STAGE 3 CON	127U238	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20149	C84555	C335	CONVERTER TYPE 31X CELL 3 STAGE 4 CONV	127U219	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20150	C84556	C335	CONVERTER TYPE 31X CELL 3 STAGE 5 CONV	127U272	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20151	C84557	C335	CONVERTER TYPE 31X CONVERTER 31X	127U233	40	19755	18611	480	0	41182	21120	705	0	0
2	735	20152	C84558	C335	CONVERTER TYPE 31X C-335-3 CELL 5 STA	127U223	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20153	C84559	C335	CONVERTER TYPE 31X C-335-3 CELL 7 ST	127U210	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20154	C84560	C335	CONVERTER TYPE 31X C-335-3 CELL 3 STA	127U166	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20155	C84561	C335	CONVERTER TYPE 31X C-335-3 CELL 3 ST	127U234	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20156	C84562	C335	CONVERTR TYPE 31X C-335-3 CELL 3 STAG	127U259	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20157	C84563	C335	CONVERTER TYPE 31X C-335-3 CELL 3 ST	127U59	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20158	C84564	C335	CONVERTER TYPE 31X C-335-3 CELL 4 ST	127U110	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20159	C84565	C335	CONVERTER TYPE 31X C-335-3 CELL 4 STA	127U274	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20160	C84566	C335	CONVERTER TYPE 31X C-335-3 CELL 4 ST	127U222	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20161	C84567	C335	CONVERTR TYPE 31X C-335-3 CELL 4 STAGE	127U109	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20162	C84568	C335	CONVERTER CELL: STAGE: CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20164	C84570	C335	CONVERTER "OO" CELL: 2.5 STAGE: 9 CONV	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20165	C84571	C335	CONVERTER TYPE 31X C-335-3 CELL 6 ST	127U164	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20166	C84572	C335	CONVERTER TYPE 31X C-335-3 CELL 6 STA	127U55	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20167	C84573	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 100	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20168	C84574	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 157	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20169	C84575	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 69	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20170	C84576	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 131	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20171	C84577	C335	CONVERTER TYPE 31X C-335-3 CELL 9 STA	127U60	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20172	C84578	C335	CONVERTER TYPE 31X C-335-3 CELL 9 ST	127U105	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20173	C84579	C335	CONVERTER TYPE 31X C-335-3 CELL 5 ST	127U280	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20174	C84580	C335	CONVERTER TYPE 31X C-335-3 CELL 5 STA	127U22	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20175	C84581	C335	CONVERTER TYPE 31X C-335-3 CELL 5 STA	127U88	40	19755	19327	480	0	41182	21120	705	0	0
2	735	20176	C84582	C335	CONVERTER TYPE 31X C-335-3 CELL 5 STA	127U4	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20178	C84584	C335	CONVERTER CELL: STAGE: CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20179	C84585	C335	CONVERTER CELL: STAGE: CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20180	C84586	C335	CONVERTER CELL: STAGE: CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20181	C84587	C335	CONVERTER TYPE 31X C-335-3 CELL 6 STA	127U31	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20183	C84589	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 152	40	19755	19810	480	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	20184	C84590	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 196	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20185	C84591	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 150	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20186	C84592	C335	CONVERTER TYPE 31X INVENTORY 60A PAGE	127 U 77	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20187	C84593	C335	CONVERTER "OO" CELL: 3.10 STAGE: 6 CON	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20188	C84594	C335	CONVERTER TYPE 31X C-335-3 CELL 9 STA	127U146	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20189	C84595	C335	CONVERTER "OO" CELL: 3.10 STAGE: 2 CON	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20190	C84596	C335	CONVERTER 00 CELL:3.10 STAGE:3 CONVERTER	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20194	C84600	C335	CONVERTER 00	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20195	C84601	C335	CONVERTER	N/A	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20197	C84603	C335	CONVERTER 00 CELL:3.10 STAGE:5 CONVERTER	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20198	C84604	C335	CONVERTER 00 CELL:3.10 STAGE:10 CONVERTE	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20200	C84606	C335	CONVERTER TYPE 31X C-335-3 CELL 9 STA	127U89	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20207	C84613	C335	CONVERTER 00 CELL:2.5 STAGE:6 CONVERTER	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20209	C84615	C335	CONVERTER TYPE 31X C-335-3 CELL 10 ST	127U1	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20213	C84619	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20214	C84620	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20215	C84621	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20216	C84622	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20217	C84623	C335	CONVERTER CELL:6 STAGE:6 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20218	C84624	C335	CONVERTER 00 CELL:3.9 STAGE:8 CONVERTER	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20219	C84625	C335	CONVERTER 00 CELL:3.10 STAGE:7 CONVERTER	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20223	C84629	C335	CONVERTER 31X OO CELL:2.8 STAGE:5 CONVE	127 U 53	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20225	C84631	C335	CONVERTER CELL:8 STAGE:5 CONVERTER	N/A	40	19755	20086	480	0	41182	21120	705	0	0
2	735	20226	C84632	C335	CONVERTER 31X 00 CELL:2.8 STAGE:3 CONVE	127 U 75	40	28156	140040	480	291.75	41182	12840	429	51	14879.25
2	735	20227	C84633	C335	CONVERTER 00 CELL:3.9 STAGE:9 CONVERTER	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20228	C84634	C335	CONVERTER 00 CELL:3.9 STAGE:5 CONVERTER	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20229	C84635	C335	CONVERTER 00 CELL 4.5 STAGE:8 CONVERTER	127 U 3	40	29006	140539	480	292.7895833	41182	12000	401	79	23130.37708
2	735	20231	C84637	C335	CONVERTER CELL:3.3 STAGE:5 CONVERTER	127 U 95	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20232	C84638	C335	CONVERTER "00" C-335 CELL 2.1 STAGE 7	127U119	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20233	C84639	C335	CONVERTER CELL:3.3 STAGE:4 CONVERTER	127 U 45	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20234	C84640	C335	CONVERTER CELL:3.8 STAGE:4 CONVERTER	127 U 97	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20237	C84643	C335	CONVERTER TYPE 31X C-335-2 CELL 7 STA	127U1	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20239	C84645	C335	CONVERTER TYPE 31X C-335-2 CELL 9 STAG	127U66	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20240	C84646	C335	CONVERTER C-335 CELL 8 STAGE 6 CONVER	127U15	40	19755	20086	480	0	41182	21120	705	0	0
2	735	20241	C84647	C335	CONVERTER C-335 CELL 6 STAGE 6 CONVER	127U24	40	19755	20086	480	0	41182	21120	705	0	0
2	735	20243	C84649	C335	CONVERTER "00" C-335 CELL 2.1 STAGE 10	127U83	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20244	C84650	C335	CONVERTER C-335 CELL 6 STAGE 10 CONVE	127U51	40	19755	20086	480	0	41182	21120	705	0	0
2	735	20245	C84651	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20246	C84652	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20247	C84653	C335	CONVERTER TYPE 31X C-335-2 CELL 9 STAG	127U34	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20248	C84654	C335	CONVERTER TYPE 31X C-335-2 CELL 9 ST	127U108	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20249	C84655	C335	CONVERTER TYPE 31X C-335-2 CELL 9 ST	127U7	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20250	C84656	C335	CONVERTER TYPE 31X INVENTORY 65 PAGE 1	127 U 67	40	19755	19810	480	0	41182	21120	705	0	0
2	735	20251	C84657	C335	CONVERTER C-335 CELL 6 STAGE 4 CONVER	127U46	40	19755	20086	480	0	41182	21120	705	0	0
2	735	20252	C84658	C335	CONVERTER C-335 CELL 6 STAGE 7 CONVER	127U177	40	19755	20086	480	0	41182	21120	705	0	0
2	735	20253	C84659	C335	CONVERTER	N/A	40	19755	20086	480	0	41182	21120	705	0	0
2	735	20254	C84660	C335	CONVERTER C-335 CELL 6 STAGE 2 CONVER	127U26	40	19755	20086	480	0	41182	21120	705	0	0
2	735	20259	C84665	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20260	C84666	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20261	C84667	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20262	C84668	C335	CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20273	C84679	C335	CONVERTER CELL:4.7 STAGE:9 CONVERTER	127 U 195	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20276	C84681	C335	CONVERTER CELL:4.7 STAGE:2 CONVERTER	127 U 71	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20283	C84688	C335	CONVERTER CELL:3.3 STAGE:6 CONVERTER	N/A	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20284	C84689	C335	CONVERTER 31X 00 CELL:2.2 STAGE:6 CONVE	127 U 254	40	28156	140041	480	291.7520833	41182	12840	429	51	14879.35625
2	735	20285	C84690	C335	CONVERTER CELL:2.1 STAGE:3 CONVERTER	127 U 439	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20286	C84691	C335	converter 31x 00 cell:2.2 stAGE:9 CONVE	127 U 423	40	28156	140041	480	291.7520833	41182	12840	429	51	14879.35625
2	735	20288	C84693	C335	CONVERTER "00" CELL:4 STAGE:2 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20289	C84694	C335	CONVERTER C-335 CONVERTER	N/A	40	28580	134057	480	279.2854167	41182	12420	415	65	18153.55208
2	735	20290	C84695	C335	CONVERTER 00 C-335 CELL 2.1 STAGE 2 C	127U416	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20291	C84696	C335	CONVERTER "00" CELL:4 STAGE:5 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20298	C84703	C335	CONVERTER CELL:4 STAGE:6 CONVERTER	127 U 444	40	28184	142526	480	296.9291667	41182	12810	428	52	15440.31667
2	735	20299	C84704	C335	CONVERTER TYPE 31X C-335-2 CELL 7 STA	127U446	40	19755	19812	480	0	41182	21120	705	0	0
2	735	20300	C84705	C335	CONVERTER TYPE 31X CELL 7 STAGE 8 CON	127U456	40	19755	19812	480	0	41182	21120	705	0	0
2	735	20301	C84706	C335	CONVERTER TYPE 31X C-335-2 CELL 7 STA	127U459	40	19755	19812	480	0	41182	21120	705	0	0
2	735	20302	C84707	C335	CONVERTER TYPE 31X C-335-2 CELL 7 ST	127U425	40	19755	19812	480	0	41182	21120	705	0	0
2	735	20303	C84708	C335	CONVERTER TYPE 31X C-335-2 CELL 7 STA	127U437	40	19755	19812	480	0	41182	21120	705	0	0
2	735	20304	C84709	C335	CNVERTER 00 CELL:3.10 STAGE:8 CONVERTER	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20305	C84710	C335	CONVERTER TYPE 31X C-335-2 CELL 9 STA	127U419	40	19755	19812	480	0	41182	21120	705	0	0
2	735	20306	C84711	C335	CONVERTER 00 CELL:3.10 STAGE:1 CONVERTER	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20307	C84712	C335	CONVERTER TYPE 31X C-335-2 CELL 9 STA	127U412	40	19755	19812	480	0	41182	21120	705	0	0
2	735	20309	C84713	C335	CONVERTER TYPE 31X C-335-2 CELL 9 STA	127U470	40	19755	19812	480	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	20310	C84714	C335	CONVERTER "00" CELL:4 STAGE:3 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20311	C84715	C335	CONVERTER "00" CELL:4 STAGE:4 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20312	C84716	C335	CONVERTER "00" CELL:4 STAGE:1 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20313	C84717	C335	CONVERTER 31X 00 CELL:2.2 STAGE:7 CONVE	127 U 494	40	28156	140041	480	291.7520833	41182	12840	429	51	14879.35625
2	735	20315	C84719	C335	CONVERTER 31X 00 CELL:2.2 STAGE:8 CONVE	127 U 464	40	28156	140041	480	291.7520833	41182	12840	429	51	14879.35625
2	735	20316	C84720	C335	CONVERTER 31X 00 CELL:2.2 STAGE:10 CONV	127 U 493	40	28156	140041	480	291.7520833	41182	12840	429	51	14879.35625
2	735	20317	C84721	C335	CONVERTER CELL:8 STAGE:2 CONVERTER	127 U 479	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20318	C84722	C335	CONVERTER CELL:8 STAGE:8 CONVERTER	127 U 458	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20319	C84723	C335	CONVERT 00 CELL:2.7 STAGE:2 CONVERTER 00	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20320	C84724	C335	CONVERTER 00	N/A	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20324	C84728	C335	CONVERTER CELL:3.3 STAGE:7 CONVERTER	127 U 133	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20325	C84729	C335	CONVERTER 00 CELL:3.6 STAGE:7 CONVERTER	127 U 457	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20326	C84730	C335	CONVERTER 00 CELL:3.6 STAGE:4 CONVERTER	127 U 514	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20327	C84731	C335	CONVERTER 00 CELL:4.1 STAGE:2 CONVERTER	127 U 430	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20328	C84732	C335	CONVERTER 00 CELL:3.6 STAGE:2 CONVERTER	127 U 450	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20329	C84733	C335	CONVERTER TYPE 0-0 HEAD SERIAL NO. 107	107U373	40	19814	17482	480	0	41182	21060	703	0	0
2	735	20332	C84736	C335	CONVERTER OO CELL:2.3 STAGE:5.10 CONVERT	N/A	40	28549	130338	480	271.5375	41182	12450	416	64	17378.4
2	735	20335	C84739	C335	CONVERTER CELL:8 STAGE:7 CONVERTER	127 U 505	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20336	C84740	C335	CONVERTER CELL:8 STAGE:10 CONVERTER	127 U 522	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20337	C84741	C335	CONVERTER TYPE 31X INVENTORY 65 PAGE 4	127 U 524	40	19755	19813	480	0	41182	21120	705	0	0
2	735	20338	C84742	C335	CONVERTER CELL:8 STAGE:1 CONVERTER	127 U 526	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20340	C84744	C335	CONVERTER CELL:8 STAGE:3 CONVERTER	127 U 490	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20341	C84745	C335	CONVERTER C-335 CELL 6 STAGE 9 CONVER	127U427	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20342	C84746	C335	CONVERTER C-335 CELL 6 STAGE 1 CONVER	127U270	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20343	C84747	C335	CONVERTER	N/A	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20344	C84748	C335	CONVERTER C-335 CELL 6 STAGE 8 CONVERT	127U258	40	19755	20089	480	0	41182	21120	705	0	0
2	735	20353	C84757	C335	CONVERTER CELL:4.7 STAGE:8 CONVERTER	127 U 261	40	28975	139051	480	289.6895833	41182	12030	402	78	22595.7875
2	735	20354	C84758	C335	CONVERTER CELL:10 STAGE:6 CONVERTER	N/A	40	28276	154474	480	321.8208333	41182	12720	425	55	17700.14583
2	735	20355	C84759	C335	CONVERTER 00 CELL:2.1 STAGE:6 CONVERTER	127 U 492	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20358	C84762	C335	CONVERTER 00 CELL:2.7 STAGE:4 CONVERTER	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20359	C84763	C335	CONVERTER 00 CELL 4.1 STAGE 8 CONVERTE	127U278	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20360	C84764	C335	CONVERTER 00 CELL 4.1 STAGE 3 CONVERTE	127U486	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20361	C84765	C335	CONVERTER 00 CELL 3.2 STAGE 6 CONVERTE	127U527	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20363	C84767	C335	CONVERTER CELL 3.4 STAGE 4 CONVERTER	127U534	40	29159	142786	480	297.4708333	41182	11850	396	84	24987.55
2	735	20364	C84768	C335	CONVERTER 00 CELL 2.3 STAGE S-7 CONVER	N/A	40	28549	130769	480	272.4354167	41182	12450	416	64	17435.86667
2	735	20370	C84774	C335	CONVERTER 00 CELL 3.6 STAGE 6 CONVERTE	127U533	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20372	C84776	C335	CONVERTER 00 CELL 3.2 STAGE 3 CONVERTE	127U515	40	29311	139608	480	290.85	41182	11700	391	89	25885.65
2	735	20373	C84777	C335	CONVERTR TYPE 31X C-335-2 CELL 7 STAGE	127U488	40	19755	19813	480	0	41182	21120	705	0	0
2	735	20377	C84778	C335	CONVERTER 00 CELL 2.7 STAGE 3 CONVERTE	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20378	C84779	C335	CONVERTER 00 CELL 2.7 STAGE 10 CONVERT	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20383	C84784	C335	CONVERTER 00 CELL 3.3 STAGE 1 CONVERTE	127U574	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20384	C84785	C335	CONVERTER CELL 3.3 STAGE 8 CONVERTER	127U559	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20385	C84786	C335	CONVERTER CELL 3.3 STAGE 2 CONVERTER	127U587	40	28671	137918	480	287.3291667	41182	12330	412	68	19538.38333
2	735	20386	C84787	C335	CONVERTER 00 CELL 3.9 STAGE 4 CONVERTE	N/A	40	28733	138182	480	287.8791667	41182	12270	410	70	20151.54167
2	735	20387	C84788	C335	CONVERTER CELL 3.8 STAGE 2 CONVERTER	127U564	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20391	C84791	C335	CONVERTER CELL 3.8 STAGE 8 CONVERTER	127U569	40	29280	139683	480	291.00625	41182	11730	392	88	25608.55
2	735	20393	C84793	C335	CONVERTER 00 CELL 2.5 STAGE 1 CONVERTE	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20395	C84795	C335	CONVERTER "00" CELL 2.7 STAGE 8 CONVER	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20397	C84797	C335	CONVERTER CELL 2.7 STAGE 5 CONVERTER 0	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20399	C84799	C335	CONVERTER 00 CELL 2.7 STAGE 9 CONVERTE	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20409	C84803	C335	CONVERTER CELL 8 STAGE 9 CONVERTER	127U620	40	19755	18887	480	0	41182	21120	705	0	0
2	735	20411	C84804	C335	CONVERTER 00 CELL 2.7 STAGE 1 CONVERTE	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	20412	C84805	C335	CONVERTER 00 CELL 2.7 STAGE 6 CONVERTE	N/A	40	28855	137739	480	286.95625	41182	12150	406	74	21234.7625
2	735	23505	C82333	C335	HEAT EXCHANGER SHELL + TUBE TYPE DB432H	MV 7204 4	20	19755	4598	240	0	41182	21120	705	0	0
2	735	23506	C82334	C335	HEAT EXCHANGER SHELL + TUBE TYPE DB432H	MV 7204 3	20	19755	4598	240	0	41182	21120	705	0	0
2	735	23507	C82335	C335	HEAT EXCHANGER SHELL + TUBE TYPE DB432H	MV 7204 1	20	19755	4597	240	0	41182	21120	705	0	0
2	735	23508	C82336	C335	HEAT EXCHANGER SIZE 15-120 SHELL + TUBE	MV 7677 5	20	19755	4216	240	0	41182	21120	705	0	0
2	735	23512	C82337	C335	HEAT EXCHANGER SHELL + TUBE TYPE BOOSTER	MV 7677 4	20	19755	4911	240	0	41182	21120	705	0	0
2	735	23513	C82332	C335	HEAT EXCHANGER SIZE 15-120 SHELL + TUBE	MV 7677 8	20	19755	4912	240	0	41182	21120	705	0	0
2	735	23523	C80877	C335	CONDENSER MODEL PK-12646 PER TERESA STEP	N B 2511	20	19755	23684	240	0	41182	21120	705	0	0
2	735	23538	C78436	C335	HEAT EXCHANGER	N/A	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23545	C78428	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2521	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23549	C78452	C335	HEAT EXCHANGER SHELL + TUBE TYPE CELL 1	2537	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23558	C78439	C335	HEAT EXCHANGER SHELL + TUBE TYPE CELL	2527	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23560	C78445	C335	HEAT EXCHANGER SHELL + TUBE TYPE CELL	2615	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23562	C78444	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2609	20	19997	19284	240	0	41182	20880	697	0	0
2	735	23564	C78446	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2617	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23565	C78430	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2620	20	19997	19284	240	0	41182	20880	697	0	0
2	735	23569	C78455	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2605	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23578	C78429	C335	HEAT EXCHENGER SHELL AND TUBE TYPE CEL	2627	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23579	C78438	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2606	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23581	C78447	C335	HEAT EXCHANGER SHELL AND TUBE TYPE SHE	2547	20	19997	22943	240	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23592	C78453	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2618	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23593	C78437	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2629	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23596	C78461	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2637	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23597	C78463	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2639	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23622	C78451	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	]2614	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23632	C78462	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2612	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23633	C78454	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2645	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23635	C78460	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2651	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23636	C78435	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2652	20	19997	19284	240	0	41182	20880	697	0	0
2	735	23637	C78432	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2653	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23638	C78431	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2656	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23640	C78448	C335	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2658	20	19997	19286	240	0	41182	20880	697	0	0
2	735	27075	C81004	C335	CRANE 15 TON CAPACITY INVENTORY 65 PA	CH14867B	30	19755	54793	360	0	41182	21120	705	0	0
2	735	27079	C81005	C335	CRANE 13 TON CAPACITY INVENTORY 65 PA	CH14864B	30	19755	54792	360	0	41182	21120	705	0	0
2	735	27152	C79895	C335	MOTOR ELECTRIC 150 HP D.D. 3 PH 60	F 205399	20	19755	2902	240	0	41182	21120	705	0	0
2	735	27153	C80874	C335	MOTOR ELECTRIC 150 HP D.D. 3 PH 60	F 205400	20	19755	2903	240	0	41182	21120	705	0	0
2	735	27154	C76815	C335	MOTOR ELECTRIC 300 HP D.D. 3 PH 60	1S54	20	19755	8760	240	0	41182	21120	705	0	0
2	735	27157	C81007	C335	CRANE 13 TON CAPACITY INVENTORY #65-A	14865B	30	19755	54794	360	0	41182	21120	705	0	0
2	735	27161	C81006	C335	CRANE 15 TON CAPACITY INVENTORY #65-A	14869B	30	19755	54793	360	0	41182	21120	705	0	0
2	735	27165	C80803	C335	SURGE DRUM STEEL MAX. TEMP 200 DEG. F	9352 5	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27166	C80804	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 12	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27167	C80805	C335	SURGE DRUM STEEL MAX. TEMP 200 DEG. F	9352 4	40	19755	6937	480	0	41182	21120	705	0	0
2	735	27168	C80806	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 6	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27169	C80807	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 10	40	19755	6937	480	0	41182	21120	705	0	0
2	735	27170	C80808	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 2	40	19755	6937	480	0	41182	21120	705	0	0
2	735	27171	C80809	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 13	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27172	C80810	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 1	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27173	C80811	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 9	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27174	C80812	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 11	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27175	C80822	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 7	40	19755	6937	480	0	41182	21120	705	0	0
2	735	27176	C80821	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 8	40	19755	6937	480	0	41182	21120	705	0	0
2	735	27177	C80820	C335	SURGE DRUM STEEL MAX. TEMP 200 DEG. F	9352 14	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27178	C80819	C335	SURGE DRUM STEEL MAX. TEMP 200 DEG. F	9352 20	40	19755	6939	480	0	41182	21120	705	0	0
2	735	27179	C80818	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 19	40	19755	6937	480	0	41182	21120	705	0	0
2	735	27180	C80817	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 18	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27181	C80816	C335	SURGE DRUM STEEL AMX. TEMP. 200 DEG. F	9352 17	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27182	C80815	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 16	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27183	C80814	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 3	40	19755	6937	480	0	41182	21120	705	0	0
2	735	27184	C80813	C335	SURGE DRUM STEEL MAX. TEMP. 200 DEG. F	9352 15	40	19755	6938	480	0	41182	21120	705	0	0
2	735	27185	C81304	C335	HOLDING TANK MAX. TEMP. 200 DEG. F SIZ	9353 1	40	19755	5082	480	0	41182	21120	705	0	0
2	735	27186	C81305	C335	HOLDING TANK MAX. TEMP. 200 DEG. F SIZ	9353 2	40	19755	5082	480	0	41182	21120	705	0	0
2	735	27187	C81306	C335	HOLDING TANK MAX. TEMP. 200 DEG.F SIZE	9353 3	40	19755	5082	480	0	41182	21120	705	0	0
2	735	27188	C81307	C335	HOLDING TANK MAX. TEMP. 200 DEG.F SIZE	9353 4	40	19755	5083	480	0	41182	21120	705	0	0
2	735	27468	C80835	C335	DRUM SURGE VOLUME STEEL MAX. WP 16 TO	9352 30	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27469	C80836	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935232	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27470	C80837	C335	DRUM SURGE VOLUME STEEL MAX UP 16 TO	935235	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27471	C80838	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935237	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27472	C80839	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935233	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27473	C80840	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935231	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27474	C80841	C335	DRUM SURGE VOLUME STEEL MAX UP 16 TO	935239	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27475	C80842	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935238	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27476	C80843	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935236	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27477	C80844	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935240	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27478	C80825	C335	DRUM SURGE VOLUME STEEL MAX UP 16 TO	935224	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27479	C80826	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935227	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27480	C80827	C335	DRUM SURGE VOLUME STEEL MAX UP 16 TO	935225	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27481	C80828	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935228	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27482	C80829	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935226	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27483	C80830	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935234	40	19755	6632	480	0	41182	21120	705	0	0
2	735	27484	C80831	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935229	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27485	C80832	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935223	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27486	C80833	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935221	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27487	C80834	C335	DRUM SURGE VOLUME STEEL MAX WP 16 TO	935222	40	19755	6631	480	0	41182	21120	705	0	0
2	735	27507	C82185	C335	REFRIGERATION SYSTEM FREON 12 MODEL SW	1924053J	20	19755	7497	240	0	41182	21120	705	0	0
2	735	27512	C82186	C335	REFRIGERATION SYSTEM FREON 12 MODEL SW	1924153J	20	19755	7497	240	0	41182	21120	705	0	0
2	735	27526	C80872	C335	TANK COOLANT DRAIN FREON SIZE 8'6" X	9891	40	19755	12298	480	0	41182	21120	705	0	0
2	735	27528	C77613	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 1	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27530	C77615	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 2	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27532	C77617	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 3	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27534	C77621	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 4	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27536	C77624	C335	VENTILATION SUPPLY FAN SIZE 657. FAN SU	2 5	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27538	C77627	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 6	20	19755	5672	240	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	27540	C77629	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 7	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27542	C77631	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 8	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27544	C77633	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 9	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27546	C77635	C335	VENTILATION SUPPLY FAN SIZE 657 FAN SUP	2 10	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27548	C77659	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 1	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27550	C77657	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 2	20	19755	5672	240	0	41182	21120	705	0	0
2	735	27552	C77655	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 3	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27554	C77651	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 4	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27556	C77649	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 5	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27558	C77645	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 6	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27560	C77643	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 7	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27562	C77641	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 8	20	19755	5672	240	0	41182	21120	705	0	0
2	735	27564	C77639	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 9	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27566	C77637	C335	SUPPLY FAN HS SIZE 657 90 000 CFM FAN	1 10	20	19755	5671	240	0	41182	21120	705	0	0
2	735	27572	C80802	C335	TANK LUBE OIL DRAIN 150 DEGREE MAX TEM	B2214C	40	19755	8283	480	0	41182	21120	705	0	0
2	735	27573	C82082	C335	LUBE OIL COOLER STEEL FOR LUBE OIL SYS	13797	20	19755	11206	240	0	41182	21120	705	0	0
2	735	27574	C80885	C335	TANK GRAVITY LUBE OIL WP 15 PSI 150 D	B2214B	40	19755	6740	480	0	41182	21120	705	0	0
2	735	27575	C82328	C335	PHANO-CHARGER BATTERY 3 PH 60 CYCLES	GEH1495A	10	19755	4079	120	0	41182	21120	705	0	0
2	735	27580	C80824	C335	DRAIN TANK LUBE OIL STEEL WP.30 PSI	B2214H	40	19755	8283	480	0	41182	21120	705	0	0
2	735	27581	C82083	C335	COOLER LUBE OIL STEEL WITH SHELL + TU	13796	20	19755	11206	240	0	41182	21120	705	0	0
2	735	27582	C80886	C335	TANK GRAVITY LUBE OIL STEEL MAX TMEP	B2214D	40	19755	6740	480	0	41182	21120	705	0	0
2	735	27583	C82329	C335	BATTERY CHARGER 3 PH 60 CYCLES 220/44	GEH1495A	10	19755	4079	120	0	41182	21120	705	0	0
2	501	30400	C74380	C335	C-335 PROCESS BUILDING-A WINDOWLESS TWO-	N/A	40	19755	12031195	480	0	41182	21120	705	0	0
2	501	30401	C74381	C335	ELEC LIGHT SYSTEM	N/A	40	19755	1347543	480	0	41182	21120	705	0	0
2	501	30402	C74382	C335	C-335 PLUMBING AND DRAINAGE SYSTEM-THIS	N/A	40	19755	475946	480	0	41182	21120	705	0	0
2	501	30403	C74383	C335	C-335 HEATING AND VENTILATING SYSTEM- HE	N/A	40	19755	3415429	480	0	41182	21120	705	0	0
2	735	30404	C74384	C335	C-335 PROCESS GAS PIPING SYSTEM IS DESIG	N/A	40	19755	270776	480	0	41182	21120	705	0	0
2	735	30405	C74385	C335	C-335 PROCESS GAS RECOVERY SYSTEM FUNCTI	N/A	25	19755	45196	300	0	41182	21120	705	0	0
2	735	30406	C74386	C335	C-335 COOLANT SYSTEM IS PART OF THE MECH	N/A	30	19755	63367	360	0	41182	21120	705	0	0
2	735	30407	C74387	C335	C-335 LUBE AND HYDRAULIC OIL SYSTEM IS D	N/A	20	19755	1618321	240	0	41182	21120	705	0	0
2	735	30408	C74388	C335	C-335 SEAL EXHAUST SYSTEM IS TO PROVIDE	N/A	25	19755	599839	300	0	41182	21120	705	0	0
2	735	30409	C74389	C335	C-335 NITROGEN SYSTEM PROVIDES DRY INER	N/A	25	19755	244126	300	0	41182	21120	705	0	0
2	735	30410	C74390	C335	C-335 DRY AIR SYSTEM PROVIDES AIR AS AN	N/A	25	19755	377232	300	0	41182	21120	705	0	0
2	735	30411	C74391	C335	C-335 RECIRCULATING WATER SYSTEM CHIEF F	N/A	40	19755	636606	480	0	41182	21120	705	0	0
2	735	30412	C74392	C335	ELEC POWER SYSTEM	N/A	30	19755	16460270	360	0	41182	21120	705	0	0
2	735	30413	C74393	C335	C-335 CELL AND PIPE ENCLOSURES IS A PART	N/A	40	19755	97130	480	0	41182	21120	705	0	0
2	735	30414	C74394	C335	C-335 INSTRUMENTATION AND CONTROLS SYSTE	N/A	25	19755	150723	300	0	41182	21120	705	0	0
2	735	34735	C80918	C335	FREON DRYING UNIT COMPLETE DESIGN PRESS	N/A	20	21458	7935	240	0	41182	19440	649	0	0
2	735	44812	C80217	C335	COMPRESSOR AXIAL FLOW TYPE 31 1800 RP	31 306	40	20148	18868	480	0	41182	20730	692	0	0
2	735	44814	C79901	C335	COMPRESSOR AXIAL FLOW CELL: 1.1 STAGE	N/A	40	28337	29104	480	60.63333333	41182	12660	423	57	3456.1
2	735	44817	C80052	C335	COMPRESSOR AXIAL FLOW CELL 1.1 STAGE	N/A	40	28337	27499	480	57.28958333	41182	12660	423	57	3265.50625
2	735	44821	C79900	C335	COMPRESSOR AXIAL FLOW CELL: 1.1 STAGE	N/A	40	28337	27499	480	57.28958333	41182	12660	423	57	3265.50625
2	735	45500	C77035	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	8S18G291	20	29311	15189	240	0	41182	11700	391	0	0
2	735	45510	C77052	C335	MOTOR INDUCTION-UPRATED MOTOR HP 1700	4818G292	20	29798	14708	240	0	41182	11220	375	0	0
2	735	45897	C82434	C335	HEAT EXCHANGER AFTER COOLER FOR 5 000	8 11085 01	20	27790	3467	240	0	41182	13200	441	0	0
2	735	45943	C80853	C335	AIR COMPRESSOR MODEL 2C5OM4 YR. 1975	M75 0778	25	28033	148138	300	0	41182	12960	433	0	0
2	735	45944	C80854	C335	1250 HP RELIANCE MOTOR FRAME-17EA68095	24X329290	20	28033	24000	240	0	41182	12960	433	0	0
2	735	46838	C80530	C335	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46840	C80528	C335	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46842	C80526	C335	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46844	C80499	C335	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 4	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46846	C80497	C335	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 5	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46848	C80495	C335	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 6	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46979	C80479	C335	MODEL TB6602PIZY BELT-DRIVEN TURB-AXIAL	ECE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46981	C80481	C335	MODEL TB6602PIZY BELT DIRVEN TRUB-AXIAL	ECE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46983	C80483	C335	MODEL TB6602PIZY BELT DRIVEN TURB-AXIAL	ECE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	47102	C81302	C335	CHILLER LIQUID MODEL PP-30-12C SELF-C	776093	20	28824	12165	240	0	41182	12180	407	0	0
2	735	47182	C81303	C335	A COMPLETE ULTRAVIOLET GAS ANALYZER FOR	N/A	15	28824	11550	180	0	41182	12180	407	0	0
2	735	47209	C80485	C335	MODEL TB6602 PIZY BELT DRIVEN TURB-AXIA	ECE 4	20	28945	10458	240	0	41182	12060	403	0	0
2	735	47423	C80873	C335	PUMP VACUUM SINGLE STAGE ROTARY TYPE: 90	2 9944 3	15	29737	27931	180	0	41182	11280	377	0	0
2	735	47465	C71128	C335	MOBILE AIR CONDITION UNIT 480 VOLT 3 PH	7701	20	28763	26114	240	0	41182	12240	409	0	0
2	735	47516	C77578	C335	FAN SUPPLY SIZE + TYPE 7660 AF DW 66" IM	76 3719	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47518	C77572	C335	FAN SUPPLY SIZE + TYPE 7660 AF DW 66" I	763723	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47520	C77599	C335	FAN SUPPLY SIZE + TYPE 7660 AF DW 66" IM	N/A	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47522	C77605	C335	FAN SUPPLY SIZE + TYPE 7660 AF DW 66" IM	76 3722 SF3 3A	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47524	C77619	C335	FAN SUPPLY SIZE + TYPE 7660 AF DW 66" IM	76 3465 SF2 3A	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47526	C77625	C335	FAN XUPPLY SIZE + TYPE 7660 AF DW 66" IM	76 3466 SF2 5A	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47528	C77647	C335	FAN SUPPLY SIZE + TYPE 7660 AF DW 66" IM	76 3464	20	28945	7840	240	0	41182	12060	403	0	0
2	735	47530	C77653	C335	FAN SUPPLY SIZE + TYPE 7660 AF DW 66" IM	76 3463	20	28945	7840	240	0	41182	12060	403	0	0
2	735	48012	C80866	C335	AIR DRYER ASSEMBLY DRYER DISICCANT TYP	N/A	20	29311	127012	240	0	41182	11700	391	0	0
2	735	48307	C85384	C335	VACUUM PUN MODEL 412H-11 LOT CD-81367	CC84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48328	C80860	C335	VACUUM PUMP MODEL 412H LOT CD-81369 R	CC84216	15	29402	9043	180	0	41182	11610	388	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	48330	C80858	C335	VACUUM PUMP MODEL 412H ROTARY SINGLE S	84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48331	C80862	C335	VACUUM PUMP MODEL 412H ROTARY SINGLE S	84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48332	C80857	C335	VACUUM PUMP MODEL 412 H ROTARY SINGLE	84216	15	29402	9042	180	0	41182	11610	388	0	0
2	735	48333	C85025	C335	VACUUM PUMP MODEL 412H ROTARY SINGLE S	84216	15	29402	9042	180	0	41182	11610	388	0	0
2	735	48339	C80863	C335	VACUUM PUMP MODEL 412H ROTARY SINGLE S	84216	15	29402	9042	180	0	41182	11610	388	0	0
2	735	48929	C73589	C335	X CHILLER UNIT MODEL HK040 630 PACKAGE	R198571	20	29767	8550	240	0	41182	11250	376	0	0
2	735	48930	C73590	C335	X CHILLER UNIT MODEL HK040 630 PACKAGE	R198572	20	29767	8550	240	0	41182	11250	376	0	0
2	735	48994	C80852	C335	VERT AIR RECEIVER TANK CAPACITY-2250 GA	145 811	40	30650	25817	480	53.78541667	41182	10380	347	133	7153.460417
2	735	49131	C80849	C335	AFTERCOOLER WP-SHELL: 150 PSI AT 200 DE	177393	20	30650	11380	240	0	41182	10380	347	0	0
2	735	49132	C80851	C335	ECONOMIZER EXCHANGER WP SHELL-150 PSI A	179305	20	30650	24492	240	0	41182	10380	347	0	0
2	735	49133	C80850	C335	AFTERCOOLER WP-SHELL: 150 PSI AT 200 DE	177392	20	30650	11381	240	0	41182	10380	347	0	0
2	735	49323	C80847	C335	MODEL XLE INGERSOLL RAND RECIPROCATING	JH7314	25	30650	152325	300	0	41182	10380	347	0	0
2	735	49324	C80848	C335	MODEL 5TS840550A2 RATED HP-460 450 RPM	MT8430391	20	30650	152324	240	0	41182	10380	347	0	0
2	735	49325	C80845	C335	MODEL XLE INGERSOLL RAND RECIPROCATING	JH7315	25	30650	152325	300	0	41182	10380	347	0	0
2	735	49326	C80846	C335	MODEL 5TS840550A2 RATED HP-460 450 RPM	MT8430392	20	30650	152323	240	0	41182	10380	347	0	0
2	735	49796	C80855	C335	EMERGENCY GENERATOR MODEL NO. 502FDR710	MJ 19 50023 9/7	20	31016	45963	240	0	41182	10020	335	0	0
2	735	49797	C80856	C335	DIESEL ENGINE MODEL NTTA855GS CUMMINS	18103847	10	31016	45974	120	0	41182	10020	335	0	0
2	735	49798	C80864	C335	EMERGENCY GENERATOR MODEL NO. 502FDR710	MJ 19 50023 9/7	20	31016	45962	240	0	41182	10020	335	0	0
2	735	49799	C80865	C335	DIESEL ENGINE MODEL NTTA855GS CUMMINS	18103847	10	31016	45974	120	0	41182	10020	335	0	0
2	501	50036	C74493	C335	AUTOMATIC SPRINKLER SYSTEM WITH ALARM S	N/A	40	21640	351502	480	0	41182	19260	643	0	0
2	735	50149	C74595	C335	PROCESS ALARM (VIBRATION PROTECTION FOR	N/A	25	25719	4325	300	0	41182	15240	509	0	0
2	470	50171	C74617	C335	BRIDGE C-335 C-337 ENCLOSED BRIDGE BETWE	N/A	35	26053	47138	420	0	41182	14910	498	0	0
2	501	50198	C74642	C335	SPRINKLER SYSTEM - SPRINKLER SYSTEM WITH	N/A	50	27029	6610	600	11.01666667	41182	13950	466	134	1476.233333
2	501	50199	C74643	C335	ELECTRIC LIGHT SYSTEM - ELECTRIC LIGHTIN	N/A	50	27029	6528	600	10.88	41182	13950	466	134	1457.92
2	735	50215	C74659	C335	CASCADE VIBRATION DETECTION SYSTEM THIS	N/A	25	27514	164942	300	0	41182	13470	450	0	0
2	735	50233	C74677	C335	C-335 PROCESS GAS PIPING SYSTEM - THIS S	N/A	40	28156	16522394	480	34421.65417	41182	12840	429	51	1755504.363
2	735	50234	C74678	C335	C-335 COOLANT SYSTEM - THIS SYTEM IS PAR	N/A	30	28156	3900923	360	0	41182	12840	429	0	0
2	735	50235	C74679	C335	C-335 CELL AND PIPE ENCLOSURES - THIS IS	N/A	40	28156	6762187	480	14087.88958	41182	12840	429	51	718482.3688
2	735	50236	C74680	C335	C-335 INSTRUMENTATION AND CONTROLS - THE	N/A	25	28156	8922353	300	0	41182	12840	429	0	0
2	735	50247	C74690	C335	COOLER RECYCLE	N/A	20	28276	143983	240	0	41182	12720	425	0	0
2	735	50266	C74708	C335	UF6/R-114 SEPARATION SYSTEM C-335 THE	N/A	25	28824	340827	300	0	41182	12180	407	0	0
2	501	51069	C51069	C335	ELEVATOR FREIGHT 7-1/2 TON OILDRAULIC	N/A	40	31078	140088	480	291.85	41182	9960	333	147	42901.95
2	735	51979	C51979	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP MO	80516	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51980	C51980	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP MOT	39S16G613	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51981	C51981	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP MOTO	85S16G612	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51982	C51982	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP. M	99S16G613	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51983	C51983	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP. MO	67S16G613	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51984	C51984	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP MOTO	79S16G613	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51985	C51985	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP. MOT	82S16G613	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51986	C51986	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP. MOT	17S16G612	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51987	C51987	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP. MOT	80S16G663	20	18444	20970	240	0	41182	22410	748	0	0
2	735	51988	C51988	C335	MOTOR ELECTRIC 1700 HP UPRATED CUP. MOT	81S16G6613	20	18444	20970	240	0	41182	22410	748	0	0
2	735	52192	C52192	C335	LOAD BANK TESTER PORTABLE 300 KW AIR-C	N/A	10	33450	59933	120	0	41182	7620	255	0	0
2	501	4860026		C335337	ENCLOSED BRIDGE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860027		C335337	TIE LINE	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	735	1348	C79706	C337	COMPRESSOR AXIAL FLOW CELL 3.3 STAGE 1	N/A	40	28886	48087	480	100.18125	41182	12120	405	75	7513.59375
2	735	1357	C80960	C337	COMPRESSOR AXIAL FLOW CELL 2 STAGE 9 CO	N/A	40	28276	50136	480	104.45	41182	12720	425	55	5744.75
2	735	1376	C80970	C337	COMPRESSOR AXIAL FLOW CELL 3.9 STAGE 5	N/A	40	28975	48087	480	100.18125	41182	12030	402	78	7814.1375
2	735	1400	C80965	C337	COMPRESSOR AXIAL FLOW W/COVER UNIT 87	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1474	C80969	C337	COMPRESSOR AXIAL FLOW CELL:3.10 STAGE:1	N/A	40	29036	44407	480	92.51458333	41182	11970	400	80	7401.166667
2	735	1663	C80978	C337	COMPRESSOR AXIAL FLOW CELL:3.2 STAGE:4	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1703	C80966	C337	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	1704	C80968	C337	COMPRESSOR AXIAL FLOW WITH COVER UNIT	N/A	40	19328	20076	480	0	41182	21540	719	0	0
2	735	3566	C79269	C337	COMPRESSOR AXIAL FLOW. CELL: 6.8 STAGE	57B17 119 004R	40	29829	104213	480	217.1104167	41182	11190	374	106	23013.70417
2	735	3567	C79132	C337	COMPRESSOR AXIAL FLOW. CELL: 5.7 STAGE	N/A	40	28733	122696	480	255.6166667	41182	12270	410	70	17893.16667
2	735	3577	C81426	C337	COMPRESSOR AXIAL FLOW. CELL: 1.3 STAGE	57B17 015R	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3579	C79130	C337	COMPRESSOR AXIAL FLOW. CELL: 5.3 STAGE	N/A	40	28733	123295	480	256.8645833	41182	12270	410	70	17980.52083
2	735	3587	C79363	C337	COMPRESSOR AXIAL FLOW. CELL: 1.8 STAGE	57B17 025L	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3591	C79236	C337	COMPRESSOR AXIAL FLOW. CELL: 2.1 STAGE	57B17 029	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3593	C79169	C337	COMPRESSOR AXIAL FLOW. CELL: 1.7 STAGE	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3607	C79220	C337	COMPRESSOR AXIAL FLOW. CELL: 5.7 STAGE	N/A	40	28733	123295	480	256.8645833	41182	12270	410	70	17980.52083
2	735	3613	C79307	C337	COMPRESSOR AXIAL FLOW. CELL: 1.2 STAGE	57B17 051R	40	28763	104812	480	218.3583333	41182	12240	409	71	15503.44167
2	735	3615	C79098	C337	COMPRESSOR AXIAL FLOW. CELL: 1 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3620	C79058	C337	COMPRESSOR AXIAL FLOW. CELL: 7 STAGE:	N/A	40	28306	147374	480	307.0291667	41182	12690	424	56	17193.63333
2	735	3623	C78981	C337	COMPRESSOR AXIAL FLOW CELL:5 STAGE:4 CO	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3626	C79101	C337	COMPRESSOR AXIAL FLOW CELL:3 STAGE:2 CO	N/A	40	28306	128891	480	268.5229167	41182	12690	424	56	15037.28333
2	735	3627	C79103	C337	COMPRESSOR AXIAL FLOW CELL:3 STAGE:6 CO	N/A	40	28306	128891	480	268.5229167	41182	12690	424	56	15037.28333
2	735	3632	C79270	C337	COMPRESSOR AXIAL FLOW CELL:5.3 STAGE:4	N/A	40	28733	123295	480	256.8645833	41182	12270	410	70	17980.52083
2	735	3637	C79038	C337	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:6	N/A	40	28337	128891	480	268.5229167	41182	12660	423	57	15305.80625
2	735	3643	C79100	C337	COMPRESSOR AXIAL FLOW CELL:1 STAGE:7 C	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3644	C79299	C337	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:6	57B17 082R	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3649	C79172	C337	COMPRESSOR AXIAL FLOW CELL:5 STAGE:5 C	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	3660	C79278	C337	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	57B17 098R	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3668	C79185	C337	COMPRESSOR AXIAL FLOW CELL:5 STAGE:8	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3685	C78491	C337	COMPRESSOR AXIAL FLOW CELL:4.1 STAGE:	N/A	40	28521	115297	480	240.2020833	41182	12480	417	63	15132.73125
2	735	3687	C79353	C337	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	57B17 1256	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3688	C79355	C337	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	57B17 1266	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3707	C79272	C337	COMPRESSOR AXIAL FLOW CELL:6.8 STAGE:	57B17 145	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3713	C80925	C337	COMPRESSOR AXIAL FLOW CELL:5 STAGE:5	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3715	C79300	C337	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	57B17 153R	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3722	C79243	C337	COMPRESSOR AXIAL FLOW CELL;1.1 STAGE:	57B17 160L	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3723	C79052	C337	COMPRESSOR AXIAL FLOW CELL:3 STAGE:1	N/A	40	28306	128891	480	268.5229167	41182	12690	424	56	15037.28333
2	735	3736	C79360	C337	COMPRESSOR AXIAL FLOW CELL:1.5 STAGE:	57B17 174	40	29189	104812	480	218.3583333	41182	11820	395	85	18560.45833
2	735	3737	C79022	C337	COMPRESSOR AXIAL FLOW CELL:5 STAGE:2	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3739	C79199	C337	COMPRESSOR AXIAL FLOW CELL:5.3 STAGE:3	N/A	40	28733	104812	480	218.3583333	41182	12270	410	70	15285.08333
2	735	3740	C78959	C337	COMPRESSOR AXIAL FLOW CELL:6 STAGE:2	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3768	C79233	C337	COMPRESSOR AXIAL FLOW CELL:6.7 STAGE:	57B17 206L	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	3777	C79099	C337	COMPRESSOR AXIAL FLOW CELL:1 STAGE:5	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3784	C79359	C337	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:	57B17 222	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3787	C79356	C337	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:	57B17 225	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3790	C78963	C337	COMPRESSOR AXIAL FLOW CELL:5 STAGE:3	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3791	C78955	C337	COMPRESSOR AXIAL FLOW CELL:4 STAGE:1	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3793	C79301	C337	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:1	57B17231	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3817	C79009	C337	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:2	57B17 255	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3823	C79305	C337	COMPRESSOR AXIAL FLOW CELL:5.8 STAGE:7	57B17 261	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3824	C78952	C337	COMPRESSOR AXIAL FLOW CELL:5 STAGE:7 C	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3831	C79029	C337	COMPRESSOR AXIAL FLOW CELL:5 STAGE:6 C	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3844	C79096	C337	COMPRESSOR AXIAL FLOW CELL:1 STAGE:1 C	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	3847	C79205	C337	COMPRESSOR AXIAL FLOW CELL:5.7 STAGE:7	N/A	40	28733	123295	480	256.8645833	41182	12270	410	70	17980.52083
2	735	3864	C79354	C337	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:6	57B17 302	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3865	C79242	C337	COMPRESSOR AXIAL FLOW CELL:8 STAGE:6 C	57B17 303	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3868	C79217	C337	COMPRESSOR AXIAL FLOW CELL:8 STAGE:8 C	57B17 306	40	19540	74810	480	0	41182	21330	712	0	0
2	735	3869	C79037	C337	COMPRESSOR AXIAL FLOW CELL:7 STAGE:7 C	57B17 307	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3874	C79302	C337	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:3	57B17 312	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3880	C79358	C337	COMPRESSOR AXIAL FLOW CELL:1.6 STAGE:5	57B17 318	40	29098	104812	480	218.3583333	41182	11910	398	82	17905.38333
2	735	3890	C79271	C337	COMPRESSOR AXIAL FLOW CELL:7 STAGE:8 C	57B17 328	40	19540	56327	480	0	41182	21330	712	0	0
2	735	3891	C79304	C337	COMPRESSOR AXIAL FLOW CELL:1.4 STAGE:7	57B17 329	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3894	C78958	C337	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:5	57B17 332R	40	28702	123295	480	256.8645833	41182	12300	411	69	17723.65625
2	735	3896	C79235	C337	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:4	57B17 334 L	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3898	C79200	C337	COMPRESSOR AXIAL FLOW CELL:5.3 STAGE:1	N/A	40	28733	104812	480	218.3583333	41182	12270	410	70	15285.08333
2	735	3900	C79362	C337	COMPRESSOR AXIAL FLOW CELL:4.4 STAGE:8	57B17 338L	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3907	C79303	C337	COMPRESSOR AXIAL FLOW CELL 1.4 STAGE:	31854	40	29036	104812	480	218.3583333	41182	11970	400	80	17468.66667
2	735	3909	C78956	C337	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:	29506	40	28337	128891	480	268.5229167	41182	12660	423	57	15305.80625
2	735	3912	C79280	C337	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	30425	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3921	C78953	C337	COMPRESSOR AXIAL FLOW CELL: 3.9 STAGE	29144	40	28337	128292	480	267.275	41182	12660	423	57	15234.675
2	735	3922	C79277	C337	COMPRESSOR AXIAL FLOW CELL:2.1 STAGE:	30425	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3927	C78954	C337	COMPRESSOR AXIAL FLOW CELL: 3.9 STAGE	24168	40	28337	120027	480	250.05625	41182	12660	423	57	14253.20625
2	735	3930	C79197	C337	COMPRESSOR AXIAL FLOW CELL: 5.3 STAGE	30833	40	28733	104812	480	218.3583333	41182	12270	410	70	15285.08333
2	735	3933	C79062	C337	COMPRESSOR AXIAL FLOW 3933 CELL:9 STA	29302	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3936	C79054	C337	COMPRESSOR AXIAL FLOW CELL:4.9 STAGE:	N/A	40	28580	133779	480	278.70625	41182	12420	415	65	18115.90625
2	735	3940	C79102	C337	COMPRESSOR AXIAL FLOW CELL:3 STAGE:4	29404	40	28306	128891	480	268.5229167	41182	12690	424	56	15037.28333
2	735	3945	C79050	C337	COMPRESSOR AXIAL FLOW CELL:3 STAGE:5	29404	40	28306	128891	480	268.5229167	41182	12690	424	56	15037.28333
2	735	3950	C79198	C337	COMPRESSOR AXIAL FLOW CELL:5.3 STAGE:	30833	40	28733	104812	480	218.3583333	41182	12270	410	70	15285.08333
2	735	3951	C79142	C337	COMPRESSOR AXIAL FLOW CELL:7 STAGE:7	29404	40	28306	147374	480	307.0291667	41182	12690	424	56	17193.63333
2	735	3952	C79012	C337	COMPRESSOR AXIAL FLOW CELL:1.3 STAGE:	34509	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	3961	C79258	C337	compressor d axial flow - cell:5 stage:	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3982	C81033	C337	COMPRESSOR AXIAL FLOW - CELL: 5.9 STAG	N/A	40	28886	104812	480	218.3583333	41182	12120	405	75	16376.875
2	735	3985	C79234	C337	COMPRESSOR AXIAL FLOW CELL: 2.1 STAGE	N/A	40	28702	104812	480	218.3583333	41182	12300	411	69	15066.725
2	735	3990	C79170	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	3991	C79298	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4013	C79312	C337	COMPRESSOR AXIAL FLOW CELL: 1.2 STAGE	N/A	40	28763	104812	480	218.3583333	41182	12240	409	71	15503.44167
2	735	4017	C79011	C337	COMPRESSOR AXIAL FLOW - CELL: 1.3 STAG	N/A	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	4018	C79010	C337	COMPRESSOR AXIAL FLOW CELL: 1.3 STAGE	57B17-456L	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	4022	C80958	C337	COMPRESSOR AXIAL FLOW CELL: 5.7 STAGE	57B17-460R	40	28855	104812	480	218.3583333	41182	12150	406	74	16158.51667
2	735	4023	C78999	C337	COMPRESSOR AXIAL FLOW CELL: 1.3 STAGE	57B17-461R	40	29829	104812	480	218.3583333	41182	11190	374	106	23145.98333
2	735	4031	C79055	C337	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	N/A	40	28276	128891	480	268.5229167	41182	12720	425	55	14768.76042
2	735	4046	C79064	C337	COMPRESSOR AXIAL FLOW CELL: 7 STAGE:	N/A	40	28276	147374	480	307.0291667	41182	12720	425	55	16886.60417
2	735	4053	C78973	C337	COMPRESSOR AXIAL FLOW CELL: 5.7 STAGE	N/A	40	28733	123295	480	256.8645833	41182	12270	410	70	17980.52083
2	735	4054	C79139	C337	COMPRESSOR AXIAL FLOW CELL: 6.5 STAGE	57B17-492R	40	29280	104812	480	218.3583333	41182	11730	392	88	19215.53333
2	735	4984	C82345	C337	FREON CONDENSER HEAT EXCHANGER	7406A-8	20	19328	2406	240	0	41182	21540	719	0	0
2	735	6515	C76384	C337	SQUIRREL CAGE INDUCTION MOTOR 700 HP 4	2S46P615	20	19540	7795	240	0	41182	21330	712	0	0
2	735	7248	C74955	C337	MOTOR INDUCTION-UPRATED-3300 HP MOTOR 33	30S21G789	20	28763	38465	240	0	41182	12240	409	0	0
2	735	7405	C78319	C337	MOTOR ELECTR4IC 500 HP 3 PHASE FRAME	159N9777	20	19540	3107	240	0	41182	21330	712	0	0
2	735	7406	C78317	C337	MOTOR ELECTRIC 500 HP 3 PHASE FRAME	1S9N9747	20	19540	2644	240	0	41182	21330	712	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	7407	C78318	C337	MOTOR ELECTRIC 500 HP 3 PHASE FRAME	1S10N6342	20	19540	3106	240	0	41182	21330	712	0	0
2	735	7863	C82344	C337	FREON CONDNESER AS PER BUYER'S JOB SPECI	MV7405A10	20	19540	2671	240	0	41182	21330	712	0	0
2	735	7878	C78316	C337	MOTOR ELECTRIC 500 HP 3 PHASE 60 CYC	2S10N6342	20	19298	8252	240	0	41182	21570	720	0	0
2	735	8301	C78380	C337	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV74211	20	19540	12964	240	0	41182	21330	712	0	0
2	735	8302	C80959	C337	FREON CONDENSERS AS PER BUYER'S JOB SPEC	MV74212	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8304	C78334	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV74214	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8309	C78332	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV74219	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8310	C78330	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742110	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8312	C78379	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742112	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8314	C78336	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742114	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8316	C78383	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742116	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8319	C78329	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742119	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8333	C78331	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742133	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8334	C78276	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742134	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8335	C78273	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742135	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8336	C78275	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742136	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8339	C78277	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742139	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8341	C78358	C337	FREON CONDENSERS AS PER BUYER'S SPECIFIC	MV742141	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8361	C78378	C337	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742161	20	19540	11743	240	0	41182	21330	712	0	0
2	735	8363	C78347	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV74321	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8364	C78349	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV74322	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8365	C78328	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV74323	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8366	C78340	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV74324	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8367	C78366	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MY74325	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8368	C78346	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MY74326	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8369	C78365	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MY74327	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8370	C78364	C337	FREON CONDNESER AS PER BUYER'S JOB SPECI	MV74328	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8371	C78348	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV74329	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8372	C78326	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743210	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8374	C78372	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743212	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8379	C78357	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743217	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8381	C78370	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743219	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8384	C78344	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743222	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8386	C78367	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743224	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8388	C78369	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743226	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8390	C78362	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743228	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8392	C78363	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743230	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8394	C78361	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743232	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8395	C78338	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743233	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8406	C78368	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743244	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8407	C78341	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743245	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8408	C78339	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743246	20	19540	12923	240	0	41182	21330	712	0	0
2	735	8416	C78283	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743254	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8418	C78314	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743256	20	19540	12924	240	0	41182	21330	712	0	0
2	735	8424	C78356	C337	FREON CONDENSER AS PER BUYER'S JOB SPECI	MV743262	20	19540	11743	240	0	41182	21330	712	0	0
2	735	8851	C80905	C337	VACUUM PUMP CLASS WS TYPE RP ROTARY PIST	40827 3	15	19328	5407	180	0	41182	21540	719	0	0
2	735	13678	C81011	C337	CRANE 36 TON CAPACITY (UPRATED FROM 23	14223	30	19997	57861	360	0	41182	20880	697	0	0
2	735	13686	C81009	C337	CRANE 26 TON CAPACITY (UPRATED FROM 23	14219B	30	19997	57702	360	0	41182	20880	697	0	0
2	735	13694	C81013	C337	CRANE 36 TON CAPACITY (UPRATED FROM 23	14216	30	19997	58519	360	0	41182	20880	697	0	0
2	735	15001	C82892	C337	CONVERTER "000" CELL:6.8 STAGE:5 CONVER	121U1	40	29829	271820	480	566.2916667	41182	11190	374	106	60026.91667
2	735	15002	C82893	C337	CONVERTER "000". CELL:7 STAGE:5 CONVERT	N/A	40	28306	216791	480	451.6479167	41182	12690	424	56	25292.28333
2	735	15004	C82895	C337	CONVERTER "000" CELL:5.4 STAGE:4 CONVE	121U4	40	28763	218769	480	455.76875	41182	12240	409	71	32359.58125
2	735	15011	C82901	C337	CONVERTER "000" CELL: 1.3 STAGE: 1 CON	121-U-11	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15012	C82902	C337	CONVERTER "000" CELL 9 STAGE: . CONV	121-U-12	40	27606	244715	480	509.8229167	41182	13380	447	33	16824.15625
2	735	15013	C82903	C337	CONVERTER "000" CELL: 6 UNIT: 6 STAGE:	121-U-13	40	19540	42144	480	0	41182	21330	712	0	0
2	735	15014	C82904	C337	CONVERTER "000" CELL: 1.8 STAGE: 4. CO	121-U-14	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15017	C82907	C337	CONVERTER "000" CELL: 5.8 STAGE: 1. C	121-U-17	40	28763	218769	480	455.76875	41182	12240	409	71	32359.58125
2	735	15018	C82908	C337	CONVERTER "000" CELL: 1.1 STAGE: 5. CO	121-U-18	40	29829	272280	480	567.25	41182	11190	374	106	60128.5
2	735	15023	C82912	C337	CONVERTER "000" CELL: 5.3 STAGE: 8. CON	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15026	C82915	C337	CONVERTER "000" CELL: 1.3 STAGE: 2 CONV	121-U-26	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15027	C82916	C337	CONVERTER "000" CELL: 1.3 STAGE: 3. CO	121-U-27	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15028	C82917	C337	CONVERTER "000" CELL: 4 UNIT: 4 STAGE:	121-U-28	40	28003	217699	480	453.5395833	41182	12990	434	46	20862.82083
2	735	15030	C82919	C337	CONVERTER "000" CELL: 1.6 STAGE: 6. CO	121-U-30	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15031	C82920	C337	CONVERTER 000 CELL: 1 STAGE: 4. CONVER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15034	C82951	C337	CONVERTER "000" CELL: 1 STAGE: 8. CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15035	C82952	C337	CONVERTER"000" CELL: 10 STAGE: 2. CONV	121-U-35	40	28184	207275	480	431.8229167	41182	12810	428	52	22454.79167
2	735	15037	C82955	C337	CONVERTER "000" CELL: 1.8 STAGE: 7 CON	121-U-37	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15039	C82957	C337	CONVERTER "000" CELL-5 UNIT 1 STAGE-4	121U039	40	19540	94529	480	0	41182	21330	712	0	0
2	735	15041	C82959	C337	CONVERTER "000" CELL: 1.8 STAGE: 3. CO	121-U-41	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15043	C82961	C337	CONVERTER "000" CELL: 5.3 STAGE: 4. CO	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15045	C82963	C337	CONVERTER "000" CELL:3 STAGE: 8 CONVERT	N/A	40	28306	216791	480	451.6479167	41182	12690	424	56	25292.28333
2	735	15053	C82971	C337	CONVERTER "000" CELL:2.1 STAGE:1 CONVE	121-U-53	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	15058	C82976	C337	CONVERTER 000 CELL: 5 STAGE: 4. CONVER	N/A	40	19540	95508	480	0	41182	21330	712	0	0
2	735	15061	C82979	C337	CONVERTER "000" CELL: 1.3 STAGE: 7 CON	121-U-61	40	29829	219897	480	458.11875	41182	11190	374	106	48560.5875
2	735	15064	C82982	C337	CONVERTER "000" CELL: 10 STAGE: 4. CONV	121-U-64	40	28184	207275	480	431.8229167	41182	12810	428	52	22454.79167
2	735	15088	C84006	C337	CONVERTER "OOO" CELL: 1 STAGE: 7 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15091	C84009	C337	CONVERTER "OOO" CELL: 1 STAGE: 1 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15099	C84025	C337	CONVERTER "OOO" CELL: 2.1 STAGE: 2 CON	N/A	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15116	C84033	C337	CONVERTER "OOO" CELL: 1.6 STAGE: 3 CON	N/A	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15118	C84035	C337	CONVERTER "OOO" CELL: 1.6 STAGE: 5 CON	N/A	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15119	C84036	C337	CONVERTER "OOO" CELL: 1 STAGE: 2 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15125	C84042	C337	CONVERTER "OOO" UNIT: 3 CELL: 6 STAG	N/A	40	27941	217700	480	453.5416667	41182	13050	436	44	19955.83333
2	735	15126	C84043	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 5 CON	N/A	40	28368	219107	480	456.4729167	41182	12630	422	58	26475.42917
2	735	15127	C84044	C337	CONVERTER "OOO" CELL: 10 UNIT: 6 STAG	N/A	40	19540	94527	480	0	41182	21330	712	0	0
2	735	15129	C84046	C337	CONVERTER 000	N/A	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15131	C84048	C337	CONVERTER "OOO" CELL: 3.9 STAGE: 4 CON	N/A	40	28337	216791	480	451.6479167	41182	12660	423	57	25743.93125
2	735	15135	C84052	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 8 CON	N/A	40	28368	219107	480	456.4729167	41182	12630	422	58	26475.42917
2	735	15136	C84053	C337	CONVERTER "OOO" CELL: 1 STAGE: 5 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15138	C84055	C337	CONVERTER "OOO" CELL: 2.4 STAGE: 6 CON	N/A	40	28003	217699	480	453.5395833	41182	12990	434	46	20862.82083
2	735	15143	C84060	C337	CONVERTER "OOO" HEAD SERIAL NUMBER 121	121 U 143	40	19540	43125	480	0	41182	21330	712	0	0
2	735	15144	C84061	C337	CONVERTER "OOO" HEAD SERIAL NUMBERS 12	121 U 144	40	19540	92878	480	0	41182	21330	712	0	0
2	735	15151	C84068	C337	CONVERTER "OOO" UNIT: 3 CELL: 6 STAGE	121 U 151	40	27941	217700	480	453.5416667	41182	13050	436	44	19955.83333
2	735	15152	C84069	C337	CONVERTER "OOO" CELL: 9 STAGE: CONVERT	121 U 152	40	27606	244715	480	509.8229167	41182	13380	447	33	16824.15625
2	735	15161	C84078	C337	CONVERTER "OOO" CELL: 6.6 STAGE: 2 CON	121 U 161	40	19540	42144	480	0	41182	21330	712	0	0
2	735	15163	C84080	C337	CONVERTER "OOO" CELL: 10.6 STAGE: 3 CO	121 U 163	40	19540	94527	480	0	41182	21330	712	0	0
2	735	15165	C84082	C337	CONVERTER "OOO" CELL: 1.6 STAGE: 1 CON	121 U 165	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15166	C84083	C337	CONVERTER "OOO" CELL: 1.6 STAGE: 4 CON	N/A	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15168	C84085	C337	CONVERTER "OOO" HEAD SERIAL NUMBERS 121	121 U 168	40	19540	40495	480	0	41182	21330	712	0	0
2	735	15169	C84086	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 6 CON	121 U 169	40	27850	217699	480	453.5395833	41182	13140	439	41	18595.12292
2	735	15172	C84089	C337	CONVERTER "OOO" CELL: 7 STAGE: 4 CONVE	N/A	40	28306	216791	480	451.6479167	41182	12690	424	56	25292.28333
2	735	15180	C84097	C337	CONVERTER "OOO" CELL: 6 STAGE: CONVERT	121 U 180	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15185	C84102	C337	CONVERTER "OOO" CELL: 5.5 STAGE: 3 CON	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15186	C84103	C337	CONVERTER "OOO" CELL: 5 STAGE: 1 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15192	C84109	C337	CONVERTER "OOO" CELL: 1.8 STAGE: 2 CON	121 U 192	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15200	C84117	C337	CONVERTER "OOO" CELL:3 UNIT: 2 STAGE:	121 U 200	40	27759	217699	480	453.5395833	41182	13230	442	38	17234.50417
2	735	15201	C84118	C337	CONVERTER "OOO" HEAD SERIAL NUMBERS 121	121 U 201	40	19540	40495	480	0	41182	21330	712	0	0
2	735	15203	C84120	C337	CONVERTER "OOO" CELL: 5.8 STAGE: 4 CON	121 U 203	40	28763	218769	480	455.76875	41182	12240	409	71	32359.58125
2	735	15207	C84124	C337	CONVERTER "OOO" CELL: 1.6 STAGE: 2 CON	121 U 207	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15210	C84127	C337	CONVERTER "OOO" HEAD SEIAL NUMBERS 121-	121 U 210	40	19540	92878	480	0	41182	21330	712	0	0
2	735	15213	C84130	C337	CONVERTER "OOO" CELL: 2.1 STAGE: 6 CON	121 U 213	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15214	C84131	C337	CONVERTER "OOO" CELL: 8 STAGE: CONVERT	121 U 214	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15215	C84132	C337	CONVERTER "OOO" CELL: 9 STAGE: CONVERT	121 U 215	40	27606	244715	480	509.8229167	41182	13380	447	33	16824.15625
2	735	15216	C84133	C337	CONVERTER "OOO" CELL: 1.6 STAGE: 7 CON	121 U 216	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15217	C84134	C337	CONVERTER "OOO" INVENTORY 47 PAGE 4 CO	121 U 217	40	19540	40495	480	0	41182	21330	712	0	0
2	735	15219	C84136	C337	CONVERTER "OOO" CELL: 7 UNIT: 2 STAGE	121 U 219	40	27759	217699	480	453.5395833	41182	13230	442	38	17234.50417
2	735	15223	C84140	C337	CONVERTER "OOO" CELL: 5.7 STAGE: 1 CON	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15227	C84144	C337	CONVERTER "OOO" CELL: 5.3 STAGE: 1 CON	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15232	C84149	C337	CONVERTER "OOO" HEAD SERIAL NUMBERS 121	121 U 232	40	19540	95508	480	0	41182	21330	712	0	0
2	735	15234	C84151	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 7 CON	N/A	40	28368	219107	480	456.4729167	41182	12630	422	58	26475.42917
2	735	15235	C84152	C337	CONVERTER "OOO" CELL: 6 STAGE: CONVERT	121 U 235	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15241	C84158	C337	CONVERTER "OOO" CELL: 5 STAGE: 3 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15242	C84159	C337	CONVERTER "OOO" CELL: 5 STAGE: 5 CONVE	121 U 242	40	19540	42194	480	0	41182	21330	712	0	0
2	735	15243	C84160	C337	CONVERTER "OOO" CELL: 6 UNIT: 4 STAGE	121 U 243	40	27850	217699	480	453.5395833	41182	13140	439	41	18595.12292
2	735	15245	C84162	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 4 CON	N/A	40	28368	219107	480	456.4729167	41182	12630	422	58	26475.42917
2	735	15247	C84164	C337	CONVERTER "OOO" HEAD SERIAL NUMBERS 121	121 U 247	40	19540	92878	480	0	41182	21330	712	0	0
2	735	15263	C84180	C337	CONVERTER "OOO" CELL: 5 STAGE: 6 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15265	C84182	C337	CONVERTER "OOO" CELL: 10 STAGE: CONVER	121 U 265	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15267	C84184	C337	CONVERTER "OOO" CELL: 1.3 STAGE: 4 CON	121 U 267	40	29829	272280	480	567.25	41182	11190	374	106	60128.5
2	735	15268	C84185	C337	CONVERTRE "OOO" CELL: 8 STAGE: 3 CONVE	121 U 268	40	28184	207275	480	431.8229167	41182	12810	428	52	22454.79167
2	735	15273	C84229	C337	CONVERTER "OOO" CELL: 6 STAGE: CONVERT	121 U 273	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15275	C84231	C337	CONVERTER "OOO" CELL:5 STAGE: 7 CONVER	121 U 275	40	19540	42194	480	0	41182	21330	712	0	0
2	735	15278	C84234	C337	CONVERTER "OOO" CELL: 10 STAGE: CONVER	121 U 278	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15280	C84240	C337	CONVERTER "OOO" UNIT: 3 CELL: 6 STAGE	121 U 280	40	27941	217700	480	453.5416667	41182	13050	436	44	19955.83333
2	735	15287	C84243	C337	CONVERTER "OOO" CELL: 9 STAGE; CONVERT	121 U 287	40	27606	244715	480	509.8229167	41182	13380	447	33	16824.15625
2	735	15289	C84245	C337	CONVERTER "OOO" CELL: 1.4 STAGE: 3 CON	121 U 289	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15290	C84246	C337	CONVERTER "OOO" CELL: 4 STAGE: CONVERT	121 U 290	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15292	C84248	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 2 CON	N/A	40	28368	219107	480	456.4729167	41182	12630	422	58	26475.42917
2	735	15293	C84249	C337	CONVERTER "OOO" CELL: 4 UNIT: 4 STAGE	121 U 293	40	28003	217699	480	453.5395833	41182	12990	434	46	20862.82083
2	735	15294	C84250	C337	CONVERTER "OOO" CELL: 6 UNIT: 4 STAGE	121 U 294	40	27850	217699	480	453.5395833	41182	13140	439	41	18595.12292
2	735	15297	C84253	C337	CONVERTER "000" CELL: 1.4 STAGE: 1 CONVE	121 U 297	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15298	C84254	C337	CONVERTER "000" CELL-5 STAGE-6 CONVERTER	121 U 298	40	19540	94527	480	0	41182	21330	712	0	0
2	735	15299	C84255	C337	CONVERTER "000" CELL: 2.1 STAGE: 5 CONVE	121 U 299	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15302	C84258	C337	CONVERTER TYPE 000 UNIT 6 CELL 7 STA	121U302	40	19540	42144	480	0	41182	21330	712	0	0
2	735	15306	C84262	C337	CONVERTER "000" CELL:5 STAGE:5 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	15309	C84265	C337	CONVERTER "000" CELL:5.3 STAGE:5 CONVERT	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15310	C84266	C337	CONVERTER "000" CELL:7 STAGE:7 CONVERTER	N/A	40	28306	216791	480	451.6479167	41182	12690	424	56	25292.28333
2	735	15311	C84267	C337	CONVERTER "000" CELL-5 UNIT 1 STAGE-3 CO	121 U 311	40	19540	94527	480	0	41182	21330	712	0	0
2	735	15320	C84276	C337	CONVERTER "000" CELL:1.4 STAGE:7 CONVERT	121 U 320	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15321	C84277	C337	CONVERTER "000" CELL:4.3 STAGE:3 CONVERT	N/A	40	28368	219107	480	456.4729167	41182	12630	422	58	26475.42917
2	735	15322	C84278	C337	CONVERTER "000" CELL:2.1 STAGE:4 CONVERT	121 U 322	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15323	C84279	C337	CONVERTER TYPE 000 UNIT CONVERTER 000	121 U 323	40	19540	92878	480	0	41182	21330	712	0	0
2	735	15326	C84281	C337	CONVERTER TYPE "000" CELL:4 CONVERTER TY	121 U 326	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15331	C84285	C337	CONVERTER "000" CELL:1.8 STAGE:5 CONVERT	121 U 331	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15332	C84286	C337	CONVERTER TYPE 000 UNIT CELL:10 STAGE:5	121 U 332	40	19540	95508	480	0	41182	21330	712	0	0
2	735	15333	C84287	C337	CONVERTER "000" CELL:8 STAGE:5 UNIT:6 CO	121 U 333	40	19540	94527	480	0	41182	21330	712	0	0
2	735	15335	C84289	C337	CONVERTER "000" CELL:5 STAGE:4 CONVERTER	121 U 335	40	19540	42194	480	0	41182	21330	712	0	0
2	735	15337	C84291	C337	CONVERTER "000" CELL:1.4 STAGE:2 CONVERT	121 U 337	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15338	C84292	C337	CONVERTER TYPE 000 CELL:2 UNIT:4 STAGE:5	121 U 338	40	28003	217699	480	453.5395833	41182	12990	434	46	20862.82083
2	735	15346	C84301	C337	CONVERTER "000" CELL:2.1 STAGE:8 CONVERT	121 U 346	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15350	C84304	C337	CONVERTER "000" CELL:5 STAGE:8 CONVERTER	121 U 350	40	19540	42194	480	0	41182	21330	712	0	0
2	735	15354	C84308	C337	CONVERTER "OOO" CELL: 9 STAGE: CONVERT	121 U 354	40	27606	244715	480	509.8229167	41182	13380	447	33	16824.15625
2	735	15358	C84317	C337	CONVERTER "OOO" CELL: 8 STAGE: CONVERT	121 U 358	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15359	C84312	C337	CONVERTER "OOO" CELL: 2.1 STAGE: 7 CON	121 U 359	40	28702	218817	480	455.86875	41182	12300	411	69	31454.94375
2	735	15362	C84315	C337	CONVERTER "OOO" CELL: 5.10 STAGE: 7 CO	121 U 362	40	27210	197139	480	410.70625	41182	13770	460	20	8214.125
2	735	15367	C84321	C337	CONVERTER "OOO" CELL: 5 STAGE: 2 CONVE	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15368	C84322	C337	CONVERTER "OOO" CELL: 5.10 STAGE: 2 CO	121 U 368	40	27210	197139	480	410.70625	41182	13770	460	20	8214.125
2	735	15371	C84325	C337	CONVERTER "OOO" CELL:5.3 STAGE: 6 CONV	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15376	C84330	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 6 CON	N/A	40	28368	219107	480	456.4729167	41182	12630	422	58	26475.42917
2	735	15379	C84333	C337	CONVERTER "OOO" CELL: 4 STAGE: CONVERT	121 U 379	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15387	C84341	C337	CONVERTER "OOO" CELL: 5 STAGE: 1 CONVE	121 U 387	40	19540	95508	480	0	41182	21330	712	0	0
2	735	15388	C84342	C337	CONVERTER "OOO" CELL: 1.4 STAGE: 6 CON	121 U 388	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15393	C84347	C337	CONVERTER "OOO" CELL: 5.5 STAGE: 4 CO	121 U 393	40	19540	40495	480	0	41182	21330	712	0	0
2	735	15397	C84351	C337	CONVERTER "OOO" CELL: 8 STAGE: CONVERT	121 U 397	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15406	C84192	C337	CONVERTER "OOO" CELL: 5.3 STAGE: 3 CON	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15407	C84193	C337	CONVERTER "OOO" CELL: 5 STAGE: 7 CONVE	121 U 407	40	19540	95508	480	0	41182	21330	712	0	0
2	735	15408	C84194	C337	CONVERTER TYPE 000 UNIT CELL:4 UNIT:4 S	121 U 408	40	28003	217699	480	453.5395833	41182	12990	434	46	20862.82083
2	735	15413	C84199	C337	CONVERTER "000" CELL:1.6 STAGE:8 CONVERT	121 U 413	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15416	C84201	C337	CONVERTER "000" CELL:5.5 STAGE:5 CONVERT	N/A	40	28733	219076	480	456.4083333	41182	12270	410	70	31948.58333
2	735	15425	C84210	C337	CONVERTER TYPE 000 UNIT CELL:7 STAGE:2	121 U 425	40	27759	217699	480	453.5395833	41182	13230	442	38	17234.50417
2	735	15426	C84211	C337	CONVERTER TYPE "000" UNIT CELL:6 UNIT:4	121 U 426	40	27850	217699	480	453.5395833	41182	13140	439	41	18595.12292
2	735	15428	C84213	C337	CONVERTER TYPE 000 UNIT:3 CELL:6 STAGE:	121 U 428	40	27941	217700	480	453.5416667	41182	13050	436	44	19955.83333
2	735	15434	C84220	C337	CONVERTER "000" CELL:1.8 STAGE:8 CONVERT	121 U 434	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15438	C84224	C337	CONVERTER "000" CELL:5.2 STAGE:8 CONVERT	121 U 438	40	28763	218769	480	455.76875	41182	12240	409	71	32359.58125
2	735	15441	C84227	C337	CONVERTER TYPE 000 UNIT:6 CELL:7 STAGE:	121 U 441	40	19540	42144	480	0	41182	21330	712	0	0
2	735	15444	C84357	C337	CONVERTER "000" CELL:1.8 STAGE:6 CONVERT	121 U 444	40	29098	225090	480	468.9375	41182	11910	398	82	38452.875
2	735	15447	C84360	C337	CONVERTER "000" CELL:1 STAGE:3 CONVERTER	N/A	40	28276	218594	480	455.4041667	41182	12720	425	55	25047.22917
2	735	15448	C84361	C337	CONVERTER "000" CELL:5 STAGE:3 CONVERTER	121 U 448	40	19540	42194	480	0	41182	21330	712	0	0
2	735	15452	C84364	C337	CONVERTER TYPE 000 UNIT INVENTORY 48 P	121 U 452	40	19540	40495	480	0	41182	21330	712	0	0
2	735	15454	C84366	C337	CONVERTER 000 UNIT:3 CELL:6 STAGE:3 CONV	121 U 454	40	27941	217700	480	453.5416667	41182	13050	436	44	19955.83333
2	735	15458	C84370	C337	CONVERTER "000" CELL:1.4 STAGE:4 CONVERT	121 U 458	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15459	C84371	C337	CONVERTER TYPE 000 UNIT CELL:4 UNIT:4 ST	121 U 459	40	28003	217699	480	453.5395833	41182	12990	434	46	20862.82083
2	735	15460	C84372	C337	CONVERTER TYPE "000" CELL:8 CONVERTER T	121 U 460	40	27575	244715	480	509.8229167	41182	13410	448	32	16314.33333
2	735	15461	C84373	C337	CONVERTER "000" CELL :1.4 STAGE:8 CONVER	121 U 461	40	29036	222038	480	462.5791667	41182	11970	400	80	37006.33333
2	735	15472	C84384	C337	CONVERTER "000" CELL:5 UNIT:1 STAGE:2 CO	121 U 472	40	19540	94529	480	0	41182	21330	712	0	0
2	735	15474	C84386	C337	CONVERTER TYPE 000 UNIT INVENTORY 48	121 U 474	40	19540	95508	480	0	41182	21330	712	0	0
2	735	15478	C84390	C337	CONVERTER 000 CELL:4 UNIT:4 STAGE:7 CONV	121 U 478	40	28003	217699	480	453.5395833	41182	12990	434	46	20862.82083
2	735	15479	C84391	C337	CONVERTER TYPE 000 CELL:2.9 STAGE:8 CON	121 U 479	40	27210	238607	480	497.0979167	41182	13770	460	20	9941.958333
2	735	15481	C84393	C337	CONVERTER "000" CELL:1.2 STAGE:8 CONVERT	121 U 481	40	28763	218769	480	455.76875	41182	12240	409	71	32359.58125
2	735	15485	C84397	C337	CONVERTER "000" CELL:5.3 STAGE:7 CONVERT	N/A	40	28733	218873	480	455.9854167	41182	12270	410	70	31918.97917
2	735	16012	C80961	C337	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 1	N/A	40	19755	20714	480	0	41182	21120	705	0	0
2	735	16025	C80972	C337	COMPRESSOR AXIAL FLOW CELL:3.7 STAGE:1	N/A	40	29098	44959	480	93.66458333	41182	11910	398	82	7680.495833
2	735	16026	C80971	C337	COMPRESSOR AXIAL FLOW CELL:3.9 STAGE:4	N/A	40	28975	44959	480	93.66458333	41182	12030	402	78	7305.8375
2	735	16105	C80967	C337	COMPRESSOR AXIAL FLOW CELL:3.8 STAGE:	N/A	40	29189	44960	480	93.66666667	41182	11820	395	85	7961.666667
2	735	16109	C80974	C337	COMPRESSOR AXIAL FLOW CELL:10 STAGE:4	N/A	40	28276	47009	480	97.93541667	41182	12720	425	55	5386.447917
2	735	16154	C80962	C337	COMPRESSOR AXIAL FLOW CELL:4 STAGE:3	N/A	40	28276	47010	480	97.9375	41182	12720	425	55	5386.5625
2	735	16231	C80973	C337	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	11076	40	28733	44962	480	93.67083333	41182	12270	410	70	6556.958333
2	735	16279	C80975	C337	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28398	47011	480	97.93958333	41182	12600	421	59	5778.435417
2	735	16302	C80977	C337	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28975	44962	480	93.67083333	41182	12030	402	78	7306.325
2	735	16315	C80964	C337	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28276	30709	480	63.97708333	41182	12720	425	55	3518.739583
2	735	16321	C79884	C337	COMPRESSOR AXIAL FLOW COMPRESSOR AXIAL	N/A	40	28580	41283	480	86.00625	41182	12420	415	65	5590.40625
2	735	16409	C80976	C337	COMPRESSOR AXIAL FLOW 1800 RPM UNIT 4	N/A	40	19755	20453	480	0	41182	21120	705	0	0
2	735	16821	C76494	C337	MOTOR ELECTRIC 3000 HP-UPRATED. MTR FM	599503	20	28368	40180	240	0	41182	12630	422	0	0
2	735	16822	C76294	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599504	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16823	C76458	C337	MOTOR INDUCTION-UPRATED. MOTOR 3000 HP	599505	20	29159	41368	240	0	41182	11850	396	0	0
2	735	16824	C76322	C337	MOTOR INDUCTION-UPRATED. MOTOR 3000 HP	599506	20	29464	32413	240	0	41182	11550	386	0	0
2	735	16825	C76419	C337	MOTOR INDUCTION-UPRATED. 3000 HP MOTOR	599507	20	29525	32413	240	0	41182	11490	384	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16826	C76302	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-255 1	599508	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16827	C76369	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-255 1	599509	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16828	C76303	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-255	599510	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16829	C76482	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599511	20	28398	40180	240	0	41182	12600	421	0	0
2	735	16830	C76448	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599512	20	28398	40180	240	0	41182	12600	421	0	0
2	735	16831	C76416	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR I	599513	20	29525	32413	240	0	41182	11490	384	0	0
2	735	16832	C76405	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599514	20	29251	41368	240	0	41182	11760	393	0	0
2	735	16833	C76434	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP I	599515	20	29433	32413	240	0	41182	11580	387	0	0
2	735	16834	C76310	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599516	20	29617	32413	240	0	41182	11400	381	0	0
2	735	16835	C76337	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599517	20	29617	32413	240	0	41182	11400	381	0	0
2	735	16836	C76376	C337	MOTOR ELECTRIC UPRATED MTR FM 3000	599518	20	28368	40180	240	0	41182	12630	422	0	0
2	735	16837	C76506	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP IN	599519	20	28671	41368	240	0	41182	12330	412	0	0
2	735	16838	C76475	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP IN	599520	20	28671	41368	240	0	41182	12330	412	0	0
2	735	16839	C76341	C337	MOTOR ELECTRIC FRAME IV-25.5 119 RPM 230	599521	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16840	C76442	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-255	599522	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16841	C76282	C337	MOTOR ELECTRIC FRAME IV-255 1191 RPM 230	599523	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16842	C76438	C337	MOTOR ELECTRIC FRAME IV-255 1191 RPM 23O	599524	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16843	C76467	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599525	20	29189	41368	240	0	41182	11820	395	0	0
2	735	16844	C76356	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-255	599526	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16845	C76397	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR I	599527	20	29525	32413	240	0	41182	11490	384	0	0
2	735	16846	C76330	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599528	20	28398	40180	240	0	41182	12600	421	0	0
2	735	16847	C76531	C337	MOTOR ELECTRIC FRAME IV-25.5 1191 RPM 23	599529	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16848	C76514	C337	MOTOR ELECTRIC UPRATED MTR FM 3000	599530	20	28368	40180	240	0	41182	12630	422	0	0
2	735	16849	C76469	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP IN	599531	20	28671	41368	240	0	41182	12330	412	0	0
2	735	16850	C76314	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599532	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16851	C76348	C337	MOTOR ELECTRIC FRAME IV-25.5 1191 RPM 23	599533	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16852	C76391	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599534	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16853	C76342	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599535	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16854	C76308	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599536	20	29617	32413	240	0	41182	11400	381	0	0
2	735	16855	C76507	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP IN	599537	20	28671	41368	240	0	41182	12330	412	0	0
2	735	16856	C76422	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599538	20	29341	32413	240	0	41182	11670	390	0	0
2	735	16857	C76370	C337	MOTOR ELECTRIC 1V 255 1191 RPM 2300 VOLT	599539	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16858	C76522	C337	MOTOR INDUCTION-UPRATED MOTOR 3300 HP	599540	20	28914	40868	240	0	41182	12090	404	0	0
2	735	16859	C76371	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599541	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16860	C76492	C337	MOTOR ELECTRIC UPRATED MTR FM 3000	599542	20	28368	40180	240	0	41182	12630	422	0	0
2	735	16861	C76471	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP IN	599543	20	28671	41368	240	0	41182	12330	412	0	0
2	735	16862	C76435	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP I	599544	20	29433	32413	240	0	41182	11580	387	0	0
2	735	16863	C76374	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP I	599545	20	29433	32413	240	0	41182	11580	387	0	0
2	735	16864	C76351	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599546	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16865	C76401	C337	MOTOR ELECTRIC UPRATED MTR FM 3000	599547	20	28368	40180	240	0	41182	12630	422	0	0
2	735	16866	C76352	C337	MOTOR ELECTRIC 1191 RPM 2300 VOLTS 372 A	599548	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16867	C76343	C337	MOTOR ELECTRIC 1191 RPM 2300 VOLTS 372 A	117350	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16868	C76479	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP IN	599550	20	28671	41368	240	0	41182	12330	412	0	0
2	735	16869	C76460	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599551	20	29189	41368	240	0	41182	11820	395	0	0
2	735	16870	C76415	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599552	20	29402	32413	240	0	41182	11610	388	0	0
2	735	16871	C76354	C337	MOTOR ELECTRIC 1191 RPM 372 AMPS 40 DEGR	599553	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16872	C76368	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599554	20	19997	20757	240	0	41182	20880	697	0	0
2	735	16873	C76298	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599555	20	29402	32413	240	0	41182	11610	388	0	0
2	735	16874	C76392	C337	MOTOR INDCUTION-UPRATED MOTOR 3000 HP	599556	20	29341	32413	240	0	41182	11670	390	0	0
2	735	16875	C76324	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599557	20	29464	32414	240	0	41182	11550	386	0	0
2	735	16876	C76466	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599558	20	29189	41369	240	0	41182	11820	395	0	0
2	735	16877	C76393	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599559	20	29341	32414	240	0	41182	11670	390	0	0
2	735	16878	C76399	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR I	599560	20	29525	32414	240	0	41182	11490	384	0	0
2	735	16879	C76375	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP I	599561	20	29433	32414	240	0	41182	11580	387	0	0
2	735	16880	C76499	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599562	20	29220	41368	240	0	41182	11790	394	0	0
2	735	16881	C76447	C337	MOTOR INDUCTION-UPRATED MOTOR 3300 HP	599563	20	28914	40868	240	0	41182	12090	404	0	0
2	735	16882	C76398	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR I	599594	20	29525	32413	240	0	41182	11490	384	0	0
2	735	16883	C76286	C337	MOTOR ELECTRIC FRAME 1V-25.5 1191 RPM 23	599565	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16884	C76503	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599566	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16885	C76299	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599567	20	29341	32412	240	0	41182	11670	390	0	0
2	735	16886	C76301	C337	MOTOR ELECTRIC FRAME 1V-25.5 1191 RPM 23	599568	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16887	C76395	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599569	20	29220	41367	240	0	41182	11790	394	0	0
2	735	16888	C76344	C337	MOTOR ELECTRIC FRAME 1V-25.5 1191 RPM 23	599570	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16889	C76521	C337	MOTOR INDUCTION-UPRATED MOTOR 3300 HP	599571	20	28914	40867	240	0	41182	12090	404	0	0
2	735	16890	C76295	C337	MOTOR ELECTRIC FRAME 1V-25.5 1191 RPM 23	599572	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16891	C76329	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599573	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16892	C76394	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599574	20	29341	32412	240	0	41182	11670	390	0	0
2	735	16893	C76279	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599817	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16894	C76462	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599818	20	29189	41367	240	0	41182	11820	395	0	0
2	735	16895	C76288	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599819	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16896	C76316	C337	MOTOR ELECTRIC UPRATED MTR FM 3000	599820	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16897	C76437	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599821	20	19997	20756	240	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16898	C76449	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599822	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16899	C76312	C337	MOTOR ELECTRIC-UPRATED MTR FM 3000	599823	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16900	C76388	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599824	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16901	C76311	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599825	20	29617	32412	240	0	41182	11400	381	0	0
2	735	16902	C76325	C337	MOTOR INDUCTION UPRATED MOTOR 3000 HP	599826	20	29464	31099	240	0	41182	11550	386	0	0
2	735	16903	C76404	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599827	20	29251	41367	240	0	41182	11760	393	0	0
2	735	16904	C76501	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599828	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16905	C76523	C337	MOTOR INDUCTION-UPRATED MOTOR 3300 HP	599829	20	28914	40867	240	0	41182	12090	404	0	0
2	735	16906	C76357	C337	MOTOR ELECTRIC 1750 HP 1191 RPM 2300	599830	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16907	C76287	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599831	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16908	C76372	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP I	599832	20	29433	32412	240	0	41182	11580	387	0	0
2	735	16909	C76496	C337	MOTOR ELECTRIC-UPRATED MTR FM 3000	599833	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16910	C76430	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599834	20	29220	41367	240	0	41182	11790	394	0	0
2	735	16911	C76359	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-255	599836	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16912	C76510	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599836	20	29159	41367	240	0	41182	11850	396	0	0
2	735	16913	C76456	C337	MOTOR INDUCTION UPRATED MOTOR 3000 HP	599837	20	29159	41367	240	0	41182	11850	396	0	0
2	735	16914	C76498	C337	MOTOR ELECTRIC UPRATED MTR FM 3000	599838	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16915	C76277	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599839	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16916	C76283	C337	MOTOR ELECTRIC FRAME 1V-255 1191 RPM 230	599840	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16917	C76484	C337	MOTOR ELECTRIC UPRATED MTR FM 3000	599841	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16918	C76309	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599842	20	29617	32412	240	0	41182	11400	381	0	0
2	735	16919	C76407	C337	MOTOR INDCUTION-UPRATED 3000 HP MOTOR	599843	20	29251	41367	240	0	41182	11760	393	0	0
2	735	16920	C76474	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP IN	599844	20	28671	41367	240	0	41182	12330	412	0	0
2	735	16921	C76396	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR I	599845	20	29525	32412	240	0	41182	11490	384	0	0
2	735	16922	C76436	C337	MOTOR ELECTRIC 1191 RPM 2300 VOLTS 372 A	599846	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16923	C76321	C337	MOTOR INDUCTION UPRATED MOTOR 3000 HP	599847	20	29464	32412	240	0	41182	11550	386	0	0
2	735	16924	C76280	C337	MOTOR ELECTRIC FRAME 1V-25.5 1191 RPM 23	599848	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16925	C76497	C337	MOTOR ELECTRIC-UPRATED MTR FM 3000	50\99849	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16926	C76472	C337	MOTOR INDCUTION-UPRATED MOTOR 3000 HP IN	599850	20	28671	41367	240	0	41182	12330	412	0	0
2	735	16927	C76463	C337	MOTOR INDCUTION-UPRATED 3000 HP MOTOR	599989	20	29189	41367	240	0	41182	11820	395	0	0
2	735	16928	C76429	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	500852	20	29220	41367	240	0	41182	11790	394	0	0
2	735	16929	C76450	C337	MOTOR MOTOR 3000 HP	599853	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16930	C76488	C337	MOTOR ELECTRIC-UPRATED MTR FM 3000	599854	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16931	C76477	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP IN	599855	20	28671	41367	240	0	41182	12330	412	0	0
2	735	16932	C76451	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599856	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16933	C76485	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599857	20	29798	32412	240	0	41182	11220	375	0	0
2	735	16934	C76328	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599858	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16935	C76403	C337	MOTOR INDUCTION UPRATED MOTOR 3000 HP	599859	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16936	C76400	C337	MOTOR INDCUTION UPRATED MOTOR 3000 HP	599860	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16937	C76323	C337	MOTOR INDCUTION-UPRATED MOTOR 3000 HP	599861	20	29464	32412	240	0	41182	11550	386	0	0
2	735	16938	C76412	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599862	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16939	C76319	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP	599863	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16940	C76433	C337	MOTOR INDUCTION-UPRATED MOTOR 3000 HP I	599864	20	29433	32412	240	0	41182	11580	387	0	0
2	735	16941	C76290	C337	MOTOR ELECTRIC FRAME 1V-25.5 1191 RPM 23	599865	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16942	C76476	C337	MOTOR INDUCTION UPRATED MOTOR 3000 HP IN	599866	20	28671	41367	240	0	41182	12330	412	0	0
2	735	16943	C76459	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599867	20	29159	41367	240	0	41182	11850	396	0	0
2	735	16944	C76296	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599868	20	29402	32412	240	0	41182	11610	388	0	0
2	735	16945	C76517	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599869	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16946	C76518	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599870	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16947	C76520	C337	MOTOR INDUCTION-UPRATED 2000-3000 MOTO	599871	20	28914	40867	240	0	41182	12090	404	0	0
2	735	16948	C76483	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599872	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16949	C76516	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599873	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16950	C76317	C337	MOTOR ELECTRIC 3000 HP - UPRATED MTR FM	599874	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16951	C76366	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599875	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16952	C76320	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599876	20	29464	32412	240	0	41182	11550	386	0	0
2	735	16953	C76502	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599877	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16954	C76327	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599878	20	29464	32412	240	0	41182	11550	386	0	0
2	735	16955	C76428	C337	MOTOR INDUCTION-UPRATED 3000 HP 3000 H	599879	20	29220	41367	240	0	41182	11790	394	0	0
2	735	16956	C76345	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599880	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16957	C76431	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599881	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16958	C76465	C337	MOTOR INDUCTION-UPRATED 3000 HP 3000 H	599882	20	29189	41367	240	0	41182	11820	395	0	0
2	735	16959	C76365	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599883	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16960	C76336	C337	MOTOR INDUCTION-URPATED 3000 HP MOTOR	599884	20	29617	32412	240	0	41182	11400	381	0	0
2	735	16961	C76300	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599885	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16962	C76346	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599886	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16963	C76350	C337	MOTOR ELECTRIC 1750 HP FRAME IV-255	599887	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16964	C76373	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599888	20	29433	32412	240	0	41182	11580	387	0	0
2	735	16965	C76478	C337	MOTOR 3000 HP INDUCTION-UPRATED MOTOR	599889	20	28671	41367	240	0	41182	12330	412	0	0
2	735	16966	C76504	C337	MOTOR 3000 HP INDUCTION-UPRATED MOTOR	599890	20	28671	41367	240	0	41182	12330	412	0	0
2	735	16967	C76315	C337	MOTOR 3000 HP INDUCTION-UPRATED MOTOR	599891	20	29617	32412	240	0	41182	11400	381	0	0
2	735	16968	C76470	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599892	20	28398	40179	240	0	41182	12600	421	0	0
2	735	16969	C76468	C337	MOTOR 3000 HP INDUCTION-UPRATED MOTOR	599893	20	28671	41367	240	0	41182	12330	412	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	16970	C76464	C337	MOTOR INDUCTION-UPRATED 3000 HP 3000 H	599894	20	29189	41367	240	0	41182	11820	395	0	0
2	735	16971	C76461	C337	MOTOR INDUCTION-UPRATED 3OOO HP 3000 H	599895	20	29189	41367	240	0	41182	11820	395	0	0
2	735	16972	C76339	C337	MOTOR INDUCTION-UPRATED 3OOO HP MOTOR	599896	20	29617	32412	240	0	41182	11400	381	0	0
2	735	16973	C76306	C337	MOTOR INDUCTION-UPRATED 3OOO HP MOTOR	599897	20	29402	32412	240	0	41182	11610	388	0	0
2	735	16974	C76473	C337	MOTOR 3000 HP INDUCTION-UPRATED MOTOR	599898	20	28671	41367	240	0	41182	12330	412	0	0
2	735	16975	C76444	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599899	20	28914	40867	240	0	41182	12090	404	0	0
2	735	16976	C76278	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599900	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16977	C76406	C337	MOTOR INDUCTION-UPRATED 3000 HP 3000 H	599901	20	29251	41367	240	0	41182	11760	393	0	0
2	735	16978	C76427	C337	MOTOR INDUCTION-UPRATED 3OOO HP 3000 H	599902	20	29311	32412	240	0	41182	11700	391	0	0
2	735	16979	C76338	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM	599903	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16980	C76508	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599904	20	29159	41367	240	0	41182	11850	396	0	0
2	735	16981	C76358	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599905	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16982	C76426	C337	MOTOR INDUCTION-UPRATED 3000 HP 3000 H	599906	20	29311	32412	240	0	41182	11700	391	0	0
2	735	16983	C76276	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599907	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16984	C76421	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599908	20	29341	32412	240	0	41182	11670	390	0	0
2	735	16985	C76331	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599909	20	28763	41367	240	0	41182	12240	409	0	0
2	735	16986	C76684	C337	MOTOR ELECTRIC FOR ADDITIONAL INFORMAT	50275OR1	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16987	C76304	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599911	20	29402	32412	240	0	41182	11610	388	0	0
2	735	16988	C76509	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599912	20	29159	41367	240	0	41182	11850	396	0	0
2	735	16989	C76495	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM	599913	20	28368	40179	240	0	41182	12630	422	0	0
2	735	16990	C76446	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599914	20	28914	40867	240	0	41182	12090	404	0	0
2	735	16991	C76367	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599915	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16992	C76364	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599916	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16993	C76291	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599917	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16994	C76378	C337	MOTOR INDUCTION-UPRATED 3000 HP 3000 H	599918	20	29220	41367	240	0	41182	11790	394	0	0
2	735	16995	C76402	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599919	20	29402	32412	240	0	41182	11610	388	0	0
2	735	16996	C76292	C337	MOTOR ELECTRIC 1750 HP FRAME V-25.5	599920	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16997	C76417	C337	MOTOR INDUCTION-UPRATED 3000 HP 3000 H	599921	20	29525	32412	240	0	41182	11490	384	0	0
2	735	16998	C76293	C337	MOTOR ELECTRIC 1750 HP FRAME IV-25.5	599922	20	19997	20756	240	0	41182	20880	697	0	0
2	735	16999	C76519	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599923	20	28763	41367	240	0	41182	12240	409	0	0
2	735	17000	C76487	C337	MOTOR ELECTRIC 3000 HP - UPRATED MTR F	599924	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17001	C76441	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599925	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17002	C76445	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599926	20	28914	40867	240	0	41182	12090	404	0	0
2	735	17003	C76284	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599927	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17004	C76481	C337	MOTOR INDUCTION-UPRATED-3000 HP MOTOR	599928	20	28398	40179	240	0	41182	12600	421	0	0
2	735	17005	C76432	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599929	20	29433	32412	240	0	41182	11580	387	0	0
2	735	17006	C76490	C337	MOTOR ELECTRIC 3000 HP - UPRATED MTR FM	599930	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17007	C76305	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599931	20	29402	32412	240	0	41182	11610	388	0	0
2	735	17008	C76379	C337	MOTOR INDUCTION-UPRATED-3000 HP MOTOR 3	599932	20	28763	41367	240	0	41182	12240	409	0	0
2	735	17009	C76423	C337	MOTOR INDUCTION-UPRATED-3000 HP MOTOR 3	N/A	20	29341	32412	240	0	41182	11670	390	0	0
2	735	17010	C76493	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM	599934	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17011	C76362	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5 E	599935	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17012	C76340	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599936	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17013	C76486	C337	MOTOR 3000 HP INDUCTION-UPRATED MOTOR	599937	20	29798	32412	240	0	41182	11220	375	0	0
2	735	17014	C76454	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	59938	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17015	C76411	C337	MOTOR 3000 HP MOTOR INDUCTION UPRATED 3	599939	20	29251	41367	240	0	41182	11760	393	0	0
2	735	17016	C76410	C337	MOTOR INDUCTION UPRATED 3000 HP MOTOR 3	599940	20	29251	41367	240	0	41182	11760	393	0	0
2	735	17017	C76440	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599941	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17018	C76381	C337	MOTOR INDUCTION-UPRATED 3000 HP 3000 HP	599942	20	29311	32412	240	0	41182	11700	391	0	0
2	735	17019	C76361	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5 3	599943	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17020	C76363	C337	MOTOR ELECTRIC 1750 HP FRAME 1V25.5 3	599944	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17021	C76511	C337	MOTOR INDUCTION UPRATED MOTOR 3000 HP M	599945	20	29159	41367	240	0	41182	11850	396	0	0
2	735	17022	C76297	C337	MOTOR INDUCTION UPRATED 3000 HP MOTOR 3	599946	20	29402	32412	240	0	41182	11610	388	0	0
2	735	17023	C76353	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599947	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17024	C76457	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR 3	599948	20	29159	41367	240	0	41182	11850	396	0	0
2	735	17025	C76455	C337	MOTOR ELECTRIC 1750 HP UPRATED MTR FM 3	599949	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17026	C76281	C337	MOTOR ELECTRI 1750 HP FRAME 1V-25.5	599950	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17027	C76318	C337	MOTOR INDUCTION-UPRATED-3000 HP MOTOR	599951	20	28398	40179	240	0	41182	12600	421	0	0
2	735	17028	C76420	C337	MOTOR INDUCTION UPRATED 3000 HP 3000 HP	599952	20	29220	41367	240	0	41182	11790	394	0	0
2	735	17029	C76505	C337	MOTOR 3000 HP INDUCTION UPRATED MOTOR 3	599953	20	28671	41367	240	0	41182	12330	412	0	0
2	735	17030	C76360	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599954	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17031	C76335	C337	MOTOR INDUCTION UPRATED 3000 HP MOTOR 3	599955	20	28763	41367	240	0	41182	12240	409	0	0
2	735	17032	C76383	C337	MOTOR 3000 HP INDUCTION UPRATED 3000 H	599956	20	29311	32412	240	0	41182	11700	391	0	0
2	735	17033	C76686	C337	MOTOR ELECTRIC TYPE QZ-BK FRAME 1V25.	502641R1	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17034	C76413	C337	MOTOR INDUCTION UPRATED 3000 HP MOTOR 3	599958	20	28763	40054	240	0	41182	12240	409	0	0
2	735	17035	C76418	C337	MOTOR INDUCTION UPRATED 3000 HP 3000 HP	599959	20	29525	32412	240	0	41182	11490	384	0	0
2	735	17036	C76489	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	599960	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17037	C76414	C337	MOTOR INDUCTION UPRATED 3000 HP MOTOR 30	599961	20	28763	41367	240	0	41182	12240	409	0	0
2	735	17038	C76332	C337	MOTOR INUCTION UPRATED 3300 HP MOTOR 33	599962	20	28763	41367	240	0	41182	12240	409	0	0
2	735	17039	C76513	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	599963	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17040	C76289	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599964	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17041	C76382	C337	MOTOR INDUCTION UPRATED 3000 HP 3000 HP	599965	20	29311	32412	240	0	41182	11700	391	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	17042	C76380	C337	MOTOR INDUCTION UPRATED 3000 HP 3000 HP	599966	20	29311	32412	240	0	41182	11700	391	0	0
2	735	17043	C76425	C337	MOTOR INDUCTION UPRATED 3000 HP 3000 HP	599967	20	29311	32412	240	0	41182	11700	391	0	0
2	735	17044	C76452	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	599968	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17045	C76491	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	599969	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17046	C76453	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	599970	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17047	C76349	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599971	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17048	C76334	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	599972	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17049	C76515	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 30	599973	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17050	C76512	C337	MOTOR ELECTRIC 300 HP UPRATED MTR FM 30	599974	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17051	C76347	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599975	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17052	C76333	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	599976	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17053	C76409	C337	MOTOR INDUCTION UPRATED 3000 HP 3000 H	599977	20	29251	41367	240	0	41182	11760	393	0	0
2	735	17054	C76424	C337	MOTOR INDUCTION UPRATED 3000 HP 3000 HP	599978	20	29311	32412	240	0	41182	11700	391	0	0
2	735	17055	C76439	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5 3	599979	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17056	C76408	C337	MOTOR INDUCTION UPRATED 3000 HP 3000 HP	599980	20	29251	41367	240	0	41182	11760	393	0	0
2	735	17057	C76285	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599981	20	19997	20756	240	0	41182	20880	697	0	0
2	735	17058	C76500	C337	MOTOR 3000 HP INDUCTION UPRATED MOTOR	599982	20	28671	41367	240	0	41182	12330	412	0	0
2	735	17059	C76377	C337	MOTOR 3000 HP INDUCTION UPRATED 3000 HP	599983	20	29220	41367	240	0	41182	11790	394	0	0
2	735	17060	C76326	C337	MOTOR 3000 HP INDUCTION UPRATED MOTOR	599984	20	29464	32412	240	0	41182	11550	386	0	0
2	735	17061	C76313	C337	MOTOR ELECTRIC 3000 HP UPRATED MTR FM 3	599985	20	28368	40179	240	0	41182	12630	422	0	0
2	735	17062	C76480	C337	MOTOR ELECTRIC 3000 HP-UPRATED. MTR FM	599986	20	28368	38866	240	0	41182	12630	422	0	0
2	735	17063	C76355	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599987	20	19997	19173	240	0	41182	20880	697	0	0
2	735	17064	C76443	C337	MOTOR ELECTRIC 1750 HP FRAME 1V-25.5	599988	20	19997	19173	240	0	41182	20880	697	0	0
2	735	17065	C76683	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599990	20	28368	42944	240	0	41182	12630	422	0	0
2	735	17066	C76603	C337	MOTOR INDUCTION 3300 HP-UPRATED. 3300 H	599502	20	28886	41920	240	0	41182	12120	405	0	0
2	735	17067	C76691	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599575	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17068	C76560	C337	MOTOR ELECTRIC 2000 PH FRAME 1V-27.5	599576	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17069	C76688	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599577	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17070	C76545	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-72.5	599578	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17071	C76535	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599579	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17072	C76612	C337	MOTOR INDUCTION-UPRATED 3300 HP. MOTOR	599580	20	28855	41920	240	0	41182	12150	406	0	0
2	735	17073	C76525	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599581	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17074	C76607	C337	3300 HP MOTOR INDUCTION-UPRATED. 3300 H	599582	20	28975	41920	240	0	41182	12030	402	0	0
2	735	17075	C76743	C337	3000 HP MOTOR INDUCTION-UPRATED. MOTOR	599583	20	28398	43832	240	0	41182	12600	421	0	0
2	735	17076	C76617	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599584	20	29006	41920	240	0	41182	12000	401	0	0
2	735	17077	C76755	C337	MOTOR FR HP 3300 MOTOR ELECTRIC - UPRAT	599585	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17078	C76593	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599586	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17079	C76750	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599587	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17080	C76665	C337	MOTOR INDUCTION-UPRATED-3000 HP. MOTOR	599588	20	28398	43832	240	0	41182	12600	421	0	0
2	735	17081	C76718	C337	3300 HP MOTOR ELECTRIC HP-UPRATED. MTR	599589	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17082	C76624	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599590	20	28824	41920	240	0	41182	12180	407	0	0
2	735	17083	C76654	C337	3300 HP MOTOR ELECTRIC-UPRATED. MTR FM	CUP	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17084	C76699	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599592	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17085	C76682	C337	3300 HP MOTOR INDUCTION-UPRATED. 3300 H	599593	20	28886	41920	240	0	41182	12120	405	0	0
2	735	17086	C76629	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599594	20	28671	41920	240	0	41182	12330	412	0	0
2	735	17087	C76677	C337	3300 HP MOTOR INDUCTION-UPRATED. 3300 H	599595	20	28975	41920	240	0	41182	12030	402	0	0
2	735	17088	C76651	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599596	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17090	C76605	C337	3300 HP MOTOR INDUCTION-UPRATED. 3300 H	599598	20	28886	41920	240	0	41182	12120	405	0	0
2	735	17091	C76544	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599599	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17092	C76630	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599600	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17093	C76660	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599601	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17094	C76554	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599602	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17095	C76644	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599603	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17096	C76530	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599604	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17097	C76582	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599605	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17098	C76539	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599606	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17099	C76648	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599607	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17100	C76613	C337	MOTOR INDUCTION-UPRATED. MOTOR IN -UPR	599608	20	28855	41920	240	0	41182	12150	406	0	0
2	735	17101	C76661	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR 3	599609	20	29098	41920	240	0	41182	11910	398	0	0
2	735	17102	C76570	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599610	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17103	C76730	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599611]	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17104	C76627	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599612	20	28671	41920	240	0	41182	12330	412	0	0
2	735	17105	C76604	C337	MOTOR 3300 HP INDUCTION-UPRATED. 3300 H	599613	20	28886	41920	240	0	41182	12120	405	0	0
2	735	17106	C76597	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599614	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17107	C76626	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599615	20	29798	35365	240	0	41182	11220	375	0	0
2	735	17108	C76680	C337	MOTOR 3300 HP INDUCTION-UPRATED. 3300 H	599616	20	28886	41920	240	0	41182	12120	405	0	0
2	735	17109	C76646	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599617	20	28368	42944	240	0	41182	12630	422	0	0
2	735	17110	C76622	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599618	20	28824	41920	240	0	41182	12180	407	0	0
2	735	17111	C76561	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599619	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17112	C76543	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599620	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17113	C76536	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599621	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17114	C76663	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599622	20	28398	43832	240	0	41182	12600	421	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	17115	C76696	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599623	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17116	C76555	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599624	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17117	C76526	C337	MOTOR ELECTRIC 2000 PH FRAME 1V-27.5	599625	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17118	C76588	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599626	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17119	C76591	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599627	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17121	C76574	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599629	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17122	C76389	C337	MOTOR INDUCTION-UPRATED-3000 HP. MOTOR	599630	20	28398	43832	240	0	41182	12600	421	0	0
2	735	17123	C76572	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599631	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17124	C76590	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599632	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17125	C76592	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599633	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17126	C76589	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599634	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17127	C76703	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR 3	599635	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17128	C76616	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599636	20	29006	41920	240	0	41182	12000	401	0	0
2	735	17129	C76742	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599637	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17130	C76733	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599638	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17131	C76619	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599639	20	28824	41920	240	0	41182	12180	407	0	0
2	735	17132	C76711	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599640	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17133	C76737	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599641	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17135	C76747	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599643	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17136	C76595	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599644	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17137	C76611	C337	MOTOR INDUCTION-UPRATED. MOTOR IND UPR	599645	20	28855	41920	240	0	41182	12150	406	0	0
2	735	17138	C76581	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599646	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17139	C76640	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR 3	599647	20	29098	41920	240	0	41182	11910	398	0	0
2	735	17140	C76667	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR 3	599648	20	29006	41920	240	0	41182	12000	401	0	0
2	735	17141	C76745	C337	MOTOR INDUCTION-UPRATED-3000 HP. MOTOR	599649	20	28398	43832	240	0	41182	12600	421	0	0
2	735	17142	C76634	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599650	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17143	C76746	C337	MOTOR INDUCTION-UPRATED-3000 HP. MOTOR	599651	20	28398	43832	240	0	41182	12600	421	0	0
2	735	17144	C76636	C337	MOTOR ELECTRIC 300 HP-UPRATED. MTR FM 3	599652	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17145	C76524	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599653	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17146	C76585	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599654	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17147	C76676	C337	MOTOR INDUCTION-UPRATED. 3300 HP IND-UP	599655	20	28975	41920	240	0	41182	12030	402	0	0
2	735	17148	C76704	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599656	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17149	C76566	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599657	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17150	C76537	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599658	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17151	C76724	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599659	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17152	C76678	C337	3300 HP MOTOR INDUCTION-UPRATED. 3300 H	599660	20	28975	41920	240	0	41182	12030	402	0	0
2	735	17153	C76664	C337	MOTOR INDUCTION-UPRATED-3000 HP. MOTOR	599661	20	28398	43832	240	0	41182	12600	421	0	0
2	735	17154	C76738	C337	MOTOR ELECTRIC 3300 HP-UPRATED MTR FM 3	599662	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17155	C76722	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599663	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17156	C76528	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599664	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17157	C76656	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599665	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17158	C76685	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599666	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17159	C76720	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599667	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17160	C76739	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599668	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17161	C76712	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599669	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17162	C76728	C337	MOTOR ELECTRIC 3300 HP-UPRATED MTR FM 3	599670	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17163	C76749	C337	MOTOR 3300 HP INDUCTION-UPRATED MOTOR 33	599671	20	28580	43832	240	0	41182	12420	415	0	0
2	735	17164	C76584	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599672	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17165	C76751	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599673	20	29798	35365	240	0	41182	11220	375	0	0
2	735	17166	C76647	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599674	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17167	C76744	C337	MOTOR INDUCTION-UPRATED-3000 HP MOTOR	599675	20	28398	43832	240	0	41182	12600	421	0	0
2	735	17168	C76551	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599676	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17169	C76596	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599677	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17171	C76623	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599679	20	28824	41032	240	0	41182	12180	407	0	0
2	735	17172	C76716	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599680	20	29798	35365	240	0	41182	11220	375	0	0
2	735	17173	C76693	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599681	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17174	C76608	C337	MOTOR INDUCTION-UPRATED 3300 HP 3300 H	599682	20	28975	41920	240	0	41182	12030	402	0	0
2	735	17176	C76697	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599684	20	29798	35365	240	0	41182	11220	375	0	0
2	735	17177	C76307	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599685	20	29341	33465	240	0	41182	11670	390	0	0
2	735	17178	C76670	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599686	20	29006	41920	240	0	41182	12000	401	0	0
2	735	17179	C76631	C337	MOTOR 3300 HP INDUCTION-UPRATED MOTOR	599687	20	28671	41920	240	0	41182	12330	412	0	0
2	735	17180	C76552	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599688	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17181	C76532	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599689	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17182	C76645	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599690	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17183	C76571	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599691	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17184	C76527	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599692	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17185	C76756	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599693	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17187	C76729	C337	MOTOR ELECTRIC 2000 HP - UPRATED MTR FM	599695	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17188	C76568	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599696	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17189	C76762	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599697	20	29098	41920	240	0	41182	11910	398	0	0
2	735	17190	C76573	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599698	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17191	C76562	C337	MOTOR ELECTRIC 2000 HP FRAME V-27.5	599699	20	19997	22024	240	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	17192	C76650	C337	MOTOR ELECTRIC 2000 HP - UPRATED MTR F	599700	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17193	C76639	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR 3	599701	20	29098	41920	240	0	41182	11910	398	0	0
2	735	17194	C76637	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR 3	599702	20	29098	41920	240	0	41182	11910	398	0	0
2	735	17195	C76542	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599703	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17196	C76614	C337	MOTOR INDUCTION-UPRATED MOTOR IND-UPRA	599704	20	28855	41920	240	0	41182	12150	406	0	0
2	735	17197	C76659	C337	MOTOR INDUCTION-UPRATED MOTOR IND-UPRA	599705	20	28855	41920	240	0	41182	12150	406	0	0
2	735	17198	C76717	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599706	20	29798	35365	240	0	41182	11220	375	0	0
2	735	17199	C76556	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599707	20	19997	22024	240	0	41182	20880	697	0	0
2	735	17200	C76726	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599708	20	28368	43832	240	0	41182	12630	422	0	0
2	735	17201	C76558	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599709	20	19997	22023	240	0	41182	20880	697	0	0
2	735	17202	C76655	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599710	20	28368	43831	240	0	41182	12630	422	0	0
2	735	17203	C76541	C337	MOTOR ELECTRIC 2000 HP FRAME IV-72.5	599711	20	19997	22023	240	0	41182	20880	697	0	0
2	735	17204	C76681	C337	MOTOR INDUCTION-UPRATED 3300 HP 3300 H	599712	20	28886	41919	240	0	41182	12120	405	0	0
2	735	17205	C76710	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599713	20	28398	43831	240	0	41182	12600	421	0	0
2	735	17206	C76538	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599714	20	19997	22023	240	0	41182	20880	697	0	0
2	735	17207	C76734	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599715	20	28368	43831	240	0	41182	12630	422	0	0
2	735	17208	C76598	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599716	20	19997	22023	240	0	41182	20880	697	0	0
2	735	17209	C76609	C337	MOTOR INDUCTION-UPRATED 3300 HP 3300 H	599719	20	28975	41919	240	0	41182	12030	402	0	0
2	735	17210	C76642	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599718	20	29036	41919	240	0	41182	11970	400	0	0
2	735	17211	C76618	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599719	20	29006	41919	240	0	41182	12000	401	0	0
2	735	17212	C76674	C337	MOTOR INDUCTION-UPRATED MOTOR IND-UPRA	599720	20	28855	41919	240	0	41182	12150	406	0	0
2	735	17213	C76679	C337	MOTOR INDUCTION-UPRATED 3300 HP 3300 H	599721	20	28886	41919	240	0	41182	12120	405	0	0
2	735	17214	C76649	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599722	20	28368	43831	240	0	41182	12630	422	0	0
2	735	17215	C76632	C337	MOTOR 3300 HP INDUCTION-UPRATED MOTOR	599743	20	28671	41919	240	0	41182	12330	412	0	0
2	735	17216	C76657	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR FM	599724	20	28368	43831	240	0	41182	12630	422	0	0
2	735	17217	C76577	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599725	20	19997	22023	240	0	41182	20880	697	0	0
2	735	17218	C76731	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR FM	599726	20	28368	43831	240	0	41182	12630	422	0	0
2	735	17219	C76754	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599727	20	28580	43831	240	0	41182	12420	415	0	0
2	735	17220	C76732	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599728	20	28368	43831	240	0	41182	12630	422	0	0
2	735	17221	C76569	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599729	20	19997	22023	240	0	41182	20880	697	0	0
2	735	17222	C76653	C337	MOTOR ELECTRICC 3300 HP - UPRATED MTR	599730	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17223	C76721	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599731	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17224	C76557	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599732	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17225	C76567	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599733	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17226	C76758	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599734	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17227	C76534	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599735	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17228	C76672	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599736	20	28824	41918	240	0	41182	12180	407	0	0
2	735	17229	C76540	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599737	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17230	C76709	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599738	20	28398	43830	240	0	41182	12600	421	0	0
2	735	17231	C76662	C337	MOTOR 3300 HP INDUCTION-UPRATED MOTOR	599739	20	29098	41918	240	0	41182	11910	398	0	0
2	735	17232	C76600	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599740	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17233	C76757	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599741	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17234	C76553	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599742	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17235	C76736	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599743	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17236	C76641	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599744	20	29036	41918	240	0	41182	11970	400	0	0
2	735	17237	C76549	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599745	20	29036	41918	240	0	41182	11970	400	0	0
2	735	17238	C76594	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599746	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17239	C76761	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599747	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17240	C76580	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599748	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17241	C76533	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599749	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17242	C76587	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599750	20	29036	41918	240	0	41182	11970	400	0	0
2	735	17244	C76547	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599752	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17245	C76695	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599753	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17246	C76707	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599754	20	28398	43830	240	0	41182	12600	421	0	0
2	735	17247	C76564	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599755	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17248	C76652	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR FM	599756	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17249	C76563	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599757	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17250	C76599	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599758	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17251	C76638	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599759	20	28398	43830	240	0	41182	12600	421	0	0
2	735	17252	C76701	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599760	20	28580	43830	240	0	41182	12420	415	0	0
2	735	17253	C76698	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR FM	599761	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17254	C76727	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR FM	599762	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17255	C76713	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR FM	599763	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17256	C76669	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599764	20	29006	41918	240	0	41182	12000	401	0	0
2	735	17257	C76565	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599765	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17258	C76586	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599766	20	29036	41918	240	0	41182	11970	400	0	0
2	735	17261	C76753	C337	MOTOR INDUCTION-UPRATED MOTOR IND.-UPR	599769	20	28580	43830	240	0	41182	12420	415	0	0
2	735	17262	C76620	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599770	20	28824	41918	240	0	41182	12180	407	0	0
2	735	17263	C76602	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599771	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17264	C76633	C337	MOTOR 3300 HP INDUCTION-UPRATED MOTOR	599772	20	28671	41918	240	0	41182	12330	412	0	0
2	735	17265	C76671	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599773	20	28824	41918	240	0	41182	12180	407	0	0
2	735	17266	C76740	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599774	20	29098	41918	240	0	41182	11910	398	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	17267	C76601	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599775	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17268	C76673	C337	MOTOR INDUCTION-UPRATED MOTOR IND-UPRA	599776	20	28855	41918	240	0	41182	12150	406	0	0
2	735	17269	C76579	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599777	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17270	C76658	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR FM	599778	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17271	C76576	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599779	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17272	C76610	C337	MOTOR INDUCTION-UPRATED 3300 HP 3300 H	599780	20	28975	41918	240	0	41182	12030	402	0	0
2	735	17273	C76675	C337	MOTOR INDUCTION-UPRATED 3300 HP 3300 H	599781	20	28975	41918	240	0	41182	12030	402	0	0
2	735	17274	C76723	C337	MOTOR ELECTRIC 3300 HP UPRATED MTR FM	599782	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17275	C76625	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599783	20	29798	35363	240	0	41182	11220	375	0	0
2	735	17276	C76690	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR FM	599784	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17277	C76692	C337	MOTOR INDUCTION-UPRATED MOTOR IND-UPRA	599785	20	28855	41918	240	0	41182	12150	406	0	0
2	735	17278	C76643	C337	MOTOR ELECTRIC 3300 HP UPRATED MTR FM	599786	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17279	C76708	C337	MOTOR INDUCTION-UPRATED 3000 HP MOTOR	599787	20	28398	43830	240	0	41182	12600	421	0	0
2	735	17280	C76666	C337	MOTOR INDUCTION-UPRATED 3300 HP MOTOR	599788	20	28580	43830	240	0	41182	12420	415	0	0
2	735	17281	C76578	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599789	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17282	C76741	C337	MOTOR ELECTRIC 3300 HP - UPRATED MTR F	599790	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17284	C76583	C337	MOTOR ELECTRIC 2000 HP FRAME IV-27.5	599792	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17285	C76606	C337	MOTOR 3300 HP INDUCTION-UPRATED 3300 H	599793	20	28886	41918	240	0	41182	12120	405	0	0
2	735	17287	C76575	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599795	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17288	C76615	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR 3	599796	20	29006	41918	240	0	41182	12000	401	0	0
2	735	17289	C76635	C337	MOTOR INDUCTION-UPRATED-3000 HP. MOTOR	599797	20	28398	43830	240	0	41182	12600	421	0	0
2	735	17290	C76621	C337	MOTOR INDUCTION 3300 HP-UPRATED. MOTOR	599798	20	28824	41918	240	0	41182	12180	407	0	0
2	735	17291	C76390	C337	MOTOR INDUCTION-UPRATED-3000 HP MOTOR	599799	20	28398	43830	240	0	41182	12600	421	0	0
2	735	17292	C76705	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599800	20	28580	43830	240	0	41182	12420	415	0	0
2	735	17293	C76715	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599801	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17294	C76700	C337	MOTOR INDUCTION-UPRATED. MOTOR 3300 HP	599802	20	29798	35363	240	0	41182	11220	375	0	0
2	735	17295	C76702	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR	599803	20	28580	43830	240	0	41182	12420	415	0	0
2	735	17296	C76550	C337	MOTOR INDUCTION 3300 HP-UPRATED. MOTOR	599804	20	29036	41918	240	0	41182	11970	400	0	0
2	735	17297	C76759	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599805	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17298	C76694	C337	MOTOR ELECTRIC 3300 HP-UPRATED. MTR FM	599806	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17299	C76714	C337	MOTOR ELECTRIC 300 HP-UPRATED. MTR FM 3	599807	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17300	C76628	C337	MOTOR 3300 HP INDUCTION-UPRATED. MOTOR 3	599808	20	28671	41918	240	0	41182	12330	412	0	0
2	735	17301	C76546	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599809	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17302	C76668	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599810	20	29006	41918	240	0	41182	12000	401	0	0
2	735	17303	C76725	C337	3300 MOTOR ELECTRIC-UPRATED. MTR FM 330	599811	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17304	C76529	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599812	20	19997	22022	240	0	41182	20880	697	0	0
2	735	17305	C76719	C337	3300 MOTOR ELECTRIC HP-UPRATED. MTR FM	599813	20	28368	43830	240	0	41182	12630	422	0	0
2	735	17306	C76689	C337	3300 HP MOTOR INDUCTION-UPRATED. MOTOR	599814	20	29036	41918	240	0	41182	11970	400	0	0
2	735	17307	C76735	C337	MOTOR INDUCTION-UPATED-3000 HP. MOTOR	599815	20	28398	43830	240	0	41182	12600	421	0	0
2	735	17308	C76559	C337	MOTOR ELECTRIC 2000 HP FRAME 1V-27.5	599816	20	19997	22022	240	0	41182	20880	697	0	0
2	735	18141	C80934	C337	PUMP (BLOWER) CENTRIFUGAL HORIZONTAL. C	2A6043	40	16771	5665	480	0	41182	24060	803	0	0
2	735	20465	C82022	C337	COLD TRAP SIZE 12" ERD #6D74CT TRAP COL	N/A	20	17014	5038	240	0	41182	23820	795	0	0
2	735	20466	C82023	C337	COLD TRAP SIZE 12' erd #6D74CT TRAP CO	N/A	20	17014	5026	240	0	41182	23820	795	0	0
2	735	23002	C84811	C337	CONVERTER TYPE "00" CELL 10 STAGE CON	126U88	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23004	C84813	C337	CONVERTER TYPE "00" CELL 10 STAGE CON	126U89	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23005	C84814	C337	CONVERTER "000" CELL 5 STAGE 1 CONVERT	126U320	40	19997	40342	480	0	41182	20880	697	0	0
2	735	23006	C84815	C337	CONVERTER TYPE 000 UNIT 6 CELL 7 STA	126U311	40	19997	40292	480	0	41182	20880	697	0	0
2	735	23011	C84820	C337	CONVERTER "000" CELL:9 STAGE:5 CONVERT	126U257	40	19997	92727	480	0	41182	20880	697	0	0
2	735	23013	C84822	C337	CONVERTER "OOO" INVENTORY 74 PAGE 19 O	126 U 209	40	19997	93656	480	0	41182	20880	697	0	0
2	735	23014	C84823	C337	CONVERTER "OOO" CELL: 4 STAGE: CONVERT	126 U 252	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23016	C84825	C337	CONVERTER "OOO" CELL: 9 STAGE: CONVERT	126 U 328	40	27606	244372	480	509.1083333	41182	13380	447	33	16800.575
2	735	23018	C84827	C337	CONVERTER "OOO" CELL: 7 STAGE: 8 CONVE	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23019	C84828	C337	CONVERTER TYPE 999 UNIT 6 CELL 7 STA	126U267	40	19997	40292	480	0	41182	20880	697	0	0
2	735	23021	C84830	C337	CONVERTER "OOO" CELL: 5.10 STAGE: 3 CO	126 U 264	40	27210	196796	480	409.9916667	41182	13770	460	20	8199.833333
2	735	23022	C84831	C337	CONVERTER "OOO" INVENTORY 41 PAGE 19 O	126 U 249	40	19997	41273	480	0	41182	20880	697	0	0
2	735	23023	C84832	C337	CONVERTER "OOO" CELL: 6 STAGE: CONVERT	126 U 253	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23026	C84836	C337	CONVERTER "OOO" CELL: 5 STAGE: 1 CONVE	126 U 274	40	19997	93656	480	0	41182	20880	697	0	0
2	735	23027	C82502	C337	CONVERTER "OOO" INVENTORY 74 PAGE 22 O	126 U 125	40	19997	41273	480	0	41182	20880	697	0	0
2	735	23029	C84837	C337	CONVERTER "OOO" CELL: 8 STAGE: 5 CONVE	126 U 335	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23030	C84838	C337	CONVERTER "OOO" CELL: 8 STAGE: 4 CONVE	126 U 333	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23031	C84839	C337	CONVERTER "OOO" CELL: 8 STAGE: 2 CONVE	126 U 20	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23033	C84841	C337	CONVERTER "OOO" CELL: 8 STAGE: 8 CONVE	126 U 7	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23034	C84842	C337	CONVERTER "OOO" INVENTORY 74 PAGE 13 O	126 U 75	40	19997	93656	480	0	41182	20880	697	0	0
2	735	23035	C84843	C337	CONVERTER "OOO" INVENTORY 74 PAGE 1 OF	126 U 8	40	19997	93656	480	0	41182	20880	697	0	0
2	735	23037	C82503	C337	CONVERTER "OOO" CELL: 6.6 STAGE: 8 CON	126 U 15	40	19997	40292	480	0	41182	20880	697	0	0
2	735	23038	C84845	C337	CONVERTER "OOO" CELL: 6 STAGE: 8 CONVE	126 U 133	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23039	C84846	C337	CONVERTER "OOO" CELL: 5.10 STAGE: 8 CO	126 U 120	40	27210	196796	480	409.9916667	41182	13770	460	20	8199.833333
2	735	23040	C84847	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 1 CON	N/A	40	28368	218764	480	455.7583333	41182	12630	422	58	26433.98333
2	735	23041	C84848	C337	CONVERTER "OOO" INVENTORY 74 PAGE 7 OF	126 U 24	40	19997	93655	480	0	41182	20880	697	0	0
2	735	23043	C84850	C337	CONVERTER "OOO" CELL: 1.3 STAGE: 8 CON	126 U 39	40	29829	219554	480	457.4041667	41182	11190	374	106	48484.84167
2	735	23044	C82509	C337	CONVERTER "OOO" INVENTORY 74 PAGE 7 OF	126 U 21	40	19997	41272	480	0	41182	20880	697	0	0
2	735	23049	C82510	C337	CONVERTER "OOO" INVENTORY 74 PAGE 4 OF	126 U 131	40	19997	41272	480	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23050	C84855	C337	CONVERTER "OOO" CELL: 1.4 STAGE: 8 CON	126 U 42	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23052	C84856	C337	CONVERTER "OOO" INVENTORY 74 PAGE 13 O	126 U 128	40	19997	93655	480	0	41182	20880	697	0	0
2	735	23053	C84857	C337	CONVERTER "OOO" CELL: 9 STAGE: 2 CONVE	126 U 126	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23054	C84858	C337	CONVERTER "OOO" INVENTORY 74 PAGE 13 O	126 U 132	40	19997	93655	480	0	41182	20880	697	0	0
2	735	23056	C84859	C337	CONVERTER "OOO" CELL: 3.9 STAGE: 6 CON	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23057	C84860	C337	CONVERTER "OOO" CELL: 5.10 STAGE: 6 CO	126 U 17	40	27210	196796	480	409.9916667	41182	13770	460	20	8199.833333
2	735	23058	C84861	C337	CONVERTER "OOO" CELL: 8 STAGE: 7 CONVE	126 U 14	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23059	C84862	C337	CONVERTER "OOO" CELL: 9 STAGE: 1 CONVE	126 U 29	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23061	C84864	C337	CONVERTER "OOO" CELL: 2.4 STAGE: 1 CON	126 U 114	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23063	C84866	C337	CONVERTER "OOO" CELL: 5.10 STAGE: 4 CO	126 U 80	40	27210	196796	480	409.9916667	41182	13770	460	20	8199.833333
2	735	23064	C84867	C337	CONVERTER "OOO" CELL:5 STAGE: 2 CONVER	126 U 38	40	19997	40341	480	0	41182	20880	697	0	0
2	735	23065	C84868	C337	CONVERTER "OOO" INVENTORY 74 PAGE 10 O	126 U 33	40	19997	93655	480	0	41182	20880	697	0	0
2	735	23072	C84875	C337	CONVERTER TYPE 000 CELL 4 STAGE 2 CON	126U25	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23073	C84876	C337	CONVERTER "000" CELL 3.9 STAGE 3 CONVE	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23074	C84877	C337	CONVERTER TYPE 000 CELL 2 STAGE 4 CON	126U313	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23075	C84878	C337	CONVERTER TYPE 000 CELL-4 STAGE-5 CON	126U74	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23076	C84879	C337	CONVERTER TYPE 000 CELL-4 STAGE-4 CON	126U73	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23078	C84881	C337	CONVERTER TYPE 000 CELL-8 STAGE-2. CO	126U110	40	19997	38642	480	0	41182	20880	697	0	0
2	735	23080	C84883	C337	CONVERTER TYPE "000" CELL-4 STAGE-6 C	126U9	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23081	C84884	C337	CONVERTER TYPE 000 CELL-8 STAGE 5 CON	126U224	40	19997	93655	480	0	41182	20880	697	0	0
2	735	23082	C84885	C337	CONVERTER TYPE "000" CELL 5 STAGE CON	216U258	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23083	C84886	C337	CONVERTER "000" CELL 3.9 STAGE 8 CONVE	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23086	C84889	C337	CONVERTER "000" CELL 10 STAGE 8 CONVER	126U269	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23089	C84892	C337	CONVERTER "000" CELL 3.9 STAGE 5 CONVE	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23092	C84895	C337	CONVERTER "000" CELL 5.5 STAGE 1 CONVE	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23096	C84898	C337	CONVERTER TYPE 000 UNIT 5 CELL 1 STA	126U262	40	27941	217357	480	452.8270833	41182	13050	436	44	19924.39167
2	735	23097	C84899	C337	CONVERTER TYPE 000 UNIT 6 CELL 7 STA	126U265	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23102	C84902	C337	CONVERTER TYPE 000 CELL 5.9 STAGE 8 C	126U359	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23104	C84904	C337	CONVERTER "000" CELL 5 STAGE 6 CONVERT	126U294	40	19997	40341	480	0	41182	20880	697	0	0
2	735	23105	C84905	C337	CONVERTER TYPE 000 CELL 3 UNIT 2 STA	126U178	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23107	C84907	C337	CONVERTER TYPE 000 CELL-2 STAGE-5 CON	126U176	40	19997	93655	480	0	41182	20880	697	0	0
2	735	23108	C84908	C337	CONVERTER TYPE 000 CELL-2 UNIT 3 STA	126U210	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23109	C84909	C337	CONVERTER TYPE 000 CELL -2 UNIT 3 ST	126U185	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23110	C84910	C337	CONVERTER TYPE 000 CELL 7 UNIT 2 STA	126U93	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23111	C84911	C337	CONVERTER TYPE 000 CELL 3 UNIT 2 STA	126U179	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23112	C85026	C337	CONVERTER TYPE 000 CELL 7 STAGE 3. CO	126U353	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23113	C85027	C337	CONVERTER TYPE 000 CELL 7 STAGE 1 CON	126U55	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23114	C85028	C337	CONVERTER TYPE 000 CELL 7 STAGE 6 CON	126U266	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23115	C85029	C337	CONVERTER TYPE 000 CELL 3 STAGE 1 CON	126U347	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23116	C85030	C337	CONVERTER TYPE 000 CELL 7 STAGE 8 CON	126U288	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23117	C85031	C337	CONVERTER TYPE 000 CELL 8 UNIT 3 STA	126U355	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23120	C85034	C337	CONVERTER TYPE 000 CELL 2 UNIT 3 STA	126U346	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23122	C85036	C337	CONVERTER TYPE "000" CELL 8 STAGE CON	126U293	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23126	C85039	C337	CONVERTER TYPE "000" CELL 8 STAGE CON	126U373	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23127	C85040	C337	CONVERTER TYPE 000 CELL 7 STAGE 5 CON	126U610	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23131	C85044	C337	CONVERTER "OOO" CELL: 5.5 STAGE: 8 CON	N/A	40	28733	218732	480	455.6916667	41182	12270	410	70	31898.41667
2	735	23132	C85045	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 7 CON	126 U 13	40	27850	217356	480	452.825	41182	13140	439	41	18565.825
2	735	23133	C85046	C337	CONVERTER "OOO" CELL: 10 STAGE:8 CONVE	N/A	40	28276	218250	480	454.6875	41182	12720	425	55	25007.8125
2	735	23134	C85047	C337	CONVERTER "OOO" CELL: 5 STAGE: CONVERT	126 U 67	40	27575	244371	480	509.10625	41182	13410	448	32	16291.4
2	735	23135	C85048	C337	CONVERTER "OOO" CELL: 10 STAGE: CONVER	126 U 561	40	27575	244371	480	509.10625	41182	13410	448	32	16291.4
2	735	23136	C85049	C337	CONVERTER "OOO" CELL: 10 STAGE: CONVER	126 U 568	40	27575	244371	480	509.10625	41182	13410	448	32	16291.4
2	735	23138	C85051	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 3 CON	126 U 375	40	27850	217356	480	452.825	41182	13140	439	41	18565.825
2	735	23141	C85054	C337	CONVERTER "OOO" CELL: 5.9 STAGE: 1 CON	126 U 201	40	27210	238263	480	496.38125	41182	13770	460	20	9927.625
2	735	23145	C85058	C337	CONVERTER "OOO" CELL: 5.8 STAGE: 3 CON	126 U 641	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23146	C85059	C337	CONVERTER "OOO" CELL: 5.3 STAGE: 2 CON	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23147	C85060	C337	CONVERTER "OOO" CELL: 6 STAGE: 4 CONVE	126 U 632	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23148	C85061	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 8 CON	126 U 378	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23149	C85062	C337	CONVERTER "OOO" CELL: 5.7 STAGE: 8 CON	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23150	C85063	C337	CONVERTER "OOO" CELL: 10 STAGE: 3 CONV	126 U 588	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23151	C85064	C337	CONVERTER "OOO" CELL: 5.9 STAGE: 6 CON	N/A	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23152	C85065	C337	CONVERTER "OOO" CELL: 1.3 STAGE: 5 CON	126 U 569	40	29829	219554	480	457.4041667	41182	11190	374	106	48484.84167
2	735	23153	C85066	C337	CONVERTER "OOO" CELL: 1.5 STAGE: 3 CON	126 U 638	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23154	C85067	C337	CONVERTER "OOO" CELL: 10 STAGE: 2 CONV	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23155	C85068	C337	CONVERTER "OOO" CELL: 9 STAGE: 8 CONVE	126 U 647	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23156	C85069	C337	CONVERTER "OOO" CELL: 3 STAGE: 5 CONVE	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23158	C85071	C337	CONVERTER "OOO" CELL: 8.3 STAGE: 3 CON	126 U 608	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23159	C85072	C337	CONVERTER "OOO" CELL: 7.1 STAGE: 1 CON	126 U 566	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23160	C85073	C337	CONVERTER "OOO" CELL: 10 STAGE: CONVER	126 U 642	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23161	C85074	C337	CONVERTER "OOO" CELL: 10 STAGE: CONVER	126 U 635	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23162	C85075	C337	CONVERTER "OOO" CELL: 1 STAGE: 6 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23163	C85076	C337	CONVERTER "OOO" CELL: 3.2 STAGE: 2 CON	126 U 556	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23164	C85077	C337	CONVERTER "OOO" CELL: 2.6 STAGE: 2 CON	126 U 636	40	19997	40290	480	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23165	C85078	C337	CONVERTER "OOO" CELL: 5.4 STAGE: 8 CON	126 U 611	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23166	C85079	C337	CONVERTER "OOO" CELL: 5.8 STAGE: 8 CON	126 U 578	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23167	C85080	C337	CONVERTER "OOO" CELL: 5.7 STAGE: 6 CON	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23169	C85082	C337	CONVERTER "OOO" INVENTORY 76 PAGE 1 OF	126 U 565	40	19997	38641	480	0	41182	20880	697	0	0
2	735	23170	C85083	C337	CONVERTER "OOO" CELL: 10.6 STAGE: 4 CO	126 U 684	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23171	C85084	C337	CONVERTER "OOO" CELL: 6 STAGE: CONVERT	126 U 683	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23173	C85086	C337	CONVERTER "OOO" CELL: 6 STAGE: CONVERT	126 U 630	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23174	C85087	C337	CONVERTER "OOO" CELL: 4.4 STAGE: 8 CON	126 U 640	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23176	C85089	C337	CONVERTER "OOO" CELL: 6 STAGE: CONVERT	126 U 673	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23177	C85090	C337	CONVERTER "OOO" CELL: 3 STAGE: 3 CONVE	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23178	C85091	C337	CONVERTER "OOO" CELL: 3 STAGE: 2 CONVE	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23179	C85092	C337	CONVERTER "OOO" CELL: 3 STAGE: 7 CONVE	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23180	C85096	C337	CONVERTER "OOO" CELL: 3.6 STAGE: 5 CON	126 U 739	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23181	C85093	C337	CONVERTER "OOO" CELL: 6.3 STAGE: 6 CON	126 U 745	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23183	C85095	C337	CONVERTER "OOO" CELL: 10.6 STAGE: 6 CO	126 U 667	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23184	C85097	C337	CONVERTER "OOO" CELL: 2.9 STAGE: 1 CON	126 U 672	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23185	C85098	C337	CONVERTER TYPE 000 CELL 5.9 STAGE 4 C	126U670	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23186	C85099	C337	CONVERTER "000" CELL 7 STAGE 6 CONVERT	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23187	C85100	C337	CONVERTER "000" CELL 5.8 STAGE 5 CONVE	126U731	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23189	C85102	C337	CONVERTER TYPE 000 CELL 2 STAGE 1 CON	126U678	40	19997	93654	480	0	41182	20880	697	0	0
2	735	23190	C85103	C337	CONVERTER "000" CELL 5 STAGE 7 CONVERT	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23191	C85104	C337	CONVERTER TYPE 000 CELL 3 STAGE 5 CON	126U747	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23192	C85105	C337	CONVERTER TYPE "000" CELL 6 STAGE 1 C	126U737	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23193	C85106	C337	CONVERTER "000" CELL 7 STAGE 1 CONVERT	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23194	C85107	C337	CONVERTER TYPE 000 UNIT 1 CELL 7 STAG	126U827	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23195	C85108	C337	CONVERTER TYPE 000 UNIT 1 CELL 7 STA	126U810	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23196	C85109	C337	CONVERTER TYPE 000 UNIT 1 CELL 7 STAG	126U842	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23197	C85110	C337	CONVERTER "000" CELL 6 UNIT 6 STAGE 1	126U837	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23198	C85111	C337	CONVERTER TYPE 000 CELL 8 UNIT 3 STA	126U831	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23199	C85112	C337	CONVERTER "000" CELL 10 STAGE 6 CONVER	126U826	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23200	C85113	C337	CONVERTER TYPE 000 UNIT 1 CELL 7 STA	126U821	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23201	C85114	C337	CONVERTER "000" CELL 5.4 STAGE 7 CONVE	126U832	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23202	C85115	C337	CONVERTER "000" CELL 5.8 STAGE 7 CONVE	126U813	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23203	C85116	C337	CONVERTER "000" CELL 5.8 STAGE 6 CONVE	126U806	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23204	C85117	C337	CONVERTER "000" CELL 5.4 STAGE 2 CONVE	126U829	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23206	C85119	C337	CONVERTER "000" CELL 9 STAGE 3 CONVERT	126U848	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23212	C85124	C337	ONVERTER TYPE 000 CELL 5.10 STAGE 1 C	126U692	40	27210	196795	480	409.9895833	41182	13770	460	20	8199.791667
2	735	23213	C85125	C337	CONVERTER "000" CELL 5 STAGE 4 CONVERT	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23217	C84914	C337	CONVERTER TYPE 000 CELL 5.9 STAGE 7 C	126U854	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23218	C84915	C337	CONVERTER "000" CELL 10 STAGE 1 CONVER	125U868	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23220	C84917	C337	CONVERTER "000" CELL 5.7 STAGE 2 CONVE	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23221	C84918	C337	CONVERTER "000" CELL 5.4 STAGE 1 CONVE	126U864	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23222	C84919	C337	CONVERTER "000" CELL 9 STAGE 6 CONVERT	126U836	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23223	C84920	C337	CONVERTER "000" CELL 5.4 STAGE 3 CONVE	126U819	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23224	C84921	C337	CONVERTER "000" CELL 5.4 STAGE 5 CONVE	126U853	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23225	C84922	C337	CONVERTER "000" CELL 5.5 STAGE 6 CONVE	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23226	C84923	C337	CONVERTER "000" CELL 5.5 STAGE 4 CONVE	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23228	C84924	C337	CONVERTER TYPE 000 CELL 2.9 STAGE 4 C	126U894	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23229	C84925	C337	CONVERTER TYPE "000" CELL 8 STAGE CON	126U891	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23230	C84926	C337	CONVERTER TYPE "000" CELL 5 STAGE CON	126U841	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23231	C84927	C337	CONVERTER "000" CELL 3 STAGE 4. CONVER	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23232	C84928	C337	CONVERTER TYPE 000 CELL 5.9 STAGE 3 C	126U887	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23233	C84929	C337	CONVERTER TYPE "000" CELL 5 STAGE CON	126U885	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23234	C84930	C337	CONVERTER "000" CELL 3 STAGE 1 CONVERT	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23235	C84931	C337	CONVERTER TYPE 000 UNIT 6 CELL 7 STA	126U703	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23237	C84933	C337	CONVERTER "000" CELL 3.9 STAGE 1 CONVE	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23239	C84934	C337	CONVERTER TYPE 000 CELL-3 STAGE-6. CO	126U889	40	19997	38641	480	0	41182	20880	697	0	0
2	735	23240	C84935	C337	CONVERTER "000" CELL 5.5 STAGE 7 CONVE	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23241	C84936	C337	CONVERTER TYPE 000 CELL 1 UNIT 4 STA	126U895	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23242	C84937	C337	CONVERTER TYPE 000 CELL 1 UNIT 4 STA	126U872	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23243	C84938	C337	CONVERTER TYPE 000 CELL1 UNIT 4 STAG	126U840	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23244	C84939	C337	CONVERTER "OOO" CELL: 4.3 STAGE: 1 CON	126 U 876	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23245	C84940	C337	CONVERTER "OOO" CELL: 8.3 STAGE: 7 CON	126 U 701	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23246	C84941	C337	CONVERTER "OOO" CELL: 8.3 STAGE: 6 CON	126 U 886	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23247	C84942	C337	CONVERTER "OOO" CELL: 4 STAGE: CONVERT	126 U 914	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23248	C84943	C337	CONVERTER "OOO" CELL: 2.4 STAGE: 8 CON	126 U 860	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23249	C84944	C337	CONVERTER "OOO" CELL: 2.4 STAGE: 6 CON	121550	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23250	C84945	C337	CONVERTER 000	N/A	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23251	C84946	C337	CONVERTER "OOO" CELL: 2.4 STAGE: 4 CON	126 U 689	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23252	C84947	C337	CONVERTER "OOO" CELL: 2.9 STAGE: 5 CON	126 U 875	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23253	C84948	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 1 CON	126 U 920	40	27210	39061	480	81.37708333	41182	13770	460	20	1627.541667
2	735	23254	C84949	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 2 CON	126 U 916	40	27210	39061	480	81.37708333	41182	13770	460	20	1627.541667

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23255	C84950	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 3 CON	126 U 911	40	27210	39061	480	81.37708333	41182	13770	460	20	1627.541667
2	735	23256	C84951	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 8 CON	126 U 939	40	27210	91444	480	190.5083333	41182	13770	460	20	3810.166667
2	735	23257	C84952	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 5 CON	126 U 922	40	27210	39061	480	81.37708333	41182	13770	460	20	1627.541667
2	735	23258	C84953	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 4 CON	126 U 852	40	27210	39061	480	81.37708333	41182	13770	460	20	1627.541667
2	735	23261	C84954	C337	CONVERTER "OOO" CELL: 1.4 STAGE: 3 CON	126 U 948	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23262	C84955	C337	CONVERTER "OOO" CELL: 1.4 STAGE: 2 CON	126 U 950	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23263	C84956	C337	CONVERTER "OOO" CELL: 1.4 STAGE: 7 CON	126 U 938	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23264	C84957	C337	CONVERTER "OOO" CELL: 1.4 STAGE: 1 CON	126 U 954	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23265	C84958	C337	CONVERTER "OOO" CELL: 1.5 STAGE: 7 CON	126 U 912	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23266	C84959	C337	CONVERTER "OOO" CELL: 3 UNIT: 2 STAGE	126 U 924	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23267	C84960	C337	CONVERTER "OOO" CELL: 2 UNIT: 4 STAGE	126 U 932	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23268	C84961	C337	CONVERTER "OOO" CELL: 8 UNIT: 3 STAGE	126 U 851	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23270	C84962	C337	CONVERTER "OOO" CELL: 2 UNIT: 4 STAGE	126 U 839	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23271	C84963	C337	CONVERTER "OOO" CELL: 4 UNIT: 4 STAGE	126 U 787	40	28003	217356	480	452.825	41182	12990	434	46	20829.95
2	735	23272	C84964	C337	CONVERTER "OOO" INVENTORY 76 PAGE 10 O	126 U 892	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23273	C84965	C337	CONVERTER "OOO" INVENTORY 76 PAGE 10 O	126 U 844	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23274	C84966	C337	CONVERTER "OOO" CELL: 5.10 STAGE: 5 CO	126 U 905	40	27210	196796	480	409.9916667	41182	13770	460	20	8199.833333
2	735	23275	C84967	C337	CONVERTER "OOO" CELL: 10 STAGE: 7 CONV	126 U 873	40	19997	38641	480	0	41182	20880	697	0	0
2	735	23276	C84968	C337	CONVERTER "OOO" INVENTORY 76 PAGE 10 O	126 U 945	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23279	C84971	C337	CONVERTER "OOO" CELL: 9 STAGE: CONVERT	126 U 698	40	27606	244372	480	509.1083333	41182	13380	447	33	16800.575
2	735	23281	C84973	C337	CONVERTER "OOO" CELL: 9 STAGE: 5 CONVE	126 U 857	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23282	C84974	C337	CONVERTER "OOO" UNIT: 3 CELL: 6 STAGE	126 U 717	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23285	C84977	C337	CONVERTER "OOO" CELL: 9 STAGE: 7 CONVE	126 U 662	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23286	C84978	C337	CONVERTER "OOO" CELL: 5 STAGE: 8 CONVE	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23287	C84979	C337	CONVERTER "OOO" CELL: 9 STAGE: 6 CONVE	126 U 791	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23288	C84980	C337	CONVERTER "OOO" CELL: 9 STAGE: 3 CONVE	126 U 699	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23289	C84981	C337	CONVERTER "OOO" CELL: 4 STAGE: CONVERT	126 U 899	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23290	C84982	C337	CONVERTER "OOO" CELL: 4 STAGE: CONVERT	126 U 819	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23291	C84983	C337	CONVERTER "OOO" INVENTORY 80 PAGE 2 OF	126 U 961	40	19997	93654	480	0	41182	20880	697	0	0
2	735	23292	C84984	C337	CONVERTER "OOO" CELL: 7 STAGE: 2 CONVE	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23293	C84985	C337	CONVERTER "OOO" INVENTORY 80 PAGE 2 OF	126 U 972	40	19997	93654	480	0	41182	20880	697	0	0
2	735	23294	C84986	C337	CONVERTER "OOO" CELL: 7 STAGE: 3 CONVE	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23295	C85127	C337	CONVERTER "OOO" CELL: 3.9 STAGE: 2 CON	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23300	C85132	C337	CONVERTER "OOO" CELL: 3 STAGE: 6 CONVE	N/A	40	28306	216448	480	450.9333333	41182	12690	424	56	25252.26667
2	735	23302	C85134	C337	CONVERTER "OOO" CELL: 8 STAGE: 6 CONVE	126 U 974	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23304	C85136	C337	CONVERTER "OOO" CELL: 9 STAGE: 4 CONVE	126 U 973	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23310	C85142	C337	CONVERTER "OOO" CELL: 9 STAGE: CONVERT	126 U 239	40	27606	244372	480	509.1083333	41182	13380	447	33	16800.575
2	735	23311	C85143	C337	CONVERTER "OOO" CELL: 1 UNIT: 5 STAGE	126 U 967	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23312	C85145	C337	CONVERTER "OOO" CELL: 1 UNIT: 5 STAGE	126 U 970	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23320	C85153	C337	CONVERTER "OOO" CELL: 5.7 STAGE: 3 CON	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23321	C85154	C337	CONVERTER "OOO" CELL: 6 STAGE: 5 CONVE	126 U 993	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23322	C85155	C337	CONVERTER "OOO" CELL: 10 STAGE: 5 CONV	N/A	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23323	C85156	C337	CONVERTER "OOO" INVENTORY 80 PAGE 8 OF	126 U 988	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23324	C85157	C337	CONVERTER "OOO" CELL: 6 STAGE: 2 CONVE	126 U 994	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23325	C85158	C337	CONVERTER "OOO" CELL: 5.7 STAGE: 4 CON	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23326	C85159	C337	CONVERTER "OOO" CELL: 5.5 STAGE: 2 CON	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23331	C85164	C337	CONVERTER "OOO" CELL: 6 UNIT: 6 STAGE	126 U 1024	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23334	C85167	C337	CONVERTER "OOO" CELL: 3 UNIT: 2 STAGE	126 U 1013	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23337	C85170	C337	CONVERTER "OOO" INVENTORY 79 SHEET 4 O	126 U 1002	40	19997	93654	480	0	41182	20880	697	0	0
2	735	23338	C85171	C337	CONVERTER "OOO" UNIT: 5 CELL: 1 STAGE	126 U 1036	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23339	C85172	C337	CONVERTER "OOO" INVENTORY 79 SHEET 4 O	126 U 1037	40	19997	38641	480	0	41182	20880	697	0	0
2	735	23340	C85173	C337	CONVERTER "OOO" UNIT: 5 CELL: 1 STAGE	126 U 1063	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23341	C85174	C337	CONVERTER "OOO" CELL: 4 STAGE: CONVERT	126 U 1010	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23342	C85175	C337	CONVERTER "OOO" CELL: 1.8 STAGE: 1 CON	126 U 1035	40	29098	224747	480	468.2229167	41182	11910	398	82	38394.27917
2	735	23343	C85176	C337	CONVERTER "OOO" CELL: 6 STAGE: CONVERT	126 U 727	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23344	C85177	C337	CONVERTER "OOO" CELL: 6 UNIT: 4 STAGE	126 U 789	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23345	C85178	C337	CONVERTER "OOO" CELL: 5.9 STAGE: 5 CON	126 U 1049	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23346	C85179	C337	CONVERTER "OOO" INVENTORY 79 SHEET 4 O	126 U 1061	40	19997	38641	480	0	41182	20880	697	0	0
2	735	23347	C85180	C337	CONVERTER "OOO" CELL: 5.9 STAGE: 2 CON	126 U 1056	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23349	C85181	C337	CONVERTER "000" CELL:9 STAGE:7 CONVERT	126U1068	40	19997	92723	480	0	41182	20880	697	0	0
2	735	23350	C85182	C337	CONVERTER "OOO" CELL: 6 UNIT: 4 STAGE	126 U 1057	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23351	C85183	C337	CONVERTER "OOO" CELL: 5.7 STAGE: 7 CON	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23352	C85184	C337	CONVERTER "OOO" CELL: 6 UNIT: 4 STAGE	126 U 1092	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23353	C85185	C337	CONVERTER TYPE 000 UNIT 6 CELL 7 STA	126U1067	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23354	C85186	C337	CONVERTER "000" CELL:9 STAGE:1 CONVERT	126U1071	40	19997	92723	480	0	41182	20880	697	0	0
2	735	23356	C85188	C337	CONVERTER "OOO" CELL: 1 UNIT: 7 STAGE	126 U 1015	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23357	C85189	C337	CONVERTER "OOO" CELL: 10 UNIT: 6 STAG	126 U 1074	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23360	C85191	C337	CONVERTER "OOO" CELL: STAGE: CONVERTE	126 U 1030	40	19997	91024	480	0	41182	20880	697	0	0
2	735	23361	C85192	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 6 CON	126 U 1048	40	27180	39061	480	81.37708333	41182	13800	461	19	1546.164583
2	735	23362	C85193	C337	CONVERTER "OOO" CELL: 9 STAGE: 2 CONVE	126 U 1106	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23367	C85198	C337	CONVERTER "OOO" CELL: 9 STAGE: 1 CONVE	126 U 1012	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23368	C85199	C337	CONVERTER "OOO" CELL: 2 UNIT:6 STAGE:	126 U 1060	40	19997	40290	480	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23370	C85201	C337	CONVERTER "OOO" CELL: 8 STAGE: 4 UNIT	126 U 1127	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23372	C85203	C337	CONVERTER "OOO" CELL: 5.2 STAGE: 6 CON	126 U 1033	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23376	C85207	C337	CONVERTER "OOO" CELL: 3.9 STAGE: 1 CON	N/A	40	28337	216448	480	450.9333333	41182	12660	423	57	25703.2
2	735	23377	C85208	C337	CONVERTER "OOO" INVENTORY 79 SHEET 3 O	126 U 1155	40	19997	41271	480	0	41182	20880	697	0	0
2	735	23378	C85209	C337	CONVERTER "OOO" CELL: 10 STAGE: 7 CONV	126 U 1143	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23379	C85210	C337	CONVERTER "OOO" INVENTORY 79 SHEET 3 O	126 U 1020	40	19997	93654	480	0	41182	20880	697	0	0
2	735	23380	C85211	C337	CONVERTER "OOO" UNIT: 5 CELL: 1 STAGE	126 U 1088	40	27941	217356	480	452.825	41182	13050	436	44	19924.3
2	735	23381	C85212	C337	CONVERTER "OOO" CELL: 2 UNIT: 3 STAGE	126 U 1133	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23382	C85213	C337	CONVERTER "OOO" CELL:5 STAGE: 8 UNIT:	126 U 1135	40	27880	228635	480	476.3229167	41182	13110	438	42	20005.5625
2	735	23383	C85214	C337	CONVERTER "OOO" CELL: 2 UNIT:3 STAGE:	126 U 1051	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23384	C85215	C337	CONVERTER "OOO" CELL: 5 UNIT: 4 STAGE	126 U 1134	40	27880	228635	480	476.3229167	41182	13110	438	42	20005.5625
2	735	23385	C85216	C337	CONVERTER "OOO" CELL:2 UNIT: 3 STAGE:	126 U 1132	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23386	C85217	C337	CONVERTER "OOO" CELL: 2 UNIT: 3 STAGE	126 U 1065	40	27850	217357	480	452.8270833	41182	13140	439	41	18565.91042
2	735	23387	C85218	C337	CONVERTER "OOO" CELL: 5.2 STAGE: 3 CON	126 U 1178	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23388	C85219	C337	CONVERTER "OOO" CELL: 5.2 STAGE: 7 CON	126 U 1039	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23389	C85220	C337	CONVERTER "OOO" CELL: 5.2 STAGE: 5 CON	126 U 1050	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23390	C85221	C337	CONVERTER "OOO" CELL: 6.4 STAGE: 7 CON	126 U 1128	40	27210	39061	480	81.37708333	41182	13770	460	20	1627.541667
2	735	23391	C85222	C337	CONVERTER "OOO" CELL: 8 STAGE: 1 UNIT	126 U 1129	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23392	C85223	C337	CONVERTER "OOO" CELL: 10 UNIT: 6 STAG	126 U 1042	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23393	C85224	C337	CONVERTER TYPE 000 UNIT 1 CELL 7 STA	126U1041	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23394	C85225	C337	CONVERTER "OOO" CELL: 6 UNIT: 6 STAGE	126 U 1091	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23395	C85226	C337	CONVERTER "OOO" CELL: 1.2 STAGE: 4 CON	126 U 1107	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23396	C85227	C337	CONVERTER "OOO" CELL: 1.2 STAGE: 5 CON	126 U 1183	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23397	C85228	C337	CONVERTER "OOO" CELL:6 UNIT: 6 STAGE:	126 U 1087	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23398	C85229	C337	CONVERTER "OOO" CELL: 8 STAGE: 6 UNIT	126 U 1040	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23399	C85230	C337	CONVERTER "OOO" CELL:10 UNIT: 6 STAGE	126 U 1142	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23400	C85231	C337	CONVERTER "OOO" CELL: 5 STAGE: 3 UNIT	126 U 1187	40	27880	228635	480	476.3229167	41182	13110	438	42	20005.5625
2	735	23401	C85232	C337	CONVERTER "OOO" CELL: 8 STAGE: 2 UNIT	126 U 1028	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23402	C85233	C337	CONVERTER TYPE 000 UNIT 1 CELL 7 STA	126U1131	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23403	C85234	C337	CONVERTER "OOO" CELL: 1.2 STAGE: 1 CON	126 U 1089	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23405	C85236	C337	CONVERTER "OOO" CELL: 5.2 STAGE: 2 CON	126 U 1136	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23406	C85237	C337	CONVERTER "OOO" CELL: 6 UNIT: 6 STAGE	126 U 1185	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23407	C85238	C337	CONVERTER "OOO" CELL: 9 STAGE: 5 CONVE	126 U 1121	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23408	C85239	C337	CONVERTER "OOO" CELL: 9 STAGE: 4 CONVE	126 U 1182	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23409	C85240	C337	CONVERTER 000	N/A	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23410	C85241	C337	CONVERTER "OOO" CELL: 2 UNIT: 6 STAGE	126 U 1156	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23411	C85242	C337	CONVERTER "OOO" CELL: 5.7 STAGE: 5 CON	N/A	40	28733	218733	480	455.69375	41182	12270	410	70	31898.5625
2	735	23412	C85243	C337	CONVERTER TYPE 000 INUT 6 CELL 7 STA	126U1118	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23413	C85244	C337	CONVERTER "OOO" CELL: 5 STAGE: 1 CONVE	126 U 1213	40	27880	228635	480	476.3229167	41182	13110	438	42	20005.5625
2	735	23414	C85245	C337	CONVERTER "OOO" CELL: 5 STAGE: 5 UNIT	126 U 1113	40	27880	228635	480	476.3229167	41182	13110	438	42	20005.5625
2	735	23415	C85246	C337	CONVERTER "OOO" CELL: 2 UNIT: 6 STAGE	126 U 1273	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23417	C85248	C337	CONVERTER "OOO" CELL: 8 UNIT: 3 STAGE	126 U 1259	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23418	C85249	C337	CONVERTER "OOO" CELL: 10 STAGE: 5 CONV	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23420	C85251	C337	CONVERTER "OOO" CELL: 5.2 STAGE: CONVE	126 U 1268	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23421	C85252	C337	CONVERTER "OOO" CELL: 10 STAGE: 3 CONV	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23422	C85253	C337	CONVERTER "000" CELL 5 UNIT 1 STAGE 1	126U1264	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23423	C85254	C337	CONVERTER "000" CELL 8 UNIT 6 STAGE 8	126U1007	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23424	C85255	C337	CONVERTER "000" CELL 6 STAGE 1 CONVERT	126U1214	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23425	C85256	C337	CONVERTER "000" CELL 8 STAGE 7 UNIT 6	126U1044	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23426	C85257	C337	CONVERTER "000" CELL 6.10 STAGE 3 CONV	N/A	40	29311	273077	480	568.9104167	41182	11700	391	89	50633.02708
2	735	23427	C85258	C337	CONVERTER "000" CELL 10 STAGE 4 CONVER	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23428	C85259	C337	CONVERTER "000" CELL 10 STAGE 1 CONVER	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23429	C85260	C337	CONVERTER "000" CELL 8 STAGE 3 UNIT 6	126U1207	40	19997	92673	480	0	41182	20880	697	0	0
2	735	23430	C85261	C337	CONVERTER "000" CELL 10 STAGE 7 CONVER	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23431	C85262	C337	CONVERTER "000" CELL 5.8 STAGE 2 CONVE	126U1204	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23432	C82508	C337	CONVERTER "000" CELL 2 UNIT 6 STAGE 4	126U1224	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23433	C85263	C337	CONVERTER "000" CELL 2 UNIT 6 STAGE 1	126U1208	40	19997	40290	480	0	41182	20880	697	0	0
2	735	23434	C85264	C337	CONVERTER "000" CELL 9 STAGE 7 CONVERT	126U1271	40	19997	40340	480	0	41182	20880	697	0	0
2	735	23435	C85265	C337	CONVERTER "000" CELL 5.4 STAGE 6 CONVE	126U1229	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23436	C85266	C337	CONVERTER TYPE 000 CELL 8 UNIT 3 STA	126U1085	40	27759	217356	480	452.825	41182	13230	442	38	17207.35
2	735	23437	C85267	C337	CONVERTER "000" CELL:9 STAGE:2 CONVERT	126U1235	40	19997	92723	480	0	41182	20880	697	0	0
2	735	23439	C85269	C337	CONVERTER "000" CELL 6 STAGE 3 CONVERT	126U1166	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23444	C85274	C337	CONVERTER "000" CELL 6 STAGE 6 CONVERT	126U1190	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23446	C85276	C337	CONVERTER "000" CELL:9 STAGE:6. CONVER	126U1231	40	19997	92723	480	0	41182	20880	697	0	0
2	735	23447	C85277	C337	CONVERTER "000" CELL 8 STAGE 1 CONVERT	126U1180	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23448	C85278	C337	CONVERTER TYPE 000 CELL 6 STAGE 3 CON	126U1083	40	19997	93654	480	0	41182	20880	697	0	0
2	735	23450	C85280	C337	CONVERTER TYPE 000 CELL 6 STAGE 1 CON	126U1181	40	19997	93654	480	0	41182	20880	697	0	0
2	735	23451	C85281	C337	CONVERTER "000" CELL 6 STAGE 7 CONVERT	126U1172	40	28184	206932	480	431.1083333	41182	12810	428	52	22417.63333
2	735	23454	C85284	C337	CONVERTER "000" CELL 5 UNIT 4 STAGE 6	126U1171	40	27880	228634	480	476.3208333	41182	13110	438	42	20005.475
2	735	23456	C85286	C337	CONVERTER "000" CELL 5.2 STAGE 4 CONVE	126U1193	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23457	C85287	C337	CONVERTER "000" CELL -5 STAGE 4 UNIT	126U1201	40	27880	228634	480	476.3208333	41182	13110	438	42	20005.475
2	735	23459	C85289	C337	CONVERTER TYPE "OOO" CELL: 5	126 U 1146	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23460	C85290	C337	CONVERTER TYPE 000 CELL 2.9 STAGE 7 C	126U1164	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23461	C85291	C337	CONVERTER "000" CELL 1.2 STAGE 7 CONVE	126U1163	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23462	C85292	C337	CONVERTER "000" CELL 1.2 STAGE 3 CONVE	126U1257	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23463	C85293	C337	CONVERTER "000" CELL 1.2 STAGE 6 CONVE	126U1130	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23465	C85295	C337	CONVERTER "000" CELL 1.2 STAGE 2 CONVE	126U1262	40	28763	218426	480	455.0541667	41182	12240	409	71	32308.84583
2	735	23467	C85297	C337	CONVERTER TYPE 000 CELL 2.9 STAGE 3 C	126U1140	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23468	C85298	C337	CONVERTER TYPE "000" CELL 5 STAGE CON	126U1197	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23469	C85299	C337	CONVERTER TYPE "000" CELL 5 STAGE CONV	126U1082	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23471	C85301	C337	CONVERTER TYPE 000 CELL 2.9 STAGE 6 C	126U1147	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23472	C85302	C337	CONVERTER TYPE "000" CELL 5 STAGE CON	126U1120	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23474	C85304	C337	CONVERTER TYPE 000 CELL 2.9 STAGE 2 C	126U1198	40	27210	238264	480	496.3833333	41182	13770	460	20	9927.666667
2	735	23477	C85307	C337	CONVERTER "000" CELL 10 STAGE 6 CONVER	N/A	40	28276	218251	480	454.6895833	41182	12720	425	55	25007.92708
2	735	23478	C85308	C337	CONVERTE3R TYPE "000" CELL 8 STAGE CO	126U1216	40	27575	244372	480	509.1083333	41182	13410	448	32	16291.46667
2	735	23481	C85311	C337	CONVERTER "000" CELL:5 STAGE:2 UNIT:4 CO	126 U 1174	40	27880	228326	480	475.6791667	41182	13110	438	42	19978.525
2	735	23483	C85313	C337	CONVERTER "000" CELL:10 STAGE:2 UNIT:6 C	126 U 407	40	19997	91006	480	0	41182	20880	697	0	0
2	735	23484	C85314	C337	CONVERTER TYPE 000 STAGE:5 CONVERTER 000	126 U 526	40	27941	217048	480	452.1833333	41182	13050	436	44	19896.06667
2	735	23502	C82346	C337	HEAT EXCHANGER TYPE DB432-H SIZE 12-120	MV 7202 2	20	19755	2500	240	0	41182	21120	705	0	0
2	735	23511	C82347	C337	HEAT EXCHANGER SHELL + TYPE BOOSTER STAT	MV 7202 1	20	19755	4912	240	0	41182	21120	705	0	0
2	735	23515	C82028	C337	HEAT EXCHANGER TYPE DB-432H SHELL + TUBE	MV 7205 1	20	19997	7311	240	0	41182	20880	697	0	0
2	735	23516	C82029	C337	HEAT EXCHANGER TYPE DB-432H SHELL + TUBE	MV 7205 2	20	19997	7313	240	0	41182	20880	697	0	0
2	735	23517	C82030	C337	HEAT EXCHANGER TYPE DB-432H SHELL + TUBE	MV 7205 4	20	19997	7313	240	0	41182	20880	697	0	0
2	735	23518	C82354	C337	HEAT EXCHANGER SIZE 15-120 MAX TEMP 280	MV 7677 12	20	19997	4543	240	0	41182	20880	697	0	0
2	735	23521	C78322	C337	HEAT EXCHANGER TYPE TU-U CELL #6 HEAT EX	NB 2505	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23522	C78270	C337	HEAT EXCHANGER TYPE TU-U CELL #8 HEAT EX	NB 2506	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23525	C78345	C337	HEAT EXCHANGER TYPE TU-U-13 CELL #3 HEAT	N B 2500	20	19755	23686	240	0	41182	21120	705	0	0
2	735	23526	C78307	C337	HEAT EXCHANGER TYPE TU-U CELL #5 HEAT EX	N B 2508	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23528	C78271	C337	HEAT EXCHANGER TYPE TU-U CELL #9 HEAT EX	N B 2515	20	19755	23686	240	0	41182	21120	705	0	0
2	735	23540	C78293	C337	HEAT EXCHANGER SHELL + TUBE TYPE CELL 4	2530	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23541	C78360	C337	HEAT EXCHANGER SHELL + TUBE TYPE CELL 6	2531	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23543	C78296	C337	HEAT EXCHANGER SHELL + TUBE TYPE CELL 10	2519	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23552	C78359	C337	HEAT EXCHANGER SHELL + TUBE TYPE CELL 7	2539	20	19755	23685	240	0	41182	21120	705	0	0
2	735	23557	C78298	C337	HEAT EXCHANGER SHELL + TUBE TYPE CELL	2524	20	19755	23684	240	0	41182	21120	705	0	0
2	735	23561	C78313	C337	HEAT EXCHANGER SHELL + TUBE TYPE CELL	2610	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23563	C78354	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2613	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23566	C78279	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2622	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23567	C78278	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2607	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23568	C78371	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2603	20	19997	19284	240	0	41182	20880	697	0	0
2	735	23570	C78320	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2611	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23571	C78311	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2625	20	19997	19284	240	0	41182	20880	697	0	0
2	735	23572	C78312	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2624	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23573	C78285	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2623	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23574	C78286	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2619	20	19997	19284	240	0	41182	20880	697	0	0
2	735	23575	C78282	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2626	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23576	C78281	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2621	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23577	C78274	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2632	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23580	C78309	C337	HEAT EXCHANGER SHELL AND TUBE TYPE SHE	2765	20	19997	19026	240	0	41182	20880	697	0	0
2	735	23582	C78321	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2616	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23584	C78310	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2630	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23585	C78287	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2628	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23586	C78288	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2633	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23587	C78290	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2644	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23588	C78289	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2642	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23589	C78272	C337	HEAT EXCHANGER SHELL ADN TUBE TYPE CEL	2636	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23590	C78284	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2638	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23591	C78280	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2604	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23594	C78266	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2634	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23595	C78297	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2635	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23598	C78292	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2640	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23599	C78268	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2641	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23600	C78267	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2643	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23601	C78269	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2608	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23602	C78323	C337	HEAT EXCHANGER SHELL ADN TUBE TYPE CEL	2591	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23603	C78305	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2543	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23604	C78306	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2548	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23605	C78295	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2552	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23608	C78294	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2562	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23609	C78291	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2553	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23610	C78265	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2590	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23611	C78264	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2545	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23612	C78324	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2551	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23613	C78303	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2589	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23614	C78304	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2549	20	19997	23067	240	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23615	C78302	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2556	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23616	C78301	C337	HEAT EXCHANGER	2555	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23617	C78300	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2559	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23618	C78299	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2576	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23619	C78262	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2563	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23620	C78261	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2560	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23621	C78263	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2546	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23623	C79133	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2646	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23624	C78333	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CELL	2647	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23625	C78337	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2648	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23626	C81301	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2649	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23627	C78377	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2655	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23628	C78376	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2654	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23629	C78374	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2657	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23630	C78375	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2661	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23631	C78315	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2662	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23634	C78373	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2650	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23639	C78382	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2660	20	19997	19286	240	0	41182	20880	697	0	0
2	735	23641	C78381	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2659	20	19997	19285	240	0	41182	20880	697	0	0
2	735	23642	C78327	C337	HEAT EXCHANGER WP SHELL 400 TUBE 120 T	2542	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23643	C78343	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2564	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23644	C78342	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2566	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23657	C78308	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2575	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23662	C78325	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2550	20	19997	23067	240	0	41182	20880	697	0	0
2	735	23663	C78351	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2574	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23664	C78350	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2573	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23665	C78353	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	2581	20	19997	23066	240	0	41182	20880	697	0	0
2	735	23666	C78352	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2579	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23667	C78355	C337	HEAT EXCHANGER SHELL AND TUBE TYPE CEL	NB2593	20	19997	23065	240	0	41182	20880	697	0	0
2	735	23704	C79086	C337	COMPRESSOR AXIAL FLOW CELL 5.7 STAGE	N/A	40	28733	126284	480	263.0916667	41182	12270	410	70	18416.41667
2	735	23705	C79276	C337	COMPRESSOR AXIAL FLOW CELL 5.7 STAGE	N/A	40	28733	126283	480	263.0895833	41182	12270	410	70	18416.27083
2	735	23707	C79171	C337	COMPRESSOR AXIAL FLOW CELL 5.3 STAGE	N/A	40	28733	107801	480	224.5854167	41182	12270	410	70	15720.97917
2	735	23711	C79049	C337	COMPRESSOR AXIAL FLOW CELL 3 STAGE 7	N/A	40	28306	131879	480	274.7479167	41182	12690	424	56	15385.88333
2	735	23712	C79051	C337	COMPRESSOR AXIAL FLO	N/A	40	28306	131879	480	274.7479167	41182	12690	424	56	15385.88333
2	735	23716	C79097	C337	COMPRESSOR AXIAL FLOW CELL 1 STAGE 1	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23717	C79040	C337	COMPRESSOR AXIAL FLOW CELL 3.9 STAGE	N/A	40	28337	131880	480	274.75	41182	12660	423	57	15660.75
2	735	23718	C79056	C337	COMPRESSOR AXIAL FLOW CELL 1 STAGE 2	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23719	C79244	C337	COMPRESSOR AXIAL FLOW CELL 3.9 STAGE	N/A	40	28337	131880	480	274.75	41182	12660	423	57	15660.75
2	735	23720	C79309	C337	COMPRESSOR AXIAL FLOW CELL 1.2 STAGE	57B18703L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	23722	C79241	C337	COMPRESSOR AXIAL FLOW CELL 5.7 STAGE	N/A	40	28733	126284	480	263.0916667	41182	12270	410	70	18416.41667
2	735	23724	C79279	C337	COMPRESSOR AXIAL FLOW CELL 3.1 STAGE	N/A	40	28337	150363	480	313.25625	41182	12660	423	57	17855.60625
2	735	23725	C79308	C337	COMPRESSOR AXIAL FLOW CELL 1.2 STAGE	57B18690R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	23726	C78997	C337	COMPRESSOR AXIAL FLOW CELL 6.7 STAGE	57B18691R	40	29280	107801	480	224.5854167	41182	11730	392	88	19763.51667
2	735	23728	C79093	C337	COMPRESSOR AXIAL FLOW CELL 7 STAGE 4	N/A	40	28306	150362	480	313.2541667	41182	12690	424	56	17542.23333
2	735	23737	C79293	C337	COMPRESSOR AXIAL FLOW CELL 6.4 STAGE	57B18755R	40	28975	107801	480	224.5854167	41182	12030	402	78	17517.6625
2	735	23739	C79294	C337	COMPRESSOR AXIAL FLOW CELL 1.8 STAGE	57B18761R	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23742	C79225	C337	COMPRESSOR AXIAL FLOW CELL 5.7 STAGE	N/A	40	28733	126284	480	263.0916667	41182	12270	410	70	18416.41667
2	735	23743	C79000	C337	AXIAL FLOW COMPRESSOR CELL-2 STAGE-2 C	57B18760R	40	19997	59762	480	0	41182	20880	697	0	0
2	735	23745	C79039	C337	COMPRESSOR AXIAL FLOW CELL 3.9 STAGE	N/A	40	28337	131880	480	274.75	41182	12660	423	57	15660.75
2	735	23749	C79296	C337	COMPRESSOR AXIAL FLOW CELL 1.8 STAGE	57B18779R	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23750	C79364	C337	COMPRESSOR AXIAL FLOW CELL 1.8 STAGE	57B18766L	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23759	C79104	C337	COMPRESSOR AXIAL FLOW CELL 3 STAGE 8	N/A	40	28306	131879	480	274.7479167	41182	12690	424	56	15385.88333
2	735	23760	C79295	C337	COMPRESSOR AXIAL FLOW CELL 1.8 STAGE	57B18803R	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23762	C79141	C337	COMPRESSOR AXIAL FLOW CELL 9 STAGE 7	N/A	40	28276	150363	480	313.25625	41182	12720	425	55	17229.09375
2	735	23766	C79361	C337	COMPRESSOR AXIAL FLOW CELL 1.8 STAGE	57818815L	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23772	C79053	C337	COMPRESSOR AXIAL FLOW CELL 1 STAGE 8	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23774	C78978	C337	COMPRESSOR AXIAL FLOW CELL 7 STAGE 1	N/A	40	28306	150362	480	313.2541667	41182	12690	424	56	17542.23333
2	735	23776	C79357	C337	COMPRESSOR AXIAL FLOW CELL 1.6 STAGE	57B18822L	40	29098	107801	480	224.5854167	41182	11910	398	82	18416.00417
2	735	23778	C79310	C337	COMPRESSOR AXIAL FLOW CELL 1.2 STAGE	57B18821L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	23779	C79311	C337	COMPRESSOR AXIAL FLOW CELL 1 STAGE 3	57B18834L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	23781	C79297	C337	COMPRESSOR AXIAL FLOW CELL 10 STAGE 2	N/A	40	28276	131880	480	274.75	41182	12720	425	55	15111.25
2	735	23782	C79306	C337	COMPRESSOR AXIAL FLOW CELL 1.2 STAGE	57B18804R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	23787	C79446	C337	COMPRESSOR AXIAL FLOW CELL 1.10 STAGE	N/A	40	28337	86742	480	180.7125	41182	12660	423	57	10300.6125
2	735	23788	C79109	C337	COMPRESSOR AXIAL FLOW CELL 5.2 STAGE	57B18852R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	23789	C79426	C337	COMPRESSOR AXIAL FLOW CELL 6 STAGE 8	57B18850R	40	28184	96422	480	200.8791667	41182	12810	428	52	10445.71667
2	735	23790	C79125	C337	COMPRESSOR AXIAL FLOW CELL 4.1 STAGE	N/A	40	28521	118285	480	246.4270833	41182	12480	417	63	15524.90625
2	735	23791	C79042	C337	AXIAL FLOW COMPRESSOR CELL 2 UNIT 3 S	57B18862L	40	27850	94284	480	196.425	41182	13140	439	41	8053.425
2	735	23792	C79031	C337	COMPRESSOR AXIAL FLOW CELL 8 UNIT 3	57B18861L	40	27759	94283	480	196.4229167	41182	13230	442	38	7464.070833
2	735	23793	C79402	C337	COMPRESSOR AXIAL FLOW CELL 6.4 STAGE	57B18863L	40	28975	107801	480	224.5854167	41182	12030	402	78	17517.6625
2	735	23794	C81030	C337	COMPRESSOR AXIAL FLOW CELL: 1.3 STAGE	57B18 864L	40	29829	107801	480	224.5854167	41182	11190	374	106	23806.05417
2	735	23795	C79131	C337	COMPRESSOR AXIAL FLOW CELL 6 STAGE COM	57B18874R	40	27575	94244	480	196.3416667	41182	13410	448	32	6282.933333
2	735	23796	C79430	C337	COMPRESSOR AXIAL FLOW CELL 6.4 STAGE	57B18873R	40	28975	107801	480	224.5854167	41182	12030	402	78	17517.6625

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23797	C79343	C337	AXIAL FLOW COMPRESSOR UNIT 6 CELL 7 S	57B18 882L	40	27941	95128	480	198.1833333	41182	13050	436	44	8720.066667
2	735	23798	C79223	C337	COMPRESSOR AXIAL FLOW CELL 7 UNIT 2	57B18881L	40	27759	94283	480	196.4229167	41182	13230	442	38	7464.070833
2	735	23799	C79450	C337	COMPRESSOR AXIAL FLOW CELL 5 STAGE 5	N/A	40	28276	86742	480	180.7125	41182	12720	425	55	9939.1875
2	735	23800	C79292	C337	COMPRESSOR AXIAL FLOW CELL 7 UNIT 2	57B18876R	40	27759	94283	480	196.4229167	41182	13230	442	38	7464.070833
2	735	23801	C79210	C337	COMPRESSOR AXIAL FLOW CELL 8 STAGE COM	57B18883L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23802	C79150	C337	COMPRESSOR AXIAL FLOW CELL 9 STAGE COM	57B18884L	40	27606	94245	480	196.34375	41182	13380	447	33	6479.34375
2	735	23803	C79092	C337	COMPR AXIAL FLOW AXIAL FLOW COMPRESSOR	57B18 989R	40	28003	94235	480	196.3229167	41182	12990	434	46	9030.854167
2	735	23804	C79047	C337	AXIAL FLOW COMPRESSOR CELL: 4 UNIT: 4	57B18 988L	40	28003	94235	480	196.3229167	41182	12990	434	46	9030.854167
2	735	23805	C79136	C337	COMPRESSOR AXIAL FLOW CELL: 4 STAGE: C	57B18 996R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23806	C79249	C337	COMPRESSOR AXIAL FLOW ELL: 1.3 STAGE	57B18 1009L	40	29829	107802	480	224.5875	41182	11190	374	106	23806.275
2	735	23807	C79250	C337	COMPRESSOR AXIAL FLO	N/A	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	23808	C79137	C337	COMPRESSOR AXIAL FLOW CELL: 4 STAGE: C	57B18 995R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23809	C79342	C337	AXIAL FLOW COMPRESSOR UNIT 6 CELL 7 S	57B181011L	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23810	C79194	C337	AXIAL FLOW COMPRESSOR INVENTORY 75 PAG	57B18 1012L	40	19997	59763	480	0	41182	20880	697	0	0
2	735	23811	C79418	C337	AXIAL FLOW COMPRESSOR CELL: 10 UNIT: 6	57B18 1023R	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	23812	C79452	C337	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	57B18 1024R	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	23813	C81031	C337	AXIAL FLOW COMPRESSOR UNIT: 6 CELL: 2	57B18 1019R	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23814	C79138	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE: C	57B18 1021R	40	27606	94245	480	196.34375	41182	13380	447	33	6479.34375
2	735	23815	C79291	C337	COMPRESSOR AXIAL FLOW CELL: 7 UNIT: 2	57B18 1020R	40	27759	94284	480	196.425	41182	13230	442	38	7464.15
2	735	23817	C79429	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1045R	40	28975	107802	480	224.5875	41182	12030	402	78	17517.825
2	735	23818	C79331	C337	AXIAL FLOW COMPRESSOR UNIT 6 CELL 7 S	57B181046R	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23819	C79127	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1069L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23820	C79126	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1070L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23821	C79284	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	57B18 1109R	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23822	C79266	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23823	C78993	C337	COMPRESSOR AXIAL FLO	N/A	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23824	C79283	C337	COMPRESSOR AXIAL FLO	N/A	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23825	C78995	C337	COMPRESSOR AXIAL FLOW CELL: 5 UNIT: 4	57B18 1113R	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23826	C79151	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	57B18 1101L	40	27606	94245	480	196.34375	41182	13380	447	33	6479.34375
2	735	23827	C79107	C337	COMPRESSOR AXIAL FLOW CELL: 5.10 STAG	57B18 114R	40	27210	85115	480	177.3229167	41182	13770	460	20	3546.458333
2	735	23828	C79209	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE;	57B18 1106R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23829	C79346	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23830	C79216	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	57B18 1103L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23831	C79230	C337	COMPRESSOR AXIAL FLOW CELL: 3 UNIT: 2	57B18 1108L	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23832	C79143	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	57B18 1104R	40	27606	94245	480	196.34375	41182	13380	447	33	6479.34375
2	735	23833	C79016	C337	COMPRESSOR AXIAL FLOW CELL: 5 UNIT: 4	57B18 1123L	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23834	C79229	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	57B18 1121L	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23835	C79014	C337	COMPRESSOR AXIAL FLOW CELL: 5 UNIT: 4	57B18 1122L	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23836	C79024	C337	COMPRESSOR AXIAL FLOW CELL: 4 UNIT: 3	57B18 1107L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23837	C78964	C337	COMPRESSOR AXIAL FLOW CELL: 8 UNIT: 3	57B18 1134R	40	27759	94284	480	196.425	41182	13230	442	38	7464.15
2	735	23838	C79108	C337	COMPRESSOR AXIAL FLOW CELL: 8 UNIT: 3	57B18 1136R	40	27759	94284	480	196.425	41182	13230	442	38	7464.15
2	735	23839	C78961	C337	COMPRESSOR AXIAL FLOW CELL: 8 UNIT: 3	57B18 1135R	40	27759	94284	480	196.425	41182	13230	442	38	7464.15
2	735	23840	C79431	C337	AXIAL FLOW COMPRESSOR INVENTORY 75 PAG	57B18 1133R	40	19997	59763	480	0	41182	20880	697	0	0
2	735	23841	C79408	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1102L	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23842	C81299	C337	AXIAL FLOW COMPRESSOR INVENTORY 75 PAG	57B18 1124L	40	19997	59763	480	0	41182	20880	697	0	0
2	735	23843	C79453	C337	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	57B18 1210R	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	23845	C79090	C337	AXIAL FLOW COMPRESSOR CELL: 4 UNIT: 4	57B18 1211R	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	23846	C79415	C337	AXIAL FLOW COMPRESSOR CELL: 4 UNIT: 3	57B18 1209R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23847	C79032	C337	COMPRESSOR AXIAL FLOW CELL: 8 UNIT: 3	57B18 1217L	40	27759	94284	480	196.425	41182	13230	442	38	7464.15
2	735	23848	C79207	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1219L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23849	C79201	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	57B18 1221L	40	27606	94245	480	196.34375	41182	13380	447	33	6479.34375
2	735	23850	C79043	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1220L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23851	C79226	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE;	57B18 1223L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23852	C79206	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1224L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23853	C79422	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1233R	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23854	C79323	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1235R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23855	C79420	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1234R	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23856	C79227	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	57B18 1222L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23857	C79046	C337	AXIAL FLOW COMPRESSOR CELL: 1 UNIT: 4	57B18 1245L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23858	C79228	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	57B18 1246L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23859	C79288	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	57B18 1259R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23860	C79286	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE;	57B18 1236R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23861	C79287	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	57B18 1260R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23862	C79215	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	57B18 1218L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23863	C79285	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	57B18 1258R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23864	C78951	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE;	57B18 1257R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23865	C79214	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	57B18 1247L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23866	C79213	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	57B18 1248L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23867	C79202	C337	COMPRESSOR AXIAL FLOW CELL: 4 STAGE;	57B18 1270L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23868	C79177	C337	COMPRESSOR AXIAL FLO	N/A	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23869	C78950	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	57B18 1282R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23870	C78949	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	57B18 1283R	40	27575	94245	480	196.34375	41182	13410	448	32	6283

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23871	C79019	C337	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28368	131881	480	274.7520833	41182	12630	422	58	15935.62083
2	735	23872	C78990	C337	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28368	131881	480	274.7520833	41182	12630	422	58	15935.62083
2	735	23874	C79073	C337	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28368	150364	480	313.2583333	41182	12630	422	58	18168.98333
2	735	23875	C79020	C337	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28368	131881	480	274.7520833	41182	12630	422	58	15935.62083
2	735	23876	C79017	C337	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28368	131881	480	274.7520833	41182	12630	422	58	15935.62083
2	735	23878	C79023	C337	AXIAL FLOW COMPRESSOR CELL: 4 UNIT:3	57B18 1290L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23879	C79045	C337	AXIAL FLOW COMPRESSOR CELL: 4 UNIT: 3	57B18 1291L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23880	C79337	C337	AXIAL FLOW COMPRESSOR CELL-8 STAGE-8	57B181292L	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	23881	C79163	C337	AXIAL FLOW COMPRESSOR UNIT: 5 CELL: 1	57B18 1293L	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23882	C79396	C337	AXIAL FLOW COMPRESSOR UNIT: 6 CELL: 2	57B18 1294L	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23883	C79221	C337	COMPRESSOR AXIAL FLOW CELL: 7 UNIT: 2	57B18 1295L	40	27759	94284	480	196.425	41182	13230	442	38	7464.15
2	735	23884	C79345	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23885	C79333	C337	COMPRESSOR-AXIAL FLOW CELL-8 STAGE-1	57B18 1328R	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	23886	C78971	C337	AXIAL FLOW COMPRESSOR CELL: 4 UNIT: 3	57B18 1325R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23887	C79003	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23888	C79336	C337	COMPRESSOR-AXIAL FLOW CELL-8 STAGE-7	57B181330R	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	23889	C78988	C337	AXIAL FLOW COMPRESSOR CELL: 1 UNIT: 4	57B18 1332R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23890	C79167	C337	AXIAL FLOW COMPRESSOR UNIT: 5 CELL: 1	57B18 1335R	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23891	C79159	C337	AXIAL FLOW COMPRESSOR UNIT: 5 CELL: 1	57B18 1338L	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23892	C79290	C337	COMPRESSOR AXIAL FLOW CELL: 7 UNIT: 2	57B18 1331R	40	27759	94284	480	196.425	41182	13230	442	38	7464.15
2	735	23893	C79327	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23894	C79078	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	131881	480	274.7520833	41182	12720	425	55	15111.36458
2	735	23895	C79013	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	57B18 1339L	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23897	C81297	C337	COMPRESSOR AXIAL FLOW UNIT: 6 CELL: 2	57B18 1341L	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23898	C79164	C337	COMPRESSORX AXIAL FLOW UNIT: 5 CELL:	57B18 1342L	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23899	C79433	C337	COMPRESSOR AXIAL FLOW UNIT: 6 CELL: 2	57B18 1333R	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23900	C79116	C337	AXIAL FLOW COMPRESSOR INVENTORY 76 PAG	57B18 1354R	40	19997	59763	480	0	41182	20880	697	0	0
2	735	23903	C78965	C337	AXIAL FLOW COMPRESSOR UNIT:3 CELL: 6	57B18 1352R	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23904	C79077	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	131881	480	274.7520833	41182	12720	425	55	15111.36458
2	735	23905	C79021	C337	AXIAL FLOW COMPRESSOR CELL: 4 UNIT: 3	57B18 1344L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23906	C79388	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28306	86742	480	180.7125	41182	12690	424	56	10119.9
2	735	23907	C79410	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1347L	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23910	C81032	C337	AXIAL FLOW COMPRESSOR CELL: 1 UNIT: 4	57B18 1351R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23911	C79087	C337	AXIAL FLOW COMPRESSOR CELL: 6 UNIT: 4	57B18 1353R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23912	C79081	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23913	C79436	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28306	86742	480	180.7125	41182	12690	424	56	10119.9
2	735	23915	C79060	C337	AXIAL FLOW COMPRESSOR CELL: 2 UNIT: 4	57B18 1362L	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	23917	C79059	C337	AXIAL FLOW COMPRESSOR CELL: 2 UNIT: 4	57B18 1363L	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	23918	C78957	C337	AXIAL FLOW COMPRESSOR UNIT: 5 STAGE: 1	57B18 1355R	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23919	C79369	C337	AXIAL FLOW COMPRESSOR INVENTORY 76 PAG	57B18 1348L	40	19997	59763	480	0	41182	20880	697	0	0
2	735	23920	C79435	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28306	86742	480	180.7125	41182	12690	424	56	10119.9
2	735	23921	C79348	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23922	C79128	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1360R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23923	C79425	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1374R	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23924	C79322	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23925	C79245	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23926	C79247	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE;	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23927	C79387	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28306	86742	480	180.7125	41182	12690	424	56	10119.9
2	735	23928	C79385	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE;	N/A	40	28306	86742	480	180.7125	41182	12690	424	56	10119.9
2	735	23929	C79248	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23930	C79246	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23931	C79265	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23932	C79423	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1375R	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23936	C79111	C337	COMPRESSOR AXIAL FLOW INVENTORY 76 PA	57B18 1378R	40	19997	59763	480	0	41182	20880	697	0	0
2	735	23938	C79382	C337	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23939	C79095	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 4	57B18 1382L	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	23940	C79439	C337	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23941	C79080	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28276	105228	480	219.225	41182	12720	425	55	12057.375
2	735	23942	C79451	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23943	C79072	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23945	C79381	C337	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23946	C79319	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23947	C79370	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23948	C79212	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1392L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	23949	C79380	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23950	C79449	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23951	C79318	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23952	C79320	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23953	C79314	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23954	C79313	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23955	C79386	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28306	86742	480	180.7125	41182	12690	424	56	10119.9
2	735	23956	C79315	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	23957	C79259	C337	COMPRESSOR AXIAL FLOW CELL: 5.10 STAG	57B18 1398R	40	27210	85115	480	177.3229167	41182	13770	460	20	3546.458333
2	735	23958	C79260	C337	COMPRESSOR AXIAL FLOW CELL: 5.10 STAG	57B18 1401R	40	27210	85115	480	177.3229167	41182	13770	460	20	3546.458333
2	735	23959	C79257	C337	COMPRESSOR AXIAL FLOW CELL: 5.10 STAG	57B18 1406R	40	27210	85115	480	177.3229167	41182	13770	460	20	3546.458333
2	735	23960	C79417	C337	COMPRESSOR AXIAL FLOW CELL: 10 UNIT:	57B18 1400R	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	23961	C79256	C337	COMPRESSOR AXIAL FLOW CELL: 5.10 STAG	57B18 1388L	40	27210	85115	480	177.3229167	41182	13770	460	20	3546.458333
2	735	23962	C79186	C337	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 1412L	40	27210	87203	480	181.6729167	41182	13770	460	20	3633.458333
2	735	23963	C79191	C337	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 1449R	40	27210	87203	480	181.6729167	41182	13770	460	20	3633.458333
2	735	23964	C79015	C337	COMPRESSOR AXIAL FLOW CELL: 5.10 STAG	57B18 14092	40	27210	85115	480	177.3229167	41182	13770	460	20	3546.458333
2	735	23967	C79377	C337	AXIAL FLOW COMPRESSOR INVENTORY 80 PAG	57B18 1416L	40	19997	59763	480	0	41182	20880	697	0	0
2	735	23968	C79384	C337	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23969	C79350	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23970	C79399	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1414L	40	28975	107802	480	224.5875	41182	12030	402	78	17517.825
2	735	23971	C79317	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	23972	C79438	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28306	86742	480	180.7125	41182	12690	424	56	10119.9
2	735	23973	C78991	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23974	C78983	C337	COMPRESSOR AXIAL FLOW CELL: 1 UNIT: 4	57B18 1411L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23975	C78982	C337	COMPRESSOR AXIAL FLOW CELL: 1 UNIT: 4	57B18 1417L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23976	C79065	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 4	57B18 1433L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23977	C79166	C337	COMPRESSOR AXIAL FLOW CELL: 1 UNIT: 5	57B18 1423R	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23978	C79085	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 4	57B18 1422R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	23979	C78994	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	57B18 1424R	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	23980	C79162	C337	COMPRESSOR AXIAL FLOW UNIT: 5 CELL: 1	57B18 1418L	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23981	C79325	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	23982	C79178	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23983	C79115	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23985	C79334	C337	COMPRESSOR-AXIAL FLOW CELL-8 STAGE3 U	57B181430R	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	23986	C79074	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	131881	480	274.7520833	41182	12720	425	55	15111.36458
2	735	23988	C79075	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	131881	480	274.7520833	41182	12720	425	55	15111.36458
2	735	23989	C78967	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 3	57B18 1429R	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23990	C79432	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 6	57B18 1447R	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23991	C79428	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 6	57B18 1432R	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23992	C79398	C337	COMPRESSOR AXIAL FLOW CELL: 2 STAGE:	57B18 1443L	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23993	C79397	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 6	57B18 1444L	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	23994	C79378	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	23995	C79025	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 3	57B18 1439L	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	23996	C79413	C337	COMPRESSOR AXIAL FLOW CELL: 10 UNIT:	57B18 1442L	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	23997	C79267	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	23998	C79335	C337	COMPRESSOR-AXIAL FLOW CELL-8 STAGE 5	57B181446R	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	23999	C79395	C337	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28368	131881	480	274.7520833	41182	12630	422	58	15935.62083
2	735	24000	C79338	C337	AXIAL FLOW COMPRESSOR CELL 8 STAGE 6	57B181438L	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	24001	C79340	C337	COMPRESSOR-AXIAL FLOW CELL 8 STAGE 2	57B18 1434L	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	24002	C79339	C337	COMPRESSOR-AXIAL FLOW CELL 8 STAGE 4	57B181435L	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	24003	C78968	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 3	57B18 1428R	40	27941	94285	480	196.4270833	41182	13050	436	44	8642.791667
2	735	24004	C79409	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1419L	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	24005	C78970	C337	COMPRESSOR AXIAL FLOW CELL: 4 UNIT: 3	57B18 1445R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	24006	C79412	C337	COMOPRESSOR AXIAL FLOW CELL: 10 UNIT:	57B18 1458L	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	24007	C78969	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	57B18 1448R	40	27880	95085	480	198.09375	41182	13110	438	42	8319.9375
2	735	24008	C78972	C337	COMPRESSOR AXIAL FLOW CELL: 4 UNIT: 3	57B18 1451R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	24009	C79203	C337	COMPRESSOR AXIAL FLOW CELL: 4 STAGE:	57B18 1460L	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	24010	C79184	C337	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 1449R	40	27210	87203	480	181.6729167	41182	13770	460	20	3633.458333
2	735	24013	C79004	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	24014	C79445	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	150364	480	313.2583333	41182	12720	425	55	17229.20833
2	735	24015	C79231	C337	COMPRESSOR AXIAL FLOW CELL: 3 UNIT: 2	57B18 1462L	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	24016	C78976	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 3	57B18 1450R	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	24017	C79084	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	24018	C79002	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	24019	C79007	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28184	117178	480	244.1208333	41182	12810	428	52	12694.28333
2	735	24020	C79349	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	24021	C79281	C337	COMPRESSOR AXIAL FLOW CELL: 3 UNIT: 2	57B18 1472R	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	24022	C79282	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	57B18 1455R	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	24023	C80923	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1454R	40	27210	61366	480	127.8458333	41182	13770	460	20	2556.916667
2	735	24024	C79400	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1463L	40	27210	61366	480	127.8458333	41182	13770	460	20	2556.916667
2	735	24025	C79255	C337	COMPRESSOR AXIAL FLOW CELL: 5 UNIT: 4	57B18 1465L	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	24026	C79351	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083
2	735	24027	C79041	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 4	57B18 1468L	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	24028	C79373	C337	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	57B18 1467L	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	24029	C79427	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 14477R	40	28975	107802	480	224.5875	41182	12030	402	78	17517.825
2	735	24030	C79375	C337	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	57B18 1481L	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	24031	C79176	C337	COMPRESSOR AXIAL FLOW CELL: 5.5. STAG	N/A	40	28733	107802	480	224.5875	41182	12270	410	70	15721.125
2	735	24032	C79332	C337	COMPRESSOR AXIAL FLOW CELL: 7 UNIT: 6	57B18 1470R	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	24033	C79421	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1471R	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	24034	C79321	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28276	86743	480	180.7145833	41182	12720	425	55	9939.302083

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	24035	C79344	C337	AXIAL FLOW COMPRESSOR UNIT 6 CELL 7 S	57B181482L	40	27941	95129	480	198.1854167	41182	13050	436	44	8720.158333
2	735	24036	C79179	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE;	57B18 1478R	40	27575	94245	480	196.34375	41182	13410	448	32	6283
2	735	24037	C81298	C337	COMPORESSOR AXIAL FLOW INVENTORY #79	57B18 1493R	40	19997	59763	480	0	41182	20880	697	0	0
2	735	24038	C79454	C337	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	57B18 1494R	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	24039	C79401	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1483L	40	28975	107802	480	224.5875	41182	12030	402	78	17517.825
2	735	24040	C79273	C337	COMPRESSOR AXIAL FLOW CELL: 5.2 STAGE	57B18 1480R	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	24041	C79455	C337	COMPRESSOR AXIAL FLO	57B18 1479R	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	24042	C78996	C337	COMPRESSOR AXIAL FLOW CELL: 5 UNIT: 4	57B18 1476R	40	27880	94241	480	196.3354167	41182	13110	438	42	8246.0875
2	735	24043	C79374	C337	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	57B18 1484L	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	24044	C79376	C337	COMPRESSOR AXIAL FLOW CELL: 1.7 STAGE	57B18 1485L	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	24045	C78962	C337	COMPRESSOR AXIAL FLOW CELL: 8 UNIT: 3	58B18 1475R	40	27759	94284	480	196.425	41182	13230	442	38	7464.15
2	735	24046	C79419	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1495R	40	28184	96423	480	200.88125	41182	12810	428	52	10445.825
2	735	24047	C79173	C337	COMPRESSOR AXIAL FLOW CELL: 5.5 STAGE	N/A	40	28733	107802	480	224.5875	41182	12270	410	70	15721.125
2	735	24048	C79174	C337	COMPRESSOR AXIAL FLOW CELL: 5.5 STAGE	N/A	40	28733	107802	480	224.5875	41182	12270	410	70	15721.125
2	735	24049	C79114	C337	COMPRESSOR AXIAL FLOW CELL: 3 UNIT: 4	57B18 1496R	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	24050	C79112	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 4	57B18 1501R	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	24051	C79094	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 4	57B18 1487L	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	24052	C79069	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	24053	C79070	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28184	98695	480	205.6145833	41182	12810	428	52	10691.95833
2	735	24054	C79383	C337	COMPRESSOR AXIAL FLOW CELL: 1.10 STAG	N/A	40	28337	86743	480	180.7145833	41182	12660	423	57	10300.73125
2	735	24055	C78977	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 3	57B18 1510L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	24056	C79240	C337	COMPRESSOR AXIAL FLOW CELL: 5.2 STAGE	57B18 1488L	40	28763	107802	480	224.5875	41182	12240	409	71	15945.7125
2	735	24057	C79175	C337	COMPRESSOR AXIAL FLOW CELL: 5.5. STAG	N/A	40	28733	107802	480	224.5875	41182	12270	410	70	15721.125
2	735	24058	C79061	C337	AXIAL FLOW COMPRESSOR CELL: 4 UNIT: 4	57B18 1513L	40	28003	94285	480	196.4270833	41182	12990	434	46	9035.645833
2	735	24059	C79048	C337	COMPRESSOR AXIAL FLOW CELL: 4 UNIT: 4	57B18 1529L	40	28003	94283	480	196.4229167	41182	12990	434	46	9035.454167
2	735	24060	C79035	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28184	98693	480	205.6104167	41182	12810	428	52	10691.74167
2	735	24061	C79063	C337	COMPRESSOR AXIAL FLOW CELL: 4 UNIT: 4	57B18 1512L	40	28003	94283	480	196.4229167	41182	12990	434	46	9035.454167
2	735	24062	C79119	C337	COMPRESSOR AXIAL FLOW CELL: 5.4 STAGE	57B18 1518R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24063	C78985	C337	COMPRESSOR AXIAL FLOW INVENTORY 79 SH	57B18 1523R	40	19997	59761	480	0	41182	20880	697	0	0
2	735	24064	C79118	C337	COMPRESSOR AXIAL FLOW CELL: 5.4 STAGE	57B18 1522R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24065	C79262	C337	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B18 1521R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24066	C79447	C337	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28368	150362	480	313.2541667	41182	12630	422	58	18168.74167
2	735	24067	C79182	C337	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 1524R	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24068	C79196	C337	COMPRESSOR AXIAL FLOW CELL: 5.5 STAGE	N/A	40	28733	107804	480	224.5916667	41182	12270	410	70	15721.41667
2	735	24069	C79057	C337	COMPRESSOR AXIAL FLOW CELL: 5.5 STAGE	N/A	40	28733	107800	480	224.5833333	41182	12270	410	70	15720.83333
2	735	24070	C79193	C337	COMPRESSOR AXIAL FLOW CELL: 5.5 STAGE	N/A	40	28733	107800	480	224.5833333	41182	12270	410	70	15720.83333
2	735	24071	C79183	C337	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 1543R	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24072	C79117	C337	COMPRESSOR AXIAL FLOW CELL: 5.4 STAGE	57B18 1541R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24073	C79001	C337	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B18 1527R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24074	C79261	C337	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B18 1547R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24075	C79263	C337	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B18 1548R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24076	C79224	C337	COMPRESSOR AXIAL FLOW CELL: 7 UNIT: 2	57B18 1531L	40	27759	94283	480	196.4229167	41182	13230	442	38	7464.070833
2	735	24077	C79366	C337	COMPRESSOR AXIAL FLOW CELL: 5.4 STAGE	57B18 1532L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24078	C79181	C337	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 1544R	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24079	C79275	C337	COMPRESSOR AXIAL FLOW CELL: 5.2 STAGE	57B18 1528R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24080	C79274	C337	COMPRESSOR AXIAL FLOW CELL: 5.2 STAGE	57B18 1542R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24081	C79120	C337	COMPRESSOR AXIAL FLOW CELL: 5.4 STAGE	57B18 1545R	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24082	C79237	C337	COMPRESSOR AXIAL FLOW CELL: 5.2 STAGE	57B18 1534L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24083	C79123	C337	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE	57B18 1525R	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24084	C79365	C337	COMPRESSOR AXIAL FLOW CELL: 5.4 STAGE	57B18 1535L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24085	C79367	C337	COMPRESSOR AXIAL FLOW CELL: 5.4 STAGE	57B18 1536L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24086	C79195	C337	COMPRESSOR AXIAL FLOW CELL: 5.5 STAGE	N/A	40	28733	107800	480	224.5833333	41182	12270	410	70	15720.83333
2	735	24087	C79219	C337	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE	57B18 1538L	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24088	C79005	C337	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B18 1537L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24089	C79006	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	N/A	40	28184	117176	480	244.1166667	41182	12810	428	52	12694.06667
2	735	24090	C79122	C337	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE	57B18 1549R	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24091	C79124	C337	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE	57B18 1550R	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24092	C79121	C337	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE	57B18 1517R	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24093	C79252	C337	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B18 1554L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24094	C79251	C337	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B18 1539L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24095	C79352	C337	COMPRESSOR AXIAL FLOW CEll; 4 STAGE:	57B18 1555L	40	27575	94244	480	196.3416667	41182	13410	448	32	6282.933333
2	735	24096	C79264	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1546R	40	27210	61365	480	127.84375	41182	13770	460	20	2556.875
2	735	24097	C79416	C337	COMPRESSOR AXIAL FLOW CELL: 10 UNIT:	57B18 1566R	40	27880	95084	480	198.0916667	41182	13110	438	42	8319.85
2	735	24098	C79190	C337	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE	57B18 1562L	40	27210	87201	480	181.66875	41182	13770	460	20	3633.375
2	735	24099	C79044	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	57B18 1560L	40	27575	94244	480	196.3416667	41182	13410	448	32	6282.933333
2	735	24100	C79218	C337	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE	57B18 1561L	40	27210	87202	480	181.6708333	41182	13770	460	20	3633.416667
2	735	24101	C79189	C337	COMPRESSOR AXIAL FLOW CELL: 2.9 STAGE	57B18 1559L	40	27210	87202	480	181.6708333	41182	13770	460	20	3633.416667
2	735	24102	C79368	C337	COMPRESSOR AXIAL FLOW CELL: 5.4 STAGE	57B18 1556L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24103	C79239	C337	COMPRESSOR AXIAL FLOW CELL: 5.8 STAGE	57B18 1557L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24104	C79238	C337	COMPRESSOR AXIAL FLOW CELL: 5.1 STAGE	57B18 1509L	40	28763	107800	480	224.5833333	41182	12240	409	71	15945.41667
2	735	24105	C79188	C337	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 1563L	40	27210	87202	480	181.6708333	41182	13770	460	20	3633.416667
2	735	24106	C78975	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 3	57B18 1569R	40	27850	94284	480	196.425	41182	13140	439	41	8053.425

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	24107	C79448	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28276	86742	480	180.7125	41182	12720	425	55	9939.1875
2	735	24108	C78992	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1526R	40	27210	79848	480	166.35	41182	13770	460	20	3327
2	735	24109	C79187	C337	COMPRESSOR AXIAL FLOW CELL: 5.9 STAGE	57B18 1580L	40	27210	87202	480	181.6708333	41182	13770	460	20	3633.416667
2	735	24110	C79371	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1579L	40	27210	61365	480	127.84375	41182	13770	460	20	2556.875
2	735	24111	C79407	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1564L	40	28184	96422	480	200.8791667	41182	12810	428	52	10445.71667
2	735	24112	C79028	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1558L	40	27210	61365	480	127.84375	41182	13770	460	20	2556.875
2	735	24113	C79008	C337	COMPRESSOR AXIAL FLOW CELL: 6.4 STAGE	57B18 1553L	40	27210	61365	480	127.84375	41182	13770	460	20	2556.875
2	735	24114	C79091	C337	COMPRESSOR AXIAL FLOW CELL: 4 UNIT: 4	57B18 1520R	40	28003	94284	480	196.425	41182	12990	434	46	9035.55
2	735	24115	C79105	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24116	C79089	C337	COMPRESSOR AXIAL FLOW CELL: 4 UNIT: 4	57B18 1573R	40	28003	94284	480	196.425	41182	12990	434	46	9035.55
2	735	24117	C78974	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 3	57B18 1574R	40	27850	94284	480	196.425	41182	13140	439	41	8053.425
2	735	24119	C78980	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 3	57B18 1581L	40	27850	94283	480	196.4229167	41182	13140	439	41	8053.339583
2	735	24120	C78979	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 3	57B18 1508L	40	27850	94283	480	196.4229167	41182	13140	439	41	8053.339583
2	735	24121	C79168	C337	COMPRESSOR AXIAL FLOW CELL: 1 UNIT: 5	57B18 1575R	40	27941	94284	480	196.425	41182	13050	436	44	8642.7
2	735	24122	C79134	C337	COMPRESSOR AXIAL FLOW CELL: 4 STAGE:	57B18 1590R	40	27575	94244	480	196.3416667	41182	13410	448	32	6282.933333
2	735	24123	C79083	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24125	C79424	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1504R	40	28184	96422	480	200.8791667	41182	12810	428	52	10445.71667
2	735	24126	C78960	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24127	C79165	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24128	C79106	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24129	C79411	C337	COMPRESSOR AXIAL FLOW CELL: 10 UNIT:	57B18 1582L	40	27880	95084	480	198.0916667	41182	13110	438	42	8319.85
2	735	24130	C79379	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28276	86742	480	180.7125	41182	12720	425	55	9939.1875
2	735	24132	C79071	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24133	C79076	C337	COMPRESSOR AXIAL FLOW INVENTORY 77 PA	57B18 1584L	40	19997	59762	480	0	41182	20880	697	0	0
2	735	24134	C79018	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28276	105225	480	219.21875	41182	12720	425	55	12057.03125
2	735	24135	C79034	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24136	C79036	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24137	C79341	C337	AXIAL FLOW COMPRESSOR UNIT 6 CELL 7 S	57B181511L	40	27941	95128	480	198.1833333	41182	13050	436	44	8720.066667
2	735	24138	C78987	C337	COMPR AXIAL FLOW	N/A	40	27850	94284	480	196.425	41182	13140	439	41	8053.425
2	735	24139	C79082	C337	COMPRESSOR AXIAL FLOW CELL: 1 UNIT: 4	57B18 1591R	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24140	C78989	C337	COMPRESSOR AXIAL FLOW CELL: 4.3 STAGE	N/A	40	28368	131880	480	274.75	41182	12630	422	58	15935.5
2	735	24141	C78966	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 3	57B18 1565R	40	27941	94284	480	196.425	41182	13050	436	44	8642.7
2	735	24142	C79268	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24144	C79434	C337	COMPRESSOR AXIAL FLOW INVENTORY 77 PA	57B18 1595R	40	19997	59762	480	0	41182	20880	697	0	0
2	735	24145	C79033	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28184	98694	480	205.6125	41182	12810	428	52	10691.85
2	735	24146	C79066	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 4	57B18 1602L	40	27850	94285	480	196.4270833	41182	13140	439	41	8053.510417
2	735	24147	C79326	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28184	96421	480	200.8770833	41182	12810	428	52	10445.60833
2	735	24148	C79405	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1587L	40	28184	96422	480	200.8791667	41182	12810	428	52	10445.71667
2	735	24149	C79404	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1605L	40	28184	96422	480	200.8791667	41182	12810	428	52	10445.71667
2	735	24150	C79403	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1604L	40	28184	96422	480	200.8791667	41182	12810	428	52	10445.71667
2	735	24151	C79027	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 3	57B18 1588L	40	27941	94284	480	196.425	41182	13050	436	44	8642.7
2	735	24152	C79026	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 3	57B18 1607L	40	27941	94284	480	196.425	41182	13050	436	44	8642.7
2	735	24153	C79316	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 3	57B18 1603L	40	27941	94284	480	196.425	41182	13050	436	44	8642.7
2	735	24154	C78984	C337	COMPRESSOR AXIAL FLOW CELL: 1 UNIT: 4	57B18 1625L	40	27850	94284	480	196.425	41182	13140	439	41	8053.425
2	735	24155	C79079	C337	COMPRESSOR AXIAL FLOW CELL: 10 STAGE:	N/A	40	28276	131879	480	274.7479167	41182	12720	425	55	15111.13542
2	735	24156	C79330	C337	AXIAL FLOW COMPRESSOR UNIT 6 CELL 7 S	57B18 1570R	40	27941	95127	480	198.18125	41182	13050	436	44	8719.975
2	735	24157	C79113	C337	COMPRESSOR AXIAL FLOW INVENTORY 77 PA	57B18 1615R	40	19997	59761	480	0	41182	20880	697	0	0
2	735	24158	C79324	C337	COMPRESSOR AXIAL FLOW CELL: 3 STAGE:	N/A	40	28276	86741	480	180.7104167	41182	12720	425	55	9939.072917
2	735	24159	C79289	C337	COMPRESSOR AXIAL FLOW CELL: 7 UNIT: 2	57B18 1619R	40	27759	94283	480	196.4229167	41182	13230	442	38	7464.070833
2	735	24162	C79110	C337	COMPRESSOR AXIAL FLOW CELL: 2 UNIT: 3	57B18 1613R	40	27850	94283	480	196.4229167	41182	13140	439	41	8053.339583
2	735	24163	C79329	C337	AXIAL FLOW COMPRESSOR UNIT 6 CELL 7 S	57B181614R	40	27941	95127	480	198.18125	41182	13050	436	44	8719.975
2	735	24164	C79328	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28184	96421	480	200.8770833	41182	12810	428	52	10445.60833
2	735	24165	C79129	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1597R	40	27575	94243	480	196.3395833	41182	13410	448	32	6282.866667
2	735	24167	C79208	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1606L	40	27575	94243	480	196.3395833	41182	13410	448	32	6282.866667
2	735	24168	C79067	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 4	57B18 1505L	40	27850	94284	480	196.425	41182	13140	439	41	8053.425
2	735	24172	C79192	C337	COMPRESSOR AXIAL FLOW CELL: 8 UNIT: 3	57B18 1608L	40	27759	94283	480	196.4229167	41182	13230	442	38	7464.070833
2	735	24174	C79406	C337	COMPRESSOR AXIAL FLOW CELL: 6 STAGE:	57B18 1632L	40	28184	96421	480	200.8770833	41182	12810	428	52	10445.60833
2	735	24175	C78986	C337	COMPRESSOR AXIAL FLOW CELL: 1 UNIT: 4	57B18 1617R	40	27850	88990	480	185.3958333	41182	13140	439	41	7601.229167
2	735	24176	C79135	C337	COMPRESSOR AXIAL FLOW CELL: 4 STAGE:	57B18 1620R	40	27575	88950	480	185.3125	41182	13410	448	32	5930
2	735	24177	C79347	C337	COMPRESSOR AXIAL FLOW CELL: 5 STAGE:	N/A	40	28184	96421	480	200.8770833	41182	12810	428	52	10445.60833
2	735	24178	C79254	C337	COMPRESSOR AXIAL FLOW CELL: 5.10 STAG	57B18 1611L	40	27210	85113	480	177.31875	41182	13770	460	20	3546.375
2	735	24180	C79253	C337	COMPRESSOR AXIAL FLOW CELL: 5.10 STAG	57B18 1612L	40	27210	85113	480	177.31875	41182	13770	460	20	3546.375
2	735	24181	C79030	C337	COMPRESSOR AXIAL FLOW CELL: 8 UNIT: 3	57B18 1490L	40	27759	94283	480	196.4229167	41182	13230	442	38	7464.070833
2	735	24183	C79222	C337	COMPRESSOR AXIAL FLOW CELL: 7 UNIT: 2	57B18 1626L	40	27759	88990	480	185.3958333	41182	13230	442	38	7045.041667
2	735	24184	C79204	C337	COMPRESSOR AXIAL FLOW CELL: 4 STAGE:	57B18 1627L	40	27575	88950	480	185.3125	41182	13410	448	32	5930
2	735	24186	C79372	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28276	86741	480	180.7104167	41182	12720	425	55	9939.072917
2	735	24187	C79437	C337	COMPRESSOR AXIAL FLOW CELL: 1 STAGE:	N/A	40	28306	81447	480	169.68125	41182	12690	424	56	9502.15
2	735	24189	C79211	C337	COMPRESSOR AXIAL FLOW CELL: 8 STAGE:	57B18 1731L	40	27575	88950	480	185.3125	41182	13410	448	32	5930
2	735	24190	C79140	C337	COMPRESSOR AXIAL FLOW CELL: 9 STAGE:	57B18 1733R	40	27606	88950	480	185.3125	41182	13380	447	33	6115.3125
2	735	24191	C79232	C337	COMPRESSOR AXIAL FLOW CELL: 3 UNIT: 2	57B18 1732L	40	27880	88946	480	185.3041667	41182	13110	438	42	7782.775
2	735	24192	C79414	C337	COMPRESSOR AXIAL FLOW CELL: 10 UNIT:	57B18 1730L	40	27880	89790	480	187.0625	41182	13110	438	42	7856.625
2	735	24776	C79147	C337	MOTOR ELECTRIC 950/135 HP 4160 VOLTS	1S 50P 651	20	19997	19629	240	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	24888	C80913	C337	PUMP VACUUM SPECIAL BRONZE 200 CFM T	12807	15	19755	10017	180	0	41182	21120	705	0	0
2	735	24890	C80914	C337	PUMP CACUUM SPECIAL BRONZE 200 CFM TY	12806	15	19755	10017	180	0	41182	21120	705	0	0
2	735	24900	C80912	C337	PUMP VACUUM 200 CFM TYPE DVM 12814 I	12808	15	19755	10019	180	0	41182	21120	705	0	0
2	735	25936	C79393	C337	MOTOR ELECTRIC 500 HP TYPE C.S.P. 3	3S 13B 6689	20	19997	11873	240	0	41182	20880	697	0	0
2	735	27644	C79389	C337	MOTOR ELECTRIC 500 HP LIFELINE TYPE	2S13B6689	20	19997	12491	240	0	41182	20880	697	0	0
2	735	27645	C79391	C337	MOTOR ELECTRIC 500 HP LIFELINE TYPE	1S13B6689	20	19997	12491	240	0	41182	20880	697	0	0
2	735	27646	C76386	C337	MOTOR ELECTRIC 700 HP 4160 VOLTS 3 P	3S50P650	20	19997	13693	240	0	41182	20880	697	0	0
2	735	27647	C76385	C337	MOTOR ELECTRIC 700 HP 4160 VOLTS 3 P	1S50P650	20	19997	13694	240	0	41182	20880	697	0	0
2	735	27649	C77431	C337	SUPPLY FAN DESIGN 10 ARR 3-1X 91500 CF	9A3395618	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27651	C77433	C337	SUPPLY FAN DESIGN 10 ARR 3-1X 91 500 C	9A3395617	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27653	C77437	C337	SUPPLY FAN DESIGN 10 ARR 3-1X 91 500 C	9A3395623	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27655	C77439	C337	SUPPLY FAN DESIGN 10 ARR 3-1X 91 500 C	9A3395622	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27657	C77441	C337	SUPPLY FAN DESIGN 10 ARR 3-1X 91 500 C	9A3395616	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27659	C77407	C337	SUPPLY FAN DESIGN 10-ARR 3-IX 91 500 C	9A3395625	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27661	C77405	C337	SUPPLY FAN DESIGN 10 ARR 3-IX 91 500 C	9A3395624	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27683	C82251	C337	LUBE OIL COOLER FOR LUBE OIL SYSTEM TYP	H12607	20	19997	11705	240	0	41182	20880	697	0	0
2	735	27684	C81300	C337	LUBE OIL GRAVITY TANK MAX WP 15 PSI MA	BTC#X68632	40	19997	5248	480	0	41182	20880	697	0	0
2	735	27685	C82348	C337	BATTERY CHARGER PHANO ELECTRIC CR-750	GEH1495	10	19997	3883	120	0	41182	20880	697	0	0
2	735	27776	C80919	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935252	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27777	C80920	C337	SURGE DRUM MAX UP 16 TO VAC MAX TEMP 2	935243	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27778	C80921	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935253	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27779	C80982	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935254	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27780	C80983	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935245	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27781	C80984	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935246	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27782	C80985	C337	SURGE DRUM MAX UP 16 TO VAC MAX TEMP 2	935259	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27783	C80986	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935257	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27784	C80987	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935258	40	19997	6565	480	0	41182	20880	697	0	0
2	735	27785	C80988	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	9893	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27786	C80989	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935260	40	19997	6565	480	0	41182	20880	697	0	0
2	735	27787	C80990	C337	SURGE DRUM MAX UP 16 TO VAC MAX TEMP 2	935255	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27788	C80991	C337	SURGE DRUM MAX UP 16 TO VAC MAX TEMP 2	935256	40	19997	6565	480	0	41182	20880	697	0	0
2	735	27789	C80992	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935241	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27790	C80993	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935249	40	19997	6565	480	0	41182	20880	697	0	0
2	735	27791	C80994	C337	SURGE DRUM MAX UP 16 TO VAC MAX TEMP 2	935251	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27792	C80995	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935250	40	19997	6565	480	0	41182	20880	697	0	0
2	735	27793	C80996	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935247	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27794	C80997	C337	SURGE DRUM MAX WP 16 TO VAC MAX TEMP 2	935244	40	19997	6565	480	0	41182	20880	697	0	0
2	735	27795	C80998	C337	SURGE DRUM MAX UP TO VAC MAX TEMP 200	935242	40	19997	6566	480	0	41182	20880	697	0	0
2	735	27796	C80908	C337	HOLDING DRUM SIZE 5' X 14 1/2 TNK HOLD	93535	40	19997	5137	480	0	41182	20880	697	0	0
2	735	27797	C80909	C337	HOLDING DRUM SIZE 5' X 14 1/2' TANK HOL	93536	40	19997	5138	480	0	41182	20880	697	0	0
2	735	27798	C80910	C337	HOLDING DRUM SIZE 5' X 14 1/2' TNK HOLD	93537	40	19997	5137	480	0	41182	20880	697	0	0
2	735	27799	C80911	C337	HOLDING DRUM SIZE 5' X 14 1/2' TNK HOLD	76240918	40	19997	5139	480	0	41182	20880	697	0	0
2	735	27801	C79148	C337	GEAR INCREASER 950 HP GEAR 1781 RPM P	18274	20	19997	5742	240	0	41182	20880	697	0	0
2	735	27802	C76387	C337	MOTOR ELECTRIC DUAL HP (950/135) 4160	4S50P651	20	19997	20418	240	0	41182	20880	697	0	0
2	735	27804	C79144	C337	MOTOR ELECTRIC DUAL HP (950/135) 4160	2S50P651	20	19997	20419	240	0	41182	20880	697	0	0
2	735	27806	C79152	C337	MOTOR ELECTRIC DUAL HP (950/135) 4160	3S50P651	20	19997	20419	240	0	41182	20880	697	0	0
2	735	27812	C77450	C337	FAN SUPPLY WEST	N/A	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27814	C77446	C337	SUPPLY FAN V-BELT STURTEVANT SILENTVAN	9A339562	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27816	C77445	C337	SUPPLY FAN V-BELT STURTEVANT SILENTVAN	9A339569	20	19997	4160	240	0	41182	20880	697	0	0
2	735	27818	C77443	C337	SUPPLY FAN V-BELT STURTEVANT SILENTVAN	9A3395611	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27820	C77482	C337	SUPPLY FAN V-BELT STURTEVANT SILVENTVA	9A3395628	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27822	C77486	C337	SUPPLY FAN V-BELT STURTEVANT SILVENTVA	9A3395626	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27824	C77490	C337	AIR CONDITIONING UNIT MODEL 40RR016520-	L895380	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27826	C77492	C337	SUPPLY FAN V-BELT STURTEVANT SILENTVAN	9A3385636	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27828	C77494	C337	SUPPLY FAN V-BELT STURTEVANT SILENTBAN	9A3395627	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27878	C82246	C337	LUBE OIL COOLER TYPE FL SIZE 20" X 127	H12607	20	19997	11675	240	0	41182	20880	697	0	0
2	735	27879	C77663	C337	LUBE OIL GRAVITY TANK MAX WP 15 PSI RA	HSBF771	40	19997	5248	480	0	41182	20880	697	0	0
2	735	27880	C82349	C337	BATTERY CHARGER 3 PH 60 CYCLES 25 AMP	GEH1495	10	19997	3883	120	0	41182	20880	697	0	0
2	735	27887	C80903	C337	FREON DRAIN TANK MAX. WORKING PRESSURE	N.B. 2067	40	19997	16412	480	0	41182	20880	697	0	0
2	735	27888	C80902	C337	FREON DRAIN TANK MAX. WORKING PRESSURE	N.B. 2072	40	19997	16412	480	0	41182	20880	697	0	0
2	735	27935	C77508	C337	SUPPLY FAN STURTEVENT SILENT VANE V BE	9A 33956 60	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27937	C77504	C337	SUPPLY FAN STURTEVANT SILENT VANE V BE	9A 33956 38	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27939	C77500	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 41	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27941	C77496	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 48	20	19997	4160	240	0	41182	20880	697	0	0
2	735	27943	C77498	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 39	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27945	C77534	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 50	20	19997	4160	240	0	41182	20880	697	0	0
2	735	27947	C77530	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 47	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27949	C77528	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 49	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27951	C77526	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 40	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27953	C77524	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 42	20	19997	4161	240	0	41182	20880	697	0	0
2	735	27955	C77562	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 46	20	19997	4160	240	0	41182	20880	697	0	0
2	735	27957	C77564	C337	SUPPLY FAN STURTEVANT SILVENT VANE V B	9A 33956 44	20	19997	4160	240	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	27969	C82247	C337	LUBE OIL COOLER TUBE 25 X 168 SIZE U BE	H 12278	20	19997	11705	240	0	41182	20880	697	0	0
2	735	27970	C77662	C337	LUBE OIL GRAVITY TANK 7/16" THICK 114"	HSB F-774	40	19997	5248	480	0	41182	20880	697	0	0
2	735	27971	C82350	C337	BATTERY CHARGER CR7501K114D15 AC RATIN	GEH 1495	10	19997	3882	120	0	41182	20880	697	0	0
2	735	27998	C81008	C337	CRANE P & H 15 TON	N/A	30	19997	24070	360	0	41182	20880	697	0	0
2	735	28002	C81010	C337	CRAN E 15 TON CAPACITY INVENTORY #78 S	CH 14964 B	30	19997	24071	360	0	41182	20880	697	0	0
2	735	28019	C77411	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	7 3	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28021	C77415	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	7 2	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28023	C77417	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	7 1	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28025	C77419	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	6 1	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28027	C77421	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	6 2	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28029	C77424	C337	SUPPLY FAN STURTEVANT SILENT VAN E DESI	6 3	20	19997	4160	240	0	41182	20880	697	0	0
2	735	28031	C77427	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	6 4	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28033	C77466	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	5 1	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28035	C77464	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	5 2	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28037	C77462	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	5 3	20	19997	4160	240	0	41182	20880	697	0	0
2	735	28039	C77460	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	5 4	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28041	C77456	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	5 5	20	19997	4160	240	0	41182	20880	697	0	0
2	735	28043	C77468	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	4 1	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28045	C77470	C337	SUPPLY FAN STURTEVANT SILENT VAN E DESI	4 2	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28047	C77472	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	4 3	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28049	C77476	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	4 4	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28051	C77480	C337	SUPPLY FAN STURTEVANT VANE DESIGN 10-A	4 5	20	19997	4160	240	0	41182	20880	697	0	0
2	735	28063	C82250	C337	LUBE OIL COOLER TYPE U-BEND SIZE 25 X	H 12278	20	19997	11705	240	0	41182	20880	697	0	0
2	735	28064	C82353	C337	BATTERY CHARGER PHANO AC RATING 220/44	GEH 1495	10	19997	3882	120	0	41182	20880	697	0	0
2	735	28065	C77665	C337	LUBE OIL GRAVITY TANK STEEL MAX. AWP 1	HSB# F 773	40	19997	5248	480	0	41182	20880	697	0	0
2	735	28076	C82249	C337	LUBE OIL COOLER TYPE F1. HEAD ISZE 20 X	H 12607	20	19997	11705	240	0	41182	20880	697	0	0
2	735	28077	C82352	C337	BATTERY CHARGER PHANO 3 PHASE 60 CYCL	GEH 1495	10	19997	3883	120	0	41182	20880	697	0	0
2	735	28078	C77664	C337	LUBE OIL GRAVITY TANK SUPPLY STEEL MA	HSB# F 776	40	19997	5248	480	0	41182	20880	697	0	0
2	735	28159	C81012	C337	CRAN E 15 TON CAPACITY INVENTORY 78 SH	CH14970	30	19997	24071	360	0	41182	20880	697	0	0
2	735	28163	C81014	C337	CRANE 15 TON CAPACITY INVENTORY 78 SH	CH14971	30	19997	24071	360	0	41182	20880	697	0	0
2	735	28167	C81016	C337	CRAN E 15 TON CAPACITY INVENTORY 78 SH	CH14972	30	19997	24071	360	0	41182	20880	697	0	0
2	735	28180	C80940	C337	CRAN E SHAW-BOX 23 TON CAPACITY 93' SP	30142	30	19997	55202	360	0	41182	20880	697	0	0
2	735	28184	C81025	C337	CRANE SHAW-BOX 35 TON CAPACITY (UPRATE	N/A	30	19997	44813	360	0	41182	20880	697	0	0
2	735	28188	C81026	C337	CRANE SHAW-BOX 35 TON CAPACITY (UPRATE	N/A	30	19997	44814	360	0	41182	20880	697	0	0
2	735	28192	C81020	C337	CRANE SHAW-BOX 35 TON CAPACITY 59' SP	N/A	30	19997	42737	360	0	41182	20880	697	0	0
2	735	28196	C81022	C337	CRANE SHAW-BOX 35 TON CAPACITY 59' SP	N/A	30	19997	42737	360	0	41182	20880	697	0	0
2	735	28200	C81024	C337	CRANE SHAW-BOX 35 TON CAPACITY 59' SP	N/A	30	19997	42738	360	0	41182	20880	697	0	0
2	735	28204	C81018	C337	CRANE 15 TON CAPACITY INVENTORY 78 SH	CH14973	30	19997	24070	360	0	41182	20880	697	0	0
2	735	28208	C81019	C337	CRANE 15 TON CAPACITY INVENTORY 78 SH	CH14966	30	19997	24070	360	0	41182	20880	697	0	0
2	735	28212	C81021	C337	CRANE 15 TON CAPACITY INVENTORY 78 SHE	CH14969	30	19997	24071	360	0	41182	20880	697	0	0
2	735	28216	C81023	C337	CRANE 15 TON CAPACITY INVENTORY 78 SH	CH14967	30	19997	24070	360	0	41182	20880	697	0	0
2	735	28220	C81027	C337	CRANE 15 TON CAPACITY INVENTORY 78 SH	CH14968	30	19997	24070	360	0	41182	20880	697	0	0
2	735	28224	C81017	C337	CRANE 26 TON CAPACITY (UPRATED FROM 23	N/A	30	19997	58661	360	0	41182	20880	697	0	0
2	735	28228	C81015	C337	CRANE 36 TON (UPRATED FROM 23 TON) INV	N/A	30	19997	57246	360	0	41182	20880	697	0	0
2	501	28256	C82158	C337	PNEUMATIC TUBE SYSTEM CONSISTING OF: 2 R	N/A	25	19936	3869	300	0	41182	20940	699	0	0
2	735	28283	C77522	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	3 1	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28285	C77520	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	3 2	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28287	C77518	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	3 3	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28289	C77516	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	3 4	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28291	C77512	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	3 5	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28293	C77502	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	3 6	20	19997	4160	240	0	41182	20880	697	0	0
2	735	28295	C77550	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	2 1	20	19997	4160	240	0	41182	20880	697	0	0
2	735	28297	C77548	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	2 2	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28299	C77546	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	2 3	20	19997	4160	240	0	41182	20880	697	0	0
2	735	28301	C77544	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	2 4	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28303	C77540	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	2 5	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28305	C77538	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	2 6	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28307	C77552	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	1 1	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28309	C77554	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	1 2	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28311	C77558	C337	SUPPLY FAN STURTEVANT SILENT VANE DESI	1 3	20	19997	4161	240	0	41182	20880	697	0	0
2	735	28313	C82355	C337	REFRIGERATION UNIT UNIT TESTED AT 235 L	19244 53J	20	19997	4414	240	0	41182	20880	697	0	0
2	735	28318	C82356	C337	REFRIGERATION UNIT UNIT TESTED AT 235 L	19243 53J	20	19997	4414	240	0	41182	20880	697	0	0
2	735	28339	C82248	C337	LUBE OIL COOLER NAT. BOARD #1780 TYPE	H 12278	20	19997	11705	240	0	41182	20880	697	0	0
2	735	28340	C77661	C337	LUBE OIL GRAVITY TANK STEEL MAX. AWP 1	HSB# F 775	40	19997	5248	480	0	41182	20880	697	0	0
2	735	28341	C82351	C337	BATTERY CHARGER PHANO CR 7601K114D15	GEH 1495	10	19997	3883	120	0	41182	20880	697	0	0
2	501	30415	C74395	C337	C-337 PROCESS BUILDING-A WINDOWLESS TWO	N/A	40	19997	31385432	480	0	41182	20880	697	0	0
2	501	30416	C74396	C337	C-337 ELECTRIC LIGHTING SYSTEM-THIS SYST	N/A	40	19997	2398034	480	0	41182	20880	697	0	0
2	501	30417	C74397	C337	C-337 PLUMBING AND DRAINAGE SYSTEM-THIS	N/A	40	19997	1023487	480	0	41182	20880	697	0	0
2	501	30418	C74398	C337	C-337 HEATING AND VENTILATING SYSTEM- HE	N/A	40	19997	7010453	480	0	41182	20880	697	0	0
2	735	30419	C74399	C337	C-337 PROCESS GAS PIPING SYSTEM IS DESIN	N/A	40	19997	339406	480	0	41182	20880	697	0	0
2	735	30420	C74400	C337	C-337 PROCESS GAS RECOVERY SYSTEM FUNCTI	N/A	25	19997	22372	300	0	41182	20880	697	0	0
2	735	30421	C74401	C337	C-337 COOLANT SYSTEM IS PART OF THE MECH	N/A	30	19997	94156	360	0	41182	20880	697	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	30422	C74402	C337	C-337 LUBE AND HYDRAULIC OIL SYSTEM IS D	N/A	20	19997	2658054	240	0	41182	20880	697	0	0
2	735	30423	C74403	C337	C-337 SEAL EXHAUST SYSTEM FUNCTION IS TO	N/A	25	19755	621733	300	0	41182	21120	705	0	0
2	735	30424	C74404	C337	C-337 NITROGEN SYSTEM PORVIDES DRY INERT	N/A	25	19997	287789	300	0	41182	20880	697	0	0
2	735	30425	C74405	C337	C-337 DRY AIR SYSTEM-THE DRY AIR SYSTEM	N/A	25	19997	362605	300	0	41182	20880	697	0	0
2	735	30426	C74406	C337	C-337 RECIRCULATING WATER SYSTEM-THE CHI	N/A	40	19997	1609966	480	0	41182	20880	697	0	0
2	735	30427	C74407	C337	C-337 ELECTRIC POWER SYSTEM-THIS SYSTEM	N/A	30	19997	35785134	360	0	41182	20880	697	0	0
2	735	30428	C74408	C337	C-337 CELL + PIPE ENCLOSURES- THIS IS A	N/A	40	19997	97967	480	0	41182	20880	697	0	0
2	735	30429	C74409	C337	C-337 INSTRUMENTATION + CONTROLS-THE INS	N/A	25	19997	138368	300	0	41182	20880	697	0	0
2	735	34736	C80906	C337	FREON DRYING UNIT COMPLETE DESIGN PRESS	N/A	20	21458	7935	240	0	41182	19440	649	0	0
2	735	34947	C82435	C337	VACUUM PUMP ERD #6D57-1163 K-25 PROPER	N/A	15	17014	814	180	0	41182	23820	795	0	0
2	735	35677	C82104	C337	23 EACH "OOO" RECYCLE COOLERS - ALL 23 C	N/A	20	22036	70482	240	0	41182	18870	630	0	0
2	735	36188	C82146	C337	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36189	C82147	C337	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36190	C82148	C337	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36191	C82149	C337	UF6 DETECTION UNIT CONSIST OF DOUBLE PA	N/A	25	22340	7625	300	0	41182	18570	620	0	0
2	735	36699	C82020	C337	SODIUM FLUORIDE TRAP MONEL SIZE 6" ID	N/A	20	22950	6428	240	0	41182	17970	600	0	0
2	735	36700	C82021	C337	SODIUM FLUORIDE TRAP MONEL SIZE 6" ID	N/A	20	22950	6428	240	0	41182	17970	600	0	0
2	735	43832	C71410	C337	NON-CONDENSABLE PURGE FACILITY R-114 SY	68L05098	25	25599	8387	300	0	41182	15360	513	0	0
2	735	44377	C82199	C337	CASCADE FEED RATE MONITOR-HIGH PRECISION	N/A	25	26176	18642	300	0	41182	14790	494	0	0
2	735	45656	C85551	C337	X AIR CONDITIONED CHAMBER MODEL NO MPO	322 469	20	27575	5255	240	0	41182	13410	448	0	0
2	735	45671	45671	C337	COMPRESSOR CENTRIFUGAL HORIZONTAL ALL	1AS6684	40	16649	6647	480	0	41182	24180	807	0	0
2	735	45673	45673	C337	CENTRIFUGAL HORIZONTAL ALLIS CHALMERS	1AS 6436	40	16649	6647	480	0	41182	24180	807	0	0
2	735	45677	C79158	C337	COMPRESSOR CENTRIFUGAL HORIZONTAL ALL	1AS 6775	40	16649	6647	480	0	41182	24180	807	0	0
2	735	45681	C79161	C337	COMPRESSOR CENTRIFUGAL HORIZONTAL ALL	1AS 867	40	16649	6647	480	0	41182	24180	807	0	0
2	735	45685	C79156	C337	COMPRESSOR CENTRIFUGAL HORIZONTAL ALL	1AS 6652	40	17014	6647	480	0	41182	23820	795	0	0
2	735	45803	C81894	C337	STORAGE TANK PYRANOL 5000 GAL. NOMINAL	N/A	40	27667	24094	480	50.19583333	41182	13320	445	35	1756.854167
2	735	45804	C81895	C337	STORAGE TANK PYRANOL 5000 GAL. NOMINAL	N/A	40	27667	24093	480	50.19375	41182	13320	445	35	1756.78125
2	735	45881	C79180	C337	COMPRESSOR AXIAL FLOW CELL: 6 UNIT: 4	57B18 1 186R	40	27850	94179	480	196.20625	41182	13140	439	41	8044.45625
2	735	46575	C81086	C337	DRUM SURGE N.B. #3499 MAX. DESIGN PRE	7375A	40	28184	12529	480	26.10208333	41182	12810	428	52	1357.308333
2	735	46576	C80979	C337	DRUM SURGE NB #3500 MAX. DESIGN PRESS	7375B	40	28184	12529	480	26.10208333	41182	12810	428	52	1357.308333
2	735	46577	C81085	C337	DRUM STORAGE NB #3504 MAX. DESIGN PRE	7375 C	40	28184	12529	480	26.10208333	41182	12810	428	52	1357.308333
2	735	46578	C81095	C337	DRUM SURGE NB #3505 MAX. DESIGN PRESS	7375 D	40	28184	12529	480	26.10208333	41182	12810	428	52	1357.308333
2	735	46579	C81093	C337	DRUM SURGE NB #3578 MAX. DESIGN PRESS	7375E	40	28215	12529	480	26.10208333	41182	12780	427	53	1383.410417
2	735	46580	C81084	C337	DRUM SURGE NB #3579 MAX. DESIGN PRESS	7375F	40	28215	12529	480	26.10208333	41182	12780	427	53	1383.410417
2	735	46581	C81094	C337	DRUM SURGE NB #3598 MAX. DESIGN PRESS	7375G	40	28245	12529	480	26.10208333	41182	12750	426	54	1409.5125
2	735	46582	C80981	C337	DRUM SURGE NB #3599 MAX. DESIGN PRESS	7375H	40	28245	12529	480	26.10208333	41182	12750	426	54	1409.5125
2	735	46583	C81090	C337	DRUM SURGE NB #3601 MAX. DESIGN PRESS	7375U	40	28245	12529	480	26.10208333	41182	12750	426	54	1409.5125
2	735	46584	C80980	C337	DRUM SURGE NB #3602 MAX. DESIGN PRESS	7375K	40	28245	12529	480	26.10208333	41182	12750	426	54	1409.5125
2	735	46585	C81092	C337	DRUM SURGE NB #3617 MAX. DESIGN PRESS	7375L	40	28245	12529	480	26.10208333	41182	12750	426	54	1409.5125
2	735	46586	C81091	C337	DRUM SURGE NB #3618 MAX. DESIGN PRESS	7375M	40	28245	12529	480	26.10208333	41182	12750	426	54	1409.5125
2	735	46587	C81087	C337	DRUM SURGE NB-3621 MAX. DESIGN PRESSU	7375N	40	28276	12529	480	26.10208333	41182	12720	425	55	1435.614583
2	735	46588	C81088	C337	DRUM SURGE NB-3622 MAX DESIGN PRESSU	7375P	40	28276	12529	480	26.10208333	41182	12720	425	55	1435.614583
2	735	46589	C81078	C337	DRUM SURGE NB-3630 MAX. DESIGN PRESSU	7375Q	40	28276	12529	480	26.10208333	41182	12720	425	55	1435.614583
2	735	46590	C81089	C337	DRUM SURGE NB-3631 MAX. DES. PRESSURE	7375R	40	28276	12529	480	26.10208333	41182	12720	425	55	1435.614583
2	735	46591	C81083	C337	DRUM SURGE NB-3639 MAX. DESIGN PRESSU	73755	40	28306	12529	480	26.10208333	41182	12690	424	56	1461.716667
2	735	46592	C81072	C337	DRUM SURGE NB-3640 MAX. DESIGN PRESSU	7375T	40	28306	12529	480	26.10208333	41182	12690	424	56	1461.716667
2	735	46712	C82049	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46714	C82050	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46716	C82051	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46718	C82052	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46720	C82053	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46722	C82054	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46724	C82055	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46726	C82056	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46728	C82057	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46730	C82059	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46732	C82060	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46734	C82061	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46736	C82062	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46738	C82064	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46740	C82065	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46742	C82063	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46744	C82067	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46746	C82066	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46748	C82069	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46750	C82071	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46752	C82072	C337	FAN EXHAUST 60" MODEL VA60-BD BELT DR	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46754	C82073	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46756	C82074	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46758	C82075	C337	FAN EXHAUST 60" MODEL VA60-BD BELT D	80527	20	28945	9760	240	0	41182	12060	403	0	0
2	735	46776	C80470	C337	FAN EXHAUST 66" MODEL TB6602 PIZY BE	NCE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46850	C80452	C337	FAN EXHAUST 66" MODEL TB6602PIZY BELT	ECE 1	20	28945	10458	240	0	41182	12060	403	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	46852	C80454	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	ECE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46854	C80456	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	ECE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46856	C80458	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	NCE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46858	C80460	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	NCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46860	C80468	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	NCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46862	C80462	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	NCE 4	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46864	C80466	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	NCE 5	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46866	C80448	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	SCE 1	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46868	C80450	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	SCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46870	C80446	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	SCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46872	C80444	C337	FAN EXHAUST MODEL TB6602PIZY BELT DRI	SCE 4	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46874	C80442	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	SCE 5	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46876	C80440	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	SCE 6	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46878	C80472	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 2	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46880	C80473	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 3	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46882	C80464	C337	FAN EXHAUST 66" MODEL TB6602PIZY BEL	WCE 6	20	28945	10458	240	0	41182	12060	403	0	0
2	735	46956	46956	C337	PUMP CENT. AURORA MODEL 411BF SIZE 1	76 13388	15	28549	20000	180	0	41182	12450	416	0	0
2	735	47065	C79153	C337	GEAR REDUCER DRIVE 950 HP SERV FACTOR-	34556	20	28368	9654	240	0	41182	12630	422	0	0
2	735	47143	C81082	C337	SURGE DRUM NB-3749 MAX DESIGN PRESSURE	7375UU	40	28490	12529	480	26.10208333	41182	12510	418	62	1618.329167
2	735	47144	C81080	C337	SURGE DRUM NB-3756 MAX DESIGN PRESSURE	7375VV	40	28521	12529	480	26.10208333	41182	12480	417	63	1644.43125
2	735	47145	C81079	C337	SURGE DRUM NB-3757 MAX DESIGN PRESSURE	7375WW	40	28549	12529	480	26.10208333	41182	12450	416	64	1670.533333
2	735	47146	C81081	C337	SURGE DRUM NB-3758 MAX DESIGN PRESSURE-	733375XX	40	28521	12529	480	26.10208333	41182	12480	417	63	1644.43125
2	735	47363	C79145	C337	SPEED INCREASER SERVIE FACTOR 1.5 PINION	34864	20	28641	10014	240	0	41182	12360	413	0	0
2	735	47425	C80904	C337	PUMP VACUUM SINGLE STAGE ROTARY TYPE 900	2 9944 4	15	29737	27931	180	0	41182	11280	377	0	0
2	735	47532	C77409	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3383 SF4 6A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47534	C77435	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3503 SF6 6A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47536	C77448	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3573 SF5 6A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47538	C77488	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73: DIA I	76 3571 SF4 7A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47540	C77506	C337	FAN SUPPLY SIZE + TYPE AF 73" DIA IMPELL	76 3510 SF3 7A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47542	C77532	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3369 SF2 7A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47544	C77454	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3572 SF5 5A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47546	C77452	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3385 SF5 5B	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47548	C77484	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3506 SF7 3A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47550	C77510	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3370 SF3 6A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47552	C77536	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DIA I	76 3508 SF2 6A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47554	C77560	C337	FAN SUPPLY - SIZE AND TYPE 7730 AF 73	763507SF1-3A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47556	C77429	C337	FAN SUPPLY - SIZE AND TYPE 7730 AF 73"	76-3574 SF6-4A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47558	C77425	C337	FAN SUPPLY SIZE AND TYPE 7730 AF 73"	76-3504-SF6-3A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47560	C77458	C337	FAN SUPPLY -73 IN	N/A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47562	C77478	C337	FAN SUPPLY 73" SIZE + TYPE-7730 AF 7	76 3511 SF4 4A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47564	C77514	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DI	76 3509 SF3 4A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47566	C77542	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DI	76 3368 SF2 4A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47568	C77556	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DI	76 3367 SF1 2A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47570	C77474	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DI	76 3382 SF4 3A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47572	C77413	C337	FAN SUPPLY SIZE + TYPE 7730 AF 73" DI	76 3590 SF7 2A	20	28945	10400	240	0	41182	12060	403	0	0
2	735	47596	C80907	C337	COMPRESSOR GAS SINGLE STAGE HORIZONTA	XIXF 345	25	29006	29768	300	0	41182	12000	401	0	0
2	735	48241	C79155	C337	MOTOR 600 HP WESTINGHOUSE MODEL HSDP	4S-78	20	29280	23119	240	0	41182	11730	392	0	0
2	735	48242	C79160	C337	MOTOR 600 HP WESTINGHOUSE MODEL HSDP	IS-78	20	29280	23119	240	0	41182	11730	392	0	0
2	735	48245	C79157	C337	MOTOR 600 HP WESTINGHOUSE - MODEL HSDP	1S-78	20	29280	23119	240	0	41182	11730	392	0	0
2	735	48300	C81073	C337	VACUUM PUN MODEL 412H-11 LOT CD-81367	CC84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48301	C85021	C337	VACUUM PUMP MODEL 412H-11 LOT CD-81367	CC84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48302	C85020	C337	VACUUM PUMP	N/A	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48303	C85383	C337	VACUUM PUN MODEL 312H-11 LOT CD 81367	CC84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48305	C85018	C337	VACUUM PUMP MODEL 412H-11 LOT CD81367	CC84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48306	C80892	C337	VACUUM PUMP MDEL 412H-11 LOT CD81367	CC84216	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48308	C85019	C337	VACUUM PUMP MODEL 412H-11 LOT CD 81367	CC84126	15	29402	9043	180	0	41182	11610	388	0	0
2	735	48365	C82152	C337	MODEL MB-2-2K A DUAL REFRIGERATION SYST	797680	20	29372	15141	240	0	41182	11640	389	0	0
2	735	48416	C80936	C337	CONDENSER REBOILER DIMENSIONS: (APPROX	12940	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48417	C80937	C337	CONDENSER REBOILER DIEMNSIONS: (APPROX	12939	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48418	C80943	C337	CONDENSER REBOILER DIMENSIONS: (APPROX	12937	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48419	C80941	C337	CONDENSER REBOILER DIMENSIONS: (APPROX	12938	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48420	C80938	C337	CONDENSER REBOILER DIMENSIONS: (APPROX	12941	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48421	C80944	C337	CONDENSER REBOILER DIMENSIONS: (APPROX	12931	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48422	C80946	C337	CONDENSER REBOILER DIMENSIONS: (APPROX	12936	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48423	C80945	C337	CONDENSER REBOILER DIMENSIONS: (APPROX	12935	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48424	C80947	C337	CONDENSER REBOILER DIMENSIONS: (APPROX	12942	20	29372	24955	240	0	41182	11640	389	0	0
2	735	48501	C80926	C337	M.W.O. NO. 2246 F/S VESSEL M.A.W.P. SH	399	20	29494	92156	240	0	41182	11520	385	0	0
2	735	48502	C81028	C337	M.W.O. NO. 2246 F/S VESSEL M.A.W.P.: S	403	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48503	C81034	C337	M.W.O. NO. 2246 F/S VESSEL M.A.W.P. S	417	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48504	C80927	C337	M.W.O. NO. 2246 F/S VESSEL M.A.W.P.: S	402	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48505	C80928	C337	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	406	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48506	C81035	C337	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	408	20	29829	92156	240	0	41182	11190	374	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	48507	C81029	C337	FREEZER/SUBLIMER M.W.O. 2246 F/S VESSE	421	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48508	C80922	C337	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	404	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48509	C80929	C337	FREEZER/SUBLIMER M.W.O. NO. 2246 F/S V	410	20	29829	92156	240	0	41182	11190	374	0	0
2	735	48775	C81987	C337	ANALYZER GAS MODEL 400 ULTRAVIOLET GA	5641	15	29617	12564	180	0	41182	11400	381	0	0
2	735	49004	C82032	C337	M.W.O. NO 2246 FREEZER/SUBLIMER VESSEL	436	20	29829	92156	240	0	41182	11190	374	0	0
2	735	49584	C80942	C337	NB-39803 CONDENSER-REBOILER. MAX PRESS	245269	20	28459	17100	240	0	41182	12540	419	0	0
2	735	49790	C80956	C337	EMERGENCY GENERATOR MODEL NO. 502FDR710	NB 19 50175 2/8	20	31198	56131	240	0	41182	9840	329	0	0
2	735	49791	C80957	C337	DIESEL ENGINE MODEL NTTA855GS CUMMINS	18104879	10	31198	21434	120	0	41182	9840	329	0	0
2	735	49792	C80952	C337	EMERGENCY GENERATOR MODEL NO. 502FDR710	NB 19 50175 2/8	20	31198	56131	240	0	41182	9840	329	0	0
2	735	49793	C80953	C337	DIESEL ENGINE MODEL NTTA855GS CUMMINS	18104880	10	31198	21434	120	0	41182	9840	329	0	0
2	735	49794	C80954	C337	EMERGENCY GENERATOR MODEL NO. 502FDR710	NB 1950175 2/8	20	31198	56130	240	0	41182	9840	329	0	0
2	735	49795	C80955	C337	DIESEL ENGINE MODEL NTTA855GS CUMMINS	18104881	10	31198	21434	120	0	41182	9840	329	0	0
2	501	50037	C74494	C337	AUTOMATIC SPRINKLER SYSTEM WITH ALARM S	N/A	40	21640	782781	480	0	41182	19260	643	0	0
2	735	50147	C74593	C337	CONDENSER CLEAN SYSTEM CONSISTING OF CH	N/A	15	25354	5095	180	0	41182	15600	521	0	0
2	735	50150	C74596	C337	PROCESS ALARM (VIBRATION PROTECTION FOR	N/A	25	25719	4325	300	0	41182	15240	509	0	0
2	735	50204	C74648	C337	PG PIPING C-37 PG PIPE SYS.	N/A	40	27210	30790353	480	64146.56875	41182	13770	460	20	1282931.375
2	735	50205	C74649	C337	CELL PIPE ENCLOSURE CELL-PIPE ENCLOSURE	N/A	40	27210	10643503	480	22173.96458	41182	13770	460	20	443479.2917
2	735	50206	C74650	C337	INSTRUMENTS - CONTROLS INSTRUMENTS-CONTR	N/A	25	27210	10910392	300	0	41182	13770	460	0	0
2	735	50207	C74651	C337	COOLER RECYCLE	N/A	20	27210	442064	240	0	41182	13770	460	0	0
2	735	50208	C74652	C337	C-37 COOLANT SYSTEM	N/A	30	27210	8034203	360	0	41182	13770	460	0	0
2	735	50252	C74695	C337	COOLER RECYCLE	N/A	20	28276	5612	240	0	41182	12720	425	0	0
2	735	50357	50357	C337	SEISMIC ALARM SYS. REDUNDANT SEISMIC DI	N/A	25	31958	56881	300	0	41182	9090	304	0	0
2	501	51021	C51021	C337	FREIGHT ELEVATOR 7-1/2 T OILCRAULIC FR	N/A	40	31078	141438	480	294.6625	41182	9960	333	147	43315.3875
2	735	51645	C51645	C337	FREEZER/SUBLIMER - 20 MW 60" DIA. X 15'	N/A	20	32050	301593	240	0	41182	9000	301	0	0
2	735	51705	C51705	C337	FREEZER/SUBLIMER VESSEL CHILLER LIQUID S	428	20	29706	258538	240	0	41182	11310	378	0	0
2	735	51706	C51706	C337	FREEZER/SUBLIMER VESSEL CHILLER LIQUID S	419	20	29586	258537	240	0	41182	11430	382	0	0
2	735	51714	C51714	C337	FREEZER/SUBLIMER VESSEL CHILL LIQUID SIZ	435	20	29767	258538	240	0	41182	11250	376	0	0
2	735	51715	C51715	C337	FREEZER/SUBLIMER 9 1/2' HIGH FREEZER/SUB	14658	20	32294	247865	240	0	41182	8760	293	0	0
2	735	51716	C51716	C337	FREEZER/SUBLIMER 9 1/2' HIGH FREEZER/SUB	14659	20	32294	247865	240	0	41182	8760	293	0	0
2	735	51717	C51717	C337	FREEZER/SUBLIMER VESSEL CHILLER LIQUID S	438	20	29617	258538	240	0	41182	11400	381	0	0
2	735	51718	C51718	C337	MOTOR ELEC UPRATED MOTOR WEST. 3300 HP	565 24G67	20	26053	42800	240	0	41182	14910	498	0	0
2	735	51719	C51719	C337	MOTOR ELEC UPRATED MOTOR WEST. 3300 HP	16 S 24G67	20	27088	42800	240	0	41182	13890	464	0	0
2	735	51720	C51720	C337	MOTOR ELEC UPRATED MOTOR WEST. 3300 HP.	72 S 24G67	20	26053	42800	240	0	41182	14910	498	0	0
2	735	51721	C51721	C337	MOTOR ELEC UPRATED MOTOR WEST. 3300 HP.	31 S 24G67	20	26053	42800	240	0	41182	14910	498	0	0
2	735	51722	C51722	C337	MOTOR UPRATED MOTOR WEST. 3300 HP.	46 S 24G66	20	26053	42800	240	0	41182	14910	498	0	0
2	735	51723	C51723	C337	MOTOR ELEC UPRATED MOTOR WEST. 3300 HP.	51G S 24G66	20	26053	42800	240	0	41182	14910	498	0	0
2	735	51724	C51724	C337	MOTOR ELEC UPRATED MOTOR WEST. 3300 HP.	106 S 24G66	20	26053	42800	240	0	41182	14910	498	0	0
2	735	51725	C51725	C337	MOTOR ELEC UPRATED MOTOR WEST. 3300 HP	106 S 24G66	20	26053	42800	240	0	41182	14910	498	0	0
2	735	51732	C51732	C337	PUMP HYDRAULIC ELEC POWERED W/INTERNAL S	OFOC 321	15	29372	5062	180	0	41182	11640	389	0	0
2	735	51733	C51733	C337	HYDRAULIC PUMP ELEC POWERED W/INTERNAL S	ADO 360	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51734	C51734	C337	PUMP HYDRAULIC ELE POWERED W/INTERNAL SA	ADO 063	15	29372	5052	180	0	41182	11640	389	0	0
2	735	51776	C51776	C337	MOTOR ELECT WEST 3300 HP UPRATED CUP	7S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51777	C51777	C337	MOTOR ELECT WEST 3300 HP UPRATED CUP	154S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51778	C51778	C337	MOTOR ELECT WEST 3300HP UPRATED CUP M	60S24G66	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51779	C51779	C337	MOTOR ELECT WEST 3300 HP UPRATED CUP	146S024G66	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51780	C51780	C337	MOTOR ELECT WEST 3300HP UPRATED CUP	55S24G66	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51781	C51781	C337	MOTOR ELECT WEST 3300HP UPRATED CUP MO	86S24G66	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51782	C51782	C337	MOTOR ELECT WEST 3300 HP UPRATED CUP	149S24G66	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51783	C51783	C337	MOTOR ELECT WEST 3300HP UPRATED CUP	61S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	51818	C51818	C337	COMPRESSOR AXIAL FLOW CELL:6.8 STAGE:	57B17 094	40	18079	0	480	0	41182	22770	760	0	0
2	735	51926	C51926	C337	MOTOR WESTINGHOUSE 3300 HP ELECTRIC. M	89S24G67	20	25627	42800	240	0	41182	15330	512	0	0
2	735	51927	C51927	C337	MOTOR WESTINGHOUSE 3300 HP ELECTRIC MO	85S24G67	20	25627	42800	240	0	41182	15330	512	0	0
2	735	51928	C51928	C337	MOTOR WESTINGHOUSE 3300 HP ELECTRIC. M	88S24G67	20	25627	42800	240	0	41182	15330	512	0	0
2	735	51929	C51929	C337	MOTOR WES. 3300 HP ELECTRIC. MOTOR 3300	123S24G67	20	25627	42800	240	0	41182	15330	512	0	0
2	735	51949	C51949	C337	MOTOR ELECTRIC 3300 HP MOTOR WEST.3300	49S24G67	20	25688	42800	240	0	41182	15270	510	0	0
2	735	51950	C51950	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST.330	43S24G67	20	25688	42800	240	0	41182	15270	510	0	0
2	735	51951	C51951	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST.3300	63S24G67	20	25688	42800	240	0	41182	15270	510	0	0
2	735	51952	C51952	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST.330	55S24G67	20	25688	42800	240	0	41182	15270	510	0	0
2	735	51955	C51955	C337	COMPRESSOR AXIAL MODIFIED COMPRESSOR AX	534	40	18414	127514	480	0	41182	22440	749	0	0
2	735	51956	C51956	C337	COMPRESSOR AXIAL FLOW MODIFIED. COMPRES	562	40	18414	127514	480	0	41182	22440	749	0	0
2	735	51957	C51957	C337	MOTOR WESTINGHOUSE 3300 HP. MOTOR WEST.	78S24G66	20	25719	42800	240	0	41182	15240	509	0	0
2	735	51958	C51958	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST.3300	53S24G66	20	25719	42800	240	0	41182	15240	509	0	0
2	735	51959	C51959	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST.3300	20S24G67	20	25719	42800	240	0	41182	15240	509	0	0
2	735	51960	C51960	C337	MOTOR ELECTRIC WESTINGHOUSE 3300 HP. MO	64S24G67	20	25719	42800	240	0	41182	15240	509	0	0
2	735	51961	C51961	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST.3300	112S24G66	20	25719	42800	240	0	41182	15240	509	0	0
2	735	51962	C51962	C337	MOTOR ELECTRIC 3300 HP MOTOR WEST.3300 H	153S24G66	20	25719	42800	240	0	41182	15240	509	0	0
2	735	51963	C51963	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST.330	4S24G66	20	25719	42800	240	0	41182	15240	509	0	0
2	735	51964	C51964	C337	MOTOR ELECTRIC 3300 HP MOTOR WEST.3300 H	50S24G66	20	25719	42800	240	0	41182	15240	509	0	0
2	735	51972	C51972	C337	MOTOR ELECTRIC INDUCTION 200 HP 3 PHAS	48S9B3575	20	25749	2403	240	0	41182	15210	508	0	0
2	735	51998	C51998	C337	ELECTRIC MOTOR 3300 HP UPRATED CUP MOTOR	15S24G66	20	18506	42800	240	0	41182	22350	746	0	0
2	735	51999	C51999	C337	ELECTRIC MOTOR 3300 HP UPRATED CUP MOTOR	134S24G66	20	18506	42800	240	0	41182	22350	746	0	0
2	735	52135	C52135	C337	AIR FILTRATION SYSTEM 1000 CFM PORTABLE	1PD9H5MM099001	20	33297	10620	240	0	41182	7770	260	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	52188	C52188	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST 3300	41S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52189	C52189	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST 3300	33S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52190	C52190	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST 3300	60S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52191	C52191	C337	MOTOR ELECTRIC 3300 HP. MOTOR WEST 3300	32S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52318	C52318	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	137S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52319	C52319	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	11S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52320	C52320	C337	MOTOR ELECTRIC 3300 H. MOTOR ELECT 3300	81S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52321	C52321	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	79524G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52322	C52322	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	44S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52323	C52323	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	34S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52324	C52324	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	126S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52325	C52325	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	66S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52326	C52326	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	13S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52327	C52327	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	53S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52328	C52328	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	159S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52329	C52329	C337	MOTOR ELECTRIC 3300 HP. MOTOR ELECT 330	141S24G67	20	26754	42800	240	0	41182	14220	475	0	0
2	735	52339	C52339	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	78S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52340	C52340	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	74S24G76\\67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52341	C52341	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	75S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52342	C52342	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	149S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52343	C52343	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	111S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52344	C52344	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	8S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52345	C52345	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	117S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52346	C52346	C337	MOTOR ELECTRI 3300 HP. MOTORS 3300HP	89S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52347	C52347	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	115S24G67	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52348	C52348	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	82S224667	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52349	C52349	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	22S24667	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52350	C52350	C337	MOTOR ELECTRIC 3300 HP. MOTORS 3300HP	3S24G552	20	19905	42800	240	0	41182	20970	700	0	0
2	735	52545	318221	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	19-5-24G67	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52546	318219	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	133-5-24G67	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52547	31755	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	69-5-24G67	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52548	31757	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	U. S. 24G66	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52549	318215	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	132-5-24G67	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52550	317786	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	63-5-24G-G6	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52551	317788	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	89-5-24G66	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52552	318217	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	136-S-24G67	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52553	317792	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	54-5-24G66	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52554	317790	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	155-5-24G66	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52555	317751	C337	MOTOR TRANSFERED FROM K-25 TO PADUCAH	51-5-24GG7	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52556	317753	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	17-5-24G67	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52557	317796	C337	MOTOR- TRANSFERED FROM K-25 TO PADUCAH	129-S-24G66	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52558	317798	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	159-5-24G66	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	52559	317794	C337	MOTOR - TRANSFERED FROM K-25 TO PADUCAH	113-5-24G66	20	34578	42800	240	178.3333333	41182	6509	217.9666667	22.03333333	3929.277778
2	735	1503704	805351	C337	CONVERTER 33 TYPE A. NEWPORT NEWS SHIP	126U1542	40	20301	216229	480	0	41182	20580	687	0	0
2	735	1504752	806385	C337	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U1100	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504755	806388	C337	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U1324	40	20301	202908	480	0	41182	20580	687	0	0
2	735	1504781	806414	C337	CONVERTER- NEWPORT NEWS SHIP BUILDING DR	126U960	40	20301	209396	480	0	41182	20580	687	0	0
2	735	1505081	806713	C337	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1589	40	20301	278447	480	0	41182	20580	687	0	0
2	735	1505095	806726	C337	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1681	40	20301	278447	480	0	41182	20580	687	0	0
2	735	1505099	806730	C337	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1661	40	20301	278447	480	0	41182	20580	687	0	0
2	735	1505127	806757	C337	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUIL	126U1628	40	20301	241731	480	0	41182	20580	687	0	0
2	735	1505135	806765	C337	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUIL	126U1667	40	20301	270001	480	0	41182	20580	687	0	0
2	735	1505194	806824	C337	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUIL	126U1768	40	20301	241731	480	0	41182	20580	687	0	0
2	735	1505212	806842	C337	CONVERTER SIZE 33 NEWPORT NEWS SHIPBUILD	126U1757	40	20301	241731	480	0	41182	20580	687	0	0
2	735	1510559	809215	C337	CONVERTER 33 TYPE A NEWPORT NEWS SHIPB	126U779	40	20301	209951	480	0	41182	20580	687	0	0
2	735	2001165	811455	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1313	20	20301	27698	240	0	41182	20580	687	0	0
2	735	2001168	811458	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B-1316	20	20301	14018	240	0	41182	20580	687	0	0
2	735	2001174	811464	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1322	20	20301	36627	240	0	41182	20580	687	0	0
2	735	2001177	811467	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1325	20	20301	27698	240	0	41182	20580	687	0	0
2	735	2001192	811482	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1341	20	20301	36423	240	0	41182	20580	687	0	0
2	735	2001205	811495	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1353	20	20301	27698	240	0	41182	20580	687	0	0
2	735	2001216	811506	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1364	20	20301	36627	240	0	41182	20580	687	0	0
2	735	2001243	811533	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1391	20	20301	27698	240	0	41182	20580	687	0	0
2	735	2001247	811537	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1395	20	20301	27698	240	0	41182	20580	687	0	0
2	735	2001274	811564	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1422	20	20301	32616	240	0	41182	20580	687	0	0
2	735	2001278	811568	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1426	20	20301	27698	240	0	41182	20580	687	0	0
2	735	2001283	811573	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1431	20	20301	27698	240	0	41182	20580	687	0	0
2	735	2001285	811575	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1433	20	20301	27698	240	0	41182	20580	687	0	0
2	735	2001286	811576	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B-1434	20	20301	14018	240	0	41182	20580	687	0	0
2	735	2001324	811614	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1472	20	20301	36423	240	0	41182	20580	687	0	0
2	735	2001328	811618	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1476	20	20301	36423	240	0	41182	20580	687	0	0
2	735	2001331	811621	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1479	20	20301	36423	240	0	41182	20580	687	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	2001332	811622	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1480	20	20301	36423	240	0	41182	20580	687	0	0
2	735	2001379	811669	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1527	20	20301	36423	240	0	41182	20580	687	0	0
2	735	2001392	811682	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B-1540	20	20301	14019	240	0	41182	20580	687	0	0
2	735	2001431	811721	C337	MOTOR 2000 HP 2300 VOLTS FAIRBANKS-MOR	B1579	20	20301	36628	240	0	41182	20580	687	0	0
2	735	2001451	811741	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B-1599	20	20301	14018	240	0	41182	20580	687	0	0
2	735	2001475	811765	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B-1623	20	20301	27699	240	0	41182	20580	687	0	0
2	735	2001482	811772	C337	MOTOR FAIRBANKS MORSE 3300 HP 2300 VO	B1630	20	20301	27699	240	0	41182	20580	687	0	0
2	735	2102022	814213	C337	TRANSFORMER PROCESS- CAPACITY 12 500 K	R1J1101	30	29586	68863.81	360	0	41182	11430	382	0	0
2	735	2303403	819016	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1656L	40	20301	92041	480	0	41182	20580	687	0	0
2	735	2303465	819078	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1711R	40	20301	92041	480	0	41182	20580	687	0	0
2	735	2303482	819095	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1812R	40	20301	92041	480	0	41182	20580	687	0	0
2	735	2303493	819106	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1741R	40	20301	92041	480	0	41182	20580	687	0	0
2	735	2303495	819108	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1718R	40	20301	92036	480	0	41182	20580	687	0	0
2	735	2303513	819126	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1793L	40	20301	92041	480	0	41182	20580	687	0	0
2	735	2303515	819128	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1780L	40	20301	92041	480	0	41182	20580	687	0	0
2	735	2303528	819141	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1799L	40	20301	95794	480	0	41182	20580	687	0	0
2	735	2303639	819251	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1916L	40	20301	97953	480	0	41182	20580	687	0	0
2	735	2303640	819252	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1908R	40	20301	119099.45	480	0	41182	20580	687	0	0
2	735	2303647	819259	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-1909R	40	20301	108356.13	480	0	41182	20580	687	0	0
2	735	2303820	819432	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2105L	40	20301	85469	480	0	41182	20580	687	0	0
2	735	2303838	819450	C337	COMPRESSOR SIZE 33 AXIAL FLOW CARRIER	57B18-2116L	40	20301	97953	480	0	41182	20580	687	0	0
2	735	2305290	820014	C337	COMPRESSOR AXIAL FLOW - MODIFIED TYPE	806R	40	32477	91757	480	191.1604167	41182	8580	287	193	36893.96042
2	735	25916	C73875	C337A	AIR MOTORED WEIGH SCALE TRANSFER CAR IN	6580 EE	20	19997	2310	240	0	41182	20880	697	0	0
2	735	35532	C81962	C337A	BRIDGE CRANE 27 TON CAPACITY COMPLETE	14904B	30	19905	35518	360	0	41182	20970	700	0	0
2	735	35604	C82361	C337A	AIR MOTORED WEIGHT SCALE TRANSFER CAR M	N/A	20	22281	3632	240	0	41182	18630	622	0	0
2	735	36366	C81961	C337A	BRIDGE CRANE 35 TON CAPACITY WITH MOTOR	30152	30	22524	34130	360	0	41182	18390	614	0	0
2	501	50072	C74525	C337A	VAP BLDG - THE MAIN BUILDING IS A STEEL-	N/A	40	22281	441882	480	0	41182	18630	622	0	0
2	501	50073	C74526	C337A	ALL LIGHTS ARE CONTROLLED FROM THREE LIG	N/A	40	22281	33035	480	0	41182	18630	622	0	0
2	735	50077	C74530	C337A	ELECT. POWER SYSTEM PROCESS POWER OBTAI	N/A	30	22281	64535	360	0	41182	18630	622	0	0
2	501	50078	C74531	C337A	PLUMBING AND DRAINAGE CONSISTS OF A 30 G	N/A	40	22281	5626	480	0	41182	18630	622	0	0
2	735	50079	C74532	C337A	INSTRUMENTATION INCLUDES CONTROLS FOR ST	N/A	25	22281	204946	300	0	41182	18630	622	0	0
2	735	50080	C74533	C337A	PROCESS PIPING SYTEMS TIE INTO EXISTING	N/A	40	22281	78909	480	0	41182	18630	622	0	0
2	470	50186	C74631	C337A	STORAGE PAD CONCRETE STORAGE PAD PORT 8	N/A	30	22281	54660	360	0	41182	18630	622	0	0
2	735	50187	C74632	C337A	ELECTRIFIED CRANE RAIL APPROX. 220' LON	N/A	30	22281	42505	360	0	41182	18630	622	0	0
2	501	50203	C74647	C337A	AUTOMATIC SPRINKLER SYSTEM - 3337A - DRY	N/A	40	27119	35578	480	74.12083333	41182	13860	463	17	1260.054167
2	735	50231	C74675	C337A	UF6 DETECTION SYSTEM 337-A UF6 RELEASE	N/A	25	28125	125474	300	0	41182	12870	430	0	0
2	735	51328	C51328	C337A	SCALE PLATFORM MODEL MMR ACCOUNTABILI	69670	20	31471	150406	240	0	41182	9570	320	0	0
2	735	51671	C51671	C337A	AUTOCLAVE FEED W/HYDRAULIC PUMP + CONTRO	14788	20	31106	677373	240	0	41182	9930	332	0	0
2	735	51672	C51672	C337A	AUTOCLAVE FEED W/HYDRAULIC PUMP + CONTRO	14789	20	31106	677373	240	0	41182	9930	332	0	0
2	735	51673	C51673	C337A	AUTOCLAVE FEED W/HYDRAULIC PUMP + CONTRO	14790	20	31106	677375	240	0	41182	9930	332	0	0
2	735	51674	C51674	C337A	AUTOCLAVE FEED W/HYDRAULIC PUMP + CONTRO	14787	20	31047	677374	240	0	41182	9990	334	0	0
2	735	51740	C51740	C337A	AUTOCLAVE FEED W/HYDRAULIC PUMP + CONTRO	14698	20	32477	591805	240	0	41182	8580	287	0	0
2	735	51741	C51741	C337A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PANE	14704	20	32477	591805	240	0	41182	8580	287	0	0
2	735	51742	C51742	C337A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PANE	14843	20	32477	591803	240	0	41182	8580	287	0	0
2	735	51743	C51743	C337A	AUTOCLAVE FEED W/HYDRAULIC PUMP + CONTRO	14844	20	32477	591803	240	0	41182	8580	287	0	0
2	735	51744	C51744	C337A	AUTOCLAVE FEED W/ HYD PUMP + CONTRL PANE	14847	20	32477	591803	240	0	41182	8580	287	0	0
2	735	51745	C51745	C337A	AUTOCLAVE FEED W/HYD PUMP + CONTROL PANE	14786	20	32477	591803	240	0	41182	8580	287	0	0
2	735	27809	C80949	C350	TANK SURGE STORAGE MAX UP 16 TO VAC M	935248	40	19997	9831	480	0	41182	20880	697	0	0
2	735	47434	C80948	C350	SURGE DURM NB #3925 MAX DESIGN PRESSURE	7560	40	29982	62886	480	131.0125	41182	11040	369	111	14542.3875
2	501	50193	C74637	C350	DRYING AGENT STORAGE FACILITY. C-350 DR	N/A	50	27029	91385	600	152.3083333	41182	13950	466	134	20409.31667
2	501	50194	C74638	C350	HEATING AND VENTILATION SYSTEM. HEATING	N/A	50	27029	10770	600	17.95	41182	13950	466	134	2405.3
2	735	50195	C74639	C350	C-350 INSTRUMENTS INSTRUMENTATION SYSTE	N/A	25	27029	23511	300	0	41182	13950	466	0	0
2	735	50196	C74640	C350	ELECTRIC POWER SYSTEM - THIS SYTEM INCLU	N/A	30	27029	16226	360	0	41182	13950	466	0	0
2	501	50197	C74641	C350	PLUMBING DRAIN SYSTEM. PLUMBING AND DRA	N/A	50	27029	3217	600	5.361666667	41182	13950	466	134	718.4633333
2	735	50200	C74644	C350	PIPING SYSTEM FOR PLANT AIR FOR PURGE AN	N/A	25	27029	32349	300	0	41182	13950	466	0	0
2	735	47875	C81432	C360	AUTOCLAVE NB# (SAME AS SERIAL NO.) TRAN	12173	20	28914	198416	240	0	41182	12090	404	0	0
2	735	47876	C81433	C360	AUTOCLAVE NB# (SAME AS SERIAL NO.) TRAN	12174	20	28914	198040	240	0	41182	12090	404	0	0
2	735	47877	C81434	C360	AUTOCLAVE NB #12175 TRANSFER AND SAMPL	12175	20	28975	198387	240	0	41182	12030	402	0	0
2	735	47878	C81435	C360	AUTOCLAVE NB #12176 TRANSFER AND SAMPL	12176	20	29006	198387	240	0	41182	12000	401	0	0
2	735	47897	C73438	C360	X TRANSFER CAR AIR MOTORED PRODUCT CYLI	N/A	20	28975	12525	240	0	41182	12030	402	0	0
2	735	47898	C81350	C360	X TRANSFER CAR AIR MOTORED PRODUCT CYL.	N/A	20	28975	12525	240	0	41182	12030	402	0	0
2	735	48364	C82151	C360	MODEL MB-2-2K A DUAL REFRIGERATION SYST	797679	20	29372	15140	240	0	41182	11640	389	0	0
2	735	48612	C81438	C360	TANK CYLINDER RELIEF INSULATED STEEL T	7782A F 105	40	30041	7600	480	15.83333333	41182	10980	367	113	1789.166667
2	735	48613	C81439	C360	TANK CYLINDER RELIEF INSULATED STEEL T	7782B	40	30041	7600	480	15.83333333	41182	10980	367	113	1789.166667
2	501	48621	C82150	C360	ELEVATOR FREIGHT	N/A	40	30041	134473	480	280.1520833	41182	10980	367	113	31657.18542
2	735	48626	C81440	C360	TANK HOT WATER 373 INSULATED STEEL TN	21280	40	30041	5850	480	12.1875	41182	10980	367	113	1377.1875
2	735	48639	C81949	C360	40-TON TRAVEL CRANE WITH TWO 20-TON HOI	900B	30	30041	265491	360	0	41182	10980	367	0	0
2	735	48733	C81437	C360	PLATFORM SCALES TWENTY TON WEIGHING CA	45265	20	30041	74314	240	0	41182	10980	367	0	0
2	735	48734	C81436	C360	TWENTY TON PLATFORM DCALES WEIGHING CAP	NONE	20	30041	74314	240	0	41182	10980	367	0	0
2	735	48883	C81444	C360	CRANE 2-TON	N/A	30	29737	5422	360	0	41182	11280	377	0	0
2	470	50282	C74724	C360	ENTRANCE ROAD MODIFICATION - C-360 CONSI	N/A	20	29737	40988	240	0	41182	11280	377	0	0
2	501	50341	C74779	C360	FEED VAPORIZATION FACILITY C-360 BLDG T	N/A	40	30375	4636651	480	9659.689583	41182	10650	356	124	1197801.508

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	51579	C51579	C360	STORAGE SYSTEM CO2 LIQUID CARBON DIOXID	686814F	10	31836	64569	120	0	41182	9210	308	0	0
2	501	4860028		C375E2	OIL CONTROL DAM (EAST DRAINAGE DITCH)KPD	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860029		C375E3	OIL CONTROL DAM (EAST DRAINAGE DITCH) KP	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860030		C375E4	OIL CONTROL DAM (EAST DRAINAGE DITCH) KP	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860031		C375E5	OIL CONTROL DAM (EAST DRAINAG DITCH) EPD	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860032		C375N1	OIL CONTROL DAM KPDES 003	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860033		C375S6	OIL CONTROL DAM (SOUTH DRAINAGE DITCH) K	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860034		C375W7	OIL CONTROL DAM (WEST DRAINAGE DITCH) KP	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	735	8344	C81180	C400	FREON CONDENSER AS PER BUYER'S SPECIFICA	MV742144	20	19540	15343	240	0	41182	21330	712	0	0
2	735	10053	C81486	C400	BLOWER HS FAN SIZE 726 DESIGN B. BLOW	72637	20	19298	8687	240	0	41182	21570	720	0	0
2	735	10422	C81179	C400	CRANE 21 TON (UPRATED FROM 23) BRIDGE	N/A	30	19298	71761	360	0	41182	21570	720	0	0
2	735	10893	C81110	C400	BRIDGE CRANE 23 TON CAPACITY. THIS CRAN	7037	30	19298	62746	360	0	41182	21570	720	0	0
2	735	11880	C81112	C400	OVERHEAD CRANE TRAVEL LIFT 10 TON 440	CH12792	30	19298	27054	360	0	41182	21570	720	0	0
2	735	11884	C81111	C400	OVERHEAD CRANE TRAVEL LIFT 10 TON 440	CH12793	30	19298	27055	360	0	41182	21570	720	0	0
2	735	11964	C81120	C400	SPRAY BOOTH STAINLESS STEEL 5 WINDOWS	N/A	10	19298	449291	120	0	41182	21570	720	0	0
2	735	12094	C81108	C400	BRIDGE CRANE 23 TON. CRANE BRDG 23T WHI	7033	30	19298	43352	360	0	41182	21570	720	0	0
2	735	12108	C73884	C400	STORAGE TANK STAINLESS STEEL 500 GALLO	N/A	40	19298	5585	480	0	41182	21570	720	0	0
2	735	12110	C73888	C400	STORAGE TANK STAINLESS STEEL 500 GALLO	N/A	40	19298	5584	480	0	41182	21570	720	0	0
2	735	12112	C73887	C400	STORAGE TANK STAINLESS STEEL 500 GALLO	N/A	40	19298	5584	480	0	41182	21570	720	0	0
2	735	12119	C73891	C400	STORAGE OR DISOLVER TANK STAINLESS STEE	N/A	40	19298	6913	480	0	41182	21570	720	0	0
2	735	13117	C81150	C400	POWDER HANDLING SCALES ME 329 MODEL #6	10223	20	19540	5329	240	0	41182	21330	712	0	0
2	735	14469	C81191	C400	HEATING UNIT STAND	N/A	25	19298	55649	300	0	41182	21570	720	0	0
2	735	14479	C81133	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800C	20	19298	7520	240	0	41182	21570	720	0	0
2	735	14481	C81134	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800D	20	19298	7521	240	0	41182	21570	720	0	0
2	735	14483	C81135	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800C	20	19298	7520	240	0	41182	21570	720	0	0
2	735	14485	C81136	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800D	20	19298	7521	240	0	41182	21570	720	0	0
2	735	14487	C81137	C400	EXHAUST FAN ACID TAND SIZE 593 INVENTO	30800C	20	19298	7520	240	0	41182	21570	720	0	0
2	735	14489	C81138	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800D	20	19298	7521	240	0	41182	21570	720	0	0
2	735	14491	C81139	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800C	20	19298	7520	240	0	41182	21570	720	0	0
2	735	14493	C81140	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800D	20	19298	7521	240	0	41182	21570	720	0	0
2	735	14495	C81141	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800C	20	19298	7520	240	0	41182	21570	720	0	0
2	735	14497	C81142	C400	EXHAUST FAN ACID TANK SIZE 593 INVENTO	30800D	20	19298	7521	240	0	41182	21570	720	0	0
2	735	14499	C81143	C400	FAN HS EXHAUST SIZE 657 INVENTORY J#27	N/A	20	19298	9872	240	0	41182	21570	720	0	0
2	735	14501	C81144	C400	FAN HS EXHAUST SIZE 657 INVENTORY #27	N/A	20	19298	9871	240	0	41182	21570	720	0	0
2	735	14600	C81176	C400	CRANE NO. 4 7 1/2 TON CAPACITY INVENTOR	12802 B	30	19298	26061	360	0	41182	21570	720	0	0
2	735	14604	C81175	C400	CRANE NO. 3 7 1/2 TON CAPACITY INVENTOR	CH12803B	30	19298	26061	360	0	41182	21570	720	0	0
2	735	14608	C81109	C400	CRANE WHITING 23 TON	N/A	30	19298	43352	360	0	41182	21570	720	0	0
2	735	14612	C81154	C400	CRANE NO. 2 10 TON CAPACITY INVENTORY #	CH12794B	30	19298	25622	360	0	41182	21570	720	0	0
2	735	14629	C81131	C400	TANK ALKALI NO. 1 STEEL UNLINED SIZE	N/A	40	19298	61866	480	0	41182	21570	720	0	0
2	735	14630	C81130	C400	TANK WARM WATER NO. 2 STEEL UNLINED	N/A	40	19298	61866	480	0	41182	21570	720	0	0
2	735	14631	C81128	C400	TANK TRIOXIDE BRICK LINED SIZE 42'6"	N/A	40	19298	83719	480	0	41182	21570	720	0	0
2	735	14632	C81129	C400	TANK TRIOXIDE BRICK LINED SIZE 42'6"	N/A	40	19298	81870	480	0	41182	21570	720	0	0
2	735	14633	C81126	C400	TANK CHROMIC ACID NO.5 BRICK LINED S	N/A	40	19298	81870	480	0	41182	21570	720	0	0
2	735	14634	C81125	C400	TANK ANODIZING AND CHEMICAL FILMING FAC	N/A	40	19298	78337	480	0	41182	21570	720	0	0
2	735	14635	C81127	C400	TANK COLD WATER NO.6 UNLINED STEEL S	N/A	40	19298	60017	480	0	41182	21570	720	0	0
2	735	14636	C81153	C400	TANK HOT WATER NO.8 BRICK LINED SIZE	N/A	40	19298	317507	480	0	41182	21570	720	0	0
2	735	29872	C81193	C400	ACID MIXING TANK 500 GALLON CAPACITY S	A 3244	40	20910	10844	480	0	41182	19980	667	0	0
2	501	30208	C74195	C400	C-400 CLEANING BUILDING-A ONE STORY STR	N/A	50	19298	5949951	600	0	41182	21570	720	0	0
2	501	30209	C74196	C400	C-400- ELECTRIC LIGHTING SYSTEM-COVERS T	N/A	50	19298	315054	600	0	41182	21570	720	0	0
2	501	30210	C74197	C400	C-400 PLUMBING AND DRAINAGE SYSTEM-THIS	N/A	50	19298	431665	600	0	41182	21570	720	0	0
2	501	30211	C74198	C400	C-400-HEATING AND VENTILATING SYSTEM- TH	N/A	50	19298	2253623	600	0	41182	21570	720	0	0
2	735	30212	C74199	C400	C-400 DRY AIR SYSTEM COVERS THE COMPLETE	N/A	25	19298	115669	300	0	41182	21570	720	0	0
2	735	30213	C74200	C400	C-400 ELECTRIC POWER SYSTEM CONSISTS OF	N/A	30	19298	1278476	360	0	41182	21570	720	0	0
2	735	30214	C74201	C400	C-400 NITROGEN SYSTEM INCLUDES THE COMPL	N/A	25	19298	68413	300	0	41182	21570	720	0	0
2	735	30215	C74202	C400	C-400 CLEANING TANK PIPING INCLUDES PIPI	N/A	25	19298	72400	300	0	41182	21570	720	0	0
2	735	30216	C74203	C400	FLOURINE SYSTEM CONSISTS OF FLUORINE EQU	N/A	25	19298	11137	300	0	41182	21570	720	0	0
2	501	30217	C74204	C400	C-400 ACID NEUTRALIZATION SYSTEM-CONSIST	N/A	50	19298	653861	600	0	41182	21570	720	0	0
2	735	30219	C74206	C400	C-400 DECONTAMINATION AND RECOVERY SYSTE	N/A	25	19298	603305	300	0	41182	21570	720	0	0
2	735	30220	C74207	C400	C-400 INSTRUMENTS AND INSTRUMENT LINES I	N/A	25	19298	236646	300	0	41182	21570	720	0	0
2	735	34530	C81917	C400	TANK STAINLESS STEEL CLEANING + DISOVLIN	N/A	40	21975	11236	480	0	41182	18930	632	0	0
2	735	34593	C81491	C400	SCRUBBING UNIT PACKED TYPE CAPACITY 4500	N/A	20	21975	10075	240	0	41182	18930	632	0	0
2	735	35066	C81165	C400	TANK STAINLESS STEEL SIZE 52" X 66" A	N/A	40	21854	5950	480	0	41182	19050	636	0	0
2	735	35067	C81164	C400	TANK STAINLESS STEEL SIZE 52" X 66" A	N/A	40	21854	5950	480	0	41182	19050	636	0	0
2	735	35426	C81922	C400	DIGITAL PRESSURE MEASURING SYSTEM - CONS	N/A	15	21915	25394	180	0	41182	18990	634	0	0
2	735	35625	C81156	C400	TANK STAINLESS STEEL CAPACITY APPROX.	N/A	40	22036	6778	480	0	41182	18870	630	0	0
2	735	35626	C81160	C400	TANK STAINLESS STEEL APPROX. 3094 GALL	N/A	40	22371	9893	480	0	41182	18540	619	0	0
2	735	35627	C81158	C400	TANK STAINLESS STEEL APPROX. GALLON CA	N/A	40	22371	9468	480	0	41182	18540	619	0	0
2	735	35628	C81919	C400	TANK STORAGE STAINLESS STEEL 3 ANGLE	N/A	40	22371	7222	480	0	41182	18540	619	0	0
2	735	35629	C81163	C400	TANK STAINLESS STEEL APPROX. 1390 GALL	N/A	40	22097	7651	480	0	41182	18810	628	0	0
2	735	35662	C81929	C400	PUMP SIZE H-6 TEST NO. 2933 NASH HYTO	N/A	15	17988	6951	180	0	41182	22860	763	0	0
2	735	35664	C81161	C400	DRUM TYPE FILTER USG-1-4 DRUM SIZE 6'4	N/A	20	16527	45224	240	0	41182	24300	811	0	0
2	735	35837	C81184	C400	TANK SOAKING STAINLESS STEEL FOR SCRA	N/A	40	22340	21369	480	0	41182	18570	620	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	35977	C81185	C400	HEAT EXCHANGER NAE-617 TYPE HORIZONTAL	116255	20	20851	6319	240	0	41182	20040	669	0	0
2	735	36125	C81155	C400	TANK STAINLESS STEEL 1500 GALLON CAPAC	N/A	40	22371	6629	480	0	41182	18540	619	0	0
2	735	36356	C82360	C400	HEATER ELECTRIC AIR (AIR PREHEATER) V	N/A	25	22462	3014	300	0	41182	18450	616	0	0
2	735	44422	C70251	C400	TYPE B PROTECTIVE PACKAGE: "PADUCAH TIGE	1001	10	26267	16404	120	0	41182	14700	491	0	0
2	735	44423	C70252	C400	TYPE B PROTECTIVE PACKAGE: "PADUCAH TIGE	1002	10	26267	16404	120	0	41182	14700	491	0	0
2	735	44424	C70253	C400	TYPE B PROTECTIVE PACKAGE: "PADUCAH TIGE	1003	10	26267	16404	120	0	41182	14700	491	0	0
2	735	44425	C70254	C400	TYPE B PROTECTIVE PACKAGE: "PADUCAH TIGE	1004	10	26267	16404	120	0	41182	14700	491	0	0
2	735	44853	C81190	C400	HIGH FREQUENCY INDUCTION GENERATOR + WOR	A3-1	20	26968	37455	240	0	41182	14010	468	0	0
2	735	45701	C81485	C400	UNIT HEATER SIZE 120 TYPE HVO MODEL J	N/A	25	27880	16460	300	0	41182	13110	438	0	0
2	735	45722	C81477	C400	ELECTRIC GENERATOR MODEL 45R82-78603A42	432676	20	28033	60693	240	0	41182	12960	433	0	0
2	735	45986	C81490	C400	HEATER WATER MODEL B1200L LESLIE-CONS	75113 1	25	27819	16809	300	0	41182	13170	440	0	0
2	735	47050	C81925	C400	CRANE TRAVELING SINGLE LEG SEMI-GANTRY	38959	30	28368	101228	360	0	41182	12630	422	0	0
2	735	47177	C81931	C400	PUMP CENTRIFUGAL MODEL 3196 SPRAY BOO	772B438	15	28702	5178	180	0	41182	12300	411	0	0
2	735	48098	C81182	C400	FILTER SYSTEM PRECOAT SIZE: 3 FT. DIA	LZ 55475	20	29372	87269	240	0	41182	11640	389	0	0
2	735	48099	C81183	C400	PUMP VACUUM SIZE AHC-130 CAST IRON CO	N/A	15	29372	7888	180	0	41182	11640	389	0	0
2	735	48391	C71491	C400	X VACUUM CLEANER INDUSTRIAL PORTABLE VA	15222	10	29372	5358	120	0	41182	11640	389	0	0
2	610	48519	C81945	C400	AMPLIFIER POWER PUBLIC ADDRESS AMPLIFIE	A 24388	15	29433	648	180	0	41182	11580	387	0	0
2	735	48714	C81166	C400	TANK 350 GALLON ACIDIFYING MATL 304L	UNIT #1	40	29767	17189	480	35.81041667	41182	11250	376	104	3724.283333
2	735	48715	C81167	C400	TANK 350 GALLON ACIDIFYING TANK MATL 3	UNIT #2	40	29767	17189	480	35.81041667	41182	11250	376	104	3724.283333
2	735	48878	C81928	C400	FAN 44" DUCT AXIAL MODEL NO 4644D03 TY	2312A1	20	29982	19577	240	0	41182	11040	369	0	0
2	735	48940	C71480	C400	MODEL L261P INDUSTRIAL PORTABLE VACUUM	23003	10	29798	5516	120	0	41182	11220	375	0	0
2	735	49309	C81122	C400	SCALE METERING MODEL TOLEDO-8130 CALS	N/A	20	29859	37840	240	0	41182	11160	373	0	0
2	735	49312	C81484	C400	BLOWER 30" BARRY MODEL 12172 SIZE AND	804387	20	29859	13244	240	0	41182	11160	373	0	0
2	735	49349	C81168	C400	350 GALLON URANIUM SOLUTION STORAGE TANK	358601	40	30681	14473	480	30.15208333	41182	10350	346	134	4040.379167
2	735	49350	C81169	C400	350 GALLON URANIUM SOLUTION STORAGE TANK	358602	40	30681	14473	480	30.15208333	41182	10350	346	134	4040.379167
2	735	49351	C81170	C400	350 GALLON URANIUM SOLUTION STORAGE TANK	358603	40	30681	14473	480	30.15208333	41182	10350	346	134	4040.379167
2	735	49352	C81171	C400	350 GALLON URANIUM SOLUTION STORAGE TANK	358604	40	30681	14473	480	30.15208333	41182	10350	346	134	4040.379167
2	735	49426	C75540	C400	NB #159 347-STAINLESS STEEL 700 GALLON	583	40	30194	11593	480	24.15208333	41182	10830	362	118	2849.945833
2	735	49436	C81927	C400	CENTRIFUGAL FAN (BLOWER) SIZE-222 922" D	N/A	20	30375	8953	240	0	41182	10650	356	0	0
2	735	49600	C81210	C400	C-400 WASTE HOT WATER HEATING SYSTEM. UN	K80C03698	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49602	C81211	C400	C-400 WASTE HOT WATER HEATING SYSTEM. UN	K80C03701	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49604	C81212	C400	C-400 WASTE HOT WATER HEATING SYSTEM. UN	K80C03699	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49606	C81213	C400	C-400 WASTE HOT WATER HEATING SYSTEM. UN	K80C03697	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49608	C81214	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03695	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49610	C81215	C400	UNIT HEATER C-400 WATER HOT WATER HEATI	K80C03693	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49612	C81216	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K60C03691	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49614	C81217	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03689	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49616	C81218	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03687	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49618	C81219	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03685	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49620	C81220	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03687	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49622	C81221	C400	UNIT HEATER	N/A	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49624	C81222	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03679	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49626	C81223	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03690	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49628	C81224	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03680	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49630	C81225	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03682	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49632	C81226	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03684	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49634	C81227	C400	UNIT HEATER C-400 WASTE HOT WATER HEATI	K80C03686	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49636	C81228	C400	C-400 WASTE HOT WATER HEATING SYSTEM UN	K80C03688	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49638	C81229	C400	C-400 WASTE HOT WATER HEATING SYSTEM. UN	K80C06980	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49640	C81230	C400	C-400 WASTE HOT WATER HEATING SYSTEM UN	K80C03692	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49642	C81231	C400	C-400 WASTE HOT WATER HEATING SYSTEM UN	K80C03694	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49644	C81232	C400	C-400 WASTE HOT WATER HEATING SYSTEM. UN	K80C03696	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49646	C81233	C400	C-400 WASTE HOT WATER HEATING SYSTEM UN	K80C03702	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49648	C81234	C400	C-400 WASTE HOT WATER HEATING SYSTEM. UN	K80C03700	25	30347	5220	300	0	41182	10680	357	0	0
2	735	49650	C81235	C400	C-400 WASTE HOT WATER HEATING SYSTEM. UN	K80C03676	25	30347	5220	300	0	41182	10680	357	0	0
2	735	50004	C74467	C400	URANIUM RECOVERY SYSTEM - THIS SYTEM IS	N/A	25	20910	249340	300	0	41182	19980	667	0	0
2	501	50020	C74478	C400	ASH GRINDING FACILITIES INSTALLED IN SI	N/A	50	21489	13879	600	0	41182	19410	648	0	0
2	470	50050	C74505	C400	PAVED AREA A SLABB EXTENDS AT THE NORTHE	N/A	30	21975	28967	360	0	41182	18930	632	0	0
2	735	50051	C74506	C400	COOLING WATER SYSTEM INSIDE C-400 200'	N/A	40	21975	7341	480	0	41182	18930	632	0	0
2	735	50131	C74581	C400	CYLINDER TEST FACILITY THIS FAC. IS USE	N/A	15	23801	39148	180	0	41182	17130	572	0	0
2	610	50143	C74589	C400	INTRUSION ALARM SYSTEM CONSISTS OF SWIT	N/A	25	25172	12076	300	0	41182	15780	527	0	0
2	470	50159	C74605	C400	STORAGE AREA HOPPER 5 TON HOPPER STORAGE	N/A	30	25841	19627	360	0	41182	15120	505	0	0
2	735	50227	C74671	C400	CHEMICAL RECOVERY SYSTEM - PROCESSES CON	N/A	25	27911	274068	300	0	41182	13080	437	0	0
2	735	50292	C73971	C400	XSCRAP METAL DECONTAMINATION SYSTEM C-4	N/A	25	30102	59321	300	0	41182	10920	365	0	0
2	470	50361	50361	C400	DIKES CONCRETE 16'X 17'X4' HIGH CONCRETE	N/A	50	32050	430253	600	717.0883333	41182	9000	301	299	214409.4117
2	735	51123	C51123	C400	XVANTON PUMP PORTABLE MODEL NO. PGKY45	P 337	15	31167	10591	180	0	41182	9870	330	0	0
2	735	51642	C51642	C400	TANK NITRIC ACID 500 GAL. STAINLESS ST	N/A	40	32050	52354	480	109.0708333	41182	9000	301	179	19523.67917
2	735	51848	C51848	C400	JETPAC ULTRA HI PRESSURE PUMP SYSTEM 35	890411	20	32781	120739	240	0	41182	8280	277	0	0
2	735	52113	C52113	C400	FILTER SYSTEM 1ST STAGE MOUNTED ON BLUE	17091500	20	33297	7414	240	0	41182	7770	260	0	0
2	735	52114	C52114	C400	FILTER SYSTEM 2ND STAGE MOUNTED ON BLUE	170915000	20	33297	8607	240	0	41182	7770	260	0	0
2	501	4860035		C400A	EMERGENCY POWER FOR CRITICAL ALARMS	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860036		C400D	LIME PRECIPITATION	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	501	4860037		C400D	ION EXCHANGE UNIT	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	735	36133	C81192	C402	PELLETIZING DISC. STANDARD 39" PAN DIAM	W2651 2	20	22462	5299	240	0	41182	18450	616	0	0
2	735	50097	C74549	C402	MGF2 PELLETIZING SYSTEM PRODUCT RECOVER	N/A	25	22797	7123	300	0	41182	18120	605	0	0
2	735	14517	C81488	C403	GEAR REDUCER 5 HP 1150 RPM CLASS 2 R	33051	20	19298	11146	240	0	41182	21570	720	0	0
2	735	43511	C81482	C405	OFF GAS SCRUBBER AND SEPARATOR FOR INCIN	X6701851A	20	25627	7448	240	0	41182	15330	512	0	0
2	735	46341	C81483	C405	SCRUBBER GAS	N/A	20	28276	11345	240	0	41182	12720	425	0	0
2	735	12182	C85397	C407	NITRIC ACID STORAGE TANK 12 000 GALLON	H18829	40	19298	74556	480	0	41182	21570	720	0	0
2	735	36933	C81206	C408	SCALE 50 TON TRUCK ALL STEEL CONSTRUC	63153	20	23376	5948	240	0	41182	17550	586	0	0
2	501	50119	C74571	C408	SCALE HOUSE (BEAM) CONCRETE BLOCK WALL	N/A	40	23376	17107	480	0	41182	17550	586	0	0
2	735	45034	C81449	C409	APPROX 35'SPAN WITH CAB CAB LSONTROLS	12258	30	27088	68691	360	0	41182	13890	464	0	0
2	735	47214	C81450	C409	AN INDEPENDENT STRUCTURE CONSISTING OF A	N/A	25	28429	599830	300	0	41182	12570	420	0	0
2	735	47215	C75404	C409	MOTOR FRAME 5009 460 VOLT 3 PHASE 60 HZ	GP 1063512	20	28429	2000	240	0	41182	12570	420	0	0
2	735	47464	C75517	C409	AIR DRYER SERVICE AIR 460 VOLTS 3 PHAS	N/A	20	28733	22887	240	0	41182	12270	410	0	0
2	735	47895	C73389	C409	X DETECTOR MODEL MS-9AB HELIUM LEAK DE	N/A	15	23101	5858	180	0	41182	17820	595	0	0
2	735	48828	C73082	C409	X OVEN INDUSTRIAL MODEL SB-550 INDUCS	48210	20	29464	6152	240	0	41182	11550	386	0	0
2	501	50211	C74655	C409	C-409 STABILIZATION BUILDING - A SINGLE	N/A	40	27790	1844048	480	3841.766667	41182	13200	441	39	149828.9
2	735	50220	C74664	C409	DECONTAMINATION SYSTEM (BOOTH) THE C-40	N/A	25	27790	352366	300	0	41182	13200	441	0	0
2	735	50221	C74665	C409	DISASSEMBLY AREA THE CONVERTER DISASSEM	N/A	25	27790	139570	300	0	41182	13200	441	0	0
2	610	50356	50356	C409	A VIDEO MONITORING SYSTEM IS INSTALLED A	N/A	25	31928	17440	300	0	41182	9120	305	0	0
2	735	50369	50369	C409	CYL. WASHSTAND HA HIGH ASSAY CYL. WASH	N/A	25	32781	275094	300	916.98	41182	8280	277	23	21090.54
2	501	4860038		C409A	STORAGE TRAILER	N/A	30	36054	0	360	0	41182	5054	169.4666667	190.5333333	0
2	501	4860039		C409B	STORAGE TRAILER	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860040		C409C	STORAGE TRAILER	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	735	12572	C81758	C410D	TANK F2 STORAGE MAX. TEMP 250 DEGREE	2616	40	19540	11074	480	0	41182	21330	712	0	0
2	735	12573	C81759	C410D	TANK F2 STORAGE MAX. TEMP. 250 DEGREE	2617	40	19540	11074	480	0	41182	21330	712	0	0
2	735	12574	C81760	C410D	TANK F2 STORAGE MAX. TEMP. 250 DEGREE	2618	40	19540	11074	480	0	41182	21330	712	0	0
2	501	50153	C74599	C410D	FLUORINE STORAGE BUILDING REINFORCED CO	N/A	40	19540	162226	480	0	41182	21330	712	0	0
2	735	50154	C74600	C410D	F2 PIPING FLUORINE PIPING FROM STORAGE	N/A	25	19540	10815	300	0	41182	21330	712	0	0
2	501	30224	C74210	C5311	C-531=1 SWITCH HOUSE-A ONE STORY WINDOW	N/A	50	19267	2127017	600	0	41182	21600	721	0	0
2	501	30225	C74211	C5311	C-531-1 ELECTIRC LIGHTING SYSTEM- DESIGN	N/A	50	19267	91831	600	0	41182	21600	721	0	0
2	501	30226	C74212	C5311	C-531-1 PLUMBING AND DRAINAGE SYSTEM-THE	N/A	50	19267	73019	600	0	41182	21600	721	0	0
2	501	30227	C74213	C5311	C-531-1 HEATING AND VENTILATION SYSTEM-	N/A	50	19267	115571	600	0	41182	21600	721	0	0
2	615	30229	C74215	C5311	C-531-1 ELECTRICAL EQUIPMENT AND INSTALL	N/A	40	19267	7613948	480	0	41182	21600	721	0	0
2	735	30230	C74216	C5311	C-531-1 LUBE OIL SYSTEM FOR SYNCHRONOUS	N/A	20	19267	30384	240	0	41182	21600	721	0	0
2	735	30231	C74217	C5311	C-531-1 RECIRCULATING WATER SYSTEM PROVI	N/A	40	19267	142891	480	0	41182	21600	721	0	0
2	735	30232	C74218	C5311	C-531-1 INSTRUMENTATION AND CONTROL SYST	N/A	25	19267	549239	300	0	41182	21600	721	0	0
2	501	50054	C74509	C5311	SPRINKLER SYSTEM	N/A	50	21823	17488	600	0	41182	19080	637	0	0
2	501	4860041		C5311	SWITCH HOUSE AND APPURTENANT STRUCTURES	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	615	30233	C74219	C5312	C-531-2 SWITCH YARD - THIS COVERS THE CO	N/A	40	19267	682429	480	0	41182	21600	721	0	0
2	615	30234	C74220	C5312	C-531-2 SWITCH YARD EQUIPMENT- INCLUDED	N/A	40	19267	6218142	480	0	41182	21600	721	0	0
2	615	30235	C74221	C5312	C-531-2 FIRE PROTECTION SYSTEM- THIS SYS	N/A	30	19267	172402	360	0	41182	21600	721	0	0
2	615	46491	C82119	C5312	REACTOR WESTINGHOUSE REACTOR CURRENT LI	5068191	40	19024	100000	480	0	41182	21840	729	0	0
2	615	56211	C56211	C5312	TRANSFORMER POWER AND DISTRIBUTION - C-		30	37986	1000000	360	2777.777778	41182	3150	106	254	705555.5556
2	615	56212	C56212	C5312	TRANSFORMER POWER AND DISTRIBUTION - C-		30	37986	1000000	360	2777.777778	41182	3150	106	254	705555.5556
2	501	4860042		C5313A	FIRE VALVE HOUSE NO. 1	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860043		C5313B	FIRE VALVE HOUSE NO. 2	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	610	14478	C82117	C532	CONSOLE AUTO. ELECT. MODEL 114 #1017	114.5	30	19298	16882	360	0	41182	21570	720	0	0
2	501	30158	C74145	C532	C-532 RELAY HOUSE - THE RELAY HOUSE HAS	N/A	50	19298	316436	600	0	41182	21570	720	0	0
2	615	30159	C74146	C532	ELECTRIC POWER FOR EQUIPMENT - INCLUDES	N/A	30	19298	226596	360	0	41182	21570	720	0	0
2	501	30160	C74147	C532	ELECTRIC LIGHTING SYSTEM - INCLUDES THE	N/A	50	19298	44307	600	0	41182	21570	720	0	0
2	501	30161	C74148	C532	PLUMBING AND DRAINAGE SYSTEM - INCLUDES	N/A	50	19298	18993	600	0	41182	21570	720	0	0
2	501	30162	C74149	C532	HEATING AND VENTILATION SYSTEM-INCLUDES	N/A	50	19298	131285	600	0	41182	21570	720	0	0
2	735	30164	C74151	C532	INSTRUMENTATION INCLUDES THE PANELS FOR	N/A	25	19298	489321	300	0	41182	21570	720	0	0
2	501	30269	C74254	C5331	C-533-1 SWITCH HOUSE-A ONE STORY WINDOW	N/A	50	19449	1824793	600	0	41182	21420	715	0	0
2	501	30270	C74255	C5331	C-533-1 ELECTRIC LIGHTING SYSTEM- DESIGN	N/A	50	19449	147783	600	0	41182	21420	715	0	0
2	501	30271	C74256	C5331	C-533-1 HEATING AND VENTILATING SYSTEM-	N/A	50	19449	95485	600	0	41182	21420	715	0	0
2	501	30272	C74257	C5331	C-533-1 PLUMBING AND DRAINAGE SYSTEM- CO	N/A	50	19449	66207	600	0	41182	21420	715	0	0
2	735	30273	C74258	C5331	C-533-1 COMPRESSED AIR SYSTEM PROVIDES C	N/A	25	19449	35322	300	0	41182	21420	715	0	0
2	615	30274	C74259	C5331	C-533-1 ELECTRICAL EQUIPMENT AND INSTALL	N/A	40	19449	7182480	480	0	41182	21420	715	0	0
2	735	30275	C74260	C5331	C-533-1 INSTRUMENTATION SYSTEM IS DESIG	N/A	25	19449	804214	300	0	41182	21420	715	0	0
2	501	50055	C74510	C5331	SPRINKLER SYSTEM	N/A	50	21823	2084	600	0	41182	19080	637	0	0
2	501	4860044		C5331	SWITCH HOUSE AND APPURTENANT STRUCTURES	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	615	30266	C74251	C5332	C-533-2 SWITCH YARD - THIS SYSTEM INCLUD	N/A	40	19449	1300780	480	0	41182	21420	715	0	0
2	615	30267	C74252	C5332	C-533-2 SWITCH YARD EQUIPMENT - HTIS COV	N/A	40	19449	16521316	480	0	41182	21420	715	0	0
2	615	30268	C74253	C5332	C-533-2 FIRE PROTECTION SYSTEM - THIS SY	N/A	30	19449	467563	360	0	41182	21420	715	0	0
2	501	4860045		C5333A	FIRE VALVE HOUSE NO. 1	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860046		C5333B	FIRE VALVE HOUSE NO. 2	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860047		C5333C	FIRE VALVE HOUSE NO. 3	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860048		C5333D	FIRE VALVE HOUSE NO. 4	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	30344	C74324	C5351	C-535-1 SWITCH HOUSE-A ONE STORY WINDOW	N/A	50	19755	1577090	600	0	41182	21120	705	0	0
2	501	30345	C74325	C5351	C-535-1 ELECTRIC LIGHTING SYSTEM-THIS SY	N/A	50	19755	156257	600	0	41182	21120	705	0	0
2	501	30346	C74326	C5351	C-535-1 PLUMBING AND DRAINAGE SYSTEM- TH	N/A	50	19755	77431	600	0	41182	21120	705	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	501	30347	C74327	C5351	C-535-1 HEATING AND VENTILATING SYSTEM-	N/A	50	19755	127144	600	0	41182	21120	705	0	0
2	735	30348	C74328	C5351	C-535-1 COMPRESSED AIR SYSTEM PROVIDES C	N/A	25	19755	13907	300	0	41182	21120	705	0	0
2	615	30349	C74329	C5351	C-535-1 ELECTRICAL EQUIPMENT AND INSTALL	N/A	40	19755	5855554	480	0	41182	21120	705	0	0
2	735	30350	C74330	C5351	C-535-1 LUBE OIL SYSTEM PROVIDES COOL C	N/A	20	19755	15143	240	0	41182	21120	705	0	0
2	735	30351	C74331	C5351	C-535-1 RECIRCULATING WATER SYSTEM PROVI	N/A	40	19755	105800	480	0	41182	21120	705	0	0
2	735	30352	C74332	C5351	INSTRUMENTATION	N/A	25	19755	512331	300	0	41182	21120	705	0	0
2	501	50056	C74511	C5351	SPRINKLER SYSTEM	N/A	50	21823	13250	600	0	41182	19080	637	0	0
2	501	4860049		C5351	SWITCH HOUSE AND APPURTENANT STRUCTURE	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	615	30353	C74333	C5352	C-535-2 SWITCH YARD - THIS COVERS THE CO	N/A	40	19755	712891	480	0	41182	21120	705	0	0
2	615	30354	C74334	C5352	C-535-2 ELECTRICAL (MISCELLANEOUS) EQUIP	N/A	40	19755	5588836	480	0	41182	21120	705	0	0
2	615	30355	C74335	C5352	C-535-2 FIRE PROTECTION SYSTEM - THIS SY	N/A	30	19755	152427	360	0	41182	21120	705	0	0
2	501	30357	C74337	C5352	SUBSTATION MAINTENANCE FACILITY-A SMALL	N/A	40	19755	18375	480	0	41182	21120	705	0	0
2	501	4860050		C5353A	FIRE VALVE HOUSE NO. 1	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860051		C5353B	FIRE VALVE HOUSE NO. 2	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860052		C5354	TEST SHOP (MAINTENANCE OFFICE)	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	610	27622	C82118	C536	CONSOLE AUTOMATIC ELECTRIC DESK TYPE	114-6	30	19936	17202	360	0	41182	20940	699	0	0
2	735	27633	C82357	C536	BATTERY CHARGER 48 VOLT TYPE 16A 115	54055	10	19755	2639	120	0	41182	21120	705	0	0
2	501	30336	C74316	C536	C-532 RELAY HOUSE-A MULTILEVEL REINFORC	N/A	50	19755	241483	600	0	41182	21120	705	0	0
2	615	30337	C74317	C536	C-536 ELECTRIC POWER FOR EQUIPMENT- INCL	N/A	30	19755	63634	360	0	41182	21120	705	0	0
2	501	30338	C74318	C536	C-536 ELECTRIC LIGHTING SYSTEM-THIS SYST	N/A	50	19755	37954	600	0	41182	21120	705	0	0
2	501	30339	C74319	C536	C-536 PLUMBING AND DRAINAGE SYSTEM-THIS	N/A	50	19755	13410	600	0	41182	21120	705	0	0
2	501	30340	C74320	C536	C-536 HEATING AND VENTILATING SYSTEM - T	N/A	50	19755	102182	600	0	41182	21120	705	0	0
2	735	30343	C74323	C536	C-536 INSTRUMENTATION AND CONTROLS SYSTE	N/A	25	19755	364242	300	0	41182	21120	705	0	0
2	501	30358	C74338	C5371	C-537-1 SWITCH HOUSE-A ONE STORY WINDOW	N/A	50	19936	1736646	600	0	41182	20940	699	0	0
2	501	30359	C74339	C5371	C-537-1 ELECTRIC LIGHTING SYSTEM-THIS SY	N/A	50	19936	161000	600	0	41182	20940	699	0	0
2	501	30360	C74340	C5371	C-537-1 PLUMBING AND DRAINAGE SYSTEM- TH	N/A	50	19936	56786	600	0	41182	20940	699	0	0
2	735	30361	C74341	C5371	C-537-1 COMPRESSED AIR SYSSTEM PROVIDES	N/A	25	19936	50611	300	0	41182	20940	699	0	0
2	501	30362	C74342	C5371	C-537-1 HEATING AND VENTILATION SYSTEM P	N/A	50	19936	99589	600	0	41182	20940	699	0	0
2	615	30363	C74343	C5371	C-537-1 ELECTRICAL EQUIPMENT AND INSTALL	N/A	40	19936	10135464	480	0	41182	20940	699	0	0
2	735	30364	C74344	C5371	C-537-1 LUBE OIL SYSTEM PROVIDES COOL C	N/A	20	19936	14974	240	0	41182	20940	699	0	0
2	735	30365	C74345	C5371	C-537-1 RECIRCULATING WATER SYSTEM PROVI	N/A	40	19936	60195	480	0	41182	20940	699	0	0
2	735	30366	C74346	C5371	C-537-1 INSTRUMENTATION AND CONTROL SYST	N/A	25	19936	730923	300	0	41182	20940	699	0	0
2	501	50057	C74512	C5371	SPRINKLER SYSTEM	N/A	50	21823	13739	600	0	41182	19080	637	0	0
2	501	4860053		C5371	SWITCH HOUSE AND APPURTENANT STRUCTURES	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	615	30367	C74347	C5372	C-537-2 SWITCH YARD - THIS COVERS THE CO	N/A	40	19936	986119	480	0	41182	20940	699	0	0
2	615	30368	C74348	C5372	C-537-2 ELECTRICAL (MISCELLANEOUS) EQUIP	N/A	40	19936	19985861	480	0	41182	20940	699	0	0
2	615	30369	C74349	C5372	C-537-2 FIRE PROTECTION SYSTEM - THIS SY	N/A	30	19936	520354	360	0	41182	20940	699	0	0
2	501	30370	C74350	C5372	SUBSTATION MAINT FAC	N/A	40	19936	16567	480	0	41182	20940	699	0	0
2	735	2102021	814212	C5372	TRANSFORMER PROCESS- CAPACITY 12 500 K	R1J1187	30	29586	68863.81	360	0	41182	11430	382	0	0
2	501	4860054		C5373A	FIRE VALVE HOUSE NO. 1	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860055		C5373B	FIRE VALVE HOUSE NO. 1	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860056		C5373C	FIRE VALVE HOUSE NO. 3	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860057		C5373D	FIRE VALVE HOUSE NO. 4	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860058		C5374	TEST SHOP	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	735	13901	C81425	C540A	FILTER PRESS WITH TWO 12" FILTER UNITS	N/A	20	19298	6632	240	0	41182	21570	720	0	0
2	501	30155	C74142	C540A	SUBSTATION OIL STORAGE-THE SYSTEM INCLUD	N/A	40	19298	171641	480	0	41182	21570	720	0	0
2	501	4860059		C540A	OIL PUMP HPUSE AND APPURTENANT STRUCTURE	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860060		C540B	OIL STORAGE TANK (NORTHWEST)	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860061		C540C	OIL STORAGE TANK (SOUTHWEST)	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	735	13910	C81423	C540D	TANK OIL STORAGE 15000 GAL. CAPACITY	N/A	40	19298	6056	480	0	41182	21570	720	0	0
2	735	13911	C81424	C540D	OIL STORAGE TANK 15000 GAL. CAPACITY F	N/A	40	19298	6055	480	0	41182	21570	720	0	0
2	501	4860062		C540E	OIL STORAGE TANK (SOUTHEAST)	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	735	27409	C81429	C541A	COMBINATION INSULATING OIL CENTRIFUGE FI	N/A	20	19755	6356	240	0	41182	21120	705	0	0
2	501	30356	C74336	C541A	C-541-A SUBSTATION OIL STORAGE SYSTEM- T	N/A	40	19755	278706	480	0	41182	21120	705	0	0
2	501	4860063		C541A	OIL PUMP HOUSE AND APPURTENANT STRUCTURE	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860064		C541B	OIL STORAGE TANK (NORTHWEST)	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	735	27423	C81430	C541C	TANK OIL STORAGE 15000 GALLON CAPACITY	N/A	40	19755	5712	480	0	41182	21120	705	0	0
2	501	4860065		C541D	OIL STORAGE TANK (NORTHEAST)	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	735	27424	C81431	C541E	TANK OIL STORAGE 15000 GALLON CAPACITY	N/A	40	19755	5712	480	0	41182	21120	705	0	0
2	735	10771	C81910	C600	TANK STORAGE CONDENSATE OUTSIDE-SOLID	N/A	40	19298	41519	480	0	41182	21570	720	0	0
2	645	10783	C75445	C600	TURBINE UNIT STEAM 75 HP INLET 240 3	15972	25	19298	4271	300	0	41182	21570	720	0	0
2	735	10784	C81947	C600	PUMP HORIZONTAL ROTARY 300 GPM 3520	257634	15	19298	5584	180	0	41182	21570	720	0	0
2	645	10863	C75441	C600	STEAM GENERATOR (BOILER #33) TYPE VU C	4426	30	19298	426099	360	0	41182	21570	720	0	0
2	735	10864	C75511	C600	FORCED DRAFT FAN MOTOR DRIVE TYPE #46	F13771	20	19298	10480	240	0	41182	21570	720	0	0
2	645	10866	C75513	C600	STEAM TURBINE UNIT 49 HP INLET 225 PSI	15985	25	19298	4889	300	0	41182	21570	720	0	0
2	735	10867	C75508	C600	FORCED DRAFT FAN TURBINE DRIVE TYPE 39	N/A	20	19298	13728	240	0	41182	21570	720	0	0
2	735	10868	C75509	C600	MOTOR INDUCTION 150 HP 3 PHASE 60 CY	1821320	20	19298	6502	240	0	41182	21570	720	0	0
2	645	10869	C75510	C600	STEAM TURBINE UNIT 136 HP INLET 225 PS	15987	20	19298	7551	240	0	41182	21570	720	0	0
2	645	10870	C75438	C600	STEAM GENERATOR TYPE VU CAPACITY 100 0	4424	30	19298	426099	360	0	41182	21570	720	0	0
2	735	10871	C75505	C600	FAN FORCED DRAFT MOTOR DRIVEN TYPE 46	F13771	20	19298	10480	240	0	41182	21570	720	0	0
2	645	10873	C75507	C600	STEAM TURBINE UNIT 49 HP INLET 225 PSI	15984	25	19298	4889	300	0	41182	21570	720	0	0
2	735	10874	C75502	C600	FAN FORCED DRAFT TYPE #39 MC-3202D WE	F13772	20	19298	13728	240	0	41182	21570	720	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	10875	C75503	C600	MOTOR INDUCTION 150 HP 60 CYCLES 3 P	1821321	20	19298	6502	240	0	41182	21570	720	0	0
2	645	10876	C75504	C600	STEAM TURBINE UNIT 136 HP INLET 225 PS	15986	20	19298	7550	240	0	41182	21570	720	0	0
2	645	11065	C75436	C600	COAL FEEDER (BOWL MILL) CLUTCH DRIVEN IN	51943	20	19298	19804	240	0	41182	21570	720	0	0
2	735	11068	C75473	C600	MOTOR ELECTRIC 100 HP TYPE OGX 440 V	1800238	20	19298	3676	240	0	41182	21570	720	0	0
2	645	11069	C82190	C600	COAL PULVERIZER INVENTORY 24-B PAGE 2 O	51943	20	19298	31290	240	0	41182	21570	720	0	0
2	735	11070	C75480	C600	BLOWER EXHAUSTER FOR PULVERIZED COAL. B	51943	20	19298	2303	240	0	41182	21570	720	0	0
2	645	11074	C82191	C600	COAL PULVERIZER - INVENTORY 24-B PAGE 4	51944	20	19298	31290	240	0	41182	21570	720	0	0
2	735	11076	C75476	C600	MOTOR ELECTRIC 100 HP TYPE OGX FRAME	1805319	20	19298	3676	240	0	41182	21570	720	0	0
2	645	11080	C75474	C600	COAL PULVERIZER INVENTORY 24-B PAGE 6 O	51946	20	19298	31290	240	0	41182	21570	720	0	0
2	735	11082	C75479	C600	MOTOR ELECTRIC 100 HP TYPE OGX FRAME	1800237	20	19298	3676	240	0	41182	21570	720	0	0
2	735	11086	C75471	C600	MOTOR ELECTRIC 100 HP TYPE OGX FRAME	1805320	20	19298	3676	240	0	41182	21570	720	0	0
2	645	11088	C75472	C600	COAL PULVERIZER - INVENTORY 24-B PAGE 8	51946	20	19298	31290	240	0	41182	21570	720	0	0
2	735	11438	C81418	C600	CRANE OVERHEAD BRIDGE 15 TON CAPACITY	CH12797	30	19298	30587	360	0	41182	21570	720	0	0
2	735	11476	C85416	C600	AIR COMPRESSOR (AUXILIARY) STEAM DRIVE	BX17341735	25	19298	108468	300	0	41182	21570	720	0	0
2	735	11477	C81896	C600	AIR SEPARATOR MAX WP 165 MAX TEMP 300	9051	20	19298	6019	240	0	41182	21570	720	0	0
2	735	11478	C81897	C600	AIR SEPARATOR MAX UP 165 MAX TEMP 300	9052	20	19298	6019	240	0	41182	21570	720	0	0
2	735	11480	C85415	C600	AIR COMPRESSOR (AUXILIARY) STEAM DRIVE	BX17361737	25	19298	108467	300	0	41182	21570	720	0	0
2	735	11481	C81898	C600	AIR SEPARATOR MAX UP 165 MAX TEMP 350	8849	20	19298	6019	240	0	41182	21570	720	0	0
2	735	11482	C81899	C600	AIR SEPARATOR MAX WP 165 MAX TEMP 350	8862	20	19298	6019	240	0	41182	21570	720	0	0
2	735	11492	C81372	C600	AIR DRYER TANK (OR ABSORBER VESSEL) DIA	H299951	20	19298	12587	240	0	41182	21570	720	0	0
2	735	11493	C81373	C600	AIR DRYER TANK (OR ABSORBER VESSEL) DIA	H266051	20	19298	12587	240	0	41182	21570	720	0	0
2	735	11494	C75424	C600	AIR REACTIVATION COOLER PRIMARY + SECON	12993	30	19298	13968	360	0	41182	21570	720	0	0
2	735	11495	C75425	C600	AIR REACTIVATION COOLER PRIMARY + SECON	12994	30	19298	17510	360	0	41182	21570	720	0	0
2	735	11502	C82428	C600	UNIT HEATER SIZE 18" X 60". UNIT HEATER	C9628	25	19298	1360	300	0	41182	21570	720	0	0
2	735	11504	C82429	C600	UNIT HEATER SIZE 18" X 60". UNIT HEATER	C9629	25	19298	1360	300	0	41182	21570	720	0	0
2	735	11895	C75442	C600	GENERATOR AC 62.5 KVA 480 VOLTS 75.2	1S12B5748	20	19298	7012	240	0	41182	21570	720	0	0
2	645	12085	C82200	C600	ASH CONVEYOR SYSTEM - (COMPLETE INFORMAT	N/A	20	19298	111399	240	0	41182	21570	720	0	0
2	501	30098	C74091	C600	STEAM PLANT BUILDING - A SQUARE STRUCTUR	N/A	40	19298	2748102	480	0	41182	21570	720	0	0
2	501	30099	C74092	C600	ELECTRICAL LIGHTING SYSTEM - COMPLETE LI	N/A	40	19298	175574	480	0	41182	21570	720	0	0
2	501	30100	C74093	C600	PLUMBING AND DRAINAGE - PIPING FOR SANIT	N/A	40	19298	116649	480	0	41182	21570	720	0	0
2	501	30101	C74094	C600	HEATING AND VENTILATION - COVERS THE EXH	N/A	40	19298	49442	480	0	41182	21570	720	0	0
2	735	30102	C74095	C600	ELECTRIC POWER SYSTEM - TWO ELECTRICAL P	N/A	30	19298	763076	360	0	41182	21570	720	0	0
2	645	30103	C74096	C600	FURNACE PROPER #2 - EACH BOILER PRODUCES	N/A	25	19298	359118	300	0	41182	21570	720	0	0
2	645	30104	C74097	C600	FUEL SYSTEM C-600 - CONSISTS OF A 260 00	N/A	20	19298	319753	240	0	41182	21570	720	0	0
2	645	30106	C74099	C600	ASH SYSTEM - INCLUDES THE ASH HOPPERS UN	N/A	20	19298	98281	240	0	41182	21570	720	0	0
2	645	30107	C74100	C600	FEED WATER SYSTEM - INCLUDES THE RAW WAT	N/A	40	19298	413946	480	0	41182	21570	720	0	0
2	645	30108	C74101	C600	STEAM PIPING SYSTEM - INCLUDES THE STEAM	N/A	25	19298	405604	300	0	41182	21570	720	0	0
2	735	30109	C74102	C600	EMERGENCY STEAM ELECTRIC POWER SYSTEM -	N/A	30	19298	16456	360	0	41182	21570	720	0	0
2	735	30110	C74103	C600	COMPRESSED AIR SYSTEM - INCLUDES THE AIR	N/A	25	19298	144790	300	0	41182	21570	720	0	0
2	735	30111	C74104	C600	NITROGEN SYSTEM - THIS SYTEM SUPPLIES GA	N/A	25	19298	90229	300	0	41182	21570	720	0	0
2	650	30112	C74105	C600	CHILLED WATER SYSTEM. CHILLED WATER SYS	N/A	30	19298	282392	360	0	41182	21570	720	0	0
2	645	30113	C74106	C600	FURNACE PROPER #3 - EACH BOILER PRODUCES	N/A	25	19298	358940	300	0	41182	21570	720	0	0
2	645	34848	C75515	C600	HAMMERMILL W/FEED HOPPER; STANDARD STEE	4721	20	21428	1304	240	0	41182	19470	650	0	0
2	735	44390	C85540	C600	FUEL OIL ROTARY PUMP WITH STEAM TURBIDE	70T1531	15	26329	4761	180	0	41182	14640	489	0	0
2	645	45205	C75459	C600	FEED WATER SYSTEM FEED WATER HEATER DE	5792	40	27241	62515	480	130.2395833	41182	13740	459	21	2735.03125
2	735	45309	C75401	C600	OUTSIDE DIMENSIONS-10'OD X 32'-9 1/2" HI	C39872	40	27210	53874	480	112.2375	41182	13770	460	20	2244.75
2	645	45355	C82202	C600	RING COAL CRUSHER - CRUSHES COAL FROM 8"	6532	20	27394	24268	240	0	41182	13590	454	0	0
2	615	45540	C75458	C600	CONSISTING OF A 6" STEEL GATE VALVE A 6	N/A	30	27575	7730	360	0	41182	13410	448	0	0
2	735	45898	C75403	C600	LIQUID NITROGEN STORAGE TANK VERTICAL M	C 23074	40	27790	76525	480	159.4270833	41182	13200	441	39	6217.65625
2	735	45899	C75402	C600	LIQUID NITROGEN STORAGE TANK VERTICAL M	C 23174	40	27790	76526	480	159.4291667	41182	13200	441	39	6217.7375
2	615	45932	C75448	C600	X STEAM TURBINE TYPE 2 BYR 3" INLET 8"	V12202	25	27759	4440	300	0	41182	13230	442	0	0
2	735	46020	C70302	C600	HEAT EXCHANGER FERROUS SULFATE SPARGER	5965	20	27819	16008	240	0	41182	13170	440	0	0
2	735	46544	C75498	C600	EXHAUSTER CENTRIFUGAL MODEL NO. 38305B	576089	20	28398	24000	240	0	41182	12600	421	0	0
2	735	46931	C85542	C600	PUMP CENTRIFUGAL MODEL 4120 SIZE 3X4-	762B844	20	28702	6055	240	0	41182	12300	411	0	0
2	735	47371	C81912	C600	54" PROPELLER TYPE ROOF EXHAUST FAN WITH	88156	20	28641	7598	240	0	41182	12360	413	0	0
2	735	48376	C75418	C600	PUMP TURBINE MODEL 12MB 3 STAGE 1760	EI26463	20	29859	9653	240	0	41182	11160	373	0	0
2	735	48377	C75420	C600	MOTOR 75 HP G.E. MODEL 5K6255XM501C 7	ASJ 1130303	20	29859	5775	240	0	41182	11160	373	0	0
2	735	48378	C75421	C600	PUMP TURBINE MODEL 12 MB 3 STAGE 176	EI26463	20	29859	9654	240	0	41182	11160	373	0	0
2	735	48379	C75419	C600	MOTOR 75 HP G.E. MODEL 5K6255XM501C	ASJ1130304	20	29859	5775	240	0	41182	11160	373	0	0
2	735	48496	C75484	C600	MAKEUP FEEDWATER (ZEOLITE) SOFTENER STAN	P2106 B	40	29798	25554	480	53.2375	41182	11220	375	105	5589.9375
2	735	48497	C75485	C600	MAKEUP FEEDWATER (ZEOLITE) SOFTENER TANK	P2264 10	40	29798	25554	480	53.2375	41182	11220	375	105	5589.9375
2	735	48498	C75486	C600	MAKEUP FEEDWATER (ZEOLITE) SOFTENER TANK	P2264 20	40	29798	25554	480	53.2375	41182	11220	375	105	5589.9375
2	735	48499	C75487	C600	MAKEUP FEEDWATER (ZEOLITE) SOFTENER TANK	P2264 40	40	29798	25553	480	53.23541667	41182	11220	375	105	5589.71875
2	645	48546	C75617	C600	ELECTROSTATIC PRECIPITATOR - CONSISTING	N/A	15	29464	1110479	180	0	41182	11550	386	0	0
2	645	48547	C75618	C600	ELECTROSTATIC PRECIPITATOR. CONSISTING O	N/A	15	29464	1110480	180	0	41182	11550	386	0	0
2	645	48577	C82201	C600	UNLOADER FLY ASH	N/A	20	29737	50577	240	0	41182	11280	377	0	0
2	735	48901	C81916	C600	SUMP PUMP MODEL NO 400 DB3 300 GPM 70	8166V1672	15	29737	6956	180	0	41182	11280	377	0	0
2	735	48955	C75451	C600	PUMP BOILER FEED SIZE + MODEL 2.5 CNTA	28127	15	29982	56753	180	0	41182	11040	369	0	0
2	735	48956	C75449	C600	MOTOR 150 HP RELIANCE - FRAME-445 TS 1	IMQ499939-GI-RG	20	30163	10417	240	0	41182	10860	363	0	0
2	735	48957	C75450	C600	PUMP BOILER FEED SIZE + MODEL-3CNTA-4	28128	15	30163	50398	180	0	41182	10860	363	0	0
2	735	48958	C75452	C600	MOTOR 150 HP RELIANCE IMA 498305-GI-OG	IMA498305GIOG	20	29982	11520	240	0	41182	11040	369	0	0
2	735	49909	C49909	C600	PUMP BOILER FEEDWATER SIZE: 2CTA-4 30	88344	15	30863	59675	180	0	41182	10170	340	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	49910	C49910	C600	MOTOR 100 HP L.A. MODEL 28610J-H-2 TY	N/A	20	30863	8500	240	0	41182	10170	340	0	0
2	550	50104	C74556	C600	PIT SALT. WET SALT STORAGE PIT IS UNDER	N/A	50	22889	3948	600	0	41182	18030	602	0	0
2	501	50130	C74580	C600	BUILDING VACUUM SYSTEM COLLECTS FINE COA	N/A	40	23801	18210	480	0	41182	17130	572	0	0
2	625	50181	C74626	C600	GAS SUPPLY LINE OUT. OUTSIDE GAS SUPPLY	N/A	25	26419	36731	300	0	41182	14550	486	0	0
2	625	50182	C74627	C600	GAS DIST LINE IN. INSIDE GAS DISTRIBUTI	N/A	25	26419	34019	300	0	41182	14550	486	0	0
2	645	50280	C74722	C600	COAL HANDLING SYSTEM - RATED AT 100 TONS	N/A	25	29464	1404117	300	0	41182	11550	386	0	0
2	735	50047	C74502	C601	GASEOUS NITROGEN SYSTEM CONSISTS OF INT	N/A	25	22159	9307	300	0	41182	18750	626	0	0
2	501	50060	C74515	C601	C-601 NITROGEN PL - A NEW STRUCTURE AT T	N/A	40	19298	46397	480	0	41182	21570	720	0	0
2	735	10764	C75621	C601A	STORAGE TANK DIAMETER 42'6" HEIGHT 40'	N/A	40	19298	41161	480	0	41182	21570	720	0	0
2	735	11475	C75620	C601B	OIL STORAGE TANK CAPACITY 10 000 BARREL	N/A	40	19298	41166	480	0	41182	21570	720	0	0
2	501	30105	C74098	C601C	FUEL OIL PUMP HOUSE A RECTANGULAR SHAPE	N/A	40	19298	17499	480	0	41182	21570	720	0	0
2	735	45650	C75622	C601D	ALL STEEL CONSTRUCTION WESLED SEAMS 67	N/A	40	27575	189771	480	395.35625	41182	13410	448	32	12651.4
2	501	4860066		C602	COAL STORAGE YARD	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860067		C603E	NITROGEN STORAGE TANK	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860068		C603F	NITROGEN STORAGE TANK (CENTER)	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	4860069		C603G	NITROGEN STORAGE TANK (WEST)	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	50275	C74717	C604	UTILITIES MAINT BUILD. C-604 PREFABRICAT	DIR KA 115	40	29220	242794	480	505.8208333	41182	11790	394	86	43500.59167
2	501	4860070		C604A	UTILITIES STORAGE BUILDING	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	735	50268	C74710	C605	ELECTRIC POWER SYSTEM C-605 SYSTEM INCL	N/A	30	29128	199742	360	0	41182	11880	397	0	0
2	501	50269	C74711	C605	C-605 SUBSTATION BUILDING. ADDITIONAL S	SC6225 DIR KA 1	40	29128	51143	480	106.5479167	41182	11880	397	83	8843.477083
2	501	50279	C74721	C606	COAL CRUSHER BUILDING C-606 THE COAL CRU	N/A	40	29464	53965	480	112.4270833	41182	11550	386	94	10568.14583
2	501	4860071		C607	EMERGENCY AIR COMPRESSOR GENERATOR BUILD	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	501	30081	C74077	C611	FILTER AND PUMP HOUSE BUILDING - CONCRET	N/A	30	15461	652416	360	0	41182	25350	846	0	0
2	501	30082	C74078	C611	ELECTRICAL LIGHTING SYSTEM - COVERS ALL	N/A	30	15461	143373	360	0	41182	25350	846	0	0
2	501	30083	C74079	C611	PLUMBING AND DRAINAGE - COVERS THE FILTE	N/A	30	15461	19744	360	0	41182	25350	846	0	0
2	501	30084	C74080	C611	FIRE PROTECTION SPRINKLER SYSTEM - INSTA	N/A	30	15461	6635	360	0	41182	25350	846	0	0
2	501	30085	C74081	C611	HEATING AND VENTILATION - COVERS THE NEW	N/A	30	15461	27385	360	0	41182	25350	846	0	0
2	501	30086	C74082	C611	ELECTRICA POWER FOR EQUIPMENT - COVERS N	N/A	30	15461	751636	360	0	41182	25350	846	0	0
2	501	30087	C74083	C611	GAS AND OIL PIPING AND VALVES - COVERS T	N/A	30	15461	4662	360	0	41182	25350	846	0	0
2	650	30088	C74084	C611	C-611 INSTRUMENTS. INSTRUMENTATION - CO	N/A	25	19267	83898	300	0	41182	21600	721	0	0
2	650	30089	C74085	C611	WATER PIPE-VALVE INSIDE. WATER PIPING A	N/A	40	15461	93826	480	0	41182	25350	846	0	0
2	650	30090	C74086	C611	WATER PIPE=VALVES OUTSIDE. WATER PIPING	N/A	40	15461	71700	480	0	41182	25350	846	0	0
2	650	30093	C74087	C611	RAW WATER LINE. RAW WATER LINE FROM TVA	N/A	40	15461	2754440	480	0	41182	25350	846	0	0
2	650	30094	C74088	C611	SETTLING BASINS 4 EA. 4 EACH SETTLING B	N/A	40	15461	286231	480	0	41182	25350	846	0	0
2	610	30333	C74313	C611	GATE OPERATORS AND ALARM SYSTEM FOR THE	N/A	15	20270	9301	180	0	41182	20610	688	0	0
2	650	50084	C74536	C611	RAW WATER LINE 42 IN. THE NEW RAW WATER	N/A	40	22493	1379242	480	0	41182	18420	615	0	0
2	735	50358	50358	C611	FUEL SUPPLY SYS. A 1 000 GAL. DIESEL FU	N/A	10	31958	18834	120	0	41182	9090	304	0	0
2	735	49279	C70073	C611A	TANK CHEMICAL STORAGE MODEL 88 MATE. HOR	4048384	40	30010	104997	480	218.74375	41182	11010	368	112	24499.3
2	501	50048	C74503	C611A	AN "ARMCO" TYPE PREFABRICATED STEEL BUIL	N/A	40	21915	4556	480	0	41182	18990	634	0	0
2	501	30096	C74090	C611B	HEAD HOUSE BUILDING - ONE STORY SIZE 38	N/A	50	15461	54929	600	0	41182	25350	846	0	0
2	735	34866	C70056	C611B	SCREW CONVEYOR #1 10" DIA. X 12' LONG	N/A	20	21915	17447	240	0	41182	18990	634	0	0
2	735	35820	C70186	C611B	OMEGA LOSS-IN-WEIGHT GRAVIMETRIC FEEDER	OG 1190	25	22189	8301	300	0	41182	18720	625	0	0
2	645	42093	C70064	C611B	WATER SOFTENING FACILITY CONSISTS OF TAN	N/A	25	23620	861821	300	0	41182	17310	578	0	0
2	650	43737	C70188	C611B	CHLORINATOR. CHLORINATOR 2000 PPD MET	6909A0706J1	40	25568	1456	480	0	41182	15390	514	0	0
2	735	46311	C70185	C611B	FEEDER-SLAKER PACKAGED LIME FEEDER - SL	A758021 ZZ 2944	25	28003	14206	300	0	41182	12990	434	0	0
2	650	47448	C82108	C611B	VALVE BUTTERFLY 36" MOTOR OPERATED 36"	275497	40	28702	8088	480	16.85	41182	12300	411	69	1162.65
2	650	47871	C70190	C611B	CHLORINATOR. MODEL V-8020 SOLUTION FEE	AC29276	40	28945	3356	480	6.991666667	41182	12060	403	77	538.3583333
2	735	49715	C70062	C611B	TANK STORAGE FERRIC SULFATE THE TANK I	N/A	40	30406	13000	480	27.08333333	41182	10620	355	125	3385.416667
2	650	50343	C74781	C611B	CHEMICAL FEED SYSTEM UPGRADING. THE PRO	N/A	40	30406	301760	480	628.6666667	41182	10620	355	125	78583.33333
2	735	51597	C51597	C611B	SCREW CONVEYOR A NEW 46-1/2' SCREW CONV	N/A	20	31320	54234	240	0	41182	9720	325	0	0
2	501	4860072		C611B1	POLYMER FEED SYSTEM ENCLOSURE	N/A	30	36055	0	360	0	41182	5053	169.4333333	190.5666667	0
2	650	30095	C74089	C611C	MIXING BASIN 1 EA. 1 EACH MIXING BASIN	N/A	40	15461	56096	480	0	41182	25350	846	0	0
2	650	50337	C74775	C611C	WATER TREATMENT FLOCCULATOR BASIN C-611	N/A	40	30255	538806	480	1122.5125	41182	10770	360	120	134701.5
2	501	4860073		C611D	SETTLING BASIN (NORTHEAST)	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860074		C611E	SETTLING BASIN (NORTHWEST)	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860075		C611F	SETTLING BASIN (SOUTHEAST)	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	50344	C74782	C611F1	THE BASIN IS A TWO-PASS BASIN DESIGNED T	N/A	50	30528	378300	600	630.5	41182	10500	351	249	156994.5
2	501	50345	C74783	C611F2	THE POLYMER FEED BUILDING IS A PER-ENGIN	DIR KA 149	40	30528	162128	480	337.7666667	41182	10500	351	129	43571.9
2	501	4860076		C611G	SETTLING BASIN (SOUTHWEST)	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	735	10362	C70203	C611H	MOTOR INDUCTION 200 HP 1775 RPM 2300	436018	20	15461	1535	240	0	41182	25350	846	0	0
2	735	12410	C70217	C611H	PUMP ANGLE FLOW VERTICAL SIZE 18" HE	787236	20	19298	10944	240	0	41182	21570	720	0	0
2	735	12411	C70216	C611H	MOTOR ELECTRIC 150 HP 3 PH 60 CYCLES	598361	20	19298	6043	240	0	41182	21570	720	0	0
2	735	13167	C70219	C611H	MOTOR ELECTRIC 150 HP 3 PH 60 CYCLES	598360	20	19298	6043	240	0	41182	21570	720	0	0
2	735	13168	C70215	C611H	PUMP ANGLE FLOW VERTICAL SIZE 18" 11	787235	20	19298	10944	240	0	41182	21570	720	0	0
2	735	13169	C75046	C611H	MOTOR ELECTRIC 150 HP 3 PH 60 CYCLES	598362	20	19298	6043	240	0	41182	21570	720	0	0
2	735	32755	C70202	C611H	POWER UNIT DIESEL ENGINE SBM H-16371 E	NHI 600	10	20789	5027	120	0	41182	20100	671	0	0
2	735	34871	C70057	C611H	BUCKET ELEVATOR UNIT 3 VERTICAL 12" X	2119B	10	21915	13833	120	0	41182	18990	634	0	0
2	735	36531	C70223	C611H	DIESEL GENERATOR ENGINE UNIT CONSISTING	N/A	20	16588	47586	240	0	41182	24240	809	0	0
2	735	45914	C70196	C611H	PUMP CENTRIFUGAL SIZE 3 X 6-1/4 600 G	237B758	20	28033	11625	240	0	41182	12960	433	0	0
2	735	46957	C70221	C611H	MOTOR 200 HP U S ELECTRIC FRAME-449-T	C3620356 83	20	28549	8682	240	0	41182	12450	416	0	0
2	735	47638	C70209	C611H	PUMP CENTRIFUGAL	N/A	20	29372	11292	240	0	41182	11640	389	0	0
2	735	47639	C70210	C611H	MOTOR 125 HP WESTINGHOUSE MODEL TBDP	7808	20	29372	10885	240	0	41182	11640	389	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	49526	C70052	C611H	MODEL 400 TRAVELING TYPE DUAL FLOW WATE	N/A	20	30802	82747	240	0	41182	10230	342	0	0
2	735	49579	C70065	C611H	MODEL NO. 10347002 DETROIT DIESEL ENTIN	3A0099578	10	30925	77349	120	0	41182	10110	338	0	0
2	501	4860077		C611I	CLEAR WELL	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	0	52690	C52690	C611K	LAGOON NUMBER 4 - BACKUP SANITARY WATER	N/A	50	34894	0	600	0	41182	6196	207.5333333	392.4666667	0
2	550	28645	C70292	C611M	TANK CONCRETE WATER STORAGE 250 000	N/A	50	15461	0	600	0	41182	25350	846	0	0
2	550	28646	C70290	C611N	TANK WATER CONCRETE	N/A	50	15461	0	600	0	41182	25350	846	0	0
2	735	11032	C81446	C611O	WATER STORAGE TANK 250 000 GAL. CAP. ST	N/A	40	19267	114977	480	0	41182	21600	721	0	0
2	735	11889	C75399	C611P	MOTOR ELECTRIC 125 HP INDUCTION FRAM	598413	20	19267	3057	240	0	41182	21600	721	0	0
2	735	11891	C85541	C611P	MOTOR ELECTRIC 125 HP INDUCTION FRAM	598414	20	19267	3056	240	0	41182	21600	721	0	0
2	735	44655	C75397	C611P	HORIZONTALLY SPLIT CASE SINGLE STAGE D	228B813 MODEL #	20	26695	10936	240	0	41182	14280	477	0	0
2	735	44765	C75398	C611P	WESTINGHOUSE LIFE-LINE T. 125 HP 2 PHA	7209 MODEL:TUDI	20	26695	1000	240	0	41182	14280	477	0	0
2	735	35361	C81445	C611R	WATER TANK (ALL STEEL) SIZE 44' X 275'	N/A	40	21823	192162	480	0	41182	19080	637	0	0
2	501	50101	C74553	C611S	CORROSION INHIBITOR FEED STATION SOUTH	N/A	40	23070	27869	480	0	41182	17850	596	0	0
2	735	51491	C51491	C611S	GEARBOX MODEL PTE RO-06 PHILADELPHIA MI	85LFH1137	20	31624	5781	240	0	41182	9420	315	0	0
2	735	36405	C70274	C611T	WATER PUMP 20 000 GPM 20" SUECTION AND	1591878	20	22766	6582	240	0	41182	18150	606	0	0
2	735	36406	C81932	C611T	MOTOR ELECTRIC 250 HP FRAME 686 WU T	70104754A1	20	22766	5519	240	0	41182	18150	606	0	0
2	550	50096	C74548	C611T	PUMP VALVE PIT. THE NEW PUMP AND VALVE	N/A	50	22766	56452	600	0	41182	18150	606	0	0
2	501	4860078		C611T1	TEMPORARY OFFICE	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	735	46342	C70168	C611U	FEEDER SLAKER	N/A	25	28003	11225	300	0	41182	12990	434	0	0
2	735	46343	C70167	C611U	LIME FEEDER-SLAKER SYSTEM RIGHT HAND LA	G109EFTT4408	25	28003	11225	300	0	41182	12990	434	0	0
2	735	46345	C70169	C611U	FEEDER-DISSOLVER MODEL 31-02 AMEGA LOS	20906 1	25	28003	12738	300	0	41182	12990	434	0	0
2	735	46401	C75052	C611U	STAINLESS STEEL UPRIGHT TANK (FEURRIFLO	N/A	40	28306	12149	480	25.31041667	41182	12690	424	56	1417.383333
2	735	46402	C75051	C611U	27 000 GALLON UPRIGHT STEEL LIME STORAGE	N/A	40	28306	22033	480	45.90208333	41182	12690	424	56	2570.516667
2	735	46403	C75050	C611U	27 000 TALLON UPRIGHT SODA ASH STORAGE T	N/A	40	28306	22033	480	45.90208333	41182	12690	424	56	2570.516667
2	735	51043	C51043	C611U	GEAR REDUCER ORDER NO. 841579 SOFTENER	341110112	20	30894	8696	240	0	41182	10140	339	0	0
2	501	4860079		C611V	SLUDGE LAGOON	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	550	50213	C74657	C611W	SLUDGE LAGOON #2. CONSISTS OF AN EARTH	SC6125	50	27484	14935	600	24.89166667	41182	13500	451	149	3708.858333
2	735	42099	C70074	C611X	TANK STORAGE FOR SODA ASH STEEL 10' D	N/A	40	23620	5348	480	0	41182	17310	578	0	0
2	735	44372	C70075	C611X	CHEMICAL FEEDER GRAVIMETRIC TYPE FOR M	G109EF SS852	25	26176	5166	300	0	41182	14790	494	0	0
2	550	50117	C74569	C611X	SLUDGE LAGOON-DRAIN. SLUDGE LAGOON CON	N/A	50	23467	8840	600	14.73333333	41182	17460	583	17	250.4666667
2	501	50126	C74577	C611X	SODA ASH STORAGE BUILDING CONCRETE BLOC	N/A	40	23620	2496	480	0	41182	17310	578	0	0
2	550	50256	C74698	C611Y	RECYCLE LAGOON #3. CONSISTS OF AN EARTH	6131	50	28459	147364	600	245.6066667	41182	12540	419	181	44454.80667
2	501	30044	C74048	C615	SEWAGE DISPOSAL PLANT - A RECTANGULAR SH	N/A	50	19359	286140	600	0	41182	21510	718	0	0
2	501	30045	C74049	C615	ELECTRICAL LIGHTING SYSTEM - COVERS LIGH	N/A	50	19359	6206	600	0	41182	21510	718	0	0
2	501	30046	C74050	C615	PLUMBING AND DRAINAGE - COVERS SANITARY	N/A	50	19359	37635	600	0	41182	21510	718	0	0
2	501	30047	C74051	C615	HEATING AND VENTILATION - CONSISTS OF A	N/A	50	19359	10737	600	0	41182	21510	718	0	0
2	501	30048	C74052	C615	ELECTRIC POWER SYSTEM - COMPLETE ELECTRI	N/A	50	19359	16243	600	0	41182	21510	718	0	0
2	640	30049	C74053	C615	DIGESTER TANK AND EQUIPMENT - COVERS THE	N/A	30	19359	55843	360	0	41182	21510	718	0	0
2	640	30050	C74054	C615	FILTER BASIN AND EQUIPMENT - COVERS FILT	N/A	30	19359	17537	360	0	41182	21510	718	0	0
2	640	30054	C74055	C615	SLUDGE BEDS AND EQUIPMENT - COVERS THE S	N/A	30	19359	11531	360	0	41182	21510	718	0	0
2	640	30055	C74056	C615	SEWAGE TRANSFER SYSTEM- COVERS THE SEWAG	N/A	30	19359	222918	360	0	41182	21510	718	0	0
2	550	50190	C74635	C615	OIL COLLECTION SYSTEM. CONSISTING OF DA	N/A	50	26754	14294	600	23.82333333	41182	14220	475	125	2977.916667
2	615	51589	C51589	C615	CHLORINATOR PROPORTIONAL SERIES V-500 R	10395	40	31958	5586	480	11.6375	41182	9090	304	176	2048.2
2	640	51653	C51653	C615	COMMINUTOR SIZE + TYPE - 15C5N WITH STAI	56-011727	30	32263	13508	360	37.52222222	41182	8790	294	66	2476.466667
2	501	4860080		C615A	PRIMARY SETTLING TANK	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860081		C615B	FINAL SETTLING TANK	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860082		C615C	CONTROL BUILDING	N/A	30	36067	0	360	0	41182	5041	169.0333333	190.9666667	0
2	501	4860083		C615D	DIGESTER	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860084		C615E	TRICKLING FILTER	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860085		C615F	TRICKLING FILTER	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860086		C615G	SEWAGE LIFT SYSTEM	N/A	30	36067	0	360	0	41182	5041	169.0333333	190.9666667	0
2	501	4860087		C615H	SEWAGE LIFT STATION	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860088		C615H1	SEWAGE LIFT STATION	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860089		C615H2	SEWAGE LIFT STATION	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860090		C615J	LIFT STATION	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860091		C615K	MANHOLE	N/A	30	36056	0	360	0	41182	5052	169.4	190.6	0
2	501	4860092		C615N	OIL CONTAINMENT LAGOON	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	45997	C82924	C616	TANK 25 000 GALLON FERROUS SULFATE STO	N/A	40	28033	48856	480	101.7833333	41182	12960	433	47	4783.816667
2	735	45998	C82922	C616	TANK 25 000 GALLON FERROUS SULFATE STO	N/A	40	28033	48856	480	101.7833333	41182	12960	433	47	4783.816667
2	735	46018	C70089	C616	TANK PRENEUTRALIZATION 1922 CU. FT. 1	7266	40	28033	32400	480	67.5	41182	12960	433	47	3172.5
2	735	46070	C70077	C616	LIFT PUMP MODEL NO VITX-WF VERTICAL CE	302863 1	20	27850	6449	240	0	41182	13140	439	0	0
2	735	46072	C70079	C616	LIFT PUMP MODEL NO. VITX-WF VERTICAL C	302863 2	20	27850	6449	240	0	41182	13140	439	0	0
2	735	46270	C70087	C616	MIXER MODEL E-51 PRE NEUTRALIZATION TA	13669	20	28003	10315	240	0	41182	12990	434	0	0
2	735	46346	C70083	C616	MIXER INDUSTRIAL MODEL ES-40 WITH: 3"	13670	20	28033	31836	240	0	41182	12960	433	0	0
2	735	46350	C82923	C616	TANK 8 000 GALLON SULFURIC ACID STORAG	11113	40	28033	17019	480	35.45625	41182	12960	433	47	1666.44375
2	735	46352	C70159	C616	TANK LIME SLURRY APPROX. 252 GALLON ST	N/A	40	28033	8129	480	16.93541667	41182	12960	433	47	795.9645833
2	735	46354	C70084	C616	SCRUBBER STAINLESS STEEL FERROUS SULFAT	N/A	20	28033	7290	240	0	41182	12960	433	0	0
2	735	46355	C70088	C616	VAT LIME SLURRY DISTRIBTUION BOX STAI	N/A	40	28033	7136	480	14.86666667	41182	12960	433	47	698.7333333
2	735	46356	C70154	C616	SLAKER LIME FEEDER - SLAKER SYSTEM PE	A758021YY29432	25	28033	24768	300	0	41182	12960	433	0	0
2	735	46357	C70101	C616	SLAKER LIME FEEDER - SLAKER SYSTEM PER	A758021YY29433	25	28033	24768	300	0	41182	12960	433	0	0
2	735	46360	C70090	C616	MOTOR 30 HP GE	N/A	20	28033	5054	240	0	41182	12960	433	0	0
2	735	46361	C70091	C616	PHILADELPHIA MIXER DRIVE SIZE-TYPE PTER	30358	20	28033	9097	240	0	41182	12960	433	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	48727	C70094	C616	PUMP SLUDGE MODEL NO 400 DB4 VERTICAL	7927V1609	15	29586	8089	180	0	41182	11430	382	0	0
2	735	48729	C70095	C616	PUMP SLUDGE MODEL NO 400 DB4 VERTICAL	7926V1608	15	29555	7971	180	0	41182	11460	383	0	0
2	501	50261	C74703	C616	C-616 BUILDING - PLANT LIQUID EFFLUENT.	N/A	40	28733	161535	480	336.53125	41182	12270	410	70	23557.1875
2	650	50262	C74704	C616	WASTE WATER TREATMENT SYSTEM CONSISTING	N/A	40	28733	4083102	480	8506.4625	41182	12270	410	70	595452.375
2	735	50263	C74705	C616	INSTRUMENTATION AND CONTROLS PRIMARILY O	N/A	25	28733	225111	300	0	41182	12270	410	0	0
2	470	50362	50362	C616	CONTAINMENT DIKE AND UNLOADING FACILITY	N/A	50	32050	430252	600	717.0866667	41182	9000	301	299	214408.9133
2	735	51643	C51643	C616	15 000 GAL. TANK STEEL SULF. ACID STORA	N/A	40	32050	106225	480	221.3020833	41182	9000	301	179	39613.07292
2	735	51644	C51644	C616	15 000 GAL. STEEL SULFURIC ACID STORAGE	N/A	40	32050	106226	480	221.3041667	41182	9000	301	179	39613.44583
2	501	4860094		C616A	CHEMICAL FEED BUILDING	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860095		C616B	CLARIFIER-EAST	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860096		C616C	LIFT STATION	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860097		C616D	SLUDGE VAULT AND VALVE PIT	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860099		C616F	FULL FLOW LAGOON	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860100		C616G	SULFURIC ACID TANK	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860101		C616H1	FERROUS SULFATE STORAGE TANK (EAST)	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860102		C616H2	FERROUS SULFATE STORAGE TANK (WEST)	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860103		C616J	REDUCTION TANK-EAST	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	50271	C74713	C616K	C-616-K MAINT SER BL	N/A	40	29128	47804	480	99.59166667	41182	11880	397	83	8266.108333
2	501	4860104		C616L	EFFLUENT CONTROL VAULT	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860105		C616M	CLARIFIER-WEST	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860106		C616N	REDUCTION TANK	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860107		C616P	SLUDGE VAULT AND VALVE PIT	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860108		C617A	EFFLUENT CONTROL STATION	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860109		C617B	LAGOON	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	10051	C80688	C620	LECTRODRYER DEHUMIDIFIER SIZE 75 SP 44	10255	20	19298	45526	240	0	41182	21570	720	0	0
2	735	10542	C80685	C620	LECTRODRYER DEHUMIDIFIER SIZE 75 SP 44	10256	20	19298	45526	240	0	41182	21570	720	0	0
2	735	10909	C80683	C620	AIR COMPRESSOR HORIZONTAL DUPLEX 2 STA	L59035	25	19298	61029	300	0	41182	21570	720	0	0
2	735	10910	C80684	C620	MOTOR SYNCHRONOUS DC 600 HP POWER FA	105255	20	19298	18054	240	0	41182	21570	720	0	0
2	735	10911	C80681	C620	AIR COMPRESSOR(FOR DRY AIR PLANT) HORIZ	L59034	25	19298	61029	300	0	41182	21570	720	0	0
2	735	10912	C80682	C620	MOTOR DC ELECTRIC 600 HP SYNCHRONOUS	105256	20	19298	18054	240	0	41182	21570	720	0	0
2	735	30173	C74160	C620	DRY AIR SYSTEM IS UNIQUE IN THAT IT HOUS	N/A	25	19298	96436	300	0	41182	21570	720	0	0
2	501	4860110		C631	RCW PUMP HOUSE APPURTENANT STRUCTURES	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	10602	C82340	C6311	BATTERY CHARGER AC RATING-460 VOLTS 3	GEH1495	10	19267	4473	120	0	41182	21600	721	0	0
2	735	11042	C85535	C6311	CENTRIFUGAL PUMP TURBINE TYPE 15000 GPM	257640	20	30163	125909	240	0	41182	10860	363	0	0
2	735	11044	C78021	C6311	PUMP CENTRIFUGAL TURBINE TYPE. 19 500 GP	257642	20	30163	125909	240	0	41182	10860	363	0	0
2	735	11046	C78023	C6311	PUMP CENTRIFUGAL TRUBINE TYPE 19 500 GPM	257641	20	30163	125908	240	0	41182	10860	363	0	0
2	735	11048	C78025	C6311	PUMP CENTRIFUGAL TURBINE TYPE 19 500 GP	57639	20	30163	125910	240	0	41182	10860	363	0	0
2	735	11058	C81256	C6311	CRANE OVERHEAD BRIDGE 7 1/2 TON 32'	16557	30	19267	10606	360	0	41182	21600	721	0	0
2	735	14871	C78017	C6311	PUMP TURBINE VERTICAL SHAFT RECIRCULA	PN8023	20	19755	8719	240	0	41182	21120	705	0	0
2	735	14872	C85534	C6311	MOTOR INDUCTION ELECTRIC 400 HP 3 PH	598811	20	19755	11245	240	0	41182	21120	705	0	0
2	735	14875	C78027	C6311	PUMP TURBINE VERTICAL SHAFT RECIRCULA	PN8027	20	19755	8719	240	0	41182	21120	705	0	0
2	735	14880	C78028	C6311	MOTOR INDUCTION ELECTRIC 400 HP 3 PH	598814	20	19755	11246	240	0	41182	21120	705	0	0
2	501	30178	C74165	C6311	C-631-1 RECIRCULATING WATER PUMP HOUSE-	N/A	40	19267	1003479	480	0	41182	21600	721	0	0
2	501	30179	C74166	C6311	C-631-1 ELECTRIC LIGHTING SYSTEM - THIS	N/A	40	19267	30828	480	0	41182	21600	721	0	0
2	501	30180	C74167	C6311	C-631-1 PLUMBING AND DRAINAGE SYSTEM - T	N/A	40	19267	23833	480	0	41182	21600	721	0	0
2	735	30181	C74168	C6311	C-631-1 COOLING WATER PIPING INCLUDES AL	N/A	40	19267	165792	480	0	41182	21600	721	0	0
2	501	30182	C74169	C6311	C-631-1 HEATING AND VENTILATION SYSTEM -	N/A	40	19267	21351	480	0	41182	21600	721	0	0
2	735	30184	C74171	C6311	C-631-1 ACID PIPING AND EQUIPMENT IS PAR	N/A	40	19267	6445	480	0	41182	21600	721	0	0
2	735	30186	C74173	C6311	INSTRUMENTATION	N/A	25	19267	82779	300	0	41182	21600	721	0	0
2	735	30187	C74174	C6311	C-631-1 ELECTRIC POWER FOR EQUIPMENT IS	N/A	30	19267	234809	360	0	41182	21600	721	0	0
2	501	30251	C74237	C6311	C-633-1 RECIRCULATING WATER PUMP HOUSE-	N/A	40	19449	931318	480	0	41182	21420	715	0	0
2	735	30252	C74238	C6311	C-633-1 ELECTRIC POWER SYSTEM COVERS ELE	N/A	30	19449	511934	360	0	41182	21420	715	0	0
2	501	30253	C74239	C6311	C-633-1 ELECTRIC LIGHTING SYSTEM - INCLU	N/A	40	19449	56581	480	0	41182	21420	715	0	0
2	501	30254	C74240	C6311	C-631-1 PLUMBING AND DRAINAGE SYSTEM- CO	N/A	40	19449	32136	480	0	41182	21420	715	0	0
2	735	30255	C74241	C6311	C-633-1 COOLING WATER PIPING INCLUDES NE	N/A	40	19449	373076	480	0	41182	21420	715	0	0
2	501	30256	C74242	C6311	C-633-1 HEATING AND VENTILATION SYSTEM-	N/A	40	19449	25771	480	0	41182	21420	715	0	0
2	735	30258	C74244	C6311	C-633-1 ACID PIPING AND EQUIPMENT CONSIS	N/A	40	19449	6860	480	0	41182	21420	715	0	0
2	735	30260	C74246	C6311	C-633-1 INSTRUMENTATION SYSTEM CONSISTS	N/A	25	19449	127547	300	0	41182	21420	715	0	0
2	735	46430	C78022	C6311	MOTOR WEST-1250 HP MODEL VSWI TYPE LA	IS 76	20	28064	39518	240	0	41182	12930	432	0	0
2	735	46435	C78024	C6311	MODEL VSWI TYPE LAC INDUCTION MOTOR LI	2S 76	20	28064	39518	240	0	41182	12930	432	0	0
2	735	46436	C85536	C6311	MODEL VSWI TYPE LAC INDUCTION MOTOR LI	3S 76	20	28064	39518	240	0	41182	12930	432	0	0
2	735	46438	C85537	C6311	MODEL VSWI TYPE LAC INDUCTION MOTOR LI	D1 7 C27	20	28064	39518	240	0	41182	12930	432	0	0
2	735	48720	C81860	C6311	LEAK DETECTOR MODEL NO 1030 CHLORINE L	AE0680/1095	15	30041	8536	180	0	41182	10980	367	0	0
2	735	49731	C81816	C6311	TANK 8000 GALLON ACID NB-152 8 000 GA	4249	40	30436	10705	480	22.30208333	41182	10590	354	126	2810.0625
2	501	50042	C74497	C6311	SPRINKLER SYSTEM - DEKYGE TYPE AUTOMATIC	N/A	40	21823	12671	480	0	41182	19080	637	0	0
2	735	51496	C51496	C6311	MOTOR 500 HP MODEL NO. 145 SIEMENS-AL	1 5117 41585 1	20	31867	37440	240	0	41182	9180	307	0	0
2	735	51497	C51497	C6311	PUMP TURBINE FIREWATER PUMP 4500 GPM	N/A	20	31867	27440	240	0	41182	9180	307	0	0
2	735	51498	C51498	C6311	DIESEL ENGINE MODEL NO. 3413 CAT. 572	38513312	10	31867	51490	120	0	41182	9180	307	0	0
2	735	51499	C85396	C6311	PUMP TURBINE VERTICAL TURBINE FIREWATE	N/A	20	31867	27440	240	0	41182	9180	307	0	0
2	735	51663	C51663	C6311	HOIST CHAIN ELEC 4FPM LIST SPEED 10 FT	N/A	30	32294	6068	360	16.85555556	41182	8760	293	67	1129.322222
2	501	4860114		C63110	ASBESTOS CREW STORAGE	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	550	30189	C74176	C6312	TANK CONCRETE WATER STORAGE 250 000	N/A	15	19267	1246304	180	0	41182	21600	721	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	550	30190	C74177	C6312	TOWER BASIN-PIT-FLUM. C-631-2 BASIN VA	N/A	50	19267	825935	600	0	41182	21600	721	0	0
2	550	30191	C74178	C6312	C-631-2 COOLING WATER PIPING AND VALVES	N/A	15	19267	23889	180	0	41182	21600	721	0	0
2	550	30192	C74179	C6312	ELEC LIGHT-POWER SYS. C-631-2 ELECTRIC	N/A	15	19267	82483	180	0	41182	21600	721	0	0
2	735	49198	C82232	C6312	MOTOR GE 50 HP	N/A	20	30224	5237	240	0	41182	10800	361	0	0
2	735	35362	C81202	C6313	WATER PUMP SIZE 12" 5814K GPM 4625 H	N/A	20	21823	21298	240	0	41182	19080	637	0	0
2	735	35363	C81200	C6313	WATER PUMP SIZE 12" 5814K GPM 4625 H	N/A	20	21823	21298	240	0	41182	19080	637	0	0
2	735	35364	C81203	C6313	MOTOR ELECTRIC 450 HP TYPE QZK FRAME	N/A	20	21823	22513	240	0	41182	19080	637	0	0
2	735	35365	C81201	C6313	MOTOR ELECTRIC 450 HP TYPE QZK FRAME	N/A	20	21823	22513	240	0	41182	19080	637	0	0
2	735	35368	C81205	C6313	DIESEL ENGINE 486 HP MODEL 38F5-1/4 EN	969072	10	21823	31940	120	0	41182	19080	637	0	0
2	735	35369	C81204	C6313	WATER PUMP (NO. 4) SIZE 12" 5814 GPM	N/A	20	21823	19520	240	0	41182	19080	637	0	0
2	501	50058	C74513	C6313	PUMP HOUSE - BUILDING CONCRETE SOLID WA	N/A	50	21823	63974	600	0	41182	19080	637	0	0
2	735	46448	C81194	C6314	HORIZONTAL CENTRIFUGAL BLENDING PUMP SI	0576 66	20	28125	17588	240	0	41182	12870	430	0	0
2	735	46449	C81195	C6314	MOTOR RELIANCE 250 HP FRAME-5006Z TY	X332411A2 VB	20	28125	6500	240	0	41182	12870	430	0	0
2	735	46450	C81196	C6314	PUMP HORIZONTAL CENTRIFUGAL BLENDING	0576 67	20	28125	16912	240	0	41182	12870	430	0	0
2	735	46451	C81197	C6314	MOTOR RELIANCE 250 HP FRAME - 5006Z	X332411A1 UB	20	28125	6500	240	0	41182	12870	430	0	0
2	735	46452	C81199	C6314	HORIZONTAL CENTRIFUGAL BLENDING PUMP SI	0576 68	20	28125	16913	240	0	41182	12870	430	0	0
2	735	46453	C81198	C6314	MOTOR RELIANCE 250 HP FRAME-5006Z TY	X332411A3VB	20	28125	6500	240	0	41182	12870	430	0	0
2	501	50295	C74736	C6314	PUMP HOUSE THE BLINDING PUMP HOUSE C-63	N/A	40	30163	214206	480	446.2625	41182	10860	363	117	52212.7125
2	735	50296	C74737	C6314	INSTRUMENTATION - THIS SYSTEM IS DESIGN	N/A	25	30163	25735	300	0	41182	10860	363	0	0
2	735	50297	C74738	C6314	C-631-4 ELECTRICA POWER FOR EQUIPMENT. T	N/A	30	30163	274525	360	0	41182	10860	363	0	0
2	735	50298	C74739	C6314	PIPING AND VALVES C-631-4 C-631-4 COOL	N/A	40	30163	275484	480	573.925	41182	10860	363	117	67149.225
2	735	46630	C82223	C6315	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7611 1	20	28945	14310	240	0	41182	12060	403	0	0
2	735	46632	C82225	C6315	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7611 3	20	28945	14310	240	0	41182	12060	403	0	0
2	735	48524	C82244	C6315	MOTOR 100 HP WESTINGHOUSE MODEL TBFC	8005	20	29433	4885	240	0	41182	11580	387	0	0
2	550	50299	C74740	C6315	COOLING TOWER C-631-5 (WEST) BLENDING	N/A	15	30163	305830	180	0	41182	10860	363	0	0
2	550	50300	C74741	C6315	TOWER BASIN PIT FLUME C631-5 (WEST) C	N/A	50	30163	176325	600	293.875	41182	10860	363	237	69648.375
2	550	50301	C74742	C6316	COOLING TOWER C-631-6 (EAST) THE BLENDI	N/A	15	30163	151008	180	0	41182	10860	363	0	0
2	550	50302	C74743	C6316	TOWER BASIN PIT FLUME C-631-6 (EAST) C-	N/A	50	30163	86844	600	144.74	41182	10860	363	237	34303.38
2	501	4860111		C6317	MAINTENANCE SHOP	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860112		C6318	CHANGE HOUSE	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860113		C6319	ASBESTOS CREW BREAKROOM	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	30188	C74175	C632B	C-631-1 SULPHURIC ACID UNLOADING AND STO	N/A	40	19267	17386	480	0	41182	21600	721	0	0
2	501	4860115		C633	RCW PUMP HOUSE AND APPURTENANT STRUCTURE	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	12412	C77984	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	785237	20	19449	28482	240	0	41182	21420	715	0	0
2	735	12413	C85526	C6331	MOTOR ELECTRIC INDUCTION UPRATED TO 60	598298	20	19449	22974	240	0	41182	21420	715	0	0
2	735	12414	C77986	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	785238	20	19449	28482	240	0	41182	21420	715	0	0
2	735	12415	C77999	C6331	MOTOR ELECTRIC INDUCTION 600 HP 60 C	598297	20	19449	19710	240	0	41182	21420	715	0	0
2	735	12416	C77988	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	788494	20	19449	53489	240	0	41182	21420	715	0	0
2	735	12417	C85528	C6331	MOTOR ELECTRIC 1250 HP INDUCTION 60 C	598173	20	19449	40258	240	0	41182	21420	715	0	0
2	735	12418	C77990	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	789821	20	19449	53489	240	0	41182	21420	715	0	0
2	735	12419	C85531	C6331	MOTOR ELECTRIC 1250 HP INDUCTION 60	598174	20	19449	40258	240	0	41182	21420	715	0	0
2	735	12421	C85529	C6331	MOTOR ELECTRIC 1250 HP TYPE QZBUW FR	503654R2	20	19449	49234	240	0	41182	21420	715	0	0
2	735	12423	C77993	C6331	MOTOR ELECTRIC UPRATED TO 1250 HP 416	503654R1	20	19449	49233	240	0	41182	21420	715	0	0
2	735	12425	C77995	C6331	MOTOR ELECTRIC 1250 HP TYPE QZBUW FR	598171	20	19449	49234	240	0	41182	21420	715	0	0
2	735	12426	C77996	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	785380	20	19449	53489	240	0	41182	21420	715	0	0
2	735	12427	C85527	C6331	MOTOR ELECTRIC 1250 HP INDUCTION 60	598170	20	19449	40258	240	0	41182	21420	715	0	0
2	735	12429	C77985	C6331	MOTOR ELECTRIC INDUCTION 600 HP 60 C	598296	20	19449	19710	240	0	41182	21420	715	0	0
2	735	12430	C85533	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	782807	20	19449	28482	240	0	41182	21420	715	0	0
2	735	12431	C78001	C6331	MOTOR ELECTRIC INDUCTION 600 HP 60 C	598295	20	19449	19709	240	0	41182	21420	715	0	0
2	735	12436	C81257	C6331	BATTERY CHARGER OR PHANO CHARGER AC RAT	GEH1495	10	19449	13277	120	0	41182	21420	715	0	0
2	735	12519	C81258	C6331	CRANE BRIDGE SINGLE MOTOR CAPACITY 12	16794	30	19449	21639	360	0	41182	21420	715	0	0
2	735	45000	C85525	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	788875	20	26968	46516	240	0	41182	14010	468	0	0
2	735	45001	C85524	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	787578	20	26968	46517	240	0	41182	14010	468	0	0
2	735	45002	C85530	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	N/A	20	26968	46517	240	0	41182	14010	468	0	0
2	735	45003	C85532	C6331	RECIRCULATING WATER PUMP TURBINE TYPE	782806	20	26968	25900	240	0	41182	14010	468	0	0
2	735	49318	C81259	C6331	CHLORINE LEAK DETECTOR MODEL NO. 1030 C	635902	15	30041	8536	180	0	41182	10980	367	0	0
2	501	50043	C74498	C6331	SPRINKLER SYSTEM-DELUGE TYPE AUTOMATIC S	N/A	40	21823	25384	480	0	41182	19080	637	0	0
2	735	51664	C51664	C6331	HOIST CHAIN ELEC LINK 4FPM LIFT SPEED 1	N/A	30	32294	6068	360	16.85555556	41182	8760	293	67	1129.322222
2	550	50383	50383	C6332A	C-633-2A COOLING TOWER. A WOODEN STRUCT	N/A	15	33146	3441131	180	0	41182	7920	265	0	0
2	550	50384	50384	C6332B	C-633-2B COOLING TOWER. A REDWOOD STRUC	N/A	15	33146	3441131	180	0	41182	7920	265	0	0
2	735	46442	C81378	C6333	PUMP HORIZONTAL CENTRIFUGAL BLENDING	0576 27	20	28125	38909	240	0	41182	12870	430	0	0
2	735	46443	C81379	C6333	DUTY-MASTER AC MOTOR EENCLOSURE-PROT. F	X332412AI WB	20	28125	15000	240	0	41182	12870	430	0	0
2	735	46444	C81261	C6333	PUMP HORIZONTAL CENTRIFUGAL BLENDING	0576 28	20	28125	38909	240	0	41182	12870	430	0	0
2	735	46445	C81260	C6333	DUTY-MASTER AC MOTOR ENCLOSURE-PROT. FR	X332412A3 WB	20	28125	15000	240	0	41182	12870	430	0	0
2	735	46446	C81262	C6333	HORIZONTAL CENTRIFUGAL BLENDING PUMP SI	0576 29	20	28125	40070	240	0	41182	12870	430	0	0
2	735	46447	C81263	C6333	MOTOR RELIANCE 700 HP FRAME-20EC6811S	X332412A5 WB	20	28125	15000	240	0	41182	12870	430	0	0
2	501	50303	C74744	C6333	PUMP HOUSE C-633-3 THE BLENDING PUMP HO	N/A	40	30163	265105	480	552.3020833	41182	10860	363	117	64619.34375
2	735	50304	C74745	C6333	INSTRUMENTATION. THIS SYSTEM IS DESIGNE	N/A	25	30163	15222	300	0	41182	10860	363	0	0
2	735	50305	C74746	C6333	C-633-3 ELECTRICAL POWER FOR EQUIPMENT.	N/A	30	30163	228340	360	0	41182	10860	363	0	0
2	735	50306	C74747	C6333	C-633-3 COOLING WATER PIPING. THIS INCL	N/A	40	30163	334054	480	695.9458333	41182	10860	363	117	81425.6625
2	735	46625	C82220	C6334	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7612 8	20	28945	12752	240	0	41182	12060	403	0	0
2	735	46626	C82221	C6334	GEAR REDUCER WESTINGHOUSE STYLE 76R610	7612 9	20	28945	12752	240	0	41182	12060	403	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	46629	C82222	C6334	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7612 12	20	28945	12752	240	0	41182	12060	403	0	0
2	550	50307	C74748	C6334	COOLING TWR C-633-4	N/A	15	30163	436550	180	0	41182	10860	363	0	0
2	550	50308	C74749	C6334	TOWER BASIN PIT FLUME C-633-4 (NORTH)	N/A	50	30163	322077	600	536.795	41182	10860	363	237	127220.415
2	550	50309	C74750	C6335	COOLING TOWER C-633-5 (SOUTH) THE BLEND	N/A	15	30163	436550	180	0	41182	10860	363	0	0
2	550	50310	C74751	C6335	TOWER BASIN PIT FLUME THE BASIN IS AN	N/A	50	30163	322077	600	536.795	41182	10860	363	237	127220.415
2	501	4860116		C6336	SAND FILTER BUILDING	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	30261	C81311	C634B	C-6331-1 SULPHURIC ACID LOADING AND STOR	N/A	40	19449	18491	480	0	41182	21420	715	0	0
2	735	14867	C78031	C6351	PUMP TURBINE VERTICAL SHAFT RECIRCULA	PN8029	20	19755	8719	240	0	41182	21120	705	0	0
2	735	14869	C78033	C6351	PUMP TURBINE VERTICAL SHAFT RECIRCULA	PN8024	20	19755	8719	240	0	41182	21120	705	0	0
2	735	14870	C78034	C6351	MOTOR INDUCTION ELECTRIC 400 HP 3 PH	598810	20	19755	11245	240	0	41182	21120	705	0	0
2	735	14874	C78030	C6351	MOTOR INDUCTION ELECTRIC 400 HP 3 PH	598813	20	19755	11245	240	0	41182	21120	705	0	0
2	735	14876	C78043	C6351	MOTOR INDUCTION ELECTRIC 400 HP 3 PH	598815	20	19755	11245	240	0	41182	21120	705	0	0
2	735	14877	C78041	C6351	PUMP TURBINE VERTICAL SHAFT RECIRCULA	PN8028	20	19755	8719	240	0	41182	21120	705	0	0
2	735	14878	C81247	C6351	MOTOR INDUCTION ELECTRIC 400 HP 3 PH	598816	20	19755	11245	240	0	41182	21120	705	0	0
2	735	14879	C78042	C6351	PUMP TURBINE VERTICAL SHAFT RECIRCULA	PN8025	20	19755	8719	240	0	41182	21120	705	0	0
2	735	14890	C82342	C6351	PHANO BATTERY CHARGER 3 PHASE 60 CYCLE	GEH1495	10	19755	3671	120	0	41182	21120	705	0	0
2	735	14891	C81248	C6351	CRANE OVERHEAD TRAV-LIFT 7 1/2 TON CAP	CH14956	30	19755	10922	360	0	41182	21120	705	0	0
2	501	30372	C74352	C6351	C-635-1 PUMP HOUSE-A SINGLE STORY STEEL	N/A	40	19755	612082	480	0	41182	21120	705	0	0
2	735	30373	C74353	C6351	C-635-1 ELECTRIC POWER SYSTEM IS DESIGNE	N/A	30	19755	285763	360	0	41182	21120	705	0	0
2	501	30374	C74354	C6351	C-635-1 ELECTRIC LIGHTING SYSTEM-THIS SY	N/A	40	19755	34705	480	0	41182	21120	705	0	0
2	501	30375	C74355	C6351	C-635-1 PLUMBING AND DRAINAGE SYSTEM- TH	N/A	40	19755	15394	480	0	41182	21120	705	0	0
2	735	30376	C74356	C6351	C-635-1 COOLING WATER SYSTEM INCLUDES AL	N/A	40	19755	110241	480	0	41182	21120	705	0	0
2	501	30377	C74357	C6351	C-635-1 HEATING AND VENTILATING SYSTEM-	N/A	40	19755	13782	480	0	41182	21120	705	0	0
2	735	30379	C74359	C6351	C-635-1 ACID PIPING AND EQUIPMENT IS A P	N/A	40	19755	10292	480	0	41182	21120	705	0	0
2	735	30381	C74361	C6351	C-635-1 INSTRUMENTATION SYSTEM IS DESIGN	N/A	25	19755	85517	300	0	41182	21120	705	0	0
2	735	46429	C78035	C6351	VERTICAL TURBINE TYPE PUMP 20 000 G.P.M	TJ 1137	20	28064	54494	240	0	41182	12930	432	0	0
2	735	46431	C78037	C6351	VERTICAL TURBINE TYPE PUMP 20 000 GPM	TJ 1138	20	28064	48407	240	0	41182	12930	432	0	0
2	735	46432	C78040	C6351	MOTOR WEST 1250 HP MODEL VSWI TYPE L	IS 76	20	28064	39518	240	0	41182	12930	432	0	0
2	735	46433	C78039	C6351	VERTICAL TURBINE TYPE PUMP 20 000 GPM	TJ 1139	20	28064	48406	240	0	41182	12930	432	0	0
2	735	46434	C78038	C6351	MOTOR WESTINGHOUSE 1250 HP MODEL VSWI	2S 76	20	28064	39518	240	0	41182	12930	432	0	0
2	735	46437	C78036	C6351	MODEL VSWI TYPE LAC INDUCTION MOTOR LI	3S 76	20	28064	39518	240	0	41182	12930	432	0	0
2	735	49319	C81381	C6351	CHLORINE LEAK DETECTOR MODEL NO. 1030 C	635901	15	30041	8535	180	0	41182	10980	367	0	0
2	735	49420	C71521	C6351	ACID PIG NB 155 500 GAL. ACID STORAGE	580	40	30163	5623	480	11.71458333	41182	10860	363	117	1370.60625
2	735	49421	C71522	C6351	NB 156 500 GAL. ACID STORAGE TANK. SIZE	581	40	30163	5623	480	11.71458333	41182	10860	363	117	1370.60625
2	501	50044	C74499	C6351	SPRINKKLER SYSTEM - DULUGE TYPE AUTOMATI	N/A	40	21823	13390	480	0	41182	19080	637	0	0
2	735	51665	C51665	C6351	HOIST CHAIN ELEC 4FPM LIFT SPEED 10 FT	N/A	30	32294	6068	360	16.85555556	41182	8760	293	67	1129.322222
2	501	4860117		C6351	RCW PUMP HOUSE AND APPURTENANT STRUCTURE	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	550	30382	C74362	C6352	TOWER BASIN-PIT-FLUM. C-635-2 COOLING T	N/A	50	19755	668704	600	0	41182	21120	705	0	0
2	550	30384	C74364	C6352	COOL WTR PIPE-VALVES. C-635-2 COOLING W	N/A	15	19755	80482	180	0	41182	21120	705	0	0
2	550	30385	C74365	C6352	ELED LIGHT-POWER SYS. C-635-2 ELECTRIC	N/A	15	19755	119139	180	0	41182	21120	705	0	0
2	550	50385	50385	C6352	C-635-2 COOLING TOWER. A REDWOOD STRUCT	N/A	15	33146	3441130	180	0	41182	7920	265	0	0
2	735	46454	C81237	C6353	PUMP HORIZONTAL CENTRIFUGAL BLENDING	0576 63	20	28429	24393	240	0	41182	12570	420	0	0
2	735	46455	C81238	C6353	MOTOR RELIANCE 500 HP FRAME 22EC5810S	X332410A3	20	28429	15000	240	0	41182	12570	420	0	0
2	735	46456	C81209	C6353	PUMP HORIZONTAL CENTRIFUGAL BLENDING	0576 64	20	28459	23421	240	0	41182	12540	419	0	0
2	735	46457	C81236	C6353	MOTOR RELIANCE 500 HP FRAME 22EC5810S	X332410A3	20	28459	15000	240	0	41182	12540	419	0	0
2	735	46460	C81207	C6353	PUMP HORIZONTAL CENTRIFUGAL BLENDING	0576 65	20	28459	23421	240	0	41182	12540	419	0	0
2	735	46461	C81208	C6353	MOTOR 500 HP RELIANCE FRAME-22EC58105	X332410A1	20	28459	15000	240	0	41182	12540	419	0	0
2	501	50311	C74752	C6353	THE C-635-3 BLENDING PUMP HOUSE IS A STR	N/A	40	30163	327910	480	683.1458333	41182	10860	363	117	79928.0625
2	735	50312	C74753	C6353	C-635-3 INSTRUMENTATION. THIS SYSTEM IS	N/A	25	30163	73571	300	0	41182	10860	363	0	0
2	735	50313	C74754	C6353	C-635-3 ELECTRIC POWER SYSTEM. THIS SYS	N/A	30	30163	285860	360	0	41182	10860	363	0	0
2	735	50314	C74755	C6353	C-635-3 COOLING WATER PIPING. THIS INCL	N/A	40	30163	357893	480	745.6104167	41182	10860	363	117	87236.41875
2	735	46633	C82226	C6354	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7611 4	20	28945	14310	240	0	41182	12060	403	0	0
2	735	46634	C82227	C6354	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7612 5	20	28945	14310	240	0	41182	12060	403	0	0
2	550	50315	C74756	C6354	COOLING TOWER C-635-4 (NORTH) THE C-635	N/A	15	30163	263792	180	0	41182	10860	363	0	0
2	550	50316	C74757	C6354	TOWER BASIN PIT FLUME C-635-4 (NORTH)	N/A	50	30163	147113	600	245.1883333	41182	10860	363	237	58109.635
2	735	46624	C82219	C6355	GEAR REDUCER WESTINGHOUSE STYEL 76R100	7612 7	20	28945	12752	240	0	41182	12060	403	0	0
2	735	46628	C82933	C6355	GEAR REDUCER WESTINGHOUSE STYEL 76R610	7612 11	20	28945	12752	240	0	41182	12060	403	0	0
2	550	50317	C74758	C6355	COOLING TOWER C-635-5 (SOUTH0 THE C-635	N/A	15	30163	310836	180	0	41182	10860	363	0	0
2	550	50318	C74759	C6355	TOWER BASIN PIT FLUME C-635-5 (SOUTH)	N/A	50	30163	179800	600	299.6666667	41182	10860	363	237	71021
2	735	49569	C85539	C6356	MODEL NO. 3405 CONTRIFUGAL WATER PUMP. S	253B4394	20	30347	13876	240	0	41182	10680	357	0	0
2	735	49570	C81239	C6356	MOTOR 200 HP MARATHO	N/A	20	30347	13876	240	0	41182	10680	357	0	0
2	735	49571	C85538	C6356	MODEL NO 3405 CENTRIFUGAL WATER PUMP. S	253B4393	20	30316	13876	240	0	41182	10710	358	0	0
2	735	49572	C81241	C6356	MODEL KE445TSTD57631AA 200 HP MARATHON	920185281	20	30347	13876	240	0	41182	10680	357	0	0
2	735	49573	C82240	C6356	MODEL NO. 3405 CENTRIFUGAL WATER PJMP.	253B4392	20	30347	13876	240	0	41182	10680	357	0	0
2	735	49574	C81243	C6356	MODEL KE445TSTDS7631AA 200 HP MARATHON	920185282	20	30347	13876	240	0	41182	10680	357	0	0
2	735	49575	C82241	C6356	MODEL NO. 3405 CENTRIFUGAL WATER PUMP.	253B4392	20	30347	13876	240	0	41182	10680	357	0	0
2	735	49576	C81245	C6356	MODEL KE445TSTDS7631AA 200 HP MARATHON	920185282	20	30347	13876	240	0	41182	10680	357	0	0
2	501	50339	C74777	C6356	PROCESS WASTE HEAT UTILIZATION BUILDING	N/A	40	30347	900836	480	1876.741667	41182	10680	357	123	230839.225
2	501	4860118		C637	RCW PUMP HOUSE AND APPURTENANT STRUCTURE	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	27251	C82341	C6371	BATTERY CHARGER PHANO-CHARGER 480 VOLT	CK 7501K 114D 2	10	19936	2468	120	0	41182	20940	699	0	0
2	735	27252	C78003	C6371	PUMP DEEP WELL TURBINE "POMONA" VERT	PR 281	20	19936	11107	240	0	41182	20940	699	0	0
2	735	27253	C78004	C6371	MOTOR ELECTRIC 450 HP 3 PH 60 CYCLES	598901	20	19936	12686	240	0	41182	20940	699	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	27254	C78005	C6371	PUMP DEEP WELL TURBINE "POMONA" VERT	PR 282	20	19936	11016	240	0	41182	20940	699	0	0
2	735	27255	C78006	C6371	MOTOR ELECTRIC 450 HP 3 PH 60 CYCLES	598899	20	19936	12686	240	0	41182	20940	699	0	0
2	735	27256	C78007	C6371	PUMP DEEP WELL TURBINE "POMONA" 42'	794530	20	19936	131075	240	0	41182	20940	699	0	0
2	735	27258	C78008	C6371	PUMP DEEP WELL TURBINE "POMONA" 42'	794531	20	19936	127842	240	0	41182	20940	699	0	0
2	735	27260	C78009	C6371	PUMP DEEP WELL TURBINE "POMONA" 42'	794542	20	19936	126036	240	0	41182	20940	699	0	0
2	735	27262	C78010	C6371	PUMP DEEP WELL TURBINE "POMONA" 42'	794575	20	19936	126036	240	0	41182	20940	699	0	0
2	735	27264	C78011	C6371	PUMP DEEP WELL TURBINE "POMONA" 42'	794579	20	19936	126036	240	0	41182	20940	699	0	0
2	735	27266	C78012	C6371	PUMP DEEP WELL TURBINE "POMONA" 42'	794584	20	19936	126036	240	0	41182	20940	699	0	0
2	735	27268	C78013	C6371	PUMP DEEP WELL TURBINE "POMONA" VERT	PR 280	20	19936	11017	240	0	41182	20940	699	0	0
2	735	27269	C78014	C6371	MOTOR ELECTRIC 450 HP 3 PH 60 CYCLES	598900	20	19936	12686	240	0	41182	20940	699	0	0
2	735	27270	C78015	C6371	PUMP DEEP WELL TURBINE "POMONA" VERT	PR 283	20	19936	11016	240	0	41182	20940	699	0	0
2	735	27271	C78016	C6371	MOTOR ELECTRIC 450 HP 3 PH 60 CYCLES	598902	20	19936	12686	240	0	41182	20940	699	0	0
2	735	27288	C81255	C6371	CRANE 12-1/2 TON CAPACITY BRIDGE TRAV	17739	30	19936	12725	360	0	41182	20940	699	0	0
2	501	30386	C74366	C6371	C-637-1 PUMP HOUSE-A SINGLE STORY STEEL	N/A	40	19936	714077	480	0	41182	20940	699	0	0
2	735	30387	C74367	C6371	C-637-1 ELECTRIC POWER SYSTEM IS DESIGNE	N/A	30	19936	450080	360	0	41182	20940	699	0	0
2	501	30388	C74368	C6371	C-637-1 ELECTRIC LIGHTING SYSTEM-THIS SY	N/A	40	19936	67406	480	0	41182	20940	699	0	0
2	501	30389	C74369	C6371	C-637-1 PLUMBING AND DRAINAGE SYSTEM- TH	N/A	40	19936	23810	480	0	41182	20940	699	0	0
2	735	30390	C74370	C6371	C-637-1 COOLING WATER PIPING SYSTEM INCL	N/A	40	19936	365188	480	0	41182	20940	699	0	0
2	501	30391	C74371	C6371	C-637-1 HEATING AND VENTILATING SYSTEM-	N/A	40	19936	20792	480	0	41182	20940	699	0	0
2	735	30395	C74375	C6371	C-637-1 INSTRUMENTATION SYSTEM IS DESIGN	N/A	25	19936	138967	300	0	41182	20940	699	0	0
2	735	49320	C81380	C6371	CHLORINE LEAK DETECTOR MODEL NO 1030 WI	635903	15	30041	8535	180	0	41182	10980	367	0	0
2	735	49920	C49920	C6371	MOTOR 1250 HP MOTOR NO. 123 INDUCTION	1 5117 33236 01	20	31320	50000	240	0	41182	9720	325	0	0
2	735	49921	C81861	C6371	MOTOR 1250 HP MODEL NO. 123 INDUCTION	1 5117 33236 01	20	31320	50000	240	0	41182	9720	325	0	0
2	735	49922	C49922	C6371	MODEL NO. 123 1250 HP SEMENS-ALLIS INDU	1 5117 33236 01	20	31320	50000	240	0	41182	9720	325	0	0
2	735	49930	C49930	C6371	MODEL NO. 123 1250 HP SEMENS-ALLIS INDU	1 5117 33236 01	20	31320	50000	240	0	41182	9720	325	0	0
2	735	49931	C49931	C6371	MODEL NO. 123 1250 HP SEMENS-ALLIS INDU	1 5117 33236 01	20	31320	50000	240	0	41182	9720	325	0	0
2	735	49932	C49932	C6371	MODEL NO. 123 1250 HP INDUCTION MOTOR	1 5117 33236 01	20	31320	50000	240	0	41182	9720	325	0	0
2	501	50045	C74500	C6371	DELUGE TYPE AUATOMATIC SPRINKLER SYSTEM	N/A	40	21823	25850	480	0	41182	19080	637	0	0
2	735	51666	C51666	C6371	HOIST CHAIN ELEC 4 FPM LIFT SPEED 10 FT	N/A	30	32294	6070	360	16.86111111	41182	8760	293	67	1129.694444
2	501	4860119		C6372A	COOLING TOWER (SOUTH)	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860120		C6372B	COOLING TOWER (NORTH)	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	46462	C81253	C6373	PUMP CENTRIFUGAL HORIZONTAL CENTRIFUGA	0576 30	20	28125	40061	240	0	41182	12870	430	0	0
2	735	46463	C81254	C6373	MOTOR REL. 700 HP FRAME - 20FC6811-S	X332412A4 WB	20	28125	15000	240	0	41182	12870	430	0	0
2	735	46464	C81251	C6373	PUMP CENTRIFUGAL HORIZONTAL CENTRIFUGA	0576 31	20	28125	38747	240	0	41182	12870	430	0	0
2	735	46465	C81252	C6373	MOTOR RELIANCE 700 HP FRAME-FC 6811S	X332412A2WB	20	28125	15000	240	0	41182	12870	430	0	0
2	735	46466	C81249	C6373	PUMP CENTRIFUGAL HORIZONTAL CENTRIFUG	0576 32	20	28125	39237	240	0	41182	12870	430	0	0
2	735	46467	C81250	C6373	MOTOR RELIANCE 700 HP FRAME - 20EC681	X332412A6 XB	20	28125	15000	240	0	41182	12870	430	0	0
2	501	50319	C74760	C6373	THE C-637-3 BLENDING PUMPHOUSE IS A STRU	N/A	40	30163	343984	480	716.6333333	41182	10860	363	117	83846.1
2	735	50320	C74761	C6373	C-637-3 INSTRUMENTATION. THIS SYSTEM IS	N/A	25	30163	55317	300	0	41182	10860	363	0	0
2	735	50321	C74762	C6373	C-637-3 ELECTRIC POWER SYSTEM. THIS SYS	N/A	30	30163	172873	360	0	41182	10860	363	0	0
2	735	50322	C74763	C6373	C-637-3 COOLING WATER PIPING- THIS ALL C	N/A	40	30163	236701	480	493.1270833	41182	10860	363	117	57695.86875
2	550	50323	C74764	C6374	COOLING TOWER C-637-4 (NORTH) THE C-637	N/A	15	30163	333886	180	0	41182	10860	363	0	0
2	550	50324	C74765	C6374	TOWER BASIN PIT FLUME C-637-4 (NORTH)	N/A	50	30163	268823	600	448.0383333	41182	10860	363	237	106185.085
2	550	50325	C74766	C6375	COOLING TOWER C-637-5 (SOUTH) THE C-637	N/A	15	30163	333886	180	0	41182	10860	363	0	0
2	550	50326	C74767	C6375	TOWER BASIN PIT FLUME C-637-5 (SOUTH)	N/A	50	30163	268824	600	448.04	41182	10860	363	237	106185.48
2	501	4860121		C6376	SAND FILTER BUILDING	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	735	12811	C82413	C710	VACUUM PUMP ROTARY SINGLE STAGE TYPE	40425	15	19479	2546	180	0	41182	21390	714	0	0
2	501	12998	C82131	C710	ELEVATOR ELECTRIC INVENTORY #41A SHEET	EC 26976	50	19479	96962	600	0	41182	21390	714	0	0
2	501	30065	C74064	C710	TECHNICAL SERVICES BUILDING - A STORY AN	N/A	50	19479	3322111	600	0	41182	21390	714	0	0
2	501	30066	C74065	C710	ELECTRICAL LIGHTING SYSTEM - COVERS THE	N/A	50	19479	342113	600	0	41182	21390	714	0	0
2	501	30067	C74066	C710	PLUMBING AND DRAINAGE - CONSISTS OF SANI	N/A	50	19479	369815	600	0	41182	21390	714	0	0
2	501	30068	C74067	C710	HEATING AND VENTILATION - CONSISTS OF YE	N/A	50	19479	2684324	600	0	41182	21390	714	0	0
2	501	30069	C74068	C710	ELECTRIC POWER SYSTEM - INCLUDES THE TWO	N/A	50	19479	612188	600	0	41182	21390	714	0	0
2	501	30070	C74069	C710	LABORATORY SERVICES - COVERS LABORATORY	N/A	50	19479	106847	600	0	41182	21390	714	0	0
2	735	30071	C74070	C710	COMPRESSED AIR SYSTEM - INCLUDES PIPING	N/A	25	19479	35430	300	0	41182	21390	714	0	0
2	735	30072	C74071	C710	NITROGEN SYSTEM - INCLUDES PIPING AND RE	N/A	25	19479	49868	300	0	41182	21390	714	0	0
2	501	30074	C74072	C710	GAS MANIFOLD STRUCTURE - A RECTANGULAR S	N/A	40	19479	43413	480	0	41182	21390	714	0	0
2	735	30075	C74073	C710	GAS MANIFOLD AND PIPING - INCLUDES THE T	N/A	25	19479	85969	300	0	41182	21390	714	0	0
2	501	30077	C74074	C710	VACUUM SYSTEM - COVERS THE VACUUM SYSTEM	N/A	15	19479	7523	180	0	41182	21390	714	0	0
2	620	50184	C74629	C710	SMOKE DETECTION SYSTEM. 10 SMOKE AND TH	N/A	25	26480	25279	300	0	41182	14490	484	0	0
2	610	50259	C74701	C710	MOTION DETECTION SYS	N/A	25	28702	24666	300	0	41182	12300	411	0	0
2	610	50284	C74726	C710	THE INTRUSION DETECTION SYSTEM IN C-720	N/A	25	29737	39167	300	0	41182	11280	377	0	0
2	501	4860122		C710A	GAS CYLINDER STORAGE BUILDING	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860123		C710B	STORAGE FACILITY	N/A	30	36059	0	360	0	41182	5049	169.3	190.7	0
2	501	4860125		C712	ACID NEUTRALIZATION PIT	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	735	7967	C70701	C720	TAYLOR COMPENSATING OVEN WITH 1 GE MOTOR	N/A	20	19298	28041	240	0	41182	21570	720	0	0
2	735	10036	C75357	C720	TANK HOT WATER VERTICAL TANK HOT WATER	N/A	25	19298	1368	300	0	41182	21570	720	0	0
2	735	10357	C81933	C720	MOTOR INDUCTION 200 HP 1775 RPM 2300	436017	20	15461	1535	240	0	41182	25350	846	0	0
2	735	10603	C81057	C720	BRIDGE CRANE 23 TON CAB OPERATED 36'1	7039	30	19298	45869	360	0	41182	21570	720	0	0
2	735	10607	C82414	C720	HEATING AND VENTILATING BLOWER HEATER VE	C	25	19298	3822	300	0	41182	21570	720	0	0
2	735	10609	C82415	C720	HEATING AND VENTILATING BLOWER HEATER VE	C	25	19298	3824	300	0	41182	21570	720	0	0
2	735	10611	C81058	C720	CRANE BRIDGE VERTICAL HOISTING 7 1/2 T	CH12798T	30	19298	23617	360	0	41182	21570	720	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	735	10615	C82416	C720	HEATING AND VENTILATING BLOWER HEATER VE	C	25	19298	3822	300	0	41182	21570	720	0	0
2	735	10617	C82417	C720	HEATING AND VENTILATING BLOWER HEATER VE	C	25	19298	3824	300	0	41182	21570	720	0	0
2	735	10621	C82418	C720	HEATING AND VENTILATING BLOWER HEATER VE	C	25	19298	3822	300	0	41182	21570	720	0	0
2	735	10623	C82419	C720	HEATING AND VENTILATING BLOWER HEATER VE	C	25	19298	3824	300	0	41182	21570	720	0	0
2	735	10625	C82420	C720	HEATING AND VENTILATING BLOWER HEATER VE	C	25	19298	3822	300	0	41182	21570	720	0	0
2	735	10627	C82421	C720	HEATING AND VENTILATING BLOWER HEATER VE	C	25	19298	3823	300	0	41182	21570	720	0	0
2	735	10634	C81065	C720	BRIDGE CRANE 23 TON 36'10" SPAN WITH T	7034	30	19298	45869	360	0	41182	21570	720	0	0
2	735	10638	C81063	C720	BRIDGE CRANE 7 1/2 TON CAPACITY WITH H	CH12799T	30	19298	23646	360	0	41182	21570	720	0	0
2	735	10642	C81059	C720	CRANE BRIDGE 7 1/2 TON CAPACITY WITH H	CH12800B	30	19298	23332	360	0	41182	21570	720	0	0
2	735	10646	C81061	C720	BRIDGE CRANE 7 1/2 TON CAPACITY "TRAVE	CH12801B	30	19298	23332	360	0	41182	21570	720	0	0
2	735	10650	C81103	C720	BRIDGE CRANE 10 TON "TRAVELIFT" CRANE	CH12790B	30	19298	28972	360	0	41182	21570	720	0	0
2	735	10654	C81062	C720	BRIDGE CRANE 35 TON (UPRATED FROM 23T)	7035	30	19298	58188	360	0	41182	21570	720	0	0
2	735	10658	C81100	C720	BRIDGE CRANE 35 TON 36'10" SPAN WITH T	7036	30	19298	48835	360	0	41182	21570	720	0	0
2	735	10662	C81101	C720	CRANE BRIDGE CAPACITY 10 TON TRAVELIFT	CH12795	30	19298	24519	360	0	41182	21570	720	0	0
2	735	11090	C75283	C720	IMPREGNATING TANK WP. SH. VAC. OP. 100"	78930	40	19298	17350	480	0	41182	21570	720	0	0
2	735	11091	C75284	C720	LACQUER TANK JACKETED OD WP SH-ATM O	78931	40	19298	15982	480	0	41182	21570	720	0	0
2	735	11114	C81104	C720	GENERATOR DC KW-25 TYPE DCD 100 AMP	NJ170261	20	19298	7644	240	0	41182	21570	720	0	0
2	735	12149	C75388	C720	TANK STORAGE STAINLESS STEEL 8 LEGS	255417	40	19298	6284	480	0	41182	21570	720	0	0
2	735	12186	C81102	C720	CRANE OVERHEAD "P + H" CAPACITY 10 TO	CH12789T	30	19298	28972	360	0	41182	21570	720	0	0
2	735	13036	C82422	C720	UNIT HEATER STEAM UNIT HEATER	310015	25	19298	1653	300	0	41182	21570	720	0	0
2	501	13451	C82084	C720	PNEUMATIC TUBE SYSTEM CONSISTING OF TUB	N/A	25	19298	30629	300	0	41182	21570	720	0	0
2	735	14591	C81099	C720	CRANE NO. T 10 TON CAPACITY INVENTORY	CH12791T	30	19298	25622	360	0	41182	21570	720	0	0
2	735	14596	C81060	C720	CRANE OVERHEAD 10 TON CAPACITY INVENT	CH12796B	30	19298	25622	360	0	41182	21570	720	0	0
2	501	30126	C74117	C720	SET C-720 MAINT - STORES	N/A	50	19298	8672493	600	0	41182	21570	720	0	0
2	501	30127	C74118	C720	ELECTRIC LIGHTING SYSTEM - INCLUDES FOUR	N/A	50	19298	753491	600	0	41182	21570	720	0	0
2	501	30128	C74119	C720	PLUMBING AND DRAINAGE SYSTEM - INCLUDES	N/A	50	19298	769580	600	0	41182	21570	720	0	0
2	735	30131	C74122	C720	DRY AIR SYSTEM CONSISTS OF THE NECESSARY	N/A	25	19298	110627	300	0	41182	21570	720	0	0
2	735	30132	C74123	C720	NITROGEN SYSTEM CONSISTS OF THE NECESSAR	N/A	25	19298	61168	300	0	41182	21570	720	0	0
2	501	30133	C74124	C720	ELECT POWER SYSTEM	N/A	50	19298	1684124	600	0	41182	21570	720	0	0
2	735	30135	C74125	C720	DUST COLLECTOR SYSTEM CONSISTS OF NECESS	N/A	25	19298	21427	300	0	41182	21570	720	0	0
2	470	30140	C74128	C720	CONCRETE SLAB 762' LONG X 50' WIDE LOC	N/A	30	19298	22660	360	0	41182	21570	720	0	0
2	735	42872	C70684	C720	HELIUM MAXX SPECTROMETER LEAK TEST STATI	60015	15	24503	5346	180	0	41182	16440	549	0	0
2	735	42874	C70741	C720	HELIUM MASS SPECTROMETER LEAK TEST STATI	60024	15	24531	5341	180	0	41182	16410	548	0	0
2	735	44495	C72950	C720	POWER SUPPLY MOUNTED ON FOUR 3 1/2" HAR	24/140W/1B/6: M	15	26450	17000	180	0	41182	14520	485	0	0
2	610	44730	C82124	C720	SOLID STATE (100% SILICON TRANSISTOR) P	N/A	30	27210	939	360	0	41182	13770	460	0	0
2	735	44913	C75258	C720	MODEL T-50-8-KC-F2 HIGH SPEED INDUCTION	7311T	20	27363	28642	240	0	41182	13620	455	0	0
2	725	45619	C70616	C720	X PORTABLE SOUNDPROOF STRUCTURE SUPERVI	36464	10	27545	6922	120	0	41182	13440	449	0	0
2	735	46689	C70682	C720	LEAK DETECTOR MODEL NO. MS-17-AM MASS	12 17 1423	15	28215	12010	180	0	41182	12780	427	0	0
2	501	46690	C82109	C720	AIR CONDITIONING UNIT 460 VOLTS 3-PHASE	JO98477	30	28215	62452	360	0	41182	12780	427	0	0
2	501	46691	C82110	C720	MODEL 50DD028600PG 460 VOLTS 3-PHASE	JO98478	30	28215	62452	360	0	41182	12780	427	0	0
2	501	47291	C73479	C720	X RADIO FREQUENCY SHIELDED ROOM RADIO FR	N/A	10	28975	21897	120	0	41182	12030	402	0	0
2	725	47890	C71828	C720	MODULAR OFFICE UNIT THE OFFICE UNIT CON	N/A	10	28914	6000	120	0	41182	12090	404	0	0
2	610	47942	C73422	C720	X CONSOLE REMOTE CONTROL MODEL NO. T1600	222CDC0312	30	29341	1272	360	0	41182	11670	390	0	0
2	610	47943	C73410	C720	X CONSOLE REMOTE CONTROL MODEL NO. T1601	222CDE0574	30	29341	1272	360	0	41182	11670	390	0	0
2	610	48517	C81944	C720	PUBLIC ADDRESS AMPLIFIER OUTPUT POWER 2	A24386	15	29433	648	180	0	41182	11580	387	0	0
2	735	48831	C70683	C720	X LEAK DETECTOR MODEL MD-180 LEAK DETE	1255980	15	29676	13100	180	0	41182	11340	379	0	0
2	735	49390	C70681	C720	MODEL NO. 6624 STAINLESS STEEL VACUUM O	692501	20	30102	10289	240	0	41182	10920	365	0	0
2	501	50138	C74585	C720	PNEUMATIC TUBE SUSTEM RUNS BETWEEN THE E	N/A	25	24776	15882	300	0	41182	16170	540	0	0
2	610	51604	C51604	C720	MONITOR COMM. SERV. MODEL NO R2200B CO	606CMG0023	15	32050	6190	180	0	41182	9000	301	0	0
2	610	51667	C51667	C720	RADIO DIRECT. FINDING SYSTEM. MODEL NO	163	30	32294	13010	360	36.13888889	41182	8760	293	67	2421.305556
2	735	51802	C51802	C720	PUMP VACUUM MOCROVAC STOKES MODEL NO	CC 86887 S	15	28215	3240	180	0	41182	12780	427	0	0
2	735	52133	C52133	C720	AIR FILTRATION SYS 1000 CFM PORTABLE	1PD9H5MM099003	20	33297	10619	240	0	41182	7770	260	0	0
2	735	52134	C52134	C720	AIR FILTRATION SYS 1000 CFM PORTABLE 3	1PD9H5MM099002	20	33297	10619	240	0	41182	7770	260	0	0
2	735	52136	C52136	C720	AIR FILTRATION SYS 2000 CFM PORTABLE 3	2PD9H5MM099002	20	33297	18248	240	0	41182	7770	260	0	0
2	735	52138	C52138	C720	AIR FILTRATION SYS. 2000 CFM PORTABLE MO	2PD9H5MM099001	20	33297	18248	240	0	41182	7770	260	0	0
2	501	4860126		C720A	COMPRESSOR SHOP ADDITION	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	50209	C74653	C720B	FAC. MAINT. BLDG. C-720-B - ONE STORY ST	N/A	40	27667	79272	480	165.15	41182	13320	445	35	5780.25
2	735	35943	C73922	C720C	CART RAM STAND SIZE BOTTOM 13' X 10' X	N/A	10	22312	5875	120	0	41182	18600	621	0	0
2	735	45032	C81066	C720C	APPROX 28' SPAN ELECTRIC UNDERRUNNING C	12260	30	27088	7375	360	0	41182	13890	464	0	0
2	735	45033	C81069	C720C	APPROX 56' SPAN WITH CAB CAB CONTROLS	12259	30	27088	66400	360	0	41182	13890	464	0	0
2	735	45035	C81068	C720C	APPROZ 56' SPAN WITH CAB CAB CONTROLS	7V956381	30	27088	29370	360	0	41182	13890	464	0	0
2	501	45073	C82105	C720C	UNIT INCLUDES 20" IMPELLER BRINE COOLIN	73761027H1	30	27272	1936	360	0	41182	13710	458	0	0
2	501	45074	C82106	C720C	UNIT INCLUDES 20" IMPELLER BRINE COOLIN	73761027H1	30	27272	1936	360	0	41182	13710	458	0	0
2	501	45075	C82107	C720C	HEATING + VENTILATING UNIT UNIT INCLUDES	73761027H1	30	27272	1935	360	0	41182	13710	458	0	0
2	735	46099	C75346	C720C	BRINE CHILLER UNIT MODEL NO. CGWA-10T4-	L4C686728	20	27850	9187	240	0	41182	13140	439	0	0
2	735	46101	C75347	C720C	BRINE CHILLER UNIT MODEL NO. CGWA-10T4-	L4C686729	20	27850	9187	240	0	41182	13140	439	0	0
2	735	46102	C75348	C720C	BRINE CHILLER UNIT MODEL NO. CGWA-10T4-	L4C686730	20	27850	9187	240	0	41182	13140	439	0	0
2	735	46546	C81067	C720C	CRANE 20 TON BRIDGE TRAVEL CRANE APPR	S012774	30	28156	203676	360	0	41182	12840	429	0	0
2	501	50210	C74654	C720C	FAC. MAINT BLDG. C-720C - SINGLE STORY A	N/A	40	27667	1701093	480	3543.94375	41182	13320	445	35	124038.0313
2	735	51109	C51109	C720C	NORMETEX PUMP FOR UF6 SERVICE. MACHINE	146	15	29220	180000	180	0	41182	11790	394	0	0
2	501	50222	C74666	C720C1	BARRIER STORAGE BLDG. - A 70'WIDE X84' L	N/A	40	27819	275967	480	574.93125	41182	13170	440	40	22997.25
2	501	50161	C74607	C720D	SUBSTATION BUILDING METAL PREFABRICATED	N/A	40	25780	4827	480	0	41182	15180	507	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	615	50162	C74608	C720D	SUBSTATION UNIT 1500 KVA 13800 VOLT I	N/A	40	25780	60701	480	0	41182	15180	507	0	0
2	501	4860127		C720E	CHANGE HOUSE ADDITION	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	50223	C74667	C720G	MATERIAL REC. + STOR. FAC. - MATERIALS R	N/A	40	27850	421333	480	877.7770833	41182	13140	439	41	35988.86042
2	470	50224	C74668	C720G	STORAGE AREA STORAGE AREA CONSISTS OF AP	N/A	20	27850	20000	240	0	41182	13140	439	0	0
2	470	50225	C74669	C720G	STORAGE AREA SOTRAGE AREA CONSISTS OF AP	N/A	30	27850	134586	360	0	41182	13140	439	0	0
2	501	50264	C74706	C720H	WAREHOUSE	N/A	40	28763	80002	480	166.6708333	41182	12240	409	71	11833.62917
2	501	50272	C74714	C720J	AIR LOCK C-720-J AN AIR LOCK CONST AT T	N/A	40	29189	70392	480	146.65	41182	11820	395	85	12465.25
2	501	50273	C74715	C720K	INSTRUMENT SHOP ADDITON C-720K THE STRU	N/A	40	29189	81783	480	170.38125	41182	11820	395	85	14482.40625
2	501	4860128		C720L	OXYGEN FACILITY	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860129		C720M	FIELD INSTRUMENT TRAILER	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860132		C720P	INSTRUMENT MAINTENANCE TRAILOR	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860133		C720Q	INSTRUMENT MAINTENANCE STORAGE TRAILER	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	30136	C74126	C721	C-721 LUBE SHOP C-721 GAS MANIFOLD STRUC	N/A	40	19298	42357	480	0	41182	21570	720	0	0
2	640	47489	C73354	C721	X FLOWMETER RECORDING MODEL F-3048-1 S	7806F50727	15	28763	2035	180	0	41182	12240	409	0	0
2	501	4860134		C722	ACID NEUTRALIZATION PIT	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860135		C724A	CARPENTER SHOP ANNEX	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860136		C724B	CARPENTER SHOP	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860137		C724C	PAINT SHOP	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860138		C724D	LUMBER STORAGE BUILDING	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	735	35391	C70051	C726	VERTICAL TRAVELING REFUSE SCREEN FOR EXI	K6285	20	21915	10202	240	0	41182	18990	634	0	0
2	735	47316	C81076	C726	HOIST ELEC WIRE ROPE PLAIN TROLLEY HOIST	608217	30	28733	5000	360	0	41182	12270	410	0	0
2	501	50188	C74633	C726	SANBLAST BUILDING C-726. SHED TYPE WI	N/A	40	26695	25852	480	53.85833333	41182	14280	477	3	161.575
2	501	30157	C74144	C727	STORAGE BUILDING-A ONE STORY BUTLER BUIL	N/A	40	19905	61644	480	0	41182	20970	700	0	0
2	501	50023	C74480	C728	C-728 MTR CLEAN BLG- MOTOR CLEANING BUIL	N/A	40	21550	276864	480	0	41182	19350	646	0	0
2	501	50024	C74481	C728	HEATING AND VENTILIATING SYSTEM-CONSISTS	N/A	40	21550	4215	480	0	41182	19350	646	0	0
2	501	50025	C74482	C728	ELECTRIC LIGHTING AND WIRING SYSTEM LIGH	N/A	40	21550	5429	480	0	41182	19350	646	0	0
2	645	50026	C74483	C728	SOLVENT WASTE LINE - CONSISTS OF 4" DIAM	N/A	12	21550	4735	144	0	41182	19350	646	0	0
2	735	51864	C51864	C728	FIBERGLASS TANK 5000 GAL. CAP. CONSTRUCT	29654	40	32812	12925	480	26.92708333	41182	8250	276	204	5493.125
2	735	30137	C74127	C729	GAS MANIFOLD PIPING INCLUDES THE NECESSA	N/A	25	19298	66195	300	0	41182	21570	720	0	0
2	735	44756	C81037	C729	16 CYLINDER AUTOMATIC CHANGEOVER CUSTO	N/A	25	26695	6496	300	0	41182	14280	477	0	0
2	501	4860139		C730	MAINTENANCE SERVICES	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	50287	C74729	C731	RAILROAD REPAIR EQUIPMENT BUILDING C-73	N/A	40	29859	59012	480	122.9416667	41182	11160	373	107	13154.75833
2	501	50288	C74730	C732	MAINTENANCE MATERIALS STORAGE BUILDING	N/A	40	29859	64904	480	135.2166667	41182	11160	373	107	14468.18333
2	470	30150	C74137	C740	MATERIAL YARD.-A FENCED AREA OF GRAVEL A	N/A	15	19298	159148	180	0	41182	21570	720	0	0
2	550	50219	C74663	C740A	UNLOADING DOCK. THE SEMITRAILER UNLOADI	SD 14301	20	27819	17386	240	0	41182	13170	440	0	0
2	501	50217	C74661	C740B	OIL DRUM STORAGE SHELTER C-740-B - A PRE	SD14370	40	27606	34826	480	72.55416667	41182	13380	447	33	2394.2875
2	501	30153	C74140	C741	OIL DRUM STOREAGE - A ONE STORY LEAN-TO	N/A	40	19298	149220	480	0	41182	21570	720	0	0
2	501	30154	C74141	C742	GAS CYLINDER STORAGE-A ONE STORY LEAN-	N/A	40	19298	87139	480	0	41182	21570	720	0	0
2	501	4860141		C742B	DRYING AGENT CYLINDER STORAGE	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	30149	C74136	C743	FIT BUILDING BLDG. IS STRUCTURAL STEEL F	N/A	40	19298	210662	480	0	41182	21570	720	0	0
2	501	50175	C74620	C743	ELEC LIGHT POWER SYS	N/A	40	26298	26400	480	0	41182	14670	490	0	0
2	501	50176	C74621	C743	HEAT VENT AIR COND. HEATING VENTILATIO	N/A	40	26298	8754	480	0	41182	14670	490	0	0
2	501	50177	C74622	C743	PLUMB DRAIN SYS. PLUMBING AND DRAINAGE	N/A	40	26298	20251	480	0	41182	14670	490	0	0
2	501	4860142		C743T6	TEMPORARY OFFICE	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860143		C743T6	TEMPORARY OFFICE	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860144		C743T8	TEMPORARY OFFICE	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	30148	C74135	C744	MAINT TRAIN FAC	N/A	50	19298	277577	600	0	41182	21570	720	0	0
2	501	50163	C74609	C744	ELECTRIC LIGHTING AND POWER SYSTEM - LOW	N/A	50	25780	24494	600	40.82333333	41182	15180	507	93	3796.57
2	501	50164	C74610	C744	WAREHOUSE C-720-H. THE C-720-H WAREHOU	N/A	50	25780	4746	600	7.91	41182	15180	507	93	735.63
2	501	50165	C74611	C744	HEATING AND VENTILATION SYSTEM - WINDOW	N/A	50	25780	2700	600	4.5	41182	15180	507	93	418.5
2	501	4860145		C745A	2 1/2 TON CYCLINDER YARD	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	50123	C74574	C745B	A PREFABRICATED METAL BUILDING IN THE N	N/A	40	23528	2359	480	0	41182	17400	581	0	0
2	501	4860146		C745B1	CYLINDER YARD OFFICE	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860147		C745E	KELLOGG STORAGE YARD	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860148		C745H	SAFEGUARD CYLINDER YARD	N/A	30	36067	0	360	0	41182	5041	169.0333333	190.9666667	0
2	501	4860149		C745J	FOREIGN CYLINDER YARD	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	470	50382	50382	C745Q	CYLINDER STORAGE YARD CYLINDER STORAGE Y	N/A	15	33024	392521	180	0	41182	8040	269	0	0
2	501	4860150		C745R	CYLINDER STORAGE YARD	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860151		C745U	CYLINDER STORAGE YARD	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	50212	C74656	C746G	EQUIPMENT STORAGE BUILDING C746G - CONS	N/A	40	27394	28169	480	58.68541667	41182	13590	454	26	1525.820833
2	501	4860153		C746H2	PEM STORAGE SLAB	N/A	30	36060	0	360	0	41182	5048	169.2666667	190.7333333	0
2	501	4860154		C746Q1	HIGH ASSAY WASTE STORAGE FACILITY	N/A	30	36061	0	360	0	41182	5047	169.2333333	190.7666667	0
2	735	11380	C75561	C750	FAN OR BLOWER FOR HEATING AND VENTILATIN	4563	25	19298	2943	300	0	41182	21570	720	0	0
2	501	30056	C74057	C750	GARAGE - A ONE STORY STRUCTURAL STEEL FR	N/A	40	19298	528931	480	0	41182	21570	720	0	0
2	501	30057	C75447	C750	ELECTRICAL LIGHTING SYSTEM - COVERS LIGH	N/A	40	19298	36667	480	0	41182	21570	720	0	0
2	501	30058	C74058	C750	PLUMBING AND DRAINAGE - SANITARY WATER L	N/A	40	19298	58424	480	0	41182	21570	720	0	0
2	501	30059	C74059	C750	HEATING AND VENTILATION - A WARM-AIR HEA	N/A	40	19298	103596	480	0	41182	21570	720	0	0
2	501	30060	C74060	C750	ELECTRICAL POWER SYSTEM - COVERS AUXILIA	N/A	40	19298	54863	480	0	41182	21570	720	0	0
2	735	30061	C74061	C750	COMPRESSED AIR SYSTEM - COVERS COMPRESSE	N/A	25	19298	15008	300	0	41182	21570	720	0	0
2	501	30062	C74062	C750	DRAIN OIL SYSTEM - COVERS DRAIN OIL SYST	N/A	40	19298	1924	480	0	41182	21570	720	0	0
2	501	30063	C74063	C750	GASOLINE AND DIESEL OIL DISPENSING SYTEM	N/A	40	19298	4365	480	0	41182	21570	720	0	0
2	550	30308	C74293	C800	INSTRUMENT TUNNEL. INSTRUMENT TUNNEL- T	N/A	10	19540	43137	120	0	41182	21330	712	0	0

DOE ASSETS LISTING (PADUCAH) DATE: 30-SEP-2012

PLANT	TYPE	ASSET NO	TAG NO	FACILITY	DESCRIPTION	SERIAL NUMBER	LIFE	IN SERVICE	ORIGINAL COST	LIFE (MONTHS)	S/L MONTHLY DEPR.	TODAY'S DATE	DAYS ELAPSED	MONTHS ELAPSED	LIFE REMAINING	NBV REMAINING
2	550	30431	C74410	C801	BUS SHELTER. C-801 BUS SHELTER - A RECT	N/A	10	19875	25268	120	0	41182	21000	701	0	0
2	470	30284	C74269	C810	PARKING LOTS - THIS INCLUDES THE MAIN EN	N/A	20	19298	669194	240	0	41182	21570	720	0	0
2	470	30445	C74423	C811	PAVED AREA - C-811 PARKING LOT - THIS IN	N/A	20	19936	307132	240	0	41182	20940	699	0	0
2	635	26115	C82123	CAREA	SCALE RAILROAD TRACK BEAM MODEL NO 172	1181475	20	20362	6012	240	0	41182	20520	685	0	0
2	460	30276	C74261	CAREA	CLEARING AND GRADING - THIS INCLUDES CLE	N/A	100	19298	6179610	1200	5149.675	41182	21570	720	480	2471844
2	460	30277	C74262	CAREA	FINAL GRADING AND LANDSCAPING - THIS COV	N/A	100	19298	606494	1200	505.4116667	41182	21570	720	480	242597.6
2	470	30278	C74263	CAREA	9" CONCRETE ROADS - THESE ROADS DESIGNED	N/A	30	19298	763655	360	0	41182	21570	720	0	0
2	470	30279	C74264	CAREA	7" CONCRETE ROADS - THESE ROADS ARE DESI	N/A	30	19298	1610868	360	0	41182	21570	720	0	0
2	470	30280	C74265	CAREA	ASPHALT CONCRETE ROADS - THIS INCLUDES T	N/A	30	19298	1638545	360	0	41182	21570	720	0	0
2	470	30281	C74266	CAREA	PENETRATION ASPHALT ROADS - CONSTRUCTED	N/A	20	19298	602410	240	0	41182	21570	720	0	0
2	470	30283	C74268	CAREA	SIDEWALKS - CONCRETE SIDEWALKS ARE PROVI	N/A	30	19298	157164	360	0	41182	21570	720	0	0
2	480	30285	C74270	CAREA	PERIMETER FENCE - THIS INCLUDES CHAIN LI	N/A	25	19298	949970	300	0	41182	21570	720	0	0
2	615	30289	C74274	CAREA	AREA LIGHTING - THE AREA LIGHTING SYSTME	N/A	30	19571	1181341	360	0	41182	21300	711	0	0
2	620	30290	C74275	CAREA	FIRE ALARM SYSTEM. FIRE ALARM SYSTEM- T	N/A	25	19540	3145613	300	0	41182	21330	712	0	0
2	635	30291	C74276	CAREA	RAILROADS + BRIDGES. RAILROADS AND BRID	N/A	25	19298	1286385	300	0	41182	21570	720	0	0
2	735	30293	C74278	CAREA	PIPE SUPPORTS FOR STEM AIR NITROGEN AND	N/A	40	19298	1374424	480	0	41182	21570	720	0	0
2	735	30299	C74284	CAREA	FLUORINE PIPING CONSISTS OF A BROCH LINE	N/A	25	19298	15406	300	0	41182	21570	720	0	0
2	735	30302	C74287	CAREA	PROCESS GAS TIE LINE	N/A	40	19298	1535725	480	0	41182	21570	720	0	0
2	645	30303	C74288	CAREA	STEAM LINES - HEATING PG PIPING ENCLOSUR	N/A	25	19298	68688	300	0	41182	21570	720	0	0
2	550	30304	C74289	CAREA	INSTRUMENT TUNNEL	N/A	50	19298	2648986	600	0	41182	21570	720	0	0
2	735	30305	C74290	CAREA	INSTRUMENT TIE LINES	N/A	25	19298	1767900	300	0	41182	21570	720	0	0
2	501	30307	C74292	CAREA	PAYROLL BUILDING AND GATE HOUSES-THE ENT	N/A	50	19298	568160	600	0	41182	21570	720	0	0
2	615	30317	C74301	CAREA	POWER FOR EQUIPMENT AT SHAWNEE STEAM PLA	N/A	30	19267	679110	360	0	41182	21600	721	0	0
2	735	30335	C74315	CAREA	F2TIE LINE CONSISTS OF A FLUORINE BLEED	N/A	25	20270	16964	300	0	41182	20610	688	0	0
2	735	30432	C74411	CAREA	PROCESS GAS TIE LINE ENCLOSURE IN C-331-	N/A	40	19755	115582	480	0	41182	21120	705	0	0
2	615	30433	C74412	CAREA	LINE REACTOR - DUE TO HIGHER AREA BREAKE	N/A	40	19755	622034	480	0	41182	21120	705	0	0
2	735	30449	C74427	CAREA	COOLANT TIE LINE-THIS IS A SYSTEM FOR TR	N/A	30	19755	23670	360	0	41182	21120	705	0	0
2	620	30482	C74447	CAREA	FIRE ALARM SYSTEM. FIRE ALARM SYSTEM CO	N/A	25	20851	27210	300	0	41182	20040	669	0	0
2	735	44824	C81360	CAREA	10 TON CAPACITY ACCURACY-1/10 OF 1%. SC	457478	20	27088	5160	240	0	41182	13890	464	0	0
2	725	45793	C82120	CAREA	X MOBILE OFFICE TRAILER SIZE 12' X 60'	T760016	10	27667	19729	120	0	41182	13320	445	0	0
2	725	45794	C82121	CAREA	X MOBILE OFFICE TRAILER SIZE: 12' X 60	T 760015	10	27667	19729	120	0	41182	13320	445	0	0
2	550	46347	C82154	CAREA	SIGN PLANT. SINGLE FACED PLANT IDENTIF	N/A	20	28156	21233	240	0	41182	12840	429	0	0
2	735	50019	C74477	CAREA	HYDROGEN DIST. A PIPING LING THAT SUPPL	N/A	25	20698	9520	300	0	41182	20190	674	0	0
2	735	50033	C74490	CAREA	F2 TIE LINE OUTSIDE C-410 - CONSISTS OF	N/A	25	21640	20686	300	0	41182	19260	643	0	0
2	735	50046	C74501	CAREA	POWER LOAD ANTICIPATOR AND RECORDER IS A	N/A	20	21823	82923	240	0	41182	19080	637	0	0
2	470	50064	C74519	CAREA	CONV STORAGE LOT BULGE CONVERTER STORAGE	N/A	20	22250	33936	240	0	41182	18660	623	0	0
2	470	50090	C74542	CAREA	PAVED AREA PAVED AREA (DUST CONTROL FOR	N/A	20	22766	89821	240	0	41182	18150	606	0	0
2	735	50091	C74543	CAREA	THE RADIATION ALARM CLUSTERS CONSIST OF	N/A	25	22462	185805	300	0	41182	18450	616	0	0
2	470	50118	C74570	CAREA	PAVED AREA (DUST CONTROL FOR BUILDING LI	N/A	20	23376	946118	240	0	41182	17550	586	0	0
2	470	50128	C74578	CAREA	PAVED AREA PAVED AREA (DUST CONTROL) FOR	N/A	20	23773	12827	240	0	41182	17160	573	0	0
2	735	50129	C74579	CAREA	CATHODIC PROTECTION SYSTEM FOR THE PROCE	N/A	25	21489	367685	300	0	41182	19410	648	0	0
2	620	50133	C74582	CAREA	SPRINKLER ALARM SYSTEM. SPRINKLER ALARM	N/A	25	23801	188243	300	0	41182	17130	572	0	0
2	615	50146	C74592	CAREA	LINE REACTOR OUT DOOR 3 PHASE 60 CYCL	N/A	40	19755	128205	480	0	41182	21120	705	0	0
2	470	50160	C74606	CAREA	SAFEGUARD STORE YARD STORAGE YARD FOR SA	N/A	15	25902	9952	180	0	41182	15060	503	0	0
2	401	50167	C74613	CAREA	LAND 3424.22 ACRES LAND TOTAL OF 3 667.	N/A	100	18294	65777.24	1200	54.81436667	41182	22560	753	447	24502.0219
2	735	50191	C73970	CAREA	STRONG MOTION DETECTION SYSTEM SYSTEM C	N/A	20	27119	59457	240	0	41182	13860	463	0	0
2	735	50258	C74700	CAREA	CATHODIC PROTECTION SYSTEM FRO PORTIONS	N/A	25	28610	244461	300	0	41182	12390	414	0	0
2	470	50293	C74734	CAREA	ROAD CONCRETE 10" A 610' LONG 24' WID	N/A	30	30102	257876	360	0	41182	10920	365	0	0
2	735	23914	C82212	CORGDP	AXIAL FLOW COMPRESSOR INVENTORY 76 PAG	57B18 1358R	40	19997	59763	480	0	41182	20880	697	0	0
2	735	47352	C82243	CTVA	PUMP TURBINE	N/A	20	28610	49218	240	0	41182	12390	414	0	0
2	735	47353	C82035	CTVA	TURBINE PUMP DEEP WELL ENCLOSED LINESHAF	303734 3	20	28610	60156	240	0	41182	12390	414	0	0
2	735	47354	C82034	CTVA	PUMP TURBINE DEEP WELL ENCLOSED LINESHAF	303734 1	20	28610	49218	240	0	41182	12390	414	0	0
2	735	47355	C82033	CTVA	MOTOR FRAME 6808 4160 VOLTS 76.7 AMPS	JC0270287	20	28610	60155	240	0	41182	12390	414	0	0
2	735	47356	C82038	CTVA	PUMP TURBINE DEEP WELL ENCLOSED LINESHA	303734 2	20	29098	65928	240	0	41182	11910	398	0	0
2	735	47357	C82210	CTVA	MOTOR FRAME 6808 PH 4160 VOLTS 76.7 AM	JC0270287	20	29098	65929	240	0	41182	11910	398	0	0
2	735	47358	C82037	CTVA	MOTOR FRAME 6808 PH 4160 VOLTS 76.7 AMP	JC0270287	20	29098	65929	240	0	41182	11910	398	0	0
2	735	47359	C82040	CTVA	PUMP TURBINE DEEP WELL ENCLOSED LINESSH	303734 4	20	29098	65929	240	0	41182	11910	398	0	0
2	735	47640	C82042	CTVA	PUMP TURBINE MODEL VIT DEEP WELL ENC	304485 1	20	29341	49719	240	0	41182	11670	390	0	0
2	735	47641	C82039	CTVA	MOTOR 600 HP FRAME-6808PH 600 HP 416	JD0090283	20	29341	74579	240	0	41182	11670	390	0	0
2	735	47642	C82036	CTVA	PUMP TURBINE MODEL VIT DEEP WELL ENC	304485 2	20	29341	49719	240	0	41182	11670	390	0	0
2	735	47643	C82041	CTVA	MOTOR 600 HP FRAME-6808PH 600 HP 416	JD0090283	20	29341	74580	240	0	41182	11670	390	0	0
2	735	50069	C74524	CTVA	CATHODIC SYSTEM TVA A CATHODIC PROTECTI	N/A	25	22401	73574	300	0	41182	18510	618	0	0
2	735	33221	C82044	CY12	GENERATOR AC 250 KVA 400-800 VOLTS 6	15 15N7344	20	20851	12981	240	0	41182	20040	669	0	0
2	735	33222	C82045	CY12	MOTOR ELEC 3 PHASE 60 CYCLES 440 VOLTS	1S 5N7344	20	20851	11590	240	0	41182	20040	669	0	0
		8848							1364873600		1205497.568					78801955.52

SECTION J - ATTACHMENT 13

SUMMARY OF CONTRACT DELIVERABLES

The table below, Summary of Contract Deliverables, summarizes the specific products the Contractor shall submit to the DOE, the type of action DOE will perform, and the date/timeframe that the Contractor shall submit the product.

Deliverables are considered work scope endpoints, work scope completions, products, reports or commitments that shall be delivered to DOE. The types of DOE action are defined as:

- Approve – The Contractor shall provide the deliverable to DOE for review and approval. Contractor is responsible for obtaining DOE approval. The initial deliverable shall be of sufficient quality, depth, thoroughness, and format to support DOE approval. For some deliverables DOE has identified the initial deliverable date in order to more efficiently plan the appropriate review cycle. DOE will review the deliverable and provide comments. DOE comments will be discussed with the Contractor and the Contractor shall provide written responses. The Contractor shall revise the documents to satisfactorily address all DOE comments. Once DOE approves a deliverable or document, the Contractor shall place it under change control and shall make no changes to that document without further DOE approval.

- Concurrence – The Contractor shall provide the deliverable to DOE for concurrence. The deliverable shall be of sufficient quality, depth, thoroughness, and format to support DOE concurrence. DOE will review the deliverable and concur or provide comments to the contractor. DOE comments will be discussed with the Contractor and the Contractor shall revise the deliverable. When the deliverable is required to be submitted to a regulatory agency, DOE will provide concurrence that the document may be submitted to the agencies.

- Information – The Contractor shall provide the deliverable to DOE for information purposes. DOE will have the option of reviewing the information and providing comments. Contractor shall respond to all written comments.

Summary of Contract Deliverables does not include all required deliverables identified in other applicable sections of the contract, DOE directives, federal regulations, or regulatory documents**.** The Contractor shall be responsible for the compliance with all applicable standards, orders, and regulations under the contract.

All deliverables shall be provided to DOE in searchable electronic format (e.g. PDF) in

addition to hardcopy. Letters shall be provided to DOE in an editable electronic format (e.g. Microsoft Word). Deliverables shall be provided in editable electronic format when specified or requested.

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
1.	EM.PA.0040.A001.06	Operational Responsibility Acceptance Declaration	Information	Within 121 days after NTP
2.	EM.PA.0040.A001.06.DR.02	Contractor Executive Summary website	Information	Within 48 hours after NTP
3.	EM.PA.0040.A001.06.DR.01	Transition Plan	Approval	Within 15 days after NTP
4.	EM.PA.0040.A001.06.DR.02	Transition Status Reports	Information	weekly until transition is completed
5.	EM.PA.0040.A001.06.DR.03	Environmental Compliance Review	Information	Within 60 days after NTP
6.	EM.PA.0040.A001.06.DR.04	Material Difference Statement	Information	Within 60 days after NTP
7.	EM.PA.0040.A001.06.DR.01	Modification of all existing regulatory permits to reflect new Contractor	Approval (for Permits where DOE is listed as an applicant) Information for others	As stipulated by regulation, statute, law, or permit requirements AND prior to conclusion of Transition
8.	EM.PA.0011.A001.01.DR.02	PCB mitigation plan	Information	Within 30 days after Transition is complete
9.	RESERVED	U.S. EPA approval to discontinue quarterly air quality reporting or monitoring	Information	Within 180 days after Transition is complete
10.	EM.PA.0011.A001.01.DR.02	Annual Compliance Agreement Report to the EPA in accordance with the Modified 1992 TSCA Compliance Agreement	Approval	Annually initial Due Date June 1, Final for DOE signature by June 23, Due to regulators July 1
11.	EM.PA.0011.A001.01.DR.02s	UE TSCA Quarterly Report including PCB spill cleanup activities. In addition to the required quarterly report, submit to DOE for information any air sampling results and PCB waste information from the quarter that would be included in the next annual report.	Approval	Initial Feb 1, May 1, August 1, November 1 Final Feb 15, May 15, August 15 November 15

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
12.	EM.PA.0020.A001.03.DR.01	Submit the Protective Force SSP section to the ODSA	Information	Within 90 days after NTP and Annually thereafter in a schedule agreed to by the ODSA
13.	EM.PA.0020.A001.03.DR.01	Successfully complete Initial Survey	Approval	At least 30 days prior to the end of Transition Period
14.	EM.PA.0020.A001.03.DR.02	Submit Self-assessments Report of Protective Force program and resulting corrective action plans	Information	Within 12 months after conclusion of Transition and Annually thereafter
15.	EM.PA.0020.A001.03.DR.02	Submit SPO overtime hours report	Information	Quarterly after Transition – by the 28th day of the following quarter.
16.	RESERVED			
17.	EM.PA.0020.A001.03.DR.02	Submit Workplace Violence and Active Shooter Training Reports	Information	Annually
18.	EM.PA.0020.A001.03.DR.02	Submit Force on Force After Action Reports	Information	Within 45 days after Force on Force Action
19.	EM.PA.0020.A001.03.DR.02	Submit Cooperative Agreements with Non-DOE Law Enforcement Agencies	Information	Annually
20.	EM.PA.0020.A001.03.DR.02	Submit Security and Emergency Management Performance Metrics Reports	Information	Quarterly
21.	EM.PA.0020.A001.03.DR.03.01	Submit Firing Range 30% Design Package	Information	January 28, 2018
22.	RESERVED			
23.	RESERVED			
24.	RESERVED			
25.	RESERVED			
26.	RESERVED			
27.	RESERVED			

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
28.	EM.PA.0020.A001.03.DR.03.02	Submit C-300, C-710 Barrier Lab, and C-720 Seal Shop LA Strategy Report	Approval	Within 121 days after NTP
29.	RESERVED			
30.	RESERVED			
31.	RESERVED			
32.	RESERVED			
33.	EM.PA.0040.A001.01.DR.01	FFA Semiannual Progress Report	Approval	Initial Due 4/7, 10/7 Final Due for signature 4/25, 10/25
34.	Reserved			
35.	EM.PA.0040.A001.01.DR.01	Review and revise National Emission Standards for Hazardous Air Pollutants (NESHAPs) Management Plan	Information	As Needed
36.	EM.PA.0040.A001.07.DR.02.02	Site Management Plan Annual Updates	Approval	Annually Initial Due 10/15 Final Due for signature 11/10
37.	EM.PA.0040.A001.01.DR.01	Annual Report on External Gamma Radiation Monitoring	Information	Annually to DOE by March 31
38.	EM.PA.0040.A001.01.DR.01	Water Policy License Agreements	Signed Agreement to DOE for Signature	Mail to residents at least 90 days prior to expiration for signature and to DOE at least 30 days prior to expiration
39.	EM.PA.0040.A001.01.DR.01	Residential data reports	DOE approval and DOE submittal to residents	Due to Resident within 90 days from receipt of data. Draft due to DOE within 60 days from receipt of data.
40.	EM.PA.0040.A001.01.DR.01	Water Policy Annual Due Diligence	Information	Due by November 15, annually

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
41.	EM.PA.0040.A001.01.DR.01	Kentucky Fish and Wildlife License Agreements	Approval	Provide initial for DOE review at least 120 days prior to expiration or as needed
42.	EM.PA.0040.A001.01.DR.01	Environmental Monitoring Plan	Approval	Annually to DOE NLT September 1, updated as needed.
43.	EM.PA.0040.A001.01.DR.01	Groundwater Protection Plan	DOE Concurrence; Regulator Information	Every 3 years
44.	EM.PA.0040.A001.01.DR.01	Work in SWMU Notifications	Approval	Due 21 days prior to projected work start (via letter).
45.	EM.PA.0040.A001.01.DR.01	CERCLA Five Year Remedy Review	DOE Approval; Regulator Approval	Every 5 years D2 document must be approved by FFA parties NLT 12/30/2018. Initial due to DOE on 4/1/2018 Final D1 for Certification on 6/1/18
46.	EM.PA.0040.A001.01.DR.01	Annual Site Treatment Plan Update and Waste Minimization Progress Report	DOE Concurrence; Regulator Approval	Initial to DOE by March 1, Annually by March 31 to regulators
47.	EM.PA.0040.A001.01.DR.01	Annual Site Environmental Report	Approval	Initial due annually to DOE NLT June 1. Annually to the Public by October 1.
48.	EM.PA.0040.A001.01.DR.01	Annual Summary of Radionuclide Air Emissions (NESHAP Report)	DOE Concurrence; Regulator Approval	Annually to DOE by June 1 to support submittal to EPA by June 30
49.	RESERVED			
50.	EM.PA.0040.A001.01.DR.01	Annual Hazardous Chemical Inventory Report	DOE Certification; Regulator Approval	Initial February 7 to DOE Annually to the regulatory agencies NLT March 1
51.	EM.PA.0040.A001.01.DR.01	Annual Toxic Chemical Release Inventory (TRI Report)	DOE Certification; Regulator Approval	Initial June 1 to DOE Annually to the regulatory agencies NLT July 1

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
52.	EM.PA.0040.A001.01.DR.01	C-746-S/T &U Landfills Quarterly Operating Report	DOE Certification; Regulator Approval	Quarterly – to regulatory agencies NLT 1/15, 4/15, 7/15, 10/15 Initial due 1/5, 4/5, 7/5, 10/5
53.	EM.PA.0040.A001.01.DR.01	C-746-S/T Landfill Quarterly Groundwater Report	DOE Certification; Regulator Approval	Quarterly – to regulatory agencies NLT 2/28, 5/30, 8/30, 11/30 Initial due 2/7, 5/7, 8/7, and 11/7 Final for DOE Certification at least 5 days prior to regulatory due date
54.	EM.PA.0040.A001.01.DR.01	C-746-S/T Landfill Quarterly Groundwater Exceedance Report	DOE Concurrence; Regulator Approval	Quarterly – to the regulatory agencies via electronic mail - Within 48 hours of receipt of data, the data must be transmitted to regulators
55.	EM.PA.0040.A001.01.DR.01	C-746-U Landfill Groundwater Report	DOE Certification; Regulator Approval	Quarterly – to regulatory agencies NLT 2/28, 5/30, 8/30, 11/30 Initial due 2/7, 5/7, 8/7, and 11/7 Final for DOE Certification at least 5 days prior to regulatory due date
56.	EM.PA.0040.A001.01.DR.01	C-746-U Landfill Groundwater Exceedance Report	DOE Concurrence; Regulator Approval	Quarterly – to regulatory agencies via electronic mail - Within 48 hours of receipt of data, the data must be transmitted to regulators.
57.	EM.PA.0040.A001.01.DR.01	Annual C-746-U Landfill Survey	DOE Certification; Regulator Approval	Due to Regulators within 60 days from the date of survey – Due to DOE within 30 days after actual survey
58.	EM.PA.0040.A001.01.DR.01	C-404 Landfill Semi-annual Groundwater Monitoring Report, includes the exceedance report	DOE Certification; Regulator Approval	Semi-Annually – 5/30, 11/30 Initial 4/25 and 10/25 Final for Certification 10 days prior to regulatory due date

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
59.	EM.PA.0040.A001.01.DR.01	Monthly Kentucky Pollutant Discharge Elimination System Discharge Monitoring Report	Regulator Approval	Monthly – by the 28th day of the following month for which monitoring results were obtained
60.	EM.PA.0040.A001.01.DR.01	Quarterly Kentucky Pollutant Discharge Elimination System Discharge Monitoring Report	Regulator Approval	Quarterly – by the 28th day of the following the quarter for which monitoring results were obtained
61.	EM.PA.0040.A001.01.DR.01	KDEP Proficiency Test and DMR-QA Report Form	DOE Certification; Regulator Approval	As required by the State DMR QA Coordinator Coordinate draft submittals with DOE based on regulator required submittal schedule
62.	EM.PA.0040.A001.01.DR.01	Spill Prevention Control, Countermeasures and Contingency Plans for Oil, Chemicals and Hazardous Waste/Best Management Practices Plan	DOE Concurrence; Regulator Information	Maintained and reviewed every 3 years
63.	EM.PA.0040.A001.01.DR.01	Annual Hazardous Waste Report	DOE Certification; Regulator Approval	Initial annually to DOE NLT February 1. Annually to the regulatory agencies by March 1; final due to DOE for Certification at least 5 days ahead of due date.
64.	EM.PA.0040.A001.01.DR.01	Annual Hazardous Waste Assessment Return	DOE Certification; Regulator Approval	Initial annually to DOE NLT February 1. Annually to the regulatory agencies by March 1; final due to DOE for Certification at least 5 days ahead of due date.
65.	EM.PA.0040.A001.01.DR.01	Claim for Exclusion from Hazardous Waste Assessment	DOE Certification; Regulator Approval	Initial annually to DOE NLT February 1. Annually to the regulatory agencies by March 1; final due to DOE for Certification at least 5 days ahead of due date.
66.	EM.PA.0040.A001.01.DR.01	Notification of Hazardous Waste Activity	DOE Certification; Regulator Approval	Initial annually to DOE NLT June 15. Annually to the regulatory agencies by July 15; final due to

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
				DOE for Certification at least 5 days ahead of due date.
67.	EM.PA.0040.A001.01.DR.01	Treatability Study Summary Report	Regulator Approval	Annually to the regulatory agencies by March 15; if required initial draft due 2/15 or notification that one is not needed for current year reporting.
68.	EM.PA.0040.A001.01.DR.01	Annual Report of Polychlorinated Biphenyls at the Paducah Gaseous Diffusion Plant	DOE Concurrence; Regulator Information	Initial annually to DOE NLT June 10. Final annually by July 1.
69.	EM.PA.0040.A001.01.DR.01	Inventory of Federal Hazardous Waste Activities at Currently Owned or Operated Federal Facilities	DOE Concurrence; Regulator Information	As required
70.	EM.PA.0040.A001.01.DR.01	Federal Facility Compliance Profile	DOE Concurrence	As required
71.	EM.PA.0040.A001.01.DR.01	DOE Pollution Prevention Waste Minimization Database Update	Input to Infrastructure Contractor	Annually as required
72.	EM.PA.0040.A001.01.DR.01	Pollution Prevention Program Plan	DOE Acceptance	Annually by May 31, as needed or at least every 3 years
73.	EM.PA.0040.A001.01.DR.01	Quarterly Project Waste Management/ Pollution Prevention Report	DOE Acceptance	Quarterly – first week of month following quarter
74.	EM.PA.0040.A001.01.DR.01	Federal Archeology Program Questionnaire	Approval	As required
75.	EM.PA.0040.A001.01.DR.01	SWMU Assessment Reports	DOE Concurrence; Regulator Approval	As required
76.	EM.PA.0040.A001.02.DR.01	Update TCE and ^{99}Tc plume map	Approval	To DOE: April 15, 2019 To the Regulators: June 15, 2019
77.	EM.PA.0040.A001.02.DR.01	Update TCE and ^{99}Tc plume map	Approval	To DOE: April 15, 2021 To the Regulators: June 15, 2021
78.	EM.PA.0040.A001.02.DR.01	Submit Transect Well Data to Regulators for the NE Plume	DOE Information Regulator Information	With FFA Semiannual Report and as requested

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
79.	RESERVED			
80.	EM.PA.0040.A001.02.DR.01	Submit D1 Post-Construction Report for NE Plume Optimization to Regulators	Approval	consistent with the FFA submittal requirements
81.	EM.PA.0040.A001.02.DR.01	Update TCE and ^{99}Tc plume map	Approval	To DOE: April 15, 2023 To the Regulators: June 15, 2023
82.	EM.PA.0040.A001.02.DR.01	Update TCE and ^{99}Tc plume map	Approval	To DOE: April 15, 2025 To the Regulators: June 15, 2025
83.	EM.PA.0040.A001.02.DR.01	Update TCE and ^{99}Tc plume map	Approval	To DOE: April 15, 2027 To the Regulators: June 15, 2027
84.	EM.PA.0040.A001.07.DR.02.01	Deliverables Tracking Report	Information	Weekly
85.	EM.PA.0040.A001.07.DR.04.05	Quarterly Status Report (Track and Trend Analysis IAW DOE O 226.1B of Deficiencies from Contractor and DOE Surveys.)	Information	Quarterly, rolling calendar year data (Nov 15, Feb. 15, May. 15, and Aug. 15)
86.	EM.PA.0040.A001.07.DR.04.01	Submit a Chronic Beryllium Disease Prevention Program consistent with 10 CFR 850	Approval	Within 90 days after NTP
87.	EM.PA.0040.A001.07.DR.04.01	Worker Safety and Health Program Plan	Approval	Within 90 days after NTP
88.	EM.PA.0040.A001.07.DR.04.01	Submittal of Nuclear Criticality Safety Program	Approval	Within 75 days after NTP
89.	EM.PA.0040.A001.07.DR.04.01	Submit revised Safety Basis documents	Approval	Within 90 days after NTP
90.	EM.PA.0040.A001.07.DR.04.01	Annual Safety Basis document submittal to DOE for approval	Approval	Annually from date of initial DOE approval of Safety Basis documents
91.	EM.PA.0040.A001.07.DR.04.01	NPH Analysis	Information	In accordance with updated Safety Basis
92.	EM.PA.0040.A001.07.DR.04.01	Eliminate all blue-sheeted procedures and performance documents	Information	Within 90 days after conclusion of transition
93.	EM.PA.0040.A001.07.DR.04.02	Submit ISMS Description	Approval	Within 90 days after NTP

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
94.	EM.PA.0040.A001.07.DR.04.02	Submit Site Sustainability Plan (SSP) and Environmental Management System (EMS) Plan	Approval	Within 90 days after NTP
95.	EM.PA.0040.A001.07.DR.04.02	Contractor's ISMS Verification Review and Report	Approval	Within 121 days after transition
96.	EM.PA.0040.A001.07.DR.04.02	Initial and Biennial ISMS Effectiveness Review and Report	Information	October 26, 2018, Biennially thereafter
97.	EM.PA.0040.A001.07.DR.04.02	Establish performance measures, objectives, and commitments (PMOC's)	Approval	Within 90 days after NTP, Annually thereafter
98.	EM.PA.0040.A001.07.DR.04.03	Submittal of the Radiation Protection Program	Approval	Within 60 days after NTP
99.	EM.PA.0040.A001.07.DR.04.04	Completion of Contractor Readiness Assessment for Emergency Management Program	Approval	Within 120 days after transition
100.	EM.PA.0040.A001.07.DR.04.04	Submittal of the Emergency Readiness Assurance Plan (ERAP)	Approval	Annually Before October 15th
101.	EM.PA.0040.A001.07.DR.04.04	Submittal of Paducah Site Emergency Management Program Plan and other required secondary documentation such as EALs, EPZs, EPHAs, All Hazard Surveys, etc.	Approval	Within 60 days after NTP and as revised
102.	EM.PA.0040.A001.07.DR.04.04	Submittal of Fire Protection Plan and Fire Hazard Analysis	Approval	Within 90 days after NTP and as changed
103.	EM.PA.0040.A001.07.DR.04.04	Submittal of Emergency Management and Fire Protection Baseline Needs Assessment	Approval	Within 60 days after NTP, reviewed every three years, and as changed
104.	EM.PA.0040.A001.07.DR.04.04	Mutual Aid Agreements and Contracts	Approval	Within 121 days after NTP and Annually and as changed
105.	EM.PA.0040.A001.07.DR.04.05	Submittal of the Quality Assurance Program	Approval	Within 90 days after NTP

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
106.	EM.PA.0040.A001.07.DR.04.05	QAP Review and Update	Approval	Initial update due 1 year after conclusion of transition, review annually and update as directed thereafter
107.	EM.PA.0040.A001.07.DR.04.05	Contractor Assurance System Description	Approval	Within 160 days after NTP and update as directed thereafter
108.	EM.PA.0040.A001.07.DR.11	Submit the FIMS data for site facilities to the Infrastructure Contractor	Information	August 15 and annually thereafter
109.	EM.PA.0040.A001.07.DR.11	Real Property Transfer Plan	Approval	Within 90 days after transition is complete
110.	RESERVED			
111.	RESERVED			
112.	EM.PA.0040.A001.07.DR.11	Reports of loss, damage, periodic physical inventory data and inventory, & final inventory for Contract completion	Information	Within 1 year after transition is complete and annually thereafter
113.	EM.PA.0040.A001.07.DR.11	Motor Vehicle Fleet Reports (FAST)	Information	Within 1 year after transition is complete and annually thereafter
114.	EM.PA.0040.A001.07.DR.12	Automated Supply Pilot Report	Information	Within 39 months after completion of Transition
115.	EM.PA.0040.A001.07.DR.13.01	Personal Property Disposition Plan	Approval	Within 180 days after transition is complete and annually thereafter
116.	EM.PA.0040.A001.07.DR.13.01	Asset Recovery and Recycling Program Plan	Approval	Within 180 days after transition is complete and annually thereafter
117.	EM.PA.0040.A001.07.DR.14	Develop and implement an Energy Efficiency Plan that incorporates all requirements of Executive Order 13693	Approval	Within 90 days after conclusion of Transition
118.	EM.PA.0040.A001.07.DR.14	Green and Sustainable Remediation and Innovative Technology Report	Information	Annually
119.	EM.PA.0040.A001.07.DR.15	Records Management Plan	Approval	Within 60 days after NTP

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
120.	EM.PA.0040.A001.07.DR.15	List of Electronic Information Systems	Information	Annually
121.	EM.PA.0040.A001.07.DR.15	Vital or Essential Records Plan and Inventory	Approval	Within 121 days after NTP
122.	EM.PA.0040.A001.07.DR.15	Records Management Close-out/Transition Plan	Approval	At Least 180 days prior to end of the POP
123.	EM.PA.0040.A001.07.DR.15	Contractor Document Certification	Approval	At least 14 days prior to end of the POP
124.	EM.PA.0040.A001.07.DR.16	Site Wide COOP Program Implementation Plan and updates as necessary	Approval	Within 60 days after completion of Transition and as revised
125.	EM.PA.0040.A001.07.DR.18	Contract Close-out Plan	Approval	At least 180 days before end of POP
126.	EM.PA.0040.A001.07.DR.18	Contract Completion Transition Plan	Approval	At least 120 days before end of POP
127.	EM.PA.0040.A001.07.DR.18	Environmental Compliance Report	Information	At least 90 days before end of POP
128.	EM.PA.0040.A001.07.DR.20	Submittal of NMC&A Plan	Approval	Within 90 days after NTP and Annually thereafter or following significant program change
129.	EM.PA.0040.A001.07.DR.20	Submit the NMC&A SSP Section to the ODSA	Information	Within 90 days after NTP and Annually thereafter in a schedule agreed to by the ODSA
130.	EM.PA.0040.A002.04.DR.01	Submit Waste Management Plan	Approval	Within 90 days after NTP
131.	EM.PA.0040.A002.05.DR.02	Submit C-746-U Landfill Expansion Design and Permit Modification Package for DOE Approval	Approval	01/26/2021
132.	EM.PA.0040.A005.02.DR.02	D1 Remedial Design Work Plan for SWMU 211A	Approval	Consistent with the SMP and the approved CPB
133.	EM.PA.0040.A005.02.DR.02	30% Remedial Design Report for SWMU 211A	Approval	Consistent with the SMP and the approved CPB

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
134.	EM.PA.0040.A005.02.DR.02	60% Remedial Design Report for SWMU 211A	Approval	Consistent with the SMP and the approved CPB
135.	EM.PA.0040.A005.02.DR.02	90% Remedial Design Report for SWMU 211A	Approval	Consistent with the SMP and the approved CPB
136.	EM.PA.0040.A005.02.DR.02	D1 Remedial Action Work Plan for SWMU 211A	Approval	Consistent with the SMP and the approved CPB
137.	EM.PA.0040.A005.02.DR.02	D1 Post Construction Report for SWMU 211A	Approval	Consistent with the SMP and the approved CPB
138.	EM.PA.0040.A005.02.DR.02	D1 Operations and Maintenance Plan for SWMU 211A	Approval	Consistent with the SMP and the approved CPB
139.	EM.PA.0040.A005.02.DR.02	D1 Remedial Action Completion Report(s) for SWMUs 211A	Approval	Consistent with the SMP and the approved CPB
140.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex RI/FS Work Plan to Regulator	Approval	11/28/18 Certification copy at least 5 working days ahead of due date
141.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex RI/FS to Regulators	Approval	As established in the Contractor's CPB and approved by DOE. Dates must be consistent with the latest approved version of the FFA SMP – currently projected as 3rd Quarter FY 2021.
142.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex Proposed Plan to Regulators	Approval	As established in the Contractor's CPB and approved by DOE. Dates must be consistent with the latest approved version of the FFA SMP - currently projected as 1st Quarter FY 2022.
143.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex Record of Decision to Regulators	Approval	As established in the Contractor's CPB and approved by DOE. Dates must be consistent with the latest approved version of the FFA

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
				SMP – currently projected as 4th Quarter FY 2022.
144.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex Remedial Design Work Plan to Regulators	Approval	As established in the Contractor's CPB and approved by DOE. Dates must be consistent with the latest approved version of the FFA SMP – currently projected as 4th Quarter FY 2022.
145.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex RACR	Approval	As established in the Contractor's CPB and approved by DOE. Dates must be consistent with the latest approved version of the FFA SMP.
146.	EM.PA.0040.A008.41.DR.01	Annual Site Facility Occupational Status Report	Information	Within 90 days after conclusion of transition and annually thereafter
147.	EM.PA.0040.A008.41.DR.01-2	Comprehensive list of systems, equipment, and items related to safety	Information	Within 45 days after transition completion and reach agreement with DOE safety personnel within 60 days after transition completion.
148.	EM.PA.0040.A008.41.DR.01-2	Surveillance and Maintenance Program Plan	Approval	NLT 30 days after Transition is complete
149.	EM.PA.0040.A008.41.DR.02	Submit Roof Integrity Assessment	Approval	Within 60 days after DOE Approval of Facilities List and annually thereafter
150.	EM.PA.0040.A008.41.DR.02	Non-Category 2 Facility Operations Roof List	Approval	Within 45 days after Transition is complete
151.	EM.PA.0040.A008.42.DR.01	List of facility meters added or deleted	Information	Within 12 months after transition is complete and annually thereafter
152.	EM.PA.0040.A008.42.DR.01	Nitrogen System Evaluation Report	Approval	90 days after transition

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
153.	EM.PA.0040.A008.42.DR.02	Heating/Cooling Service Replacement Plans and Schedule	Approval	Within 12 months after Transition is complete
154.	EM.PA.0040.A008.42.DR.03	Water Facility Shutdown Plan	Approval	Within 12 months after Transition is complete
155.	EM.PA.0040.A008.42.DR.03	Provide a Plan for Optimization of the onsite Sanitary Water Distribution system	Approval	Within 24 months after Transition is complete
156.	EM.PA.0040.A008.42.DR.04	Quarterly Site Power Projections	Information	The 15th of January, April, July, and October for each preceding quarter
157.	EM.PA.0040.A008.42.DR.05	Submittal of the Sewage Alternatives Analysis	Information	Within 24 months after transition is complete
158.	EM.PA.0040.A008.48.DR	Develop and Submit Stabilization and Deactivation Plan	Approval	NLT 30 days after transition
159.	EM.PA.0040.A008.48.DR.03	Detailed Schedule Integrated with Planned C-400 Demolition and Subsurface Soil Investigation Activities	Approval	Second Quarter FY18
160.	EM.PA.0040.A008.01.DR.05.02	Design and complete a bench scale test study to demonstrate the safety and potential implementation success of microwave thermal treatment	Information	In accordance with Contractor's technical proposal
161.	EM.PA.0040.A008.01.DR.05.02	Issue a report upon completion of the bench scale study for DOE approval to proceed to Pilot Study for thermal treatment	Approval	In accordance with Contractor's technical proposal
162.	EM.PA.0040.A008.01.DR.05.02	Conduct a Pilot Scale Study and Evaluation for thermal treatment	Information	In accordance with Contractor's technical proposal
163.	EM.PA.0040.A008.01.DR.05.02	Issue a Nickel and 99Tc Microwave Thermal Treatment Technology Study &Evaluation Pilot Study Report	Approval	NLT 30 months after Transition

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
OPTIONS				
H CLAUSES				
164.	H.5 DOE-H-2001 (E)(3)	Employee Benefits Value Study and Employee Benefits Cost Survey	Approval	Prior to adoption of any change to a pension or other benefit plan which increases costs.
165.	H.5 DOE-H-2001 (E)(3)(a)	Ben-Val	Information	Every two years for each benefit tier – October 20
166.	H.5 DOE-H-2001 (E)(3)(b)	Employee Benefits Cost Study Comparison	Information	Annually –2 weeks after contractor receipt of DOE templates
167.	H.5 DOE-H-2001 (E)(4)	Corrective Action Plan	Approval	When the net benefit value exceeds the comparator group by more than five percent, unless waived in writing by the CO
168.	H.5 DOE-H-2001 (G)(3)	Results of Limited-Scope Audit (ERISA)	Information	Annually, except that every third year a full-scope audit must be conducted
169.	H.5 DOE-H-2001 (G)(4)	Separate Accounting of DOE Liabilities and Assets for Existing Commingled Plans	Information	Annually – FRNP does not currently have a comingled plan
170.	H.5 DOE-H-2001 (G)(7)	Pension Management Plan	Information	Annually – NLT January 31 of each applicable year
171.	H.5 DOE-H-2001 (H)	Reimbursement of Contractors for Contributions to Defined Benefit Pension Plan	Approval	As Applicable
172.	H.5 DOE-H-2001 (I)(1)	Reporting Requirements for Designated Contracts – Actuarial Valuation Reports	Information	By the due date for filing IRS Form 5500 for each DOE-reimbursed pension plan and when a pension plan is comingled

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
173.	H.5 DOE-H-2001 (I)(2)	Forms 5500, Copies of IRS Forms 5500 with Schedules for each DOE-funded Pension Plan	Information	No later than that submitted to the IRS
174.	H.5 DOE-H-2001 (I)(3)	Forms 5300, Copies of all Forms in the 5300 series submitted to the IRS that document the establishment, amendment, termination, spin-off, or merger of a plan submitted to the IRS	Information	No later than that submitted to the IRS
175.	H.5 DOE-H-2001 (J)	Changes to Pension Plan (A) Copy of the current plan document with proposed new amendment indicated in redline/strikeout (B) Analysis of the impact of any proposed changes on actuarial accrued liabilities and costs (C) Except in circumstances where the CO indicates that it is unnecessary, legal explanation of the proposed changes (D) the Summary Plan Description (E) any such additional information as requested by the Contracting Officer.	Approval	At least 60 days prior to any changes to a pension plan
176.	H.5 DOE-H-2001 (J)(2)	New Benefit Plans and Changes to Plan Design or Funding Methodology with Justification (A) Demonstrate the effect of the plan changes on the contract net benefit value or per capita benefit costs, (B) provide the dollar estimate of savings or costs, and (C) provide the basis of determining the estimated savings or cost.	Approval	At least 60 days prior to any changes to a pension plan

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
177.	H.5 DOE-H-2001 (K)(2)	The Contractor shall provide a determination statement in its settlement proposal, defining and identifying all liabilities and assets attributable to the DOE contract.	Information	At least 60 days prior to scheduled date of plan termination
178.	H.6 (B)	Annual Actuarial Evaluations for all applicable benefit plans as well as certify that the benefit plans are in full compliance with IRC and ERISA requirements, including corrective action plans as necessary, for addressing the potential or actual failure of the plans to meet testing requirements	Approval	Annually
179.	H.7 (A)(1)	(a) List of Contractor personnel who will be responsible for transitioning employees of the Incumbent Contractor and for development of the transition agreements, (b) Description of any and all transition agreements, (c) Draft communication plan detailing the communication the Contractor and its subcontractors will engage in with FFS and their employees and, (d) Information from FFS identifying employees who have initially been identified as being at risk of being involuntarily separated.	Information	Within 20 days after NTP
180.	H.7 (A)(2)	(a) Copies of the draft WF Transition Plan for the Contractor and its first and second tier subcontractors, (b) Final written communication plan with incumbent contractor regarding implementation of the hiring preferences	Information	Within 30 days after NTP

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
181.	H.7 (A)(3)	Final Work Force Transition Plan	Approval	Within 45 days after NTP
182.	H.7 (A)(4)	Final Transition Agreements	Approval	Within 70 days after NTP
183.	H.7 (A)(5)	Implementation of hiring preferences reports (a) During 121 day Contract Transition Period (b) Quarterly thereafter	Information	Weekly during transition period, quarterly thereafter
184.	H.7(B)(1)	Draft Benefits Transition Plan	Approval	Within 20 days after NTP
185.	H.7(B)(5)(a)	(1) List of Contractor personnel who will be responsible for transitioning of the existing pension plan and other existing benefit plans (2) Provide estimated costs and detailed breakouts of the costs to accomplish workforce and benefits transition activities	Information	Within 20 days after NTP
186.	H.7(B)(5)(b)	(1) A list of the information and documents that the Contractor has requested from FSS pertaining to the existing benefit plan	Information	Within 30 days after NTP
187.	H.7(B)(5)(c)	(1) Final Draft Benefits Plan (2) Detailed description of its plans and processes, including timeframes and specific projected dates for accomplishment of each activity (3) Meet via televideo or in person with relevant personnel, provide meeting minutes and a written description of any substantive issues identified in the meeting	Information	(i) and (ii) Within 45 days after NTP (iii) Within 2 days after the meeting
188.	H.7(B)(5)(d)	Final Benefits Transition Plan	Approval	Within 60 days after NTP

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
189.	H.7(B)(5)(e)(1)	(i) drafts of all amendments to or restatements of the pension and other benefit plans presently sponsored by UCOR, or any other existing benefit plans it plans to participate in, including but not limited to, amendments effectuating the change in sponsorship/participating employer in the ETTP MEPP and any other existing DB pension plan. If applicable, the Contractor shall also submit all draft restated benefit plans and draft Summary Plan Descriptions (SPDs) for pension and other benefit plans sponsored by UCOR or any other existing defined benefit plans it plans to participate in. Any and all such amendments shall comply with applicable law governing such transactions and changes in sponsorship of the plans. (ii) any new benefit plan(s) as well as draft SPDs that the Contractor proposes to sponsor (iii) drafts of the transition agreements which the Contractor will enter into with UCOR and FFS to ensure the Contractor's compliance with the pay and benefits requirements set forth in Clauses H.5 and H.6	Information	Within 60 days after NTP
190.	H.7(B)(5)(f)	The proposed final versions of the documents provided in paragraph (e) above.	Approval	Within 90 days after NTP
191.	H.7(B)(5)(g)	Comments provided by CO under paragraphs a-f.	Information	Within 2 days of receipt of comments

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
192.	H.7(B)(5)(h)	(1) Documents relating to benefit plans offered to Contractor Employees (2) Any and all documents pertaining to implementation of and compliance with implementation of the compensation and benefit programs (3) Timely data responses to Departmental annual and ad hoc pension and PRB data requests	Information	As Requested
193.	H.9(C)	Economic Bargaining Parameters	Approval	Prior to the Contractor entering into collective bargaining process
194.	H.9(F)	Notify of all labor relations issues and matters of interest, including, but not limited to, organizing initiatives, unfair labor practice charges or complaints, work stoppages, picketing, labor arbitrations, National Labor Relations Board charges, legal or judicial proceedings, and settlement agreements and will furnish such additional information as may be required from time to time by the Contracting Officer.	Information	Immediately
195.	H.9(G)	Notify of any planned or actual strike or work stoppage involving its employees or employees of a subcontractor.	Information	Immediately
196.	H.9(H)	Arbitration decisions issued by an arbitrator	Information	Within one week of receipt of the decision
197.	H.9(I)	"Report of Settlement" after ratification of a collective bargaining agreement, or written reports as necessary	Information	Next open quarter after ratification of collective bargaining agreement
198.	H.9(J)	Report on grievances	Information	Semi-Annual June 30 and December 31

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
199.	H.10(C)	Specific Workforce Restructuring Plan (Specific Plan) if either of the following conditions are met within a rolling 12-month period: , (1) reduction of workforce by 50 or more employees through involuntary separation; or (2) reduction of workforce by 100 or more employees, voluntary or involuntary separation action or a combination of	Approval	At least 60 days in advance of the first communication planned to be given to the employees and public
200.	H.10(E)	Pay-in-lieu of notice beyond two work-weeks	Approval	In Advance of notice as part of the Workforce Restructuring Plan
201.	H.10(G)	Adverse impact analysis (also known as a diversity analysis)	Approval	As Applicable prior to notification of employees selected when the involuntary separation action(s) will affect 50 or more contractor employees within a rolling 12-month period
202.	H.10(J)	Actual and projected workforce reductions	Information	On annual basis, no later than March 15th of each year
203.	H.11(e)	DBA Semi-Annual Enforcement Report	Information	April 21 and October 21
204.	H.12(a)	All new compensation policies and initial proposals for self-insurance	Approval	As Applicable
205.	H.12(c)	Workers compensation settlement claims above the threshold	Approval	As Applicable
206.	H.13(b)	Evidence of insurance	Information	Prior to the commencement of work under the contract if requested by the CO
207.	H.15(A)(5)	Insurance policies or insurance arrangements	Information	No later than 30 days after purchase date
208.	H.15(B)	Plan Experience Reporting	Information	Annually

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
		(1) Experience reports for each type of insurance (2) Insurance costs and/or self-insurance charges		
209.	H.15(B)(3)	Additional claim financial experience data	Information	As requested
210.	H.15(D)	Successor Contractor or Insurance Policy Cancellation (1) Any change in program direction (2) Insurance coverage replacement is maintained as required	Approval	As Applicable
211.	H.16, H.17, H.18, H.19, H.20 and H.21	Contractor responses to significant business system deficiencies and corrective action plans	Information	Contractor response required within 30 days of receipt of initial determination of significant deficiencies; correction of significant deficiencies or submission of an acceptable corrective action plan required within 45 days of receipt of final determination of significant deficiencies
212.	H.17, H.19, H.20 and H.21	Contractor Business Systems Descriptions	Information	Within 60 days of NTP
213.	H.24	Advance written notice of NOVs/NOAVs	Information	As Applicable
214.	H.26	Should the Responsible Corporate Official or their contact information change during the period of the Contract, the Contractor shall promptly notify the Contracting Officer in writing of the change.	Information	Promptly if changed
215.	H.33	Organizational Conflict of Interest Management Plan	Approval	Within 15 days after NTP

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
216.	H.36	Correspondence regarding Assignment and Transfer of Subcontracts	Information	As Applicable
217.	H.37	Material Safety Data Sheet FAR 52.223-3	Information	As Required
218.	H.38	Contractor Community Commitment Plan for community commitment activities and report on program progress semi-annually	Information	Submitted Annually with semi-annual progress
219.	H.39(A)	Diversity Program Plan	Approval	Within 60 days after NTP
220.	H.39(B)	Annual Diversity Report	Information	Annually – Oct 20
221.	H.40	Contractor Releases of Information	Approval	Within 14 days Prior to release
222.	H.43	Worker Safety and Health Program 10 CFR 851	Approval	Prior to the start of work
223.	H.45 FAR 52.216-7	Annual Indirect Billing Rates	Approval	Annually
224.	H.46(B)	Advance Notification of Intent to Award of Critical Subcontracts	Approval	Prior to award of subcontract
225.	H.50	Notification of Intent to Disclose Confidential Information	Approval	As Requested
226.	H.56(C)	Payments for Domestic Extended Personnel Assignments	Approval	Prior to incurring any costs for such action
227.	H.57	Changing of Key Personnel	Approval	Reasonable in advance before removing, replacing or diverting any of the listed Key Personnel
228.	H.63	Parent Organization Support Plan (if applicable)	Approval	Initially, at least 60 Days prior to the end of the Contract Transition Period or the commencement date of parent organization support proposed by the Contractor or

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
				required by the Government and at least 90 days prior to the start of each year of contract performance for any subsequent POP
229.	Reserved			
230.	H.65(C)	Permit Applications and Regulatory Materials	Information	Within 90 days prior to the date of submittal to the regulatory agencies for draft documents and within 30 days prior to the date of submittal to the regulatory agencies for final documents
231.	H.68(C)	Project Control System Description	Approval	During Contract Transition Period
232.	H.68(D)(1)	Initial Contract Performance Baseline	Approval	Within 7 days of NTP
233.	H.68(D)(2)	Final Contract Performance Baseline (CPB) and status reports	Approval	Within first six months after NTP and monthly status reports regarding CPB document preparation progress
234.	H.68(D)(4)(c)	CPB change proposals and Contract change proposals	Approval	To be submitted concurrently within the timeframe identified by the CO
235.	H.68(D)(5)(a)	Initial and Interim CPB Corrective Action Plan (if applicable)	Approval	Within 15 days of receipt of DOE's comments
236.	H.68(D)(5)(b)	Earned Value Reporting System Schedule an EVMS Certification Review	Information	No later than end of Contract Transition Period Immediately after NTP and when three months of earned value data is available and no later than six months after the Contract Transition Period
237.	H.68(D)(5)	Full CPB Corrective Action Plan (if applicable)	Approval	Within 15 days of receipt of DOE's comments

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
238.	H.68(D)(6)	Performance Reporting – Monthly Cost Performance Report	Information	Monthly – no later than the 8th business day prior to the end of each calendar month
239.	H.70	Sustainable practices for reducing Greenhouse Gas	Information	Within 12 months after contract award
		Other RFP Sections		
240.	I.58	Employment Reports for Veterans	Concurrence & Information	Annually by September 30
241.	I.168, DOE O 350.1, Chg. 7 & 10 CFR 707	Workplace Substance Abuse Program	Approval	Within 60 days of NTP
242.	Attachment J-12	Update to Government Furnished Services	Approval	Annual & Quarterly
243.	DOE O 231.1B, Chg. 1	Individual Accident/Incident Reports (electronic data submission)	Information	On or before the 15th and the last working day of each month
244.	DOE O 232.2A	Occurrence Reporting Processing System (ORPS) Reports (electronic reporting to DOE system)	Information	As required
245.	DOE O. 350.1, Chg. 7	Employee Assistance Program Implementation Plan	Approval	Within 60 days of NTP
246.	DOE O. 350.1, Chg. 7	Collective Bargaining Agreements	Information	Upon negotiation of any new collective bargaining agreement or changes thereto
247.	DOE O 442.1B	Employee Concerns Program	Approval	Within 30 days of NTP and 90 days after Mod 0053
248.	DOE O 442.1B	Employee Concerns Program Status Report	Information	Semi -Annually (May 15, Oct 15)
249.	DEAR 952.231-71 and 10 CFR 719	Legal Management Plan	Approval	Within 60 days of NTP
250.	Section J, Attachment J-14, PEMP	Contractors input to services and work products	Information	Quarterly

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
251.	Section J, Attachment J-14, PEMP	Contractor recommended changes to the CO	Approval	No later than 60 days prior to the beginning of the new evaluation period
252.	Section J, Attachment J-14, PEMP	Request DOE replace the PBI or remove and restructure the PBI fee	Approval	as soon as practicable after the event or events occurred; however under no circumstances shall the request be made after the required completion date of the PBI
253.	Section J, Attachment J-14, PEMP	*Certificate of Completion* for each PBI	Approval	Within 15 days of PBI completions or the end of the evaluation period
254.	EM.PA.0040.A001.07.DR.02.02	Risk Methods Document (Human Health)	Approval	As required by the working group
255.	EM.PA.0040.A001.07.DR.02.02	Risk Methods Document (Ecological)	Approval	As required by the working group
256.	EM.PA.0040.A001.07.DR.02.02	Programmatic Quality Assurance Project Plan	Approval	As required by the working group
257.	EM.PA.0040.A001.07.DR.02.02	Community Relations Plan	Approval	Every 2 years beginning in 2018 Initial Due 5/1 Final Due for signature 6/20
258.	EM.PA.0040.A001.07.DR.02.02	Data and Documents Management and Quality Assurance Plan	Approval	As needed
259.	EM.PA.0040.A001.07.DR.02.02	FFA Modifications	Approval	As needed
260.	EM.PA.0040.A001.07.DR.15	Engineering Configuration Management System Plan	Approval	Within 30 days after Transition
261.	EM.PA.0040.A001.01.DR.01	Revision to the Paducah Site-Wide Groundwater Model	Approval	As needed
262.	EM.PA.0040.A001.07.DR.04.01	Complete revision of NCSEs to meet current DOE directives and to address current facility conditions	Information	30 months after Transition

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
263.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex Remedial Action Work Plan to Regulators	Approval	As established in the Contractor's CPB and approved by DOE. Dates must be consistent with the latest approved version of the FFA SMP – currently projected as 4th Quarter FY 2023.
264.	EM.PA.0040.A008.48.DR.02	TFHA each of the four Process Facilities (C-331, C-333/C-333A, C-335, C-337/C-337A)	Approval	NLT 72 months after transition
265.	EM.PA.0040.A008.48.DR.02.05	TFHA for C-360	Approval	NLT 60 months after transition
266.	EM.PA.0040.A008.48.DR.02.07	TFHA for C-310/C-310A	Approval	Consistent with Exercise of Option
267.	EM.PA.0040.A008.48.DR.02.08	TFHA for C-315/C-620	Approval	Consistent with Exercise of Option
268.	EM.PA.0040.A001.02.DR.01	Submit D2 Post-Construction Report for NE Plume Optimization to Regulators	Approval	Consistent with FFA submittal requirements
269.	EM.PA.0040.A001.07.DR.03	Submit Monthly Spend Plan Reports	Approval	Monthly – no later than the 8th business day prior to the end of each calendar month
270.	EM.PA.0040.A001.07.DR.03	Submit Annual Spend Plans	Approval	August 15, 2018, then annually after that
271.	EM.PA.0040.A001.07.DR.03	Submit FTE staffing projections, actual headcount projections	Approval	Monthly – no later than the 8th business day prior to the end of each calendar month
272.	EM.PA.0040.A001.07.DR.04.04	Triennial update of Paducah Site Emergency Management Program Plan	Approval	Triennially
273.	EM.PA.0040.A001.07.DR.04.04	Triennial update of All Hazard Surveys	Approval	Triennially

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
274.	EM.PA.0040.A001.07.DR.04.04	Site wide Threat and Hazard Identification Risk Assessment (THIRA)	Approval	120 days after NTP and triennially and as changed thereafter (typically submitted with ERAP)
275.	EM.PA.0040.A001.07.DR.04.04	Annual site, facility, and activity exercise plan schedule	Approval	Annually by December 31st
276.	EM.PA.0040.A001.07.DR.04.04	Performance of an annual evaluated site-level emergency management exercise in accordance with DOE O 151.1D	Approval	Annually
277.	EM.PA.0040.A001.07.DR.04.04	Submittal of a plan (scenario) for the annual evaluated site-level emergency management exercises	Approval	Annually, 30 calendar days prior to the scheduled emergency management exercise
278.	EM.PA.0040.A001.07.DR.04.04	Submittal of completion of Triennial Self-Assessment of fire protection program	Approval	Triennially
279.	EM.PA.0040.A001.07.DR.04.04	Submittal of completion of Triennial review of FHAs	Approval	Triennially
280.	EM.PA.0040.A001.07.DR.04.04	SARA Title III Plan	Approval	As updated
281.	EM.PA.0040.A001.07.DR.04.04	Corrective Action Plans for external findings identified during evaluations, assessments, drills, exercises, and actual emergencies	Approval	As required
282.	EM.PA.0040.A001.07.DR.16	Submittal of the site wide Continuity Readiness Assurance Report (CRAR)	Approval	Annually before September 30th (submitted with ERAP)
283.	EM.PA.0040.A002.05.DR.01	Submit a report on the evaluation of the leachate treatment system at C-746-U	Approval	Within 90 days after transition has ended
284.	EM.PA.0040.A007.04.DR.02	Submittal of the D2 Feasibility Study for SWMU 4 to the regulatory agencies	Approval	Per FFA schedule for document development
285.	C.2.EM.PA.0040.A005.10.DR.01	D1 C-400 Interim Remedial Action Completion Report to DOE for review`	Approval	12/20/17

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
286.	EM.PA.0011.A001.01.DR.02	Material Package for Annual Meeting	Approval	Annually Draft Due June 1 Final Package Due July 1
287.	EM.PA.0011.A001.01.DR.02	Integrated Schedule of TSCA Agreement Work for Current FY, FY+1 and FY+2	Approval	Annually Initial Due Date: June 1 Final Due for signature: July 1 Due to regulators August 1
288.	EM.PA.0011.A001.01.DR.02	Long Term Schedule of TSCA Agreement Work for FY+3 to Completion	Approval	Annually Initial Due Date: June 1 Final Due for signature: July 1 Due to regulators August 1
289.	DOE O 461.2	Transportation Safety Document	Approval	Prior to packaging and transfer of Materials of National Security Interest
290.	DOE O 426.2	Training Program Plan	Approval	Within 90 days after NTP
291.	DOE O 426.2	Training Implementation Matrix	Approval	Within 90 days after NTP
292.	DOE O 422.1	Conduct of Operations Matrix	Approval	Within 90 days after NTP
293.	DOE O 425.1D	Startup Notification Report	Approval	Semiannually
294.	10 CFR 830.203	USQ Procedure	Approval	Within 90 days after NTP
295.	10 CFR 830.203	USQD Annual Summary	Information	Annually after transition

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
296.	EM.PA.0040.A001.07.DR.02.01	12-month advance projection of GFS to be furnished under the Contract and additional contractor-requested GFS	Approval	Annually, 2 months prior to the beginning of each fiscal year
297.	EM.PA.0040.A001.07.DR.02.01	Quarterly update to the projection of GFS to be furnished under the Contract and additional contractor-requested GFS	Approval	Quarterly, prior to the beginning of each quarter
298.	EM.PA.0040.A001.07.DR.02.01	Information that supports the improved performance for the cost saved as a result of having the requested GFS	Approval	As necessary to support requests for additional/new GFS
299.	EM.PA.0040.A001.14.DR.01	Five-Year Review Addendum Report with results of the C-400 Vapor Intrusion Study	Approval	Within 90 days after receipt of laboratory data
300.	EM.PA.0040.A001.07.DR.04.03	Submittal of the Environmental Radiation Protection Program	Approval	Within 60 days after NTP, Annually thereafter
301.	EM.PA.0040.A005.10.DR.01	D1 C-400 Interim Remedial Action Completion Report to Regulators	Approval	2/7/18 Certification copy at least 5 working days ahead of due date
302.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex RI/FS Scoping Document Per the FFA to DOE for Review	Approval	1/15/18
303.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex RI/FS Scoping Document Per the FFA to Regulators	Approval	2/15/18
304.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex RI/FS Work Plan to DOE for Review	Approval	9/15/18
305.	EM.PA.0040.A005.10.DR.01	D1 C-400 Complex Remedial Design Report (90%) to Regulators	Approval	As established in the Contractor's CPB and approved by DOE. Dates must be consistent with the latest approved version of the FFA SMP – currently projected as 4th Quarter FY 2023.

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
306.	EM.PA.0040.A002.03.DR.02.01	D2/R1 OSWDF RI/FS to the Regulators	Approval	Within 50 days of signature of the Memorandum of Agreement
307.	EM.PA.0040.A008.41.DR.01-2	Ensure maintenance of safety related systems, equipment, or items is completed	Information	Within 30 calendar days after discovery for each individual item, unless DOE provides written consent to defer.
308.	EM.PA.0040.A008.41.DR.01-2	Formally report any fire impairments that exceed 90 days from discovery	Information	Within 7 calendar days of the exceedance
309.	EM.PA.0040.A008.41.DR.01-2	Formally report any fire impairments that exceed 180 days from discovery, including compensatory measures and corrective actions with a completion schedule.	Information	Within 7 calendar days of the exceedance
310.	EM.PA.0040.A008.41.DR.01-2	Provide tracking and trending information for the minimum set of maintenance related metrics per IV.D.4 of the "Summary of Environmental Management Site Extent of Condition Review of Deferred Maintenance" (December 2014)	Information	Within 30 calendar days after the close of the calendar year quarter
311.	EM.PA.0040.A008.41.DR.01-2	Periodic monitoring report of application set of safety related systems and tracking of operable status	Information	Within 30 calendar days after the close of the calendar year quarter
312.	EM.PA.0040.A001.07.DR.11-1	Formal letter documenting the purchase of new equipment (>$5,000 single item value) including the lease/buy analysis and evaluation against the existing Government Furnished Equipment	Information	Monthly
313.	EM.PA.0040.A014.01	D1 Removal Notification for Demolition of the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky	Approval	To DOE for Review: 1/15/18 To Regulators: 3/1/18

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
				Certification Copy – 5 working days before regulator due date
314.	EM.PA.0040.A014.01	D1 Engineering Evaluation/Cost Analysis for Demolition the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky	Approval	To DOE for Review: 3/5/18 To Regulators: 5/2/18 Certification Copy – 5 working days before regulator due date
315.	EM.PA.0040.A014.01	D1 Action Memorandum for Demolition the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky	Approval	To DOE for Review: 6/1/18 To Regulators: 8/14/18 Certification Copy – 5 working days before regulator due date
316.	EM.PA.0040.A014.01	D1 Removal Action Work Plan for Demolition the C-400 Cleaning Building at the Paducah Gaseous Diffusion Plant, Paducah, Kentucky	Approval	To DOE for Review: 6/15/18 To Regulators: 8/17/18 Certification Copy – 5 working days before regulator due date
317.	EM.PA.0040.A008.48.DR.01	Submit 30% design package as required for NDA characterization systems for review by DOE	Information	As established in the Contractor's CPB and approved by DOE.
318.	EM.PA.0040.A008.48.DR.01	Submit 60% design package as required for NDA characterization systems for review by DOE	Information	As established in the Contractor's CPB and approved by DOE.

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
319.	EM.PA.0040.A008.48.DR.01	Submit 90% design package as required for NDA characterization systems for review by DOE	Information	As established in the Contractor's CPB and approved by DOE.
320.	EM.PA.0040.A008.48.DR.01	Submit CFC design package as required for NDA characterization systems for review by DOE	Approval	As established in the Contractor's CPB and approved by DOE.
321.	EM.PA.0040.A001.07.DR.17	Facility Usage Query Data Input for DOECAP Labs and TSDFs	Information	By December 31 each year to include actual costs for previous FY and projections for current FY.
322.	EM.PA.0040.A008.48.DR06	Submit the R-114 Conversion/Disposition Options Evaluation	Approval	11/30/2018
323.	EM.PA.0040.A001.07.DR.04.01	Develop and gain DOE approval of a CCIPP for the C-331 process facility	Approval	As established in the Contractor's CPB and approved by DOE. The delivery schedule must support the Contractor's baseline schedule for deactivation activities in the facility.
324.	EM.PA.0040.A001.07.DR.04.01	Develop and gain DOE approval of a CCIPP for the C-333/C-333A process facility	Approval	As established in the Contractor's CPB and approved by DOE. The delivery schedule must support the Contractor's baseline schedule for deactivation activities in the facility.

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
325.	EM.PA.0040.A001.07.DR.04.01	Develop and gain DOE approval of a CCIPP for the C-335 process facility	Approval	As established in the Contractor's CPB and approved by DOE. The delivery schedule must support the Contractor's baseline schedule for deactivation activities in the facility.
326.	EM.PA.0040.A001.07.DR.04.01	Develop and gain DOE approval of a CCIPP for the C-337/C-337A process facility	Approval	As established in the Contractor's CPB and approved by DOE. The delivery schedule must support the Contractor's baseline schedule for deactivation activities in the facility.
327.	EM.PA.0040.A008.48.DR.02	If modifications are required, submit 30%, design package for DOE review in support of deposit removal for C-333/C-333A	Information	As established in the CPB and approved by DOE
328.	EM.PA.0040.A008.48.DR.02	If modifications are required, submit 60%, design package for DOE review in support of deposit removal for C-333/C-333A	Information	As established in the CPB and approved by DOE
329.	EM.PA.0040.A008.48.DR.02	If modifications are required, submit 90%, design package for DOE review in support of deposit removal for C-333/C-333A	Information	As established in the CPB and approved by DOE
330.	EM.PA.0040.A008.48.DR.02	If modifications are required, submit CFC design packages for DOE approval in support of deposit removal for C-333/C-333A	Approval	As established in the CPB and approved by DOE

No.	Deliverable Reference	Deliverable	DOE Action	Deliverable Due Date
331.	EM.PA.0040.A008.48.DR.02	Develop and provide for DOE concurrence, detailed documentation of the demo ready end-state of the facility.	Concurrence	November 30, 2026
332.	EM.PA.0040.A008.48.DR.02	Complete a Site Evaluation for the C-333 facility in accordance with the Site Management Plan and submit a report to DOE	Concurrence	October 5, 2025
333.	EM.PA.0040.A008.42.DR.04.01.03	Develop and submit final equipment catalogs for two switchyards (C-535 and C-537)	Information	March 31, 2020

Performance Evaluation Measurement Plan
Paducah Gaseous Diffusion Plant Deactivation and Remediation
Contract Number DE-EM0004895

FY 2021 and FY 2022

This Performance Evaluation Measurement Plan was prepared in accordance with Federal Acquisition Regulation 16.401 under Contract No. DE-EM0004895 and has been concurred upon and approved.

APPROVED:

Robert E. Edwards Digitally signed by Robert E. Edwards
Date: 2020.09.10 15:45:47 -04'00'

Robert E. Edwards, III, Fee Determining Official — Date
Portsmouth/Paducah Project Office

Table of Contents

1. Organization and Responsibilities 5
1.1. Roles and Responsibilities 5
2. Fee Processes 7
2.1. Review requirements 7
2.2. Determine fee value 7
2.3. Draft PEMP and/or revision 8
3. Performance Evaluation Documentation 8
4. Fee Process Documentation 9
5. Fee Plan Change Procedures 9
5.1. Method for Changing Plan Coverage 9
6. Incentive Structure 10
6.1. Available Award Fee 11
6.2. PBI Fee 11
Exhibit 1 17
AWARD FEE RATING TABLE 17
Exhibit 2 18
AWARD FEE RATING WEIGHTING 18
Exhibit 3 19
EXAMPLES OF ADJECTIVAL FACTOR DESCRIPTIONS 19
Exhibit 4 23
PERFORMANCE BASED INCENTIVES EVALUATION CRITERIA 23
Exhibit 4A 39
FY20 CARRY FORWARD 39
PERFORMANCE BASED INCENTIVES EVALUATION CRITERIA 39
Exhibit 5 41
PBI CERTIFICATE OF COMPLETION 41

Introduction

Federal Acquisition Regulations (FAR) 16.401 through FAR 16.402-4 discuss incentive Contracts and place incentives in two major categories: award fee and performance-based incentives (PBI). The term Performance Evaluation Measurement Plan (PEMP) is used to address a fee plan that includes both types of incentives[1]. When measuring performance for award fee, the Contracting Officer (CO) will document the evaluation using adjectival ratings and their associated descriptions, and award fee percentages prescribed in Table 16-1 in FAR 16.401.

This document serves as the PEMP for the Paducah Gaseous Diffusion Plant (PGDP) Deactivation and Remediation (D&R) Contract at the U.S. Department of Energy (DOE) Paducah Site addressing management of Contractor fee provisions of Contract No. DE-EM0004895. This document provides the framework to satisfy Contract Clause DOE-H-2060, *Base and Award Fee*, and Section B, Clauses B.11 and B.9 entitled, *Provisional Payment of Fee*, and *Fee Reductions*, respectively. It also provides the standardization necessary to assure effective development, administration, and coordination of all phases of the fee process. In the event of a conflict between the PEMP and the Contract, the Contract takes precedence. Additionally, the PEMP process is integrated with the Contract Management Plan and the Risk Management Plan to provide a streamlined and comprehensive methodology to consistently capture and report on the performance for the D&R Contract. As such, the evaluation from the PEMP will also be used as input to FAR 42.15, *Contractor Performance Information*, through the Contract Performance Assessment Reporting System (CPARS).

The PEMP was developed with the following objectives:

- Focus the Contractor on areas of greatest importance for success, such as:
    - reduction of surveillance and maintenance (S&M) costs,
    - remedial investigation implementation,
    - stabilization and deactivation activities, and
    - safe, secure, and effective work environment.
- Clearly communicate Contract performance evaluation procedures and provide for effective communication between the Contractor and DOE
- Be kept as simple as possible commensurate with the complexity and dollar value of the Contract

This PEMP is the basis for the DOE evaluation of the Contractor's performance and for presenting an assessment of that performance to the Fee Determining Official (FDO). It describes specific criteria and procedures used to assess the Contractor's performance and to determine the amount of fee earned. Actual award fee determinations and the methodology for determining fee are unilateral decisions made solely at the discretion of the Government.

[1] DOE Acquisition Guide Chapter 16.405 (June 2019)

1. Organization and Responsibilities

The following responsibility structure is established for administering fee provisions of the Contract. Fee administration consists of a headquarters' contingent providing approval of the original PEMP revisions and associated incentives. Fee administration at the Paducah Site includes the FDO and an Award Fee Board (AFB), which consists of a chairperson, co-chairs, Performance Monitors (PM), CO, and the Contracting Officer's Representative (COR).

Figure 1: Responsibility Structure for Fee Administration



1.1. Roles and Responsibilities

1. FDO. The FDO approves the PEMP and any revisions. The FDO reviews recommendation(s) of the AFB, considers all pertinent data, and determines the earned fee amount for each evaluation period prior to final approval. Primary FDO responsibilities are:
    - Determine the fee earned and payable for each evaluation period as described in Section 3,
    - Approve changes to the PEMP as addressed in Section 5, and
    - Appoint members to the AFB (including the Chair and Co-chair).

2. CO. The CO ensures the fee process is properly administered in accordance with agency regulations and the terms of the Contract. The CO modifies the Contract when the PEMP is issued or revised during the term of the Contract. Primary CO responsibilities are:
    - Concur on the PEMP and any revisions,
    - Ensure the fee process is managed consistent with applicable acquisition regulations,
    - Meet with the Contractor periodically during each evaluation period,

- Submit an Award Fee Report (AFR) to the FDO,
- Issue PEMP revisions as necessary prior to each evaluation period in accordance with the terms of the Contract,
- Support the AFB in monitoring, evaluating, and assessing the Contractor's performance against performance objectives and measures set forth in this PEMP,
- Attend all AFB meetings and assist the chair in preparing award fee correspondence for the FDO, and
- Coordinate the administrative actions required by the AFB and the FDO, including:
  - Accomplish other actions required to ensure smooth operation of the award fee process, and
  - Facilitate Business Clearance Review with the Head of Contracting Activity and the Office of Acquisition Management.

3. COR. The COR maintains written records of the Contractor's performance in their assigned evaluation area(s) so that a fair and accurate evaluation is obtained and prepares interim and end-of-period evaluation reports. Primary responsibilities of the COR are:
   - Monitor, evaluate, and assess the Contractor's performance in accordance with the PEMP,
   - Meet with the Contractor periodically during each evaluation period to discuss concerns or issues related to the Contractor's performance,
   - Receive, process, and distribute evaluation reports from all required sources,
   - Schedule and assist with internal evaluation milestones, such as briefings to the FDO and debriefings to the Contractor, and
   - Provide management support to the CO and AFB chair during the term of the contract.

4. AFB Chair. The AFB is usually chaired by the DOE Paducah Site Lead.

   The primary responsibilities of the AFB are:
   - Monitor, evaluate, and assess the Contractor's performance in accordance with the PEMP,
   - Meet with the Contractor periodically during each evaluation period to discuss concerns or issues related to the Contractor's performance,
   - Provide quarterly Contractor performance briefings to the FDO,
   - Collect evaluation inputs for use in the development of the Interim and Annual Evaluation,
   - Develop an AFR discussing the Contractor's performance with recommended ratings and corresponding award fee earned for each evaluation period (Performance Evaluation Report format is preferred). The AFR shall include an appendix of all minority opinions, and
   - Develop and coordinate proposed changes to the PEMP and recommend those changes to the FDO for incorporation into the PEMP.

The primary responsibilities of the AFB Chair are to:

- Recommends members of the AFB to the FDO,
- Review the evaluation reports prepared by members of the AFB and provide feedback as needed,
- Consider the Contractor's self-assessment and any minority opinions prior to approving the AFR and any revisions thereto,
- Approve the AFR and provide recommended ratings and corresponding fee earned to the FDO,
- Ensure that the AFR is issued to the CO, COR, and FDO,
- Provide the FDO with a quarterly briefing on performance, addressing each of the performance goals,
- Consult with the FDO prior to the mid-term feedback session with the Contractor,
- Arrange periodic site visits, and
- Communicate any critical performance issues to the CO, COR, and FDO.

5. PM. The PM is the Federal technical expert who monitors, evaluates, and maintains written records of the Contractor's performance in their assigned evaluation area(s) so that a fair and accurate evaluation is obtained. The PM prepares interim and end-of-period evaluation reports as directed by the AFB.

2. Fee Processes

2.1. Review requirements

The AFB works routinely with the CO to:

- Review current and emerging agency and Contract requirements, including recent revisions/modifications to these requirements,
- Determine mission strategies specific to the Contract, and
- Recommend fee distribution, including any revisions to the PEMP.

2.2. Determine fee value

Fee described herein is earned based upon the Contractor's performance of the overall contract level requirement during the evaluation period. The Contractor begins the evaluation period with 0% of the available fee and earns fee during the evaluation period. Final fee determination for each evaluation period is the unilateral decision of the FDO. The potential for the Contractor to earn 100% of the fee amount is a mutual goal of the Contractor and the Government, as it demonstrates the program's objectives were clearly communicated and achievable. Additionally, provisional payment of a proportional quarterly amount equivalent to 75% of the available fee for the evaluation period will be allowed.

The amount of proposed fee applied to any individual activity (fee-bearing work) is determined first by mission need, followed by fiscal responsibility to stakeholders by comparing the cost of work against quality results for significant Contract level performance. The AFB develops and uses criteria to determine Contract costs as a factor in measuring performance in accordance with Exhibit 1.

2.3. Draft PEMP and/or revision

The AFB works with the COR and PM to develop completion and acceptance criteria, including completion documentation, for fee bearing work. The criteria are documented in the PEMP. The FDO and CO provide concurrence on documents. The CO begins coordinating review of the PEMP for the subsequent evaluation period at least 75 days prior to the start of that period. The CO modifies the Contract as necessary to incorporate any revisions to the PEMP.

3. Performance Evaluation Documentation

Contract performance will be monitored and evaluated routinely through oversight of operations and regularly scheduled meetings by the AFB. The Contractor will be required to demonstrate proactive management principles to optimize worker safety, reduce risks, control costs, and provide consistent excellence in documented results. Performance is measured using objective measures (generally consisting of a final product or completion/delivery by a pre-determined date) and subjective measures using a pre-established format (adjectival) provided in FAR 16.

The method for monitoring, evaluating, and assessing Contractor performance during the period as well as for determining the fee earned, is described below.

1. The available fee is shown in Contract Section B.2, *Cost-Plus-Award-Fee Contract: Total Estimated Cost and Award Fee*. The fee earned will be paid based on the Contractor's performance during the evaluation period.

2. In accordance with the requirements of the CPARS, performance evaluation and reporting is required every 12 months. An assessment is completed for the performance that has occurred since the last evaluation period. An Interim Evaluation may also be completed at the midpoint of the evaluation period. The CO notifies AFB members and PMs 30 calendar days before the midpoint of the evaluation period if an interim evaluation is to be conducted. The PMs assess the Contractor's performance and submit interim evaluation inputs. The AFB evaluates the PM input and notifies the Contractor of the strengths and weaknesses for the current evaluation period. The CO may also issue letters at any other time when it is deemed necessary to highlight areas of concern.

3. The Contractor may provide a written self-evaluation of performance no later than 14 calendar days after the end of each evaluation period. The self-evaluation shall address both the strengths and weaknesses of the Contractor's performance during the evaluation period. Where deficiencies in performance are noted, the Contractor shall describe the actions planned or taken to correct such deficiencies and avoid their recurrence. In other words, the self-evaluation should clearly assess the Contractor's measured performance against the standard of excellence.

4. The annual evaluation is considered the end-of-period evaluation. The CO notifies AFB members and PMs at least 30 calendar days before the end of the evaluation period. The AFB members assess the Contractor's performance and submit end-of-period evaluation reports. The AFB shall evaluate the Contractor's performance in the major areas

identified in this PEMP based upon performance objectives and measures set forth in the exhibits to this document.

5. The AFB prepares its evaluation report, recommended ratings, and corresponding award fee earned based on the evaluation criteria described in Exhibit 3, *Adjectival Factor Descriptions*, and Exhibit 4, *Performance Based Incentives (PBI) Evaluation Criteria*, with supporting documentation to include all minority opinions.

6. The AFB briefs the evaluation report and recommendations to the FDO. At this time, the AFB may also recommend to the FDO any revisions to the PEMP.

7. The FDO may consider all available information including: the AFR; information originating from day-to-day operations; the Contractor's optional self-evaluation; and his/her own observations relating to the performance objectives in determining the amount of award fee earned during the period. DOE will use its best efforts to determine the award fee earned and issue an award fee determination letter to the Contractor within 90 calendar days after the end of the evaluation period.

8. The FDO may also consider fee reductions according to Contract Clauses B.9, *Fee Reductions*, and B.10, *Small Business Subcontracting Fee Reduction.*

9. The FDO provides the final fee amount to the CO.

10. The CO issues a contract modification authorizing payment of the award fee earned amount.

4. Fee Process Documentation

1. The AFB is responsible for documenting evaluations and assessments conducted, results obtained, and award fee meetings with Contractor personnel and for maintaining a file of backup documentation to the PEMP. The AFB Official Contract File will contain all of the documentation developed by the AFB.

2. The CO, in coordination with the Office of Chief Counsel, will make a recommendation to the FDO as to what information should be released to the Contractor to accompany the fee determination letter. The CO may elect to use the AFB documentation as a basis to satisfy requirements of FAR 42.15, *Contractor Performance Information*, through the CPARS.

5. Fee Plan Change Procedures

5.1. Method for Changing Plan Coverage

The method to be followed for changing plan coverage is the same procedure as Section 2, *Fee Processes*.

1. Personnel involved with the fee process are encouraged to recommend changes in plan coverage with a view toward changing Performance Areas, motivating higher performance levels, or improving the award fee determination process.

2. The AFB will coordinate identified changes with the Contractor. Approximately 60 calendar days prior to the end of each evaluation period, the AFB will submit to the FDO for approval proposed changes applicable to the next evaluation period, with appropriate comments and justification, or inform the FDO that no changes are recommended for the next period.

3. The CO may unilaterally change this plan prior to the beginning of an evaluation period. The Contractor will be notified of changes to the plan by the CO, in writing, before the start of the affected evaluation period. The PEMP may be revised unilaterally at any time during the evaluation period; however, the revised PEMP, or revised portion thereof, shall not be effective until one calendar day after the Contractor receives the revised PEMP.

6. Incentive Structure

The AFB, in determining the amount of the total base period fee to be made available for Fiscal Year (FY) 21 and 22, considered the overall discrete workload planned or expected for FY21/FY22. Discrete work activities (e.g., utility optimization, C-400 Remedial Investigation, process facility characterization and deposit removal, etc.) are expected to increase in years 4 and 5 of the Base Period. Contract Line Item Numbers (CLINs) in Table 1 below show the AFB assigned percentages of the total combined Base Period fee to FY21 and FY22 in consideration of this workload.

The fee incentive structure is divided into two components. The first component, as illustrated in Table 2, is the Available Award Fee, which is awarded based on adjectival rating categories of performance. The second component, as illustrated in Table 3, is the PBI Fee, which is awarded based on successful completion of specific goals set forth in this plan.

Table 1: Percent of Base Period Fee Assigned to FY21/FY22 (as of Mod 0068)

CLIN	CLIN Title	Percent Base Period Fee[1] Assigned to	Available Award Fee for	PBI Fee for FY21/FY22
0101	Base Operations and Remediation	[redacted]		
0102	Polychlorinated Biphenyls (PCBs)			
0103	Safeguards and Security			
0104	Worker Pensions & Retirement Health Benefits			
0105	Stabilization and Deactivation			
	FY21/FY22 Total			

[1]As of Contract Modification 0068, the total available base

6.1. Available Award Fee

This fee component has been divided into the following sub-component incentives: quality, schedule, cost control, management, regulatory compliance, and business systems (see Exhibit 2). Each sub-component incentive will be evaluated separately and will receive an adjectival rating ranging from Unsatisfactory to Excellent. An event could potentially impact performance evaluations in multiple adjectival rating categories.

The Available Award Fee for FY21 and FY22 by CLIN is shown in Table 2.

Table 2: Available Award Fee for FY21/FY22

CLIN	CLIN Title	Award Fee for FY21/FY22[1]	Percent Base Period Fee Assigned to FY21/FY22 by CLIN	Percent of FY21/FY22 Total Fee
0101	Base Operations and Remediation	[redacted]		
0102	Polychlorinated Biphenyls (PCBs)			
0103	Safeguards and Security			
0104	Worker Pensions & Retirement Health Benefits			
0105	Stabilization and Deactivation			
FY21/FY22 Total				

[1] Table 2, *Available Award Fee*, illustrates the award fee earning potential following the evaluation process presented in Exhibits 1 and 2. An effort will be made to align the evaluation periods with the Government FY, and the initial and final evaluation period(s) may constitute more or less than 12 months.

6.2. PBI Fee

Fee bearing objectives were identified to reflect DOE's objectives in Base Operations and Remediation (CLIN 0101) with regard to Work Breakdown Structure (WBS) elements related to S&M, asset recovery/recycling, and securing a safe and effective work environment. Additionally, objectives were identified to focus the Contractor in the field execution of WBS elements in Stabilization and Deactivation (CLIN 0105).

Table 3: Available PBI Fee for FY21/FY22

CLIN	CLIN Title	PBI Fee for FY21/FY22	Percent Base Period Fee Assigned to	Percent of FY21/FY22
0101	Base Operations and Remediation	[redacted]		
0102	Polychlorinated Biphenyls (PCBs)			
0103	Safeguards and Security			
0104	Worker Pensions & Retirement Healt Benefits			
0105	Stabilization and Deactivation			
FY21/FY22 Total				

[1] In prior years, available PBI fee for each CLIN was based on total estimated costs for that CLIN. For FY20 and going forward, available PBI fee is merged into a single amount allowing fee to be assigned based on the importance of the work to the site. This column now represents the percentage of fee assigned to CLIN 0101 or 0105 of the total PBI fee available.

COVID-19 Impacts
Due to impacts on work in FY20 associated with the COVID-19 work pause, three FY20 PBIs will continue into FY21. Fee for these PBIs is not included in the above tables since this funding was already allocated in FY20 and will remain with the same PBI allowing the Contractor to earn the fee upon completion of the work. These three PBIs have a total fee allocation of [redacted] See Exhibit 4A, *FY20 Carry Forward Performance Based Incentives Evaluation Criteria,* for a listing of the PBIs continuing into FY21 along with the fee assigned to each.

Base Operation and Remediation
The PBIs identified are intended to focus the Contractor's actions on improving the safety of workers and reducing risk to the environment. A PBI is identified to eliminate highly reactive chemicals, such as fluorine (F_2) and uranium hexafluoride (UF_6) associated with systems and processes no longer in operation. Additional risk reduction will be realized when the Contractor establishes a site-wide chemical inventory system that is fully integrated with the procurement process and field use of chemicals and allows site employees with ready accessibility to Safety Data sheets. A PBI is identified to focus on completion of consultations with the Environmental Protection Agency (EPA) and the Commonwealth of Kentucky (KY) on approximately 50 facilities associated with the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) determination. These determinations are key for future demolition activities at the site. A PBI is identified to develop an on-line Solid Waste Management Unit (SWMU) system that will include a library of information such as regulatory correspondence, assessment reports, CERCLA documents, and current information and data for each SWMU. Finally, a PBI is identified to focus the Contractor on the completion of fieldwork associated with the Remedial Investigation/ Feasibility Study (RI/FS) Work Plan for the C-400 Complex Operable Unit. This work will position DOE for future demolition of the C-400 facility and implementation of remedial actions.

Surveillance and Maintenance
A PBI is identified to focus the Contractor's actions toward demolishing more than 35 excess and out-of-service trailers, storage sheds, tanks, railcars, and other structures across the site, including content disposition. A PBI is identified to modify the sprinkler systems in the process facilities to allow for elimination of auxiliary heating of those systems in the winter. This elimination will result in reducing S&M costs for the buildings as well as power costs for the site. Other PBIs focus on Asset Recovery and Recycling, deactivation of the final site switchyard, repairs to process facility plenums, and removal of fissile material to allow for the deactivation of the Criticality Accident Alarm System (CAAS) and downgrade of the C-710 facility.

Stabilization and Deactivation
A number of fee bearing objectives are identified that collectively illustrate the actions and attention needed toward implementing and sustaining an effective and efficient approach to Stabilization and Deactivation of the C-333 facility at the PGDP.

These PBIs include the removal of asbestos cell housing panels, which will support near term characterization and deposit removal activities. A PBI is identified to characterize and properly disposition off-site over 400 pieces of loose process gas equipment (PGE) from the facility. PBIs are also identified to complete the deactivation of several key areas of the facility, including the cell recovery area, 18 of the 60 cells, and the C-333A vaporizer facility. Finally, a PBI was identified to design and construct a Material Sizing Area (MSA) to allow for the segmentation of all plant PGE up to and including a "000" size converter.

A list of the specific PBIs and available PBI Fee for FY21/FY22 are provided in Table 4.

Table 4: Performance Based Incentives

CLIN	CLIN Title	PBI Elements	Discrete PBI Value
Total FY21/FY22 PBI Fee Available			[redacted]
0101	Base Operations and Remediation	*NOTE: Specific details, including completion criteria and evidence of completion, for each PBI can be found in Exhibit 4.* **PBI 0101-A:** The Contractor shall optimize and reduce S&M costs. Additionally, the Contractor shall minimize the size/footprint of occupied facilities to the greatest extent practical. The following incentivized activities highlight the significance to DOE of sustaining a rigorous S&M program and reducing ongoing and out-year landlord expenses and/or hotel load at the PGDP. 1. By May 2, 2022, and in accordance with the requirements of the approved transitional fire hazards analysis (TFHA), the Contractor shall perform the necessary modifications to the sprinkler systems in the process facilities to eliminate auxiliary heating of the sprinkler systems and to allow for shutdown of the High Pressure Fire Water (HPFW) system. 2. By May 13, 2022, the Contractor shall complete the compliant disposition of the personal property listed in Exhibit 4. The excess personal property shall follow the formal personal property excess process prior to being considered for dispositioning as a waste. As part of this process, the property shall be made available to other DOE sites for reuse prior to making available to the Paducah Area Community Reuse Organization (PACRO) for reuse/recycling. 3. By September 1, 2021, the Contractor shall remove and compliantly disposition the trailers, sheds, and/or other structures/equipment listed in Exhibit 4 to preclude degradation that would result in increased costs to DOE.	

CLIN	CLIN Title	PBI Elements	Discrete PBI Value
		4. By September 1, 2021, complete the characterization, removal, and disposition of fissile material from C-710, deactivation of the CAAS, and downgrade of the facility. 5. By November 30, 2021, the Contractor shall complete repairs to 38 plenums located on the roofs of the C-333 and C-337 process facilities. **PBI 0101-B:** The Contractor shall implement and sustain a safe, secure, and effective work environment that is protective of the workers, the public, and the environment by achieving at a minimum the following objectives. 1. By May 13, 2022, the Contractor shall compile and document the necessary information to complete the consultation with EPA and KY for facilities in the D2/R1 FY20 Site Management Plan, Appendix 6, that are pending further CERCLA determination, including completion of the Site Evaluation packages for other facilities listed in the D2 FY20 Site Management Plan, Appendix 4, to determine if a CERCLA action is warranted. 2. By May 2, 2022, the Contractor shall complete the development of an online (internal Paducah Site networks) SWMU system that includes the library of information for each SWMU, the SWMU Assessment Report, regulatory correspondence, a detailed map, pictures, and other current information and data. 3. By December 1, 2021, the Contractor shall establish a site-wide chemical inventory system that meets the requirements in Exhibit 4. 4. By April 1, 2022, the Contractor shall complete all activities associated with the approved RI/FS Work Plan fieldwork for the C-400 Complex Operable Unit. **PBI 0101-C:** In accordance with the requirements in Performance Work Statement (PWS) Section C.1.2 and C.1.3, the Contractor shall identify and eliminate systems and processes that are no longer necessary and maintain the safe configuration of the facilities. The Contractor shall complete the following activities by May 2, 2022. a. The Contractor shall compliantly disposition all F_2 in E and F drums and piping in the C-331 facility. b. The Contractor shall complete the compliant disposition of the UF_6 in the sodium fluoride (NaF) trapping systems (including the trapping media) in C-310.	[redacted]

CLIN	CLIN Title	PBI Elements	Discrete PBI Value
0105	Stabilization and Deactivation	**PBI 0105-A:** The activities below will support the Stabilization and Deactivation of the C-333/C-333A process facility. Successful completion of this work will ultimately allow DOE to defensibly declare the facility criticality incredible and enable downgrade of its hazard category. 1. By April 30, 2022, the Contractor shall complete the removal and disposition of the remaining asbestos cell housing panels in C-333. 2. By September 1, 2021, and as proof of principle for the Characterization and Criticality Incredible Database (CCID), the Contractor shall remove, package, and properly disposition all PGE previously characterized under the seal exhaust (SX)/wet air (WA) FY20 PBI 0105-A.3. 3. By May 13, 2022, the Contractor shall characterize, remove, package, and properly disposition all loose PGE (excluding converters/compressors) on the cell and ground floors of the facility. This effort includes any loose PGE that was previously characterized under FY20 PBI 0105-A.6. 4. By May 20, 2022, the Contractor shall characterize all PGE (e.g., piping, valves, traps, jets, relief drums, etc.) in the C-333A facility. The Contractor shall also perform sufficient characterization of the facility to support hazardous material removal and disposition. 5. By November 2, 2021, the Contractor shall characterize, remove, package, and disposition off-site all PGE associated with the cell servicing area and holding drums including, but not limited to, piping, valves, cold traps, drums, instrumentation, tubing, chemical traps, and vacuum pumps within the boundary of the cell servicing area/holding drum room. 6. By May 13, 2022, and in support of stabilization and deactivation activities in C-333, the Contractor shall complete all deactivation activities associated with cell floor areas C7, C8, and C9. 7. By May 1, 2022, the Contractor shall complete the design and construction of a MSA that has the capability to perform full segmentation of PGE up to and including an uprated “000” converter, and shall successfully pass a DOE Readiness Review.	[redacted]

Each element of the PBI will be evaluated as identified in Exhibit 4. Due to COVID-19 work delays in FY20, three PBIs from FY20 are carried forward and elements of those PBIs will be evaluated as identified in Exhibit 4A. DOE may, at its sole discretion, allow partial provisional fee or earned fee within the PBI element based on the work completed. DOE will issue a contract modification when annual PBIs are revised.

The Contractor shall sign/certify and submit to DOE a *Certification of Completion* for each PBI completed; see Exhibit 5. The *Certificate of Completion* for each PBI shall include supporting documentation such as acceptance/test reports, shipping manifest or other proof of completion. The *Certificate of Completion,* including all supporting documentation, shall be delivered to DOE within 15 days of PBI completion or the end of the evaluation period. If the Contractor determines that the *Certificate of Completion* submitted is incomplete or requires an update, the Contractor shall immediately notify DOE and resubmit a revised *Certificate of Completion* along with the updated/revised documentation attached. The certificate may be executed by any person authorized to bind the Contractor.

Exhibit 1
AWARD FEE RATING TABLE

UNSATISFACTORY	SATISFACTORY	GOOD	VERY GOOD	EXCELLENT
0% Earned	**No Greater than 50%**	**51-75% Earned**	**76-90% Earned**	**91-100% Earned**
Contractor has failed to meet overall cost, schedule, and technical performance requirements of the contract in the aggregate as defined and measured against the criteria in the award fee plan for the award fee evaluation period.	Contractor has met overall cost, schedule, and technical performance requirements of the contract in the aggregate as defined and measured against the criteria in the award fee plan for the award fee evaluation period.	Contractor has exceeded some of the significant award fee criteria and has met overall cost, schedule, and technical performance requirements of the contract in the aggregate as defined and measured against the criteria in the award fee plan for the award fee evaluation period.	Contractor has exceeded many of the significant award fee criteria and has met overall cost, schedule, and technical performance requirements of the contract in the aggregate as defined and measured against the criteria in the award fee plan for the award fee evaluation period.	Contractor has exceeded almost all of the significant award fee criteria and has met overall cost, schedule, and technical performance requirements of the contract in the aggregate as defined and measured against the criteria in the award fee plan for the award fee evaluation period.

Adjectival Rating Notes

EXCELLENT (91-100%)

Performance is of the highest quality that could be achieved under the contract. There are no areas of deficiencies or problems encountered during the evaluation period.

VERY GOOD (76-90%)

Performance is of high quality and approaching the best that could be performed by the Contractor. Work completed greatly exceeds the average performance level. A few minor problems are experienced during the evaluation period without impacting the overall level of performance.

GOOD (51-75%)

Contractor exceeds some contract requirements in a manner demonstrating commitment to the program. Work is completed much better than the minimum required performance. Areas of deficiency and minor problems are more than off-set by areas of good performance.

SATISFACTORY (≤50%)

Contractor's performance is the minimum required level to meet needs. Areas of good performance are offset by deficiencies and problems, which reduces performance to a level that is minimally acceptable under the contract.

UNSATISFACTORY (0%)

Contractor does not meet minimum contract requirements.

Exhibit 2
AWARD FEE RATING WEIGHTING

ADJECTIVAL RATING CATEGORIES OF PERFORMANCE	WEIGHTINGS
1. Quality	20 %
2. Schedule	15 %
3. Cost Control	20 %
4. Management	15 %
5. Regulatory Compliance	15 %
6. Implementation of Business Systems	15 %

Exhibit 3
EXAMPLES OF ADJECTIVAL FACTOR DESCRIPTIONS

QUALITY (20%)

- The Contractor will be evaluated on the effectiveness of implementation of the Contractor Assurance System to provide documented assurance that workers, the public, the environment, and national security assets are adequately protected while meeting performance expectations of the Contract.

- The Contractor will be evaluated on the quality and effectiveness of their policies, plans, and procedures governing Contractor activities.

- The Contractor will be evaluated on their application and incorporation of Environmental Safety, Health, Security, and Quality Assurance (ESH&QA) principles and requirements into work scopes and specific programs and efforts including, but not limited to, radiological protection, environmental protection, industrial safety, security (includes cyber security), nuclear safety, waste shipping, emergency management, waste minimization, Conduct of Operations, Quality Assurance (QA), and work planning initiatives.

- The Contractor will be evaluated on their ability to effectively and timely identify, manage, prevent or correct, report, and resolve deficiencies. The Contractor will also be evaluated on the thoroughness of their responses to deficiencies to prevent recurrence of each deficiency, including the manner and adequacy of tracking, trending, and root cause/lessons learned analyses, reporting, and formal closure process. The Contractor will be evaluated on their effectiveness when implementing corrective actions.

- The Contractor will be evaluated on the quality and effectiveness of all contractual and regulatory deliverables including, but not limited, to regulatory submittals (e.g., Federal Facility Agreement [FFA] documents, permits), Safety Basis Documents, Optimization Plans, Security Plans, etc.

- The Contractor will be evaluated on their performance of S&M, including maintaining roof warranties, preventative maintenance, corrective maintenance, etc.

SCHEDULE (15%)

- The Contractor will be evaluated on the timeliness of the completion of contractual deliverables. One hundred percent of deliverables must be provided on time in order to achieve at least a satisfactory rating.

- The Contractor will be evaluated on the timeliness of the completion of contractual milestones (fieldwork).

- The Contractor will be evaluated on overall and specific program and project status performance against the approved baseline.

- The Contractor will be evaluated on their ability to respond to in-scope requests for support and information/reports.

- The Contractor will be evaluated on their ability to submit timely, accurate, and auditable proposals and baseline changes in response to requests for proposals or change orders.

- The Contractor will be evaluated on their ability to minimize deferred maintenance on equipment and systems that are related to safety (regardless if they are credited in the Safety Basis Documents or Technical Safety Requirements). Additionally, the Contractor will be evaluated on their ability to repair all system impairments on safety related systems within 90 days.

COST CONTROL (20%)

- The Contractor will be evaluated on the cost underruns/overruns and effective cost controls associated with the completion of work. Work that cannot be completed due to overruns in other project areas will have a negative impact on the award fee evaluation.

- The Contractor will be evaluated on their effectiveness in forecasting, managing, and controlling contract cost. The Contractor will be evaluated on their ability to accurately forecast monthly cost and funds management.

- The Contractor will be evaluated on the effectiveness, timeliness, and adequacy of its ability to perform tasks in the most cost effective manner consistent with approved baselines.

- The Contractor will be evaluated on developing and presenting initiatives that result in tangible savings to DOE (cost or risk).

- The Contractor will be evaluated on how costs are tracked and reported. This includes the accuracy of Estimate at Completion, accuracy of cost projections and effectiveness of baseline change management.

- The Contractor will be evaluated on overall and specific program and project status performance against the approved baseline and the effectiveness of program and project reporting tools and systems.

- The Contractor will be evaluated on the development and submittal of cost benefit analyses used for decision making.

- The Contractor will be evaluated on the implementation of risk-based implementation of Min-Safe/Base-Operational requirements for improving cost effectiveness while maintaining commensurate level of safety, quality and security.

MANAGEMENT (15%)

- The Contractor will be evaluated on how effectively programs and projects are managed.

- The Contractor will be evaluated on the effectiveness of senior managers in support of DOE, providing leadership to the work force, and ensuring an overall positive safety and performance culture.

- The Contractor will be evaluated on their effectiveness in coordinating with, and applying lessons

learned from, Portsmouth and other DOE/commercial sites when implementing similar operations.

- The Contractor will be evaluated on the effectiveness of coordination with the Infrastructure Contractor and other Site Contractors to support and implement provided services as described in the Interface Requirements Matrix of the Contract and the reduction of costs to implement these services.
- The Contractor will be evaluated on the number of items and overall volume of equipment and materials transferred to PACRO. Transfer is defined as PACRO taking ownership of the equipment and materials and physically removing it from the site.
- The Contractor will be evaluated on the effective implementation of the Contractor human resources management requirements.
- The Contractor will be evaluated on the fulfillment of expectations of the Contractor's Community Commitment Plan.
- The Contractor will demonstrate proactive communication with Corporate Official and parent companies to identify project issues early and resolve them.

REGULATORY COMPLIANCE (15%)

- The Contractor will be evaluated on their compliance with all applicable Environmental Regulations (local, state, and federal), Regulatory Agreements (e.g., Agreed Orders, Negotiated Settlements, Permits, Toxic Substances Control Act, Federal Facility Compliance Agreement, FFA, and Site Management Plan), and Permits. This evaluation includes the timeliness and effectiveness of implementing corrective actions (short term and long term) for Notices of Violation or other non-compliances.
- The Contractor will be evaluated on their compliance with standard business/accounting systems/practices and all applicable regulations (DOE Policies, Orders and Standards, FAR, etc.).
- The Contractor will be evaluated on their compliance with DOE Security/Cyber Security requirements (e.g., Executive Orders, DOE Policies, Orders and Standards, Site Security Plans, and Cyber Security Directives) and DOE security-related promulgated regulations including, but not limited to, Title 10, Code of Federal Regulations (CFR), Part 824, 10 CFR 1046, 10 CFR 1016, and 10 CFR 1045.
- The Contractor will be evaluated on their compliance with DOE ESH&QA Requirements (e.g., Executive Orders, DOE Policies, Orders Directives, Standards, and Implementing Plans) and DOE Safety/QA related promulgated regulations including, but limited to, 10 CFR 851, 10 CFR 830 Subpart A, 10 CFR 830 Subpart B, and 10 CFR 835.
- The Contractor will be evaluated on their compliance with CERCLA, Resource Conservation and Recovery Act (RCRA) Removal and Remedial implementing documents (e.g., Records of Decisions, Action Memorandums, Remedial Action Work Plans, and Sampling Plans). The Contractor will also be evaluated on the implementation and maintenance of Operations and Maintenance Plans.

- The Contractor will be evaluated on their compliance with all other applicable regulatory requirements (e.g., Executive Orders, DOE Policies, Orders Directives, Standards, and Implementing Plans), regulations (applicable local, state, and federal); and cited American National Standards Institute standards.

IMPLEMENTATION OF BUSINESS SYSTEMS (15%)

- The Contractor will ensure cost proposals are clearly traceable to the existing baseline and contract data and are consistent with an approved estimating system. The Contractor will ensure all proposal data, including Basis of Estimates, contain sufficient detail to support technical reviews and cost analyses. The Contractor will readily respond to questions and provide supplemental information to support Requests for Equitable Adjustments upon request. The Contractor will monitor the impact of potential changes to the project schedule and submit cost proposals in a timely manner to ensure adequate time to evaluate and negotiate.

- The Contractor will consistently perform procurement activities within the requirements of their DOE approved purchasing system. The Contractor will prepare and submit annual procurement forecasts and monthly procurement reports. The Contractor will complete an annual self-assessment in accordance with the contract and provide results to the Government.

- The Contractor will clearly demonstrate sensitivity to compliance with FAR requirements through timely response to contract administration and audit inquiries and provide resources to resolve issues raised by Government personnel. The Contractor will submit the appropriate documentation and respond to inquiries by the due dates.

- The Contractor will ensure payment voucher costs are traceable to actual incurred costs. All requests for payment, including subcontractor's requests for payment, are audited by the Contractor to ensure they are reasonable, allowable, and allocable prior to submission to the Government.

- The Contractor will demonstrate a good-faith effort to meet the percentage of total, actual subcontracting dollars established in the contract's small business and small-disadvantaged business subcontracting plan.

- The Contractor will track and protect all government property in accordance with an approved property system, including marking property, tracking property, maintenance of property, and disposition of excess of property.

- The Contractor will demonstrate effective subcontract management, including award of subcontracts as scheduled, inclusion of all requirements, subcontractor audits, and subcontract administration. The Contractor will monitor subcontractor performance to ensure compliance with all requirements, including small business subcontracting plans, Buy American Act, and applicable labor statutes.

- The Contractor will demonstrate effective use of domestic suppliers of PPE and achieving on-time-delivery of PPE.

Exhibit 4
PERFORMANCE BASED INCENTIVES
EVALUATION CRITERIA

PBI # 0101–A.1 (See Section C, EM.PA.0040.A008.41.DR.01)	Surveillance and Maintenance	Completion Date: May 2, 2022
Performance Objective	In accordance with the requirements of an approved TFHA, the Contractor shall perform the necessary modifications (i.e., transition to dry hybrid system on the ground floor and use of hose reel type systems on the cell floor) to the HPFW systems in the process facilities. These modifications will allow for the elimination of auxiliary heating for the sprinkler systems in these facilities and reduce S&M costs. The Contractor shall also ensure necessary documents (e.g., procedures, drawings, etc.) including revisions to safety basis documents are completed. The Contractor shall ensure a reliable alternative water supply is available to charge the sprinkler systems. Design documents (30%, 60%, and 90%) for the hose reel system shall be made available to DOE for review along with approval of Certified for Construction (CFC) documents. By February 26, 2021, the Contractor shall perform an evaluation and provide for DOE's review the proposed end state of the HFPW tower, pumps, and controls that reduce the long-term risk associated with the tower structure and system. The Contractor shall complete the necessary modifications (dry hybrid/hose reel systems), including placing in service, along with the associated paperwork and safety basis changes by the following dates. C-333 cell floor only and C-337 entire facility – September 1, 2021 C-331 and C-335 entire facilities – May 2, 2022 By May 2, 2022, in accordance with an approved TFHA, the Contractor shall remove from service (i.e., isolate, air gap, drain) the HPFW systems in C-315 and C-310/C-310A. Air gaps shall be performed at locations that limit dead legs of piping associated with the main HPFW supply. By May 2, 2022, the Contractor shall isolate and shutdown the C-631 pump house and all pumps (recirculating cooling water and HPFW), and drain the associated process building recirculating cooling water headers back to the basin. The Contractor shall also implement the final proposed end state of the HPFW tower and system in accordance with the February 26, 2021, submittal. Demolition of the tower/system is not part of this PBI. *NOTE: The Federal Aviation Administration required lights on the top of the HPFW tower shall remain in service.* *NOTE: The Contractor shall manage their schedule such that an approved TFHA is in place in sufficient time to allow for the necessary modifications to be completed by the milestone dates above and allow for elimination of the*	

	auxiliary heating and reduction of S&M for the sprinkler systems. ***Physical work on the sprinkler systems as part of this PBI shall not be performed until an approved TFHA is in place for the specific facility.***
Performance Criteria Measures/Surveillance Method	This incentive will be measured by conducting walkdowns of the facility along with review of documentation to include, but not limited to, completed work packages, engineering evaluations, safety basis changes, as-built drawings and test results. All waste shall be properly dispositioned off-site in accordance with the completion date for each facility as indicated above.
	The following fee schedule applies upon the completion of this PBI by the completion dates as stated in the performance objectives. [redacted]

PBI # 0101–A.2 (See Section C, EM.PA.0040.A001.07.DR.13)	Asset Recovery and Recycling	Completion Date: May 13, 2022
Performance Objective	The Contractor shall complete the compliant disposition of the following personal property. The excess personal property shall follow the formal personal property excess process prior to being considered for dispositioning as a waste. As part of this process, the property shall be made available to other DOE sites for reuse prior to making available to PACRO for reuse/recycling. By November 30, 2020, the Contractor shall provide to DOE for approval a detailed listing of the remaining excess stores inventory in C-333, C-720-G, and Sealands at C-746-V along with an inventory of remaining gas cylinders on the C-720 south loading dock, at the C-742 cylinder storage facility, and in the C-333 facility. The submittal shall also include an inventory of excess material/ equipment at the C-746-S Landfill facility and an inventory of converter and compressor carts located north of C-720. As part of this November 30, 2020, submittal, the Contractor shall provide justification for inventory that will not be dispositioned and is required in support of the D&R work scope. The justification shall include the specific project and timeframe for which the materials are required. This justification is subject to DOE's approval. a. By August 13, 2021, the Contractor shall complete the compliant disposition of remaining excess stores inventory according to the approved listings for C-333, C-720-G, Sealands located at C-746-V, and remaining gas cylinder inventory located at C-720, C-742, and C-333. The Contractor shall also relocate the stores receiving and shipping areas to another facility/area outside the C-720 building footprint by January 31, 2021. The Contractor shall also properly disposition off-site all Process Gas Leak Detector heads in C-331 by August 31, 2021.	

	b. By May 13, 2022, the Contractor shall complete the compliant disposition of excess personal property according to the approved listings for the C-746-S Landfill and compressor and converter carts located north of C-720. *NOTE: Once inventory/material is removed from an area, facility, or Sealand container, additional inventory/material shall not be stored there without approval from DOE.*
Performance Criteria Measures/Surveillance Method	This incentive will be measured by evaluating whether the Contractor completed the compliant disposition of the excess equipment identified in the Performance Objective by the required completion date. Completion of disposition of the listed items will be achieved upon transfer to the Infrastructure Contractor for final disposition to another DOE site or to PACRO. If neither is viable, the Contractor shall compliantly dispose of the material as waste with evidence of permanent disposition. It is DOE's intent for the Contractor to maximize the number of items recycled/reused to the extent possible and to have all excess material removed from these areas.
Performance Target	A portion of the total fee is available as defined below for the various elements of the PBI. [redacted]

PBI # 0101–A.3 (See Section C, EM.PA.0040.A008.41.DR.01)	Surveillance and Maintenance/Footprint reduction	Completion Date: September 1, 2021
Performance Objective	The Contractor shall remove and compliantly disposition all trailers/sheds/tanks and other structures/equipment listed below, to preclude degradation that would result in increased costs to DOE. CERCLA, RCRA, and other applicable regulatory requirements shall be followed. Any work performed in a SWMU shall be conducted in accordance with site requirements. All contents of the trailer/sheds/tanks and other structures, including furniture and documents, must be dispositioned (excessed, disposed, or utilized) accordingly. All utility connections shall be disconnected. Additionally, the Contractor shall maximize the transfer to PACRO for excessing any such facilities, furniture/fixtures, or equipment. Should the Contractor determine one or more of the trailers/sheds/tanks or other structures/ equipment are needed to support the DOE mission, the Contractor shall provide to DOE written justification to include which project requires the item(s). Approval of the exemption is at DOE's discretion. By January 31, 2021, the Contractor shall disposition the C-743-T17 Field Support Lab Trailer. The Contractor shall disposition the C-412-T18, C-764-T11, C-102-T01 and C-102-T04 trailers and the following 27 tanks: • C-315 Propane Tanks (2), C-750 propane tanks (2), C-746 GE Betz tank, C-635-1 tank #6931, C-333 fuel oil tanks (2), C-337 fuel oil tanks (2), C-720 fuel oil tanks (2), C-540 fuel oil tank, C-331 emergency diesel tanks (2), C-333 emergency diesel tanks (3), C-335 emergency diesel tanks (2), C-337 emergency diesel tanks (3), C-310 emergency diesel tank, C-750	

	alcohol tank, C-720-C liquid varnish tank, and the C-720-L liquid oxygen tank. The Contractor shall also disposition the following: • Outfall sampling station structures that are no longer in use (the Contractor shall provide a list of structures for DOE approval) • Four sulfuric acid tanks north of the C-631pumphouse • Abandoned railcars: OROX 856, ENRX 2107, and ENRX 2109 located on track 4, ENRX 2108 located on track 8, and DODX 17532 located on track 15. • Portable cool shack south of C-745C • Two large insulated tanks, one each located north of C-633 and north of C-637 • Small portable cool shack located at the northwest corner of C-331 • Lincoln welder, flatbed Cushman, and other miscellaneous items located around this equipment just north of the C-740 yard fence • Approximately 36 pieces of industrial equipment no longer being used including, but not limited to, forklifts, cranes, front end loader, aerial lifts, sweepers, tow motors, etc. • Sewage lift stations, which are out of service and no longer required to support the site mission. The Contractor shall provide a list of lift stations that meet these criteria by November 13, 2020, for DOE review and approval. Once approved, the Contractor shall remove and properly disposition all above ground equipment/structures and air-gap any utilities associated with this list.
Performance Criteria Measures/Surveillance Method	This incentive will be measured by completing the compliant disposition, including contents, of the above stated trailers/sheds/tanks, other structures/equipment listed in the performance objectives, and any transfers to PACRO of facilities/furniture by the completion date. The Contractor will provide copies of shipping documentation and the certificate of disposal by the PBI completion date.
Performance Target	[redacted]

PBI # 0101–A.4 (See Section C, EM.PA.0040.A008.41.DR.01)	Surveillance and Maintenance C-710 Fissile Material Removal	Completion Date: September 1, 2021
Performance Objective	By September 1, 2021, the Contractor shall complete the removal, compliant disposition, and/or relocation (with DOE prior approval) of fissile material/ equipment from C-710 to allow for the deactivation and removal from service of the CAAS and to downgrade the facility to less than Hazardous Category (HC) 2. By December 1, 2020, the Contractor shall provide a listing of fissile material to be removed for DOE concurrence. With prior DOE approval, the Contractor shall transfer the 1S and 2S cylinders to another facility/location for storage. The Contractor shall complete the characterization of all fissile material equipment and systems (e.g., fissile drain systems, cold traps, sample tubes, etc.) and remove and compliantly disposition all fissile material/equipment from the facility. The Contractor shall complete the characterization of all fissile hoods/ ventilation systems. With DOE's prior approval, hoods and/or ventilation systems may remain in place if the characterization results support removal of the CAAS from service and downgrade of the facility. The Contractor shall ensure any openings resulting from hood/ventilation system removal are left weather tight. The Contractor shall provide documentation justifying the retaining of any fissile material/equipment for future deactivation activities for DOE's approval. The documentation shall include a description of the material/equipment, amount and assay (if applicable), justification for future use, and location to which it will be moved. Retention of the material/equipment is at DOE's discretion. The Contractor shall ensure the CCID contains all data/information required by Revision 5 of the Software Requirements Specifications document unless deviation is approved by DOE. The Contractor shall provide for DOE approval, an engineering evaluation and other necessary documentation (e.g., Documented Safety Analysis [DSA], etc.) that supports the CAAS deactivation and removal and downgrade of the facility to below a HC-2 facility. With DOE approval, the Contractor shall deactivate and remove the C-710 CAAS and complete the downgrade of the facility. *Note: The Contractor is responsible for managing the schedule such that the characterization and disposition of all fissile material, along with the submittal and approval of all supporting documentation for downgrade of the facility, are completed prior to September 1, 2021.*	
Performance Criteria Measures/Surveillance Method	This incentive will be measured by conducting walkdowns of the facility to ensure all fissile material has been removed as outlined above. A review of	

	documentation (e.g., completed work packages, waste manifests, CCID, etc.) will also be performed to ensure proper disposition by the completion date of the PBI. The Contractor will provide copies of certificates of disposal by the PBI completion date.
Performance Target	[redacted]

PBI # 0101–A.5 (See Section C, EM.PA.0040.A008.41.DR.01)	Surveillance and Maintenance C-333 and C-337 Plenum Repairs	Completion Date: November 30, 2021
Performance Objective	By November 30, 2021, the Contractor shall complete the repairs to 38 plenums (not previously repaired) located on the C-333 (16 plenums) and C-337 (22 plenums) process facility roofs. All waste shall be properly dispositioned with proof of disposition provided by the PBI completion date. The Contractor shall ensure the warranty for the roof is not impacted by these repairs.	
Performance Criteria Measures/Surveillance Method	This incentive will be measured by evaluating the completion of walkdowns and review of documentation associated with completed work packages and waste manifests.	
Performance Target	[redacted]	

PBI # 0101–B.1 (See Section C, EM.PA.0040.A001.07.DR.02.02.01)	Site Management Plan (Removal from CERCLA requirements)	Completion Date: May 13, 2022
Performance Objective	The Contractor shall compile and document the necessary information to complete the consultation with EPA and KY for facilities in the D2 FY20 Site Management Plan, Appendix 6, that are pending further CERCLA determination. The documentation/information shall meet the requirements necessary to fulfill the consultation requirement in the EPA-DOE Joint Decommissioning Policy of 1995. The final documentation shall be submitted to the Administrative Record and/or EPA and KY. Consultation packages will follow the same format and scope as those previously submitted to EPA and KY (i.e., C-400-A). a. By March 31, 2021, the Contractor shall compile the necessary documentation, complete the consultation, and file the final documentation for the following facilities: C-200, C-203, C-303, C-320, C-410-D, C-410-K, C-410-L, C-601, C-607, C-611-Q, C-615-O, C-710-A, C-711, C-721, C-724-D, C-731, and C-746-G. b. By May 13, 2022, the Contractor shall compile the necessary documentation, complete the consultation, and file the final documentation for the remaining facilities. By March 31, 2021, the Contractor shall submit Site Evaluation Reports to EPA and KY for C-724-B, C-724-C, C-350, C-729, C-744, and C-606 facilities listed in the D2 FY20 Site Management Plan, Appendix 4. The report should contain sufficient detail, information, and data to support decision making to determine if a CERCLA action is warranted. By November 30, 2020, the Contractor shall recommend additional facilities	

	from Appendix 4 for DOE consideration and approval. The Contractor shall include in the November 30, 2020, submittal, a justification for exempting any of the above listed facilities due to current/future site needs. Following review of the submittal, DOE will provide a letter containing the final listing of facilities to be completed by March 31, 2021. By June 30, 2021, the Contractor shall resolve outstanding issues and provide any additional information needed to EPA and KY to allow for a decision to be made to determine if a CERCLA action is warranted for C-727 and C-746-A.
Performance Criteria Measures/Surveillance Method	For Appendix 6, this incentive will be measured by a review of the final documentation from the consultations with EPA and KY along with evidence of submittal to the Administrative Record and/or EPA and KY. For Appendix 4, this incentive will be measured by obtaining EPA and KY approval of the site evaluation reports.
Performance Target	[redacted]

PBI # 0101–B.2 (See Section C, EM.PA.0040.A001.01.DR.01)	The SMWU Records R drive	Completion Date: May 2, 2022
Performance Objective	The Contractor shall complete development of an online (internal Paducah Site networks) SWMU system that includes the library of information for each SWMU. The library of information is defined as follows: SWMU Assessment Report, regulatory correspondence, a map that details SWMU boundaries to include No Further Actions and active SWMU boundaries as defined by the description within the SWMU Assessment Report, current map that depicts current SWMU boundaries along with source and justification for change, pictures, information related to the SWMU, including knowledge of history, contamination data, any changed conditions, and data and/or reference to data links in PEGASIS or relevant data associated with the SWMU (e.g., radiological and Non-Destructive Assay surveys, waste characterization, etc.) This system must be accessible to all personnel identified by the site contractors and DOE. The system must also link to the SWMU map and have the ability to segregate SWMUs as being active, requiring ongoing remedial actions or institutional controls, further CERCLA activities as defined in the Site Management Plan, or no further action. The SWMUs should also be accessible and relational to each Operable Unit. For those SWMUs that have regulatory requirements as identified in CERCLA documents, the system must identify those requirements and provide the reference documents. Additionally, any inspections required by the CERCLA documents must be available [current (starting with any inspections performed after the 2018 5-Year Review inspections) and future, not past inspections]. a. By March 31, 2021, the system structure and functionality documentation shall be provided to DOE for review and concurrence. DOE shall provide comments on this documentation no later than May 1, 2021. The	

	Contractor shall provide the final documentation two calendar weeks after comments are received formally from DOE. b. By July 30, 2021, the procedure for management of the system shall be effective. c. By September 1, 2021, the system shall be online and available with each SWMU Assessment Report included. d. By December 15, 2021, any ongoing CERCLA requirements associated with the SWMUs shall be included and referenced in the system. (CERCLA requirements are defined as further CERCLA activities in the FFA/Site Management Plan and/or required by other CERCLA documents.) e. By May 2, 2022, all remaining library information (e.g., maps, pictures, regulatory correspondence, etc.) shall be completed and included in the system.
Performance Criteria Measures/Surveillance Method	This incentive will be measured by reviews of system structure and functionality documentation; the implementation procedure for management of the system; the online availability of the system with each SWMU Assessment Report, including the inclusion of ongoing CERCLA requirements; and the completion and inclusion of remaining library information. The Contractor shall provide sufficient documentation following completion of individual milestones as evidence of completion.
Performance Target	[redacted]

PBI # 0101–B.3 (See Section C, EM.PA.0040.A001.01.DR.01.01.01)	Paducah Site-wide Chemical Inventory System	Completion Date: December 1, 2021
Performance Objective	The Contractor shall establish a site-wide chemical inventory system that meets the following requirements: • Includes an inventory of all chemicals that are on-site that are required to be tracked per the Emergency Planning and Community Right-to-Know Act and Toxic Release Inventory reporting requirements • Tracks the quantities of on-site chemicals on a monthly basis • Meets all applicable software quality assurance requirements • Proceduralizes a management system that includes a work flow process for integrating the purchase and receipt of chemicals along with field use of the chemical • Allows all three site contractors to update the information • Accessible by DOE and designated personnel from each site contractor and is integrated with the local, state, and federal Toxic Release Inventory reporting requirements • Produces standard and ad hoc reports for data calls • Includes Safety Data Sheet access	

	a. By April 1, 2021, the Contractor shall complete procurement, develop the proceduralized process, and set-up and establish a site-wide chemical inventory system that meets the above requirements. b. By December 1, 2021, the Contractor shall ensure the site-wide chemical inventory system is fully implemented with reporting and utilization by all site contractors.
Performance Criteria Measures/Surveillance Method	This incentive will be measured by a review of the site-wide chemical inventory system, the system's content, tracking ability, accessibility, ability to produce ad hoc reports, management procedure, and ability to integrate the purchase and receipt of chemicals along with their field use.
Performance Target	[redacted]

PBI # 0101–B.4 (See Section C, EM.PA.0040.A005.10.DR.01)	C-400 Remedial Investigation/Feasibility Study Field Work	Completion Date: April 1, 2022
Performance Objective	By April 1, 2022, the Contractor shall complete all activities associated with the RI/FS Work Plan fieldwork for the C-400 Complex Operable Unit. This includes, but is not limited to, drilling, sampling, sample handling, decontamination, gamma walkover surveys, maintenance and/or redevelopment of existing monitoring wells around the C-400 complex, MIP and DyeLIF investigation, documentation, waste management, and proper disposition of all waste, including sample returns. *NOTE: Any required site restoration, along with demobilization of subcontractor and associated equipment, must be completed by the PBI completion date.*	
Performance Criteria Measures/Surveillance Method	This incentive will be measured by conducting walkdowns along with review of documentation to include, but not limited to, completed work packages, sample results, survey results, investigation reports, and waste manifests. The Contractor will provide copies of shipping documentation and certificates of disposal by the PBI completion date.	
Performance Target	[redacted]	

PBI # 0101-C (See Section C.1.2 and C.1.3)	Elimination of Systems/Processes No Longer Required	Completion Date: May 2, 2022
Performance Objective	In accordance with the requirements in PWS Sections C.1.2 and C.1.3, the Contractor shall identify and eliminate systems and processes that are no longer necessary and maintain the safe configuration of the facilities. By November 30, 2020, the Contractor shall develop the approach/method for compliant disposition of F_2 from C-331 E and F surge drums and UF_6 from the C-310 NaF traps. The approach/method chosen shall be provided to DOE for review and approval and shall ensure completion dates for the below activities are met.	

	a. By June 15, 2021, the Contractor shall compliantly disposition all of the F_2 in the C-331 E and F surge drums. This will include: – Removal and compliant disposition of the F_2 – Purging of the drums and piping to render them safe, including leaving the drums opened/vented to atmosphere – Disposition of all waste *NOTE: Air gapping shall be done in such a manner to preclude dead legs of piping that could later become a hazard.* b. By May 2, 2022, the Contractor shall complete compliant disposition of the UF_6 in the NaF trapping systems in C-310. For the purpose of this PBI, disposition is complete when one of the following occurs: – UF_6 is removed from the NaF traps and converted to a form (e.g., UO_2F_2 and HF) with an approved disposal path and the NaF media is removed from the traps and packaged as waste with an approved disposition path. Final disposition of the waste with certificates (removed UF_6 and remaining NaF media) must be provided by the PBI completion date. OR – NaF traps are packaged, shipped, accepted, and dispositioned at an off-site disposal facility in accordance with applicable requirements. Certificates of waste disposal must be provided by the PBI completion date. *Note: The Contractor is responsible for managing the schedule such that the approach/method of accomplishment and DOE approval is obtained in a sufficient amount of time to complete all work by the PBI completion date.*
Performance Criteria Measures/Surveillance Method	For F_2, this incentive will be measured by evaluating whether the F_2 has been compliantly dispositioned (along with any waste) and E and F drums in C-331 have been rendered safe. Evidence of permanently dispositioned waste is required (e.g., certificates of disposal for F_2 and any waste). A review of logs, work packages, etc. will be performed as well as field walkdowns. For the disposition of UF_6 from NaF traps, a review will be completed of logs, work packages, and waste documentation to ensure compliance. Evidence of permanent disposition of all UF_6, NaF, and waste is required.
Performance Target	[redacted]

PBI # 0105–A.1 (See Section C, EM.PA.0040.A008.48.DR)	Stabilization and Deactivation of C-333/C-333A (Asbestos Cell Panels)	Completion Date: April 30, 2022
Performance Objective	In support of future characterization and deposit removal activities in C-333, the Contractor shall remove and properly disposition asbestos cell housing panels from 30 cells. All waste generated during this activity (asbestos panels, bolts, retaining strips, etc.) shall be compliantly disposed of either at the on-site landfill (if waste disposal acceptance criteria is met) or off-site. Panels cannot be relocated to other facilities.	

Performance Criteria Measures/Surveillance Method	This incentive will be measured by walkdowns to determine if cell housing panels and other waste generated from this work have been removed and properly dispositioned by the completion date of the PBI. The Contractor will provide copies of shipping documentation and certificate of disposal by the PBI completion date.
Performance Target	[redacted]

PBI # 0105–A.2 (See Section C, EM.PA.0040.A008.48.DR)	Stabilization and Deactivation of C-333/C-333A (Seal Exhaust and Wet Air Systems Disposition)	Completion Date: September 1, 2021
Performance Objective	By September 1, 2021, in support of stabilization and deactivation activities in C-333 and as proof of principle for the CCID, the Contractor shall remove, package, and properly disposition all SX/WA piping and components (e.g., traps, oil separators, valves, vent piping to roof, etc.) previously characterized under FY20 PBI 0105-A.3. SX/WA pumps being maintained as spares are excluded. As necessary, the Contractor shall ensure any openings in the facility structure resulting from removal of equipment are made weather tight. The Contractor shall ensure the CCID contains all data/information required by Revision 5 of the Software Requirements Specifications document unless deviation is approved by DOE. All waste generated during this activity shall be compliantly dispositioned. *NOTE: The Contractor shall provide justification for not removing any components considered inaccessible. This justification is subject to DOE's approval.*	
Performance Criteria Measures/Surveillance Method	This incentive will be measured by walkdowns to ensure all SX/WA piping and components defined above have been removed. A review of documentation (e.g., completed work packages, waste manifests, CCID, etc.) will also be performed to ensure proper disposition by the completion date of the PBI. The Contractor will provide copies of certificates of disposal by the PBI completion date.	
Performance Target	[redacted]	

PBI # 0105–A.3 (See Section C, EM.PA.0040.A008.48.DR)	Stabilization and Deactivation of C-333/C-333A (Loose Process Gas Equipment Disposition)	Completion May 13, 2022
Performance Objective	In support of stabilization and deactivation activities in C-333, the Contractor shall characterize, remove, package, and properly disposition all loose PGE (excluding converters and compressors) on the cell and ground floors of the facility. This includes any loose PGE that was previously characterized under FY20 PBI 0105-A.6.	

	By November 13, 2020, the Contractor shall provide a list for DOE approval of all loose PGE (excluding converters and compressors) on the cell and ground floors of the facility. The list shall identify which equipment was previously characterized as well as the equipment that remains to be characterized. All characterization shall be performed in accordance with the approved Characterization and Criticality Incredible Performance Plan (CCIPP) for the facility. a. By September 1, 2021, the Contractor shall ensure all loose PGE (excluding converters and compressors) on the ground floor of the facility has been properly characterized, packaged, and disposed off-site. b. By May 13, 2022, the Contractor shall ensure all loose PGE (excluding converters and compressors) on the cell floor of the facility has been properly characterized, packaged, and disposed off-site. The Contractor shall ensure the CCID contains all data/information required by Revision 5 of the Software Requirements Specifications document unless deviation is approved by DOE. All waste generated during this activity shall be compliantly dispositioned.
Performance Criteria Measures/Surveillance Method	This incentive will be measured by walkdowns to ensure all PGE defined above has been properly dispositioned. A review of documentation (e.g., completed work packages, waste manifests, CCID, etc.) will also be performed to ensure proper disposition by the completion date of the PBI. Certificates of disposal will be provided by the PBI completion date.
Performance Target	[redacted]

PBI # 0105–A.4 (See Section C, EM.PA.0040.A008.48.DR)	Stabilization and Deactivation of C-333/C-333A (C-333A Deactivation)	Completion Date: May 20, 2022
Performance Objective	In support of stabilization and deactivation activities in C-333/C-333A, the Contractor shall characterize all process gas equipment (e.g., piping, valves, traps, jets, relief drums, etc.) in the C-333A facility. The Contractor shall also perform sufficient characterization of the facility to support hazardous material removal and disposition. The Contractor shall ensure the CCID contains all data/information required by Revision 5 of the Software Requirements Specifications document unless deviation is approved by DOE. In support of stabilization and deactivation, the Contractor shall complete the following activities in the C-333A facility. The location of any air gaps required below shall be submitted to DOE for approval. – Isolate/air gap all process gas piping between C-333 and C-333A – Complete the removal of all PGE including, but not limited to, piping, instrument tubing, traps, transmitters, jets, valves, relief drums, etc.	

	– Complete the removal and disposition of lube/hydraulic oils and other hazardous materials (e.g., mercury switches, cesium sources, lead, etc.) – Remove fire loading in support of sprinkler system deactivation – Isolate, drain, and air gap the sprinkler system. Air gapping shall be performed at a location that does not leave dead ended systems with water associated with the main Sanitary Fire Water System supply. – Deactivate/shutdown the CAAS – Isolate and air gap all utilities not required to support the facility – Properly disposition all waste generated *NOTE: C-333-A is identified as a SWMU in the Site Management Plan, which requires a CERCLA Non-Time Critical Removal Action. The Contractor shall determine if planned deactivation efforts in the C-333A facility constitute a SWMU modification to the building and if so, identify the necessary FFA actions (e.g., documentation, notifications, etc.), and ensure that the actions are performed.* *NOTE: The Contractor shall manage the schedule to ensure any required FFA actions and associated DOE approvals do not impact the completion of the work by the PBI completion date.*
Performance Criteria Measures/Surveillance Method	This incentive will be measured by walkdowns to ensure all PGE equipment has been characterized/removed/dispositioned and utilities have been isolated and air-gapped. A review of documentation (e.g., completed work packages, CCID, waste manifests, etc.) will also be performed. The Contractor will provide copies of shipping documentation and certificates of disposal by the PBI completion date.
Performance Target	[redacted]

PBI # 0105–A.5 (See Section C, EM.PA.0040.A008.48.DR)	Stabilization and Deactivation of C-333/C-333A (Cell Servicing Area)	Completion Date: November 2, 2021
Performance Objective	By November 2, 2021, the Contractor shall characterize, remove, package, and disposition off-site, all PGE associated with the cell servicing area and holding drums including, but not limited to, piping, valves, cold traps, holding drums, instrumentation, tubing, chemical traps, and vacuum pumps within the boundary of the cell servicing area/hold drum room. Surge drums are not included with this PBI. By November 13, 2020, the Contractor shall provide to DOE for concurrence, a list of valves and/or cut and cap locations for defining the cell servicing area equipment and holding drum room boundaries. The Contractor shall ensure the CCID contains all data/information required by Revision 5 of the Software Requirements Specifications document unless deviation is approved by DOE.	
Performance Criteria Measures/Surveillance Method	This incentive will be measured by walkdowns to ensure all PGE equipment has been characterized and removed within the agreed upon boundaries. A review of documentation (e.g., completed work packages, CCID, waste manifests, certificates of disposal, etc.) will also be performed. The Contractor will	

	provide copies of shipping documentation and certificates of disposal by January 4, 2022.
Performance Target	[redacted]

PBI # 0105–A.6 (See Section C, EM.PA.0040.A008.48.DR)	Stabilization and Deactivation of C-333/C-333A (Deactivation of areas C7, C8, C9)	Completion Date: May 13, 2022
Performance Objective	In support of stabilization and deactivation activities in C-333/C-333A, the Contractor shall complete all deactivation activities associated with cell floor areas C7, C8, and C9 including, but not limited to, the following: – Isolation/air gapping of PGE piping from other systems outside of areas C7, C8, and C9 – Characterization of all PGE (except converters) in accordance with an approved CCIPP for the facility – Restoration of cranes as required to support deactivation activities – Removal of all hazardous material from the areas (asbestos cell panel removal will be performed under PBI 0105-A.1) as agreed with DOE – Removal of combustible material in accordance with the approved TFHA – Removal and disposition of any identified deposits above Low level Waste requirements – Removal and disposition of all stage instrument tubing back to cell panels (cut and cap just above cell panels) – Removal and disposition of line recorder tubing – Isolation, shutdown, and air gapping of utilities (e.g., air, water, electrical, etc.) not required post deactivation – For Unit 6 Cells 2 and 4, removal and disposition of all PGE equipment/ piping (except converters/compressors), including R-114 piping – For the 16 cells other than Unit 6 Cells 2 and 4, remove and disposition off-site of all recycle coolers, and freezer sublimers – Proper disposition of all wastes By November 30, 2020, the Contractor shall provide for DOE approval a listing of isolation/air gapping points for PGE lines, instrument lines, and line recorder lines. This listing shall also include utilities isolation/air gap locations. a. By September 1, 2021, complete the characterization and removal of PGE associated with Unit 6 Cells 2 and 4, as indicated above. b. By May 13, 2022, complete all other activities associated with this PBI. In addition to characterization of PGE equipment, the Contractor shall also perform sufficient characterization of the areas to support hazardous material removal and disposition. The Contractor shall ensure the CCID contains all data/information required by Revision 5 of the Software Requirements Specifications document unless deviation is approved by DOE.	

Performance Criteria Measures/Surveillance Method	This incentive will be measured by walkdowns to ensure all PGE equipment has been characterized/removed/dispositioned and utilities have been isolated and air-gapped. A review of documentation (e.g., completed work packages, CCID, waste manifests, etc.) will also be performed. The Contractor will provide copies of certificates of disposal by the PBI completion date as appropriate for element a. and b. above.
Performance Target	[redacted]

PBI # 0105–A.7 (See Section C, EM.PA.0040.008.DR.02)	Stabilization and Deactivation of–Material Sizing Area	Completion Date: May 1, 2022
Performance Objective	By the completion date of this PBI, the Contractor shall complete the design and construction of a MSA, that has the capability to perform full segmentation of PGE from all process facilities, up to and including an uprated "000" converter, and shall successfully pass a DOE Readiness Review. By October 1, 2020, the Contractor shall complete actions that gain DOE approval of the location of the MSA. These actions include providing DOE with a presentation that includes the location of the MSA and allowing a minimum of 14 days for DOE review, comment resolution, and approval. The Contractor shall provide an opportunity for 30%, 60%, and 90% design package reviews by DOE along with approval of the CFC documents. The Contractor shall plan for and schedule regular planning and comment resolution meetings with DOE personnel to facilitate decision making and streamline the document preparation and approval process. After DOE has approved the CFC design, the Contractor should fabricate the necessary equipment. By May 1, 2022, the Contractor shall design, construct, equip, and have operational an MSA that is capable of full segmentation of PGE up to and including an uprated "000" converter. Full segmentation of a converter includes the removal of the tube bundle and cooler and size reduction of the converter shell. Operational is defined as: • Segmentation and support equipment installed and ready for use • Safety basis documents are approved and implemented (e.g., DSA, Nuclear Criticality Safety [NCS], etc.) • Procedures are in place and sufficient personnel trained to operate the MSA • Successfully pass a DOE readiness assessment All waste generated during the construction of the MSA shall be properly dispositioned and Certificates of disposal provided to DOE by the PBI Completion Date.	

	NOTE: The Contractor shall manage their schedule so that the MSA is operational as defined above by the PBI completion date and all waste has been properly dispositioned.
Performance Criteria Measures/Surveillance Method	This incentive will be measured by successfully gaining DOE approval of the location of the MSA by October 1, 2020; having an operational MSA, which can support full segmentation of a "000" converter; successfully passing a DOE readiness assessment; disposition of all waste generated; and receipt of Certificates of Disposal by the PBI completion date of May 1, 2022. The Contractor shall provide evidence to include, but not limited to, the following: DSA and NCS changes; MSA design documents; equipment capabilities; procedures; training modules and attendance sheets; completed work packages; Bills of Lading; and Certificates of Disposal.
Performance Target	[redacted]

Exhibit 4A
FY20 CARRY FORWARD
PERFORMANCE BASED INCENTIVES
EVALUATION CRITERIA

PBI # 0101–A.3 (See Section C, EM.PA.0040.A008.41.DR.01)	Surveillance and Maintenance	Completion Date: January 4, 2021
Performance Objective	*NOTE: Due to the COVID-19 work pause, only a portion of the work on this PBI was performed in FY20. The Contractor shall ensure the remainder of the work, not performed in FY20, is completed by January 4, 2021.* In accordance with the requirements of an approved TFHA, the Contractor shall perform the remainder of the necessary modifications (e.g., isolations, transition to dry hybrid system, use of hose reels, evacuation of lines, etc.) and paperwork (e.g., procedures, drawings, etc.) to the C-333 HPFW systems to allow for the elimination of auxiliary heating for the sprinkler systems in the C-333 facility. The Contractor shall also ensure the necessary revisions to safety basis documents are completed. Completed work packages and test results shall be available for DOE review if requested. The Contractor shall ensure the evacuation of lines are completed by October 8, 2020.	
Performance Criteria Measures/Surveillance Method	This incentive will be measured by conducting walkdowns of the facility along with review of documentation to include, but not limited to, completed work packages, engineering evaluations, safety basis changes, and test results.	
Performance Target	[redacted]	

PBI # 0101 – A.4 (See Section C, EM.PA.0040.A001.07.DR.15)	Records Management	Completion Date: December 31, 2020
Performance Objective	*NOTE: Due to the COVID-19 work pause, only a portion of the work on this PBI was performed in FY20. The Contractor shall ensure the remainder of the work, not performed in FY20, is completed by December 31, 2020.* The Contractor shall compliantly disposition approximately 1,123 cubic feet of legacy records located in the following areas/facilities. • C-409 – 17 ft^3 • C-720 – 960 ft^3 (including Instrument Manuals) • C-724-A, B, & C – 12 ft^3 • Joint Information Center – 8 ft^3 • C-100 – 65 boxes (65 ft^3) • C-710 – 61 boxes (61 ft^3)	
Performance Criteria Measures/Surveillance Method	This incentive will be measured by reviewing the documentation of the completed transmittal and disposition forms for all identified legacy record files. The Contractor shall provide a report to DOE of the volume of legacy and Four Rivers Nuclear Partnership, LLC (FRNP) records received since the start of the FRNP contract through December 1, 2020; the volume of these records processed, imported, and indexed into Documentum (SharePoint/Gimmal) on or	

	before December 15, 2020; and the volume of records remaining (backlog) to be processed as of December 31, 2020. In addition, evidence of permanent disposition of all waste is to be provided.
Performance Target	[redacted]

PBI # 0101–A.6 (See Section C, EM.PA.0040.A008.42.DR.04)	Electrical Power Distribution	Completion Date: See below
Performance Objective	*NOTE: Due to the COVID-19 work pause, only a portion of the work on this PBI was performed in FY20. The Contractor shall ensure the remainder of the work, not performed in FY20, is completed within the 150 day period as outlined below.* The Contractor shall complete the shut-down, isolation, de-energization, and draining of the C-531 switchyard and ancillary support facilities. This effort will include the removal of all power (including any ancillary or station power) (basement sump pumps shall remain energized) and any other utility services to or through the switchyards. Air gapping shall be used as the preferred method of isolation unless there is a compelling safety and health, environmental, or technical reason to do otherwise. All oils shall be drained and compliantly dispositioned. Fire suppression systems shall be deactivated. The facilities shall be unoccupied. All wastes shall be properly dispositioned. The Contractor shall also provide for DOE concurrence, a documented completion criteria indicating the end state for each utility system associated with the C-531 switchyard as well as the necessary drawings showing where utility isolations will occur. **Completion Date:** *Deactivation of the C-531 switchyard shall be completed 150 calendar days after completion of tie-ins of the new 14kV cables to the existing 14kV distribution system and to the new Tennessee Valley Authority switchyard. This 150 day period may extend into FY21. DOE will notify the Contractor upon start of the 150 day period.*	
Performance Criteria Measures/Surveillance Method	This incentive will be measured by completion of walkdowns and reviews of documentation including, but not limited to, completed work packages and final end state of each system. The Contractor will provide copies of shipping documentation for off-site disposition demonstrating waste has departed the DOE property, certificate of disposal or equivalent will be provided 180 days *after DOE's notice to commence letter*. For on-site disposition of waste, certificate of disposal documentation will be provided by the PBI completion date.	
Performance Target	[redacted]	

Exhibit 5

PBI CERTIFICATE OF COMPLETION

Certificate of Completion

"I certify performance completion of PBI #_____. This certification of completion is made in good faith; the supporting data (included as an attachment) are accurate and complete to the best of my knowledge and belief; the amount requested accurately reflects the amount of fee for which the Contractor believes is correct; and I am duly authorized to certify the PBI completion on behalf of the Contractor."

_____

Signature Date

_____

Title

FY15/FY16 Performance Agreement

Office of Environmental Management

U.S. Department of Energy

Office of Environmental Management

7/17/2015

Office of Environmental Management
FY15/16 Performance Agreement

The mission of the Office of Environmental Management (EM) is to complete the safe cleanup of the environmental legacy brought about by five decades of nuclear weapons development and government-sponsored nuclear energy research. In FY15/FY16, EM will focus efforts on becoming a more efficient and effective organization as detailed by the following goals and commitments of this FY15/FY16 Performance Agreement.

This Performance Agreement is the commitment by the EM leadership team to organizational improvements that will help us advance our mission in the most safe, efficient and effective manner possible.

Goals/Measuring Progress

EM's primary responsibility is the safe cleanup of the environmental legacy of research and materials production by the Department of Energy (DOE) and its predecessor agencies for which Congress established the EM Program. Programmatic success will be measured by *what* is accomplished (i.e., the number of sites restored, quantities of waste treated and disposed of, number of waste storage tanks closed, amounts of soil and groundwater remediated, etc.). However, overall success will also be measured by *how* the program is managed (i.e., through critical management goals such as improvement of the safety and organizational culture, increasing overall efficiency with improved performance, achieving results from programs and projects and a focus on organizational excellence). The former is primarily captured in individual performance plans of the EM Field Managers and Deputy Assistant Secretaries and should cascade through employee performance plans throughout the organization. The latter is primarily the subject of this Performance Agreement, where broad programmatic goals are outlined as well as their supporting objectives. A review of the status of these objectives will be conducted throughout the fiscal year to ensure the organization is on-track to meet these higher level goals. Further, all EM personnel are challenged to develop and maintain a "product/outcome-oriented" mindset rather than function in a predominantly "process-oriented" environment.

EM's primary near-term priorities are: resumption of operations at the Waste Isolation Pilot Plant (WIPP); the tank waste clean-up missions at the Hanford site primarily the Secretary's initiative of beginning some treatment as soon as practical; liquid tank waste processing completion at the Idaho site; and the Savannah River tank waste mission primarily in support of the Salt Waste Processing Facility which will enable significant ramp-up of tank waste treatment.

Goal 1: Improve Organizational Culture

The safety of EM workers is a core value that is incorporated into every aspect of the EM program. To best protect our workers, EM has a goal of zero accidents or incidents in the work place and to date, has maintained a strong safety record. EM has established a strong quality culture and continues to utilize the Integrated Safety Management System to ensure that all work activities are appropriately scoped, analyzed for hazards, comprehensively planned to eliminate or mitigate those hazards, and effectively performed by trained employees. In addition, EM

follows DOE Order 226.1B; *Implementation of Department of Energy Oversight Policy* that establishes the philosophy that line management is responsible for ensuring safety when work is performed. EM seeks to continue safety improvements through first performing work safely and correctly; however, when necessary, EM will institute corrective actions, promote lessons learned, and develop new or improved processes to address safety concerns/incidents.

Objectives

- Complete the development of an EM Safety Culture Sustainment Plan based on input from the field, and implementation activities to address Defense Nuclear Facilities Safety Board (DNFSB) Recommendation 2011-1
- Complete the remaining DNFSB recommendation 2011-1 actions
- Reinvigorate and execute a robust EM Lessons Learned Program, to include findings of the Waste Isolation Pilot Plant (WIPP) Accident Investigation Board (AIB) reports, EM safety culture assessments and other relevant EM program reviews
- Finalize review of deferred maintenance reports and develop a corporate approach to ensuring deferred maintenance of safety-related systems and equipment as part of a larger Departmental effort
- Further the implementation of Safety Conscious Work Environment (SCWE) training to all EM staff; develop and implement ongoing safety culture sustainment actions based on the information from the safety culture extent of condition review and benchmarking data in accordance with DOE's Safety Culture Improvement Implementation Plan
- Develop a transparent relationship with the DNFSB that facilitates expeditious resolution of DNFSB concerns and issues maintaining a level of zero to 20 percent overdue action items resulting from DNFSB letters or recommendations, as identified in the DOE Safety Issues Management System

Goal 2: Increase Efficiency/Improve Performance

EM will seek opportunities to increase efficiency and improve performance to ensure the maximum cleanup value for every dollar appropriated and invested in the program. EM will also continue to identify opportunities to make strategic investments, including investments in technology development, that reduce the life-cycle cost of the cleanup program while shortening project and program schedules.

Objectives

- Complete in-depth analysis of work being performed by EM across the complex for other programs/organizations to ensure full cost recovery
- Complete development of a 5-year planning case to better plan for and utilize appropriated funds to more efficiently execute cleanup
- Work with stakeholders and regulators to identify risk-based priorities and achievable cleanup milestones tied to subsequent budget documents (e.g., Environmental Protection Agency dialogue/summit with regulators)

- Develop common understanding/definition of Operational Costs in the EM Program by July 31, 2015, and develop a plan by September 30, 2015, with a target for reducing overall FY16 EM Program Operational costs by 5%
- Conduct system analyses to implement efficient and integrated liquid waste operations, and to establish long-term strategic plans for tank waste construction, treatment and closure activities
- Develop an integrated optimization plan for different base operations scenarios (facility turnover, surveillance and maintenance, deactivation and demolition) to minimize overall cost and schedule
- Develop a plan to characterize the infrastructure needs, facilities and human capital required to maintain the capabilities of EM's Savannah River National Laboratory. The plan will include strategies to enable the laboratory mission to continue technical support for the EM program and the Nation
- Work with other program offices to document a strategy by July 31, 2015, for establishing a sustainable capability to accomplish the administration's nuclear mission objectives, including capabilities at Idaho and the Savannah River Site to safely store and prepare repatriated nuclear materials for disposition

Goal 3: Achieve Program/Project Results

To ensure that EM delivers the best value for the American taxpayers, the FY16 budget request reflects continued commitment to improve acquisition, contract, and project management. EM will further improve acquisition processes by obtaining early involvement and approvals on various acquisition approaches from DOE senior management, including the Office of Acquisition and Project Management, the Office of the General Counsel, and the Office of Small and Disadvantaged Business Utilization.

Objectives

- Building on the Deferred Maintenance initiative, develop capital asset upgrades/replacement priority investment program to enhance operational efficiency and reliability for critical site infrastructure systems:
    - Identify critical site infrastructure systems at field sites to include components, age, design life, and replacement costs
    - Develop prioritization evaluation criteria and funding goals
    - Develop a funding approach for incorporation in the FY18 budget guidance
- Successfully complete at least 90% of capital asset projects at the baseline Total Project Costs and Critical Decision 4 dates, that established their original performance baseline (CD-2) or a first-time revised performance baseline after FY10
- Draft a separate appendix to DOE Order 413.3B; *Program and Project Management for the Acquisition of Capital Assets*, that applies to the management of all EM program scope, except construction line-item projects and takes into consideration the equivalency of the current Resource Conservation and Recovery Act, Comprehensive Environmental Response, Compensation, and Liability Act, and the National Environmental Policy Act requirements

Goal 4: Organizational Excellence

EM's success will require a sustained commitment to management excellence from Headquarters and every site office. Management principles will be translated into action by focusing on operational and technical excellence. That excellence requires developing the most highly qualified, capable, and flexible federal workforce. Additionally, our management principles require implementation of a performance-based culture that clearly links work to agency goals, holds employees accountable for meeting our mission, and appropriately recognizes employees for their efforts.

Objectives

- Implement the plan to improve headquarters/field alignment on program and policy issues and clarify roles and responsibilities
- Establish an Organizational Culture Integrated Project Team to develop and implement strategies to strengthen the EM organization
- Develop a strategy to enhance operational efficiency for headquarters and the field by regularly assessing the number of Headquarters assessments and other activities, and determining if those activities should continue or can be executed more efficiently and effectively
- Identify opportunities to enhance relationships with EM customers and stakeholders and implement improvements through more direct communication and transparent actions

EM Assistant Secretary Support

In order to accomplish the goals herein described, EM leadership will *provide visible, high profile support to:*

- Advocate for the resources necessary to achieve these objectives
- Communicate goal achievement and progress periodically through EM Updates, Reports and other media
- Formally recognize superior efforts in achieving goals through incentive awards
- Coordinate with senior Department and private sector officials and advocate for the EM program

Terms of Agreement

This Agreement is intended to improve the management and performance of the U.S. Department of Energy's Office of Environmental Management. It represents EM's commitment to operate efficiently, effectively, with a primary focus on safety, and fulfills our duties to the American people.

Acting Assistant Secretary — Date 7/7/2015

Chief of Staff — Date 6/30/2015

Office of External Affairs — Date 7/7/15

Deputy Assistant Secretary, Site Restoration — Date 7/7/15

Deputy Assistant Secretary, Tank Waste & Nuclear Material — Date 7/1/15

Deputy Assistant Secretary, Waste Management — Date 6/30/15

Deputy Assistant Secretary, Safety, Security & Quality Programs — Date 7/6/15

Deputy Assistant Secretary, Acquisition & Project Management — Date 7/6/2015

Deputy Assistant Secretary, Program Planning & Budget — Date 7/1/15

Deputy Assistant Secretary, Human Capital & Corporate Services — Date 6/30/15

Associate Principal Deputy Assistant Secretary — Date 7/6/15

Manager, Carlsbad Field Office — Date 7/1/15

Manager, Consolidated Business Center — Date 6/29/15

Deputy Manager, Idaho Operations Office — Date 6/29/15

Manager, Oak Ridge Office of Environmental Management — Date

Manager, Office of River Protection — Date 6/30/15

Manager, Portsmouth/Paducah Project Office — Date 7/13/15

Manager, Richland Operations Office — Date 7/1/15

Manager, Savannah River Site — Date 7/17/15

Manager, EM Los Alamos Field Office — Date 29 June 2015

SECTION J - ATTACHMENT J-17
ACRONYM LIST

ACL	Alternate Concentration Limit
ACO	Administrative Contracting Officer
A&E	Architect and Engineering
AEA	Atomic Energy Act
AFB	Award-fee Board
AL	Acquisition Letter
ALARA	As Low As Reasonably Achievable
ALS	Advanced Life Support
AMSL	Above Mean Sea Level
ANSI	American National Standards Institute
APAT	Advanced Planning Acquisition Team
ARAR	Applicable or Relevant and Appropriate Requirement
ASME	American Society of Mechanical Engineers
ASTM	American Society for Testing and Materials
ATSDR	Agency for Toxic Substances Disease Registry
BGOU	Burial Grounds Operable Unit
BNA	Baseline Needs Assessment
BRA	Baseline Risk Assessment
BWMS	Ballard Wildlife Management Area
CAAS	Criticality Accident Alarm System
CAB	Citizens Advisory Board
CCSA	Contractor Cognizant Security Authority
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
CHRM	Contractor Human Resources Management
ClF3	Chlorine Trifluoride
CFY	Contractor Fiscal Year
CI	Criticality Incredible
CLSM	Controlled Low Strength Materials
CLIN	Contract Line Item Number
CMP	Contract Management Plan
CO	Contracting Officer
COOP	Continuity of Operations
COR	Contracting Officer's Representative
CPAF	Cost-Plus-Award-Fee
CPB	Contractor Performance Baseline
CPIF	Cost-Plus-Incentive-Fee
CRD	Contractor Requirements Document
CSCS	Contract Security Classification Specification
CSM	Conceptual Site Model
CSOU	Comprehensive Site Operable Unit
D&D	Deactivation and Decommissioning
DCAA	Defense Contract Audit Agency
DCO	Designated Contracting Officer
DCOR	Designated Contracting Officer Representative
DEAR	Department of Energy Acquisition Regulation
DPLH	Direct Productive Labor Hour
DMSA	DOE Material Storage Area
DNAPL	Dense Nonaqueous-Phase Liquid

DNFSB	Defense Nuclear Facilities Safety Board
DOC	U.S. Department of Commerce
DOE	U.S. Department of Energy
DPAS	Defense Priorities and Allocations System
DQO	Data Quality Objective
D&R	Deactivation & Remediation
DTC	Design-to-Cost
DUF6	Depleted Uranium Hexafluoride
EAL	Emergency Action Levels
ECI	Export Controlled Information
EEOICPA	Energy Employees Occupational Illness Compensation Program Act
ELCR	Excess Lifetime Cancer Risk
EM	Environmental Management
EMCBC	Environmental Management Consolidated Business Center
EMS	Environmental Management System
EOC	Emergency Operations Center
EPA	U.S. Environmental Protection Agency
EPAct	Energy Policy Act
EPHA	Emergency Planning Zone, Hazard Surveys, Emergency Planning Hazard Assessments
ERH	Electrical Resistance Heating
ERPP	Environmental Radiation Protection Program
ESA	Essential Supporting Activities
ESAAB	Energy Systems Acquisition Advisory Board
ES&H	Environmental Safety and Health
ESPC	Energy Savings Performance Contracts
ETS	Environmental Technical Services
ETTP	East Tennessee Technology Park
EVMS	Earned Value Management System
FACs	Federal Acquisition Circulars
FAR	Federal Acquisition Regulation
FBO	Federal Business Agreement
FCC	Federal Communications Commission
FDO	Fee Determination Official
FFA	Federal Facility Agreement
FFCA	Federal Facility Compliance Agreement
FFP	Firm-Fixed-Price
FHA	Fire Hazard Analyses
FOCI	Foreign Ownership, Control or Influence
FOGM	Fuel, Oil, Gas & Maintenance
FOIA	Freedom of Information Act
FPRA	Forward Pricing Rate Agreements
FPRR	Forward Pricing Rate Recommendations
FS	Feasibility Study
FTE	Full Time Equivalent
FUR	Fixed-Unit-Rate
FY	Fiscal Year
FYWP	Fiscal Year Work Plan
GAO	Government Accountability Office
GC	General Counsel
GDP	Gaseous Diffusion Plant
GFP	Government Furnished Property
GFS	Government Furnished Services
GFSI	Government Furnished Services and Interface

GFY	Government Fiscal Year
GIS	Geographical Information System
GPE	Government Point-of-Entry
GWOU	Groundwater Operable Unit
HCA	Head of Contracting Activity
HI	Hazard Index
HQ	Hazard Quotient
HSPD	Homeland Security Presidential Direction
HSS	Health, Safety and Security
HU	Hydrogeologic Unit
HW	Hazardous Waste
IAT	Integrated Acquisition Team
ICT	In-situ Chemical Treatment
IDIQ	Indefinite Delivery Indefinite Quantity
IDW	Investigation-Derived Waste
IGCE	Independent Government Cost Estimate
ISMS	Integrated Safety Management System
JPIC	Joint Public Information Center
KDEP	Kentucky Department of Environmental Protection
KDWM	Kentucky Division of Waste Management
KPDES	Kentucky Pollutant Discharge Elimination System
KRCEE	Kentucky Research Consortium for Energy and Environment
LACC	Los Alamos Cleanup Contract
LAN	Local Area Network
LCC	Life-Cycle Cost
LEED	Leadership in Energy and Environmental Design
LLW	Low-Level Waste
LTS	Long-Term Stewardship
MCL	Maximum Contaminant Level
MEFs	Mission Essential Functions
MEPP	Multi-Employer Pension Plan
MEWA	Multiple Employer Welfare Arrangement
MLLW	Mixed Low-Level Waste
MTRU	Mixed Transuranic Waste
NAICS	North American Industry Classification System
NCP	National Contingency Plan
NDA	Nondestructive Assay
NEPA	National Environmental Policy Act
NFPA	National Fire Protection Association
NMC&A	Nuclear Materials Control and Accountability
NNSA	National Nuclear Security Administration
NOAEL	No Observed Adverse Effects Level
NPL	National Priorities List
NQA	National Quality Assurance
NRC	Nuclear Regulatory Commission
NSDD	North-South Diversion Ditch
NTP	Notice to Proceed
O	Order
OAM	Office of Acquisition Management
ODSA	Officially Designated Security Authority
ODFSA	Officially Designated Federal Security Authority
OIG	DOE Office of Inspector General
O&M	Operations and Maintenance

OMB	Office of Management and Budget
OPSEC	Operations Security
OREIS	Oak Ridge Environmental Information System
ORFSC	Oak Ridge Financial Service Center
OSBDU	Office of Small and Disadvantaged Business Utilization
OSF	Other Structures and Facilities
OSHA	Occupational Safety and Health Act
OSWDF	On-Site Waste Disposal Facility
OU	Operable Unit
OUO	Official Use Only
PARS	Project Assessment and Reporting System
PAH	Polycyclic Aromatic Hydrocarbon
PACRO	Paducah Area Community Reuse Organization
PBIs	Performance Based Incentives
PC	Personal Computer
PCB	Polychlorinated Biphenyl
PCTC	Portable Cell Treatment Cart
PEMP	Performance Evaluation Management Plan
PEMS	Project Environmental Measurement System
PGDP	Paducah Gaseous Diffusion Plant
PII	Personally Identifiable Information
PMEF	Primary Mission Essential Functions
PMOC	Performance Measures, Objectives and Commitments
POP	Period of Performance
PPB	Parts Per Billion
PPM	Parts Per Million
PPIRS	Past Performance Information Retrieval System
PPPO	Portsmouth/Paducah Project Office
PPQ	Past Performance Questionnaire
PRG	Preliminary Remediation Goal
PSS	Plant Shift Superintendent
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QSNDA	Quality System for Nondestructive Assay Characterization
RACR	Remedial Action Completion Report
RAO	Remedial Action Objective
RBES	Risk-Based End State
RCRA	Resource Conservation and Recovery Act
RDSI	Remedial Design Support Investigation
RFP	Request for Proposal
RGA	Regional Gravel Aquifer
RI	Remedial Investigation
RI/FS	Remedial Investigation/Feasibility Studies
RL	Remediation Level
RPP	Radiation Protection Program
ROD	Record of Decision
RTP	Request for Task Proposal
SEB	Source Evaluation Board
SECON	Security Condition
SI	Site Investigation
S&M	Surveillance and Maintenance
SMP	Site Management Plan

SOU	Soils Operable Unit
SOW	Statement of Work
SSO	Source Selection Official
SSP	Site Security Plan
STP	Site Treatment Plan
STRIPES	Strategic Integrated Procurement Enterprise System
SWMU	Solid Waste Management Unit
SWOU	Surface Water Operable Unit
^{99}Tc	Technetium-99
TCE	Trichloroethene
TEAM	Transformation Energy Action Management
THFA	Transitional Hazard Facility Analysis
TI	Technical Impracticability
TLD	Thermoluminescent Dosimeter
TRE	Toxicity Reduction Evaluation
TRU	Transuranic Waste
TSCA	Toxic Substances Control Act
TSDF	Transport, Storage, and Disposal Facility
TVA	Tennessee Valley Authority
U^{234}	Uranium-234
U^{235}	Uranium-235
U^{238}	Uranium-238
UCI	Unclassified Controlled Information
UCNI	Unclassified Controlled Nuclear Information
UCRS	Upper Continental Recharge System
UF_6	Uranium Hexafluoride
USC	United States Code
USEC	United States Enrichment Corporation
USV	Upper Screening Value
VC	Vinyl Chloride
VIPERS	Vendor Inquiry Payment Electronic Reporting System
VOC	Volatile Organic Compounds
WAC	Waste Acceptance Criteria
WAN	Wide Area Network
WLAN	Wireless Local Area Network
WBS	Work Breakdown Structure
WKWMA	West Kentucky Wildlife Management Area
WMA	Wildlife Management Area
WMP	Watershed Monitoring Program

SECTION J – ATTACHMENT J-18
PGDP D&R FACILITIES/AREAS ASSIGNMENT OF RESPONSIBILITY
D&R: Paducah GDP Deactivation & Remediation Contractor
INF: Infrastructure Contractor
DUF_6: DUF_6 Contractor

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
INF	INF	N/A	N/A	INF	C030285	Perimeter Fence	30,800 ft.	N/A	N/A
INF	INF	INF	INF	INF	C-102-T02	Trailer - Office	1,800	1,520	128 (2)
INF	INF	INF	INF	INF	C-102-T03	Trailer - Office	1,800	1,520	128 (2)
INF	INF	INF	INF	INF	C-103	Building - DOE Office and Annex	10,648	10,377	322 (4)
INF	INF	N/A	INF	INF	C-103-C	Concrete Pad and Canopy	400	N/A	N/A
INF	INF	N/A	N/A	INF	C-103-PL	Parking Area (C-103) – Concrete and New Asphalt 2018	45,835	N/A	N/A
INF	INF	INF	INF	INF	C-104	Access Control Facility	2,912	1449	121 (2)
INF	INF	N/A	N/A	INF	C-104 Parking Areas	C-104 N. and S. Parking Lots	4,444	N/A	N/A
INF	INF	N/A	N/A	INF	C-1200	Parking Lot	31,450	N/A	N/A
INF	INF	N/A	N/A	INF	C-1210	Vehicle Bridge	33 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	C-1212	West Parking Area	Not Available	N/A	N/A
INF	INF	N/A	N/A	INF	C-1900	Railroad Spur	1.46 Miles	N/A	N/A
INF	INF	N/A	N/A	INF	C-1910	Southeast Railroad Bridge	42 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	C-1920	Southwest Railroad Bridge	42 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	C-1930	Big Bayou Creek Railroad Bridge (DUF6)	57 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	C-213	Hobbs Road Access Point	Not Available	N/A	N/A
INF	INF	N/A	N/A	N/A	C-220-D1	Bell Telephone System	Not Available	N/A	N/A
INF	INF	N/A	N/A	N/A	C-220-D2	PAX Telephone System	Not Available	N/A	N/A
INF	INF	N/A	N/A	INF	C-225-A	Gravel Parking Area West of C-755-P	18,875	N/A	N/A
INF	INF	INF	INF	INF	C-304	Building - Training and Cascade Office Building**	8,000	4,086	256 (2)
INF	INF	N/A	N/A	INF	C-331-C	Parking Lot	13,350	N/A	N/A
INF	INF	N/A	N/A	INF	C-612-A-PAD	Concrete Pad	4,300 sq. yd.	N/A	N/A
INF	INF	N/A	INF	INF	C-612-B	Storm Shelter	48	N/A	N/A
INF	INF	N/A	N/A	INF	C-614-FENCE	Fence	516 ft.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
INF	INF	N/A	INF	INF	C-720-M T01	Trailer - Computer Maintenance	160	N/A	N/A
INF	INF	N/A	INF	INF	C-720-M T02	Trailer - Computer Maintenance	160	N/A	N/A
INF	INF	N/A	N/A	INF	C-720-N1	Railroad Classification Yard	N/A	N/A	N/A
INF	INF	N/A	INF	INF	C-725	Building – Janitorial Storage	410	N/A	N/A
INF	INF	N/A	INF	INF	C-730-A	Storm Shelter	48	N/A	N/A
INF	INF	N/A	N/A	INF	C-730-C	Gravel Parking Area (East)	5,220 sq. yd.	N/A	N/A
INF	INF	N/A	N/A	INF	C-730-D	Gravel Parking Area (West)	7,531.111 sq. yd.	N/A	N/A
INF	INF	N/A	N/A	INF	C-732	Salt Storage (C-732-1)	1,680	N/A	N/A
INF	INF	N/A	INF	INF	C-743-B	Storm Shelter	160	N/A	N/A
INF	INF	N/A	INF	INF	C-743-C	Storm Shelter	96	N/A	N/A
INF	INF	INF	INF	INF	C-743-T14	Trailer - Office	1,600	1,377	216 (2)
INF	INF	N/A	INF	INF	C-746-U13	Storm Shelter	72 sq. ft.	N/A	360 (1)
INF	INF	N/A	N/A	INF	C-746-U-Fence	Landfill Fence	8,380 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	C-747-FENCE	Fence	2124 ft.	N/A	N/A
INF	INF	INF	INF	INF	C-750	Building	11,866	285	358 (2)
INF	INF	N/A	INF	INF	C-752-B	Fuel Station	467 cu. ft.	N/A	N/A
INF	INF	N/A	INF	INF	C-752-B-T01	Fuel Station Trailer	96	N/A	N/A
INF	INF	N/A	N/A	INF	C-755	C-755 Construction Trailer Complex	28,463 sq. yd.	N/A	N/A
INF	INF	INF	INF	INF	C-755-A	Maintenance Shop	3,360	N/A	N/A
INF	INF	N/A	INF	INF	C-755-A1	Car Port, Brine Shelter	108	N/A	N/A
INF	INF	INF	INF	INF	C-755-B	Building	2,400	N/A	1,603 (2)
INF	INF	N/A	INF	INF	C-755-C	Building	600	600	N/A
INF	INF	N/A	INF	INF	C-755-D	Electrical Storage	100	100	N/A
INF	INF	N/A	INF	INF	C-755-E	Storm Shelter	160	N/A	N/A
INF	INF	N/A	INF	INF	C-755-F	Storm Shelter	160	N/A	N/A
INF	INF	N/A	N/A	INF	C-755-FENCE	Fence	2,264 ft.	N/A	N/A
INF	INF	N/A	INF	INF	C-755-G	Storm Shelter	160	N/A	N/A
INF	INF	N/A	INF	INF	C-755-H	Storm Shelter	160	N/A	N/A
INF	INF	N/A	INF	INF	C-755-J	Sealand Storage Container	160	N/A	N/A
INF	INF	N/A	INF	INF	C-755-K	Sealand Storage Container	160	N/A	N/A
INF	INF	N/A	INF	INF	C-755-L	Sealand Storage Container	160	N/A	N/A
INF	INF	N/A	INF	INF	C-755-M	Wooden Storage Shed	120	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
INF	INF	N/A	INF	INF	C-755-M1	Wooden Utility Shed	Not Available	N/A	N/A
INF	INF	N/A	INF	INF	C-755-M2	Wooden Storage Shed	Not Available	N/A	N/A
INF	INF	N/A	INF	INF	C-755-M3	Wooden Storage Shed	Not Available	N/A	N/A
INF	INF	N/A	INF	INF	C-755-M4	Shed	384	N/A	N/A
INF	INF	N/A	N/A	INF	C-755-P	Gravel Parking Lot	4,380 sq. yd.	N/A	N/A
INF	INF	N/A	INF	INF	C-755-Q	Sealand Storage Container	160	N/A	N/A
INF	INF	N/A	INF	INF	C-755-S	Sealand Storage Container	320	N/A	N/A
INF	INF	N/A	INF	INF	C-755-T	Wooden Storage Shed	504	N/A	N/A
INF	INF	INF	INF	INF	C-755-T05	Trailer – Office	1680	1157	150 (2)
INF	INF	INF	INF	INF	C-755-T08B	Shower and Change Trailer (formerly C-755-T17)	840	N/A	N/A
INF	INF	N/A	INF	INF	C-755-T13	Sealand Storage Trailer	Not Available	N/A	N/A
INF	INF	N/A	INF	INF	C-755-T14	Sealand Storage Trailer	Not Available	N/A	N/A
INF	INF	INF	INF	INF	C-755-T17A	Trailer Shower/Change (Formerly C-745-C-T04)	1,440	N/A	720 (1)
INF	INF	INF	INF	INF	C-755-T18	Trailer – Office (Leased – returning to vendor FY 2020)	1,536	1500	128 (2)
INF	INF	INF	INF	INF	C-755-T19	Trailer – Office/Break (Leased – returning to vendor FY 2020)	2,160	1560	96 (2)
INF	INF	INF	INF	INF	C-755-T20	Trailer – Office/Break	1,584	1012	72 (2)
INF	INF	INF	INF	INF	C-755-T21	Trailer – Office (To be removed in FY 2020)	900	900	150 (1)
INF	INF	INF	INF	INF	C-755-T22A	Trailer – Office/Break	1,440	897	N/A
INF	INF	INF	INF	INF	C-755-T23	Trailer, Office/Training	1,800	1,410	N/A
INF	INF	INF	INF	INF	C-755-T26	Trailer - Office	1440	1080	112 (2)
INF	INF	INF	INF	INF	C-755-T27	Trailer - Office	1440	1200	112 (2)
INF	INF	INF	INF	INF	C-755-T28	Trailer - Office	1440	1200	112 (2)
INF	INF	N/A	INF	INF	C-755-U	Metal Carports - Equipment (8)	280 sq. yd.	N/A	N/A
INF	INF	N/A	INF	INF	C-755-V	Building – Maintenance Materials Storage Building (Salt)	1,680	N/A	N/A
INF	INF	N/A	INF	INF	C-755-X	Storage Shed (To be removed in FY 2020)	Not Available	N/A	N/A
INF	INF	N/A	INF	INF	C-755-Y	Sealand Storage Container	160	N/A	N/A
INF	INF	N/A	INF	INF	C-755-Z	Trailer, Storage	224	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
INF	INF	N/A	N/A	INF	C-764-A	Gravel Parking Lot	6,899.8 sq. yd.	N/A	N/A
INF	INF	N/A	N/A	INF	C-770	Staging Area (formerly Vortec)	193,612 sq. yd.	N/A	N/A
INF	INF	N/A	INF	INF	C-800	Motorcycle Shelter	180 sq. yd.	N/A	N/A
INF	INF	N/A	N/A	INF	C-802	Meteorological Tower	197 height ft.	N/A	N/A
INF	INF	N/A	INF	INF	C-802A	Building – Meteorological Comm.	168	N/A	N/A
INF	INF	N/A	INF	INF	C-802B	Building – Meteorological Equip.	24	N/A	N/A
INF	INF	N/A	N/A	INF	C-810	Parking Area (C-100) Asphalt (New 2018)	27,506 sq. yd.	N/A	N/A
INF	INF	N/A	N/A	INF	C-811	Parking Area (C-720) Asphalt (New 2018)	20,117 sq. yd.	N/A	N/A
INF	INF	N/A	N/A	INF	C900057 (BRIDGE 1)	South Acid Road Bridge	110 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	C900057 (BRIDGE 2)	Transport Road Bridge	70 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	C-AREA	Railroads (inside CAA)	7,270 Miles	N/A	N/A
INF	INF	N/A	N/A	INF	C-RR	Railroad Tracks 1&2 Outside CAA	4.7 Miles	N/A	N/A
INF	INF	N/A	N/A	INF	C-RR-T	Railroad Trestle Outside CAA	87 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	CY-Fence	Cylinder Yard Fence	5,118 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	Low Water Crossing	Rice Springs Low Water Crossing	15 ft.	N/A	N/A
INF	INF	N/A	N/A	INF	Roads “Gravel”	Roads Gravel		N/A	N/A
INF	INF	N/A	N/A	INF	Roads Paved	Asphalt/Concrete		N/A	N/A
INF	INF	N/A	N/A	INF	Water Works Bridge	Water Works Road Bridge	54.5 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	Ambient Air Monitors	Ambient Air Monitors (9 separate in FIMS)	Reference Environ. Monitoring Plan	N/A	N/A
D&R	D&R	INF	INF	INF	C-100	Building Administration	67,546	45,895	2,392 (9)
D&R	D&R	N/A	INF	INF	C-100-T08	Trailer - FOCI Office and Change House	720	N/A	N/A
D&R	D&R	INF	INF	INF	C-101	Building - Cafeteria	18,326	1,429	682 (2)
D&R	D&R	INF	INF	INF	C-102	Building - Hospital	11,666	7,288	915 (2)
D&R	D&R	N/A	INF	INF	C-102-T01	Trailer - Office	1,440	N/A	N/A
D&R	D&R	INF	INF	INF	C-102-T04	Trailer - Office	1,440	1,066	128 (2)
D&R	D&R	INF	INF	INF	C-102-T05	Trailer - Office	1,440	1,386	128 (2)
D&R	D&R	INF	INF	INF	C-200	Building - Guard and Fire Headquarters	19,490	6,129	3,277 (4)
D&R	D&R	INF	INF	INF	C-200-A	Annex Trailer	1,152	1,408	56 (1)

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	INF	INF	C-200-B	Trailer - Storage	224	N/A	N/A
D&R	D&R	N/A	INF	INF	C-201	Building - Emergency Equipment Storage	864	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-201-C	Building	360	N/A	N/A
D&R	D&R	INF	INF	INF	C-202	Building - Guard Training	3,446	576	N/A
D&R	D&R	N/A	INF	INF	C-203	Building - Emergency Vehicle Shelter	1,800	N/A	N/A
D&R	D&R	N/A	INF	INF	C-204	Building - Disintegrator	192	N/A	N/A
D&R	D&R	INF	INF	INF	C-205	Building - Respirator Issue Bldg.	3,600	720	1
D&R	D&R	N/A	N/A	INF	C-206	Pumper Drafting Pit	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-207	Building - Fire Training Facility	900	N/A	N/A
D&R	D&R	INF	INF	INF	C-208	Firing Range	5,730	N/A	168 (2)
D&R	D&R	N/A	N/A	INF	C-215-M	Security IMAC Portal (CA09040)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-218	Range – Out of Service (SWMU 181)	40,000	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-220-A	Power Distribution System	Not Available	N/A	N/A
D&R	D&R	INF	INF	INF	C-224	Building - Post 15	1,600	1,631	49 (1)
D&R	D&R	INF	INF	INF	C-225	Building - Post 48	1,600	1,549	49 (1)
D&R	D&R	N/A	N/A	INF	C-226	Guard Shack (Post 91)	24	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-227	Post 92	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-228	Guard Shack (Post 93)	268	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-230-A**	Sanitary Water System	75,900 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-230-B**	Sanitary Sewer System	31,200 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-230-C	Storm Sewer System	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-230-D**	Chilled Water System	7,146 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-230-E	Plant (Process) Water System	29,200 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-230-F	Process Waste Water System	19,658 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-230-G**	Recirculating Cooling Water System	39,980 ft.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-230-H**	High Pressure Fire Water System	68,809 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-230-J**	Process Waste Heat Utilization System	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-232-A	Nitrogen System	15,304 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-232-B	Compressed Air System	25,249 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-232-C	Acetylene/Oxygen System	2,432 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-232-D**	Steam Distribution System	19,155 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-232-E	Natural Gas System	6,522 ft.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-233	Trailer – Post 233	650	N/A	N/A
D&R	D&R	INF	INF	INF	C-300	Building - Central Control	16,022	2,272	216 (2)
D&R	D&R	N/A	N/A	INF	C-300 – 531	Instrumentation Tunnel	2,033 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-300 – 533	Instrumentation Tunnel	1,471 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-300 – 535	Instrumentation Tunnel	1,933 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-300 – 537	Instrumentation Tunnel	1,121 ft.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-301	Fire Training Building (Former)	2,640	N/A	N/A
D&R	D&R	INF	INF	INF	C-302	Building - Operations Division Data Center	7,366	6,494	189 (2)
D&R	D&R	N/A	INF	INF	C-303	Building - Supervisory Control and Data Acquisition	2,109	N/A	N/A
D&R	D&R	INF	INF	INF	C-310	Building - Purge and Product Building	112,240	2,418	306 (2)
D&R	D&R	N/A	INF	INF	C-310-331-A	Bridge (Enclosed)	200 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-310-331-B	Tie Line	1,025 ft.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-310-A	Building - Product Withdrawal Building	3,276	N/A	N/A
D&R	D&R	N/A	INF	INF	C-315	Building - Surge and Waste Building	16,040	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-315- 331	Tie Line	1,025 ft.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-320	Building - Communication Building	1,116	N/A	N/A
D&R	D&R	INF	INF	INF	C-331	Building - Process Building	1,029,120	1,289	1,480 (4)

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	INF	INF	C-331-333-A	Bridge (Enclosed – 300 ft)	300 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-331-333-B	Tie Line (East)	2,030 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-331-333-C	Tie Line (West)	2,610 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-331-335	Tie Line	6,845 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-331-410	Tie Line	882 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-331-A	Yard Contractor Staging Area West	11,333 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-331-B	Yard Contractor Staging Area East	5,044 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-331-T04	Office/Break Room Trailer (Col. DD-30)	240	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-331-T05	HP Office/Cool Shack (Metal bldg. at col H-8 ground floor)	96	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-331-T08	IM Shop (Metal Building Col L-24)	72	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-331-T09	IM Shop (Metal Building Col H-19)	384	N/A	N/A
D&R	D&R	INF	INF	INF	C-333	Building - Process Building	2,130,120	1,463	2,166 (5)
D&R	D&R	N/A	INF	INF	C-333-A	Building - Feed Vaporization Facility	8,305	N/A	N/A
D&R	D&R	INF	INF	INF	C-335	Building - Process Building	1,029,120	1,526	1,703 (4)
D&R	D&R	N/A	INF	INF	C-335-337-A	Bridge (Enclosed)	200 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-335-337-B	Tie Line (North)	690 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-335-337-C	Tie Line (South)	805 ft.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-335-T01	Metal Building Inside Col. DD-9	77	N/A	N/A
D&R	D&R	N/A	INF	INF	C-335-T02	Metal Building Inside Col. CC-11	77	N/A	N/A
D&R	D&R	N/A	INF	INF	C-335-T03	Metal Building Inside at Col. CC-2	1,000	N/A	N/A
D&R	D&R	N/A	INF	INF	C-335-T04	Metal Building Inside Col. F-19	72	N/A	N/A
D&R	D&R	N/A	INF	INF	C-335-T05	Metal Building Inside Col. U-20	312	N/A	N/A
D&R	D&R	INF	INF	INF	C-337	Building - Process Building	2,130,120	1,675	1,412 (5)
D&R	D&R	N/A	INF	INF	C-337-A	Building - Feed Vaporization Facility	8,556	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-337-T03	Metal Building Inside at Col. Nb-8	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-340-Complex	Gravel & Slabs left from building D&D (square footage includes -A, -B, -C, -D and -E)	63,110	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-342-SLAB	Concrete slab left from D&D of tank area (square footage includes -A and -B)	2,610	N/A	N/A
D&R	D&R	N/A	INF	INF	C-350	Building - Drying Agent Storage	1,570	N/A	N/A
D&R	D&R	N/A	INF	INF	C-360	Building - Toll Transfer and Sampling	17,800	1,276	485(2)
D&R	D&R	INF	INF	INF	C-360-A	Building	8,200	160	N/A
D&R	N/A	N/A	N/A	N/A	C-370-E	Monitoring Station - Water Quality	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-372	Monitoring Wells	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-04 (KPDES 004)	C-615 Sec. Basin EF. (SWMU 63)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-06 (KPDES 006)	C-611 No. 2 Lagoon (SWMU 22)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-16 (KPDES 016)	Outfall	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-17 (KPDES 017)	Outfall	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-19 (KPDES 019)	Outfall	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-20 (KPDES 020)	Outfall	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-E2 (KPDES 002)	Outfall (SWMU 60)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-E3 (KPDES 010)	Outfall (SWMU 66)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-E4 (KPDES 011)	Outfall (SWMU 67)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-E5 (KPDES 012)	Outfall (SWMU 168)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-E6 (KPDES 013)	Outfall (SWMU 61)	Not Available	N/A	N/A
D&R	N/A	N/A	N/A	N/A	C-375-N1	Outfall 003 (Inactive/Capped)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-S6 (KPDES 009)	Outfall (SWMU 62)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-W7 (KPDES 008)	Outfall (SWMU 63)	Not Available	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-375-W8 (KPDES-015)	Outfall (SWMU 68)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-375-W9 (KPDES-001)	Outfall 001 - Oil Control Dam (SWMU 69)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-400	Building - Cleaning Building	116,140	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-400-GTS	Groundwater Treatment System	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-400-L	Lift Station - Storm Water Lift Station	1,600 GPM	N/A	N/A
D&R	D&R	INF	N/A	INF	C-400-T01	Trailer/Office (RELOCATED FOR REUSE)	360	N/A	N/A
D&R	D&R	INF	INF	INF	C-400-T02	Trailer	1440	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-400-WTS	C-400 Water Treatment System (NSDD)	4,540	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-402-SLAB	Slab only - from Lime house Demolition	1,760	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-403	Pit - Neutralizing Pit	8,260 cu. ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-404	Burial ground – Closed Hazardous Landfill (SWMU 4)	53,200 cu. ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-404-A	Sump – Leachate Collection (SWMU 4)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-405-SLAB	Incinerator Building Slab only	1,070	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-407	Nitric Acid Storage Tank	12,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-409	Building - Stabilization Building	26,797	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-410/411/420 SLAB	Concrete slab (includes C-410, C-410-A, -B, -C, -F, -G, -H, -I, -J, C-411, C-420)	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	C-410-D	Building - Fluorine Storage Building	1,526	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-410-E	Acid Neutralization Pond	12,232 cu. ft.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-410-K	Building	1,500	N/A	N/A
D&R	D&R	N/A	INF	INF	C-410-L	Quonset Hut - Storage	846	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-412	C-412 Trailer Complex	7,260 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-412-ES	C-412 Electrical System	N/A	N/A	N/A
D&R	D&R	INF	INF	INF	C-412-T01	Trailer - Office	1,440	1,314	63 (1)

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	INF	INF	INF	C-412-T02	Trailer - Office	1,440	1,314	126 (2)
D&R	D&R	INF	INF	INF	C-412-T03	Trailer - Office	1,440	1,266	126 (2)
D&R	D&R	INF	INF	INF	C-412-T04	Trailer - Office	1,440	1,214	126 (2)
D&R	D&R	INF	INF	INF	C-412-T05	Trailer - Office	1,440	1,214	126 (2)
D&R	D&R	INF	INF	INF	C-412-T07	Trailer - Shower & Change	1,440	N/A	1,440 (2)
D&R	D&R	INF	INF	INF	C-412-T08	Trailer - Office	1,440	1,214	126 (2)
D&R	D&R	INF	INF	INF	C-412-T09	Trailer - Office	1,440	1,214	126 (2)
D&R	D&R	INF	INF	INF	C-412-T11A	Trailer - Shower & Change	1,440	N/A	1,440 (2)
D&R	D&R	INF	INF	INF	C-412-T12	Trailer - Shower & Change	1,440	N/A	1,440 (2)
D&R	D&R	INF	INF	INF	C-412-T13	Trailer - Office	1,440	1,314	126 (2)
D&R	D&R	INF	INF	INF	C-412-T14	Trailer – Office/Break	1,440	1,207	126 (2)
D&R	D&R	N/A	N/A	INF	C-412-WS	C-412 Water Piping System	N/A	N/A	N/A
D&R	D&R	N/A	INF	INF	C-415	Building - Feed Plant Storage	3,672	N/A	N/A
D&R	D&R	N/A	INF	INF	C-415-T01	Sealand Storage Container	160	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-416	Pad - Equipment Cleaning Pad	314 sq. yd.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-416-T01	Sealand Storage Container	320	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-417	Pad - Equipment Cleaning Pad/Staging Area	Not Available	N/A	N/A
D&R	D&R	INF	INF	INF	C-531-1	Building - Switch House	31,400	0	72 (1)
D&R	D&R	N/A	N/A	INF	C-531-2	Switchyard	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	C-531-3A	Building - Fire Valve House	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-531-3B	Building - Fire Valve House	144	N/A	N/A
D&R	D&R	INF	INF	INF	C-532	Building - Relay House	7,784	1,579	311 (2)
D&R	D&R	N/A	INF	INF	C-533-1	Building - Switch House	37,360	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-533-2	Switchyard	Not Available	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	INF	INF	C-533-3A	Building - Fire Valve House No. 1	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-533-3B	Building - Fire Valve House No. 2	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-533-3C	Building - Fire Valve House No. 3	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-533-3D	Building - Fire Valve House No. 4	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-535-1	Building - Switch House	28,000	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-535-2	Switchyard	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	C-535-3A	Building - Fire Valve House No. 1	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-535-3B	Building - Fire Valve House No. 2	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-535-4	Building - Test Shop (Maintenance Office)	480	N/A	N/A
D&R	D&R	N/A	INF	INF	C-536	Building - Relay House	7,784	N/A	N/A
D&R	D&R	N/A	INF	INF	C-537-1	Building - Switch House	42,140	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-537-2	Switchyard	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	C-537-3A	Building - Fire Valve House No. 1	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-537-3B	Building - Fire Valve House No. 2	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-537-3C	Building - Fire Valve House No. 3	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-537-3D	Building - Fire Valve House No. 4	144	N/A	N/A
D&R	D&R	N/A	INF	N/A	C-537-4	Building - Test Shop	480	N/A	N/A
D&R	D&R	N/A	INF	INF	C-540-A	Building - Oil Pump House	312	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-540-B	Oil Storage Tank (Northwest)	15,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-540-C	Oil Storage Tank (Southwest)	15,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-540-D	Oil Storage Tank (Northeast)	7,500 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-540-E	OSF – Oil Storage Tank (Southeast)	15,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-541-A	Building - Oil Pump House	312	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-541-B	Oil Storage Tank (Northwest)	15,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-541-C	Oil Storage Tank (Southwest)	15,000 gal.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-541-D	Oil Storage Tank (Northeast)	15,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-541-E	Oil Storage Tank (Southeast)	15,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-600	Building - Steam Plant	47,424	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-600-1	New Cooling Tower Next to C-604		N/A	N/A
D&R	D&R	N/A	N/A	INF	C-600-A	Steam Package Boilers PB-01 through PB-05	5 units	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-600-A	Package Boiler Pad	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	C-601	Building - Nitrogen Generator Building Addition	2,250	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-601-A	Steam Plant Fuel Storage Tank (Center)	420,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-601-B	Steam Plant Fuel Storage Tank (South)	420,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-601-C	Building – Fuel Oil Pump house	148	N/A	N/A
D&R	D&R	N/A	INF	INF	C-601-E	Storage Shed	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-602	Coal Storage Yard	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-603-A	Slab	40	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-603-E	Nitrogen Storage Tank (East)	11,000 gal	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-603-F	Nitrogen Storage Tank (Center)	11,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-603-G	Nitrogen Storage Tank (West)	11,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-603-H	Slab	128	N/A	N/A
D&R	D&R	INF	INF	INF	C-604	Building - Utilities Maintenance Building	2,400	140	270 (1)
D&R	D&R	N/A	INF	INF	C-604-A	Building - Utilities Storage Building	290	N/A	N/A
D&R	D&R	N/A	INF	INF	C-605	Building - Substation Building	1,200	N/A	N/A
D&R	D&R	N/A	INF	INF	C-606	Building - Coal Crusher Building	1,470	N/A	N/A
D&R	D&R	N/A	INF	INF	C-607	Building - Emergency Air Compressor Generator Build	2,000	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611	Water Treatment Complex	15 Acres	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	INF	INF	C-611-A	Building - Building and Shop Storage	504	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-A1	Building – Activated Carbon Storage	1600	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-B	Building - Head House	1,215	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-B1	Building - Polymer Feed System Enclosure	285	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-C	Flocculator Basin	1,000,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-F1	Secondary Coagulation Basin	7,000,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-F2	Building - Chemical Feed	589	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-F3	Building - Activated Carbon Feed	168	N/A	N/A
D&R	D&R	INF	INF	INF	C-611-H	Building - Filter and Pump Station	13,067	N/A	21 (1)
D&R	D&R	N/A	N/A	INF	C-611-I	Clear Well	500,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-J	Pump House (Settled Water/Part of C-611-H Building)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-K	Lagoon	942,480 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-O	Sanitary Water Storage Tank	250,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-P	Building - Pump House	902	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-Q	Building - 36" Raw Water Line Booster Station	392	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-R	Water Tank-RCW Fire Water (High Pressure)	300,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-S	Building – CL2 Storage and Feed	1,120	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-SB	Settling Basins 4 (C-611-D, E, F, & G)	12,000,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-611-T	Booster Pump Station Plant Water	120 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-U	Softening Facility (West)	1,174,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-V	Sludge Lagoon	74,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-V1	Sludge Lagoon	143,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-W	Sludge Lagoon	23,000 gal.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-611-X	Softening Facility (East)	908,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-Y	Recycle Lagoon	196,000 gal	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-611-Z	Flocculator Basin	1,000,000 GPD	N/A	N/A
D&R	D&R	N/A	INF	INF	C-612	Pilot Pump and Treat	4,480	N/A	N/A
D&R	D&R	N/A	INF	INF	C-612-T05-T08	Sealand Storage Containers	640	N/A	N/A
D&R	D&R	N/A	INF	INF	C-612-T09-T12	Sealand Storage Containers	1,280	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-612-SSS	C-612 Sanitary Sewer Systems (Inactive)	1,750 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-612-SYS	Northwest Plume Treatment System	220 GPM	N/A	N/A
D&R	D&R	N/A	INF	INF	C-612-T04	Wooden Storage Building	24	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-613	Basin - Scrap Yard Sedimentation	4,560,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-613-01	Pump Station	N/A	N/A	N/A
D&R	D&R	N/A	INF	INF	C-613-02	Pump Station	N/A	N/A	N/A
D&R	D&R	N/A	INF	INF	C-613-A	Trailer - Sedimentation Basin Process	539	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-613-DITCH	Water Conveyance System to C-613	2,875 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-614	Treatment System - Northeast Plume	263 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-614-A	Pad - Northeast Plume	280 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-614-B	Well - Northeast Plume Extraction Well 331/w EQ	150 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-614-C	Well - Northeast Plume Extraction Well 332 w/EQ	110 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-A	Primary Settling Tank	21,360 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-B	Final Settling Tank	17,600 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-615-C	Sewage Plant Monitoring Building	1,308	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-D	Digester	500,000 GPD	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-E	Trickling Filter	160,000 GPD	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-F	Tricking Filter Sludge Beds	6,985 cu. ft.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-615-G	Sewage Lift Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H	Sewage Lift Station	125 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H1	Sewage Lift Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H2	Sewage Lift Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H3	Sewage Lift Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H4	Sewage Lift Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H5	Sewage Lift Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H6	Sewage Lift Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H7	Sewage Lift Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H8	Oil Control Monitoring Station	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-H10	Sewage Lift Station		N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-K	East/West Ditch (Former Chromate) Lift Station	1,000 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-M	Oil Control Structure	1,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-615-N	Lagoon	104,720 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-615-O	Building – Oil Control	144	N/A	N/A
D&R	D&R	N/A	INF	INF	C-616-A	Building – Chemical Feed	2,000	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-B	Clarifier (East)	675,000 gal	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-C	Lift Station	5,000 GPM	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-D	Sludge Vault and Valve Pit	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-E	Sludge Lagoon	1,436,000 cu. ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-F	Full Flow Lagoon	23,749,000 gal.	N/A	N/A
D&R	N/A	N/A	N/A	N/A	C-616-G	Tank Farm (Partial Removal/Two Tanks removed and two remain [H1 and H2]) Stands Remain	6,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-H1	Ferrous Sulfate Storage Tank (East)	21,000 gal.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-616-H2	Ferrous Sulfate Storage Tank (West)	21,000 gal	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-J	Reduction Tank (E)	15,000 gal	N/A	N/A
D&R	D&R	N/A	INF	INF	C-616-K	Building – Chemical Feed Storage	420	N/A	N/A
D&R	D&R	N/A	INF	INF	C-616-L	Building – Effluent Control Vault	96	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-M	Clarifier (West)	675,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-N	Reduction Tank (W)	15,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-P	Sludge Vault and Valve Pit	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-Q	Fly ash Settling Lagoon	388,960 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-616-Sump	Sump	N/A	N/A	N/A
D&R	D&R	N/A	INF	INF	C-617-A	Building - Effluent Control Station	256	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-617-B	Effluent Control Lagoon	218,000 gal	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-617-C	Outfall 013 Wetland & Pond	60,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-620	Building – Air Plant	10,000	N/A	N/A
D&R	D&R	N/A	INF	INF	C-631-1	Building – Pump House	9,700	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-631-2	Cooling Tower	110,700 tons	N/A	N/A
D&R	D&R	N/A	INF	INF	C-631-3	Pump House (Firewater)	1,196	N/A	N/A
D&R	D&R	N/A	INF	INF	C-631-4	Blending Pump House	1,540	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-631-5	Blending Cooling Tower (West)	29,512 tons	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-631-6	Blending Cooling Tower (East)	14,756 tons	N/A	N/A
D&R	D&R	N/A	INF	INF	C-633-1	Pump House	10,245	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-633-2A	Cooling Tower (South)	110,700 tons	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-633-2B	Cooling Tower (North)	110,700 tons	N/A	N/A
D&R	D&R	N/A	INF	INF	C-633-3	Blending Pump House	1,984	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-633-4	Blending Cooling Tower (North)	44,213 tons	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-633-5	Blending Cooling Tower (South)	44,213 tons	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	INF	INF	C-633-6	Building – Sand Filter Building	260	N/A	N/A
D&R	D&R	N/A	INF	INF	C-635-1	Building - Blending Pump House	8,505	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-635-2	Blending Cooling Tower (North)	110,700 tons	N/A	N/A
D&R	D&R	N/A	INF	INF	C-635-3	Building - Blending Pump House	1,984	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-635-4	Blending Cooling Tower (North)	28,775 tons	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-635-5	Blending Cooling Tower (South)	28,775 tons	N/A	N/A
D&R	D&R	N/A	INF	INF	C-635-6	Building - Process Waste Heat Utilization Pump House	2,556	N/A	N/A
D&R	D&R	N/A	INF	INF	C-637-1	Building - Pump House	10,245	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-637-2A	Cooling Tower (South)	110,700 tons	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-637-2B	Cooling Tower (North)	110,700 tons	N/A	N/A
D&R	D&R	N/A	INF	INF	C-637-3	Building - Blending Pump House	2,084	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-637-4	Blending Cooling Tower (North)	33,202 tons	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-637-5	Blending Cooling Tower (South)	33,202 tons	N/A	N/A
D&R	D&R	N/A	INF	INF	C-637-6	Sand Filter Building	260	N/A	N/A
D&R	D&R	INF	INF	INF	C-709	Building - Plant Laboratory Annex	13,500	N/A	416 (2)
D&R	D&R	INF	INF	INF	C-710	Building - Technical Services Building	84,333	15,862	2,057 (4)
D&R	D&R	N/A	INF	INF	C-710-A	Building - Gas Cylinder Storage Building	400	N/A	N/A
D&R	D&R	N/A	INF	INF	C-711	Building - Gas Manifold	962	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-712	Acid Neutralization Pit	1,133.35 cu. ft.	N/A	N/A
D&R	D&R	INF	INF	INF	C-720	Building - Maintenance and Stores Building	299,944	22,705	4,411(10)
D&R	D&R	N/A	INF	INF	C-720-A	Building - Compressor Shop	1,600	N/A	N/A
D&R	D&R	N/A	INF	INF	C-720-B	Building - Machine Shop Addition	1,700	N/A	N/A
D&R	D&R	INF	INF	INF	C-720-C	Building - Converter Shop Addition	28,134	300	72 (1)
D&R	D&R	N/A	INF	INF	C-720-C1	Building - Paint Shop	5,120	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	INF	INF	C-720-D	Building – Transformer Building	400	N/A	N/A
D&R	D&R	INF	INF	INF	C-720-E	Building – Change House Addition	3,467	N/A	3,154 (1)
D&R	D&R	N/A	INF	INF	C-720-G	Building - Warehouse	10,800	N/A	N/A
D&R	D&R	N/A	INF	INF	C-720-H	Building - Warehouse	2,400	N/A	N/A
D&R	D&R	N/A	INF	INF	C-720-J	Building - Air Lock	920	N/A	N/A
D&R	D&R	INF	INF	INF	C-720-K	Building - Instrument Shop Addition	1,520	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-720-L	Oxygen Facility	462 cu. ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-720-M**	Trailer - Computer Maintenance	1,440	100	155 (1)
D&R	D&R	N/A	INF	INF	C-720-T08	Trailer - Mobile Office (inside C-720)	200	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-720-U	Semi Box Trailer	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	C-721	Building - Gas Manifold Storage	962	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-722	Acid Neutralization Pit	380 cu. ft.	N/A	N/A
D&R	D&R	INF	INF	INF	C-724-A	Building - Paint Shop	3,900	896	264 (1)
D&R	D&R	INF	INF	INF	C-724-B	Building – Carpenter Shop	10,215	0	1,459 (1)
D&R	D&R	INF	INF	INF	C-724-C	Building - Paint Shop	1,600	288	N/A
D&R	D&R	N/A	INF	INF	C-724-D	Building - Lumber Storage Building	2,880	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-726	Building - Sand Blast Building	2,019	N/A	N/A
D&R	D&R	N/A	INF	INF	C-727	Building -Low Level Waste Storage	4,428	N/A	N/A
D&R	D&R	N/A	INF	INF	C-728	Building - Motor Cleaning Building	1,597	N/A	N/A
D&R	D&R	N/A	INF	INF	C-729	Building - Acetylene Building	430	N/A	N/A
D&R	D&R	INF	INF	INF	C-730	Building - Maintenance Services	1,057	220	15 (1)
D&R	D&R	INF	INF	INF	C-730-T01	Trailer - Office	720	664	56 (1)
D&R	D&R	INF	INF	INF	C-730-T05	Trailer - Office	1,560	1,447	113 (2)
D&R	D&R	INF	INF	INF	C-730-T06	Trailer - Office	1,560	1447	113 (2)

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	INF	INF	C-731	Building - Railroad Repair Equipment Storage Building	1,280	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-733	Building - Waste Oil and Chemical Storage Facility	4,224	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-740	Material Yard	30,205 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-740-A	Semi-Trailer Unloading Facility	1,000	N/A	N/A
D&R	D&R	N/A	INF	INF	C-740-B	Building - Oil Drum Storage Shelter	2,800	N/A	N/A
D&R	D&R	N/A	INF	INF	C-741	Building - Mobile Equipment Shed	5,360	N/A	N/A
D&R	D&R	N/A	INF	INF	C-742	Building - Cylinder Storage Shed	2,745	N/A	N/A
D&R	D&R	INF	INF	INF	C-743	Building – Office	9,973	8,086	614 (2)
D&R	D&R	N/A	N/A	INF	C-743-Complex	Trailer Complex	7,400 sq. yd.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-743-A	Personal Property – Storage Shed	288	N/A	N/A
D&R	D&R	N/A	INF	INF	C-743-A1	Personal Property – Storage Shed	288	N/A	N/A
D&R	D&R	N/A	INF	INF	C-743-A2	Personal Property – Storage Shed	120	N/A	N/A
D&R	D&R	N/A	INF	INF	C-743-D	Wooden Storage Shed	96	N/A	N/A
D&R	D&R	INF	INF	INF	C-743-T01	Trailer - Office	1,415	1,267	90 (2)
D&R	D&R	INF	INF	INF	C-743-T02	Trailer – Office	1,415	1,267	90 (2)
D&R	D&R	INF	INF	INF	C-743-T09	Trailer - Office	1,650	1,377	144 (2)
D&R	D&R	N/A	INF	INF	C-743-T13	Trailer - Office	1,600	N/A	N/A
D&R	D&R	INF	INF	INF	C-743-T15	Trailer - Office	1,600	1400	200 (2)
D&R	D&R	INF	INF	INF	C-743-T16	Trailer - Material Handling	1,360	1485	108 (2)
D&R	D&R	N/A	N/A	INF	C-743-T17	Trailer – Field Support Lab (Condemned)	1,733	N/A	N/A
D&R	D&R	N/A	INF	INF	C-743-T17-A	Wooden Storage Shed	128	N/A	N/A
D&R	D&R	N/A	INF	INF	C-743-T18	Wooden Storage Shed	192	N/A	N/A
D&R	D&R	INF	INF	INF	C-744	Building - Lubrication Building	6,400	206	356 (2)
D&R	D&R	N/A	N/A	INF	C-745-A1	Chemical Storage Yard	Not Available	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-745-A-SW	Yard	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-745-B1	Building – Cylinder Storage Yard Office	128	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-745-C	Trailers (Cylinder Yard Storage with Trailers)	47,378 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-745-C-T03	Trailer, shower/change house	1,440	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-745-H	Cylinder Storage Yard	42,331 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-745-J	Radioactive Material Storage Yard	2,956 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-745-X	Equipment Storage Pad	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-745-Y	Equipment Storage Yard	1,900 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-745-Z	Equipment Storage Yard	1,916 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-745-Z1	Construction Spoils Area	2,342 sq. yd.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-A	North Warehouse	42,000	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-A-SLABS	Slabs from D&D East/West Ends	29,600 sq. ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-B SLAB	Concrete Slab	72,000 sq. ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-B1	Staging Area	6,000 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-C	Clean Scrap Yard North	15,333 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-C1	Clean Scrap Yard South	21,093 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-D	Classified Scrap Yard	6,757 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-E	Contaminated Scrap Yard North	15,364 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-E1	Contaminated Scrap Yard South	12,580 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-F	Classified Scrap Burial Yard (SWMU 5)	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-G	Building - Electrical Equipment Storage	2,400	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-H1	PEM Storage Slab	9,750 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-H2	PEM Storage Slab	10,625 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-H3	Slab	6,239 sq. yd.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-746-H4	Pad	5,422 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-K	Closed Sanitary Landfill (SWMU 8)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-M SLAB	Concrete Slab	560	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-N	Area North of C-746-A (Pad)	2,200 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-P	Scrap Metal Yard East (SWMU 13)	29,861 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-P COMP-E	C-746-P Complex Electrical (Inactive)	500,000 AMP	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-P COMP-S	C-746-P Complex Sewer (Inactive)	3,000 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-P COMP-W	C-746-P Complex Water (Inactive)	2,550 ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-P1	Scrap Metal Yard West (SWMU 13)	22,222 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-746-P-T01	Trailer – Office/Break	1,344	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-746-P-T03	Trailer – Office/Break	1,656	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-746-P-T04A	Trailer – Shower/Change	1,440	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-Q	High Assay Waste Storage Facility (Combined with C-746-Q1 Building)	47,302	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-Q1	High Assay Waste Storage Building (Combined with C-746-Q Building)	listed in C-746-Q	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-R	Storage Area	240 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-S	Sanitary Landfill (SWMU 9)	5 acres	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-S-T01	Trailer	360	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-T	Landfill	10 acres	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-U	Landfill	60 acres	N/A	N/A
D&R	D&R	INF	INF	INF	C-746-U1	Landfill Office Building	624	128	72 (1)
D&R	D&R	N/A	INF	INF	C-746-U10	Shed	392	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-U11	Shed	392	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-U12	Shed	392	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-U15	Building – Leachate Treatment Facility	1,120	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	INF	INF	C-746-U16	Leachate Storage Facility	6,922	N/A	N/A
D&R	D&R	INF	INF	INF	C-746-U2	Landfill Equipment Building	3,048	2976	64 (1)
D&R	D&R	N/A	INF	INF	C-746-U3/C-746-U03	Leachate Facility/Control Panel	62,000 gal.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-U4-U09	Sealand Storage Containers	960	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-U-Pond	Landfill Holding Pond	9,214,000 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-746-U-S	Truck Scale at Landfill	Not Available	N/A	N/A
D&R	D&R	INF	INF	INF	C-746-U-T14	Trailer (Shower)	360	N/A	400 (1)
D&R	D&R	N/A	N/A	INF	C-746-V	Waste Staging Area	1,111 sq. yd.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-746-X	Building - Electrical Storage	5,670	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-747	Burial Area (SWMU 4)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-747-A	Burial Yard (SWMU 30)	16,704	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-747-B	Burial Yard (SWMU 6)	4,068	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-747-C	SWMU 001 – Former Oil Landfarm	1,133 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-747-D	Pad	8,400	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-747-E	Pad	9,900	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-748-A	Kentucky Ordinance Works Disposal Area (SWMU 95)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-748-B	Burial Area (SWMU 4)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-749	Uranium Scrap Burial Yard (SWMU 2)	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-752	RA Waste Holding Pad	978 sq. yd.	N/A	N/A
D&R	D&R	INF	INF	INF	C-752-A	Storage Facility	42,000	1200	N/A
D&R	D&R	N/A	INF	INF	C-752-A-ENC	Waste Containment Enclosure	756	N/A	N/A
D&R	D&R	INF	INF	INF	C-752-A-T10	Trailer	440	N/A	N/A
D&R	D&R	N/A	INF	INF	C-752-C	Decontamination Facility	7,260	N/A	N/A
D&R	D&R	N/A	INF	INF	C-752-C-T01 through T08	Sealands	2,560	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	INF	INF	INF	C-753-A	Waste Storage Facility	32,160	N/A	N/A
D&R	D&R	N/A	INF	INF	C-754	Low Level Waste Storage Area	7,345	N/A	N/A
D&R	D&R	N/A	INF	INF	C-754-A	Waste Mgmt. Staging Area	2,275 sq. yd.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-754-B	Building - Low Level Waste Storage	4,160	N/A	N/A
D&R	D&R	N/A	N/A	N/A	C-755-ES	C-755 Electrical System	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-755-N	East Extended Parking Lot	60,620	N/A	N/A
D&R	D&R	N/A	INF	INF	C-755-R	Sealand Storage Container (Relocated to C-412 East Parking Lot)	320	N/A	N/A
D&R	D&R	INF	INF	INF	C-755-T01	Trailer - Office	1,680	1,230	120 (1)
D&R	D&R	INF	INF	INF	C-755-T02	Trailer - Office	1,680	1,014	286 (2)
D&R	D&R	INF	N/A	INF	C-755-T03	Trailer - Office	1,680	1,537	112 (2)
D&R	D&R	INF	INF	INF	C-755-T04	Trailer - Office	1,680	1,323	120 (2)
D&R	D&R	INF	INF	INF	C-755-T07	Trailer - Break	1,440	1,380	N/A
D&R	D&R	INF	INF	INF	C-755-T09	Trailer - Office	2,352	2,088	N/A
D&R	D&R	N/A	INF	INF	C-755-T10	Storage Trailer	224	N/A	N/A
D&R	D&R	INF	INF	INF	C-755-T16	Trailer – Change/shower facility	2,700	N/A	N/A
D&R	D&R	N/A	INF	INF	C-755-T24	Wooden Storage Shed	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	C-755-W	Small Maintenance Shop	540	N/A	N/A
D&R	D&R	INF	INF	INF	C-757	Building - Solid and LL Waste Processing	10,000	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-759	Scrap Metal Staging Area	13,877 sq. yd.	N/A	N/A
D&R	D&R	N/A	INF	INF	C-759-A	Carport	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-759-B	Staging Area – Gravel Pad	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-760	Pad – Waste Disposition Storage Area	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-760-A	NSDD Surge Basin	1,074,466 gal.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-761	Staging Area – Gravel Pad	Not Available	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	INF	C-762	Gravel Laydown Area w/Metal Shed	8,740 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-764	Trailer Complex	11,352.6 sq. yd.	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-764-B	Sanitary Water Valve Vault	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-764-C1	Sanitary Water Valve Vault	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	INF	C-764-Storm Shelters	Storm Shelters	Not Available	N/A	N/A
D&R	D&R	INF	INF	INF	C-764-T01	Trailer - Office	1410	1,187	123 (2)
D&R	D&R	INF	INF	INF	C-764-T02	Trailer - Conference	1440	1,230	90 (2)
D&R	D&R	INF	INF	INF	C-764-T03	Trailer - Office	1504	1,340	84 (2)
D&R	D&R	INF	INF	INF	C-764-T04	Trailer - Office	1504	1,334	90 (2)
D&R	D&R	INF	INF	INF	C-764-T05	Trailer - Office	1504	1,354	90 (2)
D&R	D&R	INF	INF	INF	C-764-T06	Trailer - Office	1410	1,266	84 (2)
D&R	D&R	INF	INF	INF	C-764-T07	Trailer - Office	1410	1,286	84 (2)
D&R	D&R	INF	INF	INF	C-764-T08	Trailer - Office	1410	1,232	98 (2)
D&R	D&R	INF	INF	INF	C-764-T09	Trailer - Office	1504	1,298	126 (2)
D&R	D&R	INF	INF	INF	C-764-T10	Trailer - Office	1504	1,339	105 (2)
D&R	D&R	INF	INF	INF	C-764-T11	Shower Trailer	1415	0	1415 (2)
D&R	D&R	N/A	INF	INF	C-765	NE Plume alt. treatment system	250 GPM	N/A	N/A
D&R	D&R	N/A	INF	INF	C-765-A	New NE Plume Containment System	300 GPM	N/A	N/A
D&R	D&R	N/A	N/A	N/A	JPIC	Joint Public Information Center (Leased)	680 sq. ft.	N/A	N/A
D&R	D&R	N/A	N/A	INF	NEPCS-2	NEPCS Alternate System at C-637-2A (Inactive)	250 ft.	N/A	N/A
D&R	D&R	N/A	N/A	N/A	PCB-310	PCB Troughing in C-310	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	N/A	PCB-315	PCB Troughing in C-315	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	N/A	PCB-331	PCB Troughing in C-331	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	N/A	PCB-333	PCB Troughing in C-333	Not Available	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
D&R	D&R	N/A	N/A	N/A	PCB-335	PCB Troughing in C-335	Not Available	N/A	N/A
D&R	D&R	N/A	N/A	N/A	PCB-337	PCB Troughing in C-337	Not Available	N/A	N/A
D&R	D&R	N/A	INF	INF	Raw Water	Raw Water Supply Lines	43,746 ft.	N/A	N/A
D&R	D&R	N/A	D&R	D&R	Rudolph Bldg	Alternate EOC, Kevil (Leased)	1,500 sq. ft.	N/A	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100	Administration Building	9,770	4,572	460 (4)
DUF_6	DUF_6	N/A	DUF_6	INF	C-1100-SS01	Storm Shelter	231 sq. ft.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1100-SS02	Storm Shelter	231 sq. ft.	N/A	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100-T01	Trailer – Office/Quality Assurance	1,200	2300	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100-T02	Trailer – Office/Document Control	2,400	1,150	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100-T03	Trailer – Restroom	600	N/A	770 (2)
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100-T04	Trailer – Office/Training	2,400	1,624	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100-T05	Trailer – Shower	1,175	N/A	114 (2)
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100-T06	Trailer – Office/Union	1,600	672	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100-T08	Trailer – Office/CBT (Leased)	1,200 sq. ft.	200	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1100-T09	Trailer – Office/Production	1,488	1,000	130 (2)
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1200-T08	Office Trailer	Not Available	N/A	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1200-T09	Office Trailer	Not Available	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1215	Vehicle Access House “A”	100	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1220	Vehicle Access House “B”	100	N/A	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1300	Conversion Building	64,480	13,680	794 (4)
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1300-T01	Trailer	360	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1305	HF Storage Tank Area	120,000 cu. ft.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1305A	HF Tanker Car Containment Pit	1,760	N/A	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1305B	HF Area change house	120	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1310	Nitrogen Supply System Area	373 sq. yd.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1320	KOH Regeneration Building	4,200	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1330	Hydrogen Supply Area	192,000 cu. ft./day	N/A	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1604	Firewater Heated Enclosure	88 sq. ft.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1605	Service Water Pump house	150 GPM	N/A	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-1700	Warehouse / Maintenance Building	9,243	7,196	1153 (2)
DUF_6	DUF_6	N/A	DUF_6	INF	C-1745A	Full Cylinder Staging Area	771 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1745B	Empty Cylinder Staging Yard	3,302 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-1745C	Oxide Cylinder Staging Area	478 sq. yd.	N/A	N/A
DUF_6	D&R	N/A	INF	INF	C-223	Post 49 Building	Not Available	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-A	Cylinder Storage Yard	21,669 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-B	Cylinder Storage Yard	50,906 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-D	Cylinder Storage Yard	17,211 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-E	Cylinder Storage Yard	9,668 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-F	Cylinder Storage Yard	27,392 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-G	Cylinder Storage Yard	41,203 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-G1	Cylinder Yard Basin & Lift Station	1,532,000 gal.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-G2	DUF6 Building – Temporary Cylinder Paint Facility	4,500	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-G3	DUF6 Building – Temporary Cylinder Paint Facility	4,500	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-G4	DUF6 Building – Temporary Cylinder Paint Facility	4,500	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-G5	DUF6 Building – Temporary Cylinder Paint Facility	4,500	N/A	N/A
DUF_6	DUF_6	DUF_6	DUF_6	INF	C-745-G6	Temporary Office	Not Available	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-K	Cylinder Storage Yard	20,455 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-L	Cylinder Storage Yard	33,537 sq. yd.	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-M	Cylinder Storage Yard	13,170 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-N	Cylinder Storage Yard	8,662 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-P	Cylinder Storage Yard	9,521 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-Q	Cylinder Storage Yard	29,582 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-R	Cylinder Storage Yard	15,439 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-R1	Cylinder Change out	N/A	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-S	Cylinder Storage Yard	10,386 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-T	Cylinder Storage Yard	52,301 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-U	Cylinder Storage Yard	21,780 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-V	Cylinder Storage Yard	25,503 sq. yd.	N/A	N/A
DUF_6	DUF_6	N/A	DUF_6	INF	C-745-W	Cylinder Yard High Activity Railroad Pad	3,022 sq. yd.	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-100-T04	Trailer – Office (REMOVED)	1,440	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-100-T05	Trailer – Office (REMOVED)	1,440	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-100-T06	Trailer – Office (REMOVED)	1,440	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-102-T06	Trailer - Office (REMOVED)	1,440	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-102-T07	Trailer – Office (REMOVED)	1,800	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-102-T08	Trailer – Office (REMOVED)	48	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-102-T09	Trailer – Office (REMOVED)	96	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-200-UST	Closed UST (1999)	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-201-A	Trailer – Emergency Equipment Storage (REMOVED)	224	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-201-B	Trailer – Emergency Equipment Storage (REMOVED)	224	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-201-D	Trailer – Emergency Equipment Storage (REMOVED)	224	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-206-A	Storage Trailer (REMOVED)	Not Available	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
N/A	N/A	N/A	N/A	N/A	C-206-B	Trailer - Smoke Training Facility (REMOVED)	720	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-214	Building - Gate 57 (REMOVED)	128	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-302-T01	Trailer – Storage (REMOVED)	240	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-302-T02	Trailer – Storage (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-320-A	Temporary Storage - Personal Property (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-320-B	Temporary Storage - Personal Property (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-331-T02	Trailer (REMOVED)	1320	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-331-T03	Trailer (REMOVED)	1344	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-331-T07	Trailer - Instrument Mechanic Trailer (REMOVED)	720	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-333-T06	Trailer - Health Physics Office (REMOVED)	96	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-333-T07	Trailer - Feed Vaporization Facility (REMOVED)	96	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-337-T01	Trailer - Health Physics Office Trailer (REMOVED)	96	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-337-T02	Trailer - Health Physics Office Trailer (REMOVED)	1,440	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-360-T01	Trailer - Health Physics Office Trailer (REMOVED)	96	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-360-T02	Building - Cascade Operations Storage (REMOVED)	36	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-375-18	Outfall 018 (No Longer Exists)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-400-A	Building – Emergency Power for Critical Alarms (REMOVED)	100	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-400-C	C-400 Tent/Clamshell (REMOVED)	2,715	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-400-D (inside C-400)	Lime Precip. & Ion Exch. Units (REMOVED)	Not Available	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
N/A	N/A	N/A	N/A	N/A	C-401	Neutralizing Pit (REMOVED)	900	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-408	Building (50-Ton Truck Scale) (REMOVED)	100	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-412-T06	Trailer – Break (REMOVED)	1,440	1,314	126 (2)
N/A	N/A	N/A	N/A	N/A	C-412-T10	Trailer – Break (REMOVED)	1,440	1,314	126 (2)
N/A	N/A	N/A	N/A	N/A	C-540-A SHED	Metal Shed (REMOVED)	120	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-601-D	Grassy area (former fuel oil storage tank) (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-603-B	Soil Area (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-603-C	Soil Area (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-603-D	Soil Area (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-603-I	Soil Area (REMOVED)	340	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-611-M	C-611-M area (Tank Removed)	2 acres	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-611-N	C-611-N area (Tank Removed)	2 acres	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-611-T01	Trailer - Instrument Maintenance (REMOVED)	670	187	128 (2)
N/A	N/A	N/A	N/A	N/A	C-612-T01	Trailer Office/Pump & Treat (REMOVED)	644	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-612-T02	Trailer – Office/Pump & Treat (REMOVED)	644	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-612-T03	Trailer - Change/Shower (REMOVED)	671	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-615-J	Lift Station (Abandoned)	1,000 GPM	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-615-L	Building – Oil Control (REMOVED)	144	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-631-10	Asbestos Crew Storage (REMOVED)	192	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-631-12	Asbestos Crew Storage (REMOVED)	288	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-631-13	RCW Equipment Storage (REMOVED)	192	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-631-15	Building – Equipment Storage (REMOVED)	192	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
N/A	N/A	N/A	N/A	N/A	C-631-T08	Trailer (REMOVED)	272	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-631-T09	Trailer (REMOVED)	776	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-631-T11	Trailer (REMOVED)	720	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-631-T14	Trailer (REMOVED)	320	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-631-T16	Trailer (REMOVED)	360	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-634-B	H2SO4 Storage Tank (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-710-B	Building - Storage Facility (REMOVED)	120	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-720-R	Trailer - Mass Spectrometer Repair (REMOVED)	250	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-720-S	Trailer - Instrument Maintenance (REMOVED)	256	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-720-T	Trailer - Electrical Maintenance (REMOVED)	340	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-724-T01	Trailer - Change House (REMOVED)	168	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-730-T02	Trailer - Office (REMOVED)	672	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-742-B	Building – Drying Agent Cylinder Storage (REMOVED)	255	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-743-T03	Trailer – Office (REMOVED)	1,650	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-743-T04	Trailer – Office (REMOVED)	1,410	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-743-T07	Trailer – Office (REMOVED)	672	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-743-T11	Trailer – Office (REMOVED)	1,600	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-743-T12	Trailer - Office (REMOVED)	1,600	1,355	108 (2)
N/A	N/A	N/A	N/A	N/A	C-745-G-T01	Trailer (REMOVED)	672	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-A1	UST (Removed from Ground 2003)	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-A2	UST Designated Determined to not Exist	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-B-T01	Trailer (REMOVED)	1,568	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-G-T01	Trailer – Storage (REMOVED)	120	N/A	N/A

Operationally Responsible	S&M	Janitorial	Pest Control (Building Spraying)	Grounds Service	Facility Identification Number	Facility Description	Gross Sq. or Acreageas Specified	Office / Conf. Rooms Sq. Ft.	Restroom Sq. Ft. (number of restrooms)
N/A	N/A	N/A	N/A	N/A	C-746-G-T02	Trailer – Storage (REMOVED)	120	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-L	Shed (REMOVED)	364	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-P-T05	Trailer – Shower (REMOVED)	400	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-S1	Landfill Service Building (REMOVED)	320	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-S2	Shed (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-S3	Shed (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-S4	Shed (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-746-X	Building - Electrical Storage (REMOVED)	5,670	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-747-A-T01	Trailer (REMOVED)	500	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-747-T07	Trailer (REMOVED)	336	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-751	Fuel Station (REMOVED) Concrete	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-755-T06	Trailer – Break/Crew (REMOVED)	1,820	1,157	150 (2)
N/A	N/A	N/A	N/A	N/A	C-755-T11	Storage Trailer (REMOVED)	224	NA	NA
N/A	N/A	N/A	N/A	N/A	C-755-T12	Storage Trailer (REMOVED)	224	NA	NA
N/A	N/A	N/A	N/A	N/A	C-755-T15	Sealand Storage (REMOVED)	160	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-755-T25	Sealand Storage (REMOVED)	Not Available	N/A	N/A
N/A	N/A	N/A	N/A	N/A	C-757-T01	Trailer/Office (REMOVED)	128	N/A	N/A

****Additional Notes:**

C-230-A Sanitary Water System– D&R Contractor is responsible for maintaining the entire system, including the system within its supporting buildings. The D&R Contractor is responsible for the maintenance of the system up to the building foundation; maintenance of the systems within the buildings remains as listed in Attachment J-18.

C-230-B Sanitary Sewage System – D&R Contractor is responsible for maintaining the entire system, including the system within its supporting buildings and associated lift stations. The D&R Contractor is responsible for the maintenance of the system up to the building foundation; maintenance of the systems within the buildings remains as listed in Attachment J-18.

C-230-D Chilled Water System – D&R Contractor is responsible for maintaining the entire system, including the system within its supporting buildings. The D&R Contractor is responsible for the maintenance of the system up to the building foundation; maintenance of the systems within the buildings remains as listed in Attachment J-18.

C-230-G Recirculating Cooling Water System – D&R Contractor is responsible for maintaining the entire system, including the system within its supporting buildings. The D&R Contractor is responsible for the maintenance of the system up to the building foundation; maintenance of the systems within the buildings remains as listed in Attachment J-18.

C-230-J Process Waste Heat Utilization System – D&R Contractor is responsible for maintaining the entire system, including the system within the supporting buildings. The D&R Contractor is responsible for the maintenance of the system up to the building foundation; maintenance of the systems within the buildings remains as listed in Attachment J-18.

C-232-D Steam Distribution System – D&R Contractor is responsible for maintaining the entire system, including the system within the supporting buildings. The D&R Contractor is responsible for the maintenance of the system up to the building foundation; maintenance of the systems within the buildings remains as listed in Attachment J-18.

C-230-H High Pressure Fire Water System – D&R Contractor is responsible for maintaining the entire Paducah Gaseous Diffusion Plant system and including the system within the buildings (including sprinklers), regardless of building maintenance responsibilities. The DUF6 Contractor maintains the system beyond the designated boundary valve.

C-304 – the D&R Contractor is responsible for the lightening detection system that is installed on the roof of the C-304 building and the D&R Contractor manages the computer in the telecommunications rooms associated with this system.

Co-Generator Agreement
Between
The United States Department of Energy
And
Four Rivers Nuclear Partnership, LLC

September 13, 2017

WHEREAS, the United States Department of Energy (DOE) owns the Paducah Gaseous Diffusion Plant (PGDP), a facility formerly used to enrich uranium located approximately ten miles west of Paducah, Kentucky; and

WHEREAS, DOE's programs at the PGDP include deactivation, waste management, decontamination and decommissioning, and environmental remediation activities; and

WHEREAS, Four Rivers Nuclear Partnership, LLC, including its subcontractors (hereafter "FNRP"), is DOE's deactivation, waste management, decontamination and decommissioning, and environmental remediation contractor at PGDP, and as such, performs such activities at the PGDP, under Contract No. DE-EM0004895, and

WHEREAS, FRNP has agreed to perform all of this work in accordance with applicable laws and regulations; and

WHEREAS, Resource Conservation and Recovery Act (RCRA) regulations (40 CFR 262 and corresponding state regulations) set forth requirements for generation of solid and hazardous waste; and

WHEREAS, RCRA generator requirements include, but are not limited to, hazardous waste determinations, manifesting, and pre-transport (e.g., packaging and labeling), recordkeeping, and reporting requirements (hereafter "generator requirements"), and

WHEREAS, DOE and FRNP are co-generators of solid and hazardous waste at the PGDP; and

WHEREAS, DOE and FRNP, as co-generators, are jointly and severally responsible for implementing RCRA's generator requirements for deactivation, waste management, decontamination and decommissioning, and environmental remediation activities at the PGDP, including, but not limited to, characterizing waste, manifesting waste to off-site facilities, packaging and labeling waste for transport to permitted RCRA storage areas on-site, and storing waste for less than 90 days; and

WHEREAS, it is United States Environmental Protection Agency (EPA) policy (Co-Generator Policy) to encourage co- generators to enter agreements designating which party will perform generator duties on behalf of all co-generators (45 Fed. Reg. 72024); and

WHEREAS, under the Co-Generator Policy, EPA has stated that for purposes of enforcement it will first look to the party designated to perform generator duties on behalf of the co-generators; and

WHEREAS, DOE and FRNP desire to memorialize their existing roles and responsibilities at the PGDP for complying with RCRA generator requirements and for certifying their compliance with such requirements;

NOW, THEREFORE, DOE AND FRNP agree as follows:

1. Except for general policy direction and funding (which are the responsibility of DOE), effective 12:01 a.m. on October 20, 2017, FRNP is responsible for performing all RCRA generator activities on behalf of both FRNP and DOE for all activities under the scope of FRNP's Contract DE-EM0004895, including, but not limited to, characterizing waste, manifesting waste to off-site facilities, packaging and labeling waste for transport, and storing and managing waste, in accordance with RCRA requirements.

2. DOE is responsible for general policy direction and funding for FRNP's performance of RCRA generator requirements.

3. FRNP's responsibilities include day-to-day compliance activities such as providing, overseeing, and training workers to physically effect compliance measures; collecting, reviewing, and verifying the accuracy of information (e.g., sampling data, process knowledge); and identifying, interpreting, implementing and ensuring compliance with applicable requirements.

4. DOE and FRNP will use the following preamble text to certification statements for reports and other documentation that are submitted to regulators and that pertain to performance of RCRA generator requirements;

> Except for general policy direction and funding, which are the responsibility of DOE, effective 12:01 a.m. on October 20, 2017, FRNP is responsible for performing RCRA generator requirements on behalf of both FRNP and DOE for all activities under the scope of FRNP's Contract DE-EM0004895. For purposes of the certification described in 401 KAR38.070, Section 7 and 40 CFR 270.11, DOE and FRNP representatives are certifying, to the best of their knowledge and belief, the truth, accuracy, and completeness of the (description of document) for their respective areas of responsibility consistent with the Co-generator Agreement dated September 13, 2017.

5. DOE and FRNP agree, for purposes of this agreement, that the DOE Certification Flowchart, attached hereto and incorporated herein by reference as Exhibit A will be used by DOE in the context of certifying statements for report and other documentation submitted to regulators and that pertain to performance of RCRA generator requirements.

6. DOE and FRNP agree to use their best effort to secure formal enforcement understanding with regulators recognizing the agreement set forth herein. It is further agreed that use of the preamble text in Section 4 above will not be used if the Kentucky Department for Environmental Protection Division of Waste Management raises a formal objection to its use.

7. The Agreement does not alter terms, conditions, or costs of FRNP's existing Contract DE-EM0004895.

IN WITNESS HEREOF, the parties have entered into this Agreement on this 13th day of September 2017.

On behalf of the Department of Energy:

Robert E. Edwards III
Manager
Portsmouth/Paducah Project Office

On behalf of FRNP:

William E. (Bill) Kirby
Program Manager
Four Rivers Nuclear Partnership, LLC

Exhibit A: DOE Certification Flowchart for Co-Generator Agreement



DOE F 470.2
(09/2012)
Replaces DOE F 470.2 (05-05)
All Other Editions are Obsolete

U.S. Department of Energy
FACILITY DATA AND APPROVAL RECORD (FDAR)

1. Facility Code: **11860**	2. Reason for Action: ☐ Awaiting Activation ■ Add ☐ Change ☐ Terminate ☐ Suspend ☐ Reinstate	3. Previous FDAR No: Initial Date:	4. FDAR No: 11860-OR-17-001
5a. Facility Name: **Four Rivers Nuclear Partnership, LLC** 5b. Doing Business As:		6. Acronym: 7. Importance Rating: ☐ A ☐ B ☐ C ☐ D ☐ E ■ NP ☐ PP Is this facility considered Critical National Infrastructure? ☐ Yes ■ No 8. Facility Type: DOE Contractor	

9. Facility Location:
9193 South Jamaica Street; Englewood, CO 80112

10. Item Numbers Modified:

11. Unclassified Mailing Address:
9193 South Jamaica Street
Englewood, CO 80112

12. Responsible Offices
a. Cognizant Security Agency: DOE Agreement Date: _____
b. Program Secretarial Office: EM
c. Cognizant Security Office: OR
d. Designated Responsible Office: _____
e. Survey Office: OR
f. Facility Clearance Office: OR
g. FOCI Office: OR

13. Classified Mailing Address: DNA

a. Inner Envelope:

b. Outer Envelope:

c. Offices with Classified Mail Address Interest:

Office Code:	Storage Level:

14. RIS Code(s): DNA

15. Special Nuclear Material: DNA
a. Category ☐ I ☐ II ☐ III ☐ IV
b. Attractiveness Level: ☐ A ☐ B ☐ C ☐ D ☐ E

16. Facility Clearance
a. Classification Level/Category: ☐TSRD ☐TSFRD ☐TSNSI ■SRD ☐SFRD ☐SNSI ☐CRD ☐CFRD ☐CNSI ☐U
b. Approved Special Access(es):
☐ SCI ☐ COMSEC
☐ OTHER DCI CAVEATS ☐ FGI
☐ OTHER: ☐ NATO
☐ CNWDI
☐ WD/SIGMAS_____
c. ☐ Interim Facility Clearance
d. ☐ Limited Facility Clearance

17. Classified Shipping Address: DNA

18. Storage Capability
a. Matter Classification Level/Category: ☐TSRD ☐TSFRD ☐TSNSI ☐SRD ☐SFRD ☐SNSI ☐CRD ☐CFRD ☐CNSI ■U
b. Approved Special Access(es):
☐ SCI ☐ COMSEC
☐ OTHER DCI CAVEATS ☐ FGI
☐ OTHER: ☐ NATO
☐ CNWDI
☐WD/SIGMAS_____
c. Material Classification Level: ☐ TS ☐ S ☐ C ■ U

19. Approved Classified Processing: DNA
☐ Computer ☐ Communication Center ☐ SCAT

20. Classified Overnight/Common Carrier: DNA

21. Key Security Personnel
a. Facility Security Officer
Name: Lindsey M. McNichol Phone: 720.286.1806
E-Mail: Lindsey.mcnichol@ch2m.com
b. Nuclear Material Control & Accountability Manager
Name:_____ Phone:_____

22. General Comments:

23. Basis for Facility Action
a. Approved Safeguards and Security Plan: 06/16/2017
NMCA Plan Date:
Statement of Security Assurance Date:
NWD Approval Expiration Date:
b. Foreign Ownership Control or Influence (FOCI) SF-328: 08/31/2016
Determination: 06/19/2017
Annual Review and Certification:
c. Parent Code(s):
d. Host Entity Code(s):
e. Home Office Code:
f. DOD Cage Code:
g. DOD Clearance Level:
h. Survey:
First Survey: Rating:
Current: Type: Rating:
Termination: Rating:
i. Other:

24. Created By: Angela Stevens, Wyandotte Services, (WS)	25. Approved By: Jeffrey L. Brown, Manager Facility Clearance Program	26. SSIMS Data Entry By: Angela Stevens, WS
Angela Stevens	Jeffrey L. Brown	Angela Stevens
Date: 06/19/2017	Date: 06/19/2017	Date: 06/19/2017

DOE F 470.1
(09/2014)
Replaces DOE F 470.1 (09/2012)
All Other Editions are Obsolete

U.S. Department of Energy
CONTRACT SECURITY CLASSIFICATION SPECIFICATION (CSCS)

1. CSCS No.: OR-17-300	2. Previous CSCS No.: Initial	3a. Reason for Action: (Check one) ◉ Add ○ Change ○ Terminate b. Item Numbers Modified:

4. This Specification is for: (Complete as applicable)

(Check one)

a. ◉ Contract or Other Number ○ Solicitation

Contract Type: Cost Plus Award Fee

b. Contract Number: DE-EM0004895 End Date: 03/22/2027 (estimated)

c. Contract Number of Prime: _____
(Complete if registering or soliciting a subcontract) End Date: _____ (estimated)

5. Specification Is: (Complete as applicable)

a. Original (Complete date in all cases)	Date: 5/24/17
b. Revised (Supersedes all previous specifications)	Date:
c. Certificate of Possession	Date:
Retention of Classified Matter is Authorized Until	Date:
d. Final	Date:
Certificate of Non-Possession or Equivalent	Date:

6. General Identification of this Procurement

Facility D&D, Environmental Remediation, Waste Management, Surveillance and Maintenance of the Paducah D&R

7. Contractor

a. Facility Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)
11860	Four Rivers Nuclear Partnership, LLC. ~~5120~~ South Jamaica Street Englewood, CO 80112	Department of Energy- Oak Ridge Office P.O. Box 2001 Oak Ridge, TN 37831

8. Prime Contractor (Complete if registering or soliciting a subcontract)

a. Facility Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)

9. Actual Place of Performance (DOE Facilities) (Attach additional entries as necessary)

a. Facility Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)
11607	Swift & Staley Paducah Gaseous Diffusion Plant ~~5050~~ Hobbs Road 5505 Kevil, Ky 42053	Department of Energy- Oak Ridge Office P.O. Box 2001 Oak Ridge, TN 37831

Actual Place of Performance (NON-DOE Facilities) (Attach additional entries as necessary)

a. ID Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)

10. Clearance and Storage

a. Classification of Matter to be Accessed:
○ TSRD ○ TSFRD ○ TSNSI ◉ SRD ○ SFRD ○ SNSI
○ CRD ○ CFRD ○ CNSI ○ U

b. Level of Storage Required at Contractor Facility in Block 7a:
○ TSRD ○ TSFRD ○ TSNSI ○ SRD ○ SFRD ○ SNSI
○ CRD ○ CFRD ○ CNSI ◉ U

c. Level of Storage for the Performance of this Contract:
○ TSRD ○ TSFRD ○ TSNSI ◉ SRD ○ SFRD ○ SNSI
○ CRD ○ CFRD ○ CNSI ○ U

d. Access Authorization/Security Clearance:
◉ Q ○ L ○ T ○ S ○ C

11. This Contract Will Require Access To:

☐ OTHER DCI CAVEATS
☐ COMSEC
☐ FGI
☐ NATO
☐ SCI
☐ CNWDI
☐ WD/SIGMAS: _____
☐ OTHER: _____

12. In Performing This Contract, The Contractor Will:

☑ Have Access to Classified Information Only at Another Contractor's Facility or a Government Activity

☑ Generate Classified Matter

☑ Perform Services That Require Unescorted Access to Security Areas

☐ Have Access to U.S. Classified Information Outside the U.S., Puerto Rico, U.S. Possessions and Trust Territories

☐ Other (Specify) _____

☐ Receive Classified Matter

☐ Fabricate, Modify or Store Classified Items (e.g., Hardware or Substances)

☐ Be Authorized to Use the Services of the Office of Scientific and Technical Information to Receive Classified Matter

☐ Require a COMSEC Account

☐ Be Authorized to Use the Defense Courier Service

13. Classification Guidance

The classification guidance needed for this classified effort is identified below. NOTE: Guidance which is in itself classified should be referenced here and provided under separate cover.

Classification Officers at the respective places of performance (block 9) will review products of this CSCS/SOW and/or based upon evaluation of need may provide classification training/certification to employees of the contractor identified above (block 7). All classified or UCNI containing documents or suspect thereof will be produced in a secure area with secure equipment and will be reviewed by authorized derivative classifiers and/or reviewing officials as appropriate.

14. Security Requirements

Security requirements are established for this contract and are identified in the following contract clauses.

☑ DEAR 952.204-2 Security Requirements
☑ DEAR 952.204-73 Facility Clearance (Solicitation)
☑ DEAR 952.204-70 Classification/Declassification
☑ DEAR 970.5204.1 Counterintelligence (for management contracts ONLY)

15. Surveys

DOE Surveying Office Is ORO

Elements of this contract are outside the survey responsibility of the Cognizant Security Office and/or the Surveying Office.

○ No ◉ Yes (Identify specific areas and provide explanation/justification for each)

Cyber Security- The Designated Approving Authority (DAA) for the Portsmouth/Paducah Project Office Cyber General Support System is Robert E. Edwards IIII, PPPO Manager. The survey office is EM-HQ.

Safeguards and Security - ODFSA is the Portsmouth/Paducah Project Office (Robert E. Edwards, III) with survey activities provided by PPPO.

16. Certification and Signature. Security requirements stated herein are complete and adequate for safeguarding the classified information to be released or generated under this classified contract. All questions shall be referred to the official named below:

a. Typed Name of Procurement Request Originator	b. Title and Organization	c. Telephone (include Area Code)
Robert E. Edwards, III	Manager, DOE Portsmouth/Paducah Project Office	859-219-4002

d. Address (include Zip Code)
Department of Energy
Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, KY 40513

e. Signature Robert E Edwards III Date 5/26/17

17. Typed Name of Contracting Official
Bridget Purdy

Signature Bridget Purdy Date 5/24/17

18. Other Approvals

a. Typed Name of Classification Officer (Approval of Block 13)
Melanie Underwood

Signature Melanie Underwood Date 6/15/17

b. Typed Name of Special Security Officer, Office of Intelligence & Counterintelligence (Approval of Block 11 (SCI))

Signature _____ Date _____

19a. Typed Name of Local Security Officer
Jeffery Brown, Facility Clearance Program

b. Responsible Office ORO

Signature J Brown Date 6-19-17

20. Required Distribution

☑ Contractor
☐ Subcontractor
☑ Cognizant Security Office
☑ Administering Contracting Officer
☑ Surveying Office if Different than Cognizant Security Office
☐ Others, as Necessary

21. General Comments:

QA 6/19/17

9. Actual Place of Performance (DOE Facilities)		
a. Facility Code 11608	b. Name, Address, and Zip Code MCS - Paducah Gasesous Diffusion Plant 5509 Hobbs Road Kevil, KY 42053	c. Cognizant Security Office (Name, Address, and Zip Code) DOE, Oak Ridge Office P. O. Box 2001 Oak Ridge, TN 37831
a. Facility Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)
a. Facility Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)

9. Actual Place of Performance (NON-DOE Facilities)		
a. ID Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)
a. ID Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)
a. ID Code	b. Name, Address, and Zip Code	c. Cognizant Security Office (Name, Address, and Zip Code)

FOUR RIVERS NUCLEAR PARTNERSHIP, LLC

CONTRACT NO.DE-EM0004895

Advance Agreement
Per FAR 31.109

Related to Impacts Resulting From
Partial Stop Work Oder (nonportable work only) associated with COVID epidemic impacts at Paducah Site

CO Letter PPPO-02-10004670-20A
Dated 3-23-20

FOUR RIVERS NUCLEAR PARTNERSHIP, LLC (FRNP)

Advance Agreement

COVID 19 Partial Stop Work Oder

Reference:
1) CO letter dated March 23, 2020, PPPO-02-10004670, Partial Stop Work Order (non-portable work only)
2) CO letter dated March 23, 2020, PPPO-02-10004695-20 FRNP - COVID-19 Paid Time Off Guidance - Updated
3) Office of Management and Budget, Executive Office of the President memo dated March 20, 2020

1.0 INTRODUCTION

As directed by Reference 1) and in compliance with References 2) and 3) and Prime Contract No. DE-EM0004895, FRNP hereby submits proposed Advanced Agreement in accordance with FAR 31.109 for the impact resulting from the COVID-19 pandemic. FRNP shall maintain continuity of the current workforce, including Subcontractors critical to the programs continuity as directed by Reference 1 during the COVID-19 pandemic period to ensure availability of critical skills for mission essential operations and ensure a continued state of readiness to minimize re-mobilization impacts.

This Agreement describes Cost Allowability for the impact resulting from the COVID-19 pandemic. It does not supersede FRNP's Advanced Understanding of Human Resources Costs regarding employee compensation for items such as, but not limited to, employee benefits, disability and workers compensation.

2.0 PURPOSE

The purpose of this Advance Agreement is to establish bilateral agreement of the elements of cost that, when incurred in support of the reference partial stop work order, are reasonable, allocable, and allowable under the Contract, in accordance with FAR 31.109. This Agreement is subject to applicable provisions of the Prime Contract.

3.0 AGREEMENT

The parties agree that the purpose of this advance agreement on costs is to provide clarity, consistency, and stability during a time of national crisis. It is intended that this agreement capture costs that can be reasonably anticipated at this time as a result of the partial stop-work order, to the extent that they can be determined at this time. However, this advance agreement will not prohibit the payment by DOE of costs incurred by the Contractor that are not anticipated, or are in excess of those anticipated costs, provided that they are otherwise reasonable, allowable and allocable in accordance with FAR Part 31.

The Agreement will be executed by both parties and incorporated into the Contract.

4.0 NO THIRD-PARTY BENEFICIARIES

The Understanding is adopted for the exclusive benefit and convenience of DOE and FRNP. Nothing herein contained will be construed as conferring any right or benefit upon past, present or future employees of FRNP, or upon any third party.

5.0 PAY POLICIES FOR FRNP AND DESIGNATED SUBCONTRACTOR EMPLOYEES

Due to the issuance of the partial stop work order, the following pay policies will apply consistent with the contents therein:

1. FRNP employees:

    a) Employees required to work at the PGDP to maintain mission essential operations will be paid in

accordance with the current FRNP pay policies.

b) Employees eligible to telework will be compensated in accordance with the FRNP Telework Policy as if they were working at their normal workstation. In the event that project related work is unavailable during all or a portion of their normal workday, Idle/leave shall be charged as a direct cost to the weather/safety leave, unless other applicable leave policies apply (e.g., PTO) (Note: Idle workers shall charge directly to the weather/safety leave).

c) Employees not eligible to telework due to the nature of their position will be compensated. Hours shall be noted on their timesheet based on a straight time work schedule. Idle/leave shall be charged as a direct cost to weather/safety leave unless other applicable leave policies apply (e.g., PTO)

2. Designated Subcontractor employees:

All designated subcontractor employees will be paid, by their employer, in accordance with the current Subcontract pay policies as noted below:

a) Subcontractor employees required to work at the PGDP to maintain mission essential operations will be paid, by their employer, in accordance with the current Subcontract Terms and Conditions;

b) Subcontractor employees eligible to telework will be compensated, by their employer, as if they were working at their normal workstation. In the event project related work is unavailable during all or a portion of their normal workday, idle/leave shall be charged as a direct cost to the weather/safety leave, unless other applicable leave policies apply (e.g., PTO) (Note: Idle workers shall charge directly to the weather/safety leave. Subcontractor will invoice FRNP for all telework and the above COVID-19 related hours as worktime.)

c) Subcontractor employees not eligible to telework due to the nature of their position will be compensated by their employer. Idle/leave shall be charged as a direct cost to weather/safety leave unless other applicable leave policies apply (e.g., PTO).The Contractor is responsible for ensuring that any idle workers reimbursed for Idle/leave to remain in a mobile ready state are not also receiving reimbursement from another Federal or State funding source (e.g., unemployment, other Federal agency, etc.).

6.0 COMMUNITY COMMITMENT

In accordance with Contract Section I.167, DEAR 970.5226-3, Community Commitment, if requested, FRNP will provide all available government property to support state and local government needs relative to the COVID-19 Pandemic. FRNP may also make individual employees available to work with or for governmental, quasi-governmental, and other organizations in the Paducah area toward achieving civic needs.

This agreement is entered into on April __2, 2020:

Marcia D. Fultz
Contracting Officer

4/02/2020
Date

Program Manager

4/02/2020
Date

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

SEP 0 6 2018

Mr. Norm Sandlin, Prime Contract Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-5119783-18

Dear Mr. Sandlin:

CONTRACT NO. DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC, TASK ORDER 89303118FEM400003.

Enclosed please find a dually signed copy of Task Order 89303118FEM400003. This Task Order is for the Demolition of the C-400 Building. This task order must be invoiced separately under the assigned task order number. This task order is incrementally funded with a current obligation amount of [redacted]

If you have any questions, please feel free to contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Task Order Number 89303118FEM400003

e-copy w/enclosure:
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
daniel.lillard@pppo.gov, PPPO
frnpcorrespondence@pad.pppo.gov, FRNP
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
joseph.stanley@pad.pppo.gov, FRNP
karen.testerman@pppo.gov, SMSI
kim.knerr@pppo.gov, PPPO
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
norm.sandlin@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov, SSI
robert.edwards@pppo.gov, PPPO
tracey.duncan@pppo.gov, PPPO

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS
OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30

1. REQUISITION NUMBER	PAGE	OF
18EM005579	1	4

2. CONTRACT NO.	3. AWARD/ EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE
DE-EM0004895		89303118FEM400003		

7. FOR SOLICITATION INFORMATION CALL:	a. NAME	b. TELEPHONE NUMBER (No collect calls)	8. OFFER DUE DATE/LOCAL TIME
	Daniel Lillard	859-219-4056	ET

9. ISSUED BY	CODE	10. THIS ACQUISITION IS
EMCBC - Portsmouth-Paducah U.S. Department of Energy Portsmouth-Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington KY 40513	03002	☒ UNRESTRICTED OR ☐ SET ASIDE: % FOR: ☐ SMALL BUSINESS ☐ HUBZONE SMALL BUSINESS ☐ SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS ☐ WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM ☐ EDWOSB ☐ 8(A) NAICS: 562910 SIZE STANDARD: 750

11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED ☐ SEE SCHEDULE	12. DISCOUNT TERMS	☐ 13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700)	13b. RATING 14. METHOD OF SOLICITATION ☐ RFQ ☐ IFB ☒ RFP
	NET 30		

15. DELIVER TO	CODE	16. ADMINISTERED BY	CODE
EMCBC - Portsmouth-Paducah US Department of Energy Portsmouth-Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington KY 40513	03002	EMCBC - Portsmouth-Paducah U.S. Department of Energy Portsmouth-Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington KY 40513	03002

17a. CONTRACTOR/ OFFEROR	CODE	FACILITY CODE	18a. PAYMENT WILL BE MADE BY	CODE
FOUR RIVERS NUCLEAR PARTNERSHIP, LLC Attn: ANNIE BAULER 9189 S JAMAICA ST ENGLEWOOD CO 801125946 TELEPHONE NO. 7202862586	080367762		OR for EMCBC U.S. Department of Energy Oak Ridge Financial Service Center P.O. Box 6017 Oak Ridge TN 37831	00511

☐ 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER

18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	DUNS Number: 080367762 The purpose of this task order is to demolish the C-400 Building including all above grade structures, systems, and equipment and below grade systems and equipment associated with the building. Accounting Info: Fund: 03000 Appr Year: 2018 Allottee: 33 Report Entity: 490810 Object Class: 25499 Program: 1111523 Project: 0001498 WFO: 0000000 Local Use: Continued ... *(Use Reverse and/or Attach Additional Sheets as Necessary)*				

25. ACCOUNTING AND APPROPRIATION DATA
See schedule

26. TOTAL AWARD AMOUNT *(For Govt. Use Only)* [redacted]

☐ 27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52.212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED

☐ 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED.

☒ 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN 1 COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED.

☒ 29. AWARD OF CONTRACT: FRNP-18-0719 OFFER DATED 07/12/2018 YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS: As Negotiated

30a. SIGNATURE OF OFFEROR/CONTRACTOR	31a. UNITED STATES OF AMERICA *(SIGNATURE OF CONTRACTING OFFICER)*
[signature]	[signature]
30b. NAME AND TITLE OF SIGNER *(Type or print)* Wayne E. Rochelle	30c. DATE SIGNED 9/5/18
31b. NAME OF CONTRACTING OFFICER *(Type or print)* Marcia D. Fultz	31c. DATE SIGNED 9/5/18

AUTHORIZED FOR LOCAL REPRODUCTION
PREVIOUS EDITION IS NOT USABLE

STANDARD FORM 1449 (REV. 2/2012)
Prescribed by GSA - FAR (48 CFR) 53.212

19. ITEM NO.	20 SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24 AMOUNT
	0000000 Period of Performance: 06/20/2017 to 06/19/2027				
00401	IDIQ EM.PA.0040.A014.01 C-400 Complex Demolition (C-400 Building only) Demolition The Contractor shall complete the demolition of the C-400 Building. This includes all above grade structures, systems, and equipment and below grade systems and equipment associated with the C-400 Building and support systems in direct contact with the C-400 Building such as: heating, ventilation, and air-conditioning systems, material and equipment supply lines to and from the C-400 Building, and other structures and equipment to ensure the complete removal of the C-400 Building from other surrounding facilities.				[redacted]
	[redacted] All terms and conditions on the Contract DE-EM0004895 apply.				

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE
	32g. E-MAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT	37. CHECK NUMBER
☐ PARTIAL ☐ FINAL			☐ COMPLETE ☐ PARTIAL ☐ FINAL	

38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	40. PAID BY

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT		42a. RECEIVED BY *(Print)*	
41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER	41c. DATE	42b. RECEIVED AT *(Location)*	
		42c. DATE REC'D *(YY/MM/DD)*	42d. TOTAL CONTAINERS

B. Table B.2-2 Task Order Cost and Fee:

CLIN	Title	Est. Cost	[redacted]	[redacted]
0401	IDIQ-C-400 Demo	[redacted]	[redacted]	[redacted]

[redacted]

EM.PA.0040.A014.01 C-400 Complex Demolition (C-400 Building only)

Demolition

The Contractor shall complete the demolition of the C-400 Building. This includes all above grade structures, systems, and equipment and below grade systems and equipment associated with the C-400 Building and support systems in direct contact with the C-400 Building such as: heating, ventilation, and air-conditioning systems, material and equipment supply lines to and from the C-400 Building, and other structures and equipment to ensure the complete removal of the C-400 Building from other surrounding facilities. If the Contractor determines that the C-400-C Tent/Clamshell and treatment equipment associated with the C-400 Interim Remedial Action is not required for future remedial actions and needs to be removed to facilitate subsequent investigation activities, then:

a. The equipment shall be excessed in accordance with requirements in Contract Section C, element EM.PA.0040.A001.07.DR.13 Asset Recovery and Recycling.
b. Structures shall be dispositioned in accordance with Contract Section C, element EM.PA.0040.A008.41.DR.01 Surveillance and Maintenance of Facilities

Demolition of the C-400 Building will be performed as a non-time-critical removal action (NTCRA) in accordance with the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) and the Federal Facilities Agreement (FFA) for the Paducah Gaseous Diffusion Plant (PGDP). The Contractor shall develop and finalize the Removal Action Report.

The U.S. Department of Energy (DOE) has entered into a Memorandum of Agreement (MOA) on the C-400 Complex under the FFA for the PGDP with regulatory agencies that includes enforceable milestones for performance of this scope of work. The Contractor shall plan and manage the work such that all milestone dates are achieved.

Although details for the final selected alternative will be documented in the Engineering Evaluation/Cost Analysis and Removal Action Work Plan, the Contractor should assume

that interior and exterior transite panels will be manually removed; the slab will be left in place; and all waste must be dispositioned onsite or offsite, as appropriate. The slab will be decontaminated and/or sealed; however, the Contractor shall consider the potential impact of sealant on subsequent remedial investigation activities and shall plan for this activity accordingly. The Contractor shall perform site restoration, as required, to facilitate subsequent remedial investigation activities. The Contractor shall repair infrastructure (roads, utilities, etc.) damaged as a result of demolition and restore the area to the general pre-demolition condition.

The Contractor shall plan for and schedule regular planning and comment resolution meetings with DOE personnel to facilitate decision making and streamline the document preparation and approval process.

The contractor will at minimum report scope, cost, schedule, and risk associated with this activity under work breakdown structure (WBS) elements as defined below:

Table C.2.EM.PA.0040.A014.01-1
C-400 COMPLEX DEMOLITION
Work Breakdown Structure

WBS Element	Element Title
EM.PA.0040.A014.01.DR.12	C-400 Demolition

Table C.2.EM.PA.0040.A014.01--2
C-400 COMPLEX DEMOLITION
Milestones/Schedule

Milestone	Date
C-400 Building Non-Time Critical Removal Action Start Field Work	15 days after EPA and KY approval of the RAWP
Complete Demolition of C-400 Building including all waste disposal and project closeout[1] in accordance with CERCLA documentation	230 days from start of fieldwork
D1 Removal Action Report for the C-400 Building NTCRA to DOE for Review	60 days after completion of demolition, including shipment of waste
D1 Removal Action Report for the C-400 Building NTCRA to Regulators for Review	120 days after completion of demolition, including shipment of waste

[1] Milestone is considered complete when subcontractor is demobilized (i.e., subcontractor equipment and trailer is offsite); all REAs received 30 days before completion of demolition have been settled; and site restoration has been confirmed completed by the DOE Deactivation Project Manager (e.g., no plastic, no silk fences, etc.).

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

May 29, 2020

Mr. David Ruckstuhl
Prime Contracts Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10006247-20

Dear Mr. Ruckstuhl:

DE-EM0004895 TASK ORDER FEM400003: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC—TASK ORDER MODIFICATION P00001

Enclosed please find a signed copy of Task Order Modification P00001. This is a bilateral modification to de-scope and revise the pre-demolition and demolition activities for the C-400 building.

If you have any questions or concerns, please contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Modification P00001

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
deborah.kerner@pppo.gov, PPPO
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
karen.testerman@pppo.gov, ETAS
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
tracey.duncan@pppo.gov, PPPO

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT D CODE	PAGE OF PAGES
	1 4

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. *(If applicable)*
P00001	See Block 16C	20EM001453	

6. ISSUED BY CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

7. ADMINISTERED BY *(If other than Item 6)* CODE

8. NAME AND ADDRESS OF CONTRACTOR *(No., street, county, State and ZIP Code)*

FOUR RIVERS NUCLEAR PARTNERSHIP, LLC
Attn: ANNIE BAULER
9189 S JAMAICA ST
ENGLEWOOD CO 801125946

CODE 080367762 FAC LITY CODE

(x) 9A. AMENDMENT OF SOLICITATION NO.

9B. DATED *(SEE ITEM 11)*

X 10A. MODIFICATION OF CONTRACT/ORDER NO. DE-EM0004895
89303118FEM400003

10B. DATED *(SEE ITEM 13)* 09/05/2018

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended, ☐ is not extended.
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended , by one of the following methods: (a) By completing tems 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted ; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted , such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNT NG AND APPROPRIATION DATA *(If required)* Net Decrease: [redacted]

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	
	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIF ED TO REFLECT THE ADM NISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH N ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: FAR 52.243-2 Changes Cost Reimbursement
	D. OTHER *(Specify type of modification and authority)*

E. IMPORTANT Contractor ☐ is not ☒ is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

DUNS Number: 080367762
The purpose of this modification is to adjust the scope of the task order to cover pre-demolition activities for the C-400 building.
Payment:
OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831
Fund: 03000 Appr Year: 2018 Allottee: 33 Report Entity: 490810 Object Class: 25499 Program:
Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9 A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER *(Type or print)*	16A. NAME AND TITLE OF CONTRACT NG OFFICER *(Type or print)*
Myrna E. Redfield	Marcia D. Fultz

15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
Digitally signed by Myrna E. Redfield Date: 2020.05.28 07:53:17 -05'00' *(Signature of person authorized to sign)*		MARCIA FULTZ Digitally signed by MARCIA FULTZ Date: 2020.05.28 09:08:05 -04'00' *(Signature of Contr cting Officer)*	

NAME OF OFFEROR OR CONTRACTOR
FOUR RIVERS NUCLEAR PARTNERSHIP, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	1111523 Project: 0001498 WFO: 0000000 Local Use: 0000000 Period of Performance: 06/20/2017 to 06/19/2027 Change Item 00401 to read as follows(amount shown is the total amount): IDIQ EM.PA.0040.A014.01 C-400 Complex Demolition (C-400 Building only) Demolition The Contractor shall complete pre-demolition activities for the C-400 Building. This includes but is not limited to, removal and proper disposition of interior transite panels, asbestos removal, receiving booth removal, conditioning stand housing removal, and exterior surface feature removal interfering with a planned remedial investigation sample location. The contractor shall ensure all waste generated for these activities are properly packaged and dispositioned either onsite or offsite as appropriate. [redacted] All terms and conditions on the Contract DE-EM0004895 apply.				
00401					[redacted]

Scope of Work and Milestone Schedule

EM.PA.0040.A014.01 C-400 Complex Demolition (C-400 Building only)

Demolition

The Contractor shall complete ~~the~~ pre-demolition activities for ~~of~~ the C-400 Building. This includes, but is not limited to, removal and proper disposition of interior transite panels, asbestos removal, receiving booth removal, conditioning stand housing removal, and exterior surface feature removal interfering with a planned remedial investigation sample location. The contractor shall ensure all waste generated for these activities are properly packaged and dispositioned either onsite or offsite as appropriate.

The Contractor shall perform subcontractor close-out activities and include collected cost incurred for project planning (work package development, storm water management plan development, waste volume estimates, etc.)~~all above grade structures, systems, and equipment and below grade systems and equipment associated with the C-400 Building and support systems in direct contact with the C-400 Building such as: heating, ventilation, and air conditioning systems, material and equipment supply lines to and from the C-400 Building, and other structures and equipment to ensure the complete removal of the C-400 Building from other surrounding facilities. If the Contractor determines that the C-400 C Tent/Clamshell and treatment equipment associated with the C-400 Interim Remedial Action is not required for future remedial actions and needs to be removed to facilitate subsequent investigation activities, then:~~

~~The equipment shall be excessed in accordance with requirements in Contract Section C, element EM.PA.0040.A001.07.DR.13 Asset Recovery and Recycling.~~
~~Structures shall be dispositioned in accordance with Contract Section C, element EM.PA.0040.A008.41.DR.01 Surveillance and Maintenance of Facilities~~

~~Demolition of the C-400 Building will be performed as a non-time-critical removal action (NTCRA) in accordance with the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) and the Federal Facilities Agreement (FFA) for the Paducah Gaseous Diffusion Plant (PGDP). The Contractor shall develop and finalize the Removal Action Report.~~

The U.S. Department of Energy (DOE) has entered into a Memorandum of Agreement (MOA) on the C-400 Complex under the FFA for the PGDP with regulatory agencies that includes enforceable milestones for performance of ~~this scope of work~~a remedial investigation. The Contractor shall plan and manage pre-demolition activities such that the ~~work such that all~~remedial investigation milestone dates are achieved.

~~Although details for the final selected alternative will be documented in the Engineering Evaluation/Cost Analysis and Removal Action Work Plan, the Contractor should assume that interior and exterior transite panels will be manually removed; the slab will be left in place; and all waste must be dispositioned onsite or offsite, as appropriate. The slab will be decontaminated and/or sealed; however, the Contractor shall consider the potential impact~~

~~of sealant on subsequent remedial investigation activities and shall plan for this activity accordingly. The Contractor shall perform site restoration, as required, to facilitate subsequent remedial investigation activities. The Contractor shall repair infrastructure (roads, utilities, etc.) damaged as a result of demolition and restore the area to the general pre-demolition condition.~~

~~The Contractor shall plan for and schedule regular planning and comment resolution meetings with DOE personnel to facilitate decision making and streamline the document preparation and approval process.~~

The contractor will at minimum report scope, cost, schedule, and risk associated with this activity under work breakdown structure (WBS) elements as defined below:

Table C.2.EM.PA.0040.A014.01-1 C-400 COMPLEX DEMOLITION Work Breakdown Structure	
WBS Element	**Element Title**
EM.PA.0040.A014.01.DR.12	C-400 Demolition

Table C.2.EM.PA.0040.A014.01--2 C-400 COMPLEX DEMOLITION Milestones/Schedule	
Milestone	**Date**
~~C-400 Building Non-Time Critical Removal Action Field Start~~	~~11/27/18 (Enforceable Milestone)~~
Complete the pre-demolition activities of the C-400 Building, including all waste disposal ~~and project closeout in accordance with CERCLA documentation~~	~~June 1, 2019~~February 2020
~~D1 Removal Action Report for the C-400 Building NTCRA to DOE for Review~~	~~60 days after completion of demolition, including shipment of waste~~
~~D1 Removal Action Report for the C-400 Building NTCRA to Regulators for Review~~	~~120 days after completion of demolition, including shipment of waste~~

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

AUG 30 2019

Mr. Norm Sandlin, Prime Contract Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-02-5692248-19

Dear Mr. Sandlin:

CONTRACT NO. DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC— TASK ORDER 89303119FEM400004 – R-114 PRE-DISPOSITION

Enclosed please find a dually signed copy of Task Order FEM-400004. This task order is for the Pre-Disposition work associated with the disposal of the R-114. Funding will be added to this task order as soon as it becomes available.

If you have any questions or concerns, please contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Task Order, FEM-400004

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joe.tarantino@pad.pppo.gov, FRNP
joel.bradburne@pppo.gov, PPPO
karen.testerman@pppo.gov, SMSI
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
norm.sandlin@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
tracey.duncan@pppo.gov, PPPO

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS
OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30

1. REQUISITION NUMBER	PAGE	OF
	1	4

2. CONTRACT NO.	3. AWARD/ EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE
DE-EM0004895	08/30/2019	89303119FEM400004		

7. FOR SOLICITATION INFORMATION CALL:	a. NAME	b. TELEPHONE NUMBER (No collect calls)	8. OFFER DUE DATE/LOCAL TIME
	Jennifer Stokes	859-219-4042	ET

9. ISSUED BY	CODE	10. THIS ACQUISITION IS	SET ASIDE: % FOR:
EM- Portsmouth/Paducah Project Ofc EMCBC U.S. Department of Energy Portsmouth-Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington KY 401513	893031	☒ UNRESTRICTED OR ☐ SMALL BUSINESS ☐ HUBZONE SMALL BUSINESS ☐ SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS ☐ WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM ☐ EDWOSB ☐ 8(A)	NAICS: 562910 SIZE STANDARD: 750

11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED	12. DISCOUNT TERMS	13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700)	13b. RATING	14. METHOD OF SOLICITATION
☐ SEE SCHEDULE	NET 30	☐		☐ RFQ ☐ IFB ☒ RFP

15. DELIVER TO	CODE	16. ADMINISTERED BY	CODE
EMCBC - Portsmouth-Paducah US Department of Energy Portsmouth-Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington KY 40513	03002	EMCBC - Portsmouth-Paducah U.S. Department of Energy Portsmouth-Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington KY 40513	03002

17a. CONTRACTOR/ OFFEROR	CODE	FACILITY CODE	18a. PAYMENT WILL BE MADE BY	CODE
Four Rivers Nuclear Partnership, LLC Attn: ANNIE BAULER 9189 S Jamaica St Englewood CO 80112 TELEPHONE NO 7202862586	080367762		OR for EMCBC U.S. Department of Energy Oak Ridge Financial Service Center P.O. Box 6017 Oak Ridge TN 37831	00511

17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER

18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED SEE ADDENDUM

19. ITEM NO	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	DUNS Number: 080367762 Period of Performance: 06/20/2017 to 06/19/2027				
00001	EM.PA.0040.A0008.48.DR06- EM.PA.0040.A0008.48.DR.06.03 R-114 Transfer Equipment EM.PA.0040.A0008.48.DR.06.04 R-114 Pre-Disposition Activities. Line item value is: $736,005.00 Continued ... *(Use Reverse and/or Attach Additional Sheets as Necessary)*				[redacted]

25. ACCOUNTING AND APPROPRIATION DATA

26. TOTAL AWARD AMOUNT *(For Govt. Use Only)* [redacted]

27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52.212-1, 52.212-4, FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED

27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED

☒ 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN 1 COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED

☒ 29. AWARD OF CONTRACT: FRNP-19-2724 OFFER DATED 07/22/2019 YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS: all

30a. SIGNATURE OF OFFEROR/CONTRACTOR	31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER)
[signature]	[signature]
30b. NAME AND TITLE OF SIGNER (Type or print): Marina L. Rochfield Acting Prog Mgr	30c. DATE SIGNED: 8/29/19
31b. NAME OF CONTRACTING OFFICER (Type or print): Marcia D. Fultz	31c. DATE SIGNED: 8/30/19

AUTHORIZED FOR LOCAL REPRODUCTION
PREVIOUS EDITION IS NOT USABLE

STANDARD FORM 1449 (REV. 2/2012)
Prescribed by GSA - FAR (48 CFR) 53.212

19 ITEM NO	20 SCHEDULE OF SUPPLIES/SERVICES	21 QUANTITY	22 UNIT	23 UNIT PRICE	24 AMOUNT
	Scope of Work EM.PA.0040.A008.48.DR.06 R-114 Freon EM.PA.0040.A008.48.DR.06.03 R-114 Transfer Equipment The Contractor shall procure the necessary equipment that allows the transfer of R 114 from railcars into ISO containers and/or other railcars. Once equipment has been procured, the contractor shall develop the required procedures and training, and complete training for personnel. It is anticipated that one transfer unit will be procured initially and a second one as needed to support project schedule. EM.PA.0040.A008.48.DR.06.04 R-114 Pre - Disposition Activities The Contractor shall complete any necessary pre-disposition activities to support getting the current R-114 inventory off-site. This element may include, but is not limited to the following type of activities: • Any sampling necessary for shipment off-site. • Any vendor upfront training or equipment setup required to be ready to accept the R-114 Continued ...				

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE 32g. E-MAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER ☐ PARTIAL ☐ FINAL	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT ☐ COMPLETE ☐ PARTIAL ☐ FINAL	37. CHECK NUMBER

38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	40. PAID BY

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT		42a. RECEIVED BY *(Print)*
41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER	41c. DATE	42b. RECEIVED AT *(Location)*
		42c. DATE REC'D *(YY/MM/DD)* / 42d. TOTAL CONTAINERS

ITEM NO (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)

shipments.

See attachment 1 Table
C.2.@M.PA.0040.A.008.48.DR.06-2 - R-114
Disposition Milestones/Schedule

Milestone	Date	Fee
Complete procurement of R-114 transfer equipment that allows the transfer of R-114 from railcars to ISO containers, complete development of training and procedures, and train necessary personnel.	1st unit - 11/14/2019 2nd unit – 3/12/2020	[redacted] [redacted]
Submit a Sampling and Analysis Plan to DOE for approval	9/20/19	[redacted]
Vendor training and equipment setup	12/06/19	[redacted]

100% of the available fee for each Milestone will be paid as long as the Milestone is complete within 10 working days of the date provided. For every working day of delay, exceeding the 10 working days, 2% percent of the available fee will be deducted. For delays outside of FRNP control the milestone date will shift on a day for day basis.

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

SEP 20 2019

Mr. Norm Sandlin, Prime Contract Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-5792139-19

Dear Mr. Sandlin:

CONTRACT NO. DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC— TASK ORDER 89303119FEM400004 MOD P00001 – R-114 PRE-DISPOSITION

Enclosed please find an electronically signed copy of Modification P00001 to Task Order FEM-400004. This modification provides funding to fully fund the task order. As a reminder all costs associated with the R-114 associated to this task order must be costed to and invoiced under the task order number.

If you have any questions or concerns, please contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Task Order, FEM-400004-P00001

e-copy w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
deborah.kerner@pppo.gov, PPPO
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joe.tarantino@pppo.gov, FRNP
joel.bradburne@pppo.gov, PPPO
karen.testerman@pppo.gov, SMSI
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
norm.sandlin@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
tracey.duncan@pppo.gov, PPPO

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT ID CODE	PAGE OF PAGES
	1 of 2

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. *(If applicable)*
P00001	See Block 16C	19EM002312	

6. ISSUED BY CODE 893031

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

7. ADMINISTERED BY *(If other than Item 6)* CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

8. NAME AND ADDRESS OF CONTRACTOR *(No., street, county, State and ZIP Code)*

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

CODE 080367762 FACILITY CODE

(x) 9A. AMENDMENT OF SOLICITATION NO.

9B. DATED *(SEE ITEM 11)*

x 10A. MODIFICATION OF CONTRACT/ORDER NO.
DE-EM0004895
89303119FEM400004

10B. DATED *(SEE ITEM 13)*
08/30/2019

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended. ☐ is not extended.
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended , by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted ; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted , such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)* Net Increase: [redacted]

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	
	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
X	D. OTHER *(Specify type of modification and authority)* Incremental Funding FAR 52.232-22

E. IMPORTANT: Contractor ☒ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

DUNS Number: 080367762
Funding Modification to fully fund task order.
Payment:
OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831
Fund: 03000 Appr Year: 2019 Allottee: 33 Report
Entity: 490810 Object Class: 25499 Program:
1111523 Project: 0001498 WFO: 0000000 Local Use:
Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9 A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER *(Type or print)*		16A. NAME AND TITLE OF CONTRACTING OFFICER *(Type or print)*	
		Marcia D. Fultz	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
(Signature of person authorized to sign)		Signature on File *(Signature of Contracting Officer)*	09/19/2019

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	0000000 FOB: Destination Period of Performance: 06/20/2017 to 06/19/2027 Change Item 00001 to read as follows(amount shown is the total amount):				
00001	EM.PA.0040.A0008.48.DR06- EM.PA.0040.A0008.48.DR.06.03 R-114 Transfer Equipment EM.PA.0040.A0008.48.DR.06.04 R-114 Pre-Disposition Activities. [redacted] Scope of Work EM.PA.0040.A008.48.DR.06 R-114 Freon EM.PA.0040.A008.48.DR.06.03 R-114 Transfer Equipment The Contractor shall procure the necessary equipment that allows the transfer of R 114 from railcars into ISO containers and/or other railcars. Once equipment has been procured, the contractor shall develop the required procedures and training, and complete training for personnel. It is anticipated that one transfer unit will be procured initially and a second one as needed to support project schedule. EM.PA.0040.A008.48.DR.06.04 R-114 Pre - Disposition Activities The Contractor shall complete any necessary pre-disposition activities to support getting the current R-114 inventory off-site. This element may include, but is not limited to the following type of activities: • Any sampling necessary for shipment off-site. • Any vendor upfront training or equipment setup required to be ready to accept the R-114 shipments.				[redacted]

Department of Energy
Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

May 27, 2020

Mr. David Ruckstuhl, Prime Contracts Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-02-10004356-20

Dear Mr. Ruckstuhl:

DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC TASK ORDER 89303119FEM400004 –P0002– R-114 DISPOSITION OFF-SITE

The enclosed task order modification is funded in the amount of [redacted], for work element EM.PA.0040.A008.48.DR.06.05 R-114 Disposition Off-site. Four Rivers Nuclear Partnership, LLC shall ensure an optimized approach is utilized to allow for disposition of the largest amount of R-114 within the available funding.

If you have any questions or require additional information, please contact April Ladd at (270) 441-6843.

Sincerely,

Marcia D. Fultz

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Modification P00002

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
david.ruckstuhl@pad.pppo.gov, FRNP
frnpcorrespondence@pad.pppo.gov
james.miller@pad.pppo.gov, FRNP
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
karen.testerman@pppo.gov, ETAS
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
tracey.duncan@pppo.gov, PPPO

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT D CODE	PAGE OF PAGES
	1 3

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. *(If applicable)*
P00002	See Block 16C	20EM001288	

6. ISSUED BY	CODE	7. ADMINISTERED BY *(If other than Item 6)*	CODE
EM- Portsmouth/Paducah Project Ofc EMCBC U.S. Department of Energy Portsmouth-Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington KY 401513	893031	EMCBC - Portsmouth-Paducah U.S. Department of Energy Portsmouth-Paducah Project Office 1017 Majestic Drive, Suite 200 Lexington KY 40513	03002

8. NAME AND ADDRESS OF CONTRACTOR *(No., street, county, State and ZIP Code)*

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

CODE 080367762 FAC LITY CODE

(x) 9A. AMENDMENT OF SOLICITATION NO.

9B. DATED *(SEE ITEM 11)*

X 10A. MODIFICATION OF CONTRACT/ORDER NO.
DE-EM0004895
89303119FEM400004

10B. DATED *(SEE ITEM 13)*
08/30/2019

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended, ☐ is not extended.
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended , by one of the following methods: (a) By completing tems 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted ; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted , such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNT NG AND APPROPRIATION DATA *(If required)* Net Increase: [redacted]

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	
	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIF ED TO REFLECT THE ADM NISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH N ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: FAR 52.243-2 Changes Cost Reimbursement
	D. OTHER *(Specify type of modification and authority)*

E. IMPORTANT Contractor ☐ is not ☒ is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

DUNS Number: 080367762
Modification to add the disposition of R-114 with a not to exceed value of [redacted] inclusive of fee.
Payment:
OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831
Fund: 03000 Appr Year: 2020 Allottee: 33 Report
Entity: 490810 Object Class: 25499 Program:
Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9 A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER *(Type or print)*	16A. NAME AND TITLE OF CONTRACT NG OFFICER *(Type or print)*
Myrna E. Redfield	Marcia D. Fultz

15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
Digitally signed by Myrna E. Redfield Date: 2020.05.26 08:44:33 -05'00' (Signature of person authorized to sign)		MARCIA FULTZ Digitally signed by MARCIA FULTZ Date: 2020.05.26 12:46:44 -04'00' (Signature of Contracting Officer)	

Previous edition unusable

STANDARD FORM 30 (REV. 11/2016)
Prescribed by GSA FAR (48 CFR) 53.243

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	1111523 Project: 0001498 WFO: 0000000 Local Use: 0000000 Period of Performance: 06/20/2017 to 06/19/2027 Add Item 00002 as follows: UNCLASSIFIED				
00002	Disposal of R-114 EM.PA.0040.A008.48.DR.06.05 R-114 Disposition Off-site The Contractor shall complete the disposition of R-114 off-site. The rate (cost/pound) for disposition is identified in three (3) Basic Ordering Agreements dated 12/18/2018 (FRNP PO-0003259, FRNP PO-0003507, and FRNP PO-0003529). This element should include any certification of transportation methods. The contractor shall provide a certificate of disposal/destruction (COD) for proof of disposition. EM.PA.0040.A008.48.DR.06.06 Clean-out and Disposition of Heel in Railcars and ISO Containers The Contractor shall complete the clean-out and removal of heel remaining in railcars and ISO containers once R-114 disposition activities are completed and the need for the containers no longer exists. The rates for clean-out of railcars and ISO containers are identified in the BOAs listed above. The contractor shall provide evidence the railcar/container has been emptied and is free of R-114/contaminates. [redacted]				[redacted]

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

February 17, 2021

Mr. David Ruckstuhl
Prime Contract Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10009635-21

Dear Mr. Ruckstuhl:

DE-EM0004895 TASK ORDER 89303121FEM400070: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC—FISCAL YEAR 21 DISPOSITION TASK ORDER

Enclosed please find a dually signed copy of Task Order 89303121FEM400070.

Please notify me in writing when you have shipped approximately 600,000 lbs. of R114 under contract line item 00101 so that contract line item 00102 can be turned on. Please be sure to invoice all costs attributed to this task order directly to this task order as the funding is on the task order and not on the base contract.

If you have any questions or concerns, please contact me at (859) 219-4044.

Sincerely,

MARCIA FULTZ
Digitally signed by MARCIA FULTZ
Date: 2021.02.17 14 35:20 -05'00'

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Task Order

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
david.ruckstuhl@pad.pppo.gov, PPPO
deborah.kerner@pppo.gov, PPPO
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
sally.vanhetkaar@pppo.gov, ETAS
tracey.duncan@pppo.gov, PPPO

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS

OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30

1. REQUISITION NUMBER	PAGE	OF
21EM000629	1	11

2. CONTRACT NO.	3. AWARD/ EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE
DE-EM0004895		89303121FEM400070		

7. FOR SOLICITATION INFORMATION CALL	a. NAME	b. TELEPHONE NUMBER (No collect calls)	8. OFFER DUE DATE/LOCAL TIME
	Marcia Fultz	859-219-4044	ET

9. ISSUED BY CODE 893031

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

10. THIS ACQUISITION IS ☒ UNRESTRICTED OR ☐ SET ASIDE: % FOR:

☐ SMALL BUSINESS
☐ HUBZONE SMALL BUSINESS
☐ SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS
☐ WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM
☐ EDWOSB
☐ 8(A)

NAICS: 562910
SIZE STANDARD: 750

11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED	12. DISCOUNT TERMS	13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700)	13b. RATING	14. METHOD OF SOLICITATION
☒ SEE SCHEDULE	NET 30	☐		☐ RFQ ☐ IFB ☒ RFP

15. DELIVER TO CODE 03002

EMCBC - Portsmouth-Paducah
US Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

16. ADMINISTERED BY CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

17a. CONTRACTOR/ OFFEROR CODE 080367762 FACILITY CODE

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

TELEPHONE NO. 7202862586

☐ 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER

18a. PAYMENT WILL BE MADE BY CODE 00511

OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831

☐ 18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	DUNS Number: 080367762 Period of Performance: 02/10/2021 to 01/30/2022				
00101	Ship a minimal of 775,000 lbs of R-114 - [redacted] total shipped by 6/30/21 and final COD by [redacted] 30/21. When ~600,000 is shipped by 5/15/21, then CLIN 0102 will be exercised. If FRNP does not meet 600,000 lbs by 5/15/2021 then CLIN 0102 will not be exercised until that limit is met. *(Use Reverse and/or Attach Additional Sheets as Necessary)*				2,000,000.00

25. ACCOUNTING AND APPROPRIATION DATA
See schedule

26. TOTAL AWARD AMOUNT *(For Govt. Use Only)* [redacted]

☐ 27a. SOLICITATION NCORPORATES BY REFERENCE FAR 52 212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED.
☒ 27b. CONTRACT/PURCHASE ORDER NCORPORATES BY REFERENCE FAR 52 212-4. FAR 52 212-5 IS ATTACHED. ADDENDA ☐ ARE ☒ ARE NOT ATTACHED.

☒ 28. CONTRACTOR IS REQU RED TO SIGN THIS DOCUMENT AND RETURN 1 COP ES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED.

☐ 29. AWARD OF CONTRACT: _____ OFFER DATED _____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:

30a. SIGNATURE OF OFFEROR/CONTRACTOR
MYRNA REDFIELD (Affiliate)
Digitally signed by MYRNA REDFIELD (Affiliate)
Date: 2021.02.09 15:44:00 -06'00'

31a. UNITED STATES OF AMERICA *(SIGNATURE OF CONTRACTING OFFICER)*
MARCIA FULTZ
Digitally signed by MARCIA FULTZ
Date: 2021.02.10 09:28:11 -05'00'

30b. NAME AND TITLE OF SIGNER *(Type or print)*	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER *(Type or print)*	31c. DATE SIGNED
Myrna E Redfield	2/09/2021	Marcia D. Fultz	

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	[redacted]				
	[redacted]				
	Accounting Info: Fund: 03000 Appr Year: 2021 Allottee: 33 Report Entity: 490810 Object Class: 25499 Program: 1111523 Project: 0001498 WFO: 0000000 Local Use: 0000000 Funded: [redacted] The Option will be exercised to turn on CLIN 0102 when approximately 600,000 lbs of R114 identified in CLIN 0101 has been dispositioned off site.				
00102	Ship a minimal of 1,255,000 lbs of R-114 - $3 M total shipped by 9/30/21 and final COD by 11/30/21. When 875,000 is shipped by 8/30/21, then CLIN 0103 will be exercised. Continued ...				[redacted]

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MA LING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE 32g. E-MA L OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER ☐ PARTIAL ☐ FINAL	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT ☐ COMPLETE ☐ PARTIAL ☐ FINAL	37. CHECK NUMBER

38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	40. PAID BY

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT		42a. RECEIVED BY *(Print)*	
41b. SIGNATURE AND TITLE OF CERTIFY NG OFFICER	41c. DATE	42b. RECEIVED AT *(Location)*	
		42c. DATE REC'D *(YY/MM/DD)*	42d. TOTAL CONTAINERS

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	[redacted]				
	Accounting Info: 000000000000 Fund: 00000 Appr Year: 0000 Allottee: 00 Report Entity: 000000 Object Class: 00000 Program: 0000000 Project: 0000000 WFO: 0000000 Local Use: 0000000 Funded: $0.00 The Option will be exercised to turn on CLIN 0103 when approximately 875,000 lbs of R114 identified in CLIN 0102 has been dispositioned off site.				
00103	Ship up to of 755,000 lbs of R-114 - [redacted] total shipped by 12/15/21 and final COD by 1/15/22.				[redacted]
	[redacted]				
	Assumptions: 1. Overtime during Phase 2 of COVID requires DOE specific approval. Once Phase III is achieved that requirement may be removed. 2. ISOs shall be leased or purchased to maintain the requested volume, ONLY if directed/approved by the contracting officer. 3. Transportation costs, recertification of ISOs Continued ...				

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	and other handling costs will be charged to this Task Order, and Labor will be charged to base contract under R114 FREON. 4. Assumes resources available continuously throughout balance year, e.g. conflicts with other work, COVID-19 employee site access restrictions. 5. FRNP may use the building transfer system or transfer cart or combination of the two transfer options. 6. For additional sampling that may be required for additional railcars to transfer R-114 from, and which have not been sampled to date, DOE will review and provide approval within 5 days of receipt of sampling and analysis data. 7. Vendor has historically experienced some impacts as result of hurricane season and could be stood down for caution and/or facility damage requiring repairs, which could reduce the volume FRNP is able to disposition All terms and conditions applicable to the base contract are applicable to the task order.				

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

April 29, 2021

Mr. David Ruckstuhl
Prime Contracts Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10010435-21

Dear Mr. Ruckstuhl:

DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC—TASK ORDER 89303121FEM400070 – DISPOSITION OF R-114 MODIFICATION P00001

Enclosed please find unilateral task order modification P00001 to turn on and fund contract line item 0102. This line item provides an additional [redacted] in funding for the off-site disposition of R-114.

If you have any questions or concerns, please contact me at (859) 940-6234.

Sincerely,

Marcia D. Fultz

Digitally signed by Marcia D. Fultz
Date: 2021.04.29 13:56:26 -04'00'

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Modification P00001

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
deborah.kerner@pppo.gov, PPPO
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
sally.vanhetkaar@pppo.gov, ETAS
tracey.duncan@pppo.gov, PPPO

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT D CODE	PAGE OF PAGES
	1 2

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. *(If applicable)*
P00001	04/28/2021	21EM001243	

6. ISSUED BY	CODE	7. ADMINISTERED BY *(If other than Item 6)*	CODE
893031		03002	

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

8. NAME AND ADDRESS OF CONTRACTOR *(No., street, county, State and ZIP Code)*

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

CODE 080367762 FAC LITY CODE

(x) 9A. AMENDMENT OF SOLICITATION NO.

9B. DATED *(SEE ITEM 11)*

x 10A. MODIFICATION OF CONTRACT/ORDER NO.
DE-EM0004895
89303121FEM400070

10B. DATED *(SEE ITEM 13)*
02/10/2021

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended, ☐ is not extended.
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended , by one of the following methods: (a) By completing tems 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted ; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted , such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNT NG AND APPROPRIATION DATA *(If required)*
See Schedule

Net Increase: [redacted]

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	
	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIF ED TO REFLECT THE ADM NISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH N ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
X	D. OTHER *(Specify type of modification and authority)* Incremental Funding, FAR 52.232-22

E. IMPORTANT Contractor ☒ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

DUNS Number: 080367762
The purpose of the Modification is to turn on and fund CLIN 0102.

All other terms and conditions remain the same.
Payment:
OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831
Period of Performance: 02/10/2021 to 01/30/2022
Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9 A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER *(Type or print)*		16A. NAME AND TITLE OF CONTRACT NG OFFICER *(Type or print)*	
		Marcia D. Fultz	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
_____ *(Signature of person authorized to sign)*		Marcia D. Fultz *(Signature of Contracting Officer)*	04/28/2021

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	Change Item 00102 to read as follows(amount shown is the total amount): The Option will be exercised to turn on CLIN 0102 when approximately 600,000 lbs of R114 identified in CLIN 0101 has been dispositioned off site.				
00102	Ship a minimal of 1,255,000 lbs of R-114 - $3 M total shipped by 9/30/21 and final COD by 11/30/21. When 875,000 is shipped by 8/30/21, then CLIN 0103 will be exercised.				[redacted]
	[redacted]				
	Accounting Info: 000000000000 Fund: 00000 Appr Year: 0000 Allottee: 00 Report Entity: 000000 Object Class: 00000 Program: 0000000 Project: 0000000 WFO: 0000000 Local Use: 0000000 Funded: $0.00 Accounting Info: Fund: 03000 Appr Year: 2021 Allottee: 33 Report Entity: 490810 Object Class: 25499 Program: 1111523 Project: 0001498 WFO: 0000000 Local Use: 0000000 Funded: [redacted]				

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

October 13, 2021

Mr. David Ruckstuhl
Prime Contracts Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10017311-22

Dear Mr. Ruckstuhl:

DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC – TASK ORDER 89303121FEM400070 – DISPOSITION OF R-114 MODIFICATION P00002

Attached please find task order modification P00002. The purpose of this modification is to extend the processing time for R-114 and to adjust the fee available.

If you have any questions or require additional information, please contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz

Digitally signed by Marcia D. Fultz
Date: 2021.10.13 15:38:15 -04'00'

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Task Order Modification P00002

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cindy.kephart@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
david.ruckstuhl@pad.pppo.gov, FRNP
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
sally.vanhetkaar@pppo.gov, ETAS
tracey.duncan@pppo.gov, PPPO

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT D CODE	PAGE OF PAGES
	1 2

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. *(If applicable)*
P00002	See Block 16C		

6. ISSUED BY CODE 893031

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

7. ADMINISTERED BY *(If other than Item 6)* CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

8. NAME AND ADDRESS OF CONTRACTOR *(No., street, county, State and ZIP Code)*

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

CODE 080367762 FAC LITY CODE

(x) 9A. AMENDMENT OF SOLICITATION NO.

9B. DATED *(SEE ITEM 11)*

x 10A. MODIFICATION OF CONTRACT/ORDER NO.
DE-EM0004895
89303121FEM400070

10B. DATED *(SEE ITEM 13)*
02/10/2021

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended, ☐ is not extended.
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended , by one of the following methods: (a) By completing tems 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted ; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted , such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNT NG AND APPROPRIATION DATA *(If required)*
No Accounting Data on Modification

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	
	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIF ED TO REFLECT THE ADM NISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH N ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
X	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Mutual agreement of Parties
	D. OTHER *(Specify type of modification and authority)*

E. IMPORTANT Contractor ☐ is not ☒ is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

DUNS Number: 080367762
The purpose of the Modification is adjust and extend the processing time for the R-114 to allow for difficulties being experienced by the subcontractor processing the Freon. The processing time is being extended and the fee available to be earned is being adjusted to allow contractor to continue to earn a reasonable fee.

All other terms and conditions remain the same.

Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9 A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER *(Type or print)*	16A. NAME AND TITLE OF CONTRACT NG OFFICER *(Type or print)*
Myrna Espinosa Redfield	Marcia D. Fultz

15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
MYRNA REDFIELD (Affiliate) Digitally signed by MYRNA REDFIELD (Affiliate) Date: 2021.10.12 16:36:24 -05'00'	10/12/21	Marcia D. Fultz Digitally signed by Marcia D. Fultz Date: 2021.10.13 08:01:20 -04'00'	
(Signature of person authorized to sign)		*(Signature of Contracting Officer)*	

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	Payment: OR for EMCBC U.S. Department of Energy Oak Ridge Financial Service Center P.O. Box 6017 Oak Ridge TN 37831 Period of Performance: 02/10/2021 to 09/30/2022 Change Item 00102 to read as follows(amount shown is the total amount):				
00102	Ship a minimal of 1,255,000 lbs of R-114 - $3 M total shipped by 5/30/22 and final COD by 10/30/22. When 875,000 is shipped, then CLIN 0103 will be exercised.				[redacted]
	[redacted]				
	Change Item 00103 to read as follows(amount shown is the total amount): The Option will be exercised to turn on CLIN 0103 when approximately 875,000 lbs of R114 identified in CLIN 0102 has been shipped off site.				
00103	Ship up to of 755,000 lbs of R-114 - $2 M total shipped by 9/30/22 and final COD by 12/30/22.				[redacted]
	[redacted]				

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

February 4, 2022

Mr. David Ruckstuhl
Prime Contracts Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10020335-22

Dear Mr. Ruckstuhl:

DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC—TASK ORDER 89303121FEM400070 MODIFICATION P00003

Reference: Email from D. Ruckstuhl to M. Fultz, "R-114 CLIN 0102 Trigger 875,000 pounds," dated January 31, 2022 10:53AM EST

Enclosed please find Task Order 89303121FEM400070 Modification P00003. The purpose of this modification is to turn on contract line item number 00103 and add incremental funding in the amount of [redacted] Additional funding will be added when it becomes available.

If you have any questions or require additional information, please contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz

Digitally signed by Marcia D. Fultz
Date: 2022.02.04 13:14:21 -05'00'

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Task Order Modification P00003

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cindy.kephart@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
david.ruckstuhl@pad.pppo.gov, FRNP
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
sally.vanhetkaar@pppo.gov, ETAS
tracey.duncan@pppo.gov, PPPO

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT D CODE	PAGE OF PAGES
	1 2

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. *(If applicable)*
P00003	See Block 16C	22EM000701	

6. ISSUED BY CODE 893031

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

7. ADMINISTERED BY *(If other than Item 6)* CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

8. NAME AND ADDRESS OF CONTRACTOR *(No., street, county, State and ZIP Code)*

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

CODE 080367762 FAC LITY CODE

(x) 9A. AMENDMENT OF SOLICITATION NO.

9B. DATED *(SEE ITEM 11)*

x 10A. MODIFICATION OF CONTRACT/ORDER NO.
DE-EM0004895
89303121FEM400070

10B. DATED *(SEE ITEM 13)*
02/10/2021

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended, ☐ is not extended.
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended , by one of the following methods: (a) By completing tems 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted ; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted , such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNT NG AND APPROPRIATION DATA *(If required)*
03000-2022-33-490810-25499-1111523-0001498-0000000-0000000

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	
	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIF ED TO REFLECT THE ADM NISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH N ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
X	D. OTHER *(Specify type of modification and authority)* Incremental Funding FAR 52.232-22

E. IMPORTANT Contractor ☒ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

DUNS Number: 080367762
The purpose of the Modification is to turn on CLIN 3 and add incremental funding.

All other terms and conditions remain the same.
Payment:
OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831
Fund: 03000 Appr Year: 2022 Allottee: 33 Report
Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9 A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER *(Type or print)*		16A. NAME AND TITLE OF CONTRACT NG OFFICER *(Type or print)*	
		Marcia D. Fultz	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
(Signature of person authorized to sign)		Marcia D. Fultz *(Signature of Contracting Officer)*	02/03/2022

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	Entity: 490810 Object Class: 25499 Program: 1111523 Project: 0001498 WFO: 0000000 Local Use: 0000000 Period of Performance: 02/10/2021 to 09/30/2022 Change Item 00103 to read as follows(amount shown is the total amount): The CLIN will be turned on when approximately 875,000 lbs of R114 identified in CLIN 0102 has been shipped off site.				
00103	Ship up to of 755,000 lbs of R-114 - [redacted] total shipped by 9/30/22 and final COD by 12/30/22.				[redacted]
	[redacted]				

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

March 29, 2021

Mr. David Ruckstuhl
Prime Contract Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10010050-21

Dear Mr. Ruckstuhl:

CONTRACT NO. DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC— TASK ORDER 89303121FEM400081 – PARTIAL SWITCHYARD DISMANTLEMENT

Enclosed please find a dually signed task order for the partial dismantlement of the C-537 and C-535 switchyards including two 161 kV tie lines. The task order is incrementally funded at this time and will be fully funded as soon as funds become available. Please remember that the funds are on the task order and that invoices for the task order activities should be submitted under the task order number.

If you have any questions or concerns, please contact me at (859) 940-6234.

Sincerely,

MARCIA FULTZ

Digitally signed by MARCIA FULTZ
Date: 2021 03.29 16:18:07 -04'00'

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Task Order

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
deborah.kerner@pppo.gov, PPPO
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
sally.vanhetkaar@pppo.gov, ETAS
tracey.duncan@pppo.gov, PPPO

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS
OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30

1. REQUISITION NUMBER	PAGE	OF
21EM001013	1	10

2. CONTRACT NO.	3. AWARD/ EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE
DE-EM0004895		89303121FEM400081		

7. FOR SOLICITATION INFORMATION CALL	a. NAME	b. TELEPHONE NUMBER (No collect calls)	8. OFFER DUE DATE/LOCAL TIME
	Marcia Fultz	859-219-4044	ET

9. ISSUED BY — CODE 893031

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

10. THIS ACQUISITION IS ☒ UNRESTRICTED OR ☐ SET ASIDE: % FOR:

☐ SMALL BUSINESS
☐ HUBZONE SMALL BUSINESS
☐ SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS
☐ WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM
☐ EDWOSB
☐ 8(A)

NAICS: 562910
SIZE STANDARD: 750

11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED	12. DISCOUNT TERMS	13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700)	13b. RATING	14. METHOD OF SOLICITATION
☒ SEE SCHEDULE	NET 30	☐		☐ RFQ ☐ IFB ☒ RFP

15. DELIVER TO — CODE 03002

EMCBC - Portsmouth-Paducah
US Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

16. ADMINISTERED BY — CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

17a. CONTRACTOR/ OFFEROR — CODE 080367762 — FACILITY CODE

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

TELEPHONE NO. 7202862586

☐ 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER

18a. PAYMENT WILL BE MADE BY — CODE 00511

OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831

☐ 18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	DUNS Number: 080367762 Accounting Info: Fund: 03000 Appr Year: 2021 Allottee: 33 Report Entity: 490810 Object Class: 25499 Program: 1111523 Project: 0001498 WFO: 0000000 Local Use: 0000000 Period of Performance: 03/30/2021 to 09/27/2021				
00001	C-535 and C-537 Partial Switchyard Dismantlement EM.PA.0040.A008.42.DR.04.05 Partial Dismantlement Continued ...				[redacted]

(Use Reverse and/or Attach Additional Sheets as Necessary)

25. ACCOUNTING AND APPROPRIATION DATA
See schedule

26. TOTAL AWARD AMOUNT *(For Govt. Use Only)* [redacted]

☐ 27a. SOLICITATION NCORPORATES BY REFERENCE FAR 52 212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED.
☒ 27b. CONTRACT/PURCHASE ORDER NCORPORATES BY REFERENCE FAR 52 212-4. FAR 52 212-5 IS ATTACHED. ADDENDA ☐ ARE ☒ ARE NOT ATTACHED.

☒ 28. CONTRACTOR IS REQU RED TO SIGN THIS DOCUMENT AND RETURN 1 COP ES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED.

☐ 29. AWARD OF CONTRACT: _____ OFFER DATED _____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:

30a. SIGNATURE OF OFFEROR/CONTRACTOR
MYRNA REDFIELD (Affiliate) Digitally signed by MYRNA REDFIELD (Affiliate) Date: 2021.03.26 13:27:01 -05'00'

31a. UNITED STATES OF AMERICA *(SIGNATURE OF CONTRACTING OFFICER)*
MARCIA FULTZ Digitally signed by MARCIA FULTZ Date: 2021.03.27 12:07:08 -04'00'

30b. NAME AND TITLE OF SIGNER *(Type or print)*	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER *(Type or print)*	31c. DATE SIGNED
Myrna E. Redfield	3/26/2021	Marcia D. Fultz	

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	of the C-535 Switchyard EM.PA.0040.A008.42.DR.04.06 Partial Dismantlement of the C-537 Switchyard Including Two 161kV Tie Lines to C-535 Switchyard The Contractor shall complete the dismantlement of specified equipment located in the C-535-2 Switchyard, C-537-2 Switchyard, and two 161kV tie lines connecting C-537 to C-535, allowing for the maximum recycle of this equipment and materials to Paducah Area Community Reuse Organization (PACRO) See Attachment 1 for Detailed Scope of Work with Task Order Milestones. [redacted] Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days Continued ...				

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MA LING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE
	32g. E-MA L OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT	37. CHECK NUMBER
☐ PARTIAL ☐ FINAL			☐ COMPLETE ☐ PARTIAL ☐ FINAL	

38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	40. PAID BY

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT		42a. RECEIVED BY *(Print)*	
41b. SIGNATURE AND TITLE OF CERTIFY NG OFFICER	41c. DATE	42b. RECEIVED AT *(Location)*	
		42c. DATE REC'D *(YY/MM/DD)*	42d. TOTAL CONTAINERS

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	after milestone date = fee reduction of 25% **Caveat - Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified.				
00002	OPTION 1 - 161KV BUS POTENTIAL TRANSFORMERS The Contractor shall disconnect and remove 6-161kV bus potential transformers (PT) in the C-535-2 switchyard and 12-161kV bus PTs in C-537-2. There is the potential for the oil in the bushing to contain PCBs. The Contractor shall disconnect and remove the bus PTs for proper disposal. The support structures for the PTs shall not be removed. [redacted] Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat-Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified.				[redacted]
00003	OPTION 2 - 161KV LINE CURRENT TRANSFORMERS The Contractor shall disconnect and remove 6-161kV line current transformers (CT) in the C-535-2 switchyard and 10-161kV line CTs in C-537-2. The Contractor shall disconnect and remove the CTs for proper disposal. The support structures for the CTs shall not be removed. Line item value is: [redacted] Continued ...				[redacted]

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	Incrementally Funded Amount: $100,000.00 Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat-Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified.				
00004	OPTION 3 - SWITCHYARD LIGHTING FIXTURE GLOBES AND BULBS The Contractor shall remove all lighting fixture globes and bulbs in the C-535-2 and C-537-2 switchyards. The associated lighting fixtures shall not be removed. [redacted] Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat-Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified. Continued ...				[redacted]

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
00005	OPTION 4 – 14KV GROUNDING RESISTORS The Contractor shall disconnect and remove 5-14kV grounding resistors located in C-535-2 switchyard and 13-14kV grounding resistors located in C-537-2 switchyard. The Contractor shall remove the fence enclosures, size reduce the removed materials if necessary, and properly disposition the materials as waste. The grounding resistor banks are constructed with a three-tier design. The Contractor shall load the grounding resistors for appropriate disposition. [redacted] Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat-Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified.				[redacted]

Attachment 1:

Scope of Work and Milestone Schedule

C-535 and C-537 Partial Switchyard Dismantlement

EM.PA.0040.A008.42.DR.04.05 Partial Dismantlement of the C-535 Switchyard

EM.PA.0040.A008.42.DR.04.06 Partial Dismantlement of the C-537 Switchyard Including Two 161kV Tie Lines to C-535 Switchyard

The Contractor shall complete the dismantlement of specified equipment located in the C-535-2 Switchyard, C-537-2 Switchyard, and two 161kV tie lines connecting C-537 to C-535, allowing for the maximum recycle of this equipment and materials to Paducah Area Community Reuse Organization (PACRO). The specified equipment shall be removed by the Contractor and placed into the appropriate container and/or on mode of conveyance. PACRO shall be responsible for securing and certifying all loads for shipments of recyclable components/metals including securing vehicle/container lids, doors, and coverings and securing container/component to conveyance. Equipment to be removed shall include: overhead static wires; overhead 161kV aluminum cable steel reinforced (ACSR) conductors including 161kV wave traps in C-535; 161kV bus work; 161kV disconnect switches; 14kV isolated phase bus ducts; 14kV static capacitors; and all support and suspension insulators and lighting arrestors. In addition, lubricating oil from all oil circuit breaker (OCB) air compressors shall be removed, properly containerized and dispositioned. Precautions should be taken to prevent the spillage of oil. Any oil spilled during draining shall be cleaned up and properly dispositioned. Metals (e.g., aluminum, steel, copper, etc.) shall be segregated for recycle during the removal and dismantlement process. The Contractor shall ensure removed hazardous materials (e.g., asbestos, lead, mercury, polychlorinated biphenyls [PCBs], etc.) and any radioactive contaminated material are properly dispositioned. Any components or section of components impacted by radiological issues shall be removed and segregated by the Contractor and properly dispositioned. The Contractor shall utilize information from the switchyard equipment catalog and characterization to aid in recycling and disposal decisions. All waste shall be properly dispositioned at an off-site disposal facility or at the C-746-U Landfill if the waste meets landfill waste acceptance criteria.

No work shall be performed that will impact the Solid Waste Management Units. No soil shall be disturbed.

Switchyard equipment shall be dismantled with precautions to prevent breakage of any glass or the porcelain insulators. Should any breakage of glass, insulators or lightning arrestors occur, with the exception of inside the waste container, the Contractor shall be responsible for the cleanup and placement of broken material in the proper container. As a part of dismantlement activities, the Contractor shall take the necessary actions to prevent the introduction of rainwater and debris into the switch house, switch house basement, or any other openings. Once dismantlement is complete, the Contractor shall ensure permanent covers, caps, etc., are installed over all openings made as the result of equipment removal. Any cover installed where foot traffic could be possible, shall be of the appropriate strength to provide a safe walking surface. The Contractor shall ensure that the remaining switchyard components and support structures are left in a structurally sound condition. Any slip, trip or fall hazard created by component removal, such as a pipe stub or bolt sticking up in a walking area, a slight change in walking surface elevation, etc., shall be painted with high visibility paint. Power shall be maintained to the switch house basement for operation of sump pumps,

lighting, and other necessary equipment. The Contractor shall take the necessary precautions to ensure infrastructure (roads, utilities, surrounding soils, etc.) are not damaged as a result of dismantlement of the equipment. Should repairs be required, the Contractor shall discuss with the U.S. Department of Energy (DOE) prior to the initiation of those repairs.

The Contractor shall plan for and schedule regular planning and comment resolution meetings with DOE personnel to facilitate decision making. The Contractor will, at a minimum, report scope, cost, schedule, and risk associated with this activity under work breakdown structure elements as defined above.

Switchyard and Tie Line Equipment

The Contractor shall remove specified switchyard and tie line equipment, including the following: 1) overhead static wires; 2) overhead 161kV ACSR conductors including wave traps in C-535; 3) 161kV disconnect switch blades and jaw assemblies; 4) 161kV buses and connecting bus work; 5) 14kV isolated phase bus duct from the main power transformer to the grounding transformer and switch house; 6) 14kV static capacitors; 7) support and suspension insulators and lighting arrestors; and 8) lubricating oil shall be removed from all air compressors located in the 161kV OCBs.

1. **Overhead Static Wires**
   The Contractor shall disconnect and remove all overhead static wires in the switchyards, the static wires in the switchyards back to the C-335 and C-337 process buildings, and static wires on the two overhead lines connecting C-537 to C-535. The removed steel wires shall be size reduced, if necessary, and loaded into PACRO provided containers. The structures on which the static wires are connected shall not be removed.

2. **Overhead 161kV ACSR Conductors including Wave Traps**
   The Contractor shall disconnect and remove all overhead 161kV ACSR conductors in the switchyards and on the two overhead lines connecting C-535 to C-537. In addition, in C-535 three 161kV wave traps shall also be removed. The removed ACSR conductors and wave traps shall be size reduced, if necessary, and loaded into PACRO provided containers. The structures on which the ACSR conductors and wave traps are connected shall not be removed.

3. **161kV Disconnect Switch Blades and Jaw Assemblies**
   The Contractor shall disconnect and remove all 161kV disconnect blade and jaw assemblies in the switchyards. The removed disconnect switch blade and jaw assemblies shall be size reduced if necessary and loaded into PACRO provided containers. The switch support structure and operating mechanism shall not be removed.

4. **161kV Buses and Connecting Bus Work**
   The Contractor shall disconnect and remove all 161kV aluminum bus work including the bus work from the main power buses to the 161kV disconnect switches, bus work connecting disconnect switches to oil circuit breakers, bus work connecting disconnect switches, bus work connected to C-537 161kV power reactors, and bus work connecting wave traps in C-535 to their associated transformer. The Contractor shall size reduce the bus work and load it in PACRO provided containers. The structures on which the bus work is mounted shall not be removed.

5. **14kV Isolated Phase Bus Duct**
The Contractor shall disconnect, remove, and disassemble the 14kV isolated phase bus duct from the main power transformer to the grounding transformer, switch house, and to the air circuit breaker housing on the C-537 elevated buses. Following removal, the Contractor shall remove the outer aluminum cover of the isolated phase bus duct and remove the support insulators inside the duct to allow for removal of the copper and/or aluminum bus work. The bus duct covers and insulators shall be dispositioned as waste. The copper or aluminum bus work will be segregated and loaded into PACRO provided containers. The structures on which the isolated phase bus duct is mounted shall not be removed.

6. **14kV Static Capacitors**
The Contractor shall disconnect and remove the 14kV static capacitors located in C-537-2 switchyard. There are a total of 1080 capacitors installed in 8 capacitor banks in C-537-2. The Contractor shall remove the fence enclosures, size reduce the removed materials if necessary, and properly disposition the materials as waste. Each capacitor can contains approximately 1.3 gallons of non-PCB insulating oil. The Contactor shall electrically isolate each capacitor bank from the 14kV feeder potheads at the first uninsulated connection point. The Contractor shall take appropriate precautions to prevent damage to the capacitor cans, and handle them in such a manner as to protect them for potential reuse. The Contractor shall remove and load the capacitor banks on to PACRO provided transport conveyance.

7. **Support and Suspension Insulators and Lightning Arrestors**
The Contractor shall disconnect and remove all support and suspension insulators in the switchyards and on the tie lines associated with the removal of the 161kV ACSR overhead conductors, 161kV bus work, 161kV disconnect switches, and 161kV wave traps. The Contractor shall also remove all lightning arrestors on main power transformers in the switchyards and on the C-537 power reactors. The removed insulators and lightning arrestor shall be placed in the proper container for disposal as waste.

8. **161kV Oil Circuit Breaker Air Compressor Lube Oil Removal**
The Contractor shall drain the lube oil from 14 air compressors located in the161kV OCBs in C-535-2 and from 35 air compressors located in the OCBs in C-537-2. The Contractor shall properly dispose of the oil.

Table EM.PA.0040.A008.42.DR.04.05
PARTIAL DISMANTLEMENT OF THE C-535 SWITCHYARD
Milestone/Schedule

Milestone	Date
Complete the dismantlement of specified equipment in the C-535 Switchyard. All waste must be dispositioned and CODs received. PACRO items must be placed in appropriate containers and/or loaded on transport trailers. Demobilization and any site restoration must be completed.	9/27/2021

Table EM.PA.0040.A008.42.DR.04.06 PARTIAL DISMANTLEMENT OF THE C-537 SWITCHYARD INCLUDING TWO 161KV TIE LINES TO C-535 Milestone/Schedule	
Milestone	**Date**
Complete the dismantlement of specified equipment in the C-537 Switchyard and on two 161kV tie lines to C-535. All waste must be dispositioned and CODs received. PACRO items must be placed in appropriate containers and/or loaded on transport trailers. Demobilization and any site restoration must be completed.	9/27/2021

EM.PA.0040.A008.42.DR.04.07 Additional Switchyard Equipment Dismantlement

As directed by the Contracting Officer, the Contractor shall complete the dismantlement of additional switchyard equipment listed in Options 1, 2, 3, and/or 4 below.

For all Options: The specified equipment shall be removed by the Contractor and placed into the appropriate container and/or on mode of conveyance. PACRO shall be responsible for securing and certifying all loads for shipments of recyclable components/metals including securing vehicle/ container lids, doors, and coverings and securing container/component to conveyance. Precautions shall be taken to prevent breakage of the porcelain insulators or glass items for all options presented below. Should any breakage of glass, insulators or lightning arrestors occur, with the exception of inside the waste container, the Contractor shall be responsible for the cleanup and placement of broken material in the proper container. The Contractor shall ensure that the remaining switchyard components and support structures are left in a structurally sound condition. The Contractor shall ensure all hazardous and radioactive contaminated materials are removed and properly dispositioned. All waste shall be properly dispositioned at an off-site disposal facility or at the C-746-U Landfill if waste meets the landfill requirements.

OPTION 1 - 161KV BUS POTENTIAL TRANSFORMERS
The Contractor shall disconnect and remove 6-161kV bus potential transformers (PT) in the C-535-2 switchyard and 12-161kV bus PTs in C-537-2. There is the potential for the oil in the bushing to contain PCBs. The Contractor shall disconnect and remove the bus PTs for proper disposal. The support structures for the PTs shall not be removed.

OPTION 2 - 161KV LINE CURRENT TRANSFORMERS
The Contractor shall disconnect and remove 6-161kV line current transformers (CT) in the C-535-2 switchyard and 10-161kV line CTs in C-537-2. The Contractor shall disconnect and remove the CTs for proper disposal. The support structures for the CTs shall not be removed.

OPTION 3 – SWITCHYARD LIGHTING FIXTURE GLOBES AND BULBS
The Contractor shall remove all lighting fixture globes and bulbs in the C-535-2 and C-537-2 switchyards. The associated lighting fixtures shall not be removed.

OPTION 4 – 14KV GROUNDING RESISTORS

The Contractor shall disconnect and remove 5-14kV grounding resistors located in C-535-2 switchyard and 13-14kV grounding resistors located in C-537-2 switchyard. The Contractor shall remove the fence enclosures, size reduce the removed materials if necessary, and properly disposition the materials as waste. The grounding resistor banks are constructed with a three-tier design. The Contractor shall load the grounding resistors for appropriate disposition.

Table EM.PA.0040.A008.42.DR.04.07
ADDITIONAL SWITCHYARD EQUIPMENT DISMANTLEMENT
Milestone/Schedule

Milestone	Date
As directed by the Contracting Officer, complete the dismantlement of additional switchyard equipment. All waste must be dispositioned. Demobilization and any site restoration must be completed. Does not include the CODs.	9/27/2021

FRNP will complete additional characterization and preparation activities in the C-535 and C-537 Switchyards in support of the partial dismantlement activities as a result of radiological contamination found in both switchyards. Preparation activities will include additional electrical air gapping and grounding of the static power capacitors in preparation for Switchyards dismantlement. FRNP will complete the additional intrusive radiological surveying in support of free releasing the equipment removed in the C-535 and C-537 dismantlement. Radiological surveying will meet Multi-Agency Radiation Survey and Assessment of Materials and Equipment Manual (MARSAME) cited by DOE O 458.1 for Class III impacted materials (which is above and beyond the MARSAME non-impacted class from original Characterization efforts). The additional surveying will be performed on the following equipment:

- C-535 and C-537 overhead static wires (upon removal),
- C-535 and C-537 161kV aluminum cable steel reinforced (ACSR) conductors (upon removal),
- C-535 wave traps,
- C-535 and C-537 161kV disconnect switch blades and jaw assemblies,
- C-535 and C-537 161kV buses and connecting bus work, and
- C-537 static capacitors.

** **With the exception of temporary outages power to the sump pumps and facility lighting will remain energized.**

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

April 28, 2021

Mr. David Ruckstuhl
Prime Contracts Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10010406-21

Dear Mr. Ruckstuhl:

DE-EM0004895/89303121FEM400081: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC—MODIFICATION P00001 INCREMENTAL FUNDING

Enclosed please find Modification P00001 to the Switchyard Dismantlement Task Order. This modification is to fully fund the task order including all line items.

If you have any questions or concerns, please contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz

Digitally signed by Marcia D. Fultz
Date: 2021 04.28 12:24 55 -04'00'

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Modification P00001

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
deborah.kerner@pppo.gov, PPPO
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
sally.vanhetkaar@pppo.gov, ETAS
tracey.duncan@pppo.gov, PPPO

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

1. CONTRACT D CODE	PAGE OF PAGES
	1 5

2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. *(If applicable)*
P00001	See Block 16C	21EM001246	

6. ISSUED BY CODE 893031

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

7. ADMINISTERED BY *(If other than Item 6)* CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

8. NAME AND ADDRESS OF CONTRACTOR *(No., street, county, State and ZIP Code)*

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

CODE 080367762 FAC LITY CODE

(x) 9A. AMENDMENT OF SOLICITATION NO.

9B. DATED *(SEE ITEM 11)*

x 10A. MODIFICATION OF CONTRACT/ORDER NO.
DE-EM0004895
89303121FEM400081

10B. DATED *(SEE ITEM 13)*
03/27/2021

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended, ☐ is not extended.
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended , by one of the following methods: (a) By completing tems 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted ; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGEMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted , such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNT NG AND APPROPRIATION DATA *(If required)* Net Increase: [redacted]

13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

CHECK ONE	
	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: *(Specify authority)* THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIF ED TO REFLECT THE ADM NISTRATIVE CHANGES *(such as changes in paying office, appropriation data, etc.)* SET FORTH N ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
X	D. OTHER *(Specify type of modification and authority)* Incremental Funding FAR 52.232-22

E. IMPORTANT Contractor ☒ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

DUNS Number: 080367762
The purpose of this modification is to add funding to fully fund the task order. All other terms and conditions remain the same.

Payment:
OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831
Fund: 03000 Appr Year: 2021 Allottee: 33 Report
Continued ...

Except as provided herein, all terms and conditions of the document referenced in Item 9 A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER *(Type or print)*		16A. NAME AND TITLE OF CONTRACT NG OFFICER *(Type or print)*	
		Marcia D. Fultz	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
(Signature of person authorized to sign)		Marcia D. Fultz *(Signature of Contracting Officer)*	4/27/2021

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	Entity: 490810 Object Class: 25499 Program: 1111523 Project: 0001498 WFO: 0000000 Local Use: 0000000 Period of Performance: 03/30/2021 to 09/27/2021 Change Item 00001 to read as follows(amount shown is the total amount):				
00001	C-535 and C-537 Partial Switchyard Dismantlement EM.PA.0040.A008.42.DR.04.05 Partial Dismantlement of the C-535 Switchyard EM.PA.0040.A008.42.DR.04.06 Partial Dismantlement of the C-537 Switchyard Including Two 161kV Tie Lines to C-535 Switchyard The Contractor shall complete the dismantlement of specified equipment located in the C-535-2 Switchyard, C-537-2 Switchyard, and two 161kV tie lines connecting C-537 to C-535, allowing for the maximum recycle of this equipment and materials to Paducah Area Community Reuse Organization (PACRO) See Attachment 1 for Detailed Scope of Work with Task Order Milestones. [redacted] Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat - Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified. Change Item 00002 to read as follows(amount shown is the total amount):				[redacted]
00002	OPTION 1 - 161KV BUS POTENTIAL TRANSFORMERS Continued ...				[redacted]

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	The Contractor shall disconnect and remove 6-161kV bus potential transformers (PT) in the C-535-2 switchyard and 12-161kV bus PTs in C-537-2. There is the potential for the oil in the bushing to contain PCBs. The Contractor shall disconnect and remove the bus PTs for proper disposal. The support structures for the PTs shall not be removed. [redacted]				
	Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat-Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified.				
	Change Item 00003 to read as follows(amount shown is the total amount):				
00003	OPTION 2 - 161KV LINE CURRENT TRANSFORMERS				[redacted]
	The Contractor shall disconnect and remove 6-161kV line current transformers (CT) in the C-535-2 switchyard and 10-161kV line CTs in C-537-2. The Contractor shall disconnect and remove the CTs for proper disposal. The support structures for the CTs shall not be removed. [redacted]				
	Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Continued ...				

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat-Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified. Change Item 00004 to read as follows(amount shown is the total amount):				
00004	OPTION 3 - SWITCHYARD LIGHTING FIXTURE GLOBES AND BULBS The Contractor shall remove all lighting fixture globes and bulbs in the C-535-2 and C-537-2 switchyards. The associated lighting fixtures shall not be removed. [redacted] Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat-Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified. Change Item 00005 to read as follows(amount shown is the total amount):				[redacted]
00005	OPTION 4 - 14KV GROUNDING RESISTORS The Contractor shall disconnect and remove 5-14kV grounding resistors located in C-535-2 switchyard Continued ...				[redacted]

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPL ES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	and 13-14kV grounding resistors located in C-537-2 switchyard. The Contractor shall remove the fence enclosures, size reduce the removed materials if necessary, and properly disposition the materials as waste. The grounding resistor banks are constructed with a three-tier design. The Contractor shall load the grounding resistors for appropriate disposition. [redacted]				
	Award Fee: 100% of the fee will be paid for on-time completion of the Milestones. Fee will be reduced by 5% for the first 7 calendar days after the Milestone completion date is missed. Fee will be reduced by an additional 10% for every 7 calendar days after the first 7 calendar days are missed. For example-work is complete 12 calendar days after milestone date = fee reduction of 15% work is complete 16 calendar days after milestone date = fee reduction of 25% **Caveat-Should delays be caused by circumstances outside of FRNP Control a written request for waiver of fee reduction should be submitted to DOE as soon as the delay is identified.				

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

April 28, 2021

Mr. David Ruckstuhl
Prime Contracts Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10010415-21

Dear Mr. Ruckstuhl:

DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC—TASK ORDER 89303121FEM400093 SOLID WASTE MANAGEMENT UNIT 513

Enclosed please find the dually signed task order to remove the contents and fill the Solid Waste Management Unit 513.

If you have any questions or concerns, please contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz

Digitally signed by Marcia D. Fultz
Date: 2021.04.28 16 09:16 -04'00'

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Task Order 89303121FEM400093

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
deborah.kerner@pppo.gov, PPPO
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
larry.glover@pad.pppo.gov, FRNP
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
sally.vanhetkaar@pppo.gov, ETAS
tracey.duncan@pppo.gov, PPPO

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS
OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30

1. REQUISITION NUMBER	PAGE	OF
21EM001242	1	4

2. CONTRACT NO.	3. AWARD/ EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE
DE-EM0004895		89303121FEM400093		

7. FOR SOLICITATION INFORMATION CALL	a. NAME	b. TELEPHONE NUMBER (No collect calls)	8. OFFER DUE DATE/LOCAL TIME
	Marcia Fultz	859-219-4044	ET

9. ISSUED BY — CODE 893031

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

10. THIS ACQUISITION IS ☒ UNRESTRICTED OR ☐ SET ASIDE: % FOR:

☐ SMALL BUSINESS
☐ HUBZONE SMALL BUSINESS
☐ SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS
☐ WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM
☐ EDWOSB
☐ 8(A)

NAICS: 562910
SIZE STANDARD: 750

11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED	12. DISCOUNT TERMS	13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700)	13b. RATING	14. METHOD OF SOLICITATION
☒ SEE SCHEDULE	NET 30	☐		☐ RFQ ☐ IFB ☒ RFP

15. DELIVER TO — CODE 03002

EMCBC - Portsmouth-Paducah
US Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

16. ADMINISTERED BY — CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

17a. CONTRACTOR/ OFFEROR — CODE 080367762 — FACILITY CODE

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

TELEPHONE NO. 7202862586

☐ 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER

18a. PAYMENT WILL BE MADE BY — CODE 00511

OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831

☐ 18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
00001	Period of Performance: 04/30/2021 to 08/30/2021 EM.PA.0040.A008.41.DR.01. Remove Contents and Fill Solid Waste Management Unit 513 Sump The Contractor shall complete disposition of the contents (liquid and sludge) in Solid Waste Management Unit (SWMU) 513 and fill the sump with flowable fill to prevent future rainfall infiltration. The work shall be performed in accordance with PPPO-02-10008409-21, Path Forward *(Use Reverse and/or Attach Additional Sheets as Necessary)*				[redacted]

25. ACCOUNTING AND APPROPRIATION DATA
See schedule

26. TOTAL AWARD AMOUNT *(For Govt. Use Only)* [redacted]

☐ 27a. SOLICITATION NCORPORATES BY REFERENCE FAR 52 212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED.
☒ 27b. CONTRACT/PURCHASE ORDER NCORPORATES BY REFERENCE FAR 52 212-4. FAR 52 212-5 IS ATTACHED. ADDENDA ☐ ARE ☒ ARE NOT ATTACHED.

☒ 28. CONTRACTOR IS REQU RED TO SIGN THIS DOCUMENT AND RETURN 1 COP ES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED.

☐ 29. AWARD OF CONTRACT: _____ OFFER DATED _____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:

30a. SIGNATURE OF OFFEROR/CONTRACTOR
Myrna E. Redfield

31a. UNITED STATES OF AMERICA *(SIGNATURE OF CONTRACTING OFFICER)*
Marcia D. Fultz
Digitally signed by Marcia D. Fultz
Date: 2021.04.28 10:01:32 -04'00'

30b. NAME AND TITLE OF SIGNER *(Type or print)*	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER *(Type or print)*	31c. DATE SIGNED
MYRNA REDFIELD (Affiliate) Digitally signed by MYRNA REDFIELD (Affiliate) Date: 2021 04 28 08 43:18 05'00'	4/28/21	Marcia D. Fultz	

AUTHORIZED FOR LOCAL REPRODUCTION
PREVIOUS EDITION IS NOT USABLE

STANDARD FORM 1449 (REV. 2/2012)
Prescribed by GSA - FAR (48 CFR) 53.212

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	Regarding Solid Waste Management Unit 513 Sump, dated January 8, 2021. The Contractor shall submit a revised SWMU Assessment Report for SWMU 513 providing details of the waste removal and status upon completion of the project. The contractor shall complete all coordination for regulatory notifications and waste characterization and disposition. Accounting Info: Fund: 03000 Appr Year: 2021 Allottee: 33 Report Entity: 490810 Object Class: 25499 Program: 1111523 Project: 0001498 WFO: 0000000 Local Use: 0000000 [redacted]				
00002	This Contract Line Item will only be turned on in the event that the Sludge requires thermal treatment based on the results of the characterization data. It is assumed that the waste will be low-level mixed waste and a candidate for stabilization treatment but in the event that it is not this line item is in place to cover the cost of the the requirement for possible thermal treatment. This line item will only be turned on and funded at the direction of Continued ...				[redacted]

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MA LING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE 32g. E-MA L OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER ☐ PARTIAL ☐ FINAL	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT ☐ COMPLETE ☐ PARTIAL ☐ FINAL	37. CHECK NUMBER

38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	40. PAID BY

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT		42a. RECEIVED BY *(Print)*	
41b. SIGNATURE AND TITLE OF CERTIFY NG OFFICER	41c. DATE	42b. RECEIVED AT *(Location)*	
		42c. DATE REC'D *(YY/MM/DD)*	42d. TOTAL CONTAINERS

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	the Contracting Officer. The Contractor's proposal covered both options and both options were evaluated and negotiated. The value of CLIN 2 is the difference between the value of FRNP Option 1 and Option 2. [redacted] Accounting Info: Fund: 00000 Appr Year: 0000 Allottee: 00 Report Entity: 000000 Object Class: 00000 Program: 0000000 Project: 0000000 WFO: 0000000 Local Use: 0000000 Funded: $0.00				

Scope of Work and Milestone Schedule

EM.PA.0040.A008.41.DR.01. Remove Contents and Fill Solid Waste Management Unit 513 Sump

The Contractor shall complete disposition of the contents (liquid and sludge) in Solid Waste Management Unit (SWMU) 513 and fill the sump with flowable fill to prevent future rainfall infiltration. The work shall be performed in accordance with PPPO-02-10008409-21, *Path Forward Regarding Solid Waste Management Unit 513 Sump,* dated January 8, 2021.

The Contractor shall submit a revised SWMU Assessment Report for SWMU 513 providing details of the waste removal and status upon completion of the project.

The contractor shall complete all coordination for regulatory notifications and waste characterization and disposition.

Table C.2. EM.PA.0040.A008.41.DR.01
Removal of Contents and Fill SWMU 513

Milestone	Date	Fee
Complete waste removal and fill with flowable fill for SWMU 513	July 10, 2021	[redacted]
Complete offsite waste disposition for all waste associated with the SWMU 513 project	August 10, 2021	[redacted]
Submit revised SWMU Assessment Report for SWMU 513	August 30, 2021	[redacted]

Department of Energy

Portsmouth/Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington, Kentucky 40513
(859) 219-4000

May 25, 2021

Mr. David Ruckstuhl
Prime Contracts Manager
Four Rivers Nuclear Partnership, LLC
5511 Hobbs Road
Kevil, Kentucky 42053

PPPO-01-10011689-21

Dear Mr. Ruckstuhl:

DE-EM0004895: FOUR RIVERS NUCLEAR PARTNERSHIP, LLC-TASK ORDER 89303121FEM400097 SOLID WASTE MANAGEMENT UNIT 20

Enclosed please find the dually signed task order to sample, remove and dispose of contents, and fill and cap Solid Waste Management Unit 20.

If you have any questions or require additional information, please contact me at (859) 219-4044.

Sincerely,

Marcia D. Fultz

Digitally signed by Marcia D. Fultz
Date: 2021 05.25 13:42:11 -04'00'

Marcia D. Fultz
Contracting Officer
Portsmouth/Paducah Project Office

Enclosure:
Solid Waste Management Unit 20 Task Order

cc w/enclosure:
abigail.parish@pppo.gov, PPPO
april.ladd@pppo.gov, PPPO
brandy.mitchell@pad.pppo.gov, FRNP
cindy.kephart@pad.pppo.gov, FRNP
cory.hicks@pad.pppo.gov, FRNP
david.ruckstuhl@pad.pppo.gov, FRNP
frnpcorrespondence@pad.pppo.gov
jennifer.woodard@pppo.gov, PPPO
joel.bradburne@pppo.gov, PPPO
marcia.fultz@pppo.gov, PPPO
myrna.redfield@pad.pppo.gov, FRNP
pad.rmc@pad.pppo.gov
robert.edwards@pppo.gov, PPPO
sally.vanhetkaar@pppo.gov, ETAS
tracey.duncan@pppo.gov, PPPO

SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS
OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30

1. REQUISITION NUMBER	PAGE	OF
21EM001367	1	4

2. CONTRACT NO.	3. AWARD/ EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER	6. SOLICITATION ISSUE DATE
DE-EM0004895	05/26/2021	89303121FEM400097		

7. FOR SOLICITATION INFORMATION CALL	a. NAME	b. TELEPHONE NUMBER (No collect calls)	8. OFFER DUE DATE/LOCAL TIME
	Marcia Fultz	859-219-4044	ET

9. ISSUED BY CODE 893031

EM- Portsmouth/Paducah Project Ofc
EMCBC
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 401513

10. THIS ACQUISITION IS ☒ UNRESTRICTED OR ☐ SET ASIDE: % FOR:

☐ SMALL BUSINESS
☐ HUBZONE SMALL BUSINESS
☐ SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS
☐ WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM
☐ EDWOSB
☐ 8(A)

NAICS: 562910
SIZE STANDARD: 750

11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED	12. DISCOUNT TERMS	13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700)	13b. RATING	14. METHOD OF SOLICITATION
☒ SEE SCHEDULE	NET 30	☐		☐ RFQ ☐ IFB ☒ RFP

15. DELIVER TO CODE 03002

EMCBC - Portsmouth-Paducah
US Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

16. ADMINISTERED BY CODE 03002

EMCBC - Portsmouth-Paducah
U.S. Department of Energy
Portsmouth-Paducah Project Office
1017 Majestic Drive, Suite 200
Lexington KY 40513

17a. CONTRACTOR/ OFFEROR CODE 080367762 FACILITY CODE

Four Rivers Nuclear Partnership, LLC
Attn: ANNIE BAULER
9189 S Jamaica St
Englewood CO 80112

TELEPHONE NO. 7202862586

☐ 17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER

18a. PAYMENT WILL BE MADE BY CODE 00511

OR for EMCBC
U.S. Department of Energy
Oak Ridge Financial Service Center
P.O. Box 6017
Oak Ridge TN 37831

☐ 18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED ☐ SEE ADDENDUM

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	DUNS Number: 080367762 The purpose of this task order is to sample then remove the contents of the solid waste management unit (SWMU) 20 lagoon. Once empty a liner will be installed, the SWMU will be filled and capped. Accounting Info: Fund: 03000 Appr Year: 2021 Allottee: 33 Report Entity: 490810 Object Class: 25499 Program: 1111523 Project: 0001498 WFO: 0000000 Local Use: Continued ... *(Use Reverse and/or Attach Additional Sheets as Necessary)*				

25. ACCOUNTING AND APPROPRIATION DATA
See schedule

26. TOTAL AWARD AMOUNT *(For Govt. Use Only)* [redacted]

☐ 27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52 212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED.
☐ 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52 212-4. FAR 52 212-5 IS ATTACHED. ADDENDA ☐ ARE ☐ ARE NOT ATTACHED.

☒ 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN 1 COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED.

☐ 29. AWARD OF CONTRACT: _____ OFFER DATED _____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:

30a. SIGNATURE OF OFFEROR/CONTRACTOR
MYRNA REDFIELD (Affiliate) Digitally signed by MYRNA REDFIELD (Affiliate) Date: 2021.05.25 07:37:36 -05'00'

31a. UNITED STATES OF AMERICA *(SIGNATURE OF CONTRACTING OFFICER)*
Marcia D. Fultz Digitally signed by Marcia D. Fultz Date: 2021.05.25 09:09:56 -04'00'

30b. NAME AND TITLE OF SIGNER *(Type or print)*	30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER *(Type or print)*	31c. DATE SIGNED
Myrna Espinosa Redfield	5/25/2021	Marcia D. Fultz	

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	0000000 Period of Performance: 05/26/2021 to 09/30/2021				
00001	EM.PA.0040.A008.41.DR.01. Sample, Remove Contents, Fill, and Cap Solid Waste Management Unit 20 Lagoon The lagoon will be sampled. The contents will be removed and properly disposed of. The SWMU will be filled and Capped. See attached Statement of Work for details, milestones and fee breakdown.				[redacted]
00002	This Contract Line Item will only be turned on in the event that the Sludge requires thermal treatment based on the results of the characterization data. It is assumed that the waste will be low-level mixed waste and a candidate for stabilization treatment but in the event that it is not this line item is in place to cover the cost of the the requirement for possible thermal treatment. This line item will only be turned on and funded at the direction of the Contracting Officer. The Contractor's proposal covered both options and both options were evaluated and negotiated. Continued ...				[redacted]

32a. QUANTITY IN COLUMN 21 HAS BEEN

☐ RECEIVED ☐ INSPECTED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED: _____

32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32c. DATE	32d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE

32e. MA LING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE
	32g. E-MA L OF AUTHORIZED GOVERNMENT REPRESENTATIVE

33. SHIP NUMBER	34. VOUCHER NUMBER	35. AMOUNT VERIFIED CORRECT FOR	36. PAYMENT	37. CHECK NUMBER
☐ PARTIAL ☐ FINAL			☐ COMPLETE ☐ PARTIAL ☐ FINAL	

38. S/R ACCOUNT NUMBER	39. S/R VOUCHER NUMBER	40. PAID BY

41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT		42a. RECEIVED BY *(Print)*	
41b. SIGNATURE AND TITLE OF CERTIFY NG OFFICER	41c. DATE	42b. RECEIVED AT *(Location)*	
		42c. DATE REC'D *(YY/MM/DD)*	42d. TOTAL CONTAINERS

NAME OF OFFEROR OR CONTRACTOR
Four Rivers Nuclear Partnership, LLC

ITEM NO. (A)	SUPPLIES/SERVICES (B)	QUANTITY (C)	UNIT (D)	UNIT PRICE (E)	AMOUNT (F)
	The value of CLIN 2 is the difference between the value of FRNP Option 1 and Option 2. [redacted]				

STATEMENT OF WORK

EM.PA.0040.A008.41.DR.01. Sample, Remove Contents, Fill, and Cap Solid Waste Management Unit 20 Lagoon

- The Contractor shall collect a water sample (and duplicate) from the lagoon prior to removing contents. The Contractor shall also collect two core samples of the soils at the bottom of the lagoon. The core samples may also be used to determine if there is an asphalt layer on the bottom and to better estimate the amount of sludge/sediment that will be encountered when removing the contents. Samples should be analyzed, at least, for polychlorinated biphenyls, metals, volatiles, semivolatiles, and radionuclides.
- The Contractor shall provide 90% and Certified for Construction design packages for U.S. Department of Energy (DOE) approval for lagoon filling and capping. The Contractor also shall provide As-Built Drawings to DOE upon completion. All drawings shall be filed in the appropriate Paducah Site records and engineering systems.
- Upon DOE review of the data, the Contractor shall complete disposition of the contents (liquid and sludge) from Solid Waste Management Unit (SWMU) 20.
- The Contractor shall install a liner and fill the sump with flowable fill to prevent future rainfall infiltration. Additionally, a concrete cap shall be installed over the unit. This work shall be conducted in accordance with approved drawings.
- The Contractor shall submit the appropriate SWMU Notifications for the work, communicate with DOE and the agencies as to the status of the data, content removal, and installation of the liner, fill, and cap. The Contractor shall submit a revised SWMU Assessment Report for SWMU 20 providing details of the waste removal and status upon complete of the project.
- The Contractor shall disposition all waste at an appropriate offsite disposal facility.

The contractor shall complete all coordination for regulatory notifications and waste characterization and disposition.

Table C.2. EM.PA.0040.A008.41.DR.01
Removal of Contents and Fill SWMU 20

Milestone	Date	Fee
Complete sampling of SWMU 20	June 7, 2021	
Completed removal of contents, installation of liner, fill, and cap for SWMU 20	August 31, 2021	[redacted]
Complete Waste Disposition for project	September 28, 2021	[redacted]
Submit revised Draft SWMU Assessment Report for SWMU 20 to DOE	September 30, 2021	[redacted]