



Moab UMTRA Project Radiation Protection Program

Revision 13

March 2026



U.S. Department
of Energy

Office of Environmental Management

Moab UMTRA Project Radiation Protection Program

Revision 13

Review and Approval

3/25/2026

X Ronald Daily

Ronald R. Daily

RAC Radiological Control Manager

Signed by: RONALD DAILY (Affiliate)

3/25/2026

X Heather White

Heather White

RAC Moab Operations/Site Manager

Signed by: HEATHER WHITE (Affiliate)

3/25/2026

X Don R Janz

Don Janz

RAC CJ Site Operations Manager

Signed by: DONALD JANZ (Affiliate)

3/25/2026

X Tim Mason

Tim Mason

RAC ESH&Q Manager

Signed by: TIMOTHY MASON (Affiliate)

3/26/2026


X Greg D. Church

Greg D. Church

RAC Program Manager

Signed by: GREGORY CHURCH (Affiliate)

3/25/2026

X 

Thomas D. Bachtell

TAC Senior Program Manager

Signed by: THOMAS BACHTELL (Affiliate)

Revision History

Revision	Date	Description
0	September 2007	Initial issue.
1	April 2010	Includes an update of the DOE Laboratory Accreditation Program implementation dates and the addition of DOE Radon Exemption support documentation.
2	September 2010	Includes the addition of definitions (Attachment 2) and updates to reflect mandatory modifications in 10 CFR 835 (Sections 2.1, 3.5, 11.0, 15.0, and Appendix A).
3	April 2014	Revision includes updates of new RAC contract numbers and signatories.
4	January 2016	Revision made to support a DOE formal review and approval.
5	December 2016	Revision includes new RAC contract number and RAC signatories.
6	July 2019	Revision includes updated Project status and signatories.
7	April 2020	Revision includes updated procedural references and compliance matrix.
8	April 2021	Revisions to the following sections: 10 CFR 835.101(f) and 10 CFR 835.1002(c) changed status from conditional compliance to full compliance, and section 10 CFR 835.403(b) updated description of compliance status.
9	March 2022	Revision includes updates of new RAC contract numbers and formal review.
10	March 2023	Revision includes a minor deletion in section 1.
11	March 2024	Revision to the following sections: 3.2, 3.3, 9.2, 11.0 App A-402 (d) (2), App B-4 th Qt #4 402 (d)(2) and minor changes.
12	March 2025	Updated section 12.2 and provided an update to 10 CFR 835.101(d)(1). Compliance to the FSS under RPP (Appendix A).
13	March 2026	Updates in section 3.3 and 12.3. No change in compliance.

Contents

<i>Section</i>	<i>Page</i>
Acronyms and Abbreviations	iv
1.0 Implementation Plan Summary.....	1
1.1 Purpose.....	1
1.2 Historical Information.....	1
1.3 Scope.....	2
2.0 General.....	2
2.1 Compliance	2
2.2 Plan Content and Format	3
3.0 Scope and Applicability.....	3
3.1 Recognized Exclusions	4
3.2 Operational Tasks	4
3.3 Radiological Hazard Assessment.....	4
3.4 Policy	4
3.5 Principles.....	4
4.0 Applicable Regulations.....	5
5.0 Additional Activities	6
6.0 Graded Approach	6
7.0 Resource Assessment	6
8.0 Prioritization	6
9.0 Activities, Milestones, and Schedules.....	6
9.1 Plans, Policies, and Procedures.....	6
9.2 External Dosimetry, Internal Dosimetry, and DOELAP	6
9.3 Audits.....	6
10.0 Exemptions	7
11.0 Compensatory Actions.....	7
12.0 ALARA Statement.....	12
12.1 ALARA Policy.....	12
12.2 Formal ALARA Plans and Measures	13
12.3 Effects of Project Completion and Site Closure on the ALARA Program.....	13
13.0 References.....	13

Tables

Table 1. 10 CFR 835 Items Presented with N/A Status.....	3
Table 2. 10 CFR 835 Functional Elements in DOE G 441.1-1C.....	8

Appendix

Appendix A. Radiation Protection Program Compliance Statements.....	A-1
Appendix B. 10 CFR 835 Compliance Methods/Compliance Matrix	B-1

Attachment

Attachment 1. 10 CFR 835.2 Definitions	
--	--

Acronyms and Abbreviations

ALARA	as low as reasonably achievable
CFR	Code of Federal Regulations
Ci	curies
cm ²	centimeters squared
DAC	derived air concentration
dpm	disintegrations per minute
DOE	U.S. Department of Energy
DOELAP	Department of Energy Laboratory Accreditation Program
DOT	U.S. Department of Transportation
EM	Office of Environmental Management
Gy	gray
hr	hour
ICRP	International Commission on Radiological Protection
LM	Legacy Management
MeV	megaelectron volts
μCi	microcuries
μSv	micro sieverts
M	million
mrem	millirems
mSv	millisieverts
nCi	nanocuries
N/A	not applicable
NRC	Nuclear Regulatory Commission
PPE	personal protective equipment
Pub. L.	Public Law
RAC	Remedial Action Contractor
rem	roentgen equivalent man
Rn	radon
RPP	Radiation Protection Program
RRM	residual radioactive material
SI	International System
SOW	scope of work
Std	Standard
Sv	sieverts
TAC	Technical Assistance Contractor
U	uranium
U-nat	natural uranium
URC	Uranium Reduction Company
UMTRA	Uranium Mill Tailings Remedial Action
WL	working level

1.0 Implementation Plan Summary

1.1 Purpose

The U.S. Department of Energy (DOE) Office of Environmental Management (EM) identifies Title 10 Code of Federal Regulations Part 835 (10 CFR 835), “Occupational Radiation Protection,” as the driver for this Radiation Protection Program (RPP). The purpose of this RPP is to formally commit, in policy and deed, to the implementation of the requirements of 10 CFR 835.

This RPP establishes radiation protection standards, limits, and program requirements for protecting individuals from occupational exposures to ionizing radiation resulting from work performed by the Remedial Action Contractor (RAC) and the Technical Assistance Contractor (TAC) related to the Moab Uranium Mill Tailings Remedial Action (UMTRA) Project.

This RPP is incorporated in the seven guiding principles and five core functions of Integrated Safety Management. This RPP ensures that radiological control requirements are as defined in 10 CFR 835 and incorporated into applicable facility design and conduct of radiological work at the Moab and Crescent Junction sites.

1.2 Historical Information

The Moab site is a former uranium ore-processing facility located about 3 miles northwest of the city of Moab in Grand County, Utah, and lies on the west bank of the Colorado River at the confluence with the Moab Wash. The site encompasses approximately 400 acres; a 130-acre uranium mill tailings pile occupies much of the western portion. Steep sandstone cliffs border the site on the north and southwest. The Colorado River forms the southeastern boundary of the site. U.S. Highway 191 parallels the northern site boundary, and State Route 279 crosses the western portion of the site.

The entrance to Arches National Park is located less than 1 mile northwest of the site across U.S. Highway 191. The Union Pacific Railroad traverses a small section of the site just west of State Route 279, then enters a tunnel and emerges several miles to the southwest. The Moab Wash is an ephemeral stream that traverses the center of the site and joins with the Colorado River.

The property and facility were formerly owned by the Uranium Reduction Company (URC) and regulated by the Atomic Energy Commission. In 1956, URC began operations of the Moab mill. In 1962, the Atlas Minerals Company acquired URC and operated the mill until operations ceased in 1984. From 1956 to 1984, uranium mill tailings were deposited onsite in an unlined impoundment. In 1988, decommissioning of the mill began; and from 1989 to 1995 an interim cover was placed on the impoundment.

In 1998, the Atlas Mineral Company declared bankruptcy, and ownership transferred to the Moab Reclamation Trust. In October 2001, control of the Moab site transferred from the Moab Reclamation Trust to the DOE. Since this time, site characterization, maintenance, and ground water interim actions have been ongoing.

North Wind Portage has developed this RPP to address the full scope of activities to be conducted and the processes with which to implement the requirements of 10 CFR 835 as required by the Moab Remedial Action Contract No. 89303322DEM000073.

The scope of this RPP includes all activities and facilities under the control of the RAC, the activities conducted by the TAC, and any subcontractor performing work for the RAC and/or TAC at the project sites, with the exception of work conducted under a U.S. Nuclear Regulatory Commission (NRC) or Agreement State license.

The content of this RPP was designed to be commensurate with the nature of activities performed under the authority of DOE-EM.

1.3 Scope

This RPP is intended to address the full scope of activities associated with the transfer of the entire tailings pile, (over 16 million [M] tons), from Moab to Crescent Junction, both located in the state of Utah. These activities will consist of design, procurement, construction, commissioning, and operations to remediate the entire quantity of residual radioactive material (RRM) on the Moab site.

In synopsis, this RPP is applicable to all activities related to engineering and design, procurement and construction, commissioning and operational startups, excavation, material handling, loading, on-site transportation, disposal, site maintenance, water management, and vicinity property remediation.

2.0 General

2.1 Compliance

This RPP is submitted to meet the Price-Anderson Amendments Act (Public Law 100-408) requirements of 10 CFR 835, as amended June 8, 2007, corrected April 21, 2009, and amended on April 4, 2011. Each requirement contained in 10 CFR 835 has been addressed in this RPP, Appendix A. The RAC classifies its compliance status as being in one of the following three categories.

- **Full Compliance** – indicating that the requirement is documented as a commitment in policy and that implementing plans, protocols, and procedures will be in place and functioning as each activity governed by 10 CFR 835 commences. These required implementing documents and work practices will be verifiable through inspection.
- **Not Applicable** – indicating the project will not engage in that particular activity governed by a particular portion of 10 CFR 835. When a section of 10 CFR 835 is determined to be not applicable (N/A), the reason for this determination will be provided under the “Description of Compliance Status” heading for that specific section of 10 CFR 835 in Appendix A. See Table 1 for items presented as N/A.
- **Conditional Compliance** – indicating the project will provide a program in full compliance as defined above and as modified and with the agreed clarification of compliance by the DOE (i.e., full compliance is concurrent with DOE approval of this RPP.)

Table 1. 10 CFR 835 Items Presented with N/A Status

Item	Condition	Brief Description and Narrative
Appendix C	N/A	Immersion DACs: Radionuclides presented in 10 CFR 835 Appendix C, are not found on the Moab UMTRA Project.
835.3(c)	N/A	DOE Responsibility when There is No Contractor: The RAC is the responsible DOE contractor.
835.204(a)	N/A	Based on the radioactive source term of Uranium Mill Tailings, which is Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would subject workers to special exposures. Therefore, it is not a feasible scenario and does not require any actions.
835.402(b)(2)	N/A	External DOELAP Equivalency: The RAC is not seeking this DOELAP equivalence determination (see 835.402 [b][1] of Parts Conditionally Compliant).
835.403B	N/A	Currently, RAC has no real-time air monitoring in operation. The Project radioactive source term is well defined and considered low level TENORM. The project no longer utilizes the Proctor lab in the Atlas Bldg. to create Proctor samples, this was the only area that required respiratory protection on the Moab Site.
835.502	N/A	Based on the radiological source term of the Moab UMTRA Project there is no possibility to have a high or very high radiation area.
835.1304(a-b)	N/A	Nuclear Accident Dosimetry: No conditions in which a credible nuclear accident event could occur on this Project.

DAC = derived air concentration; DOELAP = Department of Energy Laboratory Accreditation Program.

2.2 Plan Content and Format

The content of this plan is based upon the required elements of 10 CFR 835 and 10 CFR 820, “Procedural Rules for DOE Nuclear Activities,” if applicable.

3.0 Scope and Applicability

The scope of this RPP is any activity associated with the completion of the scope of work (SOW) defined under the RAC contract and conducted on behalf of the DOE by the RAC, TAC, and all subcontractors and suppliers that have the potential to result in the following:

- Occupational exposures to ionizing radiation (as defined by 10 CFR 835)
- Exposure to minors and members of the public (as defined in 10 CFR 835.2)
- Emergency exposures (as defined in 10 CFR 835.1302)
- Exposures to embryo/fetus of a declared pregnant worker (as defined in 10 CFR 835.2)

The RPP applies to all DOE, RAC, TAC, and subcontractor project activities at locations, facilities, and sites that are within the SOW of the respective contracts. Consequently, all personnel will comply with the applicable radiation protection procedures that implement this RPP. Implementing guidance and requirements in this RPP helps itemize and clarify radiation protection responsibilities and performance expectations.

3.1 Recognized Exclusions

None.

3.2 Operational Tasks

It states in 10 CFR 835.101(d), “The RPP will specify the existing and/or anticipated operational tasks that are intended to be within the scope of the RPP.” These include the following tasks.

- Environmental monitoring
- Environmental remediation
- Environmental restoration
- Project site disposition
- Vicinity property remediation
- Materials handling
- Facility and Equipment Demolition and Decontamination
- Construction and facilities operations
- Site tours and visits.
- Radiological Verification (Final Status Survey) for Site Closure

3.3 Radiological Hazard Assessment

Radiological hazards associated with uranium mill by-products, (tailings), related to the generic categories of direct gamma and beta radiation exposure, inhalation or ingestion of airborne radioactivity and gases, ingestion of loose surface contamination, contaminated soil and other contaminated environmental media, and direct transfer of radioactivity into the blood stream through wounds. Based on the daily load-out soil samples, the mill tailings material contains an average concentration of approximately 477 picocuries per gram. This is 230 picocuries per gram less than the original estimate of 707 picocuries per gram.

3.4 Policy

With submittal of this RPP, the RAC establishes policy towards the applicable requirements of 10 CFR 835 and for the conduct of its radiological operations in a manner that ensures a safe work environment for RAC, TAC, and DOE employees, subcontractors, visitors, and the general public.

This document is applicable to all RAC and TAC employees, subcontractor personnel (in accordance with the provisions of standard subcontract clauses), DOE personnel, and employees of other federal agencies performing activities at the Moab and/or Crescent Junction sites, or at vicinity properties associated with the Moab UMTRA Project.

The RAC is committed to continuing improvement, with respect to optimizing and maintaining excellence in radiological control. Excellent performance is evident when individual doses are As Low As Reasonably Achievable (ALARA), radioactive materials are well controlled, and uncontrolled releases of radioactive material prevented.

3.5 Principles

The following principles guide the radiation protection program on the Moab UMTRA Project.

1. Passive and active engineered controls are used within the operational and facility designs and implement administrative controls and personal protective equipment (PPE), where practical, to ensure that radiation exposures are ALARA, and that radioactive material is contained for effective personnel protection.
2. Radiation exposure to the work force and the public is controlled so that exposures are well below regulatory limits and that there is no radiation exposure without commensurate benefit.
3. Each individual performing work for the Moab UMTRA Project, around or with radioactive material, is expected to demonstrate responsibility and accountability through an informed, disciplined, and cautious attitude toward RRM.
4. Line management (i.e., project managers and supervisors) will:
 - Be responsible for compliance with the requirements of 10 CFR 835 and the content of this RPP.
 - With the assistance of radiological protection personnel, identify and integrate applicable radiological protection aspects into facility and operational designs, work planning, and execution.
 - Notify the RAC Environmental, Safety, Health, and Quality Manager or Radiological Control Manager of physical and/or operational conditions that could result in significant changes in radiological hazards (e.g., a revised method or procedure, unanticipated radiological conditions). Notifications initiate radiological protection evaluations and/or modifications to monitoring, posting, PPE, and/or entry controls.
5. No employee, subcontractor, or visitor will take or cause to be taken, any action inconsistent with the requirements of this RPP or any program, plan, schedule, or other process established by 10 CFR 835.
6. Nothing in this document will be construed as limiting actions that may be necessary to protect health and safety.
7. The content of the RPP will be commensurate with the nature of the activities performed and will include formal plans and measures for applying the ALARA process to occupational exposure.
8. The content of this RPP addresses, but is not necessarily limited to, each requirement in 10 CFR 835.
9. This RPP utilizes plans, procedures, and other measures for achieving compliance with regulations of 10 CFR 835, as applicable. These documents are listed in Section 4.0.
10. An update of this RPP will be submitted to the DOE:
 - When a change or an addition to the RPP is made.
 - Prior to the initiation of a task not within the scope of the RPP.
 - Within 180 days of the effective date of any modifications to 10 CFR 835.

4.0 Applicable Regulations

10 CFR 820 (Code of Federal Regulations), “Procedural Rules for DOE Nuclear Activities”

10 CFR 835 (Code of Federal Regulations), “Occupational Radiation Protection”

DOE (U.S. Department of Energy) Guide 441.1-1C Chg 1 (Admin Chg), “Radiation Protection Programs Guide for Use with Title 10, Code of Federal Regulations, Part 835, Occupational Radiation Protection”

Public Law 100-408, Price-Anderson Amendments Act of 1988.

5.0 Additional Activities

N/A.

6.0 Graded Approach

Plans, protocols, procedures, and their implementation will be commensurate with the anticipated hazards and will comply with 10 CFR 835.

7.0 Resource Assessment

N/A.

8.0 Prioritization

The RAC recognizes the applicable elements of 10 CFR 835 as being equal in importance.

9.0 Activities, Milestones, and Schedules

The RAC is currently in full compliance with the requirements of 10 CFR 835 as specified in Appendix A of this RPP.

9.1 Plans, Policies, and Procedures

The RAC plans, policies, and procedures have been verified to be accurate and applicable. These plans, policies, and procedures will be used by the RAC to support and govern any work activity identified based on the current SOW.

9.2 External Dosimetry, Internal Dosimetry, and DOE Laboratory Accreditation Program

The RAC has achieved and maintains DOE Laboratory Accreditation Program (DOELAP) accreditation for external dosimetry.

9.3 Audits

Internal audits of the RPP, including examination of program content and implementation, will be conducted through a process that ensures all functional elements of the program are reviewed no less frequently than every 36 months. As a matter of practice, functional areas will be selected, scheduled, and reviewed on a quarterly basis. Additionally, a broad scope review will be conducted every 36 months.

The RPP audit schedule will be based on the functional elements outlined in DOE Guide 441.1-1C Chg 1 (Admin Chg) “Radiation Protection Programs Guide for Use with Title 10, Code of Federal

Regulations, Part 835, Occupational Radiation Protection,” May 19, 2008, or its succeeding equivalent. These elements are presented in Table 2.

10.0 Exemptions

The Moab UMTRA project currently has no exemptions.

11.0 Compensatory Actions

The highest dose rates on the pile are approximately 0.2 milliroentgens per hour (mR/hr). These dose rates may change based upon the areas of the tailings pile being excavated and the radiological concentrations of the tailings. The RAC will continue to monitor and respond to changing workplace conditions by revising work protocols and monitoring strategies to optimize personnel exposure following the ALARA process.

Conditions beyond the pile (the area surrounding the pile and vicinity properties) that have been remediated are such that dose and dose rates have not been significant and will never be significant; it is unlikely to present any dose rate conditions leading to an assessed exposure greater than the various monitoring thresholds defined in 10 CFR 835.402(b).

Elements of 10 CFR 835 related to DOELAP accreditation and the scheduling of this important milestone are compensated for by using radioanalytical vendors who currently hold DOELAP accreditations through other DOE prime contractors in the same radionuclides and radiation types as those found at the Moab site. The RAC has completed the internal technical review of its radiological monitoring programs and has developed technical basis manuals for internal/external dosimetry, and air monitoring.

Note: It has been determined that the Moab UMTRA Project Radiobioassay program is no longer required to comply with 10 CFR 835 since workers are not likely to receive internal doses greater than 100 millirem in a year. However, the project will continue to monitor workers for internal radiation dose using individual personnel air monitoring.

Conditionally compliant items are addressed in Section 2.0 and are specifically addressed in each compliance statement in Appendix A. Items not in the RAC scope have been addressed as N/A and will require no compensatory discussion or actions.

Table 2. 10 CFR 835 Functional Elements in DOE G 441.1-1C

Functional Element	Regulatory Provision	Contractual/Guidance Document	Site Implementing Procedures, Program, Manuals
1. Organization and Administration	10 CFR 835, Subpart B 10 CFR 835.1(a) General 10 CFR 835.1(b) 10 CFR.835.1(c)(2) &(d) 10 CFR 835.3(a)(b)(c)(d) 10 CFR 835.101(A) – (i) 10 CFR 835.102 10 CFR 835.103 10 CFR 835.104	Section 3.0 DOE G 441.1-1C	DOE-EM/GJRAC1885 “Moab UMTRA Project Radiation Protection Program” See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado. DOE-EM/GJRAC1749 “Moab UMTRA Project Control and Labeling of Radioactive Material Procedure” DOE-EM/GJRAC1835 “Moab UMTRA Project Procedure for Containers Entering/Exiting the Moab Project under DOT-SP 14238”
2. ALARA Program	10 CFR 835.101(c), Subpart K 10 CFR 835.202 (a) (1)(2)(3)(4) 10 CFR 835.1001 10 CFR 835.1002	Section 4.0 DOE G 441.1-1C	DOE-EM/GJRAC1913 “Moab UMTRA Project Internal Dosimetry Technical Basis Manual” DOE-EM/GJRAC1894 “Moab UMTRA Project External Dosimetry Technical Basis Manual” DOE-EM/GJRAC1885 “Moab UMTRA Project Radiation Protection Program Manual”
3. External Dosimetry Program	10 CFR 835.401 (a), 402(a), (b) 10 CFR 835.1 10 CFR 835.4 10 CFR 835.203 10 CFR 835.205 10 CFR 835.206 10 CFR 835.207	Section 6.0 DOE G 441.1-1C	DOE-EM/GJRAC1913 “Moab UMTRA Project Internal Dosimetry Technical Basis Manual” DOE-EM/GJRAC1894 “Moab UMTRA Project External Dosimetry Technical Basis Manual”
4. Internal Dosimetry Program	10 CFR 835.401(a), 402(c), (d) 10 CFR 835.203 10 CFR 835.206 10 CFR 835.207 10 CFR 835.208 10 CFR 835.209 10 CFR 835.401	Section 5.0 DOE G 441.1-1C	DOE-EM/GJRAC1913 “Moab UMTRA Project Internal Dosimetry Technical Basis Manual” DOE-EM/GJRAC1989 “Moab UMTRA Project Air Monitoring Technical Basis Manual” DOE-EM/GJ3003 “Moab UMTRA Project Health Physics Plan”

Table 2. 10 CFR 835 Functional Elements in DOE G 441.1-1C (continued)

Functional Element	Regulatory Provision	Contractual/Guidance Document	Site Implementing Procedures, Program, Manuals
5. Area Monitoring and Control	10 CFR 835.401 10 CFR 835.402 10 CFR 835.405	Section 10 & 11.0 DOE G 441.1-1C	DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material" DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
a. Area Radiation Monitoring	10 CFR 835.401(a). 10 CFR 835.402 10 CFR 835.405	Section 6.0 DOE 441.1-1c	DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual" DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

Table 2. 10 CFR 835 Functional Elements in DOE G 441.1-1C (continued)

Functional Element	Regulatory Provision	Contractual/Guidance Document	Site Implementing Procedures, Program, Manuals
b. Airborne Radioactivity Monitoring	10 CFR 835.209, 401(a), 403	Section 10.0 DOE G 441.1-1C	DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
c. Contamination Monitoring and Control	10 CFR 835.401(a), Subpart L	Section 11.0 DOE G 441.1-1C	DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"
d. Instrument Calibration and Maintenance	10 CFR 835.401 10 CFR 835.801 10 CFR 835.701 10 CFR 835.702 10 CFR 835.703 10 CFR 835.704 10 CFR 835.801	Section 9.0 DOE G 441.1-1C	DOE-EM/GJRAC1982 "Moab UMTRA Project Radiation Protection Instrumentation Calibration Procedure" See Technical Basis Document for each Site Radiological Instrument. DOE-EM/GJ1545 "Moab UMTRA Project Records Management Program Plan" DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

Table 2. 10 CFR 835 Functional Elements in DOE G 441.1-1C (continued)

Functional Element	Regulatory Provision	Contractual/Guidance Document	Site Implementing Procedures, Program, Manuals
6. Radiological Controls			
a. Radiological Work Planning	10 CFR 835.501(D), 1001(B), 1003	DOE-STD-1098-99, RADIOLOGICAL CONTROL	Site IWP/JSA DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan" DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
b. Entry and Exit Controls	10 CFR 835, Subpart F	Section 7.0 DOE G 441.1-1C	DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"
c. Radiological Work Controls	10 CFR 835, Subpart F, 1003	Section 7.0 DOE G 441.1-1C	
d. Posting and Labeling	10 CFR 835, Subpart G	Section 12.0 DOE G 441.1-1C	DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material" DOE-EM/GJRAC1982 "Moab UMTRA Project Radiation Protection Instrumentation Calibration Procedure"
e. Release of Materials and Equipment	10 CFR 835.1101 10 CFR 835.1102	Section 11.0 DOE G 441.1-1C	DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
f. Sealed Radioactive Source Accountability and Control	10 CFR 835, Subpart M 10 CFR 835.1201	Section 15.0 DOE G 441.1-1C	DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
7. Emergency Exposure Situations Comprehensive	10 CFR 835.1301, 1302	DOE O 151.1-1C, Emergency Management System (DOE 2005c)	N/A

Table 2. 10 CFR 835 Functional Elements in DOE G 441.1-1C (continued)

Functional Element	Regulatory Provision	Contractual/Guidance Document	Site Implementing Procedures, Program, Manuals
8. Nuclear Accident Dosimetry	10 CFR 835.1304	Section 6.0 DOE G 441.1-1C	N/A
9. Records	10 CFR 835, Subpart H	Section 13.0 DOE G 441.1-1C	DOE-EM/GJ3020, "Moab UMTRA Project Electronic Document Production Procedure" DOE-EM/GJ1545, "Moab UMTRA Project Records Management Program Plan"
10. Reports to Individuals	10 CFR 835, Subpart I	Section 13.0 DOE G 441.1-1C	
11. Radiation Safety Training	10 CFR 835, Subpart J	Section 14.0 DOE G 441.1-1C	DOE-EM/GJ3020 "Moab UMTRA Project Electronic Document Production Procedure" DOE-EM/GJ1545 "Moab UMTRA Project Records Management Program Plan"
12. Limits for the Embryo/Fetus	10 CFR 835, Subpart C	Section 8.0 DOE 441.1-1c	DOE-EM/GJ3020 "Moab UMTRA Project Electronic Document Production Procedure" DOE-EM/GJ1545 "Moab UMTRA Project Records Management Program Plan"

12.0 ALARA Statement

The RAC is firmly committed to having a radiological control program of the highest quality guided by a formalized *Moab UMTRA Project ALARA Program* (DOE-EM/GJRAC1922). The ALARA program is designed to commensurate with the nature of the RAC work activities being performed.

12.1 ALARA Policy

The RAC policy is to conduct radiological operations in a manner that promotes the health and safety of all employees, subcontractors, and the public. In achieving this objective, the RAC policy is to make every reasonable effort to maintain occupational, environmental, and public radiation exposure from DOE activity levels ALARA. The ALARA philosophy is predicated on

the theory that any radiation exposure, however small, carries with it some risk, which should be balanced by an offsetting benefit. The management of the RAC affirms the following.

- Personal radiation exposure will be maintained ALARA.
- Radiation exposure of the work force and public will be controlled using a graded approach, such that radiation exposures are well below regulatory limits, and that there is no radiation exposure without commensurate benefit.
- Each person involved in radiological work is required to demonstrate responsibility and accountability through an informed, disciplined, and cautious attitude toward radiation and radioactivity.
- Excellent performance is evident when site missions are completed and radiation exposures are maintained well below regulatory limits, contamination is minimized, radioactivity is well controlled, and radiological spills or uncontrolled releases are prevented.
- Continuing improvement is essential to excellence in radiological control.
- It is the responsibility of the RAC management and the responsibility of all workers to comply with the RPP and use ALARA principles during all work activities.

12.2 Formal ALARA Plans and Measures

The RAC has a formal ALARA Program and takes measures to address the following.

- Management commitment
- Assignment of responsibilities and authorities
- Administrative performance goals and measures
- Radiological performance goals and measures
- ALARA training
- Plans and procedures
- Internal audits and assessments
- Optimization methodology
- Radiological design review
- Radiological work planning
- Records

12.3 Effects of Project Completion and Site Closure on the ALARA Program

The Moab UMTRA Project had an estimated 16 million tons of residual radioactive material (RRM) from the mill tailings pile with additional off pile material that will also be required to be shipped to Crescent Junction.. As of March 23, 2026, the project has shipped 16,503,801 tons of RRM, with additional off pile material is estimated to be less than one million tons. Due to the reduction of the radioactive source term, the project's radiation exposure continues to decline, approaching public allowable exposure levels of less than 100 mrem per year. The project ALARA program will utilize a graded approach as the Project progresses to the complete removal of the source term and the cessation of monitoring employees for occupational radiation exposure.

13.0 References

10 CFR 820 (Code of Federal Regulations), "Procedural Rules for DOE Nuclear Activities."

10 CFR 835 (Code of Federal Regulations), "Occupational Radiation Protection."

DOE (U.S. Department of Energy) Guide 441.1-1C Chg 1 (Admin Chg), “Radiation Protection Programs Guide for Use with Title 10, Code of Federal Regulations, Part 835, Occupational Radiation Protection.”

DOE (U.S. Department of Energy) *Moab UMTRA Project Records Management Program Plan* (DOE-EM/GJ1545.)

DOE (U.S. Department of Energy) *Moab UMTRA Project Remedial Action Plan* (DOE-EM/GJ1547).

DOE (U.S. Department of Energy) *Moab UMTRA Project Radioparticulate Air Monitoring Sample Analysis Procedure* (DOE-EM/GJRAC1741).

DOE (U.S. Department of Energy) *Moab UMTRA Project Particulate Air Monitoring* (DOE-EM/GJRAC1744.)

DOE (U.S. Department of Energy) *Moab UMTRA Project Radiation Protection Program Manual* (DOE-EM/GJRAC1885).

DOE (U.S. Department of Energy) *Moab UMTRA Project Internal Dosimetry Technical Basis for Utilizing Air Monitoring Data* (DOE-EM/GJRAC3122).

DOE (U.S. Department of Energy) *Moab UMTRA Project ALARA Program* (DOE-EM/GJRAC1922).

DOE (U.S. Department of Energy) *Moab UMTRA Project Internal Dosimetry Procedures Manual* (DOE-EM/GJRAC1993).

DOE (U.S. Department of Energy) *Moab UMTRA Project Health Physics Plan* (DOE-EM/GJ3003).

Public Law 100-408, Price-Anderson Amendments Act of 1988.

Appendix A.
Radiation Protection Program Compliance Statements

Appendix A. Radiation Protection Program Compliance Statements

10 CFR 835 Revised April 21, 2009

STATUS: Full Compliance

The RAC commits to comply with all parts of 10 CFR 835 as they apply to the activities performed within the scope of this RPP.

10 CFR 835 Appendix A

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835 Appendix A, "Derived Air Concentrations for Controlling Radiation Exposure to Workers at DOE Facilities"

Provides DAC values for various Radionuclides.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC adopts and complies with 10 CFR 835 Appendix A, its preamble, and footnotes 1 - 4 in their entirety.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"
- DOE-EM/GJRAC1913 "Internal Dosimetry Technical Basis Document"

10 CFR 835 Appendix A, Footnote 5

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835 Appendix A, "Derived Air Concentrations for Controlling Radiation Exposure to Workers at DOE Facilities", Footnote 5

These values are appropriate for protection from radon combined with its short-lived decay products and are based on information given in International Commission on Radiological Protection (ICRP) Publication 23: Age-dependent Dose to Member of the Public from Intake of Radionuclides Part 2 Ingestion Dose Coefficients, ICRP Publication 65: Protection Against Radon-222 at Home and at Work, ICRP Publication 68: Human Respiratory Tract Model for Radiological Protection, and in DOE Standard (STD)-1121-2008: Internal Dosimetry. The values given are for 100 percent equilibrium concentration conditions of the short-lived radon decay products with the parent. To allow for an actual measured equilibrium concentration or a demonstrated equilibrium concentration, the values given in this table should be multiplied by the ratio (100% / actual %) or (100% / demonstrated %), respectively. Alternatively, the DAC values for radon-220 (Rn-220) and Rn-222 may be replaced by 2.5 WL and 0.83 WL, respectively, for appropriate limiting of decay product concentrations. A WL is any combination of short-lived radon decay products, in 1 liter of air without regard to the degree of equilibrium that will result in the ultimate emission of $1.3 \text{ E}+05 \text{ MeV}$ of alpha energy.

DESCRIPTION OF COMPLIANCE STATUS:

RAC had an Employee Radon Monitoring program that met this requirement when Radon doses exceed 100 mrem. /yr. As of January 1, 2024, the Moab UMTRA Project Employee Radon Monitoring program was discontinued do to the reduction of the radiological source term, resulting in no employee receiving a radon radiological dose exceeding the 100 mrem/yr limit. RAC had an Employee Radon Monitoring program that met this requirement when Radon doses exceed 100 mrem. /yr. As of January 1, 2024, the Moab UMTRA Project Employee Radon

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

Monitoring program was discontinued due to the reduction of the radiological source term, resulting in no employee receiving a radon radiological dose exceeding the 100 mrem/yr limit.

- DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"
- DOE-EM/GJRAC1913 "Internal Dosimetry Technical Basis Document" Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835 Appendix B

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835 Appendix B has been reserved by the DOE.

DESCRIPTION OF COMPLIANCE STATUS:

The section does not require a compliance statement.

10 CFR 835 Appendix C

§ STATUS: N/A

REQUIREMENT STATEMENT (Preamble, Appendix A, Second Paragraph):

10 CFR 835 Appendix C, "Derived Air Concentration (DAC) for Workers from External Exposure During Immersion in a Cloud of Airborne Radioactive Material"

DESCRIPTION OF COMPLIANCE STATUS:

Immersion DACs:

Radionuclides presented in 10 CFR 835 Appendix C, are not found on the Moab UMTRA Project.

10 CFR 835 Appendix D

STATUS : Full Compliance

REQUIREMENT STATEMENT :

10 CFR 835 Appendix D, "Surface Contamination Values"

The data presented in Appendix D are to be used in identifying and posting contamination and high contamination areas in accordance with section (§) 835.603(e) and (f) and identifying the need for surface contamination monitoring and control in accordance with § 835.1101 and 1102.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC uses and adopts 10 CFR 835 Appendix D in its entirety to identify and post contamination and high contamination areas in accordance with 10 CFR 835.603(e) and 10 CFR 835.603(f), and for identifying the need for surface contamination monitoring and control in accordance with 10 CFR 835.1101 and 10 CFR 835.1102. With regard to how 10 CFR 835 Appendix D is applicable to tailings material, the RAC interprets tailings to be most closely and accurately categorized as "associated decay products," in the "U-Nat, U-235, U-238 and associated decay product" portion of the table in 10 CFR 835 Appendix D. Unless concentrated values of individual radionuclides are encountered, the values of 1000/5000 disintegrations per minute / 100 centimeters squared (dpm/100 cm²), removable and total, respectively, will be applied.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
- DOE-EM/GJRAC1742 "Moab UMTRA Project Procedure for Responding to Potentially Contaminated Personnel"

10 CFR 835 Appendix D, Footnote 1

STATUS: Full Compliance

REQUIREMENT STATEMENT :

10 CFR 835 Appendix D, "Surface Contamination Values", Foot note 1

Where surface contamination by both alpha- and beta-gamma-emitting nuclides exists, the limits established for alpha- and beta-gamma-emitting nuclides apply independently.

DESCRIPTION OF COMPLIANCE STATUS:

RAC applies the surface contamination limits independently for both alpha- and beta-gamma-emitting nuclides when they exist together.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
- DOE-EM/GJRAC1742 "Moab UMTRA Project Procedure for Responding to Potentially Contaminated Personnel"

10 CFR 835 Appendix D, Footnote 7

STATUS: Full Compliance

REQUIREMENT STATEMENT :

10 CFR 835 Appendix D, "Surface Contamination Values", Foot note 7

These limits apply only to the alpha emitters within the respective decay series.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC applies the surface contamination limits only to the alpha emitters within the respective decay series; however, beta surface contamination is also monitored and will be evaluated when the alpha to beta ratio is out of proportion. The RAC will make every effort to reduce the beta surface contamination level to as low as reasonably achievable (ALARA).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
- DOE-EM/GJRAC1742 "Moab UMTRA Project Procedure for Responding to Potentially Contaminated Personnel"

10 CFR 835 Appendix E

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR Part 835 Appendix E, "Values for Establishing Sealed Radioactive Source Accountability and Radioactive Material Posting and Labeling Requirements"

The data presented in appendix E are to be used for identifying accountable sealed radioactive sources and radioactive material areas as those terms are defined at § 835.2(a), establishing the need for radioactive material area posting in accordance with § 835.603(g), and establishing the need for radioactive material labeling in accordance with § 835.605.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC uses 10 CFR 835 Appendix E in its entirety for identifying accountable sealed radioactive sources and radioactive material areas as those terms are defined at 10 CFR 835.2(a), establishing the need for radioactive material area posting in accordance with 10 CFR 835.603(g), and establishing the need for radioactive material labeling in accordance with 10 CFR 835.605.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs: Manuals and Procedures)

- DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"

10 CFR 835.1(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1, "Scope." (a), "General."

The rules in this part establish radiation protection standards, limits, and program requirements for protecting individuals from ionizing radiation resulting from the conduct of DOE activities.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC recognizes that the rules in 10 CFR 835 establish radiation protection standards, limits, and program requirements for protecting individuals from ionizing radiation resulting from the conduct of DOE activities.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"

10 CFR 835.1(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1, "Scope." (b), "Exclusion."

Except as provided in paragraph (c) of this section, the requirements in this part do not apply to:

1. Activities that are regulated through a license by the Nuclear Regulatory Commission or a State under an Agreement with the Nuclear Regulatory Commission, including activities certified by the Nuclear Regulatory Commission under section 1701 of the Atomic Energy Act
2. Activities conducted under the authority of the Deputy Administrator for Naval Reactors, as described in Public Law (Pub. L). 98-525 and Pub. L. 106-65
3. Activities conducted under the Nuclear Explosives and Weapons Surety Program relating to the prevention of accidental or unauthorized nuclear detonations
4. DOE activities conducted outside the United States on territory under the jurisdiction of a foreign government to the extent governed by occupational radiation protection requirements agreed to between the United States and the cognizant government
5. Background radiation, radiation doses received as a patient for the purposes of medical diagnosis or therapy, or radiation doses received from participation as a subject in medical research programs

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

6. Radioactive material on or within material, equipment, and real property which is approved for release when the radiological conditions of the material, equipment, and real property have been documented to comply with the criteria for release set forth in a DOE authorized limit which has been approved by a Secretarial Officer in consultation with the Chief Health, Safety, and Security Officer.
7. Radioactive material transportation is not performed by DOE or a DOE contractor.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC recognizes that the requirements in 10 CFR 835 do not apply to:

1. Activities that are regulated through a license by the NRC or a state under an agreement with the NRC, include activities certified by the NRC under section 1701 of the Atomic Energy Act.
2. Activities conducted under the authority of the Deputy Administrator for Naval Reactors, as described in Pub. L. 98-525, "U.S. Institute of Peace Act," and Pub. L. 106-65, "National Defense Authorization Act."
3. Activities conducted under the Nuclear Explosives and Weapons Surety Program relating to the prevention of accidental or unauthorized nuclear detonations.
4. DOE activities conducted outside the U.S., on territory under the authority of a foreign government, to the extent governed by occupational radiation protection requirements agreed to between the U.S. and the cognizant government.
5. Background radiation, radiation doses received as a patient for the purposes of medical diagnosis or therapy, or radiation doses received from participation as a subject in medical research programs.
6. Radioactive material on or within material, equipment, and real property approved for release when the radiological conditions of the material, equipment, and real property have been documented to comply with the criteria for release set forth in a DOE authorized limit, which has been approved by a Secretarial Officer in consultation with the Chief Health, Safety and Security Officer.
7. Radioactive material transportation is not performed by the DOE or a DOE contractor.

IMPLEMENTING DOCUMENT ACTION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.1(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1, "Scope." (c)

Occupational doses received because of excluded activities and radioactive material transportation, listed in paragraphs (b)(1) through (b)(4) and (b)(7) of this section, shall be included to the extent practicable when determining compliance with the occupational dose limits at § 835.202 and 835.207, and with the limits for the embryo/fetus at § 835.206.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC recognizes that occupational doses received as a result of excluded activities and radioactive material transportation, as listed in 10 CFR 835.1(b)(1) through 10 CFR 835.1(b)(4), and in 10 CFR 835.1 (b)(7), shall be considered when determining compliance with the occupational dose limits at 10 CFR 835.202 and 10 CFR 835.207 and with the limits for the embryo/fetus at 10 CFR 835.206.

Occupational doses resulting from authorized emergency exposures and planned special exposures shall not be considered when determining compliance with the dose limits at 10 CFR 835.202 and 10 CFR 835.207.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

10 CFR 835.1(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1, "Scope." (d)

The requirements in subparts F and G of this part do not apply to radioactive material transportation by DOE or a DOE contractor conducted:

1. Under the continuous observation and control of an individual who is knowledgeable of and implements required exposure control measures.
2. In accordance with Department of Transportation (DOT) regulations, or DOE orders that govern such movements.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC understands that the requirements in 10 CFR 835 Subpart F and 10 CFR 835 Subpart G do not apply to radioactive material transportation by DOE, or a DOE contractor conducted:

1. Under the continuous observation and control of an individual who is knowledgeable of and implements required exposure control measures.
2. In accordance with DOT regulations, or DOE orders that govern such movements.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedure)

- DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
- DOE-EM/GJRAC1835 "Moab UMTRA Project Procedure for Containers Entering/Exiting the Moab Project under DOT-SP 14238"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.2

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.2, "Definitions."

- a. As used in this part: (defined terms not copied here.)
- b. As used in this part to describe various aspects of radiation dose: (defined terms not copied here.)
- c. Terms defined in the Atomic Energy Act of 1954 or in 10 CFR part 820 and not defined in this part are used consistently with their meanings given in the Atomic Energy Act of 1954 or in 10 CFR part 820.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC accepts the definitions of general terminology in section 10 CFR 835.2(a) and the definitions of dosimetry terminology in 10 CFR 835.2(b) without exception, beyond noting that the RAC will use references and documents that were written under the dosimetric nomenclature associated with the versions of 10 CFR 835 effective before 2007. The RAC recognizes that terms defined in the Atomic Energy Act and those not defined in this part are used consistently with the meanings given in the Act.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual."
- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
- DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"

10 CFR 835.3(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.3, "General rule." (a)

No person or DOE personnel shall take or cause to be taken any action inconsistent with the requirements of:

1. This part; or
2. Any program, plan, schedule, or other process established by this part.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC requires that all personnel may only take actions or cause actions to be taken that are consistent with the requirements of 10 CFR 835 or any program, plan, schedule, or other process established by 10 CFR 835.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.3(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.3, "General rule." (b)

With respect to a particular DOE activity, contractor management shall be responsible for compliance with the requirements of this part.

DESCRIPTION OF COMPLIANCE STATUS:

With respect to all activities conducted under the RAC contract with the DOE, the RAC management is responsible for compliance with the requirements of 10 CFR 835.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.3(c)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.3, "General rule." (c)

Where there is no contractor for DOE activity, DOE shall ensure implementation of and compliance with the requirements of this part.

DESCRIPTION OF COMPLIANCE STATUS:

This requirement is N/A to the RAC; it is directly applicable to the DOE.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.3(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.3, "General rule." (d)

Nothing in this part shall be construed as limiting actions that may be necessary to protect health and safety.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC does not construe the requirements in 10 CFR 835 as limiting any actions that are necessary to protect health and safety.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.3(e)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.3, "General rule." (e)

For those activities that are required by § 835.102, 835.901(e), 835.1202(a), and 835.1202(b), the time interval to conduct these activities may be extended by a period not to exceed 30 days to accommodate scheduling needs.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may extend the time interval to conduct the activities required by 10 CFR 835.102, 10 CFR 835.901(e), 10 CFR 835.1202(a), and 10 CFR 835.1202(b) by a period not to exceed 30 days.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- See Remedial Action Contractor under contract number 8303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.4 (1) (2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.4, "Radiological units."

Unless otherwise specified, the quantities used in the records required by this part will be clearly indicated in special units of curie, rad, roentgen, or roentgen equivalent man (rem), including multiples and subdivisions of these units, or other conventional units, such as, dpm, dpm/100 cm² or mass units. The International System (SI) units, Becquerel (Bq), Gray (Gy), and Sievert (Sv), may be provided parenthetically for reference with scientific standards.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC records required by 10 CFR 835 will be maintained in the special units of Ci, rad, rem, or dpm including multiples and subdivisions of these units. The SI units of Bq, Gy, and Sv may be provided parenthetically for reference with scientific standards.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual"

10 CFR 835.101(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (a)

A DOE activity will be conducted in compliance with a documented RPP as approved by the DOE.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

All RAC activities performed under contract to the DOE will be conducted in compliance with this RPP, when approved by the DOE. Future RPP revisions and subsequent DOE approvals will fall under the normal provisions of 10 CFR 835.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.101(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (b)
The DOE may direct or make modifications to the RPP.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC acknowledges DOE's authority to direct or make modification to an RPP.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.101(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (c)
The content of each RPP will be commensurate with the nature of the activities performed and will include formal plans and measures for applying the ALARA process to occupational exposure.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC RPP is commensurate with the nature of the activities performed under the RAC contract and includes formal plans and measures for applying the ALARA process to occupational exposure.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals, and Procedures)

- See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.101(d)(1)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (d)(1)

The RPP shall specify the existing and/or anticipated operational tasks that are intended to be within the scope of the RPP.

DESCRIPTION OF COMPLIANCE STATUS:

Final Status Survey data and documentation will be reviewed and approved by a qualified Health Physicist using the guidance in the approved Verification Program and implementing procedures.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- *Remedial Action Plan and Site Design for Stabilization of Moab Title I Uranium Mill Residual Radioactive Material at the Crescent Junction, Utah, Disposal Site Remedial Action Selection Report*, DOE-EM/GJ1547
- *Moab UMTRA Project Radiological Verification Program*, DOE-EM/GJRAC3091

10 CFR 835.101(d)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (d)(2)

Except as provided in § 835.101(h), any task outside the scope of a RPP shall not be initiated until an update of the RPP is approved by DOE.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will perform no tasks outside the scope of the RPP until an update of the RPP is approved by the DOE, except under conditions defined in 10 CFR 835.101(h).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.101(e)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (e)

The content of the RPP shall address, but shall not necessarily be limited to, each requirement in this part.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC RPP addresses all applicable requirements in 10 CFR 835.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.101(f)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (f)

The RPP shall include plans, schedules, and other measures for achieving compliance with regulations of this part. Unless otherwise specified in this part, compliance with the amendments to this part published on June 8, 2007, shall be achieved no later than July 9, 2010.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC has committed to plans, schedules, and other measures contained in RPP Sections 1.0 through 13.0, if a program element is not in compliance or changes need to be made to update a particular element. The RAC has developed a plan and schedule to ensure compliance. All new RAC projects will undergo both ALARA Design review work force estimate base Operation work schedules.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.101(g) (1)(2)(3)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (g)

An update of the RPP shall be submitted to DOE:

1. Whenever a change or an addition to the RPP is made.
2. Prior to the initiation of a task not within the scope of the RPP.
3. Within 180 days the effective date of any modifications to this part.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will submit an update of the RPP to the DOE:

1. Whenever a change or an addition to the RPP is made.
2. Prior to the initiation of a task not within the scope of the RPP.
3. Within 180 days the effective date of any modifications to this part.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.101(h) (1)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (h)(1)

Changes, additions, or updates to the RPP may become effective without prior Department approval only if the changes do not decrease the effectiveness of the RPP and the RPP, as changed, continues to meet the requirements of this part.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will implement changes, additions, or updates to the RPP without prior DOE approval only if the changes do not decrease the effectiveness of the RPP and the RPP, as changed, continues to meet the requirements of 10 CFR 835.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals, and Procedures).

- Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction,

10 CFR 835.101(h)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (h)(2)

Proposed changes that decrease the effectiveness of the RPP shall not be implemented without submittal to and approval by the Department.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will not implement proposed changes to the RPP that decrease the effectiveness of the RPP without submittal to and approval by the DOE.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

10 CFR 835.101(i)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.101, "Radiation protection programs." (i)

An initial RPP or an update shall be considered approved 180 days after its submission unless rejected by DOE at an earlier date.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC considers the RPP as approved 180 days following submission to the DOE unless rejected by the DOE at an earlier date.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

There is no specific implementation for this element, only this point of clarification.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.102

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.102, "Internal audits."

Internal audits of the Radiation Protection Program, including examination of program content and implementation, shall be conducted through a process that ensures that all functional elements are reviewed no less frequently than every 36 months.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC conducts internal audits, reviewing program content and implementation of all functional elements of the RPP no less frequently than every 36 months.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-STD-1112-2019 and DOE-STD-1121-2008. Site requirements are addressed in the Moab UMTRA Project Quality Assurance Plan for the Remedial Action Contractor (QAP) (DOE-EM/GJRAC1766) and the Moab UMTRA Project Internal Dosimetry
- Technical Basis Manual.
- DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual.

10 CFR 835.103

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.103, "Education, training and skills."

Individuals responsible for developing and implementing measures necessary for ensuring compliance with the requirements of this part shall have the appropriate education, training, and skills to discharge these responsibilities.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will ensure individuals responsible for developing and implementing measures necessary for ensuring compliance have the appropriate education, training, and skills to discharge these responsibilities.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

10 CFR 835.104

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.104, "Written procedures."

Written procedures shall be developed and implemented as necessary to ensure compliance with this part, commensurate with the radiological hazards created by the activity, and consistent with the education, training, and skills of the individuals exposed to those hazards.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC has developed and implemented written procedures that are commensurate with the radiological hazards created by the activity and consistent with the education, training, and skills of the individuals exposed to the hazards.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

10 CFR 835.202(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.202, "Occupational dose limits for general employees." (a)

Except for planned special exposures conducted consistent with § 835.204 and emergency exposures authorized in accordance with § 835.1302, the occupational dose received by general employees shall be controlled such that the following limits are not exceeded in a year:

1. A total effective dose of 5 rems (0.05 Sv)
2. The sum of the equivalent dose to the whole body for external exposures and the committed equivalent dose to any organ or tissue other than the skin or the lens of the eye of 50 rems (0.5 Sv)
3. An equivalent dose to the lens of the eye of 15 rems (0.15 Sv)
4. The sum of the equivalent dose to the skin or to any extremity for external exposures and the committed equivalent dose to the skin or to any extremity of 50 rems (0.5 Sv)

DESCRIPTION OF COMPLIANCE STATUS:

Except for planned special exposures conducted consistent with 10 CFR 835.204 and emergency exposures authorized in accordance with 10 CFR 835.1302, the RAC controls the occupational dose received by general employees such that the following limits are not exceeded in a year:

1. A total effective dose of 5 rems (0.05 Sv)
2. The sum of the equivalent dose to the whole body for external exposures and the committed equivalent dose to any organ or tissue other than the skin or the lens of the eye of 50 rems (0.5 Sv)
3. An equivalent dose to the lens of the eye of 15 rems (0.15 Sv)
4. The sum of the equivalent dose to the skin or to any extremity for external exposures and the committed equivalent dose to the skin or to any extremity of 50 rems (0.5 Sv)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.202(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.202, "Occupational dose limits for general employees." (b)

All occupational doses received during the current year, except doses resulting from planned special exposures conducted in compliance with § 835.204 and emergency exposures authorized in accordance with § 835.1302, shall be included when demonstrating compliance with § 835.202(a) and 835.207.

DESCRIPTION OF COMPLIANCE STATUS:

Except doses resulting from planned special exposures conducted in compliance with 10 CFR 835.204 and emergency exposures authorized in accordance with 10 CFR 835.1302, the RAC will include all occupational doses received during the current year when demonstrating compliance with 10 CFR 835.202(a) and 10 CFR 835.207.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

10 CFR 835.202(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.202, "Occupational dose limits for general employees." (c)

Doses from background, therapeutic and diagnostic medical radiation, and participation as a subject in medical research programs shall not be included in dose records or in the assessment of compliance with the occupational dose limits.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC does not include doses from therapeutic and diagnostic medical radiation or participation as a subject in medical research programs in dose records or in the assessment of compliance with the occupational exposure limits.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1885 “Moab UMTRA Project Radiation Protection Program Manual”

10 CFR 835.203(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.203, “Combining internal and external equivalent doses.” (a)

The total effective dose during a year shall be determined by summing the effective dose from external exposures and the committed effective dose from intakes during the year.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC determines the effective dose during a year by summing the effective dose from external exposures and the committed effective dose from intakes during the year.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1885 Moab UMTRA Project Radiation Protection Program Manual”

10 CFR 835.203(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.203, “Combining internal and external equivalent doses.” (b)

Determinations of the effective dose shall be made using the radiation and tissue weighting factor values provided in § 835.2.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC determines the effective dose by using the radiation and tissue weighting factor values provided in 10 CFR 835.2.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

There is no specific implementation for this element, only this point of clarification.

10 CFR 835.204(a)(1)(2)(3)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.204, “Planned special exposures.” (a)

A planned special exposure may be authorized for a radiological worker to receive doses in addition to and accounted for separately from the doses received under the limits specified in § 835.202(a), if each of the following conditions is satisfied:

1. The planned special exposure is considered only in an exceptional situation when alternatives that might prevent a radiological worker from exceeding the limits in § 835.202(a) are unavailable or impractical
2. The contractor management (and employer, if the employer is not the contractor) specifically requests the planned special exposure, in writing

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

3. Joint written approval is received from the appropriate DOE Headquarters program office and the Secretarial Officer responsible for environmental, safety and health matters

DESCRIPTION OF COMPLIANCE STATUS:

The site's radioactive source term, Uranium Mill Tailings, is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM). It is highly unlikely that a situation would occur that would require the project to have special exposures. This is not considered a feasible scenario and does not require any action.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

There is no specific implementing documentation for this element, only this point of clarification.

10 CFR 835.204(b)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.204, "Planned special exposures." (b)

Prior to requesting an individual to participate in an authorized planned special exposure, the individual's dose from all previous planned special exposures and all doses more than the occupational dose limits shall be determined.

DESCRIPTION OF COMPLIANCE STATUS:

The site's radioactive source term, Uranium Mill Tailings, is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM). It is highly unlikely that a situation would occur that would require the project to have special exposures. This is not considered a feasible scenario and does not require any action.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.204(c)(1)(2)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.204, "Planned special exposures." (c)

An individual shall not receive a planned special exposure that, in addition to the doses determined in § 835.204(b), would result in a dose exceeding the following:

1. In a year, the numerical values of the dose limits established at § 835.202(a)
2. Over the individual's lifetime, five times the numerical values of the dose limits established at § 835.202(a)

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The site's radioactive source term, Uranium Mill Tailings, is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM). It is highly unlikely that a situation would occur that would require the project to have special exposures. This is not considered a feasible scenario and does not require any action.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.204(d)(1)(2)(3)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.204 "Planned special exposures." (d)

Prior to a planned special exposure, written consent shall be obtained from Each individual involved. Each such written consent shall include:

1. The purpose of the planned operations and procedures is to be used.
2. The estimated doses and associated potential risks and specific radiological conditions and other hazards which might be involved in performing the task.
3. Instructions on the measures to be taken to keep the dose ALARA considering other risks that may be present.

DESCRIPTION OF COMPLIANCE STATUS:

The site's radioactive source term, Uranium Mill Tailings, is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM). It is highly unlikely that a situation would occur that would require the project to have special exposures. Therefore, this is not considered a feasible scenario and does not require any action.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

There is no specific implementing documentation for this element, only this point of clarification.

10 CFR 835.204(e)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.204, "Planned special exposures." (e)

Records of the conduct of a planned special exposure shall be maintained and a written report submitted within 30 days after the planned special exposure to the approving organizations identified in § 835.204(a)(3).

DESCRIPTION OF COMPLIANCE STATUS:

The site's radioactive source term, Uranium Mill Tailings, is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM). It is highly unlikely that a situation would occur that would require the project to have special exposures. Therefore, this is not considered a feasible scenario and does not require any action.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.204(f)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.204, "Planned special exposures." (f)

The dose from planned special exposures is not to be considered in controlling future occupational dose of the individual under § 835.202(a) but is to be included in records and reports required under this part.

DESCRIPTION OF COMPLIANCE STATUS:

The site's radioactive source term, Uranium Mill Tailings, is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM). It is highly unlikely that a situation would occur that would require the project to have special exposures. Therefore, this is not considered a feasible scenario and does not require any action.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.205(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.205, "Determination of compliance for non-uniform exposure of the skin." (a)

Non-uniform exposures of the skin from X-rays, beta radiation, and/or radioactive material on the skin are to be assessed as specified in this section.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC assesses non-uniform exposures of the skin from X-rays, beta radiation, and/or radioactive material on the skin as specified in 10 CFR 835.205.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1894 Moab UMTRA Project External Dosimetry Technical Basis Manual

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.205(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.205, “Determination of compliance for non-uniform exposure of the skin.” (b)
For purposes of demonstrating compliance with § 835.202(a)(4), assessments will be conducted as follows:

1. *Area of skin irradiated is 100 cm² or more.* The non-uniform equivalent dose received during the year will be averaged over 100 cm² of the skin receiving the maximum dose, added to any uniform equivalent dose also received by the skin, and recorded as the equivalent dose to any extremity or skin for the year.
2. *Area of skin irradiated is 10 cm² or more but is less than 100 cm².* The non-uniform equivalent dose (H) to the irradiated area received during the year will be added to any uniform equivalent dose also received by the skin and recorded as the equivalent dose to any extremity or skin for the year. H is the equivalent dose averaged over the 1 cm² of skin receiving the maximum absorbed dose, D, reduced by the fraction f, which is the irradiated area in cm² divided by 100 cm² (i.e., $H = fD$). In no case will a value of f less than 0.1 be used.
3. *Area of skin irradiated is less than 10 cm².* The non-uniform equivalent dose will be averaged over 1 cm² of skin receiving the maximum dose. This equivalent dose will:
 - i. Be recorded in the individual’s occupational exposure history as a special entry; and
 - ii. Not be added to any other equivalent dose to any extremity or skin for the year.

DESCRIPTION OF COMPLIANCE STATUS:

For purposes of demonstrating compliance with 10 CFR 835.202(a)(4), the RAC assessments are conducted as follows:

1. *Area of skin irradiated is 100 cm² or more.* The non-uniform equivalent dose received during the year will be averaged over 100 cm² of the skin receiving the maximum dose, added to any uniform equivalent dose also received by the skin, and recorded as the equivalent dose to any extremity or skin for the year.
2. *Area of skin irradiated is 10 cm² or more but is less than 100 cm².* The non-uniform equivalent dose (H) to the irradiated area received during the year will be added to any uniform equivalent dose also received by the skin and recorded as the equivalent dose to any extremity or skin for the year. H is the equivalent dose averaged over the 1 cm² of skin receiving the maximum absorbed dose, D, reduced by the fraction f, which is the irradiated area in cm² divided by 100 cm² (i.e., $H = fD$). In no case will a value of f less than 0.1 be used.
3. *Area of skin irradiated is less than 10 cm².* The non-uniform equivalent dose will be averaged over 1 cm² of skin receiving the maximum dose. This equivalent dose will:
 - i. Be recorded in the individual’s occupational exposure history as a special entry.
 - ii. Not be added to any other equivalent dose to any extremity or skin for the year.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1894 Moab UMTRA Project External Dosimetry Technical Basis Manual

10 CFR 835.206(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.206, "Limits for the embryo/fetus." (a)

The equivalent dose limit for the embryo/fetus from the period of conception to birth, because of occupational exposure of a declared pregnant worker, is 0.5 rem (0.005 Sv).

DESCRIPTION OF COMPLIANCE STATUS:

The RAC equivalent dose limit for the embryo/fetus from the period of conception to birth, because of occupational exposure of a declared pregnant worker, is 0.5 rem (0.005 Sv).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.206(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.206, "Limits for the embryo/fetus." (b)

Substantial variation above a uniform exposure rate that would satisfy the limits provided in § 835.206(a) will be avoided.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will avoid substantial variations to the exposure rate to satisfy the limits provided in 10 CFR 835.206(a).

IMPLEMENTING DOCUMENT, A TION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.206(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.206, "Limits for the embryo/fetus." (c)

If the equivalent dose to the embryo/fetus is determined to have already exceeded 0.5 rem (0.005 Sv) by the time a worker declares her pregnancy, the declared pregnant worker will not be assigned to tasks where additional occupational exposure is likely during the remaining gestation period.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

If the equivalent dose to the embryo/fetus is determined to have already exceeded 0.5 rem (0.005 Sv) by the time a worker declares her pregnancy, the RAC will not assign the declared pregnant worker to tasks where additional occupational exposure is likely during the remaining gestation period.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.207

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.207, "Occupational dose limits for minors."

The dose limits for minors occupationally exposed to radiation and/or radioactive materials at a DOE activity are 0.1 rem (0.001 Sv) total effective dose in a year and 10 percent of the occupational dose limits specified at § 835.202(a)(3) and (a)(4).

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will not occupationally expose any minor to radiation and/or radioactive material at a RAC-operated site or facility such that the minor exceeds 0.1 rem (0.001 Sv) total effective dose in a year, and 10 percent of the occupational dose limits specified at 10 CFR 835.202(a)(3) and 10 CFR 835.202(a)(4).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.208

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.208, "Limits for members of the public entering a controlled area."

The total effective dose limit for members of the public exposed to radiation and/or radioactive material during access to a controlled area is 0.1 rem (0.001 Sv) in a year.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will not expose any member of the public to radiation and/or radioactive material during access to a controlled area at a RAC-operated site or facility such that the total effective dose equivalent exceeds 0.1 rem (0.001 Sv) in a year.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.209(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.209, "Concentrations of radioactive material in air." (a)

The DAC values given in appendices A and C of this part will be used in the control of occupational exposures to airborne radioactive material.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC uses the DAC values given at 10 CFR 835 Appendices A and C in the control of occupational exposures to airborne radioactive material.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedure)

- DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"
- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"

10 CFR 835.209(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.209, "Concentrations of radioactive material in air." (b)

The estimation of internal dose will be based on bioassay data rather than air concentration values unless bioassay data are:

1. Unavailable.
2. Inadequate.
3. Internal dose estimates based on air concentration values are demonstrated to be as or more accurate.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC bases its estimation of internal dose on air concentration values because there is a technical shortfall in the uranium bioassay process. The air concentration values have been far more accurate than the uranium bioassay program.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"
- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.401(a)(1)(2)(3)(4)(5)(6)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.401, "General requirements." (a)

Monitoring of individuals and areas will be conducted to:

1. Demonstrate compliance with the regulations in this part.
2. Document radiological conditions.
3. Detect changes in radiological conditions.
4. Detect the gradual buildup of radioactive material.
5. Verify the effectiveness of engineered and administrative controls in containing radioactive material and reducing radiation exposure.
6. Identify and control potential sources of individual exposure to radiation and/or radioactive material.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC monitors individuals and areas to:

1. Demonstrate compliance with the regulations in 10 CFR 835.
2. Document radiological conditions.
3. Detect changes in radiological conditions.
4. Detect the gradual buildup of radioactive material.
5. Verify the effectiveness of engineered and administrative controls in containing radioactive material and reducing radiation exposure.
6. Identify and control potential sources of individual exposure to radiation and/or radioactive material, as is necessary.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"
- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
- DOE-EM/GJRAC1972 "Moab UMTRA Project Routine Radiological Surveys Procedure"

10 CFR 835.401(b)(1)(2)(3)(4)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.401, "General requirements." (b)

Instruments and equipment used for monitoring will be:

1. Periodically maintained and calibrated on an established frequency.
2. Appropriate for the type(s), levels, and energies of the radiation(s) encountered.
3. Appropriate for existing environmental conditions.
4. Routinely tested for operability.

DESCRIPTION OF COMPLIANCE STATUS:

The instruments and equipment used by the RAC for monitoring are:

1. Periodically maintained and calibrated on an established frequency.
2. Appropriate for the types, levels, and energies of the radiation encountered.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

3. Appropriate for existing environmental conditions.
4. Routinely tested for operability.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"
- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
- DOE-EM/GJRAC1972 "Moab UMTRA Project Routine Radiological Surveys Procedure"
- DOE-EM/GJRAC1982 "Moab UMTRA Project Radiation Protection Instrumentation Calibration Procedure"
- See Technical Basis Document for each Site Radiological Instrument.

10 CFR 835.402(a)(1)(2)(3)(4)(5)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.402, "Individual monitoring." (a)

For monitoring individual exposures to external radiation, personnel dosimeters will be provided to and used by:

1. Radiological workers who, under typical conditions, are likely to receive one or more of the following:
 - i. An effective dose of 0.1 rem (0.001 Sv) or more in a year.
 - ii. An equivalent dose to the skin or to any extremity of 5 rems (0.05 Sv) or more in a year.
 - iii. An equivalent dose to the lens of the eye of 1.5 rems (0.015 Sv) or more in a year.
2. Declared pregnant workers who are likely to receive from external sources an equivalent dose to the embryo/fetus more than 10 percent of the applicable limit at § 835.206(a).
3. Occupationally exposed minors are likely to receive a dose more than 50 percent of the applicable limits at § 835.207 in a year from external sources.
4. Members of the public entering a controlled area likely to receive a dose more than 50 percent of the limit at § 835.208 in a year from external sources; and
5. Individuals entering a high or very high radiation area.

DESCRIPTION OF COMPLIANCE STATUS:

For monitoring individual exposures to external radiation, the RAC provides and requires the use of personnel dosimeters by:

1. Radiological workers who, under typical conditions, are likely to receive one or more of the following:
 - i. An effective dose of 0.1 rem (0.001 Sv) or more in a year
 - ii. An equivalent dose to the skin or to any extremity of 5 rems (0.05 Sv) or more in a year
 - iii. An equivalent dose to the lens of the eye of 1.5 rems (0.015 Sv) or more in a year
2. Declared pregnant workers who are likely to receive from external sources an equivalent dose to the embryo/fetus more than 10 percent of the applicable limit at 10 CFR 835.206(a).

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

3. Occupationally exposed minors are likely to receive a dose more than 50 percent of the applicable limits at 10 CFR 835.207 in a year from external sources.
4. Members of the public entering a controlled area are likely to receive a dose more than 50 percent of the limit at 10 CFR 835.208 in a year from external sources.
5. Individuals entering a high or very high radiation area.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1980 "Moab UMTRA Project External Dosimetry Procedures Manual"

10 CFR 835.402(b)(1)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.402, "Individual monitoring." (b)(1)

External dose monitoring programs implemented to demonstrate compliance with § 835.402(a) will be adequate to demonstrate compliance with the dose limits established in subpart C of this part and will be:

1. Accredited, or excepted from accreditation, in accordance with DOELAP for Personnel Dosimetry

DESCRIPTION OF COMPLIANCE STATUS:

The RAC personnel external dosimetry program is adequate to demonstrate compliance with 10 CFR 835.402 (a) and the program conforms to the requirements of the DOELAP for Personnel Dosimetry and is current in its DOELAP Accreditation.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1980 "Moab UMTRA Project External Dosimetry Procedures Manual"
- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.402(b)(2)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.402, "Individual monitoring." (b)(2)

External dose monitoring programs implemented to demonstrate compliance with 10 CFR 835.402(a) will be adequate to demonstrate compliance with the dose limits established in subpart C of this part and will be:

2. Determined by the Secretarial Officer responsible for environment, safety, and health matters to have performance substantially equivalent to that of programs accredited under the DOELAP for Personnel Dosimetry.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will not seek this determination. The Moab UMTRA Project is currently DOE LAP Accredited.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1980 "Moab UMTRA Project External Dosimetry Procedures Manual"
- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.402(c)(1-4)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.402, "Individual monitoring." (c)

For monitoring individual exposures to internal radiation, internal dosimetry programs will be conducted for:

1. Radiological workers who, under typical conditions, are likely to receive a committed effective dose of 0.1 rem (0.001 Sv) or more from all occupational radionuclide intakes in a year.
2. Declared pregnant workers likely to receive an intake or intakes resulting in an equivalent dose to the embryo/fetus more than 10 percent of the limit stated at § 835.206(a).
3. Occupationally exposed minors who are likely to receive a dose more than 50 percent of the applicable limit stated at § 835.207 from all radionuclide intakes in a year; or
4. Members of the public entering a controlled area likely to receive a dose more than 50 percent of the limit stated at § 835.208 from all radionuclide intakes in a year.

DESCRIPTION OF COMPLIANCE STATUS:

For monitoring individual exposures to internal radiation, the RAC conducts internal dosimetry programs for:

1. Radiological workers who, under typical conditions, are likely to receive a committed effective dose of:
 - i. 0.1 rem (0.001 Sv) or more from all occupational radionuclide intakes in a year.
2. Declared pregnant workers likely to receive an intake or intakes resulting in an equivalent dose to the embryo/fetus more than 10 percent of the limit stated at 10 CFR 835.206(a).
3. Occupationally exposed minors who are likely to receive a dose more than 50 percent of the applicable limit stated at 10 CFR 835.207 from all radionuclide intakes in a year.
4. Members of the public entering a controlled area are likely to receive a dose more than 50 percent of the limit stated at 10 CFR 835.208 from all radionuclide intakes in a year.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.402(d)(1)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.402, "Individual monitoring." (d)(1)

Internal dose monitoring programs implemented to demonstrate compliance with 10 CFR 835.402(c) will be adequate to demonstrate compliance with the dose limits established in subpart C of this part and will be:

1. Accredited, or excepted from accreditation, in accordance with the DOELAP for Radiobioassay.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC personnel internal dosimetry program is adequate to demonstrate compliance with 10 CFR 835.402 (c) Worker personnel air monitoring meets the Internal Dosimetry Requirements for Individual Monitoring. It has been determined that the Moab UMTRA Project Radiobioassay program is no longer required due to technical issues and workers are not likely to receive doses greater than 100 millirem in a year. However, the project will continue to monitor workers in support of the Internal Dosimetry program using individual personnel air monitoring.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.402(d)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.402, "Individual monitoring." (d)(2)

Internal dose monitoring programs implemented to demonstrate compliance with 10 CFR 835.402(c) will be adequate to demonstrate compliance with the dose limits established in subpart C of this part and will be:

2. Determined by the Secretarial Officer responsible for environment, safety, and health matters to have performance substantially equivalent to that of programs accredited under the DOE Laboratory Accreditation Program for Radiobioassay.

DESCRIPTION OF COMPLIANCE STATUS:

Worker personnel air monitoring meets the Internal Dosimetry Requirements for Individual Monitoring. It has been determined that the Moab UMTRA Project Radiobioassay program is no longer required due to technical issues and workers are not likely to receive doses greater than 100 millirem in a year. However, the project will continue to monitor workers in support of the Internal Dosimetry program using individual personnel air monitoring. A call was held on Jan 4, 2024, with attendees from DOE-EM and DOE-HQ in which the basis for the decision to terminate the bioassay program was discussed. DOE agreed that the decision was technically sound and didn't need formal DOE approval. The urine bioassay program was terminated effective Jan 1, 2024.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

10 CFR 835.403(a)(1)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.403, "Air monitoring." (a)(1)

Monitoring of airborne radioactivity will be performed:

1. Where an individual is likely to receive an exposure of 40 or more DAC-hours in a year.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will perform monitoring of airborne radioactivity where an individual is likely to receive an exposure of 40 or more DAC-hrs in a year.

RAC had an Employee Radon Monitoring program that met this requirement when Radon doses exceed 100 mrem. /yr. As of January 1, 2024, the Moab UMTRA Project Employee Radon Monitoring program was discontinued do to the reduction of the radiological source term, resulting in no employee receiving a radon radiological dose exceeding the 100 mrem/yr limit.

IMPLEMENTING DOCUMENTATION FOR COMPUANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"

10 CFR 835.403(a)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.403, "Air monitoring." (a)(2)

Monitoring of airborne radioactivity will be performed:

2. As necessary to characterize the airborne radioactivity hazard where respiratory protective devices for protection against airborne radionuclides have been prescribed.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC performs monitoring of airborne radioactivity as necessary to characterize the airborne radioactivity hazard where respiratory protective devices for protection against airborne radionuclides have been prescribed.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
- DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"

10 CFR 835.403(b)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.403, "Air monitoring." (b)

Real-time air monitoring will be performed as necessary to detect and provide warning of airborne radioactivity concentrations that warrant immediate action to terminate inhalation of airborne radioactive material.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

Currently, RAC has no real-time air monitoring in operation. The Project radioactive source term has been well defined and is considered low level occurring technologically enhanced, naturally occurring radioactive material. The project no longer utilizes the Proctor lab in the Atlas Bldg. to create Proctor samples, this was the only area that required respiratory protection on the Moab Site.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"

10 CFR 835.405(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.405, "Receipt of packages containing radioactive material." (a)

If packages containing quantities of radioactive material more than a Type A quantity (as defined at 10 CFR 71.4) are expected to be received from radioactive material transportation, arrangements will be made to either:

1. Take possession of the package when the carrier offers it for delivery; or
2. Receive notification as soon as practicable after arrival of the package at the carrier's terminal and to take possession of the package expeditiously after receiving such notification.

DESCRIPTION OF COMPLIANCE STATUS:

When packages containing quantities of radioactive material more than a Type A quantity (as defined in 10 CFR 71.4) are expected to be received from radioactive material transportation. The RAC will either take possession of the package when the carrier offers it for delivery or plan to receive notification as soon as practicable after arrival of the package at the carrier's terminal and take possession of the package expeditiously after receiving such notification.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.405(b)(1)(2)(3)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.405, "Receipt of packages containing radioactive material." (b)

Upon receipt from radioactive material transportation, external surfaces of packages known to contain radioactive material will be monitored if the package:

1. Is labeled with a Radioactive White I, Yellow II, or Yellow III label (as specified at 49 CFR 172.403 and 172.436-440); or
2. Has been transported as low specific activity material (as defined at 10 CFR 71.4) on an exclusive use vehicle (as defined at 10 CFR 71.4); or
3. Has evidence of degradation, such as packages that are crushed, wet, or damaged.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will, upon receipt from radioactive material transportation, monitor the external surfaces of packages known to contain radioactive material if the package:

1. Is labeled with a Radioactive White I, Yellow II, or Yellow III label (as specified at 49 CFR 172.403, and 49 CFR 172.436 through 49 CFR 440).
2. Has been transported as low specific activity material (as defined at 10 CFR 71.4) on an exclusive use vehicle (as defined at 10 CFR 71.4).
3. Has evidence of degradation, such as packages that are crushed, wet, or damaged.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRACI743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.405(c)(1)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.405, "Receipt of packages containing radioactive material." (c)

The monitoring required by paragraph (b) of this section will include:

1. Measurements of removable contamination levels, unless the package contains only special form (as defined at 10 CFR 71.4) or gaseous radioactive material; and
2. Measurements of the radiation levels, if the package contains a Type B quantity (as defined at 10 CFR 71.4) of radioactive material.

DESCRIPTION OF COMPLIANCE STATUS:

In reference to the monitoring required by 10 CFR 835.405(b), the RAC will include measurements of removable contamination levels, unless the package contains only special form (as defined at 10 CFR 71.4) or gaseous radioactive material and will include measurements of the radiation levels, if the package contains a Type B quantity (as defined at 10 CFR 71.4) of radioactive material.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRACI743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.405(c) (2)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.405, "Receipt of packages containing radioactive material." (c)

The monitoring required by paragraph (b) of this section will include:

1. Measurements of the radiation levels, if the package contains a Type B quantity (as defined in 10 CFR 71.4) of radioactive material.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The Project is not equipped to receive Type B quantities of radioactive material; 10 CFR 71.4.

10 CFR 835.405(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.405, "Receipt of packages containing radioactive material." (d)

The monitoring required by paragraph (b) of this section will be completed as soon as practicable following receipt of the package, but not later than 8 hours after the beginning of the working day following receipt of the package.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will complete the monitoring required by 10 CFR 835.405(b) as soon as practicable following receipt of the package, but not later than 8 hours after the beginning of the working day following receipt of the package.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJIRAC743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.405(e)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.405, "Receipt of packages containing radioactive material." (e)

Monitoring pursuant to § 835.405(b) is not required for packages transported on a DOE site which have remained under the continuous observation and control of a DOE employee or DOE contractor employee who is knowledgeable of and implements required exposure control measures.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may choose not to perform monitoring pursuant to 10 CFR 835.405(b) for packages transported on a DOE site and which have remained under the continuous observation and control of a DOE employee or DOE contractor employee who is knowledgeable of and implements required exposure control measures.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.501(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.501, "Radiological areas." (a)

Personnel entry control will be maintained for each radiological area.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC maintains control of personnel entering each radiological area.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.501(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.501, "Radiological areas." (b)

The degree of control will be commensurate with existing and potential radiological hazards within the area.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC maintains the degree of personnel entry control (either administrative or engineered) so that it is commensurate with the existing and potential radiological hazards within the area.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.501(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.501, "Radiological areas." (c)

One or more of the following methods will be used to ensure control:

1. Signs and barricades
2. Control devices on entrances
3. Conspicuous visual and/or audible alarms
4. Locked entrance ways; or
5. Administrative controls.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC entry control program consists of the following methods:

1. Signs and barricades
2. Control devices on entrances
3. Conspicuous visual
4. Locked entrance ways
5. Administrative controls

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.501(d)(1)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.501, "Radiological areas." (d)

Written authorizations will be required to control entry into and perform work within radiological areas. These authorizations will specify radiation protection measures commensurate with the existing and potential hazards.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC requires written authorizations to control entry into and perform work within radiological areas that specify radiation protection measures commensurate with the existing and potential hazards.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.501(e)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.501, "Radiological areas." (e)

No control(s) will be installed at any radiological area exit that would prevent rapid evacuation of personnel under emergency conditions.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will not install any controls at any radiological area exit that would prevent rapid evacuation of personnel under emergency conditions.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

10 CFR 835.502(a)(1)(2)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.502, "High and very high radiation areas." (a)

The following measures will be implemented for each entry into a high radiation area:

1. The area will be monitored as necessary during access to determine the exposure rates to which the individuals are exposed; and
2. Each individual will be monitored by a supplemental dosimetry device or other means capable of providing an immediate estimate of the individual's integrated equivalent dose to the whole body during the entry.

DESCRIPTION OF COMPLIANCE STATUS:

Currently, there are no high and very high radiation areas on the Project, and it is highly unlikely there would ever be one on the Project based on the radiological source term. It has been determined, that there have been no reports where dose rates were above 5 mrem/hr at other mill tailing cleanup locations.

10 CFR 835.502(b)(1-6)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.502, "High and very high radiation areas.

Currently there are no high and very high radiation areas on the Project, and it is highly unlikely there would ever be one on the Project based on the source term.

If RAC ascertains the present of a high and very high radiation areas, RAC will:

(b), "Physical controls."

One or more of the following features will be used for each entrance or access point to a high radiation area where radiation levels exist such that an individual could exceed an equivalent dose to the whole body of 1 rem (0.01 Sv) in any one hour at 30 centimeters from the source or from any surface that the radiation penetrates:

1. A control device that prevents entry to the area when high radiation levels exist or upon entry causes the radiation level to be reduced below that level defining a high radiation area.
2. A device that functions automatically to prevent use or operation of the radiation source or field while individuals are in the area.
3. A control device that energizes a conspicuous visible or audible alarm signal so that the individual entering the high radiation area and the supervisor of the activity are made aware of the entry.
4. Entryways that are locked. During periods when access to the area is required, positive control over each entry is maintained.
5. Continuous direct or electronic surveillance that can prevent entry.
6. A control device that will automatically generate audible and visual alarm signals to alert personnel in the area before use or operation of the radiation source and in sufficient time to permit evacuation of the area or activation of a secondary control device that will prevent use or operation of the source.

DESCRIPTION OF COMPLIANCE STATUS:

Currently, there are no high and very high radiation areas on the Project, and it is highly unlikely there will ever be one on the Project based on the source term.

10 CFR 835.502(c)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.502, "High and very high radiation areas.

Currently, there are no high and very high radiation areas on the Project, and it is highly unlikely there will ever be one on the Project based on the source term.

(c), "Very high radiation areas."

In addition to the above requirements, additional measures will be implemented to ensure individuals are not able to gain unauthorized or inadvertent access to very high radiation areas.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

Based on the radiological source term of the Moab UMTRA Project there is 'no possibility to have a high or very high radiation area.

10 CFR 835.502(d)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.502, "High and very high radiation areas." (d)

No control(s) should be established in a high or very high radiation area that would prevent rapid evacuation of personnel.

DESCRIPTION OF COMPLIANCE STATUS:

Based on the radiological source term of the Moab UMTRA Project there is no possibility to have a high or very high radiation area.

10 CFR 835.601(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.601, "General requirements." (a)

Except as otherwise provided in this subpart, postings and labels required by this subpart will include the standard radiation warning trefoil in black or magenta imposed upon a yellow background.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC uses signs and labels with radiation symbols that are either black or magenta imposed upon yellow backgrounds.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835.601(b)(1)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.601, "General requirements." (b)

Signs required by this subpart will be clearly and conspicuously posted and may include radiological protection instructions.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC posts signs that are clear and conspicuous and may include radiological protection instructions.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.601(c)(1)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.601, "General requirements." (c)

The posting and labeling requirements in this subpart may be modified to reflect the special considerations of DOE activities conducted at private residences or businesses. Such modifications will provide the same level of protection to individuals as the existing provisions in this subpart.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may modify the posting and labeling requirements to reflect the special considerations of DOE activities conducted at private residences or businesses. If the RAC makes modifications to posting requirements, the modifications will provide the same level of protection to individuals as the provisions in 10 CFR 835 Subpart G.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835.602(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.602, "Controlled Areas." (a)

Each access point to a controlled area (as defined at § 835.2) will be posted whenever radiological areas or radioactive material areas exist in the area. Individuals who enter only controlled areas without entering radiological areas or radioactive material areas are not expected to receive a total effective dose of more than 0.1 rem (0.001 Sv) in a year.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will ensure each access point to a controlled area (as defined in 10 CFR 835.2) is posted whenever radiological areas or radioactive material areas exist in the area. The RAC understands that individuals who enter only controlled areas without entering radiological areas or radioactive material areas are not expected to receive a total effective dose of more than 0.1 rem (0.001 Sv) in a year from sources other than occupational exposure to radon, thoron, and their progeny. RAC had an Employee Radon Monitoring program that met this requirement when Radon doses exceed 100 mrem./yr. As of January 1, 2024, the Moab UMTRA Project Employee Radon Monitoring program was discontinued do to the reduction of the radiological source term, resulting in no employee receiving a radon radiological dose exceeding the 100 mrem/yr limit.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 Moab UMTRA Project Radiological Posting and Access Control Procedure"
- GERT RWP Training Completed RPF-025 Form

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.602(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.602, “Controlled Areas.” (b)

Signs used for this purpose may be selected by the contractor to avoid conflict with local security requirements.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may select signs (that are used for ensuring access points to controlled areas are posted) that avoid conflict with local security requirements.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRACI748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”

10 CFR 835.603 (a)(b)(c)(d)(e)(f)(g)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.603, “Radiological areas and radioactive material areas.”

Each access point to radiological areas and radioactive material areas (as defined at § 835.2) will be posted with conspicuous signs bearing the wording provided in this section.

- a. Radiation area. The words “Caution, Radiation Area” will be posted at each radiation area.
- b. High radiation area. The words “Caution, High Radiation Area” or “Danger, High Radiation Area” will be posted at each high radiation area.
- c. Very high radiation area. The words “Grave Danger, Very High Radiation Area” will be posted at each very high radiation area.
- d. Airborne radioactivity area. The words “Caution, Airborne Radioactivity Area” or “Danger, Airborne Radioactivity Area” will be posted at each airborne radioactivity area.
- e. Contamination area. The words “Caution, Contamination Area” will be posted at each contamination area.
- f. High contamination area. The words “Caution, High Contamination Area” or “Danger, High Contamination Area” will be posted at each high contamination area.
- g. Radioactive material area. The words “Caution, Radioactive Material(s)” will be posted at each radioactive material area.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC posts conspicuous signs at each access point to radiological areas and radioactive material areas (as defined in 10 CFR 835.2), bearing the wording provided in 10 CFR 835.603, as described below:

- a. Radiation area. The words “Caution, Radiation Area” will be posted at each radiation area.
- b. High radiation area. The words “Caution, High Radiation Area” or “Danger, High Radiation Area” will be posted at each high radiation area.
- c. Very high radiation area. The words “Grave Danger, Very High Radiation Area” will be posted at each very high radiation area.
- d. Airborne radioactivity area. The words “Caution, Airborne Radioactivity Area” or “Danger, Airborne Radioactivity Area” will be posted at each airborne radioactivity area.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

- e. Contamination area. The words “Caution, Contamination Area” will be posted at each contamination area.
- f. High contamination area. The words “Caution, High Contamination Area” or “Danger, High Contamination Area” will be posted at each high contamination area.
- g. Radioactive material area. The words “Caution, Radioactive Material(s)” will be posted at each radioactive material area.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”

10 CFR 835.604(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.604, “Exceptions to posting requirements.” (a)

Areas may be excepted from the posting requirements of § 835.603 for periods of less than 8 continuous hours when placed under continuous observation and control of an individual knowledgeable of, and empowered to implement, required access and exposure control measures.

DESCRIPTION OF COMPLIANCE STATUS:

RAC may except areas from the posting requirements of 10 CFR 835.603 for periods of less than 8 continuous hours when placed under continuous observation and control of an individual knowledgeable of, and empowered to implement, required access and exposure control measures.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”

10 CFR 835.604(b)(1)(2)(3)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.604, “Exceptions to posting requirements.” (b)

Areas may be excepted from the radioactive material area posting requirements of § 835.603(g) when:

1. Posted in accordance with § 835.603(a) through (f); or
2. Each item or container of radioactive material is labeled in accordance with this subpart such that individuals entering the area are made aware of the hazard; or
3. The radioactive material of concern consists solely of structures or installed components which have been activated (i.e., such as by being exposed to neutron radiation or particles produced in an accelerator).

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may except areas from the radioactive material area posting requirements of 10 CFR 835.603(g) when:

1. Posted in accordance with 10 CFR 835.603(a) through (f).
2. Each item or container of radioactive material is labeled in accordance with 10 CFR 835 Subpart G such that individuals entering the area are made aware of the hazard.
3. The radioactive material of concern consists solely of structures or installed components which have been activated (i.e., such as by being exposed to neutron radiation or particles produced in an accelerator).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835.604(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.604, "Exceptions to posting requirements." (c)

Areas containing only packages received from radioactive material transportation labeled and in non-degraded condition need not be posted in accordance with § 835.603 until the packages are monitored in accordance with § 835.405.

DESCRIPTION OF COMPLIANCE STATUS:

For areas containing only packages received from radioactive material transportation labeled and in non-degraded condition, the RAC need not post these areas in accordance with 10 CFR 835.603 until the packages are monitored in accordance with 10 CFR 835.405.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835.605 (1) (2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.605, "Labeling items and containers."

Except as provided at § 835.606, each item or container of radioactive material will bear a durable, clearly visible label bearing the standard radiation warning trefoil and the words "Caution, Radioactive Material" or "Danger, Radioactive Material." The label will also provide sufficient information to permit individuals to handle, using, or working in the vicinity of the items or containers to take precautions to avoid or control exposures.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

Except as provided in 10 CFR 835.606, the RAC will ensure each item or container of radioactive material will bear a durable, clearly visible label bearing the standard radiation warning trefoil and the words “Caution, Radioactive Material” or “Danger, Radioactive Material.” The label will also provide sufficient information to permit individuals handling, using, or working in the vicinity of the items or containers to take precautions to avoid or control exposures.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”

10 CFR 835.606(a) (1-6)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.606, “Exceptions to labeling requirements.” (a)

Items and containers may be excepted from the radioactive material labeling requirements of § 835.605 when:

1. Used, handled, or stored in areas posted and controlled in accordance with this subpart and sufficient information is provided to permit individuals to take precautions to avoid or control exposures; or
2. The quantity of radioactive material is less than one tenth of the values specified in Appendix E of this part and less than 0.1 Ci; or
3. Packaged, labeled, and marked in accordance with the regulations of the Department of Transportation or DOE Orders governing radioactive material transportation; or
4. Inaccessible, or accessible only to individuals authorized to handle or use them, or to work in the vicinity; or
5. Installed in manufacturing, process, or other equipment, such as reactor components, piping, and tanks; or
6. The radioactive material consists solely of nuclear weapons or their components.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may except items and containers from the radioactive material labeling requirements of 10 CFR 835.605 when:

1. Used, handled, or stored in areas posted and controlled in accordance with 10 CFR 835 Subpart G and sufficient information is provided to permit individuals to take precautions to avoid or control exposures.
2. The quantity of radioactive material is less than one tenth of the values specified in 10 CFR 835 Appendix E and less than 0.1 Ci.
3. Packaged, labeled, and marked in accordance with the regulations of the DOT or DOE orders governing radioactive material transportation.
4. Inaccessible or accessible only to individuals authorized to handle, use them, or to work in the vicinity.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

5. Installed in manufacturing, process, or other equipment, such as reactor components, piping, and tanks.
6. The radioactive material consists solely of nuclear weapons or their components.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- “Moab UMTRA Project Radiological Posting and Access Control Procedure”
- DOE-EM/GJ1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"

10 CFR 835.606(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.606, “Exceptions to labeling requirements.” (b)

Radioactive material labels applied to sealed radioactive sources may be excepted from the color specifications of § 835.601(a).

DESCRIPTION OF COMPLIANCE STATUS:

RAC may except the radioactive material labels applied to sealed radioactive sources from the color specifications of 10 CFR 835.601(a).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"

10 CFR 835.701(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.701, “General provisions.” (a)

Records will be maintained to document compliance with this part and with radiation protection programs required by § 835.101.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC maintains records to document compliance with 10 CFR 835.701(a) and with radiation protection programs required by 10 CFR 835.101.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ1545 "DOE (U.S. Department of Energy), Moab UMTRA Project Records Management Manual"
- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.701(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.701, "General provisions." (b)

Unless otherwise specified in this subpart, records will be retained until final disposition is authorized by DOE.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC maintains required records until final disposition is authorized by the DOE.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ1545 Moab UMTRA Project Records Management Program Plan"
- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

10 CFR 835.702(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.702, "Individual monitoring records." (a)

Except as authorized by § 835.702(b), records will be maintained to document doses received by all individuals for whom monitoring was conducted and to document doses received during planned special exposures, unplanned doses exceeding the monitoring thresholds of § 835.402, and authorized emergency exposures.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will maintain records, except as authorized by 10 CFR 835.702(b), to document doses received by all individuals for whom monitoring was conducted and to document doses received during planned special exposures, unplanned doses exceeding the monitoring thresholds of 10 CFR 835.402, and authorized emergency exposures.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ1545 "DOE (U.S. Department of Energy), Moab UMTRA Project Records Management Program Plan"
- DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.702(b) (1-4)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.702, "Individual monitoring records." (b)

Recording of the non-uniform equivalent dose to the skin is not required if the dose is less than 2 percent of the limit specified for the skin at § 835.202(a)(4). Recording of internal dose (committed effective dose or committed equivalent dose) is not required for any monitoring result estimated to correspond to an individual receiving less than 0.01 rem (0.1 mSv) committed effective dose. The bioassay or air monitoring result used to make the estimate will be maintained in accordance with § 835.703(b) and the unrecorded internal dose estimated for any individual in a year will not exceed the applicable monitoring threshold at § 835.402(c).

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may choose not to record the non-uniform equivalent dose to the skin if the dose is less than 2 percent of the limit specified for the skin at 10 CFR 835.202(a)(4). The RAC may choose not to record internal dose (committed effective dose or committed equivalent dose) for any monitoring result estimated to correspond to an individual receiving less than 0.01 rem (0.1 mSv) committed effective dose. The RAC will maintain the air monitoring result used to make the estimate in accordance with 10 CFR 835.703(b) and the unrecorded internal dose estimated for any individual in a year will not exceed the applicable monitoring threshold at 10 CFR 835.402(c).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

10 CFR 835.702(c) (1-6)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.702, "Individual monitoring records." (c)

The records required by this section will:

1. Be sufficient to evaluate compliance with subpart C of this part.
2. Be sufficient to provide dose information necessary to complete reports required by subpart I of this part.
3. Include the results of monitoring used to assess the following quantities for external dose received during the year:
 - i. The effective dose from external sources of radiation (equivalent dose to the whole body may be used as effective dose for external exposure).
 - ii. The equivalent dose to the lens of the eye.
 - iii. The equivalent dose to the skin; and
 - iv. The equivalent dose to the extremities.
4. Include the following information for internal dose resulting from intakes received during the year:
 - i. Committed effective dose.
 - ii. Committed equivalent dose to any organ or tissue of concern; and
 - iii. Identity of radionuclides.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

5. Include the following quantities for the summation of the external and internal dose:
 - i. Total effective dose in a year.
 - ii. For any organ or tissue assigned an internal dose during the year, the sum of the equivalent dose to the whole body from external exposures and the committed equivalent dose to that organ or tissue; and
 - iii. Cumulative total effective dose.
6. Include the equivalent dose to the embryo/fetus of a declared pregnant worker.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC individual monitoring records are:

1. Sufficient to evaluate compliance with 10 CFR 835 Subpart C.
2. Sufficient to provide dose information necessary to complete reports required by 10 CFR 835 Subpart I.
3. Maintained to include the results of monitoring used to assess the following quantities for external dose received during the year:
 - i. The effective dose from external sources of radiation (Equivalent dose to the whole body may be used as effective dose for external exposure.)
 - ii. The equivalent dose to the lens of the eye
 - iii. The equivalent dose to the skin
 - iv. The equivalent dose to the extremities
4. Maintained to include the following information for internal dose resulting from intakes received during the year:
 - i. Committed effective dose
 - ii. Committed equivalent dose to any organ or tissue of concern
 - iii. Identity of radionuclides
5. Maintained to include the following quantities for the summation of the external and internal dose:
 - i. Total effective dose in a year
 - ii. For any organ or tissue assigned an internal dose during the year, the sum of the equivalent dose to the whole body from external exposures and the committed equivalent dose to that organ or tissue
 - iii. Cumulative total effective dose
6. Maintained to include the equivalent dose to the embryo/fetus of a declared pregnant worker.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.702(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.702, "Individual monitoring records." (d)

Documentation of all occupational doses received during the current year, except for doses resulting from planned special exposures conducted in compliance with § 835.204 and emergency exposures authorized in accordance with § 835.1302(d), will be obtained to demonstrate compliance with § 835.202(a). If complete records documenting previous occupational dose during the year cannot be obtained, a written estimate signed by the individual may be accepted to demonstrate compliance.

DESCRIPTION OF COMPLIANCE STATUS:

To demonstrate compliance with 10 CFR 835.202(a), the RAC obtains all occupational exposures received during the current year, except for doses resulting from planned special exposures conducted in compliance with 10 CFR 835.204 and emergency exposures authorized in accordance with 10 CFR 835.1302(d). If the RAC cannot obtain complete records, then the RAC may accept and use a written estimate, signed by the individual, to demonstrate compliance.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

10 CFR 835.702(e)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.702, "Individual monitoring records." (e)

For radiological workers whose occupational dose is monitored in accordance with § 835.402, reasonable efforts will be made to obtain complete records of prior years' occupational internal and external doses.

DESCRIPTION OF COMPLIANCE STATUS:

For radiological workers whose occupational dose is monitored in accordance with 10 CFR 835.402, the RAC will make reasonable efforts to obtain complete records of prior years' occupational internal and external doses.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"

10 CFR 835.702(f)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.702, "Individual monitoring records." (f)

The records specified in this section that are identified with a specific individual will be readily available to that individual.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC makes the records specified in 10 CFR 835.702 that are identified with a specific individual readily available to that individual.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

10 CFR 835.702(g)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.702, "Individual monitoring records." (g)

Data necessary to allow future verification or reassessment of the recorded doses will be recorded.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC records data necessary to allow future verification or reassessment of the recorded doses.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

10 CFR 835.702(h)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.702, "Individual monitoring records." (h)

All records required by this section will be transferred to the DOE upon cessation of activities at the site that could cause exposure to individuals.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will transfer all records required by 10 CFR 835.702 to the DOE upon cessation of activities at sites that could cause exposure to individuals. The Radiological Employee Dosimetry Database program (REDDs) maintains all employee radiological data/documentation and downloads employees individual dose data on a set download schedule that is determined by the Record Management group.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.703 (a-d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.703, "Other monitoring records."

The following information will be documented and maintained:

- a. Results of monitoring for radiation and radioactive material as required by subparts E and L of this part, except for monitoring required by § 835.1102(d).
- b. Results of monitoring used to determine individual occupational dose from external and internal sources.
- c. Results of monitoring for the release and control of material and equipment as required by § 835.1101; and
- d. Results of maintenance and calibration performed on instruments and equipment as required by § 835.401(b).

DESCRIPTION OF COMPLIANCE STATUS:

The RAC documents and maintains the:

- a. Results of monitoring for radiation and radioactive material as required by 10 CFR 835 Subpart E and 10 CFR 835 Subpart L, except for monitoring required by 10 CFR 835.1102(d).
- b. Results of monitoring used to determine individual occupational dose from external and internal sources.
- c. Results of monitoring for the release and control of material and equipment as required by 10 CFR 835.1101.
- d. Results of maintenance and calibration performed on instruments and equipment as required by 10 CFR 835.401(b).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

10 CFR 835.704(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.704, "Administrative records." (a)

Training records will be maintained, as necessary, to demonstrate compliance with § 835.901.

DESCRIPTION OF COMPLIANCE STATUS:

RAC and TAC maintains training records which demonstrate compliance with 10 CFR 835.901.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.704(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.704, "Administrative records." (b)

Actions taken to maintain occupational exposures as low as reasonably achievable, including the actions required for this purpose by § 835.101, as well as facility design and control actions required by § 835.1001, 835.1002, and 835.1003, will be documented.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC documents actions taken to maintain occupational exposures ALARA, including the actions required for this purpose by 10 CFR 835.101, as well as facility design and control actions required by 10 CFR 835.1001, 10 CFR 835.1002, and 10 CFR 835.1003.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure

10 CFR 835.704(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.704, "Administrative records." (c)

Records will be maintained to document the results of internal audits and other reviews of program content and implementation.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC and TAC documents and maintains records of the results of internal audits and other reviews of program content and implementation.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"

10 CFR 835.704(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.704, "Administrative records." (d)

Written declarations of pregnancy, including the estimated date of conception, and revocations of declarations of pregnancy will be maintained.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC maintains written declarations of pregnancy, including the estimated date of conception, and revocations of declarations of pregnancy.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.704(e)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.704, "Administrative records." (e)

Changes in equipment, techniques, and procedures used for monitoring will be documented.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC documents change in equipment, techniques, and procedures used for monitoring.

10 CFR 835.704(f)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.704, "Administrative records." (f)

Records will be maintained as necessary to demonstrate compliance with the requirements of § 835.1201 and 835.1202 for sealed radioactive source control, inventory, and source leak tests.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC maintains records as necessary to demonstrate compliance with the requirements of 10 CFR 835.1201 and 10 CFR 835.1202 for sealed radioactive source control, inventory, and source leak tests.

10 CFR 835.801(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.801, "Reports to individuals." (a)

Radiation exposure data for individuals monitored in accordance with § 835.402 will be reported as specified in this section. The information will include the data required under § 835.702(c). Each notification and report will be in writing and include: the DOE site or facility name, the name of the individual, and the individual's social security number, employee number, or other unique identification number.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC reports radiation exposure data for individuals monitored in accordance with 10 CFR 835.402 as specified in 10 CFR 835.801. The RAC includes information and data required under 10 CFR 835.702(c). The RAC provides each notification and report in writing and includes: the DOE site or facility name, the name of the individual, and the individual's social security number, employee number, or other unique identification number.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedure Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.801(b) (1)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.801, "Reports to individuals." (b)

Upon the request from an individual terminating employment, records of exposure will be provided to that individual as soon as the data are available, but not later than 90 days after termination. A written estimate of the radiation dose received by that employee based on available information will be provided at the time of termination, if requested.

DESCRIPTION OF COMPLIANCE STATUS:

Upon the request from an individual terminating employment, the RAC provides records of exposure to that individual as soon as the data are available, but not later than 90 days after termination. The RAC provides a written estimate of the radiation dose received by that employee based on available information at the time of termination, if requested by the terminating individual to do so.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedure Manual"

10 CFR 835.801(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.801, "Reports to individuals." (c)

Each DOE- or DOE-contractor-operated site or facility will, on an annual basis, provide a radiation dose report to Each individual monitored during the year at that site or facility in accordance with § 835.402.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will provide, on an annual basis, a radiation dose report to Each individual monitored during the year at the site or facility in accordance with 10 CFR 835.402.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedure Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.801(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.801, "Reports to individuals." (d)

Detailed information concerning any individual's exposure will be made available to the individual upon request of that individual, consistent with the provisions of the Privacy Act (5 U.S.C. 552a).

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will make available detailed information concerning any individual's exposure to that individual upon request of that individual, consistent with the provisions of the Privacy Act, 5 USC 552a (*United States Code*).

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"

10 CFR 835.801(e) (1)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.801, "Reports to individuals." (e)

When a DOE contractor is required to report to the Department, pursuant to Departmental requirements for occurrence reporting and processing, any exposure of an individual to radiation and/or radioactive material, or planned special exposure in accordance with § 835.204(e), the contractor will also provide that individual with a report on his or her exposure data included therein. Such report should be transmitted at a time not later than the transmittal to the Department.

DESCRIPTION OF COMPLIANCE STATUS:

When the RAC is required to report to the DOE, pursuant to DOE requirements for occurrence reporting and processing, any exposure of an individual to radiation and/or radioactive material or planned special exposure in accordance with 10 CFR 835.204(e), the RAC will also provide that individual with a report on his or her exposure data included therein. The RAC will transmit this report no later than the transmittal to the DOE.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedure Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.901(a) (1) (2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.901, "Radiation safety training." (a)

Each individual will complete radiation safety training on the topics established at § 835.901(c) commensurate with the hazards in the area and the required controls:

1. Before being permitted unescorted access to controlled areas; and
2. Before receiving occupational dose during access to controlled areas at a DOE site or facility.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC ensures radiation safety training on the topics established at 10 CFR 835.901(c) commensurate with the hazards in the area and the required controls are provided

1. Before permitted unescorted access to controlled areas.
2. Before receiving occupational dose during access to controlled areas at a RAC-operated site or facility.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- TAC-General Employee Radiological Training GERT program RP-101.
- TAC-Radiation Worker Training 11 RP 102
- DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"

10 CFR 835.901(b) (1) (2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.901, "Radiation safety training." (b)

Each individual will demonstrate knowledge of the radiation safety training established at § 835.901(c), commensurate with the hazards in the area and required controls, by successful completion of an examination and performance demonstrations:

1. Before being permitted unescorted access to radiological areas; and
2. Before performing unescorted assignments as a radiological worker.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC requires each individual to demonstrate knowledge of the radiation safety training established in 10 CFR 835.901(c), commensurate with the hazards in the area and required controls, by successful completion of an examination and performance demonstrations:

1. Before permitted unescorted access to radiological areas.
2. Before performing unescorted assignments as a radiological worker.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- TAC-General Employee Radiological Training GERT program RP-101.
- TAC-Radiation Worker Training 11 RP 102
- DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.901(c)(1-6)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.901, "Radiation safety training." (c)

Radiation safety training will include the following topics, to an extent appropriate to Each individual's prior training, work assignments, and degree of exposure to potential radiological hazards:

1. Risks of exposure to radiation and radioactive materials, including prenatal radiation exposure.
2. Basic radiological fundamentals and radiation protection concepts.
3. Physical design features, administrative controls, limits, policies, procedures, alarms, and other measures implemented at the facility to manage doses and maintain doses ALARA, including both routine and emergency actions.
4. Individual rights and responsibilities as related to implementation of the facility Radiation Protection Program.
5. Individual responsibilities for implementing ALARA measures required by § 835.101; and
6. Individual exposure reports that may be requested in accordance with § 835.801.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC ensures radiation safety training includes the following topics, to an extent appropriate to Each individual's prior training, work assignments, and degree of exposure to potential radiological hazards:

1. Risks of exposure to radiation and radioactive materials, including prenatal radiation exposure
2. Basic radiological fundamentals and radiation protection concepts
3. Physical design features, administrative controls, limits, policies, procedures, alarms, and other measures implemented at the facility to manage doses and maintain doses ALARA, including both routine and emergency actions
4. Individual rights and responsibilities as related to implementation of the facility Radiation Protection Program
5. Individual responsibilities for implementing ALARA measures required by 10 CFR 835.101
6. Individual exposure reports that may be requested in accordance with 10 CFR 835.801

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- TAC-General Employee Radiological Training GERT program RP-101.
- TAC-Radiation Worker Training 11 RP 102
- DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"

10 CFR 835.901(d)(1)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.901, "Radiation safety training." (d)

When an escort is used in lieu of training in accordance with paragraph (a) or (b) of this section, the escort will:

1. Have completed radiation safety training, examinations, and performance demonstrations required for entry to the area and performance of the work; and
2. Ensure that all escorted individuals comply with the documented radiation protection program.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

When the RAC uses an escort in lieu of training in accordance with 10 CFR 835.901(a) and 10 CFR 835.901(b), the escort will have completed radiation safety training, examinations, and performance demonstrations required for entry to the area and performance of the work. The escort will ensure that all escorted individuals comply with this RPP.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- TAC-General Employee Radiological Training GERT program RP-101.
- TAC-Radiation Worker Training 11 RP 102
- DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"

10 CFR 835.901(e)(1)(2)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.901, "Radiation safety training." (e)

Radiation safety training will be provided to individuals when there is a significant change to radiation protection policies and procedures that may affect the individual and at intervals not to exceed 24 months. Such training provided for individuals subject to the requirements of § 835.901(b)(1) and (b)(2) will include successful completion of an examination.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will ensure radiation safety training is provided to individuals when there is a significant change to radiation protection policies and procedures that may affect the individual and at intervals not to exceed 24 months. The RAC ensures training for individuals subject to the requirements of 10 CFR 835.901(b); this training requires the successful completion of an examination.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- TAC-General Employee Radiological Training GERT program RP-101.
- TAC-Radiation Worker Training 11 RP 102
- DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"

10 CFR 835.1001(a)(1)(2)(3)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1001, "Design and control." (a)

Measures will be taken to maintain radiation exposure in controlled areas ALARA through engineered and administrative controls. The primary methods used will be engineered controls (e.g., confinement, ventilation, remote handling, and shielding). Administrative controls will be employed only as supplemental methods to control radiation exposure.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will apply measures to maintain radiation exposure in controlled areas ALARA through engineered and administrative controls. The primary methods used by the RAC are engineered controls (e.g., confinement, ventilation, remote handling, shielding). The RAC uses administrative controls only as supplemental methods to control radiation exposure.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

10 CFR 835.1001(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1001, "Design and control." (b)

For specific activities where use of engineered controls is demonstrated to be impractical, administrative controls will be used to maintain radiation exposures ALARA.

DESCRIPTION OF COMPLIANCE STATUS:

For specific activities where use of physical design features is demonstrated to be impractical, the RAC will use administrative controls to maintain radiation exposures ALARA.

10 CFR 835.1002(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1002, "Facility design and modifications." (a)

During the design of new facilities or modification of existing facilities, the following objectives will be adopted:

- a. Optimization methods will be used to ensure that occupational exposure is maintained ALARA in developing and justifying facility design and physical controls.

DESCRIPTION OF COMPLIANCE STATUS:

During the design of new facilities or modification of existing facilities, the RAC will use optimization methods to assure that occupational exposure is maintained ALARA when developing or justifying facility design and physical controls.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.1002(b) (1-3)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1002, "Facility design and modifications." (b)

During the design of new facilities or modification of existing facilities, the following objectives will be adopted:

- b. The objective for controlling personnel exposure from external sources of radiation in areas of continuous occupational occupancy (2000 hrs per year) will be to maintain exposure levels below an average of 0.5 millirem (5 micro [μ]Sv) per hr and as far below this average as is reasonably achievable. The design objectives for exposure rates for potential exposure to a radiological worker where occupancy differs from the above will be ALARA and will not exceed 20 percent of the applicable standards in § 835.202.

DESCRIPTION OF COMPLIANCE STATUS:

During the design of new facilities, or modification of existing facilities, the design objective used by the RAC for controlling personnel exposure from external sources of radiation in areas of continuous occupational occupancy (2000 hours per year), is to maintain exposure levels below an average of 0.5 mrem [5μ Sv] per hr, and as far below this average as is reasonably achievable. The design objective, used by the RAC, for exposure rates for potential exposure to a radiological worker where occupancy differs from 2000 hrs per year is ALARA, and to not exceed 20 percent of the applicable standards in 10 CFR 835.202.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

10 CFR 835.1002(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1002, "Facility design and modifications." (c)

During the design of new facilities or modification of existing facilities, the following objectives will be adopted:

- c. Regarding the control of airborne radioactive material, the design objective will be, under normal conditions, to avoid releases to the workplace atmosphere and in any situation, to control the inhalation of such material by workers to levels that are ALARA; confinement and ventilation will normally be used.

DESCRIPTION OF COMPLIANCE STATUS:

Regarding the control of airborne radioactive material, the design objective, used by the RAC under normal conditions, is to avoid releases to the workplace atmosphere and in any situation, to control the inhalation of such material by workers to levels that are ALARA. In addition to confinement and ventilation, which are used where practical and appropriate, the RAC uses dust suppression and material handling techniques designed to maintain airborne radioactive material to levels that are ALARA. Currently only light work is conducted in the Atlas Bldg., and most of the heavy work is performed in the Sunshade structure in the CA. In the upcoming DOE Moab UMTRA Contract, the Atlas Building will be demolish and no new facilities are plan.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

10 CFR 835.1002(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1002, "Facility design and modifications." (d)

During the design of new facilities or modification of existing facilities, the following objectives will be adopted:

- d. The design or modification of a facility and the selection of materials will include features that facilitate operations, maintenance, decontamination, and decommissioning.

DESCRIPTION OF COMPLIANCE STATUS:

During the design of new facilities or modification of existing facilities, the RAC will select materials that include features that facilitate operations, maintenance, decontamination, and decommissioning.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

10 CFR 835.1003

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1003, "Workplace controls."

During routine operations, the combination of engineering and administrative controls will provide that:

- a. The anticipated occupational dose to general employees will not exceed the limits established at § 835.202; and
- b. The ALARA process is utilized for personnel exposures to ionizing radiation.

DESCRIPTION OF COMPLIANCE STATUS:

During routine operations, the combination of engineered and administrative controls the RAC uses will limit the occupational dose to general employees to less than the limits established at 10 CFR 835.202 and will provide that the ALARA process is utilized for personnel exposures to ionizing radiation.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.1101(a)(1)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1101, “Control of material and equipment.” (a)

Except as provided in paragraphs (b) and (c) of this section, material and equipment in contamination areas, high contamination areas, and airborne radioactivity areas will not be released to a controlled area if:

1. Removable surface contamination levels on accessible surfaces exceed the removable surface contamination values specified in appendix D of this part; or
2. Prior use suggests that the removable surface contamination levels on inaccessible surfaces are likely to exceed the removable surface contamination values specified in appendix D of this part.

DESCRIPTION OF COMPLIANCE STATUS:

Except as provided in 10 CFR 835.1101(b) and 10 CFR 835.1101(c), the RAC will not release material and equipment in contamination areas, high contamination areas, and airborne radioactivity areas to a controlled area if:

1. Removable surface contamination levels on accessible surfaces exceed the removable surface contamination values specified in 10 CFR 835 Appendix D.
2. Prior use suggests that the removable surface contamination levels on inaccessible surfaces are likely to exceed the removable surface contamination values specified in 10 CFR 835 Appendix D.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"

10 CFR 835.1101(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1101, “Control of material and equipment.” (b)

Material and equipment exceeding the removable surface contamination values specified in appendix D of this part, may be conditionally released for movement on-site from one radiological area to immediate placement in another radiological area, only if appropriate monitoring is performed and appropriate controls for the movement are established and exercised.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may choose to conditionally release material and equipment exceeding the removable surface contamination values specified in 10 CFR 835 Appendix D for movement on site from one radiological area for immediate placement in another radiological area, if appropriate monitoring is performed and appropriate controls for the movement are established and exercised.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"

10 CFR 835.1101(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1101, "Control of material and equipment." (c)

Material and equipment with fixed contamination levels that exceed the total contamination values specified in appendix D of this part may be released for use in controlled areas outside of radiological areas only under the following conditions:

1. Removable surface contamination levels are below the removable surface contamination values specified in appendix D of this part; and
2. The material or equipment is routinely monitored and clearly marked or labeled to alert personnel of the contaminated status.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may choose to release and use material and equipment with fixed contamination levels that exceed the total surface contamination values specified in 10 CFR 835 Appendix D in controlled areas outside of radiological areas only under the following conditions:

1. Removable surface contamination levels are below the removable surface contamination values specified in 10 CFR 835 Appendix D.
2. The material or equipment is routinely monitored and clearly marked or labeled to alert personnel of the contaminated status.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"

10 CFR 835.1102(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1102, "Control of areas." (a)

Appropriate controls should be maintained and verified which prevent the inadvertent transfer of removable contamination to locations outside of radiological areas under normal operating conditions.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC maintains and verifies appropriate controls which prevent the inadvertent transfer of removable contamination to locations outside of radiological areas under normal operating conditions.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.1102(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1102, "Control of areas." (b)

Any area in which contamination levels exceed the values specified in appendix D of this part will be controlled in a manner commensurate with the physical and chemical characteristics of the contaminant, the radionuclides present, and the fixed and removable surface contamination levels.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC controls any area in which contamination levels exceed the values specified in 10 CFR 835 Appendix D in a manner commensurate with the physical and chemical characteristics of the contaminant, the radionuclides present, and the fixed and removable contamination levels.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835.1102(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1102, "Control of areas." (c)

Areas accessible to individuals where the measured total surface contamination levels exceed, but the removable surface contamination levels are less than, corresponding surface contamination values specified in appendix D of this part, will be controlled as follows when located outside of radiological areas:

1. The area will be routinely monitored to ensure the removable surface contamination level remains below the removable surface contamination values specified in appendix D of this part; and
2. The area will be conspicuously marked to warn individuals of the contaminated status.

DESCRIPTION OF COMPLIANCE STATUS:

For areas, located outside of radiological areas, which are accessible to individuals where the measured total surface contamination levels exceed, but the removable surface contamination levels are less than, corresponding surface contamination values specified in 10 CFR 835 Appendix D, the RAC ensures that:

1. The area is routinely monitored to ensure the removable surface contamination level remains below the removable surface contamination values specified in 10 CFR 835 Appendix D.
2. The area is conspicuously marked to warn individuals of the contaminated status.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835.1102(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1102, "Control of areas." (d)

Individuals exiting contamination, high contamination, or airborne radioactivity areas will be monitored, as appropriate, for the presence of surface contamination.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will monitor individuals exiting contamination, high contamination, or airborne radioactivity areas for the presence of surface contamination, as appropriate.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GRACJ1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835: 1102 (e)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1102, "Control of areas." (e)

Protective clothing will be required for entry into areas in which removable contamination exists at levels exceeding the removable surface contamination values specified in Appendix D of this part.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC requires protective clothing for entry into areas in which removable contamination exists at levels exceeding the removable surface contamination values specified in 10 CFR 835 Appendix D.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835.1201

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1201, "Sealed radioactive source control."

Sealed radioactive sources will be used, handled, and stored in a manner commensurate with the hazards associated with the operations involving the sources.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will use, handle, and store sealed radioactive sources in a manner commensurate with the hazards associated with the operations involving the sources.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
- DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive

10 CFR 835.1202(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1202, "Accountable sealed radioactive sources." (a)

Each accountable sealed radioactive source will be inventoried at intervals not to exceed 6 months. This inventory will:

1. Establish the physical location of each accountable sealed radioactive source.
2. Verify the presence and adequacy of associated postings and labels; and
3. Establish the adequacy of storage locations, containers, and devices.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will inventory each accountable sealed radioactive source at intervals not to exceed 6 months. This inventory will:

1. Establish the physical location of each accountable sealed radioactive source.
2. Verify the presence and adequacy of associated postings and labels.
3. Establish the adequacy of storage locations, containers, and devices.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
- DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"

10 CFR 835.1202(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1202, "Accountable sealed radioactive sources." (b)

Except for sealed radioactive sources consisting solely of gaseous radioactive material or tritium, each accountable sealed radioactive source will be subject to a source leak test upon receipt, when damage is suspected, and at intervals not to exceed six months. Source leak tests will be capable of detecting radioactive material leakage equal to or exceeding 0.005 μCi .

DESCRIPTION OF COMPLIANCE STATUS:

Except for sealed radioactive sources consisting solely of gaseous radioactive material or tritium, the RAC will perform a source leak test on each accountable sealed radioactive source upon receipt, when damage is suspected, and at intervals not to exceed 6 months. The leak tests performed by the RAC can detect radioactive material leakage equal to or exceeding 0.005 μCi .

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

10 CFR 835.1202(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1202, "Accountable sealed radioactive sources." (c)

Notwithstanding the requirements of paragraph (b) of this section, an accountable sealed radioactive source is not subject to periodic source leak testing if that source has been removed from service. Such sources will be stored in a controlled location, subject to periodic inventory as required by paragraph (a) of this section, and subject to source leak testing prior to being returned to service.

DESCRIPTION OF COMPLIANCE STATUS:

Notwithstanding the requirements of 10 CFR 835.1202(b), the RAC does not subject an accountable sealed radioactive source to periodic source leak testing if that source has been removed from service. In this instance, the RAC will ensure that such sources are stored in a controlled location, subject to periodic inventory as required by 10 CFR 835.1202(a), and subject to source leak testing prior to being returned to service.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
- DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"

10 CFR 835.1202(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1202, "Accountable sealed radioactive sources." (d)

Notwithstanding the requirements of paragraphs (a) and (b) of this section, an accountable sealed radioactive source is not subject to periodic inventory and source leak testing if that source is in an area that is unsafe for human entry or otherwise inaccessible.

DESCRIPTION OF COMPLIANCE STATUS:

Notwithstanding the requirements of 10 CFR 835.1202(a) and 10 CFR 835.1202 (b), the RAC does not subject an accountable sealed radioactive source to periodic inventory and source leak testing if that source is in an area that is unsafe for human entry or otherwise inaccessible.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
- DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"

10 CFR 835.1202(e)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1202, "Accountable sealed radioactive sources." (e)

An accountable sealed radioactive source found to be leaking radioactive material will be controlled in a manner that minimizes the spread of radioactive contamination.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will control an accountable sealed radioactive source found to be leaking radioactive material in a manner that minimizes the spread of radioactive contamination.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
- DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"

10 CFR 835.1301(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1301, "General provisions." (a)

A general employee whose occupational dose has exceeded the numerical value of any of the limits specified in § 835.202 because of an authorized emergency exposure may be permitted to return to work in radiological areas during the current year providing that all of the following conditions are met:

1. Approval is first obtained from the contractor management and the Head of the responsible DOE field organization
2. The individual receives counseling from radiological protection and medical personnel regarding the consequences of receiving additional occupational exposure during the year
3. The affected employee agrees to return to radiological work.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC may choose to allow a general employee, whose occupational dose has exceeded the numerical value of any of the limits specified in 10 CFR 835.202 because of an authorized emergency exposure, to return to work in radiological areas during the current year when all of the following conditions are met:

1. Approval is first obtained from the contractor management and the Head of the responsible DOE field organization.
2. The individual receives counseling from radiological protection and medical personnel regarding the consequences of receiving additional occupational exposure during the year.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

3. The affected employee agrees to return to radiological work.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"

10 CFR 835.1301(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1301, "General provisions." (b)

All doses exceeding the limits specified in § 835.202 will be recorded in the affected individual's occupational dose record.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC records all doses exceeding the limits specified in 10 CFR 835.202 in the affected individual's occupational dose record.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"

10 CFR 835.1301(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1301, "General provisions." (c)

When the conditions under which a dose was received more than the limits specified in § 835.202, except those doses received in accordance with § 835.204, have been eliminated, operating management will notify the Head of the responsible DOE field organization.

DESCRIPTION OF COMPLIANCE STATUS:

When the conditions under which a dose was received more than the limits specified in 10 CFR 835.202, except those doses received in accordance with 10 CFR 835.204, have been eliminated, the RAC management will notify the Head of the responsible DOE field organization.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.1301(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1301, "General provisions." (d)

Operations which have been suspended because of a dose more than the limits specified in § 835.202, except those received in accordance with § 835.204, may be resumed only with the approval of DOE.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will have approval from the DOE prior to resuming operations which have been suspended because of a dose more than the limits specified in 10 CFR 835.202, except those received in accordance with 10 CFR 835.204.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"

10 CFR 835.1302(a)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1302, "Emergency exposure situations." (a)

The risk of injury to those individuals involved in rescue and recovery operations will be minimized.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will take steps to minimize the risk of injury to those individuals involved in rescue and recovery operations.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ1520 "Moab UMTRA Project Emergency/Incident Response Plan"
- DOE-EM/GJ1038 "Moab UMTRA Project Health and Safety Plan"

10 CFR 835.1302(b)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1302, "Emergency exposure situations." (b)

Operating management will weigh actual and potential risks against the benefits to be gained.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will weigh actual and potential risks against the benefits to be gained.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ1520 "Moab UMTRA Project Emergency/Incident Response Plan"
- DOE-EM/GJ1038 "Moab UMTRA Project Health and Safety Plan"

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.1302(c)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1302, "Emergency exposure situations." (c)

No individual will be required to perform rescue action that might involve substantial personal risk.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will only use volunteers to perform rescue actions that might involve substantial personal risk.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ1520 "Moab UMTRA Project Emergency/Incident Response Plan"
- DOE-EM/GJ1038 "Moab UMTRA Project Health and Safety Plan"

10 CFR 835.1302(d)

STATUS: Full Compliance

REQUIREMENT STATEMENT:

10 CFR 835.1302, "Emergency exposure situations." (d)

Each individual authorized to perform emergency actions likely to result in occupational doses exceeding the values of the limits provided at § 835.202(a) will be trained in accordance with § 835.901(b) and briefed beforehand on the known or anticipated hazards to which the individual will be subjected.

DESCRIPTION OF COMPLIANCE STATUS:

The RAC will train each individual authorized to perform emergency actions that are likely to result in occupational doses exceeding the values of the limits provided at 10 CFR 835.202(a) in accordance with 10 CFR 835.901(b) and will brief them beforehand on the known or anticipated hazards to which they will be exposed.

IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals and Procedures)

- DOE-EM/GJ1520 "Moab UMTRA Project Emergency/Incident Response Plan"
- DOE-EM/GJ1038 "Moab UMTRA Project Health and Safety Plan"

10 CFR 835.1303

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.1303 has been reserved.

DESCRIPTION OF COMPLIANCE STATUS:

The section does not require a compliance statement.

Appendix A. Radiation Protection Program Compliance Statements (*continued*)

10 CFR 835.1304(a)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.1304, “Nuclear accident dosimetry.” (a)

Installations possessing enough fissile material to potentially constitute a critical mass, such that the excessive exposure of individuals to radiation from a nuclear accident is possible, will provide nuclear accident dosimetry for those individuals.

DESCRIPTION OF COMPLIANCE STATUS:

The Moab UMTRA site does not contain configurable quantities of fissile materials.

10 CFR 835.1304(b)

STATUS: N/A

REQUIREMENT STATEMENT:

10 CFR 835.1304, “Nuclear accident dosimetry.” (b)

Nuclear accident dosimetry will include the following:

1. A method to conduct initial screening of individuals involved in a nuclear accident to determine whether significant exposures to radiation occurred.
2. Methods and equipment for analysis of biological materials.
3. A system of fixed nuclear accident dosimeter units; and
4. Personal nuclear accident dosimeters.

DESCRIPTION OF COMPLIANCE STATUS:

The Moab UMTRA site does not contain configurable quantities of fissile materials.

Appendix B.
10 CFR 835 Compliance Methods/Compliance Matrix

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix

Purpose

The purpose of this matrix is to identify the specific Moab UMTRA Projects Plans, Programs, Manuals and Procedures that demonstrate compliance to the 10 CFR 835 program elements as defined in the DOE-approved Radiation Protection Program (RPP).

In addition, each of the 10 CFR 835 program elements have been link to a Functional Element associated with DOE G441.1-1C, "Radiation Protection Program Guide" for use with 10 CFR 835, "Occupational Radiation Protection".

10 CFR835 Method of Compliance/Compliance Matrix

DOE 441.1-1C Functional Elements	REQUIREMENT STATEMENT	APPLICABLE		IMPLEMENTING DOCUMENTATION FOR COMPLIANCE (Plans, Programs, Manuals, and Procedures)
		YES	NO	
Functional Element # 4	10 CFR 835 Appendix A , "Derived Air Concentrations for Controlling Radiation Exposure to Workers at DOE Facilities" Provides DAC values for various Radionuclides.	X		DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan" DOE-EM/GJRAC1913 "Internal Dosimetry Technical Basis Document"
Functional Element # 4	10 CFR 835 Appendix A, Footnote 5 , 10 CFR 835 Appendix A, "Derived Air Concentrations for Controlling Radiation Exposure to Workers at DOE Facilities", Footnote 5 These values are appropriate for protection from radon combined with its short-lived decay products and are based on information given in International Commission on Radiological Protection (ICRP) Publication 23: Age-dependent Dose to Member of the Public from Intake of Radionuclides Part 2 Ingestion Dose Coefficients, ICRP Publication 65: Protection Against Radon-222 at Home and at Work, ICRP Publication 68: Human Respiratory Tract Model for Radiological Protection, and in DOE Standard (STD)-1121-2008: Internal Dosimetry. The values given are for 100 percent equilibrium concentration conditions of the short-lived radon decay products with the parent. To allow for an actual measured equilibrium concentration or a demonstrated equilibrium concentration, the values given in this table should be multiplied by the ratio (100% / actual %) or (100% / demonstrated %), respectively. Alternatively, the DAC values for radon-220 (Rn-220) and Rn-222 may be replaced by 2.5 WL and 0.83 WL, respectively, for appropriate limiting of decay product concentrations. A WL is any combination of short-lived radon decay products, in 1 liter of air without regard to the degree of equilibrium that will result in the ultimate emission of 1.3 E+05 MeV of alpha energy.	X		DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan" DOE-EM/GJRAC1913 "Internal Dosimetry Technical Basis Document" RAC had an Employee Radon Monitoring program that met this requirement when Radon doses exceed 100 mrem. /yr. As of January 1, 2024, the Moab UMTRA Project Employee Radon Monitoring program was discontinued do to the reduction of the radiological source term, resulting in no employee receiving a radon radiological dose exceeding the 100 mrem/yr limit.

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

NA	10 CFR 835 Appendix B			10 CFR 835 Appendix B has been reserved by the DOE.
NA	10 CFR 835 Appendix C , “Derived Air Concentration (DAC) for Workers From External Exposure During Immersion in a Cloud of Airborne Radioactive Material”		X	Immersion DACs: Radionuclides presented in 10 CFR 835 Appendix C, are not found on the Moab UMTRA Project.
Functional Element # 6.	10 CFR 835 Appendix D , “Surface Contamination Values” The data presented in appendix D is to be used in identifying and posting contamination and high contamination areas in accordance with section (§) 835.603(e) and (f) and identifying the need for surface contamination monitoring and control in accordance with § 835.1101 and 1102.	X		DOE-EM/GJRAC2091 “Moab UMTRA Project Radiological Release of Materials and Equipment Plan” DOE-EM/GJRAC1742 “Moab UMTRA Project Procedure for Responding to Potentially Contaminated Personnel”
Functional Element # 6	10 CFR 835 Appendix D , Footnote 1, 10 CFR 835 Appendix D, “Surface Contamination Values”, Foot note 1 Where surface contamination by both alpha- and beta-gamma-emitting nuclides exists, the limits established for alpha- and beta-gamma-emitting nuclides apply independently.	X		DOE-EM/GJRAC2091 “Moab UMTRA Project Radiological Release of Materials and Equipment Plan” DOE-EM/GJRAC1742 “Moab UMTRA Project Procedure for Responding to Potentially Contaminated Personnel”
Functional Element # 6	10 CFR 835 Appendix D , Footnote 7, 10 CFR 835 Appendix D, “Surface Contamination Values”, Foot note 7 These limits apply only to the alpha emitters within the respective decay series.	X		DOE-EM/GJRAC2091 “Moab UMTRA Project Radiological Release of Materials and Equipment Plan” DOE-EM/GJRAC1742 “Moab UMTRA Project Procedure for Responding to Potentially Contaminated Personnel”
Functional Element # 6	10 CFR Part 835 Appendix E , “Values for Establishing Sealed Radioactive Source Accountability and Radioactive Material Posting and Labeling Requirements” The data presented in appendix E are to be used for identifying accountable sealed radioactive sources and radioactive material areas as those terms are defined at § 835.2(a), establishing the need for radioactive material area posting in accordance with § 835.603(g), and establishing the need for radioactive material labeling in accordance with § 835.605.	X		DOE-EM/GJRAC1749 “Moab UMTRA Project Control and Labeling of Radioactive Material Procedure”
Functional Element # 1	10 CFR 835.1(a) General. The rules in this part ESTABLISH radiation protection standards, limits, and program requirements for protecting individuals from ionizing radiation resulting from the conduct of DOE activities.	X		DOE-EM/GJRAC1885 “Moab UMTRA Project Radiation Protection Program”

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 1	<u>10 CFR 835.1(b)</u> <u>Exclusion.</u> Except as provided in paragraph (c) of this section, the requirements in this part DO NOT APPLY to: (1) Activities that are regulated through a license by the Nuclear Regulatory Commission or a State under an Agreement with the Nuclear Regulatory Commission, including activities certified by the Nuclear Regulatory Commission under section 1701 of the Atomic Energy Act; (2) Activities conducted under the authority of the Deputy Administrator for Naval Reactors, as described in Pub. L. 98-525 and 106-65; (3) Activities conducted under the Nuclear Explosives and Weapons Surety Program relating to the prevention of accidental or unauthorized nuclear detonations; (4) DOE activities conducted outside the United States on territory under the jurisdiction of a foreign government to the extent governed by occupational radiation protection requirements agreed to between the United States and the cognizant government; (5) Background radiation, radiation doses received as a patient for the purposes of medical diagnosis or therapy, or radiation doses received from participation as a subject in medical research programs; (6) Radioactive material on or within material, equipment, and real property which is approved for release when the radiological conditions of the material, equipment, and real property have been documented to comply with the criteria for release set forth in a DOE authorized limit which has been approved by a Secretarial Officer in consultation with the Chief Health, Safety and Security Officer; or (7) Radioactive material transportation not performed by DOE or a DOE contractor.	X		See Remedial Action Contractor under contract number Environmental Management, Grand Junction, Colorado.
---------------------------	---	---	--	--

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 2 & 3	10 CFR 835.1(c)(1) Occupational doses received because of excluded activities and radioactive material transportation, listed in paragraphs (b)(1) through (b)(4) and (b)(7) of this section, SHALL be included to the extent practicable when determining compliance with the occupational dose limits at §§ 835.202 and 835.207, and with the limits for the embryo/fetus at § 835.206.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
Functional Element # 1	10 CFR.835.1(c)(2) Occupational doses resulting from authorized emergency exposures and planned special exposures SHALL not be considered when determining compliance with the dose limits at §§ 835.202 and 835.207.	X		DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 1	10 CFR 835.1(d) The requirements in subparts F and G of this part Do NOT APPLY to radioactive material transportation by DOE or a DOE contractor conducted:(1) Under the continuous observation and control of an individual who is knowledgeable of and implements required exposure control measures, or (2) In accordance with Department of Transportation regulations or DOE orders that govern such movements.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1835 "Moab UMTRA Project Procedure for Containers Entering/Exiting the Moab Project under DOT-SP 14238"
Functional Element # 1	10 CFR 835.2, "Definitions." a. As used in this part: (defined terms not copied here.) b. As used in this part to describe various aspects of radiation dose: (defined terms not copied here.) c. Terms defined in the Atomic Energy Act of 1954 or in 10 CFR part 820 and not defined in this part are used consistently with their meanings given in the Atomic Energy Act of 1954 or in 10 CFR part 820.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual" DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"
Functional Element # 1	10 CFR 835.3(a) No person or DOE personnel SHALL take or cause to be taken any action inconsistent with the requirements of: (1) This part; or (2) Any program, plan, schedule, or other process established by this part.	X		See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.3(b) With respect to a particular DOE activity, contractor management SHALL be responsible for compliance with the requirements of this part.	X		See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.3(c) Where there is no contractor for DOE activity, DOE SHALL ensure implementation of and compliance with the requirements of this part.		X	DOE Responsibility when there is No Contractor: The RAC is the responsible DOE contractor.
Functional Element # 1	10 CFR 835.3(d) Nothing in this part SHALL be construed as limiting actions that may be necessary to protect health and safety.	X		See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.3(e) For those activities that are required by §§ 835.102, 835.901(e), 835.1202(a), and 835.1202(b), the time interval to conduct these activities MAY be extended by a period not to exceed 30 days to accommodate scheduling needs.	X		See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 3 & 4	10 CFR 835.4.(1) Unless otherwise specified, the quantities used in the records required by this part SHALL be clearly indicated in special units of curie, rad, roentgen, or rem, including multiples and subdivisions of these units, or other conventional units, such as, dpm, dpm/100 cm ² or mass units.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual"
Functional Element # 3 & 4	10 CFR 835.4.(2) The SI units, becquerel (Bq), gray (Gy), and sievert (Sv), MAY be provided parenthetically for reference with scientific standards.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual"
Functional Element # 1	10 CFR 835.101(a) A DOE activity SHALL be conducted in compliance with a documented radiation protection program (RPP) as approved by the DOE.	X		See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(b) DOE MAY direct or make modifications to a RPP.	X		See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(1) (c) The content of each RPP shall be commensurate with the nature of the activities performed and shall include formal plans and measures for applying the ALARA process to occupational exposure.	X		See Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado. DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element # 1	10 CFR 835.101(d)(1) The RPP SHALL specify the existing and/or anticipated operational tasks that are intended to be within the scope of the RPP.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(d)(2) Except as provided in §835.101(h), any task outside the scope of a RPP will not be initiated until an update of the RPP is approved by DOE.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(e) The content of the RPP SHALL address, but SHALL not necessarily be limited to, each requirement in this part.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 1	10 CFR 835.101(f) The RPP SHALL include plans, schedules, and other measures for achieving compliance with regulations of this part.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(g) (1) An update of the RPP SHALL be submitted to DOE: Whenever a change or an addition to the RPP is made.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(g) (2) An update of the RPP SHALL be submitted to DOE: Prior to the initiation of a task not within the scope of the RPP.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(g) (3) An update of the RPP SHALL be submitted to DOE: Within 180 days of the effective date of any modifications to this part.	X		There are no specific implementing documentation for this element only this point of clarification.
Functional Element # 1	10 CFR 835.101(h)(1) Changes, additions, or updates to the RPP MAY become effective without prior Department approval only if the changes do not decrease the effectiveness of the RPP and the RPP, as changed, continues to meet the requirements of this part.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(h)(2) Proposed changes that decrease the effectiveness of the RPP SHALL not be implemented without submittal to and approval by the Department.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.101(i) An initial RPP or an update SHALL be considered approved 180 days after its submission unless rejected by DOE at an earlier date.	X		Remedial Action Contractor under contract number 89303322DEM000073 for the U.S. Department of Energy Office of Environmental Management, Grand Junction, Colorado.
Functional Element # 1	10 CFR 835.102 Internal audits of the radiation protection program, including examination of program content and implementation, SHALL be conducted through a process that ensures that all functional elements are reviewed no less frequently than every 36 months.	X		DOE-STD-1112-2019 and DOE-STD-1121-2008. Site requirements are addressed in, the <i>Moab UMTRA Project Quality Assurance Plan for the Remedial Action Contractor</i> (QAP) (DOE-EM/GJRAC1766) and the Moab UMTRA Project Internal Dosimetry Technical Basis Manual. DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual.

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 1 Organization and Administration	10 CFR 835.103 Individuals responsible for developing and implementing measures necessary for ensuring compliance with the requirements of this part SHALL have the appropriate education, training, and skills to discharge these responsibilities.	X		DOE-EM/GJ1533 "Moab UMTRA Project Training Manual" DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
Functional Element # 1	10 CFR 835.104 Written procedures SHALL be developed and implemented as necessary to ensure compliance with this part, commensurate with the radiological hazards created by the activity and consistent with the education, training, and skills of the individuals exposed to those hazards.	X		DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
Functional Element # 2	10 CFR 835.202 (a) (1)(2)(3)(4) Except for planned special exposures conducted consistent with § 835.204 and emergency exposures authorized in accordance with § 835.1302, the occupational dose received by general employees SHALL be controlled such that the following limits are not exceeded in a year: A total effective dose of 5 rems (0.05 Sv). Except for planned special exposures conducted consistent with § 835.204 and emergency exposures authorized in accordance with § 835.1302, the occupational dose received by general employees SHALL be controlled such that the following limits are not exceeded in a year: The sum of the equivalent dose to the whole body for external exposures and the committed equivalent dose to any organ or tissue other than the skin or the lens of the eye of 50 rems (0.5 Sv). Except for planned special exposures conducted consistent with § 835.204 and emergency exposures authorized in accordance with § 835.1302, the occupational dose received by general employees SHALL be controlled such that the following limits are not exceeded in a year: An equivalent dose to the lens of the eye of 15 rems (0.15 Sv).	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program" DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 2 & 13	10 CFR 835.202(b) All occupational doses received during the current year, except doses resulting from planned special exposures conducted in compliance with § 835.204 and emergency exposures authorized in accordance with § 835.1302, SHALL be included when demonstrating compliance with §§ 835.202(a) and 835.207.	X		DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
Functional Element # 2 & 13	10 CFR 835.202(c) Doses from background, therapeutic and diagnostic medical radiation, and participation as a subject in medical research programs SHALL not be included in dose records or in the assessment of compliance with the occupational dose limits.	X		DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
Functional Element # 3 & 4	10 CFR 835.203(a) The total effective dose during a year SHALL be determined by summing the effective dose from external exposures and the committed effective dose from intakes during the year.	X		DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
Functional Element # 3 & 4	10 CFR 835.203(b) Determinations of the effective dose SHALL be made using the radiation and tissue weighting factor values provided in § 835.2.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 7	10 CFR 835.204(a)(1) A planned special exposure MAY be authorized for a radiological worker to receive doses in addition to and accounted for separately from the doses received under the limits specified in § 835.202(a), provided that each of the following conditions is satisfied: The planned special exposure is considered only in an exceptional situation when alternatives that might prevent a radiological worker from exceeding the limits in § 835.202(a) are unavailable or impractical.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(a)(2) A planned special exposure MAY be authorized for a radiological worker to receive doses in addition to and accounted for separately from the doses received under the limits specified in § 835.202(a), provided that each of the following conditions is satisfied: The contractor management (and employer, if the employer is not the contractor) specifically requests the planned special exposure, in writing.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 7	10 CFR 835.204(a)(3) A planned special exposure MAY be authorized for a radiological worker to receive doses in addition to and accounted for separately from the doses received under the limits specified in § 835.202(a), provided that each of the following conditions is satisfied: Joint written approval is received from the appropriate DOE Headquarters program office and the Secretarial Officer responsible for environment, safety, and health matters.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is highly unlikely that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(b) Prior to requesting an individual to participate in an authorized planned special exposure, the individual's dose from all previous planned special exposures and all doses more than the occupational dose limits SHALL be determined.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(c)(1) An individual SHALL not receive a planned special exposure that, in addition to the doses determined in § 835.204(b), would result in a dose exceeding the following: In a year, the numerical values of the dose limits established at § 835.202(a).		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(c)(2) An individual SHALL not receive a planned special exposure that, in addition to the doses determined in § 835.204(b), would result in a dose exceeding the following: Over the individual's lifetime, five times the numerical values of the dose limits established at § 835.202(a).		x	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is highly unlikely that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(d) Prior to a planned special exposure, written consent SHALL be obtained from every individual involved.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(d)(1) Each such written consent SHALL include: The purpose of the planned operations and procedures to be used.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 7	10 CFR 835.204(d)(2) Each such written consent SHALL include: The estimated doses and associated potential risks and specific radiological conditions and other hazards which might be involved in performing the task.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(d)(3) Each such written consent will include Instructions on the measures to be taken to keep the dose ALARA considering other risks that may be present.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(e) Records of the conduct of a planned special exposure SHALL be maintained and a written report submitted within 30 days after the planned special exposure to the approving organizations identified in § 835.204(a)(3).		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 7	10 CFR 835.204(f) The dose from planned special exposures is not to be considered in controlling future occupational dose of the individual under § 835.202(a) but IS TO BE INCLUDED in records and reports required under this part.		X	Based on the sites radioactive source term is Uranium Mill Tailings, which is considered Technologically Enhanced Naturally Occurring Radioactive Material (TENORM), it is impossible that a situation could occur that would require special exposures. Therefore, this is not considered a feasible scenario and does not require any actions.
Functional Element # 3	10 CFR 835.205(a) Non-uniform exposures of the skin from X-rays, beta radiation, and/or radioactive material on the skin ARE TO BE assessed as specified in this section.	X		DOE-EM/GJRAC1894 'Moab UMTRA Project External Dosimetry Technical Basis Manual

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 3	10 CFR 835.205(b)(1)(2)(3) For purposes of demonstrating compliance with § 835.202(a)(4), assessments SHALL be conducted as follows: <u>Area of skin irradiated is 10 cm² or more but is less than 100 cm².</u> The non-uniform equivalent dose (H) to the irradiated area received during the year SHALL be added to any uniform equivalent dose also received by the skin and recorded as the equivalent dose to any extremity or skin for the year. H is the equivalent dose averaged over the 1 cm² of skin receiving the maximum absorbed dose, D, reduced by the fraction f, which is the irradiated area in cm² divided by 100 cm² (i.e., $H = fD$). In no case shall a value of f less than 0.1 be used. This dose equivalent SHALL: Be recorded in the individual's occupational exposure history as a special entry. This dose equivalent SHALL: Not be added to any other equivalent dose to any extremity or skin for the year.	X		DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual"
Functional Element # 12	10 CFR 835.206 (a) The equivalent dose limit for the embryo/fetus from the period of conception to birth, as a result of occupational exposure of a declared pregnant worker, IS 0.5 rem (0.005 Sv).	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 12	10 CFR 835.206 (b) Substantial variation above a uniform exposure rate that would satisfy the limits provided in § 835.206(a) SHALL be avoided.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 12	10 CFR 835.206 (c) If the equivalent dose to the embryo/fetus is determined to have already exceeded 0.5 rem (0.005 Sv) by the time a worker declares her pregnancy, the declared pregnant worker SHALL not be assigned to tasks where additional occupational exposure is likely during the remaining gestation period.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 3 & 4	10 CFR 835.207 The dose limits for minors occupationally exposed to radiation and/or radioactive materials at a DOE activity are 0.1 rem (0.001 Sv) total effective dose in a year and 10 percent of the occupational dose limits specified at § 835.202(a)(3) and (a)(4).	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 3 & 4	10 CFR 835.208 The total effective dose limit for members of the public exposed to radiation and/or radioactive material during access to a controlled area is 0.1 rem (0.001 Sv) in a year.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 4 & 5b	10 CFR 835.209 (a) The derived air concentration (DAC) values given in appendices A and C of this part SHALL be used in the control of occupational exposures to airborne radioactive material.	X		DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
Functional Element # 4 & 5b	10 CFR 835.209(b) The estimation of internal dose SHALL be based on bioassay data rather than air concentration values unless bioassay data are: (1) unavailable; (2) inadequate; or (3) internal dose estimates based on air concentration values demonstrated to be as or more accurate.	X		DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
Functional Element # 4 & 5a & 5b	10 CFR 835.401(a)(1-6) Monitoring of individuals and areas SHALL be performed to: Demonstrate compliance with the regulations in this part: 1. Demonstrate compliance with the regulations in this part. 2. Document radiological conditions. 3. Detect changes in radiological conditions. 4. Detect the gradual buildup of radioactive material. 5. Verify the effectiveness of engineered and administrative controls in containing radioactive material and reducing radiation exposure; and 6. Identify and control potential sources of individual exposure to radiation and/or radioactive material.	X		DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
Functional Element # 5d	10 CFR 835.401(b) Instruments and equipment used for monitoring SHALL be: 1. Periodically maintained and calibrated on an established frequency. 2. Appropriate for the type(s), levels, and energies of the radiation(s) encountered. 3. Appropriate for existing environmental conditions; and 4. Routinely tested for operability.	X		DOE-EM/GJRAC1982 "Moab UMTRA Project Radiation Protection Instrumentation Calibration Procedure" See Technical Basis Document for each Site Radiological Instrument.
Functional Element # 5d	10 CFR 835.401(b)(2) Instruments and equipment used for monitoring SHALL be: Appropriate for the type(s), levels, and energies of the radiation(s) encountered.	X		DOE-EM/GJRAC1982 "Moab UMTRA Project Radiation Protection Instrumentation Calibration Procedure" See Technical Basis Document for each Site Radiological Instrument.

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 5d	10 CFR 835.401(b)(3) Instruments and equipment used for monitoring SHALL be: Appropriate for existing environmental conditions; and	X		DOE-EM/GJRAC1982 "Moab UMTRA Project Radiation Protection Instrumentation Calibration Procedure" See Technical Basis Document for each Site Radiological Instrument.
Functional Element # 5d	10 CFR 835.401(b)(4) Instruments and equipment used for monitoring SHALL be: Routinely tested for operability.	X		DOE-EM/GJRAC1982 "Moab UMTRA Project Radiation Protection Instrumentation Calibration Procedure" See Technical Basis Document for each Site Radiological Instrument.
Functional Element # 3	10 CFR 835.402(a)(1)(i) For the purpose of monitoring individual exposures to external radiation, personnel dosimeters SHALL be provided to and used by: Radiological workers who, under typical conditions, are likely to receive one or more of the following: An effective dose of 0.1 rem (0.001 Sv) or more in a year.	X		DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual"
Functional Element # 3	10 CFR 835.402(a)(1)(ii) For monitoring individual exposures to external radiation, personnel dosimeters SHALL be provided to and used by: Radiological workers who, under typical conditions, are likely to receive one or more of the following: An equivalent dose to the skin or to any extremity of 5 rems (0.05 Sv) or more in a year.	x		DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 3	10 CFR 835.402(a)(1)(iii) For monitoring individual exposures to external radiation, personnel dosimeters SHALL be provided to and used by: Radiological workers who, under typical conditions, are likely to receive one or more of the following: An equivalent dose to the lens of the eye of 1.5 rems (0.015 Sv) or more in a year.	X		DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 3	10 CFR 835.402(a)(2) For monitoring individual exposures to external radiation, personnel dosimeters SHALL be provided to and used by: Declared pregnant workers who are likely to receive from external sources an equivalent dose to the embryo/fetus more than 10 percent of the applicable limit at § 835.206(a).	X		DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 3	10 CFR 835.402(a)(3) For monitoring individual exposures to external radiation, personnel dosimeters SHALL be provided to and used by: Occupationally exposed minors likely to receive a dose more than 50 percent of the applicable limits at § 835.207 in a year from external sources.	X		DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 3	10 CFR 835.402(a)(4) For monitoring individual exposures to external radiation, personnel dosimeters SHALL be provided to and used by: Members of the public entering a controlled area likely to receive a dose more than 50 percent of the limit at § 835.208 in a year from external sources; and	X		DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual" DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 3	10 CFR 835.402(a)(5) For monitoring individual exposures to external radiation, personnel dosimeters SHALL be provided to and used by: Individuals entering a high or very high radiation area.	X		DOE-EM/GJ3003 "Moab UMTRA Project Health Physics Plan"
Functional Element # 3	10 CFR 835.402(b)(1) External dose monitoring programs implemented to demonstrate compliance with § 835.402(a) SHALL be adequate to demonstrate compliance with the dose limits established in subpart C of this part and SHALL be: Accredited, or excepted from accreditation, in accordance with the DOE Laboratory Accreditation Program for Personnel Dosimetry; or (	X		DOE-EM/GJRAC1894 "Moab UMTRA Project External Dosimetry Technical Basis Manual" DOE-EM/GJ1980 "Moab UMTRA Project External Dosimetry Procedures Manual"
Functional Element # 3	10 CFR 835.402(b)(2) Determined by the Secretarial Officer responsible for environment, safety and health matters to have performance substantially equivalent to that of programs accredited under the DOE Laboratory Accreditation Program for Personnel Dosimetry.		X	External DOELAP Equivalency: The RAC is not seeking this DOELAP equivalence determination (see 835.402 [b][1] of Parts Conditionally Compliant). The RAC will not seek this determination. The Moab UMTRA Project is currently DOELAP Accredited.
Functional Element # 4	10 CFR 835.402(c)(1) For monitoring individual exposures to internal radiation, internal dosimetry programs (including routine bioassay programs) SHALL be conducted for: Radiological workers who, under typical conditions, are likely to receive a committed effective dose of 0.1 rem (0.001 Sv) or more from all occupational radionuclide intakes in a year.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 4	10 CFR 835.402(c)(2) For monitoring individual exposures to internal radiation, internal dosimetry programs (including routine bioassay programs) SHALL be conducted for: Declared pregnant workers likely to receive an intake or intakes resulting in an equivalent dose to the embryo/fetus more than 10 percent of the limit stated at § 835.206(a).	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 4	10 CFR 835.402(c)(3) For monitoring individual exposures to internal radiation, internal dosimetry programs (including routine bioassay programs) SHALL be conducted for: Occupationally exposed minors who are likely to receive a dose more than 50 percent of the applicable limit stated at § 835.207 from all radionuclide intakes in a year.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 4	10 CFR 835.402(c)(4) For monitoring individual exposures to internal radiation, internal dosimetry programs (including routine bioassay programs) SHALL be conducted for: Members of the public entering a controlled area likely to receive a dose more than 50 percent of the limit stated at § 835.208 from all radionuclide intakes in a year.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual"
Functional Element # 4	10 CFR 835.402(d)(1)(2) Internal dose monitoring programs implemented to demonstrate compliance with § 835.402(c) SHALL be adequate to demonstrate compliance with the dose limits established in subpart C of this part and SHALL be: (1) Accredited, or excepted from accreditation, in accordance with the DOE Laboratory Accreditation Program for Radiobioassay; or (2) Determined by the Secretarial Officer responsible for environment, safety and health matters to have performance substantially equivalent to that of programs accredited under the DOE Laboratory Accreditation Program for Radiobioassay.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" See 402 (d) (2)
Functional Element # 4 & 5(a) & 5(b)	10 CFR 835.403(a)(1) Monitoring of airborne radioactivity SHALL be performed: Where an individual is likely to receive an exposure of 40 or more DAC-hours in a year.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 4 & 5(a) & 5(b)	10 CFR 835.403(a)(2) Monitoring of airborne radioactivity SHALL be performed: As necessary to characterize the airborne radioactivity hazard where respiratory protective devices for protection against airborne radionuclides have been prescribed.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
Functional Element # 5(a) & 5(b)	10 CFR 835.403(b) Real-time air monitoring SHALL be performed as necessary to detect and provide warning of airborne radioactivity concentrations that warrant immediate action to terminate inhalation of airborne radioactive material.		X	Currently, RAC has no real-time air monitoring in operation. The Project radioactive source term has been well defined and is considered low level occurring technologically enhanced, naturally occurring radioactive material. Based on the type of respiratory protection used on this Project, it is not feasible to exceed the protection factor based on long-term evaluation of the radioparticulate levels in the only airborne radioactivity area located on the Project; therefore, real-time monitoring with an early-warning capability, such as using continuous air monitors with alarms, is not used on the Project. DOE-EM/GJRAC1989 "Moab UMTRA Project Air Monitoring Technical Basis Manual"
Functional Element # 6f	10 CFR 835.405(a)(1)(2) If packages containing quantities of radioactive material more than a Type A quantity (as defined at 10 CFR 71.4) are expected to be received from radioactive material transportation, arrangements SHALL be made to either: (1) Take possession of the package when the carrier offers it for delivery; or (2) Receive notification as soon as practicable after arrival of the package at the carrier's terminal and to take possession of the package expeditiously after receiving such notification.	X		DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"
Functional Element # 6f	10 CFR 835.405 (b)(1) Upon receipt from radioactive material transportation, external surfaces of packages known to contain radioactive material SHALL be monitored if the package: Is labeled with a Radioactive White I, Yellow II, or Yellow III label (as specified at 49 CFR 172.403 and 172.436-440).	X		DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"
Functional Element # 6f	10 CFR 835.405(b)(2) Upon receipt from radioactive material transportation, external surfaces of packages known to contain radioactive material SHALL be monitored if the package: Has been transported as low specific activity material (as defined at 10 CFR 71.4) on an exclusive use vehicle (as defined at 10 CFR 71.4).	X		DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 6f	10 CFR 835.405(B)(3) Upon receipt from radioactive material transportation, external surfaces of packages known to contain radioactive material SHALL be monitored if the package: Has evidence of degradation, such as packages that are crushed, wet, or damaged.	X		DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"
Functional Element # 6f	10 CFR 835.405(c)(1) The monitoring required by paragraph (b) of this section will include: Measurements of removable contamination levels unless the package contains only special form (as defined at 10 CFR 71.4) or gaseous radioactive material.	X		DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"
Functional Element # 6f	10 CFR 835.405(c)(2) The monitoring required by paragraph (b) of this section will include: Measurements of the radiation levels, if the package contains a Type B quantity (as defined at 10 CFR 71.4) of radioactive material.		X	Project is not equipped to receive Type B quantities of radioactive material; 10 CFR 71.4.
Functional Element # 6f	10 CFR 835.405(d) The monitoring required by paragraph (b) of this section SHALL be completed as soon as practicable following receipt of the package, but not later than 8 hours after the beginning of the working day following receipt of the package.	X		DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"
Functional Element # 6f	10 CFR 835.405(e) Monitoring pursuant to § 835.405(b) IS NOT required for packages transported on a DOE site which have remained under the continuous observation and control of a DOE employee or DOE contractor employee who is knowledgeable of and implements required exposure control measures.	X		DOE-EM/GJ1743 "Moab UMTRA Project Radioactive Material Entering/Exiting the Project and Receipt of Radioactive Material"
Functional Element # 6b & 6c	10 CFR 835.501(a) Personnel Entry Control SHALL be maintained for each radiological area.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element # 6b & 6c	10 CFR 835.501(b) The degree of control SHALL be commensurate with existing and potential radiological hazards within the area.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 6b & 6c	10 CFR 835.501(c) One or more of the following methods SHALL be used to ensure control: (1) Signs and barricades; (2) Control devices on entrances; (3) Conspicuous visual and/or audible alarms; (4) Locked entrance ways; or (5) Administrative controls.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element # 6b & 6c	10 CFR 835.501(d)(01) Written authorizations SHALL be required to control entry into and perform work within radiological areas.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element # 6b & 6c	10 CFR 835.501(d)(02) These authorizations SHALL specify radiation protection measures commensurate with the existing and potential hazards.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element # 6c & 6d	10 CFR 835.501(e) No control(s) SHALL be installed at any radiological area exit that would prevent rapid evacuation of personnel under emergency conditions.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element # 6c & 6d	10 CFR 835.502(a)(1) The following measures SHALL be implemented for each entry into a high radiation area: The area SHALL be monitored as necessary during access to determine the exposure rates to which the individuals are exposed.		X	Currently, there are no high and very high radiation areas on the Project, and it is highly unlikely there would ever be one on the Project based on the radiological source term. It has also been determined that there have been no reports where dose rates that were above 5 mrem/hr at other mill tailing cleanup locations.
Functional Element # 6c & 6d	10 CFR 835.502(a)(2) The following measures SHALL be implemented for each entry into a high radiation area: Each individual shall be monitored by a supplemental dosimetry device or other means capable of providing an immediate estimate of the individual's integrated equivalent dose to the whole body during the entry.		X	Currently, there are no high and very high radiation areas on the Project, and it is highly unlikely there would ever be one on the Project based on the radiological source term. It has also been determined that there have been no reports where dose rates that were above 5 mrem/hr at other mill tailing cleanup locations.

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 6c & 6d	<u>10 CFR 835.502(b)</u> <u>Physical controls.</u> One or more of the following controls shall be used for each entrance or access point to a high radiation area where radiation levels exist such that an individual could exceed an equivalent dose to the whole body of 1 rem (0.01 Sv) in any one hour at 30 centimeters from the source or from any surface that the radiation penetrates: (1) A control device that prevents entry to the area when high radiation levels exist or that, upon entry, causes the radiation level to be reduced below the level that defines a high radiation area; (2) A device that functions automatically to prevent use or operation of the radiation source or field while individuals are in the area; (3) A control device that energizes a conspicuous visible or audible alarm signal so that the individual entering the high radiation area and the supervisor of the activity are made aware of the entry; (4) Entryways that are locked. During periods when access to the area is required, positive control over each entry is maintained; (5) Continuous direct or electronic surveillance that is capable of preventing unauthorized entry; (6) A control device that will automatically generate audible and visual alarm signals to alert personnel in the area before use or operation of the radiation source and in sufficient time to permit evacuation of the area or activation of a secondary control device that will prevent use or operation of the source.		X	Based on the radiological source term of the Moab UMTRA Project there is no possibility of having a high or very high radiation area.
Functional Element # 6c & 6d	<u>10 CFR 835.502(b)</u> <u>Very high radiation areas.</u> In addition to the above requirements, additional measures SHALL be implemented to ensure individuals are not able to gain unauthorized or inadvertent access to very high radiation areas.		X	Based on the radiological source term of the Moab UMTRA Project there is no possibility of having a high or very high radiation area.
Functional Element # 6c & 6d	<u>10 CFR 835.502(d)</u> No control(s) SHALL be established in a high or very high radiation area that would prevent rapid evacuation of personnel.		X	DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	<u>10 CFR 835.601(a)</u> Except as otherwise provided in this subpart, postings and labels required by this subpart SHALL include the standard radiation warning trefoil in black or magenta imposed upon a yellow background.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #6d	10 CFR 835.601(b)(1) Signs required by this subpart SHALL be clearly and conspicuously posted.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.601(b)(2) Signs required by this subpart...MAY include radiological protection instructions.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.601(c)(01) The posting and labeling requirements in this subpart MAY be modified to reflect the special considerations of DOE activities conducted at private residences or businesses.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.601(c)(02) Such modifications SHALL provide the same level of protection to individuals as the existing provisions in this subpart.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.602(a) Each access point to a controlled area (as defined in § 835.2) SHALL be posted whenever radiological areas or radioactive material areas exist in the area. Individuals who enter only controlled areas without entering radiological areas or radioactive material areas are not expected to receive a total effective dose of more than 0.1 rem (0.001sievert) in a year.	X		DOE-EM/GJRAC1748" Moab UMTRA Project Radiological Posting and Access Control Procedure" GERT RWP Training Completed RPF-025 Form
Functional Element #6d	10 CFR 835.602(b) Signs used for this purpose MAY be selected by the contractor to avoid conflict with local security requirements.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.603 Each access point to radiological areas and radioactive material areas (as defined in § 835.2) SHALL be posted with conspicuous signs bearing the wording provided in this section.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.603(a) <u>Radiation Area</u> . The words "Caution, Radiation Area" SHALL be posted at each radiation area.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #6d	10 CFR 835.603(b) <u>High Radiation Area</u> . The words “Caution, High Radiation Area” or “Danger, High Radiation Area” SHALL be posted at each high radiation area.	X		DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”
Functional Element #6d	10 CFR 835.603(c) <u>Very High Radiation Area</u> . The words “Grave Danger, Very High Radiation Area” SHALL be posted at each very high radiation area.	X		DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”
Functional Element #6d	10 CFR 835.603(d) <u>Airborne Radioactivity Area</u> . The words “Caution, Airborne Radioactivity Area” or “Danger, Airborne Radioactivity Area” SHALL be posted at each airborne radioactivity area.	X		DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”
Functional Element #6d	10 CFR 835.603(e) <u>Contamination Area</u> . The words “Caution, Contamination Area” SHALL be posted at each contamination area.	X		DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”
Functional Element #6d	10 CFR 835.603(f) <u>High Contamination Area</u> . The words “Caution, High Contamination Area” or “Danger, High Contamination Area” SHALL be posted at each high contamination area.	X		DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”
Functional Element #6d	10 CFR 835.603(g) <u>Radioactive Material Area</u> . The words “Caution, Radioactive Material(s)” SHALL be posted at each radioactive material area.	X		DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”
Functional Element #6d	10 CFR 835.604(a) Areas MAY be excepted from the posting requirements of § 835.603 for periods of less than 8 continuous hours when placed under continuous observation and control of an individual knowledgeable of, and empowered to implement, required access and exposure control measures.	X		DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”
Functional Element #6d	10 CFR 835.604(b)(1) Areas MAY be excepted from the radioactive material area posting requirements of § 835.603(g) when: Posted in accordance with § 835.603(a) through (f).	X		DOE-EM/GJRAC1748 “Moab UMTRA Project Radiological Posting and Access Control Procedure”

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #6d	10 CFR 835.604(b)(2) Areas MAY be excepted from the radioactive material area posting requirements of § 835.603(g) when: Each item or container of radioactive material is labeled in accordance with this subpart such that individuals entering the area are made aware of the hazard.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.604(b)(3) Areas MAY be excepted from the radioactive material area posting requirements of § 835.603(g) when: The radioactive material of concern consists solely of structures or installed components which have been activated (i.e., such as by being exposed to neutron radiation or particles produced in an accelerator).	X		The Moab UMTRA Site has does not have any activated radioactive components on site.
604(c)	10 CFR 835.604(c) Areas containing only packages received from radioactive material transportation labeled and in non-degraded condition NEED NOT BE posted in accordance with § 835.603 until the packages are monitored in accordance with § 835.405.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.605(01) Except are provided in § 835.606, each item or container of radioactive material SHALL bear a durable, clearly visible label bearing the standard radiation warning trefoil and the words "Caution, Radioactive Material" or "Danger, Radioactive Material."	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.605(02) The label will also provide sufficient information to permit individuals to handle, use, or work in the vicinity of the items or containers to take precautions to avoid or control exposures.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6d	10 CFR 835.606(a)(1) Items and containers MAY be excepted from the radioactive material labeling requirements of § 835.605 when: Used, handled, or stored in areas posted and controlled in accordance with this subpart and sufficient information is provided to permit individuals to take precautions to avoid or control exposures.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #6d	10 CFR 835.606(a)(2) Items and containers MAY be excepted from the radioactive material labeling requirements of § 835.605 when: The quantity of radioactive material is less than one tenth of the values specified in appendix E of this part and less than 0.1 Ci.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #6d	10 CFR 835.606(a)(3) Items and containers MAY be excepted from the radioactive material labeling requirements of § 835.605 when: Packaged, labeled, and marked in accordance with the regulations of the Department of Transportation or DOE Orders governing radioactive material transportation.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure" DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #6d	10 CFR 835.606(a)(4) Items and containers MAY be excepted from the radioactive material labeling requirements of § 835.605 when: Inaccessible, or accessible only to individuals authorized to handle or use them, or to work in the vicinity.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #6d	10 CFR 835.606(a)(5) Items and containers MAY be excepted from the radioactive material labeling requirements of § 835.605 when: Installed in manufacturing, process, or other equipment, such as reactor components, piping, and tanks.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #6d	10 CFR 835.606(a)(6) Items and containers MAY be excepted from the radioactive material labeling requirements of § 835.605 when: The radioactive material consists solely of nuclear weapons or their components.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #6d	10 CFR 835.606(b) Radioactive material labels applied to sealed radioactive sources MAY be excepted from the color specifications of § 835.601(a).	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #9	10 CFR 835.701(a) Records SHALL be maintained to document compliance with this part and with radiation protection programs required by § 835.101.	X		DOE-EM/GJ1545 "DOE (U.S. Department of Energy), <i>Moab UMTRA Project Records Management Program Plan</i> " DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"
Functional Element #9	10 CFR 835.701(b) Unless otherwise specified in this subpart, records SHALL be retained until final disposition is authorized by DOE.	X		DOE-EM/GJ1545 "DOE (U.S. Department of Energy), <i>Moab UMTRA Project Records Management Program Plan</i> " DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #9	10 CFR 835.702(a) Except as authorized by § 835.702(b), records SHALL be maintained to document doses received by all individuals for whom monitoring was conducted and to document doses received during planned special exposures, unplanned doses exceeding the monitoring thresholds of § 835.402, and authorized emergency exposures.	X		DOE-EM/GJ1545 "DOE (U.S. Department of Energy), <i>Moab UMTRA Project Records Management Program Plan</i> " DOE-EM/GJRAC1885 "Moab UMTRA Project Radiation Protection Program Manual" DOE-EM/GJRAC1978 Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure
Functional Element #9	10 CFR 835.702(b)(1) Recording of the non-uniform equivalent dose to the skin IS NOT REQUIRED if the dose is less than 2 percent of the limit specified for the skin at § 835.202(a)(4).	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(b)(2) Recording of internal dose (committed effective dose or committed equivalent dose) IS NOT REQUIRED for any monitoring result estimated to correspond to an individual receiving less than 0.01 rem (0.1 mSv) committed effective dose.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(b)(3) The bioassay or air monitoring result used to make the estimate SHALL be maintained in accordance with § 835.703(b).	Z		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(b)(04) The unrecorded internal dose estimated for any individual in a year SHALL not exceed the applicable monitoring threshold at § 835.402(c).	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.721(c)(1) The records required by this section SHALL: Be sufficient to evaluate compliance with subpart C of this part.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(2) The records required by this section SHALL: Be sufficient to provide dose information necessary to complete reports required by subpart I of this part.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(3)(i) The records required by this section SHALL: Include the following quantities for external dose received during the year: The effective dose from external sources of radiation (equivalent dose to the whole-body MAY be used as effective dose for external exposure);	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #9	10 CFR 835.702(c)(3)(ii) The records required by this section SHALL: Include the following quantities for external dose received during the year: The equivalent dose to the lens of the eye.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(3)(iii) The records required by this section SHALL: Include the following quantities for external dose received during the year: The equivalent dose to the skin.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(3)(iv) The records required by this section SHALL: Include the following quantities for external dose received during the year: The equivalent dose to the extremities.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(4)(i) The records required by this section SHALL: Include the following information for internal dose resulting from intakes received during the year: Committed effective dose.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(4)(ii) The records required by this section SHALL: Include the following information for internal dose resulting from intakes received during the year: Committed equivalent dose to any organ or tissue of concern.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(4)(iii) The records required by this section SHALL: Include the following information for internal dose resulting from intakes received during the year: Identity of radionuclides.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(5)(i) The records required by this section SHALL: Include the following quantities for the summation of the external and internal dose: Total effective dose in a year.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(5)(ii) The records required by this section SHALL: Include the following quantities for the summation of the external and internal dose For any organ or tissue assigned an internal dose during the year, the sum of the equivalent dose to the whole body from external exposures and the committed equivalent dose to that organ or tissue.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #9	10 CFR 835.702(c)(5)(iii) The records required by this section SHALL: Include the following quantities for the summation of the external and internal dose Cumulative total effective dose.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(c)(6) The records required by this section SHALL: Include the equivalent dose to the embryo/fetus of a declared pregnant worker.	X		DOE-EM/GJRAC1913 "Moab UMTRA Project Internal Dosimetry Technical Basis Manual" DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(d)(01) Documentation of all occupational doses received during the current year, except for doses resulting from planned special exposures conducted in compliance with § 835.204 and emergency exposures authorized in accordance with § 835.1302(d), SHALL be obtained to demonstrate compliance with § 835.202(a).	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(d)(02) If complete records documenting previous occupational dose during the year cannot be obtained, a written estimate signed by the individual MAY be accepted to demonstrate compliance.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(e) For radiological workers whose occupational dose is monitored in accordance with § 835.402, reasonable efforts SHALL be made to obtain complete records of prior years' occupational internal and external doses.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(f) The records specified in this section that are identified with a specific individual SHALL be readily available to that individual.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(g) Data necessary for future verification or reassessment of the recorded doses SHALL be recorded.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.702(h) All records required by this section SHALL be transferred to the DOE upon cessation of activities at the site that could cause exposure to individuals.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #9	10 CFR 835.703(a) The following information SHALL be documented and maintained: Results of monitoring for radiation and radioactive material as required by subparts E and L of this part, except for monitoring required by § 835.1102(d).	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.703(b) The following information SHALL be documented and maintained: Results of monitoring used to determine individual occupational dose from external and internal sources.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.703(c) The following information SHALL be documented and maintained: Results of monitoring for the release and control of material and equipment as required by § 835.1101	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.703(d) The following information SHALL be documented and maintained: Results of maintenance and calibration performed on instruments and equipment as required by § 835.401(b).	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.704(a) Training records SHALL be maintained, as necessary, to demonstrate compliance with § 835.901.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.704(b) Actions taken to maintain occupational exposures as low as reasonably achievable, including the actions required for this purpose by § 835.101, as well as facility design and control actions required by §§ 835.1001, 835.1002 and 835.1003, SHALL be documented.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.704(c) Records SHALL be maintained to document the results of internal audits and other reviews of program content and implementation.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.704(d) Written declarations of pregnancy, including the estimated date of conception, and revocations of declarations of pregnancy SHALL be maintained.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #9	10 CFR 835.704(e) Changes in equipment, techniques, and procedures used for monitoring SHALL be documented.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.704(f) Records SHALL be maintained as necessary to demonstrate compliance with the requirements of §§ 835.1201 and 835.1202 for sealed radioactive source control, inventory, and source leak tests.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #10	10 CFR 835.801(a)(1) Radiation exposure data for individuals monitored in accordance with § 835.402 SHALL be reported as specified in this section.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.801(a)(2) The information SHALL include the data required under § 835.702(c).	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure"
Functional Element #9	10 CFR 835.801(a)(3) Each notification and report SHALL be in writing and include: the DOE site or facility name, the name of the individual, and the individual's social security number, employee number, or other unique identification number.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure" DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element # 10	10 CFR 835.801(b)(1) Upon request from an individual terminating employment, records of exposure SHALL be provided to that individual as soon as the data are available, but not later than 90 days after termination.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure" DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element # 10	10 CFR 835.801(b)(2) A written estimate of the radiation dose received by that employee based on available information SHALL be provided at the time of termination, if requested.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure" DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element #10	10 CFR 835.801(c) Each DOE- or DOE-contractor-operated site or facility SHALL, on an annual basis, provide a radiation dose report to Each individual monitored during the year at that site or facility in accordance with § 835.402.	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure" DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element #10	10 CFR 835.801(d) Detailed information concerning any individual's exposure SHALL be made available to the individual upon request of that individual, consistent with the provisions of the Privacy Act (5 U.S.C. 552a).	X		DOE-EM/GJRAC1978 "Moab UMTRA Project Occupational Radiation Protection Recordkeeping and Reporting Procedure" DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #10	10 CFR 835.801(e)(1) When a DOE contractor is required to report to the Department, pursuant to Departmental requirements for occurrence reporting and processing, any exposure of an individual to radiation and/or radioactive material, or planned special exposure in accordance with § 835.204(e), the contractor WILL also provide that individual with a report on his or her exposure data included therein.	X		DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element #9	10 CFR 835.801(e)(2) Such report WILL be transmitted at a time not later than the transmittal to the Department.	X		DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element #10	10 CFR 835.901(a)(1) Each individual WILL complete radiation safety training on the topics established at § 835.901(c) commensurate with the hazards in the area and the required controls: Before being permitted unescorted access to controlled areas.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(a)(2) Each individual will complete radiation safety training on the topics established at § 835.901(c) commensurate with the hazards in the area and the required controls: Before receiving occupational dose during access to controlled areas at a DOE site or facility.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(b)(1) Each individual WILL demonstrate knowledge of the radiation safety training topics established in § 835.901(c), commensurate with the hazards in the area and required controls, by successful completion of an examination and performance demonstrations: Before being permitted unescorted access to radiological areas.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(b)(2) Each individual WILL demonstrate knowledge of the radiation safety training topics established in § 835.901(c), commensurate with the hazards in the area and required controls, by successful completion of an examination and performance demonstrations Before performing unescorted assignments as a radiological worker.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #11	10 CFR 835.901(c)(1) Radiation safety training WILL include the following topics, to the extent appropriate to each individual's prior training, work assignments, and degree of exposure to potential radiological hazards: Risks of exposure to radiation and radioactive materials, including prenatal radiation exposure.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(c)(2) Radiation safety training WILL include the following topics, to an extent appropriate to each individual's prior training, work assignments, and degree of exposure to potential radiological hazards: Basic radiological fundamentals and radiation protection concepts.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(c)(3) Radiation safety training WILL include the following topics, to the extent appropriate to each individual's prior training, work assignments, and degree of exposure to potential radiological hazards: Physical design features, administrative controls, limits, policies, procedures, alarms, and other measures implemented at the facility to manage doses and maintain doses ALARA, including both routine and emergency actions.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(c)(4) Radiation safety training WILL include the following topics, to the extent appropriate to each individual's prior training, work assignments, and degree of exposure to potential radiological hazards: Individual rights and responsibilities as related to implementation of the facility radiation protection program.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(c)(5) Radiation safety training WILL include the following topics, to the extent appropriate to each individual's prior training, work assignments, and degree of exposure to potential radiological hazards: Individual responsibilities for implementing ALARA measures required by § 835.101.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #11	10 CFR 835.901(c)(6) Radiation safety training WILL include the following topics, to the extent appropriate to each individual's prior training, work assignments, and degree of exposure to potential radiological hazards: Individual exposure reports that may be requested in accordance with § 835.801.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(d)(1) When an escort is used in lieu of training in accordance with paragraph (a) or (b) of this section, the escort WILL: Have completed radiation safety training, examinations, and performance demonstrations required for entry to the area and performance of the work.	X		DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(d)(2) When an escort is used in lieu of training in accordance with paragraph (a) or (b) of this section, the escort WILL: Ensure that all escorted individuals comply with the documented radiation protection program.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(e)(1) Radiation safety training WILL be provided to individuals when there is a significant change to radiation protection policies and procedures that may affect the individual and at intervals not to exceed 24 months.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #11	10 CFR 835.901(e)(2) Such training provided for individuals subject to the requirements of § 835.901(b)(1) and (b)(2) WILL include successful completion of an examination.	X		TAC - General Employee Radiological Training GERT program RP-101. TAC- Radiation Worker Training II RP-102 DOE-EM/GJ1533 "Moab UMTRA Project Training Manual"
Functional Element #2	10 CFR 835.1001(a)(1) Measures WILL be taken to maintain radiation exposure in controlled areas ALARA through engineered and administrative controls.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1001(a)(2) The primary methods used WILL be engineered controls (e.g., confinement, ventilation, remote handling, and shielding).	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1001(a)(03) Administrative controls WILL be employed only as supplemental methods to control radiation exposure.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #2	10 CFR 835.1001(b) For specific activities where use of engineered controls is demonstrated to be impractical, administrative controls WILL be used to maintain radiation exposures ALARA.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1002(a) During the design of new facilities or modification of existing facilities, the following objectives will be adopted: Optimization methods WILL be used to assure that occupational exposure is maintained ALARA in developing and justifying facility design and physical controls.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1002(b)(1) During the design of new facilities or modification of existing facilities, the following objectives will be adopted: The design objective for controlling personnel exposure from external sources of radiation in areas of continuous occupational occupancy (2000 hours per year) WILL be to maintain exposure levels below an average of 0.5 mrem (5 micro sieverts) per hour and as far below this average as is reasonably achievable.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1002(b)(2) During the design of new facilities or modification of existing facilities, the following objectives will be adopted: The design objectives for exposure rates for potential exposure to a radiological worker where occupancy differs from the above WILL be ALARA and will not exceed 20 percent of the applicable standards in §835.202.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1002(b)(3) During the design of new facilities or modification of existing facilities, the following objectives will be adopted: The design objectives for exposure rates for potential exposure to a radiological worker where occupancy differs from the above will be ALARA and WILL not exceed 20 percent of the applicable standards in §835.202.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1002(c)(1) During the design of new facilities or modification of existing facilities, the following objectives will be adopted: Regarding the control of airborne radioactive material, the design objective WILL be, under normal condition avoid releases to the workplace atmosphere and in any situation, to control the inhalation of such material by workers to levels that are ALARA.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #2	10 CFR 835.1002(c)(2) During the design of new facilities or modification of existing facilities, the following objectives will be adopted: Regarding the control of airborne radioactive material, the design objective will be...confinement and ventilation WILL normally be used.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1002(d) During the design of new facilities or modification of existing facilities, the following objectives will be adopted: The design or modification of a facility and the selection of materials WILL include features that facilitate operation, maintenance, decontamination, and decommissioning.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1003(a) During routine operations, the combination of engineered and administrative control procedures will provide that the anticipated occupational dose to general employees will not exceed the limits established at § 835.202.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #2	10 CFR 835.1003(b) During routine operations, the combination of engineering and administrative control procedures will provide that: The ALARA process is utilized for personnel exposures to ionizing radiation.	X		DOE-EM/GJRAC1922 "Moab UMTRA Project ALARA Program"
Functional Element #6e	10 CFR 835.1101(a)(1) Except as provided in paragraphs (b) and (c) of this section, material and equipment in contamination areas, high contamination areas, and airborne radioactivity areas, WILL NOT be released to a controlled area if: Removable surface contamination levels on accessible surfaces exceed the removable surface contamination values specified in appendix D of this part.	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
Functional Element #6e	10 CFR 835.1101(a)(2) Except as provided in paragraphs (b) and (c) of this section, material and equipment in contamination areas, high contamination areas, and airborne radioactivity areas, WILL NOT be released to a controlled area if: Prior use suggests that the removable surface contamination levels on inaccessible surfaces are likely to exceed the removable surface contamination values specified in Appendix D to this part.	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #6e	10 CFR 835.1101(b) Material and equipment exceeding the removable surface contamination values specified in appendix D of this part MAY be conditionally released for movement on-site from one radiological area for immediate placement in another radiological area only if appropriate monitoring is performed and appropriate controls for the movement are established and exercised.	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
Functional Element #6e	10 CFR 835.1101(c)(1) Material and equipment with fixed contamination levels that exceed the total contamination values specified in appendix D of this part MAY be released for use in controlled areas outside of the radiological areas only under the following conditions: Removable surface contamination levels are below the removable surface contamination values specified in appendix D of this part.	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
Functional Element #6e	10 CFR 835.1101(c)(2) Material and equipment with fixed contamination levels that exceed the total contamination values specified in Appendix D of this part MAY be released for use in controlled areas outside of the radiological areas only under the following conditions: The material or equipment is routinely monitored and clearly marked or labeled to alert personnel of the contaminated status	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
Functional Element #6e	10 CFR 835.1102(a) Appropriate controls WILL be maintained and verified, which prevent the inadvertent transfer of removable contamination to locations outside of radiological areas under normal operating conditions.	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan"
Functional Element #6e	10 CFR 835.1102(b) Any area in which contamination levels exceed the values specified in appendix D of this part will be controlled in a manner commensurate with the physical and chemical characteristics of the contaminant, the radionuclides present, and the fixed and removable surface contamination levels.	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan" DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #6e	10 CFR 835.1102(c)(1) Areas accessible to individuals where the measured total surface contamination levels exceed, but the removable surface contamination levels are less than, corresponding surface contamination values specified in appendix D of this part, WILL be controlled as follows when located outside of radiological areas: The area WILL be routinely monitored to ensure the removable surface contamination level remains below the removable surface contamination values specified in appendix D of this part.	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan" DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6e	10 CFR 835.1102(c)(2) Areas accessible to individuals where the measured total surface contamination levels exceed, but the removable surface contamination levels are less than, corresponding surface contamination values specified in appendix D of this part, WILL be controlled as follows when located outside of radiological areas: The area WILL be conspicuously marked to warn individuals of the contaminated status.	X		DOE-EM/GJRAC2091 "Moab UMTRA Project Radiological Release of Materials and Equipment Plan" DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6b & c	10 CFR 835.1102(d) Individuals exiting contamination, high contamination, or airborne radioactivity areas WILL be monitored, as appropriate, for the presence of surface contamination.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6b & c	10 CFR 835.1102(e) Protective clothing WILL be required for entry to areas in which removable contamination exists at levels exceeding the removable surface contamination values specified in appendix D of this part.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6f	10 CFR 835.1201 Sealed radioactive sources WILL be used, handled, and stored in a manner commensurate with the hazards associated with operations involving the sources.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #6f	10 CFR 835.1202(a) Each accountable sealed radioactive source WILL be inventoried at intervals not to exceed six months.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6f	10 CFR 835.1202(a)(1) Each accountable sealed radioactive source will be inventoried at intervals not to exceed six months. This inventory WILL: Establish the physical location of each accountable sealed radioactive source.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6f	10 CFR 835.1202(a)(2) Each accountable sealed radioactive source will be inventoried at intervals not to exceed six months. This inventory WILL: Verify the presence and adequacy of associated postings and labels.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6f	10 CFR 835.1202(a)(3) Each accountable sealed radioactive source will be inventoried at intervals not to exceed six months. This inventory WILL: Establish the adequacy of storage locations, containers, and devices.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #6f	10 CFR 835.1202(b)(01) Except for sealed radioactive sources consisting solely of gaseous radioactive material or tritium, each accountable sealed radioactive source WILL be subject to a source leak test upon receipt, when damage is suspected, and at intervals not to exceed six months.	X		DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"
Functional Element #6f	10 CFR 835.1202(b)(02) Except for sealed radioactive sources consisting solely of gaseous radioactive material or tritium, each accountable sealed radioactive source will be subject to a source leak test upon receipt, when damage is suspected, and at intervals not to exceed six months. Source leak tests WILL be capable of detecting radioactive material leakage equal to or exceeding 0.005 µCi.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1748 "Moab UMTRA Project Radiological Posting and Access Control Procedure"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element #6f	10 CFR 835.1202(c) Notwithstanding the requirements of paragraph (b) of this section, an accountable sealed radioactive source is not subject to periodic source leak testing if that source has been removed from service. Such sources WILL be stored in a controlled location, subject to periodic inventory as required by paragraph (a) of this section, and subject to source leak testing prior to being returned to service.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #6f	10 CFR 835.1202(d) Notwithstanding the requirements of paragraphs (a) and (b) of this section, an accountable sealed radioactive source IS NOT SUBJECT to periodic inventory and source leak testing if that source is located in an area that is unsafe for human entry or otherwise inaccessible.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element #6f	10 CFR 835.1202(e) An accountable sealed radioactive source found to be leaking radioactive material will be controlled in a manner that minimizes the spread of radioactive contamination.	X		DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure" DOE-EM/GJRAC1749 "Moab UMTRA Project Control and Labeling of Radioactive Material Procedure"
Functional Element # 3 & 4	10 CFR 835.1301(a)(01) A general employee whose occupational dose has exceeded the numerical value of any of the limits specified in § 835.202 as a result of an authorized emergency exposure MAY be permitted to return to work in radiological areas during the current year providing that all of the following conditions are met: Approval is first obtained from the contractor management and the Head of the responsible DOE field organization.	X		DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element # 3 & 4	10 CFR 835.1301(a)(2) A general employee whose occupational dose has exceeded the numerical value of any of the limits specified in §835.202 as a result of an authorized emergency exposure MAY be permitted to return to work in radiological areas during the current year providing that all of the following conditions are met: The individual receives counseling from radiological protection and medical personnel regarding the consequences of receiving additional occupational exposure during the year.	X		DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 3 & 4	10 CFR 835.1301(a)(03) A general employee whose occupational dose has exceeded the numerical value of any of the limits specified in §835.202 as a result of an authorized emergency exposure MAY be permitted to return to work in radiological areas during the current year providing that all of the following conditions are met: The affected employee agrees to return to radiological work.	X		DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element # 3 & 4	10 CFR 835.1301(b) All doses exceeding the limits specified in § 835.202 WILL be recorded in the affected individual's occupational dose record.	X		DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element # 3 & 4	10 CFR 835.1301(c) When the conditions under which a dose was received more than the limits specified in § 835.202, except those doses received in accordance with § 835.204, have been eliminated, operating management WILL notify the Head of the responsible DOE field organization.	X		DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element # 3 & 4	10 CFR 835.1301(d) Operations which have been suspended as a result of a dose more than the limits specified in § 835.202, except those received in accordance with § 835.204, MAY be resumed only with the approval of DOE.	X		DOE-EM/GJRAC1993 "Moab UMTRA Project Internal Dosimetry Procedures Manual"
Functional Element # 7	10 CFR 835.1302(a) The risk of injury to those individuals involved in rescue and recovery operations WILL be minimized.	X		DOE-EM/GJ1520 "Moab UMTRA Project Emergency/Incident Response Plan" DOE-EM/GJ1038 "Moab UMTRA Project Health and Safety Plan"
Functional Element # 7	10 CFR 835.1302(b) Operating management WILL weigh actual and potential risks against the benefits to be gained.	X		DOE-EM/GJ1520 "Moab UMTRA Project Emergency/Incident Response Plan" DOE-EM/GJ1038 "Moab UMTRA Project Health and Safety Plan"
Functional Element # 7	10 CFR 835.1302(c) No individual WILL be required to perform a rescue action that might involve substantial personal risk.	X		DOE-EM/GJ1520 "Moab UMTRA Project Emergency/Incident Response Plan" DOE-EM/GJ1038 "Moab UMTRA Project Health and Safety Plan"

Appendix B. 10 CFR 835 Method of Compliance/Compliance Matrix (*continued*)

Functional Element # 7	10 CFR 835.1302(d) Each individual authorized to perform emergency actions likely to result in occupational doses exceeding the values of the limits provided at § 835.202(a) WILL be trained in accordance with § 835.901(b) and briefed beforehand on the known or anticipated hazards to which the individual will be subjected.	X		DOE-EM/GJ1520 "Moab UMTRA Project Emergency/Incident Response Plan" DOE-EM/GJ1038 "Moab UMTRA Project Health and Safety Plan"
Functional Element # 7	10 CFR 835.1304(a) Installations possessing sufficient quantities of fissile material to potentially constitute a critical mass, such that the excessive exposure of individuals to radiation from a nuclear accident is possible, WILL provide nuclear accident dosimetry for those individuals.		X	The Moab UMTRA site does not contain configurable quantities of fissile materials.
Functional Element # 8	10 CFR 835.1304(b) Nuclear accident dosimetry WILL include the following: A method to conduct initial screening of individuals involved in a nuclear accident to determine whether significant exposures to radiation occurred.		X	The Moab UMTRA site does not contain configurable quantities of fissile materials.
Functional Element # 8	10 CFR 835.1304(b)(2) Nuclear accident dosimetry WILL include the following: Methods and equipment for analysis of biological materials.		X	The Moab UMTRA site does not contain configurable quantities of fissile materials.
Functional Element # 8	10 CFR 835.1304(b)(3) Nuclear accident dosimetry WILL include the following: A system of fixed nuclear accident dosimeter units.		X	The Moab UMTRA site does not contain configurable quantities of fissile materials.
Functional Element # 8	10 CFR 835.1304(b)(4) Nuclear accident dosimetry WILL include the following: Personal nuclear accident dosimeters.		X	The Moab UMTRA site does not contain configurable quantities of fissile materials.

Attachment 1.
10 CFR 835.2 Definitions

Attachment 1. 10 CFR 835.2 Definitions

Department of Energy

§ 835.2

(d) The requirements in subparts F and G of this part do not apply to radioactive material transportation by DOE or a DOE contractor conducted:

(1) Under the continuous observation and control of an individual who is knowledgeable of and implements required exposure control measures, or

(2) In accordance with Department of Transportation regulations or DOE orders that govern such movements.

[58 FR 65485, Dec. 14, 1993, as amended at 63 FR 59679, Nov. 4, 1998; 71 FR 68733, Nov. 28, 2006; 72 FR 31922, June 8, 2007]

§ 835.2 Definitions.

(a) As used in this part:

Accountable sealed radioactive source means a sealed radioactive source having a half-life equal to or greater than 30 days and an isotopic activity equal to or greater than the corresponding value provided in appendix E of this part.

Activity Median Aerodynamic Diameter (AMAD) means a particle size in an aerosol where fifty percent of the activity in the aerosol is associated with particles of aerodynamic diameter greater than the AMAD.

Airborne radioactive material or airborne radioactivity means radioactive material dispersed in the air in the form of dusts, fumes, particulates, mists, vapors, or gases.

Airborne radioactivity area means any area, accessible to individuals, where:

(1) The concentration of airborne radioactivity, above natural background, exceeds or is likely to exceed the derived air concentration (DAC) values listed in appendix A or appendix C of this part; or

(2) An individual present in the area without respiratory protection could receive an intake exceeding 12 DAC-hours in a week.

ALARA means "As Low As is Reasonably Achievable," which is the approach to radiation protection to manage and control exposures (both individual and collective) to the work force and to the general public to as low as is reasonable, taking into account social, technical, economic, practical, and public policy considerations. As used in this part, ALARA is not a dose limit but a process which has the objective of attaining doses as far below

the applicable limits of this part as is reasonably achievable.

Annual limit on intake (ALI) means the derived limit for the amount of radioactive material taken into the body of an adult worker by inhalation or ingestion in a year. ALI is the smaller value of intake of a given radionuclide in a year by the reference man (ICRP Publication 23) that would result in a committed effective dose of 5 rems (0.05 sieverts (Sv)) (1 rem = 0.01 Sv) or a committed equivalent dose of 50 rems (0.5 Sv) to any individual organ or tissue. ALI values for intake by ingestion and inhalation of selected radionuclides are based on International Commission on Radiological Protection Publication 68, *Dose Coefficients for Intakes of Radionuclides by Workers*, published July, 1994 (ISBN 0 08 042651 4). This document is available from Elsevier Science Inc., Tarrytown, NY.

Authorized limit means a limit on the concentration of residual radioactive material on the surfaces or within the property that has been derived consistent with DOE directives including the as low as is reasonably achievable (ALARA) process requirements, given the anticipated use of the property and has been authorized by DOE to permit the release of the property from DOE radiological control.

Background means radiation from:

(1) Naturally occurring radioactive materials which have not been technologically enhanced;

(2) Cosmic sources;

(3) Global fallout as it exists in the environment (such as from the testing of nuclear explosive devices);

(4) Radon and its progeny in concentrations or levels existing in buildings or the environment which have not been elevated as a result of current or prior activities; and

(5) Consumer products containing nominal amounts of radioactive material or producing nominal amounts of radiation.

Bioassay means the determination of kinds, quantities, or concentrations, and, in some cases, locations of radioactive material in the human body, whether by direct measurement or by analysis and evaluation of radioactive materials excreted or removed from the human body.

Attachment 1. 10 CFR 835.2 Definitions (*continued*)

§ 835.2

10 CFR Ch. III (1–1–10 Edition)

Calibration means to adjust and/or determine either:

(1) The response or reading of an instrument relative to a standard (*e.g.*, primary, secondary, or tertiary) or to a series of conventionally true values; or

(2) The strength of a radiation source relative to a standard (*e.g.*, primary, secondary, or tertiary) or conventionally true value.

Contamination area means any area, accessible to individuals, where removable surface contamination levels exceed or are likely to exceed the removable surface contamination values specified in appendix D of this part, but do not exceed 100 times those values.

Controlled area means any area to which access is managed by or for DOE to protect individuals from exposure to radiation and/or radioactive material.

Declared pregnant worker means a woman who has voluntarily declared to her employer, in writing, her pregnancy for the purpose of being subject to the occupational dose limits to the embryo/fetus as provided in §835.206. This declaration may be revoked, in writing, at any time by the declared pregnant worker.

Derived air concentration (DAC) means, for the radionuclides listed in appendix A of this part, the airborne concentration that equals the ALI divided by the volume of air breathed by an average worker for a working year of 2000 hours (assuming a breathing volume of 2400 m³). For the radionuclides listed in appendix C of this part, the air immersion DACs were calculated for a continuous, non-shielded exposure via immersion in a semi-infinite cloud of radioactive material. Except as noted in the footnotes to appendix A of this part, the values are based on dose coefficients from International Commission on Radiological Protection Publication 68, *Dose Coefficients for Intakes of Radionuclides by Workers*, published July, 1994 (ISBN 0 08 042651 4) and the associated ICRP computer program, *The ICRP Database of Dose Coefficients: Workers and Members of the Public*, (ISBN 0 08 043 8768). These materials are available from Elsevier Science Inc., Tarrytown, NY.

Derived air concentration-hour (DAC-hour) means the product of the concentration of radioactive material in

air (expressed as a fraction or multiple of the DAC for each radionuclide) and the time of exposure to that radionuclide, in hours.

Deterministic effects means effects due to radiation exposure for which the severity varies with the dose and for which a threshold normally exists (*e.g.*, radiation-induced opacities within the lens of the eye).

DOE means the United States Department of Energy.

DOE activity means an activity taken for or by DOE in a DOE operation or facility that has the potential to result in the occupational exposure of an individual to radiation or radioactive material. The activity may be, but is not limited to, design, construction, operation, or decommissioning. To the extent appropriate, the activity may involve a single DOE facility or operation or a combination of facilities and operations, possibly including an entire site or multiple DOE sites.

Entrance or access point means any location through which an individual could gain access to areas controlled for the purpose of radiation protection. This includes entry or exit portals of sufficient size to permit human entry, irrespective of their intended use.

General employee means an individual who is either a DOE or DOE contractor employee; an employee of a subcontractor to a DOE contractor; or an individual who performs work for or in conjunction with DOE or utilizes DOE facilities.

High contamination area means any area, accessible to individuals, where removable surface contamination levels exceed or are likely to exceed 100 times the removable surface contamination values specified in appendix D of this part.

High radiation area means any area, accessible to individuals, in which radiation levels could result in an individual receiving an equivalent dose to the whole body in excess of 0.1 rems (0.001 Sv) in 1 hour at 30 centimeters from the radiation source or from any surface that the radiation penetrates.

Individual means any human being.

Member of the public means an individual who is not a general employee. An individual is not a “member of the public” during any period in which the

Attachment 1. 10 CFR 835.2 Definitions (*continued*)

Department of Energy

§ 835.2

individual receives an occupational dose.

Minor means an individual less than 18 years of age.

Monitoring means the measurement of radiation levels, airborne radioactivity concentrations, radioactive contamination levels, quantities of radioactive material, or individual doses and the use of the results of these measurements to evaluate radiological hazards or potential and actual doses resulting from exposures to ionizing radiation.

Occupational dose means an individual's ionizing radiation dose (external and internal) as a result of that individual's work assignment. Occupational dose does not include doses received as a medical patient or doses resulting from background radiation or participation as a subject in medical research programs.

Person means any individual, corporation, partnership, firm, association, trust, estate, public or private institution, group, Government agency, any State or political subdivision of, or any political entity within a State, any foreign government or nation or other entity, and any legal successor, representative, agent or agency of the foregoing; provided that person does not include DOE or the United States Nuclear Regulatory Commission.

Radiation means ionizing radiation: alpha particles, beta particles, gamma rays, X-rays, neutrons, high-speed electrons, high-speed protons, and other particles capable of producing ions. Radiation, as used in this part, does not include non-ionizing radiation, such as radio waves or microwaves, or visible, infrared, or ultraviolet light.

Radiation area means any area, accessible to individuals, in which radiation levels could result in an individual receiving an equivalent dose to the whole body in excess of 0.005 rem (0.05 mSv) in 1 hour at 30 centimeters from the source or from any surface that the radiation penetrates.

Radioactive material area means any area within a controlled area, accessible to individuals, in which items or containers of radioactive material exist and the total activity of radioactive material exceeds the applicable

values provided in appendix E of this part.

Radioactive material transportation means the movement of radioactive material by aircraft, rail, vessel, or highway vehicle. Radioactive material transportation does not include preparation of material or packagings for transportation, storage of material awaiting transportation, or application of markings and labels required for transportation.

Radiological area means any area within a controlled area defined in this section as a "radiation area," "high radiation area," "very high radiation area," "contamination area," "high contamination area," or "airborne radioactivity area."

Radiological worker means a general employee whose job assignment involves operation of radiation producing devices or working with radioactive materials, or who is likely to be routinely occupationally exposed above 0.1 rem (0.001 Sv) per year total effective dose.

Real property means land and anything permanently affixed to the land such as buildings, fences and those things attached to the buildings, such as light fixtures, plumbing and heating fixtures.

Real-time air monitoring means measurement of the concentrations or quantities of airborne radioactive materials on a continuous basis.

Respiratory protective device means an apparatus, such as a respirator, worn by an individual for the purpose of reducing the individual's intake of airborne radioactive materials.

Sealed radioactive source means a radioactive source manufactured, obtained, or retained for the purpose of utilizing the emitted radiation. The sealed radioactive source consists of a known or estimated quantity of radioactive material contained within a sealed capsule, sealed between layer(s) of non-radioactive material, or firmly fixed to a non-radioactive surface by electroplating or other means intended to prevent leakage or escape of the radioactive material. Sealed radioactive sources do not include reactor fuel elements, nuclear explosive devices, and radioisotope thermoelectric generators.

Attachment 1. 10 CFR 835.2 Definitions (*continued*)

§ 835.2

10 CFR Ch. III (1–1–10 Edition)

Source leak test means a test to determine if a sealed radioactive source is leaking radioactive material.

Special tritium compound (STC) means any compound, except for H_2O , that contains tritium, either intentionally (e.g., by synthesis) or inadvertently (e.g., by contamination mechanisms).

Stochastic effects means malignant and hereditary diseases for which the probability of an effect occurring, rather than its severity, is regarded as a function of dose without a threshold, for radiation protection purposes.

Very high radiation area means any area, accessible to individuals, in which radiation levels could result in an individual receiving an absorbed dose in excess of 500 rads (5 grays) in one hour at 1 meter from a radiation source or from any surface that the radiation penetrates.

Week means a period of seven consecutive days.

Year means the period of time beginning on or near January 1 and ending on or near December 31 of that same year used to determine compliance with the provisions of this part. The starting and ending date of the year used to determine compliance may be changed, provided that the change is made at the beginning of the year and that no day is omitted or duplicated in consecutive years.

(b) As used in this part to describe various aspects of radiation dose:

Absorbed dose (D) means the average energy imparted by ionizing radiation to the matter in a volume element per unit mass of irradiated material. The absorbed dose is expressed in units of rad (or gray) (1 rad = 0.01 gray).

Committed effective dose (E_{50}) means the sum of the committed equivalent doses to various tissues or organs in the body ($H_{T,50}$), each multiplied by the appropriate tissue weighting factor (w_T)—that is, $E_{50} = \sum w_T H_{T,50} + w_{\text{Remainder}} H_{\text{Remainder},50}$. Where $w_{\text{Remainder}}$ is the tissue weighting factor assigned to the remainder organs and tissues and $H_{\text{Remainder},50}$ is the committed equivalent dose to the remainder organs and tissues. Committed effective dose is expressed in units of rem (or Sv).

Committed equivalent dose ($H_{T,50}$) means the equivalent dose calculated to be received by a tissue or organ over

a 50-year period after the intake of a radionuclide into the body. It does not include contributions from radiation sources external to the body. Committed equivalent dose is expressed in units of rem (or Sv).

Cumulative total effective dose means the sum of all total effective dose values recorded for an individual plus, for occupational exposures received before the implementation date of this amendment, the cumulative total effective dose equivalent (as defined in the November 4, 1998 amendment to this rule) values recorded for an individual, where available, for each year occupational dose was received, beginning January 1, 1989.

Dose is a general term for absorbed dose, equivalent dose, effective dose, committed equivalent dose, committed effective dose, or total effective dose as defined in this part.

Effective dose (E) means the summation of the products of the equivalent dose received by specified tissues or organs of the body (H_T) and the appropriate tissue weighting factor (w_T)—that is, $E = \sum w_T H_T$. It includes the dose from radiation sources internal and/or external to the body. For purposes of compliance with this part, equivalent dose to the whole body may be used as effective dose for external exposures. The effective dose is expressed in units of rem (or Sv).

Equivalent dose (H_T) means the product of average absorbed dose ($D_{T,R}$) in rad (or gray) in a tissue or organ (T) and a radiation (R) weighting factor (w_R). For external dose, the equivalent dose to the whole body is assessed at a depth of 1 cm in tissue; the equivalent dose to the lens of the eye is assessed at a depth of 0.3 cm in tissue, and the equivalent dose to the extremity and skin is assessed at a depth of 0.007 cm in tissue. Equivalent dose is expressed in units of rem (or Sv).

External dose or exposure means that portion of the equivalent dose received from radiation sources outside the body (i.e., “external sources”).

Extremity means hands and arms below the elbow or feet and legs below the knee.

Internal dose or exposure means that portion of the equivalent dose received

Attachment 1. 10 CFR 835.2 Definitions (*continued*)

Department of Energy

§ 835.2

from radioactive material taken into the body (*i.e.*, “internal sources”).

Radiation weighting factor (w_R) means the modifying factor used to calculate the equivalent dose from the average tissue or organ absorbed dose; the ab-

sorbed dose (expressed in rad or gray) is multiplied by the appropriate radiation weighting factor. The radiation weighting factors to be used for determining equivalent dose in rem are as follows:

RADIATION WEIGHTING FACTORS¹, w_R

Type and energy range	Radiation weighting factor
Photons, electrons and muons, all energies	1
Neutrons, energy < 10 keV ^{2,3}	5
Neutrons, energy 10 keV to 100 keV ^{2,3}	10
Neutrons, energy > 100 keV to 2 MeV ^{2,3}	20
Neutrons, energy > 2 MeV to 20 MeV ^{2,3}	10
Neutrons, energy > 20 MeV ^{2,3}	5
Protons, other than recoil protons, energy > 2 MeV	5
Alpha particles, fission fragments, heavy nuclei	20

¹All values relate to the radiation incident on the body or, for internal sources, emitted from the source.

²When spectral data are insufficient to identify the energy of the neutrons, a radiation weighting factor of 20 shall be used.

³When spectral data are sufficient to identify the energy of the neutrons, the following equation may be used to determine a neutron radiation weighting factor value:

$$w_R = 5 + 17 \exp \left[\frac{-(\ln(2E_n))^2}{6} \right] \text{ Where } E_n \text{ is the neutron energy in MeV.}$$

Tissue weighting factor (w_T) means the fraction of the overall health risk, resulting from uniform, whole body irradiation, attributable to specific tissue (T). The equivalent dose to tissue, (H_T), is multiplied by the appropriate tissue weighting factor to obtain the effective dose (E) contribution from that tissue. The tissue weighting factors are as follows:

TISSUE WEIGHTING FACTORS FOR VARIOUS ORGANS AND TISSUES

Organs or tissues, T	Tissue weighting factor, w_T
Gonads	0.20
Red bone marrow	0.12
Colon	0.12
Lungs	0.12
Stomach	0.12
Bladder	0.05
Breast	0.05
Liver	0.05
Esophagus	0.05
Thyroid	0.05
Skin	0.01
Bone surfaces	0.01
Remainder ¹	0.05

TISSUE WEIGHTING FACTORS FOR VARIOUS ORGANS AND TISSUES—Continued

Organs or tissues, T	Tissue weighting factor, w_T
Whole body ²	1.00

¹“Remainder” means the following additional tissues and organs and their masses, in grams, following parenthetically: adrenals (14), brain (1400), extrathoracic airways (15), small intestine (640), kidneys (310), muscle (28,000), pancreas (100), spleen (180), thymus (20), and uterus (80). The equivalent dose to the remainder tissues ($H_{\text{remainder}}$), is normally calculated as the mass-weighted mean dose to the preceding ten organs and tissues. In those cases in which the most highly irradiated remainder tissue or organ receives the highest equivalent dose of all the organs, a weighting factor of 0.025 (half of remainder) is applied to that tissue or organ and 0.025 (half of remainder) to the mass-weighted equivalent dose in the rest of the remainder tissues and organs to give the remainder equivalent dose.

²For the case of uniform external irradiation of the whole body, a tissue weighting factor (w_T) equal to 1 may be used in determination of the effective dose.

Total effective dose (TED) means the sum of the effective dose (for external exposures) and the committed effective dose.

Whole body means, for the purposes of external exposure, head, trunk (including male gonads), arms above and including the elbow, or legs above and including the knee.

(c) Terms defined in the Atomic Energy Act of 1954 or in 10 CFR part 820 and not defined in this part are used

Attachment 1. 10 CFR 835.2 Definitions (*continued*)

§ 835.3

10 CFR Ch. III (1–1–10 Edition)

consistent with their meanings given in the Atomic Energy Act of 1954 or in 10 CFR part 820.

[72 FR 31922, June 8, 2007, as amended at 74 FR 18116, Apr. 21, 2009]

§ 835.3 General rule.

(a) No person or DOE personnel shall take or cause to be taken any action inconsistent with the requirements of:

(1) This part; or

(2) Any program, plan, schedule, or other process established by this part.

(b) With respect to a particular DOE activity, contractor management shall be responsible for compliance with the requirements of this part.

(c) Where there is no contractor for a DOE activity, DOE shall ensure implementation of and compliance with the requirements of this part.

(d) Nothing in this part shall be construed as limiting actions that may be necessary to protect health and safety.

(e) For those activities that are required by §§835.102, 835.901(e), 835.1202(a), and 835.1202(b), the time interval to conduct these activities may be extended by a period not to exceed 30 days to accommodate scheduling needs.

[58 FR 65485, Dec. 14, 1993, as amended at 63 FR 59682, Nov. 4, 1998]

§ 835.4 Radiological units.

Unless otherwise specified, the quantities used in the records required by this part shall be clearly indicated in special units of curie, rad, roentgen, or rem, including multiples and subdivisions of these units, or other conventional units, such as, dpm, dpm/100 cm² or mass units. The SI units, becquerel (Bq), gray (Gy), and sievert (Sv), may be provided parenthetically for reference with scientific standards.

[72 FR 31925, June 8, 2007]

Subpart B—Management and Administrative Requirements

§ 835.101 Radiation protection programs.

(a) A DOE activity shall be conducted in compliance with a documented radiation protection program (RPP) as approved by the DOE.

(b) The DOE may direct or make modifications to a RPP.

(c) The content of each RPP shall be commensurate with the nature of the activities performed and shall include formal plans and measures for applying the as low as reasonably achievable (ALARA) process to occupational exposure.

(d) The RPP shall specify the existing and/or anticipated operational tasks that are intended to be within the scope of the RPP. Except as provided in §835.101(h), any task outside the scope of a RPP shall not be initiated until an update of the RPP is approved by DOE.

(e) The content of the RPP shall address, but shall not necessarily be limited to, each requirement in this part.

(f) The RPP shall include plans, schedules, and other measures for achieving compliance with regulations of this part. Unless otherwise specified in this part, compliance with the amendments to this part published on June 8, 2007 shall be achieved no later than July 9, 2010.

(g) An update of the RPP shall be submitted to DOE:

(1) Whenever a change or an addition to the RPP is made;

(2) Prior to the initiation of a task not within the scope of the RPP; or

(3) Within 180 days of the effective date of any modifications to this part.

(h) Changes, additions, or updates to the RPP may become effective without prior Department approval only if the changes do not decrease the effectiveness of the RPP and the RPP, as changed, continues to meet the requirements of this part. Proposed changes that decrease the effectiveness of the RPP shall not be implemented without submittal to and approval by the Department.

(i) An initial RPP or an update shall be considered approved 180 days after its submission unless rejected by DOE at an earlier date.

[58 FR 65485, Dec. 14, 1993, as amended at 63 FR 59682, Nov. 4, 1998; 72 FR 31925, June 8, 2007]

§ 835.102 Internal audits.

Internal audits of the radiation protection program, including examination of program content and implementation, shall be conducted through a process that ensures that all functional