

Table 11.1-1
Summary of Investigation Results and Recommendations

SWMU/AOC	Brief Description	Extent Defined or No Further Sampling Warranted?	Potential Unacceptable Risk/Dose?	Recommendation
Former TA-12				
SWMU 12-001(a)	Firing pit steel-lined chamber	Yes	No	Complete without controls
SWMU 12-001(b)	Former firing pit	Yes	No	Complete without controls
SWMU 12-002	Potential soil contamination	Yes	No	Complete without controls
AOC 12-004(a)	Radiation test site	Yes	No	Complete without controls
AOC 12-004(b)	Pipe	Yes	No	Complete without controls
AOC C-12-001	Potential soil contamination associated with former building	Yes	No	Complete without controls
AOC C-12-002	Potential soil contamination associated with former building	Yes	No	Complete without controls
AOC C-12-003	Potential soil contamination associated with former building	Yes	No	Complete without controls
AOC C-12-004	Potential soil contamination associated with former building	Yes	No	Complete without controls
AOC C-12-005	Potential soil contamination associated with former junction box	Yes	No	Complete without controls
TA-14				
AOC C-14-006	Potential soil contamination associated with former building	Yes	No	Complete without controls
TA-15				
AOC 15-005(c)	Container storage area (R-41)	Yes	No	Complete without controls
SWMU 15-007(c)	Shaft	No	Yes (industrial and residential)	Soil removal, additional extent sampling
SWMU 15-007(d)	Shaft	Yes	No	Complete without controls
SWMU 15-008(b)	Surface disposal area	No	Yes (industrial, residential, and ecological)	Soil removal, additional extent sampling
AOC 15-008(g)	Surface disposal area	No	No	Additional extent sampling and sampling to replace rejected data
SWMU 15-009(b)	Septic system	No	Yes (residential)	Additional extent sampling
SWMU 15-009(c)	Septic system	Yes	No	Complete without controls
SWMU 15-009(h)	Septic system	Yes	No	Complete without controls
SWMU 15-010(b)	Settling tank	Yes No	No	Complete without controls Sampling at locations not sampled during 2009–2010 investigation
AOC 15-014(h)	Outfalls from building 15-40	Yes	No	Complete without controls

Table 11.1-1 (continued)

SWMU/AOC	Brief Description	Extent Defined or No Further Sampling Warranted?	Potential Unacceptable Risk/Dose?	Recommendation
TA-36				
SWMU 36-002	Former sump	Yes	No	Complete without controls
SWMU 36-003(a)	Septic system	Yes	No	Complete without controls
SWMU 36-008	Surface disposal area located near building 36-1	Yes	No	Complete without controls
SWMU C-36-003	Outfall from building 36-1	Yes	No	Complete without controls