Department of Energy

Bonneville Power Administration

memorandum

DATE: March 16, 2010

REPLY TO

ATTN OF: KEPR-Bell-1

SUBJECT: Environmental Cleareance Memorandum

то: Michael Stolfus

Lineman Foreman III – TFKF-Kalispell

Proposed Action: Wood pole replacement and minor access road maintenance along various transmission line right-of-ways in the Kalispell District

PP&A Project No: 1536 (Columbia Falls-Kalispell #1), 1537 (Anaconda-Silver Bow #1), 1538 (Columbia Falls-Trego #1), 1541 (Libby-Bonners Ferry #1), 1542 (Rattlesnake-Garrison #1)

<u>Categorical Exclusion Applied (from Subpart D, 10 C.F.R. Part 1021)</u>: B1.3 Routine maintenance activities...for structures, rights-of-way, infrastructures such as roads, equipment... routine maintenance activities, corrective....are required to maintain...infrastructures...in a condition suitable for a facility to be used for its designed purpose.

<u>Location</u>: Various transmission lines located within the Kalispell District in Montana. See Project Location attachment for structure locations and corresponding transmission lines.

Proposed by: Bonneville Power Administration (BPA)

<u>Description of the Proposed Action</u>: BPA proposes to replace deteriorating wood poles and associated structural/electrical components (e.g. cross arms, insulators, guy anchors) along the subject transmission lines. Pole replacement will be in kind and will utilize the existing holes to minimize ground disturbance. If necessary, an auger will be used to remove any loose soil from the existing hole prior to new wood pole placement. Landing construction is not planned or anticipated at these locations.

Access road maintenance will be limited to minor blading, grading and rocking of access road segments that have become impassable. All road maintenance will take place in the existing road prism.

The proposed action will allow safe and timely access to the transmission lines which will help reduce outage times and maintain reliable power in the region. All work will be in accordance with the National Electrical Safety Code and BPA standards.

<u>Findings</u>: BPA has determined that the proposed action complies with Section 1021.410 and Appendix B, of Subpart D, of the Department of Energy (DOE) National Environmental Policy Act (NEPA) Regulations (57 Fed. Reg. 1512.2, April 24, 1992). The proposed action does not present any extraordinary circumstances that may affect the significance of the environmental effects of the proposal. The proposal is not connected [40 C.F.R. 1508.25 (a)(1)] to other

actions with potentially significant impacts, is not related to other proposed actions with cumulatively significant impacts [40 C.F.R. 1508.25 (a)(2)], and is not precluded by 40 C.F.R. 1506.1 or 10 C.F.R. 1021.211.

Moreover, the proposed action would not (i) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health; (ii) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities; (iii) disturb hazardous substances, pollutants, contaminants, or Comprehensive Environmental Response, Compensation and Liability Act-excluded petroleum and natural gas products that pre-exist in the environment such that there would be uncontrolled or un-permitted releases; or (iv) adversely affect environmentally sensitive resources.

With the actions identified on the attachment, this proposed action meets the requirements for the Categorical Exclusion referenced above. We, therefore, determine that the proposed action may be categorically excluded from further NEPA review and documentation.

/s/ Michael A. Rosales
Michael A. Rosales
Physical Scientist - Environment

Concur: /s/ Katherine S. Pierce Date: March 16, 2010

Katherine S. Pierce NEPA Compliance Officer

Attachments:
Project Location
Environmental Checklist for Categorical Exclusions
Effects Determination for T&E Species

PROJECT LOCATION

Transmission Line/ROW	Structure #	Township	Range	Section	County
Anaconda - Silver Bow #1	03/02	4N	10W	28	Deer Lodge
	08/01	3N	9W	06	Silver Bow
	09/09	3N	9W	08	Silver Bow
Columbia Falls - Kalispell #1	01/07	30N	20W	22	Flathead
	11/10	28N	21W	01	Flathead
	04/05	30N	20W	18	Flathead
	04/09	30N	20W	18	Flathead
	06/07	30N	21W	14	Flathead
	07/01	30N	21W	15	Flathead
	10/05	30N	22W	13	Flathead
	24/03	32N	23W	27	Flathead
Columbia Falls - Trego #1	25/03	32N	23W	27	Flathead
	25/04	32N	23W	28	Flathead
	25/05	32N	23W	21	Flathead
	29/06	32N	23W	06	Flathead
	31/05	33N	23W	32	Flathead
	33/01	33N	23W	30	Flathead
	41/02	33N	25W	01	Flathead
	04/08	31N	30W	25	Lincoln
Libby - Bonners Ferry #1	05/01	31N	30W	25	Lincoln
	05/02	31N	30W	25	Lincoln
	33/03	31N	33W	18	Lincoln
	33/06	31N	33W	18	Lincoln
	37/05	32N	34W	26	Lincoln
	38/06	32N	34W	23	Lincoln
	38/08	32N	34W	22	Lincoln
Rattlesnake - Garrison #1	40/04	11N	13W	32	Granite
	42/01	10N	13W	04	Granite
	52/06	09N	12W	01	Granite
	53/08	09N	11W	07	Powell
	56/05	09N	11W	21	Powell
	58/09	09N	11W	26	Powell

Environmental Checklist for Categorical Exclusions

Name of Proposed Project: FY 10 Kanspen District wood Pole Replacement projects						
PP&A Project No.: 1536, 1537, 1538, 1541, 1542						
Prepared by: M. Rosales Routing:	KEPR-Bell-1	Date: 02/24/2010				
This project has been found to <u>not</u> adversely affect the following environmentally sensitive resources, laws, and regulations:						
Environmental Resources	No Adverse Effect	No Adverse Effect with conditions				
1. Cultural Resources	X					
 Landing construction is not planned or anticipated at any attachment. If landing construction becomes necessary f will have to be present during construction activities. Crews and equipment are to use existing access roads to maintenance performed will be limited to the existing road In the event that archaeological or historic materials are a immediate vicinity must stop, the area will be secured an be notified. 	or wood pole removal, and from each work site ad prism. discovered during proje	an on-site cultural monitor e. Any access road ct activities, work in the				
2. T & E Species, or their habitat(s)	X					
 Bull trout and White sturgeon may inhabit streams that a Project activities are not planned near water resources co "No Effect" to these listed species or critical/essential fis Canada lynx and Grizzly bear have the potential to be proproject activities are not expected to alter or affect habitate existing habitat and/or distribution. With respect to potential to be proproject area by Canada lynx and/or Grizzly bear, the conditions that would preclude use by either of these spetthese listed species or their habitat. Spalding's campion is found within ½ mile of the variou locations these listed plant species are not located near the have a 'No Effect" on listed plant species or habitat. No other listed species or critical habitat, identified in the countricular control of the control of the countricular control of the countricular control of the contr	entaining listed fish specth habitat. esent within ½ mile of the transmittent conditions for their rential habitat conditions the proposed project is notices. Therefore, this proposed stransmission lines. Be the proposed work sites.	cies. Therefore, there will be the various transmission lines. espective prey species or affect and possible future occupancy tot expected to result in oject will have "No Effect" on ased on documented plant Therefore, this project will				
3. Floodplains or wetlands At locations adjacent to surface water/wetlands, erosion control of waterways during road improvements. By using erosion con water quality or wetland habitat.						
4. Areas of special designation	X					
5. Health & safety	X					

6. Prime agricultural lands	X	
7. Special sources of water	X	
8. Consistency with state and local laws and regulations	X	
9. Pollution control at Federal facilities	X	
10. Other	X	

List supporting documentation attached (if needed): Environmental Requirements Memorandum