



U.S. Department of Energy Categorical Exclusion Determination Form



Program or Field Office: Energy Efficiency and Conservation Block Grant Program

Project Title IL-City-Berwyn

Location: City Berwyn IL

Proposed Action or Project Description

American Recovery and Reinvestment Act:

1) Acquisition of technical services for development of an energy efficiency and conservation strategy (ongoing), 2) replacement of the chiller and addition of a variable frequency drive for the cooling tower motor for the Library, 3) replacement of the boiler serving the City Hall and Central Fire Station with a appropriately sized and more energy efficient condensing boiler for each facility, and 4) replacement of the Recreation Facility roof with a more energy efficient roofing system

Conditions: Historic preservation clause applies to this application (City Hall, Central Fire Station, and Main Recreation Center are >50 yrs)

Categorical Exclusion(s) Applied: A9, A11, B2.5, B5.1

*-For the complete DOE National Environmental Policy Act regulations regarding categorical exclusions, see Subpart D of 10 CFR10 21

This action would not: threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, including DOE and/or Executive Orders; require siting, construction, or major expansion of waste storage, disposal, recovery, or treatment facilities, but may include such categorically excluded facilities; disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that pre-exist in the environment such that there would be uncontrolled or unpermitted releases; or adversely affect environmentally sensitive resources (including but not limited to those listed in paragraph B.(4)) of Appendix B to Subpart D of 10 CFR 1021). Furthermore, there are no extraordinary circumstances related to this action that may affect the significance of the environmental effects of the action; this action is not "connected" to other actions with potentially significant impacts, is not related to other proposed actions with cumulatively significant impacts, and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211.

Based on my review of information conveyed to me and in my possession (or attached) concerning the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1B), I have determined that the proposed action fits within the specified class(es) of action, the other regulatory requirements set forth above are met, and the proposed action is hereby categorically excluded from further NEPA review.

ORO NEPA Compliance Officer

Gary S. Hartman

Date Determined:

4/23/2010

Comments:

Webmaster: