PMC-EF2a

(2/04/02)

U.S. DEPARTMENT OF ENERGY EERE PROJECT MANAGEMENT CENTER NEPA DETERMINATION



RECIPIENT:NREL

STATE: KS

PROJECT TITLE:

Small Wind Turbine Regional Test Center Kansas State University: NREL Tracking No. 10-029

Funding Opportunity Announcement Number

Procurement Instrument Number

NEPA Control Number CID Number NREL-10-029

GO10337

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

- Information gathering (including, but not limited to, literature surveys, inventories, audits), data analysis (including A9 computer modeling), document preparation (such as conceptual design or feasibility studies, analytical energy supply and demand studies), and dissemination (including, but not limited to, document mailings, publication, and distribution; and classroom training and informational programs), but not including site characterization or environmental monitoring.
- A11 Technical advice and planning assistance to international, national, state, and local organizations.
- B3.1 Onsite and offsite site characterization and environmental monitoring, including siting, construction (or modification), operation, and dismantlement or closing (abandonment) of characterization and monitoring devices and siting, construction, and associated operation of a small-scale laboratory building or renovation of a room in an existing building for sample analysis. Activities covered include, but are not limited to, site characterization and environmental monitoring under CERCLA and RCRA. Specific activities include, but are not limited to:
- B5.1 Actions to conserve energy, demonstrate potential energy conservation, and promote energy-efficiency that do not increase the indoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, designers), organizations (such as utilities), and state and local governments. Covered actions include, but are not limited to: programmed lowering of thermostat settings, placement of timers on hot water heaters, installation of solar hot water systems, installation of efficient lighting, improvements in generator efficiency and appliance efficiency ratings, development of energy-efficient manufacturing or industrial practices, and small-scale conservation and renewable energy research and development and pilot projects. The actions could involve building renovations or new structures in commercial, residential, agricultural, or industrial sectors. These actions do not include rulemakings, standard-settings, or proposed DOE legislation.
- B1.15 Siting, construction (or modification), and operation of support buildings and support structures (including, but not limited to, trailers and prefabricated buildings) within or contiguous to an already developed area (where active utilities and currently used roads are readily accessible). Covered support buildings and structures include those for office purposes; parking; cafeteria services; education and training; visitor reception; computer and data processing services; employee health services or recreation activities; routine maintenance activities; storage of supplies and equipment for administrative services and routine maintenance activities; security (including security posts); fire protection; and similar support purposes, but excluding facilities for waste storage activities, except as provided in other parts of this appendix.

Rational for determination:

This proposed project is for NREL/DOE funding and expertise to establish a Regional Test Center (RTC) in conjunction with Kansas State University (KSU) in the City of Colby, County of Thomas, State of Kansas. The RTC site would be within a 51-acre parcel owned by KSU off of College St / County Rd R, approximately 1.75 miles southwest of downtown Colby or about a 1 mile north of I-70. The proposed RTC site would be located at latitude/longitude 39.3812°N, 101.0807°W. These activities are part of an overall project to help establish self supporting RTCs that would offer small wind turbine certification testing to the industry by subsidizing the cost of testing the initial turbines and providing advice and mentoring to the RTCs. This effort is part of an industry effort to establish a small wind certification infrastructure to increase consumer confidence in small wind turbine technology.

Scope of the project would include the establishment of the infrastructure (facilities, staff & procedures, and equipment) necessary to conduct certification testing of small wind turbines; coordination with the manufacturer for pre-test inspection, installation, instrumentation, commissioning and post-test inspection of the wind turbine systems at the RTC test site; evaluation of the turbines through testing and other observations over a test period of up to eighteen (18) months (need to meet duration standard of 2500 hours of operation) per the IEC standard; and documentation of the test findings in written reports (1 report per turbine) and posting of that information on a publicly available web site upon NREL's review and consent.

Given the nature of this project, testing 3rd party turbines, exact specifications for the turbines to be tested are not known. This RTC would have the capacity to test medium and small type wind turbines. However, turbine sites

constructed using DOE funding would fall into the category of small turbines and may have a rotor swept area of up to 200 square meters (equivalent maximum turbine rating is 65 kW). This would be significantly smaller than the turbine size usually associated with commercial wind farms, which can have turbine tower heights up to 400 feet, blade lengths up to 200 feet, rotor swept area up to 7,000 square meters, and maximum turbine ratings in the multimegawatt range.

The Colby, KS small wind turbine RTC site would have a maximum of two small wind turbines and associated infrastructure constructed by the proponent. Small turbine site design/build would involve upgrading an existing access road, erection of two test sheds, trenching for cabling and sensor wire, installation of two turbine tower foundations and towers, and erection of two meteorological towers. The existing access road is a two-track road that would be improved by the application of additional gravel as needed. Additionally, two spur roads to each turbine test site would be constructed with gravel. The turbine foundation installation would require excavation to 12 feet in a typical area of 30 to 40 sq feet, but would be constructed to manufacturer specifications. Typical turbines are free standing either tube or lattice. A small building (data shed/office - approx 10-feet by 12-feet) would be installed near each turbine foundation, and would house equipment and researchers. Trenching for cabling or sensor wire between the turbine and the data shed would require excavation and would be roughly 30 feet in length, 3 feet wide by 6 feet deep, but the spoil would be used to backfill the trench. A meteorological tower would be installed west of each turbine location. The height of the met tower would be changed to match the turbine hub height, but would be no higher than 150 feet and more typically about 100 feet. The met towers would have guy wires leading to 3 anchor points. Depending on soil stability, anchor bolts may be used or concrete blocks if more stability is needed. Typical anchor blocks require excavation of a 3 foot by 3 foot by 3 foot area. All excavated areas that are temporary would be backfilled, brought back to grade and reseeded. Turbines would be removed upon test completion, making the turbine test pad and infrastructure available for future testing.

As the total area of land disturbance is less than one acre, a storm water associated with construction activity permit from Kansas Department of Health and Environment would not be required. Small amount of emissions or dust (particulates) is typical from mechanical construction equipment used to construct/upgrade access roads, excavate tower foundations, or for trenching for cabling. These actions are not considered to be significant contribution to criteria pollutants. This proposed project would not be subject to any FAA restrictions or lighting requirements, as the turbine tower would not exceed 150 feet nor is the site within an airport approach zone.

A portion of the 51 acre parcel is considered prime farmland. NREL/DOE consulted with USDA NRCS pursuant with Farmland Protection Policy Act. As the permanent impact of this action comprises only 6 percent of the RTC site, NREL/DOE received NRCS concurrence on 07/14/2010. NREL/DOE began informal consultation with U.S. Fish & Wildlife Service for compliance with Section 7 of the Endangered Species Act, the Migratory Bird Treaty Act, and the Golden and Bald Eagle Protection Act on 06/15/2010. USFWS concurred on 06/30/2010 that the proposed project would not likely to adversely effect the listed whooping crane, but encourage the proponent (KSU) to join the Habitat Conservation Plan (HCP) being developed for wind power development and tower/turbine installation within the migratory corridor for the whooping crane in the U.S.. Bird diverters would be installed on the guy wires to the met towers to reduce the project's impacts to birds and bats. Furthermore, KSU would voluntarily conduct postconstruction monitoring. Wildlife habitat is marginal at this site given the existing plowed agricultural fields and no large water bodies or wetlands are adjacent to the site that would attract migratory birds.

It is not anticipated that this project would impact cultural resources or historic structures. This site has been completely plowed for decades and therefore is considered a disturbed site from a cultural and historic resource perspective. Given the method the roads would be constructed (adding gravel with little or no excavation, the further disturbance of potential cultural/historic during road construction is very unlikely. Kansas State University project manager has committed to having trained and informed personnel on-site during any excavation activities. If objects or structures are unearthed, an archeologist at KSU would be called to the site to properly record and handle the cultural/historic artifacts. The project site is not located within a floodplain, and does not contain nor is adjacent to any wetlands. Utilization of hazardous materials or generation of hazardous waste is not anticipated.

Based upon the information above, this proposed action would qualify for Categorical Exclusions A9, A11, B1.15, B3.1 (h), and B5.1.

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

Insert the following language in the award:

You are required to:

Note to Specialist:	
EF2a prepared by Rob Smith on 08/26/2010.	9
SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION	î î
NEPA Compliance Officer Signature: NEPA Compliance Officer	Date: 8 30 2010
FIELD OFFICE MANAGER DETERMINATION	
☐ Field Office Manager review required	
NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REA	ASON:
Proposed action fits within a categorical exclusion but involves a high profile or controversial is:	sue that warrants Field Office
Manager's attention. ☐ Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's	s review and determination.
BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :	
Field Office Manager's Signature:	Date:
Field Office Manager	

Install bird diverters on met tower guy wires and conduct post-construction monitoring. Although not formally required for mitigation, USFWS strongly encourages KSU to join the windpower Habitat Conservation Plan initiative. Point of contact is Mr. Tom Vinson (202-383-2335) with the American Wind Energy Association.