



# U.S. Department of Energy Categorical Exclusion Determination Form



Program or Field Office: Energy Efficiency and Conservation Block Grant Program

Project Title IN-County-St. Joseph

Location: County St. Joseph IN

Proposed Action or Project Description

American Recovery and Reinvestment Act:

1) Develop long-term strategic energy principles and 2) replace leaking HVAC system dampers in the County-City Building; replace leaking and defective steam traps throughout the County-City Building network; replace two diesel generators with a new natural gas generator for the County-City Building; and install white Energy Star approved thermal plastic roof membrane over the existing roofing system on the Courthouse (1896); repair main roofing system on the 5th floor of the County City Building; and install new polyisocyanurate insulation and black 60 mil. EPDM (ethylene propylene diene terpolymer) membrane over roofing system on main roof on County-City Building.

Conditions: Historic preservation clause applies (Courthouse 1896)

Categorical Exclusion(s) Applied: A9, A11, B2.5, B5.1

\*-For the complete DOE National Environmental Policy Act regulations regarding categorical exclusions, see Subpart D of 10 CFR 10 21

This action would not: threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, including DOE and/or Executive Orders; require siting, construction, or major expansion of waste storage, disposal, recovery, or treatment facilities, but may include such categorically excluded facilities; disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that pre-exist in the environment such that there would be uncontrolled or unpermitted releases; or adversely affect environmentally sensitive resources (including but not limited to those listed in paragraph B.(4)) of Appendix B to Subpart D of 10 CFR 1021). Furthermore, there are no extraordinary circumstances related to this action that may affect the significance of the environmental effects of the action; this action is not "connected" to other actions with potentially significant impacts, is not related to other proposed actions with cumulatively significant impacts, and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211.

Based on my review of information conveyed to me and in my possession (or attached) concerning the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1B), I have determined that the proposed action fits within the specified class(es) of action, the other regulatory requirements set forth above are met, and the proposed action is hereby categorically excluded from further NEPA review.

ORO NEPA Compliance Officer **James L. Elmore** Date Determined: 10/4/2010

Comments:

Webmaster: