

**U.S. Department of Energy
Naval Reactors Laboratory Field Office
Kesselring Site**

National Environmental Policy Act (NEPA) Categorical Exclusion (CX)
Determination Summary Form

Pad 90 Overflow Parking Lot Project

PROJECT SCOPE DISCUSSION

The scope of the Pad 90 Overflow Parking Lot Project includes construction of an overflow parking lot of approximately 100 spaces in the Northeast quadrant of the site in what is termed the Pad 90 area, east of Building 107. This location is currently used as an equipment lay down area and is covered by crusher run stone. The construction will also involve installation of lighting and camera equipment for the parking lot area.

The project does not violate applicable regulatory requirements, require construction or major expansion of waste handling facilities, result in unpermitted releases of hazardous substances, or adversely affect environmentally sensitive resources, including wetlands. The project does not involve genetically engineered organisms or species. There are no extraordinary circumstances related to the proposed action. The project has not been segmented to meet the definition of a categorical exclusion and is not connected to other actions with potentially significant and/or cumulative impacts.

CONCLUSION

The Pad 90 Overflow Parking Lot Project is categorically excluded from additional NEPA documentation under 10 CFR1021 Subpart D, Appendix B, CX B1.15. Specifically, the categorical exclusion that applies is the following:

B1.15 Support buildings

Siting, construction or modification, and operation of support buildings and support structures (including, but not limited to, trailers and prefabricated and modular buildings) within or contiguous to an already developed area (where active utilities and currently used roads are readily accessible). Covered support buildings and structures include, but are not limited to, those for office purposes; parking; cafeteria services; education and training; visitor reception; computer

**U.S. Department of Energy
Naval Reactors Laboratory Field Office
Kesselring Site**

National Environmental Policy Act (NEPA) Categorical Exclusion (CX)
Determination Summary Form
Pad 90 Overflow Parking Lot Project

and data processing services; health services or recreation activities; routine maintenance activities; storage of supplies and equipment for administrative services and routine maintenance activities; security (such as security posts); fire protection; small-scale fabrication (such as machine shop activities), assembly, and testing of non-nuclear equipment or components; and similar support purposes, but exclude facilities for nuclear weapons activities and waste storage activities, such as activities covered in B1.10, B1.29, B1.35, B2.6, B6.2, B6.4, B6.5, B6.6, and B6.10 of this appendix.


NRLFO

Approval:



NRLFO NEPA Compliance Officer

Date:



CX Determination Date