PMC-EF2n

(2,04,02)

U.S. DEPARTMENT OF ENERGY EERE PROJECT MANAGEMENT CENTER NEPA DETERMINATION



RECIPIENT: Port Graham Village Council

STATE: AK

PROJECT TITLE:

Port Graham Community Building Biomass Heating Design Project

Funding Opportunity Announcement Number DE-FOA-0000424

DE-EE0005637

Procurement Instrument Number NEPA Control Number CID Number GFO-0005637-001

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

A9 Information gathering, analysis, and dissemination

Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

B3.1 Site characterization environmental monitoring

Site characterization and environmental monitoring (including, but not limited to, siting, construction, modification, operation, and dismantlement and removal or otherwise proper closure (such as of a well) of characterization and monitoring devices, and siting, construction, and associated operation of a smallscale laboratory building or renovation of a room in an existing building for sample analysis). Such activities would be designed in conformance with applicable requirements and use best management practices to limit the potential effects of any resultant ground disturbance. Covered activities include, but are not limited to, site characterization and environmental monitoring under CERCLA and RCRA. (This class of actions excludes activities in aquatic environments. See B3.16 of this appendix for such activities.) Specific activities include, but are not limited to: (a) Geological, geophysical (such as gravity, magnetic, electrical, seismic, radar, and temperature gradient), geochemical, and engineering surveys and mapping, and the establishment of survey marks. Seismic techniques would not include large-scale reflection or refraction testing; (b) Installation and operation of field instruments (such as stream-gauging stations or flow-measuring devices, telemetry systems, geochemical monitoring tools, and geophysical exploration tools); (c) Drilling of wells for sampling or monitoring of groundwater or the vadose (unsaturated) zone, well logging, and installation of water-level recording devices in wells; (d) Aquifer and underground reservoir response testing; (e) Installation and operation of ambient air monitoring equipment; (f) Sampling and characterization of water, soil, rock, or contaminants (such as drilling using truck- or mobile-scale equipment, and modification, use, and plugging of boreholes); (g) Sampling and characterization of water effluents, air emissions, or solid waste streams; (h) Installation and operation of meteorological towers and associated activities (such as assessment of potential wind energy resources); (i) Sampling of flora or fauna; and (j) Archeological, historic, and cultural resource identification in compliance with 36 CFR part 800 and 43 CFR part 7.

B3.3 Research related to conservation of

Field and laboratory research, inventory, and information collection activities that are directly related to the conservation of fish and wildlife resources or to the protection of cultural resources, provided that such activities would not have the potential to cause significant impacts on fish and wildlife habitat or cultural resources

Rational for determination:

DOE is proposing to provide federal funding to Port Graham Village Council (Port Graham) to design a biomass heating system in Port Graham, Alaska for five community buildings. This research would include information gathering, data analysis, modeling, mapping, cultural and wildlife surveys, and reporting. Port Graham would design, research, study, and plan a community building biomass heating design (with a GARN Boiler) for five community buildings using woody biomass as a fuel source from adjacent forestlands (Sitka spruce).

The funding would only be used for the pre-construction phase including:

- Develop Renewable Energy Resource Supply
- Finalize Preliminary Heating System Design
- Finalize Preliminary Project Costs
- Acquire Site Agreements
- Acquire Permits
- Develop Business and Operating Plan

Acquire Revenue Stream Agreements and Develop Financial Management Plan

This project comprises information gathering, technical advice, site characterization, research related to wildlife and cultural resources; therefore the DOE has categorized this project into Categorical Exclusions A9, B3.1, and B3.3.

The funding of pre-construction activities does not enable the construction of the biomass facility or harvesting of feedstock for this facility

Budget: \$127,510 (DOE); \$182,306 (cost share) NEPA PROVISION DOE has made a final NEPA determination for this award Insert the following language in the award: Note to Specialist: EF2A by Christopher Carusona II SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION. Signed By Lori Gray Tou May Date: NEPA Compliance Officer Signature: NEPA Compliance Officer FIELD OFFICE MANAGER DETERMINATION Field Office Manager review required NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON: Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention. Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination. BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO: Date: Field Office Manager's Signature: ___

Field Office Manager