## **Department of Energy**

## **Bonneville Power Administration**

## memorandum

DATE: September 13, 2013

REPLY TO

ATTN OF: KEP-4

SUBJECT: Environmental Clearance Memorandum

то: Darin Bowman

Project Manager TELF-TPP-3

<u>Proposed Action</u>: Access Road maintenance on the Chehalis-Centralia No. 1, Chehalis-Covington No. 1, Paul-Allston No. 2, and Paul-Napavine No. 1 transmission corridors

**Budget Information:** Work Order #00333595

PP&A Project No.: 2742

Categorical Exclusion Applied (from Subpart D, 10 C.F.R. Part 1021): B1.3 Routine maintenance

<u>Location</u>: Lewis County, Washington; Bonneville Power Administration's (BPA) Chehalis Maintenance District.

**Proposed by:** BPA

<u>Description of the Proposed Action</u>: BPA proposes to perform routine road maintenance on sections of BPA access roads along four transmission lines near Centralia, WA. The work includes installation of forest road Best Management Practices and surface maintenance on existing roads only.

The work involves a total of approximately one mile of improvement on access roads both on and off the transmission line right-of-way associated with the following locations:

Transmission Line	Line structures	
Chehalis-Centralia No. 1	10/6 to 10/7, 10/6	
Chehalis-Covington No. 1	8/1 Approach	
Paul-Allston No. 2	7/3	
Paul-Napavine No. 1	5/3, 5/4	

Land along the corridor consists of private residential, agricultural, and private timber properties. The roadwork is needed to improve access for crews that will be maintaining the transmission line and towers within the transmission line corridors. All proposed work will occur within the existing road prisms and will not result in disturbance outside of previously disturbed roadbeds. No unauthorized construction activities will occur in any water body including streams, ponds, wetlands, etc. The project includes but is not limited to:

- Reshaping, grading and compacting existing road surfaces and turnouts
- Placing Geotextile Fabric
- Hauling, placing, and shaping of crushed rock

- Constructing or reconditioning of water bars, drain dips and outlet ditches
- Cleaning cross drain culverts and ditches

Findings: The BPA has determined that the proposed action complies with Section 1021.410 and Appendix B of Subpart D of the Department of Energy's National Environmental Policy Act (NEPA) Regulations (57 Fed. Reg. 1512.2, April 24, 1992), as amended at 61 FR 36221-36243, July 9, 1996; 61 FR 64608, Dec. 6, 1996). The proposed action does not present any extraordinary circumstances that may affect the significance of the environmental effects of the proposal. The proposal is not connected (40 C.F.R. 1508.25 (a)(1)) to other actions with potentially significant impacts, is not related to other proposed actions with cumulatively significant impacts (40 C.F.R. 1508.25 (a)(2)), and is not precluded by 40 C.F.R. 1506.1 or 10 C.F.R. 1021.211.

The subject project areas occur on previously disturbed, filled, and maintained roads. No previously undisturbed areas will be disturbed and no new road sections will be constructed during this project. Based on this, BPA has determined the project will have "No Effect" on cultural resources or historic properties as protected under the National Historic Preservation Act.

No threatened or endangered species, critical habitat, or other sensitive areas are known to exist within the project areas. Based on this, the proposal will not affect any listed threatened or endangered species, or critical habitat under the Endangered Species Act, or Essential Fish Habitat under the Magnuson-Stevens Fishery Conservation and Management Act.

Moreover, the proposed action would <u>not</u> (i) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, (ii) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities, (iii) disturb hazardous substances, pollutants, contaminants, or Comprehensive Environmental Response, Compensation and Liability Act-excluded petroleum and natural gas products that pre-exist in the environment such that there would be uncontrolled or unpermitted releases, (iv) have the potential to cause significant impacts on environmentally sensitive resources, or (v) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements.

This proposed action meets the requirements for the Categorical Exclusion referenced above. We therefore determine that the proposed action may be categorically excluded from further NEPA review and documentation.

ember 13, 2013

Environmental Checklist for Categorical Exclusions

## **Environmental Checklist for Categorical Exclusions**

Name of Proposed Project: Chehalis Centralia No 1 et all Access Road Maint Project 2013 Batch 2			
<b>Work Order #:</b> 333595	PP&A Project No.:	2783	
Prepared by: Andrew Chang	Routing: KEP-4	<b>Date:</b> 9/9/13	
This project has been found to $\underline{not}$ adversely affect the following environmentally sensitive resources, laws, and regulations:			
Environmental Resources	No <u>Effect</u>	No Effect with conditions	
1. Cultural Resources		X	
<ul> <li>In the event that any archaeological materi will immediately be notified and work half assessed.</li> </ul>			
2. T & E Species, or their habitat(s)	x		
3. Floodplains or wetlands	X		
4. Areas of special designation	X		
5. Health & safety	x		
6. Prime agricultural lands	X		
7. Special sources of water	X		
8. Consistency with state and local laws and re	egulations x		
9. Pollution control at Federal facilities	x		
10. Other	x		
List supporting documentation attached (if nee  • ESA Effects Determination	ded):		
Signed: /s/ Andrew B. Chang Andrew B. Chang, KEP-4/Portland	Date: <u>Septe</u>	mber 11, 2013	