Submit by E-mail

U.S. Department of Energy
Categorical Exclusion Determination Form

Project Title: Testing of Select Monitoring Wells Experiencing Problems with Bladder Pumps or Hydrasleeve Groundwater Sampling Methodolo

Program or Field Office: Savannah River Site

Location(s) (City/County/State): Aiken/Aiken/South Carolina

Proposed Action or Project Description:
In the interest of reducing purge water volumes, several wells in the A/M-Area groundwater monitoring network previously equipped with variable speed Grundfos pumps were switched to either low-purge bladder pumps or Hydrasleeve sample collection devices. Review of data trends from these wells identified a number of wells that exhibited significant drops in volatile organic compound (VOC) concentrations once the new methodology (bladder pump or Hydrasleeves) was deployed. EC&ACP Engineering and Cascade, the EC&ACP drilling subcontractor, will perform pump tests at the monitoring wells to investigate the drop in VOC concentrations. The monitoring wells are currently listed on the Containerization List. The expected large volume of purge water is not a new stream; therefore, the water will be managed via the M-1 Air Stripper per established protocols.

Categorical Exclusion(s) Applied:

B3.1 - Site characterization and environmental monitoring

For the complete DOE National Environmental Policy Act regulations regarding categorical exclusions, including the full text of each categorical exclusion, see Subpart D of 10 CFR Part 1021.

☒ There are no extraordinary circumstances related to the proposal that may affect the significance of the environmental effects of the proposal.

☒ This proposal has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or § 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

☒ All of the conditions that are integral elements of the classes of actions in Appendix B to Subpart D of 10 CFR Part 1021 would be met. This proposal would not threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of Appendix B to Subpart D of 10 CFR Part 1021; involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements.

Based on my review of information conveyed to me and in my possession (or attached) concerning the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1B), I have determined that the proposed action fits within the specified class(es) of action, the other regulatory requirements set forth above are met, and the proposed action is hereby categorically excluded from further NEPA review.

NEPA Compliance Officer: Tracy L. Williams Digitally signed by Tracy L. Williams DN: cn=Tracy L. Williams, o=DOE-SR, ou=EQMD, email=tracy.williams@srs.gov, c=US Date: 2016.12.08 17:32:00 -05'00' Date Determined: 12/01/2016

Comments: CBU-M-2016-0056, Rev. 0