

Categorical Exclusion
Determination Bonneville Power
Administration Department of Energy



Proposed Action: Facility Safety, Security, and Energy Efficiency Improvement Activities through 2020

Project Manager: Multiple

Location: Multiple locations in Idaho, Oregon, Washington, Montana, California, Nevada, Utah, and Wyoming

Categorical Exclusion Applied (from Subpart D, 10 C.F.R. Part 1021): B2.5 Facility safety and environmental improvements, and B5.1 (a) Actions to conserve energy or water

Description of the Proposed Action: Bonneville Power Administration (BPA) proposes to conduct activities as the need arises to improve workplace comfort or safety, security systems, and energy and water efficiency at existing buildings or facilities throughout the BPA service territory. Specifically, BPA proposes to conduct the following activities at existing buildings or facilities:

- ***Workplace safety modifications and replacements*** – Install, upgrade, or replace building features to enhance workplace habitability and safety conditions. Activities could include replacement of handrails in kind; modification of existing handrails; replacement of interior doors; repair or in-kind replacement of steps and sidewalks; slight modifications to stair landings; replacement of non-original exterior doors; replacement of non-original interior or exterior light fixtures; in-kind roof replacements; plumbing modifications; and interior or exterior painting that is of the same color.
- ***Security system modifications*** - Install or upgrade security systems to comply with security standards. Activities falling under this class of action could include: installing card readers on exterior pedestrian doors; running surface-mounted conduit from card readers through floors or ceilings from door locations to security racks located near existing communication racks; installing new security racks/enclosures to walls or floors; installing fire-rated doors with card readers and/or replacing the door handles within access tunnels between the control house and substation yard; and/or installing additional security hardware, such as motion detectors, glass break detectors, interior visitor key pads, security cameras, and new interior door hardware.
- ***Energy efficiency modifications and replacements*** - Install, upgrade, or replace building features to improve energy efficiency. Activities could include light bulb replacements; replacement of non- original interior or exterior light fixtures; replacement of interior doors; and replacement of non- original exterior doors.

These actions would occur at existing facilities, would not require major exterior building modification (e.g. removing or replacing windows or doors, cutting wall holes in new locations), would not require major interior building modifications (e.g. tearing out walls), and would not require ground disturbing activities. Any activities that involve hazardous materials such as incandescent bulbs containing mercury would be disposed of at a designated hazardous waste facility. Actions proposed would be reviewed by the BPA NEPA lead to ensure that the activities fall within the range of those described in this Categorical Exclusion prior to initiating work.

Findings: In accordance with Section 1021.410(b) of the Department of Energy's (DOE) National Environmental Policy Act (NEPA) Regulations (57 FR 15144, Apr. 24, 1992, as amended at 61 FR 36221-36243, July 9, 1996; 61 FR 64608, Dec. 6, 1996, 76 FR 63764, Nov. 14, 2011), BPA has determined that the proposed action:

- (1) fits within a class of actions listed in Appendix B of 10 CFR 1021, Subpart D (see attached Environmental Checklist);
- (2) does not present any extraordinary circumstances that may affect the significance of the environmental effects of the proposal; and
- (3) has not been segmented to meet the definition of a categorical exclusion.

Based on these determinations, BPA finds that the proposed action is categorically excluded from further NEPA review.

/s/ Katey Grange
Katey Grange
Environmental Protection Specialist

Concur:

/s/ Stacy L. Mason
Stacy L. Mason
NEPA Compliance Officer

Date: September 15, 2017

Attachment(s): Environmental Checklist

becc:

K.Grange – ECT-4

G. Lynard – ECT-4

P.Smith – EPR-4

S.Mason – ECP-4

S. Biegle – ECP-4

H.Adams-LN-7

T. Tochiara – ECC-4

Official File – KEC (EQ-15)

KGrange:KCG:4047:29Aug2017:

https://portal.bud.bpa.gov/orgs/efw/KEC/tsrvcs/Projects/2018_Bundled_Workplace_CX_29Aug2017.docx

Categorical Exclusion Environmental Checklist

This checklist documents environmental considerations for the proposed project and explains why the project would not have the potential to cause significant impacts on environmentally sensitive resources and would meet other integral elements of the applied categorical exclusion.

Proposed Action: Facility Safety, Security, and Energy Efficiency Improvement Activities through 2020

Project Site Description

Activities would be located in existing fenced and graveled facilities, including electric substations and control houses, maintenance headquarters, and radio facility support structures. These facilities are located in BPA's service territory, including Idaho, Oregon, Washington, western Montana and small parts of eastern Montana, California, Nevada, Utah and Wyoming.

Evaluation of Potential Impacts to Environmental Resources

Environmental Resource Impacts	No Potential for Significance	No Potential for Significance, with Conditions
1. Historic and Cultural Resources	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Explanation:</u> BPA Historian reviewed proposed activities and determined that these types of activities do not have the potential to cause effects to historic properties.		
2. Geology and Soils	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Explanation:</u> No ground disturbance would occur, so there would be no impacts to soils and geology.		
3. Plants (including federal/state special-status species)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Explanation:</u> No ground disturbance would occur, so there would be no impacts to plants.		
4. Wildlife (including federal/state special-status species and habitats)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Explanation:</u> Work would occur in existing, fenced facilities; no wildlife habitat present.		
5. Water Bodies, Floodplains, and Fish (including federal/state special-status species and ESUs)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Explanation:</u> Work would occur in existing, fenced facilities; no water or fish resources present.		
6. Wetlands	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Explanation:</u> Work would occur in existing, fenced facilities; no wetlands present.		
7. Groundwater and Aquifers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<u>Explanation:</u> No ground or groundwater disturbance would occur.		

8. **Land Use and Specially Designated Areas**



Explanation: No change in land use would occur.

9. **Visual Quality**



Explanation: No change in the visual character of the facilities would occur.

10. **Air Quality**



Explanation: Minor, temporary generation of emissions associated with increased vehicle traffic would occur during construction.

11. **Noise**



Explanation: Minor, intermittent noise associated with installation activities would occur during construction.

12. **Human Health and Safety**



Explanation: Any hazardous materials such as light bulbs or batteries generated would be disposed of at a designated hazardous waste disposal facility.

Evaluation of Other Integral Elements

The proposed project would also meet conditions that are integral elements of the categorical exclusion. The project would not:

- ☒ Threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders.

Explanation, if necessary:

- ☒ Require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators) that are not otherwise categorically excluded.

Explanation, if necessary:

- ☒ Disturb hazardous substances, pollutants, contaminants, or CERCLA excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases.

Explanation, if necessary: Any hazardous materials such as light bulbs or batteries generated would be disposed of at a designated hazardous waste disposal facility.

- ☒ Involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those of the Department of Agriculture, the Environmental Protection Agency, and the National Institutes of Health.

Explanation, if necessary:

Landowner Notification, Involvement, or Coordination

Description: Most facilities would be BPA –owned or leased. If activities are occurring within a non-BPA-owned facility, BPA would coordinate with the underlying facility owner.

Based on the foregoing, this proposed project does not have the potential to cause significant impacts to any environmentally sensitive resource.

Signed: /s/ Katey Grange
Katey Grange, ECT-4

Date: September 15, 2017