

PMC-ND

(1.08.09.13)

**U.S. DEPARTMENT OF ENERGY
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY
NEPA DETERMINATION**

**RECIPIENT:** State of Louisiana-Department of Natural Resources**STATE:** LA**PROJECT TITLE:** Pump Station Improvements (Terrytown #2)

Funding Opportunity Announcement Number
DE-SEP-ALRD-2014

Procurement Instrument Number
EE0006212

NEPA Control Number
GFO-0006212-004

CID Number

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:**Description:**

- B2.5 Facility safety and environmental improvements** Safety and environmental improvements of a facility (including, but not limited to, replacement and upgrade of facility components) that do not result in a significant change in the expected useful life, design capacity, or function of the facility and during which operations may be suspended and then resumed. Improvements include, but are not limited to, replacement/upgrade of control valves, in-core monitoring devices, facility air filtration systems, or substation transformers or capacitors; addition of structural bracing to meet earthquake standards and/or sustain high wind loading; and replacement of aboveground or belowground tanks and related piping, provided that there is no evidence of leakage, based on testing in accordance with applicable requirements (such as 40 CFR part 265, "Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities" and 40 CFR part 280, "Technical Standards and Corrective Action Requirements for Owners and Operators of Underground Storage Tanks"). These actions do not include rebuilding or modifying substantial portions of a facility (such as replacing a reactor vessel).
- B5.1 Actions to conserve energy or water** (a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

Rationale for determination:

The U.S. Department of Energy (DOE) is proposing to provide funding to the Department of Natural Resources for
https://www.eere-pmc.energy.gov/GONEPA/ND_Form.aspx?key=20459

the State of Louisiana to replace aging constant speed pumps at the Terrytown #2 wastewater pump station with newer units that utilize variable frequency drives and flow-based controls in order to achieve energy cost reductions, reduced sewer overflows, and improved reliability.

The proposed project activities include replacement of the existing daily duty sewerage pumps with new, more efficient pumps, installation of new variable frequency drives, installation of odor control equipment, and replacement of piping and valves at an existing wastewater pump station. The proposed project would not require additions to the existing facilities or the construction of new facilities. The proposed project would not alter the capacity, use, mission or operation of the existing facility. The contractor completing the facility improvements is required to obtain all necessary permits prior to beginning work. With the exception of the replaced equipment, the proposed project would not generate a waste stream. All waste would be disposed of according to local, state and federal regulations. The facility uses electric power for operation; therefore hazardous emissions are not expected as a result of the proposed project.

Based on a review of the project information and the above analysis, DOE has determined that the proposed project would not have a significant individual or cumulative impact to human health and/or environment. DOE has determined that this project is consistent with actions outlined in DOE categorical exclusions B2.5 "facility safety and environmental improvements" and B5.1 "Actions to conserve energy" and is therefore categorically excluded from further NEPA review.

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

If you intend to make changes to the scope or objective of your project you are required to contact the Project Officer identified in Block 11 of the Notice of Financial Assistance Award before proceeding. You must receive notification of approval from the DOE Contracting Officer prior to commencing with work beyond that currently approved.

Note to Specialist :

State Energy Program

This NEPA Determination does not require a tailored NEPA provision.

NEPA review completed by Logan Sholar, 2/13/15

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:



NEPA Compliance Officer

Date: 2/18/2015

FIELD OFFICE MANAGER DETERMINATION

☐ Field Office Manager review required

NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:

- ☐ Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- ☐ Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature:

Field Office Manager

Date: