U.S. DOE: Office of Energy Efficiency and Renewable Energy - Environmental Question... Page 1 of 2

PMC-ND U.S. DEPARTMENT OF ENERGY (1.08.09.13) OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY NEPA DETERMINATION



RECIPIENT:Tonto Apache Tribe

STATE: AZ

PROJECT Tonto Apache Tribe Solar, Phase II

 Funding Opportunity Announcement Number
 Procurement Instrument Number
 NEPA Control Number
 CID Number

 DE-FOA-0001021
 DE-EE0006946
 GFO-0006946-002
 GFO-0006946-002

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Order 451.1A), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

Information gathering (including, but not limited to, literature surveys, inventories, site visits, and **A9 Information** gathering, analysis, audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and and dissemination demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.) The installation, modification, operation, and removal of commercially available solar photovoltaic B5.16 Solar systems located on a building or other structure (such as rooftop, parking lot or facility, and mounted to photovoltaic signage, lighting, gates, or fences), or if located on land, generally comprising less than 10 acres within systems a previously disturbed or developed area. Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would

incorporate appropriate control technologies and best management practices.

Rationale for determination:

The Tonto Apache Tribe would utilize DOE and cost share funds to install commercially available solar photovoltaics (PV) at a Tribal facility. Originally a NEPA Determination (GFO-0006946-001) was completed on April 22, 2015 that reviewed a solar thermal installation at the Community Center and approximately 172 kilowatts of solar PV installations at three Tribal facilities (the Tonto Market, the Water Treatment Facility, and the Water Tower) on the Tonto Apache Reservation adjacent to the town of Payson, AZ. Since that NEPA Determination the Tribe has decided not to install the solar thermal system at the Community Center or the PV at those three locations because of future growth expectations and would instead install only a roof mounted PV system on the Mazatzal Hotel also located on the Reservation. This NEPA Determination is to review the new location of the PV installation. This project is an expansion of previous work completed under a different award that received a separate NEPA Determination (GFO-0006477-001) on January 2, 2014 for solar PV installations at buildings adjacent to the one proposed for this revision.

The solar PV system planned for the Mazatzal Hotel is an approximate 249 kilowatt ballasted roof mounted system requiring no roof penetrations. There would be no change in the use of the existing facility but the roof racking, electric conduit work, and meter hookup would require minor modifications to the facility. Only one interconnection point with the utility service would be needed. No ground disturbing activities are required. The present Reservation land was acquired by the Tribe in the 1970s and the building involved in this installation and the surrounding buildings within view of the installation were built after that time. The Mazatzal Hotel is a highly trafficked multi-story facility and there are already existing solar PV systems on adjacent buildings on the Reservation. Due to the location of the planned activities, existing adjacent PV systems, and the highly trafficked nature of the project area, DOE has determined that neither biological nor cultural/historic resources would be affected by project activities. There were no other resources of concern found during review of the proposed project activities with the potential to be affected by project activities.

Based on review of the project information, DOE has determined that the project activities would not have a significant individual or cumulative impact to human health and/or environment. DOE has determined that these activities are consistent with actions contained in DOE categorical exclusions A9 "Information gathering, analysis, and dissemination," and B5.16 "Solar photovoltaic systems," and are categorically excluded from further NEPA review.

NEPA PROVISION

DOE has made a final NEPA determination for this award

Insert the following language in the award:

U.S. DOE: Office of Energy Efficiency and Renewable Energy - Environmental Question ... Page 2 of 2

If you intend to make changes to the scope or objective of your project you are required to contact the Project Officer identified in Block 11 of the Notice of Financial Assistance Award before proceeding. You must receive notification of approval from the DOE Contracting Officer prior to commencing with work beyond that currently approved.

Note to Specialist :

This NEPA Determination does NOT require a tailored NEPA provision. Indian Energy Casey Strickland 10/29/15

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:

NEPA Compliance Officer

Date:

FIELD OFFICE MANAGER DETERMINATION

□ Field Office Manager review required

NCO REQUESTS THE FIELD OFFICE MANAGER REVIEW FOR THE FOLLOWING REASON:

- Proposed action fits within a categorical exclusion but involves a high profile or controversial issue that warrants Field Office Manager's attention.
- Proposed action falls within an EA or EIS category and therefore requires Field Office Manager's review and determination.

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature:

Field Office Manager

Date:

(PV) or a Tritter halls, Control to Market A Control (2015) 1008 2000 (2017) was completed an April 22, 2015 that reviewed a subar trace installation of the Control Market was Status Triestment Facility, and the View Trice Trice Trice Trice Trice Trice and the View Trice of the View Trice of the Area of

The actar FV system placeaus for the Released have a an approximate 246 stituent tool mounted system equating no moleculates. Prioriterate analysis are assessed to the use of the welding locally but the nod mounted system created wave, and mean horizontal have could be no abore in the use of the welding. Daily one interconnection point with the usery average would be needed in the realification in this installing. Only one interconnection point with security tervice would be needed in the realistic terms in this installation and mounted by the present Reservation tand was secured by the Tribe to the 1870s and the realistic terms in this installation and the excrementing buildings within where of it is not the realistic term met. The fluctuated is an equive the terminate method terms to wise of it is not the terms of the terms on adjoint terms in this installation and the excrementing wise of it is not the terms to a set the terms of the fluctuated within a realistic set term installation and areas and the exception of the presence to the fluctuation of the fluctuation of the terminated and areas are the term installation work of the terms and the excepted area. (X35 the domined columnation of the presence of the termined terms of the presence of the presence of the presence of the terms of the terms

Based on (selex of the phyoid information, DOE has determined that the project education would not have a significant entivitation or comparts a impact to indetermine the conference of the conference of the transitional contract on constition was actions contracted to DOE despitited eacher on 4.9 Telemostics gallering, analysis, and determined on a models of "Relat photovaltatic systems," and are categorically and from turbar with the track polytecter determined on a models of "Relat photovaltatic systems," and are categorically and from turbar with the track of activities and are determined on a models of the categories and are categorically and are categorically and from turbar with a second state of and are to be at the second state of the second s

NUMBER OF STREET

there is following language is the pullet

10/29/2015