

Next Generation Luminaires Indoor & Outdoor Winners Showcase 2015

Ruth Taylor
Pacific Northwest National Laboratory
May 5, 2015
LIGHTFAIR International 2015



Competition Partners

Partnerships to link energy efficiency, lighting
quality & performance

INTERNATIONAL ASSOCIATION OF LIGHTING DESIGNERS

IALD



Illuminating
ENGINEERING SOCIETY

U.S. DEPARTMENT OF
ENERGY

Energy Efficiency &
Renewable Energy

BUILDING TECHNOLOGIES OFFICE

What NGL Is All About

- Inclusive rather than exclusive
- Performance evaluation with extensive documentation
 - More time and resources than most designers can afford
- Judged in characteristic applications and “hands on”
- Diverse, professional judging panel



We've Seen Lots of Products

| | |
|---------------------|-----|
| 2008 - 2015 | |
| Judged | 961 |
| % of intents judged | 53% |
| Awards | 346 |
| % of judged awarded | 36% |

Judging Approach

- Organized by application
- Product Evaluation
 - Installed and lighted
 - Table top (2nd fixture)
 - Documentation
- Process
 - Independent judgment
 - *Preliminary* scoring
 - Discussion and decision
 - Post judging analysis & verification



Judging Criteria

In-person evaluation:

- Color
- Illuminance
- Light distribution
- Glare control
- Serviceability
- Controllability
- Value
- Aesthetic appearance
- Bonus

Documentation analysis:

- Luminaire Efficacy
- Lumen maintenance



2015 Judging Panels

INDOOR

Marty Salzberg

Halley Fitzpatrick

Denise Fong

Jeff Brown

Melanie Taylor

Dan Blitzer

John Delany

Avi Mor

Craig A. Bernecker

John D'Angelo

Naomi Miller

OUTDOOR

Nancy Clanton

Craig Bernecker

Mary Matteson Bryan

Mike Lambert

Aram Ebben

Glenn Heinmiller

Nate Mitten

Charles Thompson


Dan Blitzer



Outdoor Judging Setup



Indoor Judging Setup



Documentation is Key

General


- Luminaire specification sheet
- Product photos/marketing materials

LED Lighting Facts documentation


- LM-79 test report (including sphere data)
- LM-80 test report on LED package/module/array
- LED package/module/array specification sheet
- ISTMT on submitted model
- ENERGY STAR TM-21 Calculation

Other

- Installation/serviceability statement
- Driver specification sheet/dimming interface spec sheet
- Product warranty/end-of-life statement



We Love to Take Things Apart!



- How much time to install?
- What can be replaced?
- Can it be serviced?

Judging in Action - Video



Lots of Changes in 2015

- Higher efficacy requirements
- Limited categories
- Digital controls
- More in-depth serviceability evaluation
- Main performance criteria stayed the same
- In-depth evaluation of color tuning (indoor) and pedestrian scale (outdoor)

Why all the Changes?

- Push the envelope – higher efficacy minimums
- Focus on key issues
 - Controls
 - Serviceability
- Fewer entries for more focused evaluations
- More realistic installations for more accurate evaluations




Indoor Control Requirements (All Indoor Entries)

- **DMX512:** Entries must be shipped to the judging location wired with DMX-In & DMX-Out connectors. Connector should be XLR-5, male for input, female for output. Pinout will be as follows:
 - Pin 1 Signal Common
 - Pin 2 DMX Data –
 - Pin 3 DMX Data +
 - Pin 4 None
 - Pin 5 None
- **DALI:** Luminaires must be provided with 3'-0" leads of Purple (DALI+) and Gray (DALI-) THHN wire connected to the luminaire. Luminaires will be addressed in the field.
- **Proprietary systems:** (System using proprietary control protocols to control a light source. Individual addressing and control of each luminaire is required. 0-10v, forward phase, reverse phase, or 3-wire line voltage are not considered proprietary and will not be reviewed. Wall box dimming will also not be considered proprietary.)

All products must include detailed installation instructions. All connectors must be included; power will be via 5-15P Plug. System must be able to individually control each luminaire. Controller for judges must be provided on a 50' whip.

Listings and NGL



Outstanding Awards

- User Interface
- Dimming
- Serviceability
- High Efficacy

Indoor

- Innovation
- Versatility
- Form Factor

Outdoor



OUTSTANDING 2015

Finelite, Inc.

FineTune™ System



OUTSTANDING
User Interface

Selux Corporation

Kju




OUTSTANDING

Dimming

Juno Lighting Group

Indy L-Series LED Cylinder




OUTSTANDING

Dimming

USAI Lighting

MAX Output Warm Glow Dimming



OUTSTANDING

Dimming

Louis Poulsen LP Circle Pendant



OUTSTANDING
Serviceability

Selux Corporation

M36 LED My White



OUTSTANDING


Serviceability

Finelite, Inc. HPR-LED 2x2



OUTSTANDING
Serviceability

Intense Lighting Gravity Cylinder



OUTSTANDING
Efficacy

amerlux MURRO LED Wall Wash



OUTSTANDING

Efficacy

Cree IG Series



OUTSTANDING
Innovation

Landscape Forms, Inc.

MultipliciTY LED



OUTSTANDING

Form Factor

Selux Corporation


Olivio Sistema 2 LED



OUTSTANDING

Versatility

LED Roadway Lighting NXT-M



RECOGNIZED
Roadway Collectors

Philips Lumec RoadFocus LED Cobra Head



RECOGNIZED
Roadway Collectors

Hubbell Lighting Beacon Products Viper with Beaconnect



RECOGNIZED

Parking Lot

Landscape Forms, Inc.


SIGNAL



RECOGNIZED

Pedestrian Scale

Hubbell Lighting Architectural Area Lighting Kick™



RECOGNIZED
Pedestrian Scale


USAI Lighting Cylinders Series Pendant



RECOGNIZED
Decorative Pendants

Finelite, Inc.

HP-2 INDIRECT / DIRECT



RECOGNIZED

Linear Pendants

amerlux


LINEA 1.5 LINEAR DIRECT / INDIRECT LED



RECOGNIZED

Linear Pendants

LumenWerx Cava Curve



RECOGNIZED
Linear Pendants

Gotham by Acuity Brands Lighting

ICO 4



RECOGNIZED

Downlights

Amerlux FINO CEILING LED



RECOGNIZED
Wall Wash Luminaires

Juno Lighting Group

Indy L-Series LED Downlight



RECOGNIZED

Downlights

Philips Ledalite VersaForm Recessed LED



RECOGNIZED
Troffers

LumenWerx Primo



RECOGNIZED
Troffers

Philips Day-Brite FBX



RECOGNIZED
High Bays

Digital Lumens

DLE-48 Intelligent LED



RECOGNIZED

High Bays



Congratulations!