

This document, concerning Residential Furnaces is an action issued by the Department of Energy. Though it is not intended or expected, should any discrepancy occur between the document posted here and the document published in the Federal Register, the Federal Register publication controls. This document is being made available through the Internet solely as a means to facilitate the public's access to this document.

[6450-01-P]

DEPARTMENT OF ENERGY

10 CFR Part 430

[Docket No. EERE-2014-BT-STD-0031]

RIN: 1904-AD20

**Energy Conservation Program: Energy Conservation Standards for Residential
Furnaces**

AGENCY: Office of Energy Efficiency and Renewable Energy, Department of Energy.

ACTION: Reopening of public comment period.

SUMMARY: On September 23, 2016, the U.S. Department of Energy (DOE) published a supplemental notice of proposed rulemaking (SNOPR) pertaining to proposed energy conservation standards for residential furnaces in the Federal Register. The notice provided an opportunity for submitting written comments, data, and information by November 22, 2016. This document announces a reopening of the public comment period for submitting comments and data on the SNOPR or any other aspect of the rulemaking for residential furnaces. The comment period is reopened until January 6, 2017.

DATES: DOE will accept comments, data, and information regarding this rulemaking received no later than January 6, 2017.

ADDRESSES: Instructions: Any comments submitted must identify the SNO PR on Energy Conservation Standards for Residential Furnaces, and provide docket number EERE-2014-BT-STD-0031 and/or regulatory information number (RIN) 1904-AD20.

Comments may be submitted using any of the following methods:

- 1) Federal eRulemaking Portal: www.regulations.gov. Follow the instructions for submitting comments.
- 2) Email: ResFurnaces2014STD0031@ee.doe.gov. Include the docket number and/or RIN in the subject line of the message. Submit electronic comments in WordPerfect, Microsoft Word, PDF, or ASCII file format, and avoid the use of special characters or any form of encryption.
- 3) Postal Mail: Appliance and Equipment Standards Program, U.S. Department of Energy, Building Technologies Office, Mailstop EE-5B, 1000 Independence Avenue, SW., Washington, DC, 20585-0121. If possible, please submit all items on a compact disc (CD), in which case it is not necessary to include printed copies.
- 4) Hand Delivery/Courier: Appliance and Equipment Standards Program, U.S. Department of Energy, Building Technologies Office, 950 L'Enfant Plaza, SW., 6th Floor, Washington, DC, 20024. Telephone: (202) 586-6636. If possible, please

submit all items on a CD, in which case it is not necessary to include printed copies.

Docket: The docket, which includes Federal Register notices, public meeting attendee lists and transcripts, comments, and other supporting documents/materials, is available for review at www.regulations.gov. All documents in the docket are listed in the www.regulations.gov index. However, some documents listed in the index may not be publicly available, such as those containing information that is exempt from public disclosure.

The docket webpage can be found at:

<http://www.regulations.gov/#!docketDetail;D=EERE-2014-BT-STD-0031>. The docket webpage contains simple instructions on how to access all documents, including public comments, in the docket.

FOR FURTHER INFORMATION CONTACT:

Mr. John Cymbalsky, U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Building Technologies Program, EE-2J, 1000 Independence Avenue, SW., Washington, DC, 20585-0121. Telephone: (202) 287-1692. E-mail:

ApplianceStandardsQuestions@ee.doe.gov.

Ms. Johanna Jochum, U.S. Department of Energy, Office of the General Counsel, GC-33, 1000 Independence Avenue, SW., Washington, DC, 20585-0121. Telephone: (202) 287-6307. E-mail: Johanna.Jochum@hq.doe.gov.

SUPPLEMENTARY INFORMATION:


On September 2, 2016, DOE issued a pre-publication supplemental notice of proposed rulemaking (September 2016 SNO PR) pertaining to proposed energy conservation standards for residential furnaces. DOE also posted its analytical tools and supplementary documentation on the Appliance and Equipment Standards web page for residential furnaces. In that pre-publication notice, DOE provided for a 30-day comment period. Following the issuance of the pre-publication notice, Spire Inc., the Air-Conditioning, Heating, and Refrigeration Institute (AHRI), and the American Gas Association and American Public Gas Association (AGA/APGA, jointly) submitted requests that DOE extend the 30-day comment period by 60 additional days. (Spire, No. 219 at p. 1; AGA/APGA, No. 220 at pp. 1-3; AHRI, No. 221 at p.1) These commenters requested additional time to review DOE's analytical tools and supplementary materials supporting the September 2016 SNO PR. To accommodate those requests, DOE extended the comment period by 30 days when it published in the Federal Register the September 2016 SNO PR, providing for a comment period of 60 days ending November 22, 2016. 81 FR 65720. During the SNO PR public meeting on October 17, 2016, DOE noted that between the date of issuance of the pre-publication notice (along with analytical tools and documentation) and the end of the comment period on November 22, 2016, interested parties would have had 81 days to review the notice, analytical tools and supplementary documentation. (DOE, No. 243 at p. 213)

Following publication in the Federal Register of the September 2016 SNO PR on September 23, 2016, commenters again requested that DOE extend the comment period to provide for a 90 day total comment period. (AGA/APGA, No. 232 at p. 1; Spire, No. 234 at p. 14; APGA, No. 235 at p. 2; Lennox, No. 245 at pp. 1-2; Heating, Air-conditioning, and Refrigeration Distributors International and Air-Conditioning Contractors of America, No. 251 at p. 1; APGA, SNO PR Public Meeting Transcript, No. 243 at p. 31) Some commenters subsequently submitted requests for an even longer extension, equivalent to a total 120 day comment period. (Spire, No. 241 at pp. 1-2; AGA/APGA, No. 242 at pp. 1-2; AHRI, No. 244 at p. 1; Carrier, No. 250 at p. 1) Spire submitted an additional comment that a 90-day comment period would be acceptable, and AGA requested that DOE issue a written response to the comment period extension requests. (Spire, No. 247 at p.1; AGA, No. 249 at p.1) In general, commenters suggested that the quantity of supplemental information supporting the rulemaking analysis warranted additional time for review. The National Resource Defense Council (NRDC) suggested that DOE's extension from the 30-day comment period in the pre-publication notice to the 60-day period at publication represented a delay, and recommended that DOE not extend the comment period any further. (NRDC, SNO PR Public Meeting Transcript, No. 243 at p. 50)

In view of the requests for an additional comment period extension for the September 2016 SNO PR, DOE has determined that a reopening of the public comment period and a 45-day extension to January 6, 2017 for the September 2016 SNO PR is appropriate. The comment period is reopened until January 6, 2017. DOE further notes that any

submissions of comments or other information submitted between the original comment end date and January 6, 2017 will be deemed timely filed.

Issued in Washington, DC, on November 21, 2016.



Kathleen B. Hogan
Deputy Assistant Secretary for Energy Efficiency
Energy Efficiency and Renewable Energy