

PMC-ND
(1.08.09.13)

**U.S. DEPARTMENT OF ENERGY
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY
NEPA DETERMINATION**



RECIPIENT: NREL

STATE: CO

PROJECT TITLE: NREL-19-010 OTF Loading Dock Improvements

Funding Opportunity Announcement Number	Procurement Instrument Number	NEPA Control Number	CID Number
	DE-AC36-08GO28308	NREL-19-010	GO28308

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

DOE/EA-1968 SITEWIDE ENVIRONMENTAL ASSESSMENT, U.S. DOE NATIONAL RENEWABLE ENERGY
(NREL STM) LABORATORY, SOUTH TABLE MOUNTAIN CAMPUS, GOLDEN, COLORADO

Rationale for determination:

The U.S. Department of Energy's (DOE) National Renewable Energy Laboratory (NREL) proposes to improve the loading dock and adjacent infrastructure of the Outdoor Test Facility (OTF) at the South Table Mountain (STM) campus located in Golden, Colorado.

A fully recessed scissor/platform lift that is approximately 10 ft. x 10 ft. would be installed. The lift control panel would be installed on the face of OTF per manufacturer requirements, and the electrical components of the lift and controls would be connected to the existing OTF power supply. Additional improvements would include the removal and replacement of a concrete dock drive, stair, and sections of sidewalk, curb, and gutter; installation of bollards and steel handrails; removal and replacement of a trench drain; and installation of a sand/oil separator. Grading would be completed as needed to achieve correct slopes. Approximately 2,490 sq. ft. of existing concrete and asphalt would be excavated and replaced in kind. All work would be performed on areas that have been disturbed previously.

Project activities would not affect cultural resources, threatened or endangered species, wetlands, floodplains, or prime farmlands and no permits would be required. A migratory bird nesting survey would be completed if project activities occur between March 15 and September 15. If nests or eggs are found, the area would be cordoned off with a proper buffer until nestlings fledge. All ground disturbing activities would be conducted in accordance with NREL policies and procedures.

Mobile air emissions from construction equipment, such as a skidsteer and cement truck, would be negligible and short-term. Construction-related noise would consist of a short-term, intermittent increase in ambient noise levels and would follow applicable noise ordinances. Construction waste would be reused, recycled, or disposed of in accordance with applicable regulations and NREL policy and procedures.

Individuals working on this project could be exposed to physical and electrical hazards during the course of this project. Existing corporate health and safety policies and procedures would be followed including employee training, proper protective equipment, engineering controls, and monitoring. Additional policies and procedures would be implemented as necessary if new health and safety risks are identified.

Based on review of the project information and the above analysis, DOE has determined the proposed project would not have a significant individual or cumulative impact to human health and/or the environment. DOE has determined the proposed action is consistent with and bounded by the activities that are analyzed in the Department of Energy's STM Site-Wide Environmental Assessment (DOE/EA-1968) and FONSI.

NEPA PROVISION

DOE has made a final NEPA determination.

Include the following condition in the financial assistance agreement:

A migratory bird nesting survey will be completed if project activities occur between March 15 and September 15.

Notes:

NREL
Nicole Serio 1/8/2019

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature: _____

 Electronically
Signed By: Kristin Kerwin
NEPA Compliance Officer

Date: 1/9/2019

FIELD OFFICE MANAGER DETERMINATION

- ☒ Field Office Manager review not required
☐ Field Office Manager review required

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature: _____

Field Office Manager

Date: _____