

2020 SETO PEER REVIEW

Emerging Photovoltaics: III-V

Goals and portfolio overview

Dr. Susan Huang, Technical Advisor

This?






Or this?







Effect of Efficiency



III-V efficiency and bandgap flexibility





Hajjiah, Ali. (2020)

Emerging?












Time Energy Materials Costs Output Efficiency Reliability




Time Energy Materials

Costs

Output

Efficiency
Reliability




Time Energy Materials

Costs

Output

Efficiency

Reliability




Time Energy Materials

Costs

Output

Efficiency Reliability




Time Energy Materials


Costs

Output

Efficiency Reliability




Possible path to \$0.30/W_{DC}





Myles Steiner, Aaron Ptak, Emily Warren




AlInP window GaAs or InGaP Cell AlGaInP AlGaAs GaAs




GaAs
ZnSe
In₂Se₃
Bi₂Se₃







Mariana Bertoni


Acoustic Controlled





Traditional Spalling



















Time Energy Materials

Costs

Output

Efficiency
Reliability




Figure 7. Step-by-step cost breakdown for (top) single junction GaAs solar cells at 28% efficiency and (bottom) 2J GalnP/GaAs solar cells at 30% fabricated via MOCVD in the base case

Assumes U.S. manufacturing at 3,800 cells/month (170kW/year - 182kW/year, depending on the efficiency); the CMP bar is gray because we do not have a bottom-up CMP cost model, but rather total costs obtained via industry interviews.