PMC-ND					
U.S. DEPARTMENT OF ENERGY					
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY					
NEPA DETERMINATION					
RECIPIENT: 53 States & Territories that have signed Historical Preservation Extension Agreements STATE: Mult					
PROJECT TITLE: Weatherization Assistance Program Fiscal Year 2021 Formula Awards					
Funding Opportunity Announcement Number WAP-ALRD-2021AProcurement Instrument Number WAP-ALRD-2021ANEPA Control Number GFO-WAP-ALRD-2021ACID Number					
Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:					
CX, EA, EIS APPENDIX AND NUMBER: Description:					
*	data analysis (including, but limited to, conceptual design information dissemination (ir classroom training and inform	ling, but not limited to, literature survey not limited to, computer modeling), do I, feasibility studies, and analytical ene including, but not limited to, document p mational programs), but not including s f appendix B to this subpart.)	ecument preparation (includir ergy supply and demand stud publication and distribution, a	ng, but not lies), and and	
A11 Technical advice and assistance to organizations	Technical advice and plannin	ng assistance to international, national	, state, and local organizatio	ns.	
B1.16 Asbestos removal	Removal of asbestos-containing materials from buildings in accordance with applicable requirements (such as 40 CFR part 61, "National Emission Standards for Hazardous Air Pollutants"; 40 CFR part 763, "Asbestos"; 29 CFR part 1910, subpart I, "Personal Protective Equipment"; and 29 CFR part 1926, "Safety and Health Regulations for Construction"; and appropriate state and local requirements, including certification of removal contractors and technicians).				
B1.34 Lead- based paint containment, removal, and disposal	Containment, removal, and disposal of lead-based paint in accordance with applicable requirements (such as provisions relating to the certification of removal contractors and technicians at 40 CFR part 745, "Lead-Based Paint Poisoning Prevention In Certain Residential Structures").				
and equipment	remote control panels, remo provide automatic shutdown	nts to, building and equipment instrum te monitoring capability, alarm and sur , fire detection and protection systems nent and emergency warning systems, security equipment).	veillance systems, control sy , water consumption monitor	vstems to is and flow	
B3.1 Site characterization and environmental monitoring	modification, operation, and characterization and monitor laboratory building or renova- be designed in conformance potential effects of any resul characterization and environ activities in aquatic environm but are not limited to: (a) Ge temperature gradient), geocl survey marks. Seismic techr Installation and operation of telemetry systems, geochem sampling or monitoring of gr water-level recording device Installation and operation of soil, rock, or contaminants (s and plugging of boreholes); waste streams; (h) Installation assessment of potential wind	vironmental monitoring (including, but dismantlement and removal or otherwing devices, and siting, construction, a tion of a room in an existing building f with applicable requirements and use tant ground disturbance. Covered acti- mental monitoring under CERCLA and nents. See B3.16 of this appendix for s- ological, geophysical (such as gravity, nemical, and engineering surveys and niques would not include large-scale re- field instruments (such as stream-gau nical monitoring tools, and geophysical oundwater or the vadose (unsaturated s in wells; (d) Aquifer and underground ambient air monitoring equipment; (f) such as drilling using truck- or mobile-s (g) Sampling and characterization of wo on and operation of meteorological tow d energy resources); (i) Sampling of fic e identification in compliance with 36 0	ise proper closure (such as of and associated operation of a for sample analysis). Such ac best management practices vities include, but are not lim d RCRA. (This class of action such activities.) Specific activ magnetic, electrical, seismic mapping, and the establishr effection or refraction testing; ging stations or flow-measur l exploration tools); (c) Drillin D zone, well logging, and insid d reservoir response testing; Sampling and characterization scale equipment, and modifice vater effluents, air emissions, vers and associated activities or a or fauna; and (j) Archeolo	of a well) of a small-scale ctivities would a to limit the ited to, site ns excludes ities include, c, radar, and nent of (b) ing devices, g of wells for tallation of (e) on of water, cation, use, , or solid a (such as ogical,	

U.S. DOE: Office of Energy Efficiency and Renewable Energy - Environmental Questionnaire

conserve	(a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated groun
B5.16 Solar photovoltaic systems	The installation, modification, operation, and removal of commercially available solar photovoltaic systems located on a building or other structure (such as rooftop, parking lot or facility, and mounted to signage, lighting, gates, or fences), or if located on land, generally comprising less than 10 acres within a previously disturbed or developed area. Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.
B5.17 Solar thermal systems	The installation, modification, operation, and removal of commercially available smallscale solar thermal systems (including, but not limited to, solar hot water systems) located on or contiguous to a building, and if located on land, generally comprising less than 10 acres within a previously disturbed or developed area. Covered actions would be in accordance with applicable requirements (such as local land use and zoning requirements) in the proposed project area and would incorporate appropriate control technologies and best management practices.

Rationale for determination:

The U.S. Department of Energy (DOE) administers the Weatherization Assistance Program (WAP) as authorized by Title IV, Energy Conservation and Production Act, as amended. The goal of WAP is to increase the energy efficiency of dwellings owned or occupied by low-income persons, reduce their total residential expenditures, and improve their health and safety. DOE anticipates making approximately 57 formula-based awards under the Fiscal Year 2021 WAP to states, territories, a tribal government, and the District of Columbia (hereinafter "States"). Each home weatherized under WAP would receive approximately \$7,776 as determined by site-specific outcomes of the energy audit process. Many states supplement DOE funds with other federal and non-federal resources for the activities listed below.

This NEPA determination is specific to WAP Recipients with a DOE executed Historic Preservation Programmatic Agreement. WAP Recipients without a DOE executed Historic Preservation Programmatic Agreement have a separate NEPA determination: GFO-WAP-ALRD 2021B.

Allowable activities include:

1. Energy audits including diagnostic testing to determine the scope of weatherization activities at each home.

2. Administrative activities associated with management of the designated Weatherization Office and management of programs and strategies in support of weatherization activities.

3. Development and implementation of training programs and strategies for weatherization effort, including initial home energy audits, final inspections and client education.

4. Purchase of vehicles and equipment needed for administrative activities, weatherization energy audits, installation of measures indicated below, and quality control inspections.

5. Weatherization activities provided that projects apply the restrictions of each State's programmatic agreement with

their State Historic Preservation Office (SHPO), and are limited to:

- a. Building Shell Measures:
- i. Install insulation where needed
- ii. Perform air sealing
- iii. Repair and replace windows, install window film, awnings and solar screens
- b. Mechanical Measures
- i. Clean, tune, repair, or replace heating and/or cooling systems
- ii. Install duct and heating pipe insulation
- iii. Repair leaks in heating/cooling ducts
- iv. Install programmable thermostats
- v. Repair/replace domestic water heaters
- vi. Install domestic hot water heater tank insulation
- c. Electric and Water Measures
- i. Install efficient light sources
- ii. Install low-flow showerheads
- iii. Replace inefficient refrigerators with energy-efficient models

6. Energy-related health and safety measures (per DOE WAP Guidance WPN 17-7) including:

a. Combustion appliance safety inspections

b. Air quality assessment and limited removal of formaldehyde, volatile organic compounds, flammable liquids, and other air pollutants

c. Gas and bulk fuel leak inspections

d. Limited testing and/or containment, removal or disposal of lead, asbestos, refrigerant, and mercury, and other materials generated during the course of WAP activities

e. Cleaning of mold limited to surface preparation for WAP activities

f. Conduct radon testing and precautionary measures, including but not limited to, covering exposed dirt floors with polyethylene sheeting which contains a rating of no more than 0.1 perm, which is sealed and attached at all seams, walls and foundation penetrations

g. Inspect and install carbon monoxide and smoke alarms

h. Install ventilation as required by the American Society of Heating and Air-Conditioning Engineers (ASHRAE) 62.2-2016 standard, including blower door testing addressing infiltration, ventilation, and exhaust

- 7. Incidental and necessary energy-related repairs and replacements
- a. Repair/replace damaged windows and doors
- b. Minor electrical and plumbing repairs

8. Installation of solar photovoltaic (PV) and solar hot water heating systems on buildings with 1 to 4 dwelling units, subject to the following restrictions:

a. PV systems would be appropriately sized and would not exceed 15 kW and/or

b. Solar hot water heating systems would be appropriately sized and would not exceed 200,000 BTU/HR

c. Systems would be roof mounted or attached to structure. Installation would include attaching the system to the structure and installing necessary electrical connections

d. Battery storage, if applicable, would be attached to structure

Activities/projects not listed above, including ground disturbing activities and tree removal, are not included under the ALRD categorical exclusion and are subject to additional NEPA review and approval by DOE. For activities/projects requiring additional NEPA review, states must complete the environmental questionnaire (EQ-1) found at https://www.eere-pmc.energy.gov/NEPA.aspx and receive notification from DOE that the NEPA review has been completed and approved by the Contracting Officer prior to initiating the project or activities.

All incidental measures relating to hazardous materials identified during the WAP activities would be managed in accordance with applicable federal, state, and local requirements.

NEPA PROVISION

DOE has made a conditional NEPA determination.

The NEPA Determination applies to the following Topic Areas, Budget Periods, and/or tasks:

This NEPA Determination only applies to projects funded by WAP-ALRD-2021 and completed by Recipients that have a DOE executed Historic Preservation Programmatic Agreement, and to projects that fit within the "Allowable activities" listed in the rationale section above.

U.S. DOE: Office of Energy Efficiency and Renewable Energy - Environmental Questionnaire

The NEPA Determination does not apply to the following Topic Area, Budget Periods, and/or tasks:

This NEPA Determination does NOT apply to Recipients that do not have a DOE executed Historic Preservation Programmatic Agreement, and projects that do not fit within the "Allowable activities" listed above.

Include the following condition in the financial assisstance agreement:

Activities/projects not listed under "Allowable activities" are subject to additional NEPA review and approval by DOE, whether the intention is to use WAP formula or Petroleum Violation Escrow (PVE) funds to fund the project. For activities/projects requiring additional NEPA review, states must complete the environmental questionnaire found at https://www.eere-pmc.energy.gov/NEPA.aspx and receive notification from DOE that the NEPA review has been completed and approved by the Contracting Officer prior to initiating the project or activities.

Some weatherization activities listed under "Allowable activities" are more restrictive than the Categorical Exclusion. The restrictions listed in the "Allowable activities" must be followed.

Recipients shall adhere to the restrictions of their DOE executed PA for historic preservation. Additionally, recipients must adhere to the requirements included in "Term 8. Historic Preservation" included in the Special Terms and Conditions of the financial assistance agreement.

Notes:

Weatherization & Intergovernmental Programs Office - WAP This NEPA Determination requires a tailored NEPA provision. NEPA review completed by Diana Heyder, 03/01/21

FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

A portion of the proposed action is categorically excluded from further NEPA review. The NEPA Provision identifies Topic Areas, Budget Periods, tasks, and/or subtasks that are subject to additional NEPA review.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:

Signed By: Casey Strickland

NEPA Compliance Officer

Date: 3/3/2021

FIELD OFFICE MANAGER DETERMINATION

- Field Office Manager review not required
- Field Office Manager review required

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature:

Field Office Manager

Date: