


Commercial Adoption Readiness Assessment Tool (CARAT)

Version: March 2023¹

Authors: Lucia Tian, Jacob Mees, Vanessa Chan (Office of Technology Transitions); William Dean (Office of Clean Energy Demonstrations)

INTRODUCTION TO ADOPTION READINESS LEVELS (ARLS) AND CARAT

Commercialization is the progression of a technology from an idea in a lab to full-scale adoption in the market. This requires actively moving technologies across the research, development, demonstration, and deployment (RDD&D) continuum through close coordination and partnership among public sector organizations, private sector entities, and community stakeholders. To do this effectively, research and development, whether conducted in labs, universities, or corporations, must be done with the end-market in mind. This means that managing a technology portfolio solely through the well-understood and widely used Technology Readiness Levels (TRL) stage-gates is not enough.



To describe adoption risks, the Department of Energy’s (DOE) Office of Technology Transitions has developed the Adoption Readiness Level (ARL) framework to complement TRL, in partnership with other DOE and industry stakeholders. ARL represents important factors for private sector uptake beyond technology readiness, and can be determined by performing a qualitative, but fact-based, risk assessment across 17 dimensions of adoption risk spanning four core risk areas –

- **Value Proposition**
Assesses the ability for a new technology to meet the functionality required by the market at a price point that customers are willing to pay, to meet the market demand (a broadened definition of “product-market fit”).
- **Market Acceptance**
Captures the target market(s) demand characteristics and risks posed by existing players -- including competitors, customers, and other value chain players.
- **Resource Maturity**
Determines risks standing in the way of inputs that are needed to produce the technology solution.
- **License to Operate**
Identifies the societal (national, state, and local), non-economic risks that can hinder the deployment of a technology.

This Commercial Adoption Readiness Assessment Tool (CARAT) provides a rubric for assessing the Adoption Readiness Level (ARL) of a technology solution. The tool can be used to surface critical barriers to technology commercialization, to facilitate and structure discussions between stakeholders in the commercialization process, and to compare the relative commercialization challenges across technology solutions in a portfolio. This document provides instructions for using the assessment, as well as the rubric itself.

For more information about the ARL framework and tool, visit energy.gov/technologytransitions/arl.

¹ THE INFORMATION IN THIS DOCUMENT WILL BE UPDATED ON A ROLLING BASIS SUBJECT TO FUTURE DEVELOPMENT AND FEEDBACK; INPUT AND FEEDBACK ARE ENCOURAGED AND CAN BE SENT TO OTT@HQ.DOE.GOV.

INSTRUCTIONS FOR USING THIS ASSESSMENT

- 1. Define the scope of the assessment.** This assessment (similarly to Technology Readiness Level or TRL) can be completed at different levels of aggregation. Specifically, the user should define:
 - The **technology scope**
(E.g., is the assessment being performed for a specific electrolyzer technology, or is it being performed for an integrated hydrogen production facility?)
 - The **value chain scope**
(E.g., does the assessment encompass only production, or does it also encompass transport and distribution infrastructure?)
 - The **timeline for evaluation**
(E.g., is the assessment being performed as of today, looking at potential pathways for commercialization within the next 3 years? Best practice is to consider a 3-5 year commercialization window.)
 - Note that for different scopes, specific risk factors may be categorized differently in this rubric. For example, when considering electrolyzer technology, risks associated with transport and distribution of hydrogen molecules may be considered as part of “Downstream Value Chain” risks; these risks may be categorized as “Infrastructure” risks when considering a broader value chain scope that encompasses the midstream transport of hydrogen molecules. In either case, the assessment should surface the risk factor.
- 2. Record the policy environment** the assessment is being performed under. Best practice is to assume the current policy environment and no further changes (e.g., as of December 2022 the 45V 10-year Production Tax Credit (PTC) for clean H₂ from the Inflation Reduction Act is in effect but is scheduled to expire after January 1, 2033).
- 3. Assess the technology solution based on each dimension of the rubric (Low, Medium, or High Risk, or N/A)** and record rationale and details.
- 4. (Optional) To arrive at a numerical “Adoption Readiness Level” score**, tally the number of Medium and High risk dimensions, and use the look-up table at the end of the assessment to arrive at a score that can be used to compare across technology solutions in a portfolio.

ADDITIONAL CONSIDERATIONS FOR USERS:

- This framework is designed to be as comprehensive of non-technical technology adoption risks as possible, but the categories of risks are not always mutually exclusive – some risks may fall into more than one dimension. However, we have found this framework to be a useful checklist to ensure users are comprehensively surfacing potential risk factors.
- Similar frameworks are often framed for consumer technologies; given the DOE’s wide technology portfolio that includes large-scale energy infrastructure technologies, we have been deliberate in shaping the framework to be generically applicable across the spectrum. This means that in some cases, the user may need to refine the framework to apply to their specific setting.
- This framework is designed with the adoption of a novel technology solution in mind, and is agnostic to whether that technology is brought to market by an incumbent, or a disruptor. We believe many of the same risk dimensions apply in either case, although they may manifest differently.
- The implied goal of this tool is to achieve “full scale commercial deployment” of a technology; however, what this means may differ depending on the use case. For example, full-scale commercial deployment looks different for a medical device targeting a specific medical condition as compared to a ubiquitous commodity market.

A. Value Proposition

1. Delivered Cost

Risks associated with achieving delivered cost competitiveness when produced at full scale, including amortization of incurred development and capital costs, and accounting for switching costs (if any).

Low

Technology solution is either:
a. currently more cost effective than the incumbent or competing technology, or
b. close to cost-parity and on a clear cost curve to achieve cost-parity within 3 years; and fundamental cost components (e.g., cost of critical inputs) are not at risk of significant market swings.

Medium

Technology solution is more than 3 years away from achieving cost-parity with incumbent or competing technology but is on a clear path to be more cost effective; and / or there are some fundamental cost components that are at risk of market swings.

High

Technology solution is more expensive than the incumbent or competing technology and there is no clear pathway to cost competitiveness without substantial additional R&D advances.

N/A

Comments / Rationale:

2. Functional Performance

Risks associated with the ability of the technology solution to meet or exceed the performance and feature-set of incumbent solutions or create new end-use markets.

Low

Technology solution provides sustained improved performance and / or benefits that justify a premium (if any) in an existing end-use case or value in a new end-use case.

Medium

Technology solution provides equivalent functionality to existing products (i.e., same performance on all key parameters), or improved performance does not justify current premium, or performance differential will not be sufficiently sustained (e.g., lack of fundamental competitive advantage or weak IP protection allows incumbent or competitors to reduce differential quickly).

High

Technology solution provides poorer functionality than existing solutions currently in place.

N/A

Comments / Rationale:

A. Value Proposition

3. Ease of Use / Complexity

Risks associated with operational switching costs; the ability of a new user (individual, company, system integrator) to adopt and operationalize the technology with limited training, few new requirements, or special resources (e.g., tools, workforce, contract structures).

Low

Technology solution is easy to use / operate & maintain by the typical user / operator (e.g., highly intuitive with little need for additional training or similar to existing systems) and is plug-and-play with current infrastructure / equipment.

Medium

Technology solution can be operated & maintained by a typical user / operator after some training and allows for interoperability with existing infrastructure / equipment with minor adjustments.

High

Technology solution deployment requires extensive operations and maintenance training of personnel and / or there are meaningful integration costs to successfully use / integrate the product.

N/A

Comments / Rationale:

B. Market Acceptance

1. Demand Maturity / Market Openness

Risks associated with demand certainty and access to standardized sales & contracting mechanisms (if required), as well with natural (e.g., network effects, first-mover-advantages) and / or structural (e.g., existing monopolies / oligopolies) barriers to entry in the market(s) to which the technology solution can be applied.

Low

There is a clear pathway for the technology solution to be introduced in a target market and gain initial traction; and there is standardized off-take (e.g., long-term agreements, hedge-able commodity market, accessible consumer market).

Medium

Technology solution would need to overcome substantial barriers to entry from competing technologies to enter the market but has clear pathway to do so; and there is a developing standardization of off-take.

High

Technology solution's ability to enter the market is limited due to incumbent advantages and market barriers to entry; or off-take is not easy / standardized and does not meet the needs of technology solution deployment.

N/A

Comments / Rationale:

2. Market Size

Risks associated with the overall size of the market that can be served by the technology, and the level of uncertainty with which it will materialize.

Low

Technology solution is well positioned to compete strongly in a large and existing market or dominate market share in a small and existing market; technology solution can be broadly adopted across geographies.

Medium

Technology solution addresses only a moderately sized existing market opportunity, and / or there is moderate uncertainty to whether the market will materialize; technology solution may be limited to select markets because of geographic or other constraints.

High

Technology solution is limited to small markets, and / or relies on a market that has yet to materialize.

N/A

Comments / Rationale:

B. Market Acceptance

3. Downstream Value Chain

Risks associated with the projected path to get the product from a producer to a customer along the value chain (e.g., considering split incentives, technology acceptance, business model changes).

Low

Path to market is clear; business proposition and technology solution features work within existing incentives / business models, or newly aligns incentives for stakeholders along the value chain.

Medium

Path to market requires realigning of value chain; business model and technology acceptance level are not clear for one or more participants in current value chain.

High

Value chain is non-existent, highly fragmented, and / or technology solution benefits do not accrue to critical decision makers / gate keepers across value chain.

N/A

Comments / Rationale:

C. Resource Maturity

1. Capital Flow

Risks associated with the availability of capital needed to move the technology solution from its current state to production at scale, including total investment required, availability of willing investors, availability of associated financial & insurance products, and the speed of capital flow.

Low

Institutional investors confirm return profile in this technology solution is commercially competitive with their broader portfolio. Deal flow / risk profile is sufficient to develop regular equity & debt approval processes at relevant investment institutions & ratings agencies. Major risks are insurable.

Medium

There exist one or more “valleys of death” along the required capital stack to full deployment, but hurdles can be overcome, and capital flow & financial and insurance availability is beginning to increase.

High

Significant additional investment from sources of concessionary / patient / high risk pools of capital (e.g., public sector, philanthropic, and catalytic venture capital) required to achieve deployment.

N/A

Comments / Rationale:

2. Project Development, Integration, and Management

Risks associated with the existence of processes and capabilities to successfully and repeatably execute projects using the technology solution.

Low

Mature processes and capabilities exist (e.g., within EPC contractors) to develop, integrate, and manage full projects using the technology solution; demonstrated by a track record of on-budget, on-time projects using the technology solution or comparable projects.

Medium

Some processes and capabilities exist to develop, integrate, and manage full projects using the technology solution; but these are as-yet unproven.

High

Deployment of the technology solution requires building new or significantly improved project development, integration, and management processes and capabilities as compared with the industry status quo; demonstrations and deployments at scale face substantial budget and timeline risks as a result.

N/A

Comments / Rationale:

C. Resource Maturity

3. Infrastructure

Risks associated with the physical and digital large-scale systems that need to be in place to support, enable, or facilitate deployment at full scale (e.g., pipelines, transmission lines, roads and bridges, etc.).

Low Technology solution can be broadly deployed within existing large-scale physical and digital infrastructure.	Medium Technology solution can be broadly deployed with minimal investment in large-scale infrastructure (i.e., existing infrastructure can be adapted to use with new technology solution) or there exists a clear and economic pathway for investors & developers to build required infrastructure.	High Technology solution can be broadly deployed only with additional significant investments in new large-scale infrastructure and pathway to required infrastructure remains unclear.	N/A
--	---	---	-----

Comments / Rationale:

4. Manufacturing & Supply Chain

Risks associated with all the entities & processes that will produce the end-product, including integrators, component, and sub-component manufacturers & providers.

Low Technology solution deployment relies on off-the-shelf or simple adaptation of existing supply base products & existing manufacturing capabilities.	Medium Technology solution deployment requires new components or products that are aligned with existing supply base capabilities but that may require minor upgrades or retooling of manufacturing and other processes.	High Technology solution deployment requires creation of new manufacturing processes or supply chain components that are not currently in place, or deployment will overwhelm existing supply chain capacities.	N/A
---	--	---	-----

Comments / Rationale:

C. Resource Maturity

5. Materials Sourcing

Risks associated with the availability of critical materials required by the technology (e.g., rare earth and other limited availability materials).

Low

Technology solution relies on materials that are readily available in a competitive and distributed market and can be procured off the shelf with little to no geopolitical risk.

Medium

Technology solution relies on materials that are abundantly available but may face some risks (e.g., rely on new processing methods to make suitable for the application, geographic concentration).

High

Technology solution relies on materials that are limited in supply relative to the needed demand, may be difficult to obtain, may face geopolitical risks, or are very costly to produce in the needed quantities.

N/A

Comments / Rationale:

6. Workforce

Risks associated with the human capital and capabilities required to design, produce, install, maintain, and operate the technology solution at scale.

Low

Existing workforce has the necessary skills to manufacture and deploy technology solution with little additional training or significant scale-up.

Medium

Existing workforce requires additional training to either manufacture or deploy/install technology solution and pipelines exist to provide workforce training, but may need to be scaled.

High

Workforce is nearly non-existent, significant training is required for initial technology solution introduction and scale-up.

N/A

Comments / Rationale:

D. License to Operate

1. Regulatory Environment

Risks associated with local, state, and federal regulations or other requirements / standards that must be met to deploy the technology at scale.

Low

Technology solution can be broadly deployed within existing regulatory framework and standards, and those frameworks and standards are applied in a well-understood and fast-moving process with minimal risk of delays.

Medium

Technology solution can be broadly deployed with minor changes to regulations and standards, and / or regulatory hurdles are well-understood but time-consuming and at risk of delays.

High

Technology solution can be broadly deployed only with major changes to regulations and standards or entirely new regulations and standards; or significant challenges exist to navigate existing regulations and standards.

N/A

Comments / Rationale:

2. Policy Environment

Risks associated with local, state, and federal government policy actions that support or hinder the adoption of the technology at scale.

Low

Technology solution requires little in the way of additional policy intervention to encourage adoption as a preferred solution; policymakers well aligned with any changes needed to encourage adoption.

Medium

Technology solution requires moderate policy intervention to achieve broad deployment and is well aligned with current governmental policy positions.

High

Technology solution requires significant policy intervention to achieve and / or sustain broad deployment; and / or policy makers are not aligned with implementing required intervention to encourage adoption.

N/A

Comments / Rationale:

D. License to Operate

3. Permitting & Siting

Risks associated with the process to secure approvals to site and build equipment & infrastructure associated with deploying the technology at scale.

Low

Permitting and siting process is easy, well-understood, timely, and repeatable.

Medium

Permitting and siting can be time-consuming, but jurisdiction is clear, and complexity is low. Speed can be achieved with repetition.

High

Permitting and siting is highly complex and time-consuming, with multiple overlapping jurisdictions in play.

N/A

Comments / Rationale:

4. Environmental & Safety

Risks associated with the potential for hazardous side effects or adverse events inherent to the production, transport, or use of the technology solution or end product in the absence of sufficient controls.

Low

Technology solution has minimal inherent environmental or safety risk; results in net zero carbon or negative carbon solution.

Medium

Technology solution has potential for environmental degradation and /or safety concerns, but the risks can be managed through current processes and / or anticipated future processes or solutions.

High

Technology solution has potential to create significant environmental degradation or increases carbon emissions over currently fielded solutions, and / or poses significant safety concerns that are challenging to mitigate.

N/A

Comments / Rationale:

D. License to Operate

5. Community Perception

Risks associated with the general perception by global and local communities of the technology solution and its risks or impact, whether founded or unfounded.

Low

Technology solution is likely to be positively received by the public with a strong level of support.

Medium

Technology solution may create pockets of public resistance but no systemic challenges are anticipated, and local communities are aligned with deployment in key deployment locations.

High

Technology solution is likely to generate negative public or community reactions that could derail or significantly delay deployment.

N/A

Comments / Rationale:

Combining the risk dimensions into an ARL score

Totals:

		No. of High Risk Dimensions									
		0	1	2	3	4	5	6	7	8+	
No. of Medium Risk Dimensions	0	9	8	7	5	3	1	1	1	1	
	1	8	7	6	4	2	1	1	1	1	
	2	8	7	6	4	2	1	1	1	1	
	3	7	6	5	3	1	1	1	1	1	
	4	7	6	5	3	1	1	1	1	1	
	5	6	5	4	2	1	1	1	1	1	
	6	5	4	3	1	1	1	1	1	1	
	7	3	2	1	1	1	1	1	1	1	
	8+	1	1	1	1	1	1	1	1	1	

Medium

High

INSTRUCTIONS:

1. Tally the total number of dimensions assessed to be “High” risk and the total number of dimensions assessed to be “Medium” risk.
2. Use the look-up table to the left to determine the ARL Score.

ADDITIONAL CONSIDERATIONS FOR USERS:

Note that users can modify the look-up table according to their own needs. Because even a few high-risk dimensions that remain unsolved can derail a technology solution from progressing towards commercialization, as a best practice, we recommend an approach that mimics a power law. If there is a critical mass of “High risk” ratings, the technology solution should be binned as “Low ARL.”

In choosing to perform this aggregation, the user should balance the value of having a single number that provides an overview of the technology solution’s status regarding commercial adoption and the lack of nuance that comes with false precision. The value of the ARL framework lies in its ability to surface an understanding of exactly which dimensions present the key barriers to commercial adoption.

1-3 = Low Readiness
4-6 = Medium Readiness
7-9 = High Readiness