



SITE CERTIFICATION SUMMARY

This Site Certification Summary provides information about the **Chupadera Mesa, New Mexico, Site**. The U.S. Department of Energy Office of Legacy Management is responsible for long-term stewardship of the site under the **Formerly Utilized Sites Remedial Action Program**.

Site Description and History

The Chupadera Mesa, New Mexico, Site is located about 28 miles northeast of the Trinity atomic bomb test site at the White Sands Missile Range, New Mexico. The area consists of open range and is used primarily for cattle grazing. The Trinity test was the first detonation of a nuclear device, on July 16, 1945. The test resulted in deposition and dispersal of radioactive fallout over Chupadera Mesa to the northeast of the detonation site. Radiation measurements at ground zero and in the fallout zone began the same day as the test. Since then, surveys and studies have been performed in the area by the University of California in 1948, 1950, and 1951; the U.S. Environmental Protection Agency (EPA) in 1973 and 1974; and the Los Alamos National Laboratory (LANL) from 1972 to 1979.

Radioactive decay since the Trinity test has resulted in substantial reduction in levels of fallout-related radionuclides at the Chupadera Mesa Site. Only longer-lived radioactive materials (e.g., cesium-137, strontium-90, plutonium-239, europium-155) remain.

See the [Fact Sheet](#), the [Site Certification Data Summary Worksheet](#) on pages 3-4, and the [Site Overview Map](#) on page 5 for more details about the site.

Site Remediation Timeline

July 16, 1945 — The Trinity atomic bomb test took place at the White Sands Missile Range, New Mexico.

1948, 1950, and 1951 — The University of California measured radiation at and around the test site.

1973 and 1974 — EPA measured radiation at and around the test site.

1972 through 1979 — LANL measured radiation at and around the test site, including in soil and vegetation samples.

November 1985 — The Chupadera Mesa site was designated as eligible for the Formerly Utilized Sites Remedial Action Program (FUSRAP).

April 22, 1986 — A notice of cleanup certification for the site was documented in a letter from the DOE Office of Nuclear Energy to the Environmental Safety and Health Division of the DOE Albuquerque operations office.

1997 — A memorandum of understanding between DOE and the U.S. Army Corps of Engineers included Chupadera Mesa as a completed FUSRAP site.

Current Site Conditions

Radiological survey data indicate that the radiological condition of the Chupadera Mesa Site is in compliance with applicable DOE standards and guidelines for cleanup of residual radioactive contamination. A release survey and evaluation, conducted by LANL, indicated that the incremental dose of 13 millirems per year (mrem/yr) for a hypothetical individual using the area as a residence is below the 25 mrem/yr criterion for unrestricted use and well below the 150 mrem/yr estimate for background in the area.

In 1985, DOE evaluated historical files and special studies for the Trinity Site under FUSRAP. The evaluation concluded that the Chupadera Mesa site satisfied the criteria for inclusion into FUSRAP, but no remedial action was required. Therefore, DOE released the site for unrestricted use.

DOE has been responsible for long-term stewardship of the Chupadera Mesa site since 1986. The stewardship requirements and protocols are captured in the FUSRAP Long-Term Surveillance and Maintenance Plan, which is available on the DOE Office of Legacy Management website (www.energy.gov/lm/chupadera-mesa-new-mexico-site).

ADDITIONAL INFORMATION



Documents related to FUSRAP activities at the Chupadera Mesa, New Mexico, Site are available on the LM website at Impublicsearch.lm.doe.gov/SitePages/default.aspx?sitename=Chupadera.

For other information on site history or current long-term stewardship activities, please contact us at:

**U.S. Department of Energy
Office of Legacy Management
2597 Legacy Way
Grand Junction, CO 81503**

Email:

FUSRAPinfo@lm.doe.gov
public.affairs@lm.doe.gov

DOE Office of Legacy Management
(970) 248-6070

www.energy.gov/lm

www.facebook.com/OfficeofLegacyManagement

www.linkedin.com/showcase/office-of-legacy-management

Chupadera Mesa, New Mexico, Site Certification Data Summary Worksheet

Two tables (this worksheet) in the LANL report "Radiological Survey and Evaluation of the Fallout Area from the Trinity Test: Chupadera Mesa and White Sands Missile Range, New Mexico" (dated June 1985) provide evidence used to certify the site as clean.

Two tables (the second worksheet) in the EPA report "Levels and Distribution of Environmental Plutonium Around the Trinity Site" (dated October 1978) provide evidence used to certify the site as clean.

Results from the 1948, 1950, and 1951 University of California sampling events were not available.

Chupadera Mesa Surface Soil Measurements					
Table XVII in the LANL report					
Radionuclide	N	Depth (cm)	Mean ± S.E. ^a	Min	Max
⁷ Be	49	---	8.8 ± 1.1 nCi/m ²	<MDA ^b	26
⁶⁰ Co	49	---	0.58 ± 0.16 nCi/m ²	<MDA	4.2
¹³⁷ Cs	49	---	280 ± 30 nCi/m ²	30	947
¹⁵² Euc	49	---	0.48 ± 0.48 nCi/m ²	<MDA	24
¹⁵⁵ Eu	49	---	4.2 ± 2.4 nCi/m ²	<MDA	86
⁹⁵ Nb	49	---	4.65 ± 0.15 nCi/m ²	<MDA	6.6
⁹⁵ Zr	49	---	2.55 ± 0.15 nCi/m ²	<MDA	4.2
¹⁰³ Ru	49	---	0.28 ± 0.07 nCi/m ²	<MDA	1.9
Natural gamma	49	---	6.7 ± 0.24 µR/h	3.5	10
Total gamma	49	---	8.2 ± 0.32 µR/h	4.1	13
⁴⁰ K	49	---	16 ± 0.58 pCi/g	6.4	24
²³² Th	49	---	0.85 ± 0.04 pCi/g	0.36	1.42
²³⁸ U	49	---	0.88 ± 0.04 pCi/g	0.34	1.81
²³⁸ Pu	19	0 - 5	0.083 ± 0.020 pCi/g	<MDA	0.32
	15	5 - 10	0.023 ± 0.013 pCi/g	<MDA	0.19
	15	10 - 15	0.006 ± 0.004 pCi/g	<MDA	0.06
	3	15 - 20	0.003 ± 0.003 pCi/g	<MDA	0.01
^{239,240} Pu (1948)	10	0 - 2.5	3.1 ± 1.3 pCi/g	<MDA	10.8
(1950)	9	0 - 2.5	3.2 ± 1.2 pCi/g	0.2	11
(1972)	3	0 - 2.5	0.80 ± 0.34 pCi/g	<MDA	1.4
(1972)	3	2.5 - 10	0.15 ± 0.10 pCi/g	0.02	0.34
(1972)	---	10 - 30	0.033 ± 0.015 pCi/g	0.01	0.06
(1973)	---	0 - 5	20.6 ± 4.3 nCi/m ² (0.29 pCi/g) ^d	0.4	86
(1977)	19	0 - 5	1.7 ± 0.41 pCi/g	0.03	6.7
(1977)	14	5 - 10	0.38 ± 0.27 pCi/g	<MDA	3.9
(1977)	16	10 - 15	0.11 ± 0.07 pCi/g	<MDA	1.2
(1977)	3	15 - 20	0.033 ± 0.03 pCi/g	<MDA	0.09
⁹⁰ Sr	7	0 - 5	2.3 ± 1.0 pCi/g	0.20	6.8
	3	10 - 15	0.76 ± 0.47 pCi/g	0.22	1.7
¹³⁷ Cs	27	0 - 5	2.81 ± 0.52 pCi/g	<MDA	10.4
	4	5 - 10	0.16 ± 0.02 pCi/g	0.12	0.22
	16	10 - 15	0.04 ± 0.02 pCi/g	<MDA	0.21
	1	20 - 25	0.05	---	---

^aS.E. - Standard Error
^b<MDA = less than minimum detectable activity
^cForty-eight observations for ¹⁵²Eu were below MDA.
^dCalculation of the pCi/g based on 0.0143 (pCi/g)(nCi/m²).

Incremental Doses											
Table XXVII in the LANL report											
Location	Mean External Whole Body Increment above Natural Background (mrem/yr)	mrem/yr (50-Year Committed Dose)									
		Inhalation Total from Resuspension ^a				Ingestion Total from Foods ^b				Inhalation of Dust by Home Gardener ^a	
		Whole Body	Bone	Lung	Liver	Whole Body	Bone	Liver	GI-LI	Whole Body	Bone
Chupadera Mesa	13	0.088	0.91	0.95	0.45	1.9	37	8.1	1.5	0.083	0.86

^aMajor dose contributed by transuranics.
^bMajor dose contributed by transuranics and ⁹⁰Sr.
NOTE: Table edited to only include data for Chupadera Mesa.


Chupadera Mesa, New Mexico, Site Certification Data Summary Worksheet

Radionuclide Concentrations in Trinity Soil Samples Collected During November 1973					
Sample Number	Table A-3 in the EPA report				
	Plutonium - 239, 240 Concentration (pCi/g)	Plutonium-238 Concentration (pCi/g)	Americium-241 Concentration (pCi/g)	Cesium-137 Concentration (pCi/g)	
Surface Samples					
0117	0.041 ± 0.022	2.9 ± 1.5	0.021 ± 0.017	<0.0052	0.38
0217	0.026 ± 0.019	1.8 ± 1.3	0.020 ± 0.017	<0.0041	0.47
0517	<0.015	<0.79	<0.015	NA	0.69
0617	<0.015	<0.84	0.019 ± 0.018	NA	0.24
0717	<0.014	<0.71	0.035 ± 0.021	NA	0.56
0817	0.054 ± 0.025	3.0 ± 1.4	<0.016	NA	0.21
0917	0.018 ± 0.016	1.0 ± 0.88	0.018 ± 0.016	<0.0050	0.71
1217	0.082 ± 0.031	4.9 ± 1.8	0.021 ± 0.018	NA	0.44
1317	0.033 ± 0.021	1.5 ± 0.99	0.021 ± 0.018	NA	0.94
1417	0.069 ± 0.036	4.1 ± 2.1	<0.021	NA	0.34
1517	0.024 ± 0.018	1.3 ± 0.97	<0.021	NA	0.39
1617	0.018 ± 0.017	1.1 ± 1.1	<0.017	NA	0.19
1717	0.017 ± 0.016	0.98 ± 0.93	<0.013	NA	0.76
1817	0.035 ± 0.021	1.8 ± 1.1	0.020 ± 0.017	NA	0.82
1917	0.071 ± 0.041	4.0 ± 2.3	<0.032	NA	0.47
2117	0.037 ± 0.018	2.5 ± 1.2	<0.018	NA	0.55
2217	0.086 ± 0.048	4.7 ± 2.7	<0.035	NA	0.45
2317	<0.015	<0.82	<0.026	NA	0.29
2417	0.045 ± 0.022	2.9 ± 1.5	<0.023	<0.0022	0.27
2517	0.016 ± 0.015	1.1 ± 0.97	<0.026	NA	0.12
2617	0.033 ± 0.020	2.0 ± 1.2	<0.022	NA	0.28
2817	0.031 ± 0.020	1.5 ± 0.96	0.017 ± 0.017	<0.0034	1.3
2917	<0.013	<0.63	<0.012	NA	0.72
3017	0.047 ± 0.022	2.6 ± 1.2	0.022 ± 0.016	NA	0.32
3117	0.91 ± 0.11	52 ± 6.4	0.076 ± 0.029	NA	14
3317	1.2 ± 0.15	68 ± 8.3	0.11 ± 0.041	NA	2.5
3417	0.065 ± 0.026	3.6 ± 1.4	<0.025	NA	0.57
3517	<0.032	<1.9	<0.035	NA	0.66
3617	0.040 ± 0.033	2.4 ± 1.9	<0.035	NA	0.59
3717	<0.034	<2.2	<0.034	NA	0.58
3817	0.073 ± 0.040	3.8 ± 2.1	<0.040	NA	0.73
3917	0.015 ± 0.013	0.80 ± 0.73	<0.021	<0.0022	0.35
4017	0.031 ± 0.019	1.8 ± 11	<0.021	<0.0037	0.31
4117	0.039 ± 0.020	1.8 ± 0.90	<0.020	<0.0024	1.1
4217	0.051 ± 0.022	2.9 ± 1.3	<0.023	0.0054 ± 0.0027	0.56
4317	0.049 ± 0.022	2.6 ± 1.2	<0.023	0.0055 ± 0.0033	0.91
4417	0.025 ± 0.018	1.3 ± 0.94	<0.020	<0.0038	1.2
Profile Samples					
032N	0.12 ± 0.051	8.5 ± 3.5	<0.026	NA	0.34
032O	<0.0094	<0.54	<0.024	NA	0.14
032P	0.12 ± 0.039	6.7 ± 2.1	0.025 ± 0.021	NA	ND
032Q	<0.034	<2.0	<0.050	NA	ND
032R	<0.021	<1.4	<0.019	NA	ND
042N	<0.011	<0.57	<0.024	NA	ND
042O	<0.014	<0.98	<0.025	NA	ND
042P	<0.008	<0.58	<0.027	NA	ND
042Q	<0.0074	<0.31	<0.023	NA	ND
102N	<0.0081	<0.40	<0.022	NA	0.25
102O	0.057 ± 0.036	2.8 ± 1.8	<0.031	NA	ND
102P	0.034 ± 0.033	1.7 ± 1.7	<0.036	NA	0.072
102Q	<0.012	<0.51	<0.028	NA	0.14
102R	<0.034	<1.7	<0.031	NA	ND
112N	<0.0086	<0.54	<0.025	NA	0.13
112O	<0.010	<0.66	<0.021	NA	ND
112P	<0.034	<2.1	<0.049	NA	ND
112Q	<0.013	<0.78	<0.021	NA	0.077
202N	0.30 ± 0.057	21 ± 4.0	0.033 ± 0.020	NA	0.73
202O	0.19 ± 0.044	13 ± 3.0	0.025 ± 0.018	NA	0.54
202P	0.079 ± 0.030	5.1 ± 1.9	0.027 ± 0.020	NA	0.08
202Q	0.029 ± 0.020	2.1 ± 1.4	0.020 ± 0.018	NA	0.065
202R	0.030 ± 0.020	2.0 ± 1.3	0.017 ± 0.016	<0.0041	0.064
202S	0.029 ± 0.020	2.2 ± 1.5	<0.016	NA	ND
272N	0.050 ± 0.029	2.8 ± 1.6	0.027 ± 0.023	NA	0.66
272O	0.018 ± 0.016	1.0 ± 0.88	0.016 ± 0.015	NA	ND
272P	0.027 ± 0.018	0.98 ± 0.67	0.020 ± 0.017	NA	0.08
272Q	0.051 ± 0.024	1.7 ± 0.79	0.029 ± 0.019	NA	ND
272R	0.054 ± 0.024	1.3 ± 0.57	0.032 ± 0.020	NA	ND
272S	0.024 ± 0.018	0.58 ± 0.44	0.044 ± 0.022	NA	0.095
272T	0.035 ± 0.021	2.0 ± 1.2	0.020 ± 0.017	NA	ND
322N	0.83 ± 0.11	47 ± 6.1	0.056 ± 0.026	NA	2.7
322O	0.11 ± 0.033	6.0 ± 1.8	0.017 ± 0.016	NA	0.30
322P	0.035 ± 0.020	2.1 ± 1.2	0.016 ± 0.015	<0.0029	ND
322Q	<0.014	<0.66	<0.014	NA	ND

Notes: 1. Error terms are two-sigma counting error.
 2. "<" indicates concentration is less than the stated value.
 3. NA indicates no analysis.
 4. ND indicates activity was non-detectable.

Radionuclide Concentrations in Trinity Soil Samples Collected During December 1974					
Sample Number	Table A-4 in the EPA report				
	Plutonium - 239, 240 Concentration (pCi/g)	Deposition (nCi/m²)	Atom Ratio Pu-240/ Pu-239	Plutonium-238 Concentration (pCi/g)	
Surface Samples					
10017	<0.023	0.007 ± 0.0013	0.56 ± 0.10	Limit	Limit
10117	0.011 ± 0.0077	Limit	0.93 ± 0.65	Limit	Limit
10217	<0.034	0.008 ± 0.0003	0.61 ± 0.23	0.175 ± 0.012	Limit
10317	<0.021	0.008 ± 0.00082	0.42 ± 0.043	0.177 ± 0.039	Limit
10417	<0.056	0.009 ± 0.0002	0.56 ± 0.12	Limit	Limit
10517	<0.021	0.025 ± 0.013	1.9 ± 0.93	Limit	Limit
10617	0.015 ± 0.0060	0.011 ± 0.0055	1.1 ± 0.44	0.135 ± 0.015	Limit
10717	0.077 ± 0.0099	0.084 ± 0.0024	4.6 ± 0.59	0.053 ± 0.0046	Limit
10817	<0.012	Limit	<0.76	Limit	Limit
11117	0.096 ± 0.050	0.095 ± 0.0072	6.1 ± 3.2	0.076 ± 0.018	Limit
11217	0.013 ± 0.0073	0.019 ± 0.014	0.91 ± 0.51	Limit	Limit
11317	0.015 ± 0.016	0.15 ± 0.0034	9.1 ± 0.93	0.043 ± 0.0032	Limit
11417	0.53 ± 0.038	0.53 ± 0.013	28 ± 2.0	0.028 ± 0.0024	0.028 ± 0.0032
11617	0.38 ± 0.047	0.44 ± 0.016	29 ± 3.5	0.036 ± 0.0086	0.049 ± 0.015
11717	0.068 ± 0.0082	0.074 ± 0.0066	4.5 ± 0.27	0.047 ± 0.021	Limit
11917	14 ± 1.8	15 ± 0.22	1100 ± 130	0.025 ± 0.00030	0.80 ± 0.11
12017	0.004 ± 0.0026	0.0060 ± 0.00067	0.31 ± 0.20	0.165 ± 0.043	Limit
12117	1.3 ± 0.21	1.4 ± 0.09	110 ± 17	0.023 ± 0.0012	0.079 ± 0.019
12217	0.022 ± 0.011	Limit	1.8 ± 0.87	Limit	Limit
12317	0.015 ± 0.0030	0.017 ± 0.0095	1.2 ± 0.24	0.153 ± 0.077	0.005 ± 0.0027
12417	0.013 ± 0.0057	0.014 ± 0.0070	1.1 ± 0.48	0.133 ± 0.015	Limit
15017	0.52 ± 0.071	0.47 ± 0.013	32 ± 4.3	0.026 ± 0.0028	0.027 ± 0.0070
15117	0.24 ± 0.023	0.23 ± 0.0046	17 ± 1.6	0.032 ± 0.0021	0.025 ± 0.0055
15317	0.017 ± 0.0095	0.021 ± 0.0011	11 ± 0.62	0.127 ± 0.018	Limit
15417	0.38 ± 0.092	0.34 ± 0.020	27 ± 6.5	0.042 ± 0.0081	Limit
15517	0.022 ± 0.0048	0.029 ± 0.0015	17 ± 0.38	0.114 ± 0.015	Limit
15617	0.29 ± 0.071	0.29 ± 0.0047	25 ± 5.9	0.038 ± 0.0024	Limit
15717	0.17 ± 0.030	0.18 ± 0.014	12 ± 2.1	0.049 ± 0.0094	Limit
15817	0.14 ± 0.020	0.19 ± 0.015	10 ± 1.4	0.075 ± 0.024	Limit
15917	0.18 ± 0.035	0.16 ± 0.0065	12 ± 2.4	0.031 ± 0.0062	Limit
16017	0.60 ± 0.16	0.52 ± 0.010	48 ± 12	0.028 ± 0.0015	0.034 ± 0.016
16117	0.10 ± 0.022	0.12 ± 0.0097	6.1 ± 1.3	0.027 ± 0.014	Limit
16217	0.25 ± 0.081	0.24 ± 0.019	20 ± 6.3	0.048 ± 0.014	0.072 ± 0.035
16317	0.11 ± 0.012	0.12 ± 0.0030	8.6 ± 0.96	0.031 ± 0.0045	0.0070 ± 0.0025
16416	0.63 ± 0.33	1.0 ± 0.10	28 ± 15	0.027 ± 0.0043	Limit
16516	1.2 ± 0.42	1.3 ± 0.038	45 ± 15	0.037 ± 0.0033	Limit
16616	0.30 ± 0.065	0.29 ± 0.0059	8.0 ± 1.8	0.027 ± 0.0015	Limit
16716	2.8 ± 0.73	3.2 ± 0.038	86 ± 22	0.025 ± 0.0011	0.16 ± 0.062
16916	1.5 ± 0.26	1.6 ± 0.054	42 ± 7.2	0.032 ± 0.0062	0.098 ± 0.033
Profile Samples					
1092A	0.036 ± 0.0036	0.034 ± 0.0044	1.5 ± 0.15	0.070 ± 0.039	Limit
1092B	0.014 ± 0.0016	0.015 ± 0.0014	0.53 ± 0.060	0.104 ± 0.021	0.002 ± 0.0009
1092C	<0.039	<0.001	Limit	Limit	Limit
1092D	<0.025	<0.0008	Limit	Limit	Limit
1092E	<0.038	Limit	Limit	Limit	Limit
1092F	<0.015	<0.023	Limit	Limit	Limit
1092G	<0.003	Limit	Limit	Limit	Limit
1092H	<0.009	<0.0003	Limit	Limit	Limit
1092I	<0.030	<0.002	Limit	Limit	Limit
1092J	<0.021	<0.002	Limit	Limit	Limit
1102A	0.010 ± 0.0062	0.0090 ± 0.00005	0.27 ± 0.17	0.084 ± 0.024	Limit
1102B	<0.0090	0.0020 ± 0.00015	0.053 ± 0.039	Limit	Limit
1152A	1.3 ± 0.11	1.4 ± 0.04	36 ± 3.0	0.025 ± 0.0060	0.072 ± 0.0060
1152B	<0.0050	0.0050 ± 0.00094	0.17 ± 0.031	Limit	Limit
1152C	0.255 ± 0.0714	0.268 ± 0.038	Limit	0.026 ± 0.0011	Limit
1152D	0.120 ± 0.0432	0.141 ± 0.0107	Limit	0.029 ± 0.0052	Limit
1152E	0.064 ± 0.0218	0.060 ± 0.0088	Limit	0.029 ± 0.0017	Limit
1152F	<0.042	<0.018	Limit	Limit	Limit
1152G	0.013 ± 0.0055	<0.016	Limit	Limit	Limit
1152H</					

Chupadera Mesa, New Mexico, Site Map



[back to top](#)