The Boeing Company
Santa Susana Field Laboratory
5800 Woolsey Canyon Road
Canoga Park, CA 91304-1148

June 8, 2006

OBING

Mr. Michael Lopez U. S. Department of Energy Headquarters/Oakland Project Office 1301 Clay Street, Suite 700 N Oakland, CA 94612-5208

Subject: NESHAPs Report for 2005

Dear Mr. Lopez:

Enclosed is the National Emission Standards for Hazardous Air Pollutants (NESHAPs) Report for 2005 for the Department of Energy's (DOE) facility at the Santa Susana Field Laboratory (SSFL). The U.S. Environment Protection Agency (EPA) regulates airborne releases of radioactivity from DOE facilities under 40 CFR 61, Subpart H. This document reports the radiochemical analysis results of the effluent samples from all applicable emission sources. It also includes the off-site dose assessment results, which are compared against the EPA standards for compliance demonstration.

During 2005, the only applicable emission source at the DOE facility at SSFL was the operating exhaust stack at the Radioactive Materials Handling Facility (RMHF). The RMHF Pond, occasionally considered an area source when it is dry, contained water all year long, and, therefore, the sediment in the pond was not considered a potential source for airborne releases.

The EPA limit for a DOE site is 10 mrem/yr, as specified in 40 CFR 61, Subpart H. The regulation also specifies that radiation exposure dose to the Maximally Exposed Individual (MEI) be calculated using the EPA's CAP88PC computer model. Using the EPA's methodology, the Effective Dose Equivalent to the MEI from the RMHF exhaust during 2005 was calculated to be 2.6 x 10⁻⁶ mrem (2.6 x 10⁻⁸ mSv) per year. Compared to the 10 mrem/yr regulatory limit, the potential dose due to this release was negligible.

This report includes the Certification Statement to be signed by R. Amar (or designee) for The Boeing Company, Santa Susana Field Laboratory and by you for the DOE Site Closure Office. The Certification Statements are required for the final report.

M. Lopez 6/8/2006 Page 2

If you have any questions or comments on this report, please contact Ning Liu at (818) 466-8762.

Sincerely,

DEING

Rannesh e . Amer

R. Amar, Program Manager (Acting) DOE Site Closure

RA:NL:je

Enclosure: Radionuclide Air Emissions Annual Report

SHEA-103833

M. Lopez 6/8/2006 Page 1

DOEAIR05

U. S. Department of Energy Radionuclide Air Emissions Annual Report (under Subpart H of 40 CFR Part 61) Calendar Year 2005

Site Name:

Santa Susana Field Laboratory

(Prepared on May 19, 2006)

Operations Office Information

Office:

DOE Headquarters/Oakland Project Office

Address:

1301 Clay Street, Room 700N

Oakland, CA 94612-5208

Contact:

Michael Lopez

Phone:

(510) 637-1633

Site Information

Operator:

The Boeing Company

Santa Susana Field Laboratory

Address:

5800 Woolsey Canyon Road, MC T-038

Canoga Park, CA 91304-1148

Contact:

Ning Liu

Phone:

(818) 466-8762

M. Lopez 6/8/2006 Page 2

Section I. Facility Information

Site Description

The Santa Susana Field Laboratory (SSFL) is located at the boundary of Ventura and Los Angeles Counties in southern California, as shown in Figure 1. The site consists of four administrative areas and undeveloped land, with a total area of approximately 2,850 acres. A broad range of energy related research and development (R&D) projects, including nuclear technologies, were conducted in Area IV of the site. All the nuclear R&D operations in Area IV ceased in 1988, and the subsequent efforts have been directed toward decontamination and decommissioning (D&D) of the former nuclear facilities. Area IV has an area of about 290 acres, and Figure 2 shows the arrangement of the site.

The climate at SSFL is generally dry, with variable winds. The site is situated between Simi Valley and San Fernando Valley, and there is no significant agricultural land use within 30 km (19 miles) radius. While the land immediately surrounding Area IV is undeveloped, suburban residential areas are at greater distances.

Source Description

There are two radiological facilities or buildings remaining in Area IV of the SSFL, as shown in Figure 3. The Radioactive Materials Handling Facility (RMHF) is currently used for processing, packaging, and temporary storage of radioactive waste materials, which are eventually shipped off-site to DOE approved disposal facilities. As a result of the waste handling operations at the RMHF, radioactive effluents were released to the atmosphere through a stack in 2005. The effluents were filtered and monitored before released into the atmosphere to ensure compliance with the National Emission Standards for Hazardous Air Pollutants (NESHAP) requirements. No radioactive liquid effluents were released from the facility.

Building 4024 housed two experimental reactor systems during the 1960s. After the project was terminated, all equipment and fuel were removed from the facility. A portable HEPA filtered ventilation system was set up in the building to support the decontamination of the Hot Laboratory concrete blocks. The ventilation system has not been in operation since the decontamination work was completed in 1999. In 2005, no effluents were released to the atmosphere from this building.

Building 4059, a former radiological facility at SSFL, has been demolished and does no longer exist. The site is pending release for unrestricted use by the State of California, Department of Health Services (DHS).

The RMHF Pond (Sump 614) is a collection sump for rainfall runoff from the RMHF. This is a potential area source, because radioactivity in the sediment may become airborne when the pond is

M. Lopez 6/8/2006 Page 3

dry and the sediment is exposed to air. During 2005, the RMHF sump was covered with water, and, therefore, no radionuclides from this potential source were resuspended by wind for airborne releases.

In 2005, the only applicable radiological emission source for the DOE facility at SSFL was the operating exhaust stack at the RMHF. Air samples from the ventilation stack were analyzed for specific radionuclides, and the results were used for the dose assessment in this report.




Figure 1. Location of Santa Susana Field Laboratory

Subdivisions			
Owner	Jurisdiction	Acres	Subtotals
The Boeing Co.	Area IV	289.9	
	Area I and III	784.8	
	Undeveloped land	1,324.6	2,399.3
Government	NASA (former AFP 57)	409.5	
	NASA (former AFP 64)	41.7	451.2
Total Acres			2,850.5




Figure 2. Santa Susana Field Laboratory Site Arrangement




Figure 3. Potential Source Locations in Area IV at Santa Susana Field Laboratory

Section II. Air Emission Data

Point Source

Source	Control	Efficiency	MEI
RMHF	Pre- and HEPA filters	99.97+%	2 867 m NW

Point Source Radionuclides	Annual Rel (Ci)	ease Quantity (Bq)
Sr-90	4.33E-08	1.60E+03
Y-90 (in equilibrium with Sr-90)	4.33E-08	1.60E+03
Cs-137	1.30E-06	4.80E+04
Ba-137m	1.23E-06	4.54E+04
U-234	1.81E-08	6.69E+02
U-235	1.22E-08	4.52E+02
Th-230	2.71E-08	1.00E+03
Th-232	1.73E-08	6.41E+02
Pu-239/240	9.36E-09	3.46E+02
H-3	1.60E-04	5.91E+06

Area (Non-Point) Source

N/A

Section III. Dose Assessments

Description of Dose Model

Radiation doses to the Maximally Exposed Individual (MEI) as well as the population in the surrounding area resulting from the emissions of the DOE facility at SSFL during 2005 were calculated using the EPA's CAP88-PC computer code. Site-specific meteorological data, such as wind speed, direction frequency, were used for the atmospheric dispersion calculation in CAP88-PC. Other input data, such as release terms, stack height, and exhaust air velocity, were physically measured to represent the site-specific situation for dose calculations.

Demonstration of compliance with the NESHAPs standard is based on the calculation of the maximum radiation exposure dose to an offsite individual located at a residence, school, business, or office in the vicinity of the SSFL. For this purpose, the nearest such locations have been identified by review of maps, aerial photographs, and direct observations. They are the residential area of Simi Valley, the Brandeis-Bardin Institute, the Santa Monica Mountains Conservancy Sage Ranch office, the residential area in Black Canyon, and the residential area in Bell Canyon. The location with the highest estimated annual dose is considered the location of the Maximally Exposed Individual (MEI).

The RMHF stack was the only emission source in 2005. The Effective Dose Equivalent to the MEI resulting from the emission was compared against the NESHAPs standard for the demonstration of compliance. The dose was calculated using CAP88-PC with site-specific input data.

Compliance Assessment

Location of Maximally Exposed Individual (MEI): Residence in Simi Valley, 2867 m NW of RMHF.

The Effective Dose Equivalent to the MEI from the RMHF exhaust during 2005 was 2.6×10^{-6} mrem (2.6×10^{-8} mSv) per year. The EPA limit for a DOE site is 10 mrem/yr, as specified in 40 CFR 61, Subpart H. This result indicates that the release from the RMHF is negligible when compared to the regulatory limit.

M. Lopez 6/8/2006 Page 8

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment. (See, 18 U.S.C. 1001).

Ravnesh C Awer Date: 6/8/06
R. Amar

Program Manager (Acting)

DOE Site Closure

The Boeing Company

Santa Susana Field Laboratory

Muhal Lope Date: 6/6/6/6

DOE Headquarters Oakland Project Office

U. S. Department of Energy

M. Lopez 6/8/2006 Page 9

Supplemental Information

The collective Effective Dose Equivalent resulting from the DOE operations at SSFL during 2005 was calculated to be 6.4×10^{-4} person-rem (6.4×10^{-6} person-Sv).

The population doses were calculated using CAP88-PC in the "POPULATION" mode. The site-specific population distribution was estimated from the demographic survey performed by Claritas Inc. Claritas Inc, a leading demographic survey company, developed the demographic data around SSFL in 2000 based on the census data and modified by direct observations of nearby residential areas around the SSFL site.

No operations regulated by Subparts Q and T were conducted in 2005, nor were there any emissions of Rn-220 from sources containing U-232 and Th-232. There were no non-disposal/non-storage sources of Rn-222 emission.

Potential releases from the RMHF are so low that, even assuming the absence of the HEPA filters, estimated doses would be below the level that requires continuous monitoring as prescribed in 40CFR61.93(b). However, as a good practice, continuous monitoring is still being performed in accordance with ANSI N13.1 standard (1989 version). The stack effluent at RMHF is continuously sampled, counted for gross alpha and beta activities weekly, and combined annually for radiochemical analysis.

There are five continuous ambient air samplers throughout the SSFL site. The purpose of this monitoring is to ensure that there is no airborne radioactivity resulted from the ongoing decontamination and decommissioning (D&D) activities at the site. Air sampling filters are collected and counted for gross alpha and beta activities on a weekly basis. The weekly samples are combined (separately by location) annually for radiochemical analysis. As usual, the ambient air samples collected in 2005 have radionuclide concentrations far below the Derived Concentration Guide (DCG) values and are generally indistinguishable from offsite background levels. Because the quantities are so close to the detection limits, the variability in the measurements is primarily due to analytical and background variations. The QA program described by Appendix B, Method 114 is implemented for this low-level surveillance effort.

C A P 8 8 - P C

Version 2.10

Clean Air Act Assessment Package - 1988

SYNOPSIS REPORT

Non-Radon Individual Assessment
May 19, 2006 01:13 pm

Facility: RMHF

Address: SSFL, Top of Woolsey Canyon Road, Simi Hills

City: Chatsworth

State: CA Zip: 91311-

Source Category: DOE facility

Source Type: Stack Emission Year: 2005

Comments: Individual Dose from RMHF Releases in 2005

2005

Effective Dose Equivalent (mrem/year)

2.58E-06

At This Location: 2867 Meters Northwest

Dataset Name: RMHF05IN

Dataset Date: 5/19/2006 1:12:00 PM

Wind File: C:\CAP88_21\Wndfiles\SSFL2005.WND

MAXIMALLY EXPOSED INDIVIDUAL

Location Of The Individual: 2867 Meters Northwest Lifetime Fatal Cancer Risk: 2.21E-11

ORGAN DOSE EQUIVALENT SUMMARY

	Dose Equivalent
Organ	(mrem/y)
	-
GONADS	7.28E-08
BREAST	2.70E-08
R MAR	1.75E-06
LUNGS	1.36E-05
THYROID	2.60E-08
ENDOST	2.15E-05
RMNDR	2.17E-07
EFFEC	2.58E-06

RADIONUCLIDE EMISSIONS DURING THE YEAR 2005

Nuclide	Class	Size	Source #1 Ci/y	TOTAL Ci/y
CS-137	D	1.00	1.3E-06	1.3E-06
BA-137M	D	1.00	1.2E-06	1.2E-06
SR-90	Y	1.00	4.3E-08	4.3E-08
Y-90	Y	1.00	4.3E-08	4.3E-08
U-234	Y	1.00	1.8E-08	1.8E-08
PU-239	Y	1.00	9.4E-09	9.4E-09
TH-232	Y	1.00	1.7E-08	1.7E-08
บ-235	Y	1.00	1.2E-08	1.2E-08
TH-230	Y	1.00	2.7E-08	2.7E-08
H-3	*	0.00	1.6E-04	1.6E-04

SITE INFORMATION

Temperature:	14	degrees	C
Precipitation:	29	cm/y	
Humidity:	7	g/cu m	
Mixing Height:	746	m	

Page 3

SOURCE INFORMATION

Source Number: 1

Stack Height (m): 40.00
Diameter (m): 1.00

Plume Rise
Momentum (m/s): 15.00
(Exit Velocity)

AGRICULTURAL DATA

	Vegetable	Milk	Meat
			-
Fraction Home Produced:	0.020	0.000	0.000
Fraction From Assessment Area:	0.000	0.000	0.000
Fraction Imported:	0.980	1.000	1.000

Food Arrays were not generated for this run.

Default Values used.

DISTANCES (M) USED FOR MAXIMUM INDIVIDUAL ASSESSMENT

2867

C A P 8 8 - P C

Version 2.10

Clean Air Act Assessment Package - 1988

DOSE AND RISK EQUIVALENT SUMMARIES

Non-Radon Individual Assessment May 19, 2006 01:13 pm

Facility: RMHF

Address: SSFL, Top of Woolsey Canyon Road, Simi Hills City: Chatsworth

State: CA Zip: 91311-

Source Category: DOE facility

Source Type: Stack Emission Year: 2005

Comments: Individual Dose from RMHF Releases in 2005

2005

Dataset Name: RMHF05IN

Dataset Date: 5/19/2006 1:12:00 PM

Wind File: C:\CAP88_21\Wndfiles\SSFL2005.WND

ORGAN DOSE EQUIVALENT SUMMARY

Organ	Selected Individual
	(mrem/y)
GONADS	7.28E-08
BREAST	2.70E-08
R MAR	1.75E-06
LUNGS	1.36E-05
THYROID	2.60E-08
ENDOST	2.15E-05
RMNDR	2.17E-07
EFFEC	2.58E-06

PATHWAY EFFECTIVE DOSE EQUIVALENT SUMMARY

Pathway	Selected Individual (mrem/y)
INGESTION	4.76E-09
INHALATION	2.57E-06
AIR IMMERSION	1.39E-12
GROUND SURFACE	5.07E-09
INTERNAL	2.57E-06
EXTERNAL	5.07E-09
TOTAL	2.58E-06

NUCLIDE EFFECTIVE DOSE EQUIVALENT SUMMARY

Nuclide	Selected Individual (mrem/y)
419000011111111111111111111111111111111	
CS-137	6.84E-09
BA-137M	1.25E-12
SR-90	7.03E-09
Y-90	5.16E-11
U-234	3.03E-07
PU-239	4.05E-07
TH-232	7.95E-07
ซ-235	1.94E-07
TH-230	8.63E-07
H-3	2.94E-09
TOTAL	2.58E-06

CANCER RISK SUMMARY

	Selected Individual Total Lifetime
Cancer	Fatal Cancer Risk
THE TOTAL PROPERTY OF	
LEUKEMIA	1.49E-12
BONE	9.45E-13
THYROID	8.50E-15
BREAST	7.54E-14
LUNG	1.87E-11
STOMACH	4.67E-14
BOWEL	2.74E-14
LIVER	6.53E-13
PANCREAS	3.63E-14
URINARY	2.55E-14
OTHER	4.44E-14
TOTAL	2.21E-11

PATHWAY RISK SUMMARY

Pathway	Selected Individual Total Lifetime Fatal Cancer Risk		
INGESTION	7.19E-14		
INHALATION	2.19E-11		
AIR IMMERSION	3.31E-17		
GROUND SURFACE	1.18E-13		
INTERNAL	2.20E-11		
EXTERNAL	1.18E-13		
TOTAL	2.21E-11		

NUCLIDE RISK SUMMARY

	Selected Individual Total Lifetime
Nuclide	Fatal Cancer Risk
CS-137	1.80E-13
BA-137M	3.00E-17
SR-90	2.17E-13
Y-90	1.82E-15
U-234	4.03E-12
PU-239	3.28E-12
TH-232	4.50E-12
ช-235	2.65E-12
TH-230	7.14E-12
H-3	8.03E-14
TOTAL	2.21E-11

INDIVIDUAL EFFECTIVE DOSE EQUIVALENT RATE (mrem/y) (All Radionuclides and Pathways)

		Distance (m)	
Direct	ion 2867		
N	3.2E-07		***************************************
NNW	1.1E-06		
NW	2.6E-06		
WNW	1.4E-06		
W	2.9E-07		
wsw	2.2E-07		
SW	4.2E-07		
SSW	6.3E-07		
s	5.8E-07		
SSE	1.1E-06		
SE	2.0E-06		
ESE	1.8E-06		
E	1.2E-06		
ENE	2.7E-07		
NE	1.9E-07		
NNE	1.9E-07		

INDIVIDUAL LIFETIME RISK (deaths) (All Radionuclides and Pathways)

Distance (m)					
Direct:	ion 2867				
N	2.7E-12				
NNW	9.4E-12				
NW	2.2E-11				
WINW	1.2E-11				
M	2.5E-12				
wsw	1.8E-12				
sw	3.6E-12				
SSW	5.4E-12				
S	5.0E-12				
SSE	9.5E-12				
SE	1.8E-11				
ESE	1.5E-11				
E	1.0E-11				
ENE	2.3E-12				
NE	1.6E-12				
NNE	1.6E-12				

C A P 8 8 - P C

Version 2.10

Clean Air Act Assessment Package - 1988

SYNOPSIS REPORT

Non-Radon Population Assessment May 19, 2006 01:58 pm

Facility: RMHF

Address: SSFL, Top of Woolsey Canyon Road, Simi Hills

City: Chatsworth

State: CA Zip: 91311-

Source Category: DOE facility

Source Type: Stack Emission Year: 2005

Comments: Population Dose from RMHF Releases in 2005

2005

Effective Dose Equivalent (mrem/year)

3.10E-06

At This Location: 2400 Meters Northwest

Dataset Name: RMHF05P0

Dataset Date: 5/19/2006 1:57:00 PM

Wind File: C:\CAP88_21\WndFiles\SSFL2005.WND Population File: C:\CAP88_21\Popfiles\SSFL2000.POP

MAXIMALLY EXPOSED INDIVIDUAL

Location Of The Individual: 2400 Meters Northwest Lifetime Fatal Cancer Risk: 2.65E-11

ORGAN DOSE EQUIVALENT SUMMARY

	Selected Individual	Collective Population
Organ	(mrem/y)	(person-rem/y)
		Company of the Compan
GONADS	8.75E-08	1.88E-05
BREAST	3.25E-08	7.38E-06
R MAR	2.10E-06	4.36E-04
LUNGS	1.64E-05	3.40E-03
THYROID	3.12E-08	7.08E-06
ENDOST	2.59E-05	5.37E-03
RMNDR	2.60E-07	5.46E-05
EFFEC	3.10E-06	6.43E-04

FREQUENCY DISTRIBUTION OF LIFETIME FATAL CANCER RISKS

		# of	# of Pecin This	_		ns/Year This	Deaths/ in This	
Risk	Range	People	Range or	Higher	Risk	Range	Range or	Higher
1.0E+00	TO 1.0E-01	0	()	0.0	00E+00	0.0	0E+00
1.0E-01	TO 1.0E-02	0	()	0.0	00E+00	0.0	0E+00
1.0E-02	TO 1.0E-03	0	()	0.0	00E+00	0.0	0E+00
1.0E-03	TO 1.0E-04	0	()	0.0	00E+00	0.0	0E+00
1.0E-04	TO 1.0E-05	0	()	0.0	00E+00	0.0	0E+00
1.0E-05	TO 1.0E-06	0	()	0.0	00E+00	0.0	0E+00
LESS TH	IAN 1.0E-061	0222462	10222462	2	7.8	30E-08	7.8	0E-08

RADIONUCLIDE EMISSIONS DURING THE YEAR 2005

			Source #1	TOTAL
Nuclide	Class	Size	Ci/y	Ci/y
	-			
CS-137	D	1.00	1.3E-06	1.3E-06
BA-137M	D	1.00	1.2E-06	1.2E-06
SR-90	Y	1.00	4.3E-08	4.3E-08
Y-90	Y	1.00	4.3E-08	4.3E-08
U-234	Y	1.00	1.8E-08	1.8E-08
PU-239	Y	1.00	9.4E-09	9.4E-09
TH-232	Y	1.00	1.7E-08	1.7E-08
บ-235	Y	1.00	1.2E-08	1.2E-08
TH-230	Y	1.00	2.7E-08	2.7E-08
H-3	*	0.00	1.6E-04	1.6E-04

SITE INFORMATION

Temperature:	14	degrees	C
Precipitation:		cm/y	
Humidity:	7	g/cu m	
Mixing Height:	746	m	

Page 3

SOURCE INFORMATION

Source Number: 1

Stack Height (m): 40.00

Diameter (m): 1.00

Plume Rise

Momentum (m/s): 15.00

(Exit Velocity)

AGRICULTURAL DATA

	Vegetable	Milk	Meat

Fraction Home Produced:	0.020	0.000	0.000
Fraction From Assessment Area:	0.000	0.000	0.000
Fraction Imported:	0.980	1.000	1.000

Beef Cattle Density: 8.81E-02 Milk Cattle Density: 2.85E-02

Land Fraction Cultivated

for Vegetable Crops: 1.18E-02

POPULATION DATA

			Distan	ce (m)			
rection	800	2400	4000	5600	7200	8800	11200
N	0	38	2055	7029	7689	5	14
INW	0	0	3007	8597	6743	354	(
NW	0	562	6296	9532	10120	244	
INW	0	0	0	8175	7549	7392	1050
W	0	0	0	325	1129	193	12026
ISW	0	0	0	6	852	728	9539
SW	0	0	0	3554	3079	3041	11396
SW	0	0	0	0	4166	5694	6453
s	0	305	3	0	1475	2306	3630
SE	0	0	560	0	16	2991	4712
SE	0	188	832	1364	8154	9003	22249
SE	0	201	0	2299	9422	13191	52287
E	0	0	0	1597	3483	5769	38595
NE	0	0	0	280	387	2380	18881
NE	0	109	347	8915	2187	0	130
NE	0	0	814	8261	2947	0	65

Di:	star	ce	(m)
-----	------	----	-----

Direction	14400	19200	25600	34400	48000	68000	
N	0	202	1029	5024	434	873	
NNW	0	1702	65	0	0	6131	
MM	456	141	14242	748	255	346	
WNW	13029	15438	804	30019	14607	35307	
W	18841	13897	31911	46004	275199	540	
wsw	20912	28943	12132	4209	18643	2	
SW	13649	4018	925	108	0	0	
SSW	1432	624	7206	0	0	0	
s	681	5306	347	0	0	0	
SSE	1007	4202	2979	0	13532	67961	
SE	15379	5759	39912	493989	1110827	1461829	
ESE	42581	90394	125998	465362	1623379	1719302	
E	43909	133591	289752	263927	270781	283206	
ENE	15185	45485	101785	6592	3517	74108	
NE	63	15985	43962	69867	6882	208339	
NNE	0	828	17371	11522	3341	2719	

C A P 8 8 - P C

Version 2.10

Clean Air Act Assessment Package - 1988

DOSE AND RISK EQUIVALENT SUMMARIES

Non-Radon Population Assessment May 19, 2006 01:58 pm

Facility: RMHF

Address: SSFL, Top of Woolsey Canyon Road, Simi Hills

City: Chatsworth

State: CA Zip: 91311-

Source Category: DOE facility
Source Type: Stack
Emission Year: 2005

Comments: Population Dose from RMHF Releases in 2005

2005

Dataset Name: RMHF05P0

Dataset Date: 5/19/2006 1:57:00 PM

Wind File: C:\CAP88_21\WndFiles\SSFL2005.WND
Population File: C:\CAP88_21\Popfiles\SSFL2000.POP

ORGAN DOSE EQUIVALENT SUMMARY

	Selected Individual	Collective Population
Organ	(mrem/y)	(person-rem/y)

GONADS	8.75E-08	1.88E-05
BREAST	3.25E-08	7.38E-06
R MAR	2.10E-06	4.36E-04
LUNGS	1.64E-05	3.40E-03
THYROID	3.12E-08	7.08E-06
ENDOST	2.59E-05	5.37E-03
RMINDR	2.60E-07	5.46E-05
EFFEC	3.10E-06	6.43E-04

PATHWAY EFFECTIVE DOSE EQUIVALENT SUMMARY

Pathway	Selected Individual (mrem/y)	Collective Population (person-rem/y)
INGESTION	5.71E-09	1.36E-06
INHALATION	3.09E-06	6.41E-04
AIR IMMERSION	2.65E-12	4.26E-11
GROUND SURFACE	6.10E-09	1.42E-06
INTERNAL	3.09E-06	6.42E-04
EXTERNAL	6.10E-09	1.42E-06
TOTAL	3.10E-06	6.43E-04

NUCLIDE EFFECTIVE DOSE EQUIVALENT SUMMARY

Nuclides	Selected Individual (mrem/y)	Collective Population (person-rem/y)
CS-137	8.22E-09	1.76E-06
BA-137M	2.50E-12	6.31E-12
SR-90	8.46E-09	1.77E-06
Y-90	6.18E-11	1.17E-08
U-234	3.64E-07	7.55E-05
PU-239	4.87E-07	1.01E-04
TH-232	9.56E-07	1.98E-04
บ-235	2.34E-07	4.86E-05
TH-230	1.04E-06	2.15E-04
H-3	3.52E-09	1.10E-06
TOTAL	3.10E-06	6.43E-04

CANCER RISK SUMMARY

Cancer	Selected Individual Total Lifetime Fatal Cancer Risk	Total Collective Population Fatal Cancer Risk (Deaths/y)
LEUKEMIA	1.79E-12	5.28E-09
BONE	1.14E-12	3.33E-09
THYROID	1.02E-14	3.38E-11
BREAST	9.05E-14	3.01E-10
LUNG	2.25E-11	6.60E-08
STOMACH	5.61E-14	1.89E-10
BOWEL	3.29E-14	1.09E-10
LIVER	7.85E-13	2.33E-09
PANCREAS	4.36E-14	1.45E-10
URINARY	3.07E-14	1.01E-10
OTHER	5.34E-14	1.78E-10
TOTAL	2.65E-11	7.80E-08

PATHWAY RISK SUMMARY

Pathway	Selected Individual Total Lifetime Fatal Cancer Risk	Total Collective Population Fatal Cancer Risk (Deaths/y)
INGESTION	8.63E-14	2.97E-10
INHALATION	2.63E-11	7.73E-08
AIR IMMERSION	6.3 4 E-17	1.41E-14
GROUND SURFACE	1.42E-13	4.68E-10
INTERNAL	2.64E-11	7.76E-08
EXTERNAL	1.42E-13	4.68E-10
TOTAL	2.65E-11	7.80E-08

PATHWAY GENETIC RISK SUMMARY (Collective Population)

Pathway	Genetic Risk (person-rem/y)
INGESTION	5.85E-07
INHALATION AIR IMMERSION	2.67E-06 3.95E-11
GROUND SURFACE	1.29E-06
INTERNAL EXTERNAL	3.26E-06 1.29E-06
moma r	
TOTAL	4.54E-06

NUCLIDE RISK SUMMARY

	Selected Individual Total Lifetime	Total Collective Population Fatal Cancer Risk
Nuclide	Fatal Cancer Risk	(Deaths/y)
CS-137	2.17E-13	6.55E-10
BA-137M	5.99E-17	2.14E-15
SR-90	2.61E-13	7.69E-10
Y-90	2.18E-15	5.84E-12
U-234	4.85E-12	1.42E-08
PU-239	3.95E-12	1.16E-08
TH-232	5.41E-12	1.58E-08
บ-235	3.18E-12	9.38E-09
TH-230	8.58E-12	2.52E-08
H-3	9.61E-14	4.25E-10
TOTAL	2.65E-11	7.80E-08

INDIVIDUAL EFFECTIVE DOSE EQUIVALENT RATE (mrem/y) (All Radionuclides and Pathways)

1.1E-03 0.0E+00 5.3E-03 3.0E-03 6.4E-08 8.0E-08 1.2E-03 1.4E-03 2.0E-03	8800 1.4E-07 3.4E-07 7.2E-07	7200	ance (m) 5600	Dist	2400		
1.1E-07 0.0E+00 5.3E-07 3.0E-07 6.4E-08 5.1E-08 8.0E-08 1.2E-07	1.4E-07 3.4E-07		5600	4000	2400		
0.0E+00 5.3E-07 3.0E-07 6.4E-08 5.1E-08 8.0E-08 1.2E-07	3.4E-07	1 75 07			2400	on 800	Directi
5.3E-07 3.0E-07 6.4E-08 5.1E-08 8.0E-08 1.2E-07		1.7E-07	2.0E-07	2.5E-07	3.5E-07	0.0E+00	N
3.0E-07 6.4E-08 5.1E-08 8.0E-08 1.2E-07	7.2E-07	4.2E-07	5.5E-07	7.8E-07	0.0E+00	0.0E+00	NNW
6.4E-08 5.1E-08 8.0E-08 1.2E-07		9.1E-07	1.2E-06	1.8E-06	3.1E-06	0.0E+00	NW
5.1E-08 8.0E-08 1.2E-07	4.0E-07	5.0E-07	6.6E-07	0.0E+00	0.0E+00	0.0E+00	WNW
8.0E-08 1.2E-07 1.4E-07	8.4E-08	1.0E-07	1.3E-07	0.0E+00	0.0E+00	0.0E+00	M
1.2E-07 1.4E-07	6.8E-08	8.3E-08	1.1E-07	0.0E+00	0.0E+00	0.0E+00	wsw
1.4E-07	1.1E-07	1.4E-07	1.8E-07	0.0E+00	0.0E+00	0.0E+00	SW
	1.7E-07	2.1E-07	0.0E+00	0.0E+00	0.0E+00	0.0E+00	SSW
2.0E-07	1.8E-07	2.2E-07	0.0E+00	4.0E-07	7.1E-07	0.0E+00	s
	2.7E-07	3.5E-07	0.0E+00	7.0E-07	0.0E+00	0.0E+00	SSE
3.7E-07	5.0E-07	6.5E-07	8.8E-07	1.3E-06	2.5E-06	0.0E+00	SE
4.0E-07	5.3E-07	6.7E-07	8.9E-07	0.0E+00	2.1E-06	0.0E+00	ESE
3.0E-07	3.9E-07	4.9E-07	6.3E-07	0.0E+00	0.0E+00	0.0E+00	E
8.9E-08	1.1E-07	1.3E-07	1.6E-07	0.0E+00	0.0E+00	0.0E+00	ENE
6.8E-08	0.0E+00	1.0E-07	1.2E-07	1.6E-07	2.0E-07	0.0E+00	NE
6.2E-08	0.0E+00	9.3E-08	1.1E-07	1.5E-07	0.0E+00	0.0E+00	NNE
			ance (m)	Dist			
	68000	48000	34400	25600	19200	on 14400	Directi
	8.5E-09	1.7E-08	2.8E-08	4.0E-08	5.9E-08	0.0E+00	N
	2.0E-08	0.0E+00	0.0E+00	8.9E-08	1.3E-07	0.0E+00	NNW
			1.2E-07	1.8E-07	2.6E-07	3.9E-07	NW
			6.9E-08	1.0E-07	1.5E-07	2.2E-07	WNW
				2.4E-08	3.5E-08	4.8E-08	W
				1.9E-08	2.7E-08	3.9E-08	WSW
					4.1E-08	5.9E-08	SW
				4.3E-08	6.4E-08	9.1E-08	SSW
				4.9E-08	7.2E-08	1.0E-07	s
				7.6E-08	1.1E-07	1.5E-07	SSE
						2.9E-07	
						2.2E-07	
	4.8E-09						
	3.7E-08 2.2E-08 5.8E-09 4.5E-09 0.0E+00 0.0E+00 2.0E-08 2.7E-08 2.6E-08 2.0E-08 6.7E-09 5.0E-09	7.2E-08 4.3E-08 1.1E-08 8.3E-09 0.0E+00 0.0E+00 3.5E-08 5.0E-08 5.3E-08 4.1E-08 1.4E-08 1.0E-08 9.7E-09		1.8E-07 1.0E-07 2.4E-08 1.9E-08 2.8E-08 4.3E-08	2.6E-07 1.5E-07 3.5E-08 2.7E-08 4.1E-08 6.4E-08	3.9E-07 2.2E-07 4.8E-08 3.9E-08 5.9E-08 9.1E-08 1.0E-07 1.5E-07 2.7E-07	NW WNW WSW SW SSW S

COLLECTIVE EFFECTIVE DOSE EQUIVALENT (person rem/y) (All Radionuclides and Pathways)

			Dist	ance (m)			
Direction	n 800	2400	4000	5600	7200	8800	11200
N	0.0E+00	1.3E-08	5.2E-07	1.4E-06	1.3E-06	7.0E-10	1.6E-09
NNW	0.0E+00	0.0E+00	2.3E-06	4.7E-06	2.9E-06	1.2E-07	0.0E+00
NW	0.0E+00	1.7E-06	1.1E-05	1.2E-05	9.2E-06	1.7E-07	2.6E-09
WNW	0.0E+00	0.0E+00	0.0E+00	5.4E-06	3.8E-06	2.9E-06	3.1E-07
W	0.0E+00	0.0E+00	0.0E+00	4.2E-08	1.2E-07	1.6E-08	7.7E-07
wsw	0.0E+00	0.0E+00	0.0E+00	6.3E-10	7.0E-08	4.9E-08	4.9E-07
sw	0.0E+00	0.0E+00	0.0E+00	6.5E-07	4.2E-07	3.3E-07	9.1E-07
ssw	0.0E+00	0.0E+00	0.0E+00	0.0E+00	8.9E-07	9.5E-07	8.0E-07
s	0.0E+00	2.2E-07	1.2E-09	0.0E+00	3.3E-07	4.1E-07	4.9E-07
SSE	0.0E+00	0.0E+00	3.9E-07	0.0E+00	5.5E-09	8.2E-07	9.5E-07
SE	0.0E+00	4.8E-07	1.1E-06	1.2E-06	5.3E-06	4.5E-06	8.1E-06
ESE	0.0E+00	4.2E-07	0.0E+00	2.0E-06	6.3E-06	7.0E-06	2.1E-05
E	0.0E+00	0.0E+00	0.0E+00	1.0E-06	1.7E-06	2.3E-06	1.2E-05
ENE	0.0E+00	0.0E+00	0.0E+00	4.6E-08	5.2E-08	2.7E-07	1.7E-06
NE	0.0E+00	2.2E-08	5.4E-08	1.1E-06	2.2E-07	0.0E+00	8.8E-09
NNE	0.0E+00	0.0E+00	1.2E-07	9.4E-07	2.7E-07	0.0E+00	4.0E-09
 Direction	14400	19200	Dist 25600	ance (m)	48000	68000	
N	0.0E+00	1.2E-08	4.1E-08	1.4E-07	7.4E-09	7.4E-09	
NNW	0.0E+00	2.3E-07	5.8E-09	0.0E+00	0.0E+00	1.2E-07	
MM.	1.8E-07	3.7E-08	2.5E-06	8.9E-08	1.8E-08	1.3E-08	
WNW	2.9E-06	2.3E-06	8.2E-08	2.1E-06	6.2E-07	7.8E-07	
W	9.1E-07	4.8E-07	7.7E-07	7.7E-07	2.9E-06	3.2E-09	
WSW	8.1E-07	8.0E-07	2.3E-07	5.5E-08	1.6E-07	9.0E-12	
SW	8.0E-07	1.6E-07	2.6E-08	2.0E-09	0.0E+00	0.0E+00	
SSW	1.3E-07	4.0E-08	3.1E-07	0.0E+00	0.0E+00	0.0E+00	
S	7.0E-08	3.8E-07	1.7E-08	0.0E+00	0.0E+00	0.0E+00	
SSE	1.5E-07	4.6E-07	2.3E-07	0.0E+00	4.7E-07	1.4E-06	
SE	4.1E-06	1.1E-06	4.8E-06	4.1E-05	5.6E-05	3.9E-05	
ESE	1.2E-05	1.8E-05	1.6E-05	4.1E-05	8.6E-05	4.5E-05	
E	9.7E-06	2.0E-05	2.9E-05	1.8E-05	1.1E-05	5.7E-06	
ENE	1.0E-06	2.2E-06	3.3E-06	1.5E-07	4.8E-08	5.0E-07	
NE	3.2E-09	5.8E-07	1.1E-06	1.2E-06	7.0E-08	1.0E-06	
NNE	0.0E+00	2.8E-08	3.9E-07	1.8E-07	3.2E-08	1.3E-08	

AVERAGE COLLECTIVE GENETIC DOSE EQUIVALENT (person rem) (All Radionuclides and Pathways)

		(A.	LI RAGION	icilues ar	id Pathway	/s)	
With the second			Dist	cance (m)			
Direction	n. 800	2400	4000	5600	7200	8800	11200
N	0.0E+00	4.9E-09	1.9E-07	5.0E-07	4.5E-07	2.5E-10	5.5E-10
NNW	0.0E+00	0.0E+00	8.3E-07	1.7E-06	1.0E-06	4.2E-08	0.0E+00
NM	0.0E+00	6.1E-07	3.9E-06	4.1E-06	3.2E-06	6.2E-08	9.4E-10
WM W	0.0E+00	0.0E+00	0.0E+00	1.9E-06	1.4E-06	1.1E-06	1.1E-07
M	0.0E+00	0.0E+00	0.0E+00	1.5E-08	4.2E-08	6.0E-09	2.8E-07
wsw	0.0E+00	0.0E+00	0.0E+00	2.3E-10	2.5E-08	1.8E-08	1.8E-07
SW	0.0E+00	0.0E+00	0.0E+00	2.3E-07	1.5E-07	1.2E-07	3.3E-07
SSW	0.0E+00	0.0E+00	0.0E+00	0.0E+00	3.2E-07	3.4E-07	2.9E-07
s	0.0E+00	7.8E-08	4.4E-10	0.0E+00	1.2E-07	1.5E-07	1.8E-07
SSE	0.0E+00	0.0E+00	1.4E-07	0.0E+00	2.0E-09	3.1E-07	3.6E-07
SE	0.0E+00	1.7E-07	4.0E-07	4.3E-07	1.9E-06	1.6E-06	3.0E-06
ESE	0.0E+00	1.5E-07	0.0E+00	7.2E-07	2.3E-06	2.5E-06	7.4E-06
E	0.0E+00	0.0E+00	0.0E+00	3.6E-07	6.0E-07	8.1E-07	4.1E-06
ENE	0.0E+00	0.0E+00	0.0E+00	1.7E-08	1.9E-08	9.7E-08	6.1E-07
NE	0.0E+00	8.2E-09	2.0E-08	4.0E-07	8.0E-08	0.0E+00	3.2E-09
NNE	0.0E+00	0.0E+00	4.3E-08	3.4E-07	9.8E-08	0.0E+00	1.4E-09
			Dist	ance (m)			
Direction	14400	19200	25600	34400	48000	68000	
N	0.0E+00	4.3E-09	1.5E-08	5.2E-08	2.8E-09	3.0E-09	
NNW	0.0E+00	8.1E-08	2.1E-09	0.0E+00	0.0E+00	4.8E-08	
NW	6.3E-08	1.3E-08	9.1E-07	3.3E-08	6.9E-09	5.1E-09	
WNW	1.0E-06	8.6E-07	3.0E-08	7.8E-07	2.4E-07	3.2E-07	
W	3.4E-07	1.8E-07	2.9E-07	2.9E-07	1.1E-06	1.3E-09	
WSW	2.9E-07	2.9E-07	8.5E-08	2.1E-08	5.9E-08	3.6E-12	
SW	2.9E-07	6.0E-08	9.5E-09	7.7E-10	0.0E+00	0.0E+00	
SSW	4.7E-08	1.4E-08	1.1E-07	0.0E+00	0.0E+00	0.0E+00	
s	2.5E-08	1.4E-07	6.4E-09	0.0E+00	0.0E+00	0.0E+00	
SSE	5.8E-08	1.7E-07	8.7E-08	0.0E+00	1.8E-07	5.5E-07	
SE	1.5E-06	3.9E-07	1.8E-06	1.5E-05	2.2E-05	1.6E-05	
ESE	4.5E-06	6.6E-06	6.1E-06	1.5E-05	3.3E-05	1.8E-05	
E	3.5E-06	7.3E-06	1.1E-05	6.7E-06	4.2E-06	2.3E-06	
ENE	3.7E-07	7.9E-07	1.2E-06	5.5E-08	1.8E-08	2.3E-00 2.0E-07	
NE	1.2E-09	2.1E-07	3.9E-07	4.4E-07	2.7E-08	4.3E-07	
NNE	0.0E+00	1.0E-08				5.3E-07	
MME	0.05+00	T.0E-08	1.4E-07	6.7E-08	1.2E-08	つ・3 だー 0 9	

SW

SSW

S

SSE

SE

ESE

ENE

NE

NNE

E

7.8E-13 5.5E-13

6.2E-13

9.4E-13

1.6E-12

1.7E-12

1.3E-12

4.1E-13

3.1E-13

2.9E-13

8.8E-13

1.3E-12

2.3E-12

2.5E-12

1.9E-12

5.8E-13

4.4E-13

0.0E+00

INDIVIDUAL LIFETIME RISK (deaths)

			ni ei	tance (m)			
			DIS	cance (m)	The strong street		The state of
Direction	a 800	2400	4000	5600	7200	8800	11200
N	0.0E+00	3.0E-12	2.2E-12	1.7E-12	1.4E-12	1.2E-12	9.5E-13
NNW	0.0E+00	0.0E+00	6.7E-12	4.7E-12	3.6E-12	2.9E-12	0.0E+00
NW	0.0E+00	2.7E-11	1.5E-11	1.0E-11	7.8E-12	6.1E-12	4.5E-12
WNW	0.0E+00	0.0E+00	0.0E+00	5.7E-12	4.3E-12	3.4E-12	2.5E-12
M	0.0E+00	0.0E+00	0.0E+00	1.1E-12	8.8E-13	7.2E-13	5.5E-13
wsw	0.0E+00	0.0E+00	0.0E+00	9.0E-13	7.1E-13	5.8E-13	4.4E-13
SW	0.0E+00	0.0E+00	0.0E+00	1.6E-12	1.2E-12	9.3E-13	6.9E-13
SSW	0.0E+00	0.0E+00	0.0E+00	0.0E+00	1.8E-12	1.4E-12	1.1E-12
S	0.0E+00	6.1E-12	3.4E-12	0.0E+00	1.9E-12	1.5E-12	1.2E-12
SSE	0.0E+00	0.0E+00	6.0E-12	0.0E+00	3.0E-12	2.4E-12	1.7E-12
SE	0.0E+00	2.2E-11	1.2E-11	7.5E-12	5.6E-12	4.3E-12	3.1E-12
ESE	0.0E+00	1.8E-11	0.0E+00	7.6E-12	5.8E-12	4.6E-12	3.4E-12
E	0.0E+00	0.0E+00	0.0E+00	5.4E-12	4.2E-12	3.4E-12	2.6E-12
ENE	0.0E+00	0.0E+00	0.0E+00	1.4E-12	1.2E-12	9.8E-13	7.7E-13
NE	0.0E+00	1.7E-12	1.3E-12	1.1E-12	8.8E-13	0.0E+00	5.8E-13
NNE	0.0E+00	0.0E+00	1.3E-12	9.7E-13	8.0E-13	0.0E+00	5.3E-13
			Dist	ance (m)			
Direction	14400	19200	25600	34400	48000	68000	
N	0.0E+00	5.1E-13	3.5E-13	2.4E-13	1.5E-13	7.3E-14	
NNW	0.0E+00	1.1E-12	7.7E-13	0.0E+00	0.0E+00	1.7E-13	
NW	3.3E-12	2.3E-12	1.5E-12	1.0E-12	6.2E-13	3.2E-13	
WNW	1.9E-12	1.3E-12	8.7E-13	6.0E-13	3.7E-13	1.9E-13	
W	4.2E-13	3.0E-13	2.1E-13	1.4E-13	9.1E-14	5.0E-14	
	3.3E-13	2.4E-13	1.6E-13	1.1E-13	7.2E-14	3.9E-14	

5.0E-13 3.5E-13 2.4E-13 1.6E-13 0.0E+00 0.0E+00

0.0E+00

0.0E+00

7.0E-13

5.8E-13

1.9E-13

1.4E-13

1.3E-13

0.0E+00 3.0E-13

7.6E-13 4.6E-13

0.0E+00

0.0E+00

4.3E-13

3.5E-13

1.2E-13

8.8E-14

8.3E-14

0.0E+00

0.0E+00

1.7E-13

2.3E-13

2.2E-13

1.7E-13

5.8E-14

4.3E-14

4.1E-14

3.7E-13

4.2E-13

6.5E-13

1.0E-12

1.1E-12

8.6E-13

2.8E-13

2.1E-13

1.9E-13

COLLECTIVE FATAL CANCER RATE (deaths/y) (All Radionuclides and Pathways)

			Dist	ance (m)			
Direct:	ion 800	2400	4000	5600	7200	8800	11200
N	0.0E+00	1.6E-12	6.3E-11	1.7E-10	1.5E-10	8.5E-14	1.9E-13
NNW	0.0E+00	0.0E+00	2.8E-10	5.7E-10	3.5E-10	1.5E-11	0.0E+00
NW	0.0E+00	2.1E-10	1.4E-09	1.4E-09	1.1E-09	2.1E-11	3.2E-13
WNW	0.0E+00	0.0E+00	0.0E+00	6.6E-10	4.6E-10	3.6E-10	3.8E-11
M	0.0E+00	0.0E+00	0.0E+00	5.1E-12	1.4E-11	2.0E-12	9.3E-11
WSW	0.0E+00	0.0E+00	0.0E+00	7.7E-14	8.5E-12	6.0E-12	5.9E-11
SW	0.0E+00	0.0E+00	0.0E+00	7.9E-11	5.1E-11	4.0E-11	1.1E-10
SSW	0.0E+00	0.0E+00	0.0E+00	0.0E+00	1.1E-10	1.2E-10	9.6E-11
s	0.0E+00	2.6E-11	1.5E-13	0.0E+00	3.9E-11	5.0E-11	6.0E-11
SSE	0.0E+00	0.0E+00	4.8E-11	0.0E+00	6.7E-13	1.0E-10	1.2E-10
SE	0.0E+00	5.8E-11	1.4E-10	1.5E-10	6.4E-10	5.5E-10	9.8E-10
ESE	0.0E+00	5.1E-11	0.0E+00	2.5E-10	7.7E-10	8.5E-10	2.5E-09
E	0.0E+00	0.0E+00	0.0E+00	1.2E-10	2.1E-10	2.8E-10	1.4E-09
ENE	0.0E+00	0.0E+00	0.0E+00	5.6E-12	6.3E-12	3.3E-11	2.0E-10
NE	0.0E+00	2.7E-12	6.6E-12	1.3E-10	2.7E-11	0.0E+00	1.1E-12
NNE	0.0E+00	0.0E+00	1.4E-11	1.1E-10	3.3E-11	0.0E+00	4.8E-13
		***************************************	Dist	ance (m)	,		
Directi	on 14400	19200	25600	34400	48000	68000	
N	0.0E+00	1.5E-12	5.0E-12	1.7E-11	9.0E-13	9.0E-13	
NNW	0.0E+00	2.7E-11	7.0E-13	0.0E+00	0.0E+00	1.5E-11	
NW	2.1E-11	4.5E-12	3.0E-10	1.1E-11	2.2E-12	1.6E-12	
WNW	3.5E-10	2.8E-10	9.9E-12	2.5E-10	7.6E-11	9.5E-11	
W	1.1E-10	5.8E-11	9.3E-11	9.4E-11	3.6E-10	3.8E-13	
wsw	9.8E-11	9.6E-11	2.8E-11	6.7E-12	1.9E-11	1.1E-15	
SW	9.7E-11	2.0E-11	3.1E-12	2.5E-13	0.0E+00	0.0E+00	
SSW	1.6E-11	4.8E-12	3.8E-11	0.0E+00	0.0E+00	0.0E+00	
S	8.4E-12	4.6E-11	2.1E-12	0.0E+00	0.0E+00	0.0E+00	
SSE	1.9E-11	5.6E-11	2.8E-11	0.0E+00	5.7E-11	1.7E-10	
SE	5.0E-10	1.3E-10	5.9E-10	4.9E-09	6.8E-09	4.8E-09	
ESE	1.5E-09	2.2E-09	2.0E-09	5.0E-09	1.0E-08	5.4E-09	
E	1.2E-09	2.5E-09	3.5E-09	2.2E-09	1.3E-09	6.9E-10	
ENE	1.2E-10	2.6E-10	4.0E-10	1.8E-11	5.8E-12	6.0E-11	
NE	3.9E-13	7.0E-11	1.3E-10	1.4E-10	8.5E-12	1.3E-10	