



Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-A Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Existing Conditions

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting on the printed panorama

Environmental Data

Date Simulated: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Virtual Camera Information

Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL

Key Observation Point Information

County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): South-Southeast (163.9°)
Field of View: 124° x 55°



Visual Resources

Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTCs and OSSs screened from view was calculated using a curvature of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available. WTCs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Match Line NL01-B





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-A Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: 2023 and 2024 Project Construction (Revolution Wind, South Fork Wind, Vineyard Wind North, and New England Wind Phase 1&2)

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting in the printed panorama

Environmental Data

Date Simulated*: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Virtual Camera Information
Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL

Key Observation Point Information

County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): South-Southeast (163.9°)
Field of View: 124° x 55°



Visual Resources
Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTCs and OSSs screened from view was calculated using a simulation of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTCs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation

Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
South Fork Wind Farm	2023	12 MW	13	13	181	22.5
Vineyard Wind North	2023	14 MW	69	69	19.5	282
Revolution Wind	2023	12 MW	102	102	8.7	24.5
New England Wind Phase 1	2024	16 MW	41	41	20.4	29.2
New England Wind Phase 2	2024	19 MW	79	79	20.4	35.4





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-A Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: 2023 and 2024 Project Construction with Sunrise Wind added (Sunrise Wind, Revolution Wind, South Fork Wind, Vineyard Wind North, and New England Wind Phase 1&2)

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be exactly 7" long on the printed panorama

Environmental Data

Date Simulated*: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Key Observation Point Information

County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): South-Southeast (163.9°)
Field of View: 124° x 55°

Virtual Camera Information

Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL



Visual Resources

Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

- Notes:
- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
 - The potential number of WTCs and OSSs screened from view was calculated using a correlation of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
 - Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTCs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
 - Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
 - The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
 - Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation

Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
South Fork Wind Farm	2023	12 MW	13	13	181	22.5
Vineyard Wind North	2023	14 MW	69	69	19.5	282
Revolution Wind	2023	12 MW	102	102	8.7	24.5
New England Wind Phase 1	2024	16 MW	41	41	20.4	29.2
New England Wind Phase 2	2024	19 MW	79	79	20.4	35.4
Sunrise Wind	2024	15 MW	123	123	15.6	31.0





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-A Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: Full Lease Build-out Including Sunrise Wind

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting in the printed panorama

Environmental Data

Date Simulated*: 12/2/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Virtual Camera Information

Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL

Key Observation Point Information

County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): South-Southeast (163.9°)
Field of View: 124° x 55°

Visual Resources



Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTCs and OSSs screened from view was calculated using a correlation of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTCs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

↑ Match Line NL01-B

Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*	Total Number of WTGs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
South Fork Wind Farm	2023	12 MW	13	13	181	22.5
Vineyard Wind North	2023	14 MW	69	69	19.5	282
Revolution Wind	2023	12 MW	102	102	8.7	24.5
New England Wind Phase 1	2024	16 MW	41	41	20.4	29.2
New England Wind Phase 2	2024	19 MW	79	79	20.4	35.4
Sunrise Wind	2024	15 MW	123	123	15.6	31.0
Mayflower Wind	2024	12 MW	149	149	36.6	485
Liberty Wind	2025-2030	12 MW	17	139	43.9	46.5
Beacon Wind	2025-2030	12 MW	157	157	285	42.1
Bay State Wind	2025-2030	12 MW	186	186	11.3	39.4





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-A Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: Full Lease Build-out Excluding Sunrise Wind

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be exactly 7" long in the printed panorama

Environmental Data

Date Simulated*: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Key Observation Point Information

County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): South-Southeast (163.9°)
Field of View: 124° x 55°

Virtual Camera Information



Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL

Visual Resources

Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

- Notes:
- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
 - The potential number of WTCs and OSSs screened from view was calculated using a correlation of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
 - Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTCs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
 - Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
 - The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
 - Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation						
Project	Year of Development	WTC Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
South Fork Wind Farm	2023	12 MW	13	13	181	22.5
Vineyard Wind North	2023	14 MW	69	69	19.5	282
Revolution Wind	2023	12 MW	102	102	8.7	24.5
New England Wind Phase 1	2024	16 MW	41	41	20.4	29.2
New England Wind Phase 2	2024	19 MW	79	79	20.4	35.4
Mayflower Wind	2024	12 MW	149	149	36.6	485
Liberty Wind	2025-2030	12 MW	17	139	43.9	46.5
Beacon Wind	2025-2030	12 MW	157	157	285	42.1
Bay State Wind	2025-2030	12 MW	118	118	11.3	39.4





Sunrise Wind

Powered by
Ørsted & Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-A Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: Sunrise Wind Without Other Foreseeable Future Changes

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting on the printed panorama

Environmental Data
Date Simulated*: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Key Observation Point Information
County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): South-Southeast (163.9°)
Field of View: 124° x 55°

Virtual Camera Information
Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL



Visual Resources
Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

Notes:

- * Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- * The potential number of WTCs and OSSs screened from view was calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- * Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available. WTCs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- * Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- * The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- * Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Match Line NL01-B

Reasonably Foreseeable Projects Represented in Visual Simulation						
Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
Sunrise Wind	2024	15 MW	123	123	15.6	31.0





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-B Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: 2023 and 2024 Project Construction (Revolution Wind, South Fork Wind, Vineyard Wind North, and New England Wind Phase 1&2)

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting on the printed panorama

Environmental Data

Date Simulated*: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Key Observation Point Information

County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): Southwest (214.6°)
Field of View: 124° x 55°

Virtual Camera Information



Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL

Visual Resources

Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

- Notes:
- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
 - The potential number of WTCs and OSSs screened from view was calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
 - Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTCs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
 - Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
 - The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
 - Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation						
Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
South Fork Wind Farm	2023	12 MW	13	13	181	22.5
Vineyard Wind North	2023	14 MW	69	69	19.5	282
Revolution Wind	2023	12 MW	102	102	8.7	24.5
New England Wind Phase 1	2024	16 MW	41	41	20.4	29.2
New England Wind Phase 2	2024	19 MW	79	79	20.4	35.4





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-B Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: 2023 and 2024 Project Construction with Sunrise Wind added (Sunrise Wind, Revolution Wind, South Fork Wind, Vineyard Wind North, and New England Wind Phase 1&2)

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting on the printed panorama

Environmental Data

Date Simulated*: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Key Observation Point Information

County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): Southwest (214.6°)
Field of View: 124° x 55°

Virtual Camera Information

Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL



Visual Resources

Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

- Notes:
- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
 - The potential number of WTGs and OSSs screened from view was calculated using a simulation of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
 - Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTGs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
 - Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
 - The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTGs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTG, this degree of atmospheric perspective is not applied to the photosimulations.
 - Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation						
Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*	Total Number of WTGs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
South Fork Wind Farm	2023	12 MW	13	13	181	22.5
Vineyard Wind North	2023	14 MW	69	69	19.5	282
Revolution Wind	2023	12 MW	102	102	8.7	24.5
New England Wind Phase 1	2024	16 MW	41	41	20.4	29.2
New England Wind Phase 2	2024	19 MW	79	79	20.4	35.4
Sunrise Wind	2024	15 MW	123	123	15.6	31.0

Watch Line NL01-A





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-B Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: Full Lease Build-out Including Sunrise Wind

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting on the printed panorama

Environmental Data

Date Simulated*: 12/2/2017

Time Simulated: 4:00 PM

Temperature: NA

Humidity: NA

Visibility: > 0 miles

Wind Direction: NA

Wind Speed: NA

Conditions Simulated: Clear

Key Observation Point Information

County: Dukes

Town: Chilmark

State: Massachusetts

Location: Nomans Land Island

Latitude, Longitude: 41.25712° N, 70.63100° W

Direction of View (Center): Southwest (214.6°)

Field of View: 124° x 55°

Virtual Camera Information

Lens Focal Length: 50 mm

Camera Height: 42.1 feet AMSL

Visual Resources


Landscape Similarity Zone: Coastal Bluff

User Group: No Access

Aesthetic Resource: Nomans Land Island National Wildlife Refuge

- Notes:
- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
 - The potential number of WTCs and OSSs screened from view was calculated using a correlation of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
 - Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available. WTCs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.
 - Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
 - The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
 - Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation						
Project	Year of Development	WTC Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
South Fork Wind Farm	2023	12 MW	13	13	181	22.5
Vineyard Wind North	2023	14 MW	69	69	19.5	282
Revolution Wind	2023	12 MW	102	102	87	24.5
New England Wind Phase 1	2024	16 MW	41	41	20.4	29.2
New England Wind Phase 2	2024	19 MW	79	79	20.4	35.4
Sunrise Wind	2024	15 MW	123	123	15.6	31.0
Mayflower Wind	2024	12 MW	149	149	36.6	485
Liberty Wind	2025-2030	12 MW	17	139	43.9	46.5
Beacon Wind	2025-2030	12 MW	157	157	285	42.1
Bay State Wind	2025-2030	12 MW	186	186	11.3	39.4





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-B Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: Full Lease Build-out Excluding Sunrise Wind

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be exactly 7" high in the printed panorama.

Environmental Data

Date Simulated*: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Key Observation Point Information

County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): Southwest (214.6°)
Field of View: 124° x 55°

Virtual Camera Information

Lens Focal Length: 50 mm
Camera Height: 42.1 feet AMSL


Visual Resources

Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTCs and OSSs screened from view was calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available. WTCs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation						
Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
South Fork Wind Farm	2023	12 MW	13	13	181	22.5
Vineyard Wind North	2023	14 MW	69	69	19.5	282
Revolution Wind	2023	12 MW	102	102	87	24.5
New England Wind Phase 1	2024	16 MW	41	41	20.4	29.2
New England Wind Phase 2	2024	19 MW	79	79	20.4	35.4
Mayflower Wind	2024	12 MW	149	149	36.6	485
Liberty Wind	2025-2030	12 MW	17	139	43.9	46.5
Beacon Wind	2025-2030	12 MW	157	157	285	42.1
Bay State Wind	2025-2030	12 MW	118	118	11.3	39.4





Sunrise Wind

Powered by
Ørsted & Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

NL01-B Sunset: Nomans Land Island NWR, Chilmark, Massachusetts

Visual Simulation: Sunrise Wind Without Other Foreseeable Future Changes

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily 7" high in the printed panorama.


Environmental Data
Date Simulated*: 12/12/2017
Time Simulated: 4:00 PM
Temperature: NA
Humidity: NA
Visibility: > 0 miles
Wind Direction: NA
Wind Speed: NA
Conditions Simulated: Clear

Key Observation Point Information
County: Dukes
Town: Chilmark
State: Massachusetts
Location: Nomans Land Island
Latitude, Longitude: 41.25712° N, 70.63100° W
Direction of View (Center): Southwest (214.6°)
Field of View: 124° x 55°

Visual Resources
Landscape Similarity Zone: Coastal Bluff
User Group: No Access
Aesthetic Resource: Nomans Land Island National Wildlife Refuge

- Notes:
- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
 - The potential number of WTGs and OSSs screened from view was calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
 - Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available. WTGs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.
 - Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
 - The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTGs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTG, this degree of atmospheric perspective is not applied to the photosimulations.
 - Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation						
Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*	Total Number of WTGs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
Sunrise Wind	2024	15 MW	123	123	15.6	31.0






Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

RI03: Point Judith Lighthouse, Narragansett, Rhode Island

Existing Conditions





Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

RI03: Point Judith Lighthouse, Narragansett, Rhode Island

Visual Simulation: 2023 and 2024 Project Construction (Revolution Wind, South Fork Wind, Vineyard Wind North, and New England Wind Phase 1&2)

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting on the printed panorama

Environmental Data

Date Taken: 8/3/2017
Time: 12:34 PM
Temperature: 77° F
Humidity: 79%
Visibility: > 0 miles
Wind Direction: South
Wind Speed: 10 mph
Conditions Observed: Partly Cloudy

Camera Information

Camera: Canon EOS 5D Mark IV
Resolution: 30.4 Megapixels
Lens Focal Length: 50 mm
Camera Height: 29.6 feet AMSL

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTCs and OSSs screened from view were calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTCs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from N101 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Key Observation Point Information


County: Washington
Town: Narragansett
State: Rhode Island
Location: Aquidneck Island
Latitude, Longitude: 41.36309° N, 71.48100° W
Direction of View (Center): Southeast (143.7°)
Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Maintained Recreation Area
User Group: Local Resident, Tourist/Macallioners
Aesthetic Resource: National Register Historic Site, Point Judith State Scenic Area

Reasonably Foreseeable Projects Represented in Visual Simulation

Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
South Fork Wind Farm	2023	12 MW	12	13	23.1	27.9
Vineyard Wind North	2023	14 MW	0	69	NA	NA
Revolution Wind	2023	12 MW	102	102	182	375
New England Wind Phase 1	2024	16 MW	0	41	NA	NA
New England Wind Phase 2	2024	19 MW	29	79	483	51.9





Sunrise
Wind

Powered by

Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

RI03: Point Judith Lighthouse, Narragansett, Rhode Island

Visual Simulation: 2023 and 2024 Project Construction with Sunrise Wind added (Sunrise Wind, Revolution Wind, South Fork Wind, Vineyard Wind North, and New England Wind Phase 1&2)

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be exactly 7" long on the printed panorama

Environmental Data

Date Taken: 8/3/2017
Time: 12:34 PM
Temperature: 77° F
Humidity: 79%
Visibility: > 0 miles
Wind Direction: South
Wind Speed: 10 mph
Conditions Observed: Partly Cloudy

Key Observation Point Information

County: Washington
Town: Narragansett
State: Rhode Island
Location: Aquidneck Island
Latitude, Longitude: 41.36309° N, 71.48100° W
Direction of View (Center): Southeast (143.7°)
Field of View: 124° x 55°

Camera Information

Camera: Canon EOS 5D Mark IV
Resolution: 30.4 Megapixels
Lens Focal Length: 50 mm
Camera Height: 29.6 feet AMSL


Visual Resources

Landscape Similarity Zone: Maintained Recreation Area
User Group: Local Resident, Tourist/Macallioners
Aesthetic Resource: National Register Historic Site, Point Judith State Scenic Area

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTCs and OSSs screened from view were calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTCs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from NLO1 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Reasonably Foreseeable Projects Represented in Visual Simulation						
Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTC (miles)	Distance to Furthest Visible WTC (miles)
South Fork Wind Farm	2023	12 MW	12	13	23.1	27.9
Vineyard Wind North	2023	14 MW	0	69	NA	NA
Revolution Wind	2023	12 MW	102	102	182	375
New England Wind Phase 1	2024	16 MW	0	41	NA	NA
New England Wind Phase 2	2024	19 MW	29	79	483	51.9
Sunrise Wind	2024	15 MW	123	123	25.7	42.0





Sunrise
Wind

Powered by

Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

RI03: Point Judith Lighthouse, Narragansett, Rhode Island

Visual Simulation: Full Lease Build-out Including Sunrise Wind

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be exactly 7" long in the printed panorama

Environmental Data

Date Taken: 8/3/2017
Time: 12:34 PM
Temperature: 77° F
Humidity: 79%
Visibility: > 0 miles
Wind Direction: South
Wind Speed: 10 mph
Conditions Observed: Partly Cloudy

Camera Information

Camera: Canon EOS 5D Mark IV
Resolution: 30.4 Megapixels
Lens Focal Length: 50 mm
Camera Height: 29.6 feet AMSL

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTGs and OSSs screened from view were calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTGs are used for all foundation positions, OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTGs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTG, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from NLO1 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Key Observation Point Information


County: Washington
Town: Narragansett
State: Rhode Island
Location: Aquidneck Island
Latitude, Longitude: 41.36309° N, 71.48100° W
Direction of View (Center): Southeast (143.7°)
Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Maintained Recreation Area
User Group: Local Resident, Tourist/Macaltoners
Aesthetic Resource: National Register Historic Site, Point Judith State Scenic Area

Reasonably Foreseeable Projects Represented in Visual Simulation

Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*	Total Number of WTGs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
South Fork Wind Farm	2023	12 MW	12	13	23.1	27.9
Vineyard Wind North	2023	14 MW	0	69	NA	NA
Revolution Wind	2023	12 MW	102	102	182	375
New England Wind Phase 1	2024	16 MW	0	41	NA	NA
New England Wind Phase 2	2024	19 MW	29	79	483	51.9
Sunrise Wind	2024	15 MW	123	123	25.7	42.0
Mayflower Wind	2024	12 MW	0	149	NA	NA
Liberty Wind	2025-2030	12 MW	0	139	NA	NA
Beacon Wind	2025-2030	12 MW	0	157	NA	NA
Bay State Wind	2025-2030	12 MW	78	118	41.1	45.3





Sunrise Wind

Powered by
Ørsted & Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

RI03: Point Judith Lighthouse, Narragansett, Rhode Island

Visual Simulation: Full Lease Build-out Excluding Sunrise Wind

Environmental Data

Date Taken: 8/3/2017
Time: 12:34 PM
Temperature: 77° F
Humidity: 79%
Visibility: > 0 miles
Wind Direction: South
Wind Speed: 10 mph
Conditions Observed: Partly Cloudy

Camera Information

Camera: Canon EOS 5D Mark IV
Resolution: 30.4 Megapixels
Lens Focal Length: 50 mm
Camera Height: 29.6 feet AMSL

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTCs and OSSs screened from view were calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available. WTCs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from N01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Key Observation Point Information



County: Washington
Town: Narragansett
State: Rhode Island
Location: Aquidneck Island
Latitude, Longitude: 41.36309° N, 71.48100° W
Direction of View (Center): Southeast (143.7°)
Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Maintained Recreation Area
User Group: Local Resident, Tourist/Macalloners
Aesthetic Resource: National Register Historic Site, Point Judith State Scenic Area

Reasonably Foreseeable Projects Represented in Visual Simulation

Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
South Fork Wind Farm	2023	12 MW	12	13	23.1	27.9
Vineyard Wind North	2023	14 MW	0	69	NA	NA
Revolution Wind	2023	12 MW	102	102	182	375
New England Wind Phase 1	2024	16 MW	0	41	NA	NA
New England Wind Phase 2	2024	19 MW	29	79	483	51.9
Mayflower Wind	2024	12 MW	0	149	NA	NA
Liberty Wind	2025-2030	12 MW	0	139	NA	NA
Beacon Wind	2025-2030	12 MW	0	157	NA	NA
Bay State Wind	2025-2030	12 MW	78	118	41.1	45.3



Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be exactly 7" long in the printed panorama



Sunrise
Wind

Powered by
Ørsted &
Eversource

Appendix A: Sunrise Wind Cumulative Visual Simulations

RI03: Point Judith Lighthouse, Narragansett, Rhode Island

Visual Simulation: Sunrise Wind Without Other Foreseeable Future Changes

Simulation Size: 64" in width by 29.3" in height. Images should be viewed from a distance of 15 inches in order to obtain the proper perspective.

This box should be easily fitting on the printed panorama

Environmental Data

Date Taken: 8/3/2017
Time: 12:34 PM
Temperature: 77° F
Humidity: 79%
Visibility: > 0 miles
Wind Direction: South
Wind Speed: 10 mph
Conditions Observed: Partly Cloudy

Camera Information
Camera: Canon EOS 5D Mark IV
Resolution: 30.4 Megapixels
Lens Focal Length: 50 mm
Camera Height: 29.6 feet AMSL

Notes:

- Photosimulation Size: 64" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective.
- The potential number of WTCs and OSSs screened from view was calculated using a combination of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography.
- Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available. WTCs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.
- Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of existing light sources.
- The existing WTCs associated with the Block Island Wind Farm are 16.9 miles from KOP UBA. In the daytime photosimulation, the WTCs appear faint due to atmospheric perspective commonly occurring on clear days, such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed WTC, this degree of atmospheric perspective is not applied to the photosimulations.
- Photographs were not obtained from N101 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Key Observation Point Information

County: Washington
Town: Narragansett
State: Rhode Island
Location: Aquidneck Island
Latitude, Longitude: 41.36309° N, 71.48100° W
Direction of View (Center): Southeast (143.7°)
Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Maintained Recreation Area
User Group: Local Resident, Tourist/Macalloners
Aesthetic Resource: National Register Historic Site, Point Judith State Scenic Area

Reasonably Foreseeable Projects Represented in Visual Simulation

Project	Year of Development	WTG Model	Potential Number of WTCs & OSSs Visible*	Total Number of WTCs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
Sunrise Wind	2024	15 MW	123	123	25.7	42.0

