

**U.S. DEPARTMENT OF ENERGY**  
**OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY**  
**NEPA DETERMINATION**



**RECIPIENT:** Department of Energy Headquarters

**STATE:** DC

**PROJECT TITLE :** Forrestal Building Windows Upgrade

**Notice of Funding Opportunity Number**  
DE-FOA-0003026

**Procurement Instrument Number**  
DE-EE0001039

**NEPA Control Number**  
GFO-0001039-001

**CID Number**  
GO1039

**Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:**

**CX, EA, EIS APPENDIX AND NUMBER:**

Description:

**B5.1  
Actions to  
conserve  
energy or  
water**

(a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

Rationale for determination:

The U.S. Department of Energy (DOE) Golden Field Office is proposing provide federal funding to DOE Headquarters for the design and installation of secondary glazing windows at the James V. Forrestal Building (Forrestal) to increase energy efficiency and thermal performance.

Award activities would include modification of center mullion for window installation, and installation of interior secondary window inserts on 2,954 windows, totaling 87,059 square feet. The proposed glazing type would be double pane low-emissivity coated clear insulating glass that is tempered. While construction and modification would be required, the anticipated impacts are negligible and would not result in changes to the building's defining characteristics.

Secondary glazing design and installation would occur at Forrestal, in Washington, D.C. Hazards associated with this award are common to construction activities and include handling of heavy materials and falls from elevated positions. Existing health, safety, and environmental policies and procedures would be followed at all facilities, including personnel training, proper personal protective equipment, engineering controls, monitoring, and internal assessments.

All project activities would be completed in existing, purpose-built laboratory facilities. Minor facility modifications would be performed. No new permits, or licenses would be required. DOE does not anticipate any impacts to resources of concern due to the proposed project activities.

**NEPA PROVISION**

DOE has made a final NEPA determination.

Notes:

Federal Energy Management Program  
NEPA review completed by Jason Spencer, 12/09/2024

**FOR CATEGORICAL EXCLUSION DETERMINATIONS**

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

**SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.**

NEPA Compliance Officer Signature: \_\_\_\_\_



Electronically Signed By: [Andrew Montano](#)

NEPA Compliance Officer

Date: [12/9/2024](#)

**FIELD OFFICE MANAGER DETERMINATION**

- ☒ Field Office Manager review not required  
☐ Field Office Manager review required

**BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :**

Field Office Manager's Signature: \_\_\_\_\_

Field Office Manager

Date: \_\_\_\_\_