



U.S. Department of Energy
Southwestern Power Administration
CATEGORICAL EXCLUSION DETERMINATION

SWPA F 450.4
(Rev. 6/20)

Proposed Action Title: Malden Substation Control Building Improvements, Fence Replacement and Drainage Improvements

Program or Field Office: Jonesboro Field Office

Location(s) (City/County/State): Malden/Dunklin/Missouri

Proposed Action Description: Southwestern Power Administration proposes (enter text on next line):
to provide Improvements to the Malden Substation grounding, drainage, fencing, and control building. The existing perimeter fence will be completely removed and replaced with a new high security chain-link fence and the exterior steel of the control building will be replaced.

Categorical Exclusion(s) Applied: 10 CFR 1021, Appendix B to Subpart D, Part B 4.11 and 1.11

For the complete DOE National Environmental Policy Act regulations regarding categorical exclusions, including the full text of each categorical exclusion, see Subpart D of [10 CFR Part 1021](#).

The following Regulatory Requirements in 10 CFR 1021.410(b) were met: (See full text in regulation)

- ☒ The proposal fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.
- ☒ There are no extraordinary circumstances related to the proposal that may affect the significance of the environmental effects of the proposal.
- ☒ The proposal has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

Based on my review of the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1B), I have determined that the proposed action fits within the specified class(es) of action, the other regulatory requirements set forth above are met, and the proposed action is hereby categorically excluded from further NEPA review.

NEPA Compliance Officer Name: Cynthia Short

Date Determined: 06/24/2025

NEPA Compliance Officer Signature: CYNTHIA SHORT
Digitally signed by CYNTHIA SHORT
Date: 2025.06.24 14:29:58 -05'00'

EMS Aspect Identification: Existing Aspect: All aspects related to project were previously identified within SWPA O 450.2

Comments: