



Guidance for Preparation of the 2024 Department of Energy Annual Site Environmental Reports

March 2025



**Guidance for Preparation of the 2024
Department of Energy Annual Site Environmental Reports**

TABLE OF CONTENTS

1.0	BACKGROUND.....	1
1.1	What’s New in 2024 ASER Reporting.....	1
1.1.1	Water Quality and Protection (Safe Drinking Water Act).....	1
1.1.2	PFAS and Additional Emerging Contaminants.....	2
1.1.3	DOE-STD-1241-2023, Implementing Release and Clearance of Property Requirements....	3
1.1.4	Additional Changes	4
1.2	DOE O 231.1B and DOE O 458.1 Reporting.....	5
1.3	Public Information Source.....	5
1.4	Coordination and Production.....	6
1.5	Distribution.....	7
1.6	Goals and Content.....	7
2.0	RECOMMENDED FORMAT FOR ANNUAL SITE ENVIRONMENTAL REPORTS.....	8
2.1	Executive Summary.....	9
2.2	Introduction.....	9
2.3	Compliance Summary	9
2.3.1	Compliance Status	11
2.3.1.1	Environmental Restoration and Waste Management	11
2.3.1.2	Radiation Protection	11
2.3.1.3	Air Quality and Protection.....	12
2.3.1.4	Water Quality and Protection	15
2.3.1.5	Other Environmental Statutes and Executive Orders	18
2.3.2	Other Major Environmental Issues and Accomplishments	21
2.3.2.1	Natural Resources Conservation Programs and Projects	21
2.3.2.2	Sustainable Resilient Remediation (SRR).....	21
2.3.2.3	Site Resilience	22
2.3.3	Continuous Release Reporting	22
2.3.4	Unplanned Releases.....	22
2.3.5	Summary of Permits	23
3.0	ENVIRONMENTAL MANAGEMENT SYSTEM.....	23
3.1	Environmental Protection Programs, including Training and Community Outreach and Performance Measurement	25
3.1.1	Site Sustainability Plan Progress	25
3.2	Environmental Operating Experience.....	25
3.3	Accomplishments, Awards and Recognition.....	26
4.0	ENVIRONMENTAL RADIOLOGICAL PROTECTION PROGRAM AND DOSE ASSESSMENT	26
4.1	Radiological Discharges and Doses.....	26
4.2	Clearance of Property Containing Residual Radioactive Material	30
4.3	Addressing Radiation Protection of Biota in ASERs	31
4.3.1	Dose Rate Limits for Protection of Biota and Methods for Demonstrating Compliance....	31
4.3.2	The RESRAD-BIOTA Code as a Tool for Evaluating Doses to Biota	31
4.4	Unplanned Radiological Releases	32
4.5	Environmental Radiological Monitoring.....	33
5.0	ENVIRONMENTAL NON-RADIOLOGICAL PROGRAM INFORMATION	33

**Guidance for Preparation of the 2024
Department of Energy Annual Site Environmental Reports**

5.1	Non-Radiological Environmental Monitoring.....	33
5.2	Fire Protection Management and Planning.....	34
5.3	Recreational Hunting and Fishing	34
6.0	GROUNDWATER PROTECTION PROGRAM	35
7.0	QUALITY ASSURANCE	36
8.0	ATTACHMENT I: RECOMMENDED FORMATS FOR RADIOLOGICAL DOSE AND RELEASE REPORTING IN ASERS	39
9.0	ATTACHMENT II: ADDRESSING RADIATION PROTECTION OF BIOTA IN ASERS.....	41
10.0	ATTACHMENT III: RECOMMENDED REPORTING FORMAT FOR DOE SITE-WIDE GROUNDWATER MONITORING PROGRAM	44
11.0	ATTACHMENT IV: ALTERNATE ASER REPORTING FOR CLOSURE SITES.....	47
12.0	ATTACHMENT V: SITE -SPECIFIC EXAMPLES OF RECOMMENDED ASER REPORTING FORMATS.....	49

1.0 **BACKGROUND**

Department of Energy (DOE) Field Elements are responsible for the development and design of Annual Site Environmental Reports (ASERs) appropriate to their site-specific considerations while complying with DOE reporting requirements. This guidance provides recommendations for reporting that may be used to help supplement the requirements of DOE Orders (DOE O) which were contractually applicable to DOE sites in part or all of 2024, including DOE O 231.1B, Admin Chg 1, [Environment, Safety and Health Reporting \(November 2012\)](#), and DOE O 458.1, Chg 4, [Radiation Protection of the Public and the Environment \(September 2020\)](#). This guidance is based on lessons learned and best practices, as well as recognition of DOE corporate reporting requirements and stakeholder input. This guidance, while not mandatory, promotes consistency and uniformity in the reporting of environmental information within ASERs. Past use of this guidance has resulted in ASERs that present environmental information in a common format that is readily understandable and usable by DOE organizations, stakeholders, and the general public.

1.1 What's New in 2024 ASER Reporting

There are several changes of note in the guidance provided for the 2024 ASERs: *Guidance for Preparation of the 2024 Department of Energy Annual Site Environmental Reports*. The ASER is a backwards-facing document, focusing this year on actions taken in 2024. Since that time, the Administration has canceled a number of Executive Orders and established different policies regarding certain topics that have previously been discussed in prior year reports. DOE Field Elements may appropriately report on programs and policies in place during the 2024 reporting year in their ASER.

Similar to last year's guidance, minor editorial changes, such as revisions to page numbers, punctuation errors, reporting year changes (e.g., changes from 2023 to 2024), were not marked with change bars.

Some additional recommendations and continuing areas of emphasis to consider for 2024 ASER reporting include:

1.1.1 Water Quality and Protection (Safe Drinking Water Act)

In April 2024, the U.S. Environmental Protection Agency (EPA) announced a new [National Primary Drinking Water Regulation for six per- and polyfluoroalkyl substances \(PFAS\)](#). The regulation established legally enforceable Maximum Contaminant Levels (MCLs) for the six PFAS: perfluorooctanoic acid (PFOA), perfluorooctane sulfonate (PFOS), perfluorohexanesulfonic acid (PFHxS), perfluorononanoic acid (PFNA), and hexafluoropropylene oxide dimer acid (HFPO-DA or C3 Dimer Acid) as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and perfluorobutane sulfonate (PFBS) using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. The regulation includes an initial monitoring period (2024-2027) that will determine future routine compliance monitoring requirements. If available, sites should report in this section on results from this initial

monitoring period. If sites have conducted other monitoring for PFAS from the source(s) or of the finished water from their drinking water systems, this information also should be reported in this section or provide a reference to the location in the ASER where this information can be found.

The [Lead and Copper Rule \(LCR\)](#) applies to [community and non-transient non-community public drinking water systems](#). Sites with these systems should report on their compliance with the LCR requirement to prepare an initial service line inventory that identifies the material of each service line in the drinking water distribution system, which was due October 16, 2024. In October 2024, EPA issued the [Lead and Copper Rule Improvements \(LCRI\)](#) final rule, which updates various aspects of the LCR, including requiring public water systems to replace all lead and galvanized requiring replacement (GRR) service lines within 10 years and setting minimum annual service line replacement rates. If lead or GRR service lines were identified during the inventory process, the site should report on its plans for replacing those service lines. If the inventory included service lines of unknown material, sites should describe their plans to determine the material of those service lines. Of note, the LCRI also lowered the lead action level from 15 µg/L to 10 µg/L. This change may result in additional lead action level exceedances (ALE) as a result of routine compliance monitoring and any ALEs should be noted in this section as well reported through the DOE Occurrence Reporting and Processing System, as per DOE O 232.2A Chg 1 (MinChg), [Occurrence Reporting and Processing of Operations Information \(October 2019\)](#).

For additional information, please contact Paul Winters (EHSS-21) at Paul.Winters@hq.doe.gov.

1.1.2 PFAS and Additional Emerging Contaminants

Federal and State regulatory agencies continue to develop regulatory approaches for PFAS and emerging contaminants, such as PFOS, PFOA, perchlorates, 1,4-dioxane, and other persistent contaminants that may be present at DOE sites.

DOE continues to provide resources and meet required actions per the [PFAS Strategic Roadmap: DOE Commitments to Action 2022-2025 \(August 18, 2022\)](#).

In January 2023, DOE published the [Guide for Investigating Historical and Current Uses of Per- and Polyfluoroalkyl Substances at Department of Energy Sites](#). This guide outlines a framework for DOE programs investigating historic or current PFAS uses at DOE-owned or -operated entities nationwide.

In October 2023, DOE initiated the new PFAS Annual Site Update Survey. This survey meets the required actions specified in Pillar 1 (Actions 1.7 and 1.8) of the [PFAS Strategic Roadmap: DOE Commitments to Action 2022-2025](#). Site submissions were due by the end of January 2024.

Additionally, DOE is encouraging sites to purchase products that do not contain PFAS. To assist sites, the EHSS-21 Sustainable Acquisition team surveyed the market to identify the availability of select products that do not contain PFAS. Those that also meet the sustainability stipulations to qualify for the GreenBuy and GreenSpace Awards were added to the [Priority Products List](#),

which is the backbone of these Award Programs to help DOE sites readily identify products with leading and verifiable sustainability attributes. Sites can use this list to help them identify products that do not contain PFAS.

For all DOE publicly available resources on the topic of PFAS, please visit: [PFAS \(Per- and Polyfluoroalkyl Substances\) | Department of Energy](#). In addition, DOE's Office of Sustainable Environmental Stewardship (EHSS-21) maintains the [Emerging Contaminants - PFAS SharePoint site](#)¹ which serves as a repository of guidance documents and information on PFAS from DOE, as well as other Federal agencies.

The 2024 ASER, as appropriate, should include a summary of any PFAS and/or other emerging contaminants detected at the site. The summary should include, as appropriate, efforts used to determine their presence (e.g., historical review of records, database searches, locating materials/waste areas, releases [*see Section 5.1 Non-Radiological Environmental Monitoring* for additional information], disposal, analysis of past practices and sources, etc.), analytical methods, any associated regulatory developments, and/or recent discussions held with EPA, State regulators, or stakeholders/interested parties regarding emerging contaminants detected, progress toward setting related cleanup standards, and potential remediation technologies being considered. This information should be included in the **Compliance Summary** and **Groundwater Protection Program** chapters, and/or whichever chapter(s) that monitoring results are discussed in the 2024 ASER.

For questions about PFAS, please contact Alyssa Wingard (EHSS-21) at Alyssa.Wingard@hq.doe.gov.

1.1.3 DOE-STD-1241-2023, Implementing Release and Clearance of Property Requirements

DOE-STD-1241-2023, [Implementing Release and Clearance of Property Requirements \(March 2023\)](#) provides updated guidance for implementing the release and clearance of property requirements of DOE O 458.1. DOE-STD-1241-2023 assists DOE Field Element Managers and DOE contractors in meeting release and clearance of property requirements provided in DOE O 458.1 by consolidating all previously published pre-approved Authorized Limits and including newly approved volumetric pre-approved Authorized Limits. The technical standard can be found on [DOE's Standards Page](#).

Where practical, information should be provided on 1) the volume, residual radionuclide concentrations, and total activity of the material; 2) the dose to the maximally exposed individual (MEI) from the material being released to the public (authorized limits for personal property less than 1 mrem/yr [0.01 mSv] and real property, below 25 mrem [0.25 mSv]); 3) collective dose estimates; and 4) the estimated cost savings and other benefits from the clearance or a qualitative discussion of the benefits of the clearance program. A brief discussion about any actions taken

¹ The DOE PFAS and Emerging Contaminants SharePoint site is not available to the public and only accessible to employees of DOE and their contractors.

to implement the improvements to monitoring, documenting, and coordinating clearance recommended in the DOE STD-1241 should be included, as should the locations or methods by which interested parties could obtain more detailed data on clearance (e.g., reading rooms, records centers, or other locations where certification and clearance data are publicly available). It is also recommended that DOE property clearance information be made available at surplus property sales locations and on surplus property websites.

See *Section 4.2 Clearance of Property Containing Residual Radioactive Material* for more detail and context.

For additional information, please contact Christine Lobos (EHSS-22) at Christine.Lobos@hq.doe.gov.

1.1.4 Additional Changes

A list of the facilities that a site monitors on EPA's Enforcement & Compliance History Online (ECHO) database should be included in the 2024 ASER. The following information from the ECHO database should be included: Facility Name, Address (Street, City, State), Facility ID Number (listed as the Facility Registry Service [FRS] ID on the ECHO results page). See *Section 2.3 Compliance Summary* for context.

DOE Standard, DOE-STD-1196-2022, [Derived Concentration Technical Standard \(December 2022\)](#), superseded DOE-STD-1196-2021 and complements DOE O 458.1. To estimate the dose to an MEI or to the representative person, it is recommended to use the Per Capita Dose coefficient provided in Appendix A of the updated standard. DOE O 458.1 requires that DOE-approved dose coefficients be used to evaluate doses resulting from DOE radiological activities. The DOE approved dose coefficients can be found within DOE-STD-1196-2022. If a Site is contractually obligated to use an older STD, the Site must specify which STD was used for evaluating doses in the report. See *Section 4.1 Radiological Discharges and Doses* for more detail and context.

When changes (e.g. errors, typos, reinterpretation of data, etc.) need to be made to previously published ASERs, sites should maintain a list of these changes. This list should include any changes made to at least the last five ASERs: the current ASER and ASERs from the previous four years. If no changes have been made to previously published ASERs, there is no need to maintain or publish such a list. Only major changes need to be tracked. Sites should decide whether the changes are significant enough to update previously published ASERs. If changes are found that warrant an update to a previously published ASER, sites should update the affected ASER(s), repost them on their website, and include the list of changes in the most current ASER and any affected ASER(s). ASERs do not need to be reprinted and redistributed. Sites should also email the ASER program manager, Una Song (una.song@hq.doe.gov), with the change being made and an electronic copy of any updated ASER(s) or a link to the updated ASER(s).

To make it easier for readers to peruse specific sections of the ASER, please include bookmarks in the pdf version of the ASER. In addition, if there are sections of the ASER that stay relatively static, consider including track change bars on the lefthand side of the document so readers can

easily see which sections have updated information, similar to how this ASER guidance is presented.

1.2 DOE O 231.1B and DOE O 458.1 Reporting

As stated in DOE O 231.1B, the DOE ASER presents summary environmental data to:

- Characterize site environmental management performance, including effluent releases, environmental monitoring, the types and quantities of radioactive materials emitted or discharged to the environment, the estimated or calculated Total Effective Dose (TED) to a representative person or MEI or member of the public, and the calculated collective dose to members of the public from exposure to radiation sources identified under DOE O 458.1. Where it is of concern, include releases of radon and its decay products from DOE sources and the resultant exposure to an MEI and the collective dose from these radionuclides. These need not be combined with dose estimates from other sources;
- Summarize environmental occurrences and responses reported during the calendar year;
- Confirm compliance with environmental standards and requirements;
- Highlight significant site programs and efforts, including environmental performance indicators and/or performance measures that reflect the size and extent of programs at a particular site; and
- Describe property clearance activities, including a summary of approved authorized limits, results of radiological monitoring and surveys of cleared property, types and quantities of property cleared, and independent verification program results in accordance with DOE O 458.1.

The ASER is the principal DOE document that demonstrates compliance with DOE O 458.1 <https://www.directives.doe.gov/directives-documents/400-series/0458.1-border-chg5-adminchg> requirements and is a key component of the Department's effort to keep the public informed of environmental conditions at DOE sites. ASERs should contain the most accurate and complete radiological and non-radiological monitoring data and up-to-date compliance information being reported for the calendar year, in this case CY 2024. ASERs should also highlight new site programs and initiatives, compliance successes, noteworthy practices, site environmental operating experience or environmental performance measures programs and, if applicable, site assessments that occurred during CY 2024. If deemed appropriate by the site, any additional significant environmental issues, events, or noteworthy practices that emerge between the end of CY 2024 and the actual public distribution of the 2024 ASERs may be summarized in the transmittal memorandum releasing the 2024 ASERs to the public or as a separate attachment.

1.3 Public Information Source

The ASER serves as a key component of the Department's commitment to openness and public understanding of DOE operations. DOE sites use their ASERs, along with other public information tools, to keep the public informed about environmental monitoring and performance. When sites maintain other publicly accessible information portals that contain environmental

data, these should be identified in the ASER, particularly if these sources present data that is more current than what is collected and calculated in the annual ASER. The Office of Environmental Protection and ES&H Reporting (EHSS-20) continues to recommend the ASERs be prepared in a manner that addresses likely public concerns and solicits feedback from the public and other stakeholders on site environmental management performance and compliance. Some recent successful approaches illustrating this include the following:

- 1) A summary pamphlet targeted for the general public or non-technical reader that accompanies the ASER. Some noteworthy examples include ASER Summary Reports for Idaho National Laboratory (INL), Nevada National Security Site (NNSS), and Savannah River Site (SRS). Community involvement in preparing the summary pamphlet has produced positive results and is encouraged. (See *Attachment V: ASER Summary Reports*.)
- 2) An executive summary within the ASER that concisely highlights site operations, characterizes site environmental management performance and compliance, and describes significant environmental achievements, issues, and programs.
- 3) Site-specific web-based approaches facilitate public outreach to, and feedback from, stakeholders on ASERs. Sites should consider providing a user-friendly internet link on their Home Page to allow easy, direct electronic access and navigation to both current year and previous years' ASERs. Noteworthy examples of effective ASER web page organization and format include: INL, Lawrence Livermore National Laboratory (LLNL), Oak Ridge Reservation (ORR), and SRS. (See *Attachment V: ASER Web Page Model Formats*.)

1.4 Coordination and Production

Because most DOE Heads of Headquarters Elements² have delegated authority to DOE Heads of Field Elements (HFEs)³ to prepare, approve, and release the ASERs, HFEs should coordinate the review process and comment period, as appropriate. EHSS-20 remains available to provide advice regarding the preparation of ASERs; however, EHSS-20 does not have a formal review, comment, or approval role.

The 2024 ASERs should be approved by HFEs, or appropriate designee, and released to the public and/or placed on the site internet Home Page no later than October 1, 2025⁴. The public release of the 2024 ASERs should also include a statement of DOE's commitment to

² Whenever the term Heads of Headquarters Elements is used, it includes the heads of all headquarters first-tier organizations, to include Secretarial Officers, Administrator for NNSA, Administrators for the Power Administrations, and Heads of Staff Offices.

³ Whenever the term Heads of Field Elements is used, it includes Operations Offices, Field Offices, Site Offices, Service Centers, Project Offices, Regional Offices and Area Offices.

⁴ DOE expects all sites to comply with the required October 1 deadline as noted in DOE O 231.1B. If sites are unable to meet the aforementioned deadline, as a result of extraordinary and extenuating circumstances, they should consider requesting an extension from their Program Office consistent with DOE O 251.1D Chg 1 (Admin Chg), [Departmental Directives Program \(January 2017\)](#), exemption process and notify EHSS-20 within the Office of Environment, Health, Safety and Security.

environmental protection, compliance, sustainability, and the site's best efforts to ensure the validity and accuracy of the monitoring data. The notification required by DOE O 231.1B should be made electronically to Dr. Josh Silverman. (Josh.Silverman@hq.doe.gov), Director, Office of Environmental Protection and ES&H Reporting (EHSS-20)⁵.

1.5 Distribution

Sites are encouraged to limit and optimize ASER hard copy production to support paper reduction and sustainability efforts. ASERs can be distributed via the internet or using electronic media, such as compact disks (CDs) or including a full ASER CD within an ASER Summary Report. HFEs should distribute ASERs to pertinent Heads of Headquarters Elements, the Office of Scientific and Technical Information, the EPA, State agencies, and other relevant agencies, organizations, or individuals. An electronic file of the approved 2024 ASER should be submitted to Ms. Una Song (una.song@hq.doe.gov) in the Office of Sustainable Environmental Stewardship (EHSS-21). EHSS-21 will provide further notification and distribution within the Office of Environment, Health, Safety and Security.

1.6 Goals and Content

A chief purpose of the ASER is to document the radiological and non-radiological condition of a site's environs, the effluents and emissions released from DOE operations, and noteworthy trends regarding these releases and environmental conditions. ASERs should accurately portray the radiological monitoring programs, non-radiological monitoring programs, and regulatory compliance information required by DOE Orders and other applicable Federal and State regulations and requirements. They should also describe the environmental impacts of DOE site operations. Where appropriate, the models and assumptions used to estimate releases and environmental conditions should be clearly documented.

ASERs are among the primary DOE reports that document compliance with the public radiation protection requirements of DOE O 458.1. Therefore, a comprehensive description of each site's radiological environmental protection program and real or potential radiological environmental impacts should be included.

DOE Field Elements are required to report additional non-radiological information in the ASER, such as the Superfund Amendments and Reauthorization Act (SARA) Title III or Emergency Planning and Community Right-to-Know Act (EPCRA) information (see *Sections 2.3 Compliance Summary* and *5.0 Environmental Non-Radiological Program Information* for more detail). DOE Field Elements are also encouraged to report on progress made in achieving their environmental and sustainability goals, including environmental operating experience or performance measures programs and initiatives at their site, the measures used, and the results of those measures. This could include the site's progress on meeting the measurable environmental and sustainability goals of Executive Orders, DOE Orders, DOE and Site Sustainability Plans,

⁵ DOE Order 231.1B lists this position as Chief of Health, Safety and Security. Its equivalent under the current organizational structure is Director, EHSS-20, Office of Environment, Health, Safety and Security.

and the objectives identified in their EMS. These measures and accomplishments should be summarized in the **Executive Summary** chapter and detailed in the **Environmental Management System** chapter of the ASER.

Finally, to allow for public involvement and feedback on the ASER, sites are encouraged to provide a website link to a questionnaire or reader comment form on the website where the ASER is electronically posted, which solicits public input and feedback on the current and future ASERs. (See *Attachment V: ASER Public/Reader Comment Form*.) If sites are distributing hard copies of the ASER, this form should be placed inside the front cover of the ASER for maximum visibility and easy public access. If sites choose to distribute compact disk (CD) versions of the ASER, a reader survey or comment form should be included in the CD mailer.

2.0 RECOMMENDED FORMAT FOR ANNUAL SITE ENVIRONMENTAL REPORTS

The ASERs should, to the extent possible, follow the reporting format described herein.

- Executive Summary
- Introduction
- Compliance Summary
- Environmental Management System
- Environmental Radiological Protection Program and Dose Assessment
- Environmental Non-Radiological Program Information
- Groundwater Protection Program
- Quality Assurance

DOE sites may also elect to generally format some sections of their ASERs by media, or other alternate formats, rather than by radiological and non-radiological chapters, as long as the applicable requirements of DOE O 231.1B and DOE O 458.1 are met. These chapters may include the detailed monitoring data and results that support the discussion of environmental laws and media included in the **Compliance Summary** chapter. Alternate formats could include chapters on air monitoring, meteorological monitoring, surface water and groundwater monitoring, drinking water, wastewater, environmental restoration and waste management, soil monitoring, natural and cultural resources management, historic preservation, terrestrial monitoring/surveillance, ecological monitoring, and wildlife and agricultural products monitoring. (See *Attachment V: Alternate General ASER Formats*.) ASERs should also include, as appropriate, a glossary of definitions and a list(s) of acronyms, abbreviations, symbols, units of measure, tables, figures, appendices, and references.

2.1 Executive Summary

The **Executive Summary** should highlight: 1) the purpose of the ASER; 2) major site programs⁶; 3) other key initiatives, including environmental operating experience and performance measurement programs; and 4) a brief description of the site's EMS, as appropriate. Note: to streamline ASER reporting and avoid redundancy, it is not necessary for sites that currently prepare and publish an ASER Summary Report to include an Executive Summary in their full ASER.

This section should include a summary of radiological releases and doses to the public resulting from site operations, as well as a summary of non-radiological releases. DOE O 458.1 states that sites should include the TED to the representative person or to the MEI in units of mrem per year (mrem/yr), followed parenthetically by the value in the international system (SI) units of millisieverts per yr (mSv/yr); the collective (population) dose in units of person-rem, followed parenthetically by the value in SI units (Person-Sv); and the estimated natural background radiation dose at the site in mrem/yr, followed parenthetically with the value in SI units (mSv/yr). If no radionuclides were released from the site, an affirmative/declarative statement should be included, as well. The **Executive Summary** should not simply repeat information found in the main body of the report and should be written in a manner that is understandable to the non-technical reader. This section should be concise, balanced, and targeted at an audience that may not read the entire report.

2.2 Introduction

The **Introduction** should include the following general information: 1) site location; 2) general environmental setting; 3) site mission; 4) primary operations and activities at the site; and 5) relevant demographic information. The site should consider adding information about neighboring disadvantaged communities and communities with environmental concerns in this section.

2.3 Compliance Summary

The **Compliance Summary** should be a separate chapter in the ASER. This chapter should summarize the site CY 2024 compliance status for the following:

- 1) major environmental statutes and regulations;
- 2) DOE internal environmental and radiation protection Orders, including DOE O 458.1, DOE O 231.1B, and DOE O 435.1 Chg 2, [Radioactive Waste Management \(January 2021\)](#);

⁶ If the primary remaining site mission is decontamination/decommissioning (D&D) and environmental restoration (clean-up), a brief statement discussing site historical operations should be included here.

- 3) the Atomic Energy Act of 1954 (AEA), as amended (42 United States Code [USC] 2011 et seq.);
- 4) compliance and/or cleanup agreements (both in place and currently under negotiation);
- 5) environmental violations cited by regulators (including any fines and penalties assessed);
- 6) Notices of Violation (NOVs), Notices of Deficiency, Consent Orders, Notices of Intent to Sue, and other types of enforcement actions issued to the site as defined in DOE O 232.2A Chg1, [*Occurrence Reporting and Processing of Operations Information \(October 2019\)*](#);
- 7) any reportable environmental occurrences that require notification to an outside regulatory agency;
- 8) any major issues, instances of noncompliance and corrective actions;
- 9) the status and results of any ongoing self-assessments and/or environmental audits, including off-site sub-contracted DOE Consolidated Audit Program (DOECAP) audits; and
- 10) existing permits.

Before compiling and summarizing environmental violations for 2024, sites should consult EPA's Enforcement & Compliance History Online (ECHO) database at: [Echo web page](#). This is EPA's official record of the current compliance status for a given DOE site or particular facilities within the site. A list of the facilities that a site monitors on EPA's ECHO database should be included in their 2024 ASERs. The following information from the ECHO database should be included: Facility Name, Address (Street, City, State), Facility ID Number (listed as the Facility Registry Service [FRS] ID on the results page).

To support DOE-wide environment, safety, and health operating experience and performance measurement initiatives, the **Compliance Summary** chapter should include a discussion of compliance and/or cleanup agreements in place at the site. This discussion should include the enforceable milestones completed versus the milestones that were scheduled for completion in CY 2024 pursuant to these agreements. Additionally, the **Compliance Summary** should contain a summary table or brief narrative of applicable operating permits in effect at the site.

When possible, quantitative information should be provided. For example, if underground storage tanks have been removed from the facility, state the number of tanks that have been removed and the number of tanks that remain on-site. The **Compliance Summary** should not present the large volume of supporting data that are presented in other chapters of the ASER, such as the **Environmental Radiological Protection Program and Dose Assessment** and **Environmental Non-Radiological Program** chapters. References should be made to other chapters of the ASER, as appropriate, to minimize redundancy.

Monitoring data should indicate whether environmental releases and associated environmental impacts have improved, regressed, or remained the same over time. Trending data over a minimum of five years, the current year and the previous four years, is recommended for environmental media, such as air, surface water, groundwater, soils, and biota.

A summary table indicating the regulator and regulation requirement, a brief description of the regulatory program, the site's compliance status, and the ASER chapter or sections that provide further discussion could be included here (see *Attachment V: Compliance Summary Table*, for examples from the Brookhaven National Laboratory [BNL], National Renewable Energy Laboratory [NREL], Princeton Plasma Physics Laboratory [PPPL], and West Valley Demonstration Project [WVDP]).

2.3.1 Compliance Status

The compliance status with respect to applicable major environmental statutes, DOE Directives, and Executive Orders should be discussed, including, but not limited to those noted below.

2.3.1.1 Environmental Restoration and Waste Management

- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)
- Superfund Amendments and Reauthorization Act (SARA)
- Resource Conservation and Recovery Act (RCRA)
- Federal Facilities Compliance Act (FFCA)
- National Environmental Policy Act (NEPA)
- Toxic Substances Control Act (TSCA)
- Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)

2.3.1.2 Radiation Protection

2.3.1.2.1 DOE O 458.1, Radiation Protection of the Public and the Environment, Chg 4, 2020

DOE O 458.1 establishes requirements to protect the public and the environment against undue risk from radiation associated with radiological activities conducted under the control of DOE pursuant to the AEA of 1954, as amended. The objectives of this Order are to conduct DOE radiological activities so that exposure to members of the public is maintained within the dose limits established in the Order; to control the radiological clearance of DOE real and personal property and to ensure that potential radiation exposures to members of the public are as low as is reasonably achievable (ALARA). The Order also ensures that DOE sites have the capabilities, consistent with the types of radiological activities conducted, to monitor routine and non-routine radiological releases, and to assess the radiation dose to members of the public, as well as to provide protection of the environment from the effects of radiation and radioactive material.

2.3.1.2.2 DOE O 435.1 *Radioactive Waste Management*

This section should briefly summarize site progress in achieving compliance with DOE O 435.1 and the associated DOE Manual (M) 435.1 Chg 3, [*Radioactive Waste Management Manual \(January 2021\)*](#). At a minimum, information on the wastes that are managed at the site (e.g., high level, low level, or transuranic waste) and what type of waste management the site is performing (e.g., generation, treatment, storage, disposal) should be included. For those sites that are authorized to manage a low-level waste (LLW) facility, there should be a table or a listing of the status of each phase of the LLW management process (e.g., performance assessment [PA], composite analysis [CA], closure plan, PA/CA maintenance program, and disposal authorization statement [DAS]), and a narrative description of the site LLW management program. Discussion of radioactive waste management activities can be included in the **Environmental Radiological Protection Program and Dose Assessment** section of the 2024 ASER.

Note: Management of byproduct material, defined in Section 11e.(2) of the AEA, solid or liquid tailings or wastes produced by the extraction or concentration of uranium from any ore processed and naturally occurring radioactive material (NORM) is conducted under the provisions of DOE O 458.1, except where such material meets the conditions set forth in DOE M 435.1 to allow disposal in an authorized LLW disposal site.

Identification of the commercial treatment, storage, and disposal facilities (TSDFs) contracted to receive DOE waste from the site should be identified. Use of an annual DOE Consolidated Audit Program (DOECAP) audit is often used in the determination by the Field Element Manager for their annual acceptability review of the commercial TSDF facility. This section should also list whether participation in DOECAP (or similar audits) is included in each commercial TSDF contract.

2.3.1.2.3 Atomic Energy Act of 1954 (AEA)

When reporting on AEA requirements, sites should describe how they comply with the provisions in DOE O 458.1 for the management, storage, and disposal of 11e.(2) byproduct material, as defined in Section 11e.(2) of the AEA, and other wastes containing uranium, thorium, and their decay products, which are not subject to the requirements of 40 CFR Part 192, *Health and Environmental Protection Standards for Uranium and Thorium Mill Tailings*. Furthermore, byproduct material that does not come from commercial and research facilities licensed by the Nuclear Regulatory Commission (NRC) or is not disposed of at DOE LLW disposal facilities must be managed in accordance with the requirements of DOE O 458.1 to protect the public from radiological airborne effluents.

2.3.1.3 Air Quality and Protection

2.3.1.3.1 Clean Air Act (CAA)

The CAA of 1970 (42 U.S.C. §7401 et seq.) is the comprehensive federal law that regulates air emissions from stationary and mobile sources. This section should include a discussion of the compliance status of site air emissions, including regulated pollutants and hazardous air pollutants. This section should generally summarize air permit exceedances, NOV, other air quality non-compliances, and any CAA compliance agreements in place at the site. Any major

events that occurred at the site in CY 2024 pertaining to CAA compliance should be specifically discussed. The section should also address whether a major source of air pollutants (as defined in 40 CFR Part 70.2) is present at the site and should include information on those operations for which emissions contribute most substantially to the major source. Conversely, if the site does not have a major source, then this should be explicitly stated.

2.3.1.3.2 National Emission Standards for Hazardous Air Pollutants (NESHAP) 40 CFR Part 61 Subpart H, National Emissions Standards for Emissions of Radionuclides Other Than Radon from Department of Energy Facilities

The 2024 ASERs should summarize efforts to comply with the monitoring and other requirements in NESHAP Subpart H. For example, NESHAP compliance agreement negotiations and other discussions with regulatory agencies or applications for waivers should be noted. If sites are exempted from any requirements, the reasons for the exemptions should be stated.

Detailed reporting and discussion of site radiological Subpart H air emissions and doses should be included in the **Environmental Radiological Protection Program and Dose Assessment** section of the ASER (see *Section 4.0 Environmental Radiological Protection Program and Dose Assessment and Attachment I: Recommended Formats for Radiological Dose and Release Reporting* for additional detail). Issues concerning site compliance status with radionuclide NESHAP and NESHAP-specific radionuclide monitoring, should be discussed in the **Compliance Summary** section or chapter.

Information on Subpart H compliance for DOE sites is reported annually in the NESHAP report for radionuclides required by the EPA and should be in the 2024 ASER report. Guidance for the EPA report, entitled *Guidance for Preparation of 1990 Air Emissions Annual Report under Subpart H, 40 CFR 61.94*, was issued by EPA's Office of Environmental Guidance in January 1991. The information provided in the 2024 ASERs should be consistent with the information reported in the 2024 site NESHAP report for the air emission of radionuclides, to demonstrate compliance with the EPA's Subpart H requirements for 2024. This report may be referenced for more information and any significant differences between the ASER and Subpart H air emissions and estimated doses reported should be clearly explained.

2.3.1.3.3 Hydrofluorocarbon (HFC) Phasedown

As of October 1, 2021, EPA began the implementation of the HFC phasedown requirements of the *American Innovation and Manufacturing* (AIM) Act of 2020 (42 U.S.C. §7675) which seeks to reduce HFC consumption and production to 15% of a 2011-2013 baseline by 2036. As of January 1, 2024, the HFC Phasedown schedule requires a 40% reduction in HFC production and consumption from the baseline (Figure 1). The HFC Phasedown only applies to virgin HFCs that are manufactured or imported.

Phasedown Schedule

The following illustrates the HFC production and consumption phasedown schedule as outlined in the AIM Act.




Figure 1: HFC Phasedown Schedule; Reference: [Final Rule - Phasedown of Hydrofluorocarbons: Establishing the Allowance Allocation and Trading Program under the AIM Act | US EPA](#)

HFCs are greenhouse gases with very high global warming potentials (GWP) and are used as refrigerants, in fire suppression systems, and certain scientific and electrical equipment. For more information regarding EPA's HFC Rule see: [Final Rule - Phasedown of Hydrofluorocarbons: Establishing the Allowance Allocation and Trading Program under the AIM Act | U.S. EPA](#).

EPA regulations will likely increase the cost and decrease the availability of certain HFCs, especially specialty blends and virgin HFC with high GWP. Therefore, DOE programs and sites should begin planning for the HFC phasedown now to preclude potential impacts on operations and/or mission. An [Operating Experience Level 3 \(OE-3\) document, entitled Hydrofluorocarbon \(HFC\) Phasedown](#) was written to raise awareness on this topic.

The 2024 ASER, as appropriate, should include a summary of current HFC uses, replacements, procurement, repositories, and proactive measures taken as a result of the HFC phasedown.

2.3.1.4 Water Quality and Protection

2.3.1.4.1 Clean Water Act (CWA)

The CWA of 1972 (33 U.S.C. §1251 et seq.) created the National Pollutant Discharge Elimination System (NPDES) to protect surface waters by limiting releases of effluents into streams, reservoirs, and wetlands. Sites are encouraged to report NPDES and State Pollutant Discharge Elimination System (SPDES) data in the tabular form below. Sites should identify the permit type, number of regulated⁷ outfalls in use at a facility, the total number of permit exceedances per outfall, the date corresponding to each exceedance, and monitoring parameters and/or constituents. Additionally, the number of samples taken, the number of compliant samples, and the facility's percent compliance for all measured samples should be provided. The exceedances, their causes, and the nature of the corrective actions should be described in summary form. Progress on implementing previous corrective actions should also be addressed.

A summary of all CY 2024 NPDES/SPDES permit exceedances or non-compliances should be provided in the following format.

NPDES/SPDES NONCOMPLIANCES

Permit Type	Outfall	Parameter	# of Permit Exceedances	# of Samples Taken	# of Compliant Samples	Percent Compliance	Date(s) Exceeded	Description/ Solution

Using this tabular format will allow the information to be easily identified and collected from the ASERs in a consistent manner and will enable the development of DOE-wide environmental performance measures and operating experience analyses.

Any analyses or reviews to select Best Available Technology conducted to comply with DOE O 458.1 requirements should be discussed here, if they are not summarized elsewhere in the radiation protection section of the ASER.

2.3.1.4.2 Safe Drinking Water Act (SDWA)

The SDWA of 1974 (42 U.S.C. §300f et seq.) was established to protect the quality and safety of drinking water in the United States and focuses on all waters actually or potentially designed for drinking use, whether from aboveground or underground sources. This law authorizes EPA to establish minimum standards to protect tap water and requires all owners or operators of public water systems to comply with these primary, health-related standards. EPA sets standards for drinking water and oversees the states, localities, and water suppliers who implement those

⁷Note: Radionuclides regulated under the AEA are not subject to CWA requirements. If the site has accepted or is using NPDES or SPDES permit values for radionuclides out of comity, the table in the text should include a footnote to indicate whether there is a formal agreement in place that establishes the basis for their use.

standards. The SDWA was amended in 1986 and 1996 and requires many actions to protect drinking water and its sources – rivers, lakes, reservoirs, springs, and aquifers.

The SDWA requires that each Federal agency operating or maintaining a public water system must comply with all Federal, State, and local requirements regarding safe drinking water. This section should include a description or discussion of the drinking water source(s) and public water systems at the site, source water protection efforts, and the results of any sampling, monitoring, and reporting conducted at the site to demonstrate compliance with this law.

From the *What's New in ASER Reporting* section: In April 2024, EPA announced a new [National Primary Drinking Water Regulation for six PFAS](#). The regulation established legally enforceable Maximum Contaminant Levels (MCLs) for the six PFAS: PFOA, PFOS, PFHxS, PFNA, and HFPO-DA (or C3 Dimer Acid) as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. The regulation includes an initial monitoring period (2024-2027) that will determine future routine compliance monitoring requirements. If available, in this section, sites should report on the results from this initial monitoring period. If sites have conducted other monitoring for PFAS from the source(s) or the finished water from their drinking water systems, this information also should be reported in this section or provide a reference to the location in the ASER where this information can be found.

The [Lead and Copper Rule \(LCR\)](#) applies to [community and non-transient non-community public drinking water systems](#). Sites with these systems should report on their compliance with the LCR requirement to prepare an initial service line inventory that identifies the material of each service line in the drinking water distribution system, which was due October 16, 2024. In October 2024, EPA issued the [Lead and Copper Rule Improvements \(LCRI\)](#) final rule, which updates various aspects of the LCR, including requiring public water systems to replace all lead and galvanized requiring replacement (GRR) service lines within 10 years and setting minimum annual service line replacement rates. If lead or GRR service lines were identified during the inventory process, the site should report on its plans for replacing those service lines. If the inventory included service lines of unknown material, sites should describe their plans to determine the material of those service lines. Of note, the LCRI also lowered the lead action level from 15 µg/L to 10 µg/L. This change may result in additional lead action level exceedances (ALE) as a result of routine compliance monitoring and any ALEs should be noted in this section as well as reported through the DOE Occurrence Reporting and Processing System, as per DOE Order 232.2A at the time of occurrence.

2.3.1.4.3 Stormwater Management

Stormwater management at DOE sites should be discussed in the ASER. Under Section 438 of Energy Independence and Security Act of 2007 (EISA, 42 U.S.C. §17001 et sq.), Federal agencies have requirements to reduce stormwater runoff from Federal development and redevelopment projects to protect water resources. Federal agencies can comply using a variety of stormwater management practices often referred to as "green infrastructure" or "low impact development" practices, including for example, reducing impervious surfaces, using vegetative practices, and installing porous pavements, cisterns and green roofs. In 2009, EPA, in close

coordination with other Federal agencies, developed [Technical Guidance on Implementing the Stormwater Runoff Requirements for Federal Projects under Section 438 of the Energy Independence and Security Act](#) to assist Federal agencies in implementing EISA Section 438. In addition, sites should discuss their EISA and applicable stormwater management practices in this section as well as any CWA or SDWA stormwater permits for the site.

2.3.1.4.4 PFAS and Additional Emerging Contaminants

From the *What's New in 2024 ASER Reporting* section: Federal and State regulatory agencies continue to develop regulatory approaches for PFAS and emerging contaminants, such as PFOS, PFOA, perchlorates, 1,4-dioxane, and other persistent contaminants that may be present at DOE sites.

DOE continues to provide resources and meet required actions per the [PFAS Strategic Roadmap: DOE Commitments to Action 2022-2025 \(August 18, 2022\)](#).

In January 2023, DOE published the [Guide for Investigating Historical and Current Uses of Per- and Polyfluoroalkyl Substances at Department of Energy Sites](#). This guide outlines a framework for DOE programs investigating historic or current PFAS uses at DOE-owned or -operated entities nationwide.

In October 2023, DOE initiated the new PFAS Annual Site Update Survey. This survey meets the required actions specified in Pillar 1 (Actions 1.7 and 1.8) of the [PFAS Strategic Roadmap: DOE Commitments to Action 2022-2025](#). Site submissions are due by the end of January 2024.

Additionally, DOE is encouraging sites to purchase products that do not contain PFAS. To assist sites, the EHSS-21 Sustainable Acquisition team surveyed the market to identify the availability of select products that do not contain PFAS. Those that also meet the sustainability stipulations to qualify for the GreenBuy and GreenSpace Awards were added to the [Priority Products List](#), which is the backbone of these Award Programs to help DOE sites readily identify products with leading and verifiable sustainability attributes. Sites can use this list to help them identify products that do not contain PFAS.

For all DOE publicly available resources on the topic of PFAS, please visit: [PFAS \(Per- and Polyfluoroalkyl Substances\) | Department of Energy](#). In addition, DOE's Office of Sustainable Environmental Stewardship (EHSS-21) maintains the [Emerging Contaminants - PFAS SharePoint site](#)⁸ which serves as a repository of guidance documents and information on PFAS from DOE.

The 2024 ASER, as appropriate, should include a summary of any PFAS and/or other emerging contaminants detected at the site. The summary should include, as appropriate, efforts used to determine their presence (e.g., historical review of records, database searches, locating

⁸ The DOE PFAS and Emerging Contaminants SharePoint site is not available to the public and only accessible to employees of DOE and their contractors.

materials/waste areas, releases [see *Section 5.1 Non-Radiological Environmental Monitoring* for additional information], disposal, analysis of past practices and sources, etc.), analytical methods, any associated regulatory developments, and/or recent discussions held with EPA, State regulators, or stakeholders/interested parties regarding emerging contaminants detected, progress toward setting related cleanup standards, and potential remediation technologies being considered.

2.3.1.5 Other Environmental Statutes and Executive Orders

This section may be used to report on activities related to other laws, regulations, and E.O.s not addressed elsewhere, including, but not limited to the following:

2.3.1.5.1 Endangered Species Act (ESA)

The ESA of 1973 (16 U.S.C. §1531 et seq.) protects Federally listed threatened and endangered species and their habitats from “take” and ensures that Federal actions do not jeopardize the continued existence of a listed species or result in the destruction or adverse modification of designated critical habitat.⁹ If any aspect of a DOE action may affect a listed species or designated critical habitat, consultation with the U.S. Fish and Wildlife Service (USFWS) and/or the National Oceanic and Atmospheric Administration – National Marine Fisheries Service is required, usually resulting in either a Letter of Concurrence (LOC) or a Biological Opinion (BO). This section should include, as appropriate, a list of the species managed, a description or discussion of activities conducted at the site to comply with this law, with the site’s BO, and to protect endangered or threatened species and their critical habitat. Include a statement of the maximum “take” allowed for each threatened or endangered species, and the “take” for each species that occurred during the year. Include discussions of monitoring or other research done in support of threatened or endangered species management at the site.

2.3.1.5.2 E.O. 13751 *Safeguarding the Nation from the Impacts of Invasive Species* (December 5, 2016)

E.O. 13751, which amended E.O. 13112 *Invasive Species* (February 3, 1999), calls on Federal agencies to prevent the introduction, establishment, and spread of invasive species, as well as to eradicate and control populations of invasive species that are established. This section should include, as appropriate, a description or discussion of which invasive species are present at the site and what types of activities are being conducted to address them to comply with this E.O.

2.3.1.5.3 National Historic Preservation Act (NHPA)

The NHPA of 1966 (54 U.S.C. §100101 formerly 16 U.S.C. §470, as amended), requires Federal agencies to establish programs to identify, record, and protect cultural resources and to assess the

⁹ The term “take” means to harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct. The term “critical habitat” means the specific areas within the geographical area occupied by the species on which are found those physical or biological features essential to the conservation of the species and which may require special management considerations or protection; and specific areas outside the geographical area occupied by the species that are essential for the conservation of the species. (excerpted from the Endangered Species Act of 1973)..

impact of proposed projects on historic or culturally important sites, structures, or objects within the area of potential effect for a proposed project. The NHPA further requires Federal agencies to assess all archaeological sites, historic buildings, and objects on such sites to determine qualification for inclusion in the National Register of Historic Places (NRHP). In addition, the NHPA requires Federal agencies to consult with State Historic Preservation Offices and the Federal Advisory Council on Historic Preservation, as appropriate, when determining if proposed actions would adversely affect properties eligible for listing on the NRHP. This section of the ASER should include a description or discussion of the site's Cultural Resources Management Plan, cultural resources review process, monitoring efforts, or other activities conducted at the site to comply with this law, including any assessments and/or surveys conducted to protect cultural resources.

2.3.1.5.4 Migratory Bird Treaty Act (MBTA)

The MBTA of 1918 (16 U.S.C. 703-712) and its amendments implement four international conservation treaties and is intended to ensure the sustainability of populations of all protected migratory bird species.

During 2023, DOE, the USFWS, and the National Nuclear Security Administration (NNSA) authored and signed an [Addendum to the Memorandum of Understanding on Migratory Birds](#) between the agencies. The MOU had expired in 2018 and the Addendum allowed the extension of the MOU as currently written, while the agencies work together to evaluate the MOU to ensure that it still meets the stated purpose, scope, and responsibilities identified in Executive Order 13186, *Responsibilities of Federal Agencies to Protect Migratory Birds* (66 FR 3853, 2001). DOE also wants to ensure that it meets agency needs related to MBTA.

The MOU and E.O. 13186 commit DOE to take certain actions to implement the MBTA. This section should include a description or discussion of activities conducted at the site to protect or promote migratory birds, especially public outreach efforts conducted to involve the community. The sites should include separate statements on intentional and unintentional take of migratory birds. For intentional take, report the number of migratory birds of each species intentionally taken during the conduct of any program, activity, or action, including, but not limited to banding, other marking, scientific collection, taxidermy, and depredation control. Information on unintentional take can focus more on efforts to mitigate observed losses and related interaction with offices of the USFWS.

2.3.1.5.5 Emergency Planning and Community Right-to-Know Act (EPCRA)

EPCRA (42 U.S.C. §11001 et seq.), also known as Title III of SARA require Federal facilities that use, produce, or store extremely hazardous substances, hazardous substances, hazardous chemicals, and/or toxic chemicals in quantities that exceed specific thresholds to report these inventories and planned or accidental environmental releases to Federal, State, and local emergency planning authorities. This information should include responses to emergency situations involving these materials.

The ASER should include summary information on the site-specific chemical inventory (EPCRA Tier II reporting) and toxic release inventory (TRI) and should reference the site submission to

the EPA. Sites should report on activities that result in the reduction in the acquisition, use or release, and reporting of toxic chemicals.

Those EPCRA reporting requirements that were completed or will be completed for CY 2024 should be indicated and discussed in this section. If the site reported under the provision, indicate “yes.” If the site should have reported under the provision, but did not, indicate “no.” If the site was not required to report under a provision (i.e., did not meet thresholds for any materials, did not have an extremely hazardous substance release), indicate “not required.” The following short table is provided to assist DOE sites in presenting this information.

Status of EPCRA Reporting

<i>EPCRA Section</i>	<i>Description of Reporting</i>	<i>Status*</i>
EPCRA Sec. 302-303	Planning Notification	
EPCRA Sec. 304	EHS or HS Release Notification**	
EPCRA Sec. 311-312	SDS/Hazardous Chemical Inventory***	
EPCRA Sec. 313	TRI Reporting	

* An entry of “yes,” “no,” or “not required” is sufficient for “Status.”

** Extremely Hazardous Substance or Hazardous Substance

*** Safety Data Sheet

2.3.1.5.6 E.O. 11988, *Floodplain Management* (May 24, 1977)

E.O. 11988 requires Federal agencies to consider, evaluate, and avoid, to the extent possible, adverse impacts associated with the occupancy and modification of floodplains, to reduce the risk of flood loss, to minimize the impact of floods on human safety, health, and welfare, and to restore and preserve the natural and beneficial values of floodplains. DOE implements E.O. 11988 and E.O. 11990, in part, through its regulations on *Compliance with Floodplain and Wetland Environmental Review Requirements* (10 CFR Part 1022). This section should include, as appropriate, a description or discussion of activities conducted at the site to protect floodplains, to develop or apply approaches consistent with the FFRMS to consider higher elevation floods, to use nature-based approaches to floodplain management, and to otherwise comply with this E.O.

2.3.1.5.7 E.O. 11990, *Protection of Wetlands* (May 24, 1977)

E.O. 11990 requires Federal agencies to identify potential impacts on wetlands resulting from proposed activities and to minimize the destruction, loss, or degradation of wetlands and preserve and enhance the natural and beneficial values of wetlands. DOE implements E.O. 11988 and E.O. 11990, in part, through its regulations on *Compliance with Floodplain and Wetland Environmental Review Requirements* (10 CFR Part 1022). This section should include, as appropriate, a description or discussion of activities conducted at the site to protect wetlands and comply with this E.O.

Any other major statutes or E.O. s applicable to the site should also be included in the **Compliance Summary** chapter. If a major statute is not applicable, it should be listed with the notation, “Not Applicable,” along with a short explanation as to why it is not applicable.

2.3.2 Other Major Environmental Issues and Accomplishments

This section should identify other significant issues and accomplishments for CY 2024. For example, issues such as lawsuits, NOV s, alleged violations, environmental occurrences, non-routine releases, unresolved compliance issues, and NEPA actions not previously presented should be addressed.

Summaries of DOE environmental audits (e.g., DOECAP audits, EMS audits), progress assessments, DOE program or contractor self-assessments or program appraisal findings and follow-up actions should be provided in this section. Publicly available documents that can be referenced for additional information should be cited. Recent DOE environmental initiatives, accomplishments, best practices, and lessons learned that may merit reporting or discussion in the ASER include information from the following topics.

2.3.2.1 Natural Resources Conservation Programs and Projects

Federal policies that were in place in 2024 encouraged agencies to deploy nature-based solutions, promote habitat connectivity, and otherwise preserve or restore ecosystem functions. Agencies were also encouraged to seek opportunities to partner with other federal agencies, state, local and Tribal governments to implement priority conservation programs and projects.

This section should include a summary of the site efforts aligned with the above. Summaries may describe new projects or programs, or notable progress made on existing ones. Sites may describe how their efforts will preserve or restore healthy ecosystems and habitat and/or deploy nature-based solutions. Sites may also describe efforts where site personnel consulted or collaborated with federal, state, local or Tribal governments or other organizations on shared conservation priorities, including participation or support of related scientific research.

There may be additional interdependencies or cross-referencing opportunities with other chapters associated with biological monitoring, natural resource conservation-related elements of EMS, endangered species, invasive species, and migratory bird protections, as appropriate.

2.3.2.2 Sustainable Resilient Remediation (SRR)

SRR (formerly Green and Sustainable Remediation, or GSR) is the abatement, cleanup, or use of methods to contain, remove, or destroy contaminants while seeking to minimize the environmental, economic, and social costs of the remediation. SRR also offers opportunities to meet compliance obligations at lower overall cost and environmental impact.

DOE sites incorporating SRR practices during any aspect of remedial cleanup or closure activities under RCRA or CERCLA, should include a discussion of the activity in this section of the ASER. If possible, the positive impact of incorporating those SRR practices (i.e., reduced greenhouse gases by 500 metric tons of carbon dioxide equivalent) should be included. SRR resources are available at the [ITRC web page](#) and [EPA web page](#).

2.3.2.3 Site Resilience

Resilience is the ability to prepare for and to withstand an extreme event, with little or no damage, or to recover more quickly from an extreme event. Like many Federal agencies, the DOE is faced with the challenge of strengthening its resilience to a growing number of natural hazards. Making sites more resilient means making them capable of withstanding potentially more frequent and severe hazards and enabling them to quickly return to normal operations. DOE sites should report and discuss their 2024 resilience adaptation activities, in this section of the ASER consistent with information included in the *Organizational Resilience* section of their SSP.

2.3.3 Continuous Release Reporting

Continuous Release Reporting under CERCLA, Section 103, requires that a non-permitted hazardous substance released in a quantity that is equal to or greater than its reportable quantity be reported to the National Response Center (55 Federal Register [FR] 30166, July 24, 1990). CERCLA Section 103(f) allows for modified reporting of releases of hazardous substances that meet certain criteria. The EPA requires all facilities that release a hazardous substance meeting the above requirement to report annually to EPA. The regulations include a requirement for an annual evaluation of releases. Summaries of this evaluation should be included in the ASER. Continuous release reporting not characterized or discussed in the **Unplanned Releases** section should be reported separately in this section.

2.3.4 Unplanned Releases

Summary information on unplanned, non-routine releases of pollutants or hazardous substances, including causes and corrective actions taken to prevent their recurrence, should be discussed here, especially as they pertain to facility operations, waste handling programs, and emergency response programs. The 2024 ASERs should discuss unplanned radiological and non-radiological releases (e.g., PFAS-containing substances) in effluents and air emissions, whether on-site or off-site. This discussion should include releases that are reportable occurrences under DOE O 232.2A and DOE O 231.1B. Releases reported to the Headquarters Emergency Operations Center and releases reported to the Coast Guard National Response Center should be summarized. The protective action recommendations implemented, if applicable, to mitigate the effects of the occurrences should also be discussed.

Consistent with the section regarding **Unplanned Radiological Releases**, this section of the ASER should also clearly state the basis for any estimates regarding the magnitude of potential impacts of releases in terms that the non-technical reader can easily understand.

Regulatory guidance which indicates how unplanned releases should be included in the ASER can be found in DOE O 231.1B and DOE O 458.1. DOE 231.1B Attachment 2, *Reporting Annual Site Environmental Information*, states the following contributors to environmental management performance must be documented in the ASER: effluent releases and types of quantities of radioactive materials emitted or discharged to the environment; doses to members of the public from exposure to radiation sources identified under DOE O 458.1; and a summary

of environmental occurrences and responses. Each of these categories of data would include planned and unplanned releases.

Sites can document this information in a table or discussion that includes the date each release occurred, the amount of material released, an explanation of the release, and corrective actions taken. Generalized statements such as “no significant off-site effects occurred” or “doses were small” should be avoided. If such descriptors are necessary, release information should be compared to known values; for example, small relative to applicable dose limits or to doses received from natural background at the site or in the United States (include the numerical value for this dose). Statements indicating concentrations are below detectable levels may also be acceptable when the ASER contains general information on detectable concentrations. This approach ensures that the ASER clearly states the bases for any scientific judgments regarding the magnitude of potential impacts of releases in terms that the non-technical reader can easily understand.

Monitoring data should indicate whether environmental releases and associated environmental impacts have improved, regressed, or remained the same over time. Trending data over a minimum of five years, the current year and the previous four years, is recommended for environmental media, such as air, surface water, groundwater, soils, and biota.

2.3.5 Summary of Permits

This section should provide a table of the numbers and types of environmental permits in effect for the operating facilities at the site.

3.0 ENVIRONMENTAL MANAGEMENT SYSTEM

This section should include a summary of the defined EMS scope, objectives, performance and evaluation, and site implementation experiences, consistent with the recommendations below. DOE sites that maintain this EMS information on a publicly available website may refer readers to their website and provide highlights in this section in lieu of repeating this information in their 2024 ASER.

This section should also provide a brief description of the EMS framework used for determining conformance (i.e., International Organization for Standardization [ISO] 14001); when the EMS was last audited to that framework; and if applicable, the date of certification to that framework.

A summary table indicating the EMS objectives, along with the status of the site’s progress toward meeting these objectives, should be included here. (See *Attachment V: Environmental Management Systems and EMS Summary Table* examples for Argonne National Laboratory [ANL], BNL, Lawrence Berkeley National Laboratory [LBNL], LLNL, NNSS, PPPL, Sandia National Laboratory [SNL]-Albuquerque, SNL-California, and SRS.)

The 2024 ASERs should include a discussion which qualitatively describes the status of the site’s EMS performance during CY 2024. Sites should list what they determined to be the significant environmental aspects of their operations in 2024 that have the potential to impact the

environment, both adverse and beneficial. A summary of the site's 2024 EMS compliance report submitted via the [Department of Energy Environmental Management System Site Information Database](#) (login required) may be included along with the red, yellow, or green score received based on the EMS metrics listed below.

- Activities, products and services and their associated environmental aspects were evaluated for significance. The results of the analysis were documented and any necessary changes were made or are scheduled to be made.
- Documented, measurable environmental objectives are in place at relevant functions and levels.
- Operational controls associated with identified significant environmental aspects are established, implemented, controlled, and maintained in accordance with operating criteria.
- An environmental compliance audit program was in place, audits were completed according to schedule, audit findings were documented, and corrective and preventative actions were defined/documented and on schedule for completion by an established date.
- Sustainability goals are addressed in the EMS, as applicable.

To the extent possible, sites should also describe the effectiveness of the EMS since its inception at the site. This should encompass the elements listed below.

- The benefit of the EMS on the facility or organization, including 1) reduced risk to facility/organizational mission; 2) improved fiscal efficiency and/or cost avoidance; 3) greater understanding and recognition of environmental issues at all levels of the organization; 4) empowerment of individuals to contribute to the betterment of the organization's environmental footprint; 5) integration of environment into organizational culture and operations; 6) integration of environment into real property asset management; 7) improved community relations; 8) improved effectiveness in overall mission; and 9) improved cooperative conservation with other groups.
- The impact of the EMS on the environment and environmental issues, including 1) improved overall compliance management; 2) personnel health and safety; 3) pollution prevention; 4) improved air and water quality; 5) improved hazardous material, hazardous waste, and solid waste management; 6) improved conservation of water, natural resources, energy in facilities, fuel in vehicles; and 7) reduced number of permits needed to operate.
- A summary of key EMS best practices and lessons learned in 2024. Detailed information on best practices shared with other sites should be documented in section 3.3, *Environmental Operating Experience*.
- Any key EMS challenges or barriers to EMS implementation, including plans for resolution where appropriate, in 2024.

3.1 Environmental Protection Programs, including Training and Community Outreach and Performance Measurement

Other significant environmental protection programs associated with the EMS, such as site meteorology, monitoring and surveillance, groundwater protection and monitoring, environmental restoration and waste management, and effluent monitoring should also be described here.

Special environmental studies conducted, or in progress, at a particular site should be discussed here. Sites should highlight significant environmental performance indicators and/or performance measures that reflect the size and extent of programs at the site.

This section should briefly describe major environmental programs and initiatives (e.g., efforts to improve water quality through collaborative approaches to watershed management) with States, Tribes, local communities and governments, industry, other Federal agencies and interested stakeholders, as appropriate.

Additionally, pertinent information may be presented on other significant environmental activities at the site (e.g., environmental training programs) that are not adequately covered in other sections.

Redundancy with information presented in the **Compliance Summary, Environmental Radiological Monitoring, Non-Radiological Environmental Monitoring**, and other sections of the ASER should be avoided.

3.1.1 Site Sustainability Plan Progress

This section should include the energy and environmental sustainability information required to be reported per the Fiscal Year 2024 Site Sustainability Plan (SSP) Instructions published by the DOE Sustainability Performance Office. Although not required, DOE sites should consider discussing their performance reported in their 2024 SSP in their 2024 ASER. DOE sites may also choose to summarize, directly reference, or include information from their SSP or other existing reporting documents or systems, into their ASERs. Sites should also include the site's progress via the measurable environmental objectives identified in their EMS for 2024. This discussion may include specific objectives applicable to operations conducted at the site, the results in achieving those objectives, a comparison of recent years' performance, and objectives planned for the future. Redundancy with information presented in the **Compliance Summary** and other sections of the ASER should be avoided.

3.2 Environmental Operating Experience

The sharing and proactive use of environmental operating experience is integral to an EMS and its goals of continuous improvement. The Department provides tools and sets requirements for sharing operating experience and related best practices and lessons learned through DOE O 210.2A, [DOE Corporate Operating Experience Program \(April 2011\)](#). Local/site operating experience that can benefit other sites are shared complex-wide through DOE OPEXShare to enable use by other sites for operational improvement and reduction of environmental risks.

They can also be shared via internal DOE community of practices or working groups, videos, reports, conferences. While the identification and sharing of operating experience are key initiating steps in the process, the ultimate goal is the use and incorporation of those lessons into a site's environmental programs and practices to drive continuous improvement and mission success.

This section should also be used to demonstrate a site's commitment to continuous improvement. Sites are encouraged to use this section to describe how they've implemented best practices to achieve continuous improvement. If this information is covered in different part of the ASER, these sections should be referenced here. If appropriate, sites can note cases where they applied operating experience from other DOE sites or external organization to address local challenges and/or improve their environmental programs. For example, sites could highlight environmental operating experiences that were shared with others; highlight how lessons from other organizations were incorporated into their site environmental operations; reference the number and/or topics of any environmental best practices, lessons learned, reports, videos, or other media were shared via formal or informal means. The purpose for this section is to highlight ways sites are continually improving their programs.

3.3 Accomplishments, Awards and Recognition

Sites should also highlight and discuss any DOE or other Federal pollution prevention, environmental stewardship, or sustainability accomplishments, including awards or recognition received in CY 2024 (e.g., DOE Sustainability Awards, DOE GreenBuy Awards, DOE Federal Energy Management Program [FEMP] Energy and Water Management Awards), as well as any State or industry-sponsored environmental awards or recognition.

4.0 ENVIRONMENTAL RADIOLOGICAL PROTECTION PROGRAM AND DOSE ASSESSMENT

As required by DOE O 458.1, this section should describe the radiological monitoring program at the site, as well as all assessments for doses to the public and releases to the environment conducted during the year. This information should also address details on the models and assumptions used in performing the dose calculations and any new monitoring data, as appropriate. Consistent data reporting facilitates efforts to compare data from facility to facility and meaningfully aggregate the information. Monitoring data should indicate whether environmental releases and associated environmental impacts have improved, regressed, or remained the same over time. Trending data over a minimum of five years, the current year and the previous four years, is recommended for environmental media, such as air, surface water, groundwater, soils, and biota.

4.1 Radiological Discharges and Doses

The following data should be presented in tabular form in this section.

- The TED to the representative person or to the MEI in units of millirem per year (mrem/y) and parenthetically in SI units of millisievert per year (mSv/yr), and collective dose (Population dose) in units of person-rem and parenthetically SI units (person-Sv) within a year, and total population¹⁰ within 50 miles (80 kilometers)¹¹. An estimated background dose in mrem/yr must also be provided. To estimate the dose to an MEI or to the representative person it is recommended to use the Per Capita Dose coefficient provided in DOE Standard, DOE-STD-1196-2022, *Derived Concentration Technical Standard* (December 2022), Appendix A. This Standard supersedes DOE-STD-1196-2021 and complements DOE O 458.1.
- A comparison of the dose to the representative person or MEI with DOE, EPA or other standards and with the natural background at the site (mrem/yr). Provide the annual dose to the MEI in millirem per year (mrem/y) followed parenthetically by the value in SI units (mSv/yr).
- Radionuclides released to air and water during the year in units of curies (Ci) and becquerels (Bq)¹².
- Totals by radionuclide released and the half-life of each of the radionuclides reported should be given.
- Liquid releases to surface waters and soils.
- Environmental measurements of air, surface water, soil, and foodstuff should be reported in appropriate units.

Doses should be calculated following the requirements and effective standards cited in DOE O 458.1¹³. Where appropriate, the ASER should state that, because the doses are calculated (based on actual radionuclide(s) concentration releases rates at each site) rather than measured, they represent potential or estimated, rather than actual, doses¹⁴. Data should also be presented using scientific notation (e.g., 3.2×10^{-3} for 0.0032), where appropriate and two significant figures

¹⁰ EHSS-22 recommends that the most recent census data be used for air dose modeling within 6 to 9 months of its release or sooner if possible.

¹¹ In certain instances, populations outside of the region of the 50 mi (80 km) radius may be affected by releases to that region. For example, in a predominately agricultural area, more foodstuffs may be grown that are assumed to be consumed by the resident population. In such cases, the difference should be assumed to be consumed outside the region, and the resulting collective (population) dose should be estimated and reported. Similarly, if a major drinking water system is located beyond the 50 mi (80 km) distance, but the input for that system receives the majority of liquid discharging from this site, it should be evaluated. In such situations, the population used to support the calculations should be described.

¹² As appropriate, Ci and GBq may be used. Uranium releases should be reported in terms of both Ci (Bq, or GBq, as appropriate) and grams.

¹³ In particular, the total dose in terms of the dose from external exposures plus the 50-year committed effective dose from intakes of radioactive material should be calculated and reported. Where sites are using more recent dose factors than the ICRP Publications 26/30-based factors, the report should clearly document the source of the dose factors (e.g., Federal Guidance Report No. 13 supplemental CD and DOE-STD-1196-2022).

¹⁴ To demonstrate compliance with standards when sources are extremely small, the dosimetry models and evaluations are sometimes selected to be very conservative and simplistic. When this is the case, it should be so stated, and where possible, a qualitative discussion should be included that describes the level of magnitude of conservatism.

should be used for scientific notations. Data should also indicate whether background correction was done, and the value of the background used.

Attachment I: Recommended Formats for Radiological Dose and Release Reporting in ASERs, provides a recommended format for radiological dose and release reporting. This reporting should list all significant radionuclides present at a site and their actual releases. In the reporting of atmospheric and liquid effluent releases, some radionuclides may not be applicable to certain DOE sites. If this is the case, indicate “NA” in the tables in *Attachment I*. In addition, a statement should be made confirming that all known radionuclides released in significant quantities from the site are documented in the ASER. Please note that the purpose of the format recommended for the tables in *Attachment I* is to simplify the preparation of composite summary reports and is not intended to replace site-specific-based presentations of data. Site-specific examples of recommended reporting formats from the 2017 Hanford, INL, LANL, NNSS, ORR, SRS, Waste Isolation Pilot Plant (WIPP) and WVDP ASERs are referenced in *Attachment V: Radiological Doses and Releases*.

For compliance with the radiological air emission standards in 40 CFR Part 61 Subpart H, the ASERs should report doses in terms of effective dose or effective dose equivalent, calculated using the CAP-88 or other EPA-approved air dispersion model software, and compared to the 10 mrem/yr air emission, EPA’s standard under Subpart H. This section should specifically state the version of CAP-88 used to recognize the associated dose factors based on the International Commission on Radiological Protection (ICRP) Publication 60, *1990 Recommendations of the International Commission on Radiological Protection* (1991), which dose methodologies that used ICRP Publications 26/30, *Recommendations of the ICRP* (1977)/ *Limits for Intakes of Radionuclides by Workers* (1982), (e.g., Federal Guidance Reports [FGR] 13, *Cancer Risk Coefficients for Environmental Exposure to Radionuclides* [September 1999], and 15, *External Exposure to Radionuclides in Air, Water and Soil* [August 2019]). FGR 15 superseded FGR 12, *External Exposure to Radionuclides in Air, Water, and Soil* (September 1993) and dose methods that were used for external dose calculations. FGR 11, *Limiting Values Of Radionuclide Intake And Air Concentration And Dose Conversion Factors For Inhalation, Submersion, And Ingestion* (September 1988), was superseded by FGR 13. Compliance with DOE public dose limits should also be evaluated in terms of TED. Compliance with the emissions limits in Subparts Q and T should be discussed for those facilities subject to the specific requirements in 40 CFR Part 61. If a facility uses another air dispersion model deemed to be more site-specific than CAP-88 to calculate potential dose for compliance with DOE requirements, that information should be included and distinguished from the NESHAP compliance dose.

The representative person, the MEI, or the Per Capita Dose should be selected based on the requirements of DOE O 458.1, paragraph 4.e. This annual individual dose calculation should be an estimate based on a scenario and parameters that approximate an actual situation. The estimate should be reasonable but not likely to underestimate the dose. Calculation of the dose to a person spending 100 percent of his or her time at the fence line is useful for comparison purposes, but it overestimates the dose to the representative person or the MEI and biases comparative analyses. The 2024 ASERs should contain estimates based on realistic situations and should clearly describe the location of critical receptors and the scenarios used to calculate

the estimated doses. For some, sites this estimate will include dose from ingestion of wildlife. See *Section 5.3 Recreational Hunting and Fishing* for details.

For cases in which monitoring data are below minimum detectable levels, those levels should be specified and, as noted in *Section 4.5 Environmental Radiological Monitoring*, should be reported consistent with guidance specified in DOE-HDBK-1216-2015, Chg 1, [Environmental Radiological Effluent Monitoring and Environmental Surveillance \(Reaffirmed 2022\)](#), regarding the use of “Less-Than-Detectable-Values” for statistical analysis and data reporting. The Handbook can be used by all DOE elements, including the NNSA, and their contractors to support implementation of DOE O 458.1.

The text associated with the tables should address the primary contributors (the radionuclides and processes creating them) to the doses and should identify the models and any pertinent assumptions used in estimating the doses, for example:

“The maximum TED for a member of the public was estimated to be 5 mrem (0.05 mSv) from all pathways. This was principally from Cs-137 and Sr-90 airborne emissions from [facility/process] and was calculated using CAP-88.”

If more than one radionuclide is a major contributor to the dose, a pie chart representing the relative contributions would be useful. If the maximum dose through the waterborne pathway and the airborne pathway are to individuals from different communities, then the dose from each community is reported separately for each community.

DOE O 458.1 requires that DOE-approved dose coefficients be used to evaluate doses resulting from DOE radiological activities. The DOE approved dose coefficients can be found within DOE Standard, DOE-STD-1196-2022, published in December 2022. The Derived Concentration Standards (DCS) standard supports the implementation of DOE O 458.1 and was developed taking into consideration the most recent biokinetic and dosimetric information presented by the ICRP. DOE sites should use the dose coefficients for the Reference Person or Per Capita Dose found in the Standard used for reporting as the approved dose coefficients for estimating radiological doses to the public in their ASERs. The report should clearly indicate when alternative dose coefficients are used and the rationale for their use. The 2022 DCS standard is available on [DOE's Standards Page](#).

DOE STD-1196-2022 also provides radionuclide specific external dose rate coefficients and includes Per Capita Dose which is used for DOE reporting. The Per Capita Dose coefficients of the DOE standard are derived from dose coefficients from FGR 15 which provides external dose rate coefficients based on recommendations provided in ICRP Publications 103, *The 2007 Recommendations of the International Commission on Radiological Protection* (2007) and 107, *Nuclear Decay Data for Dosimetric Calculations* (2008).¹⁵ FGR 15 is available at the EPA site

¹⁵ FGR 15 replaced FGR 12, however, FGR 12 is still an appropriate document to use when approved by EHSS-22 to be used as DOE Approved Dose Coefficients. Sites that would like to use FGR 12 should reach out to EHSS-22 for approval.

on [EPA's website](#). For DOE field use, the Per Capita Dose of DOE-STD-1196-2022 is to be applied.

DOE continues to recommend the use of Per Capita Dose (Reference Person Dose) and dose rate coefficients in DOE-STD-1196-2022, to demonstrate compliance with the requirements of DOE O 458.1. The effective dose rate coefficients used to generate the DCS values for air submersion in DOE-STD-1196-2022 (see Table 9) were calculated in the manner of FGR 15 and using information in ICRP Publication 107. The values currently available in the standard remain appropriate to demonstrate compliance with DOE O 458.1.

In summary, DOE O 458.1 requires reporting of collective doses to the public around DOE sites, as well as radiation doses to the representative person or the MEI. Estimates of doses to individuals should include multiple exposure pathways and releases from multiple sources (e.g., point and diffuse), if they contribute to the dose to the same individuals. The collective dose is the sum of the TED to all persons in a specified population received during a specified time period. It can also be expressed as the product of the average dose(s) to a specified population(s) and the number of exposed persons within each population group, if more than one. Maximum potential doses should never be used to calculate the collective dose.

4.2 Clearance of Property Containing Residual Radioactive Material

DOE's radiation protection framework and 100 mrem/year dose limit are applicable to an "all sources and all pathways" policy. In addition to air and water discharges to the environment, the clearance of property (real or personal) containing residual radioactive material is another type of "release" to the environment and is a potential contributor to the estimated dose received by the public. Specific authorized limits are used to govern the radiological clearance of sites, structures, and materials; thus, a summary of authorized limits for clearance of property should be reported. It may be desirable to discuss real property (lands and structures) and personal property (equipment and soils) separately. The information regarding clearance under authorized limits should be summarized. This guidance is not intended to be prescriptive. These recommended reporting elements should be used in a way that best fits the format and style of the ASER for each site.

The ASER should contain a summary of property clearance activities for the site, including 1) the approved authorized limit used for clearance and the basis for its derivation (i.e., dose, ALARA) with the date of approval or effective date, DOE pre-approved surface activity authorized limits, or DOE pre-approved volumetric activity authorized limits; and 2) the type of material or property (i.e., open land, structures, material and equipment, or laboratory waste), the basis for its clearance, and its expected end-use scenario (i.e., disposal, recycle, reuse). If the clearance of property is for recycle or reuse purposes, any discussion of these activities in this section may also be referenced in the pollution prevention/waste minimization section of the ASER.

From the *What's New in 2024 ASER Reporting* section: DOE-STD-1241-2023, provides updated guidance for implementing DOE O 458.1. DOE-STD-1241-2023 assists DOE Field Element Managers and DOE contractors in meeting release and clearance of property

requirements provided in DOE O 458.1 by consolidating all previously published pre-approved Authorized Limits and including newly approved volumetric pre-approved Authorized Limits. The technical standard can be found on [DOE's Standards Page](#).

Where practical, information should be provided on 1) the volume, residual radionuclide concentrations, and total activity of the material; 2) the dose to the MEI from the material being released to the public (authorized limits for personal property less than 1 mrem/yr [0.01 mSv] and real property, below 25 mrem [0.25 mSv]), 3) collective dose estimates; and 4) the estimated cost savings and other benefits from the clearance or a qualitative discussion of the benefits of the clearance program. A brief discussion about any actions taken to implement the improvements to monitoring, documenting, and coordinating clearance recommended in the DOE STD-1241 should be included, as should the locations or methods by which interested parties could obtain more detailed data on clearance (e.g., reading rooms, records centers, or other locations where certification and clearance data are publicly available). It is also recommended that DOE property clearance information be made available at surplus property sales locations and on surplus property websites.

Requirements for the development and approval of authorized limits are contained in DOE O 458.1. Guidance on the development and approval of authorized limits is provided in several supporting DOE radiation protection guidance documents and are available online on the [EHSS Policies, Standards, Guidance, and Statutes page](#). For more specific information on surface and volumetric pre-approved Authorized Limits guidance go to [DOE's Standards Page](#).

4.3 Addressing Radiation Protection of Biota in ASERs

4.3.1 Dose Rate Limits for Protection of Biota and Methods for Demonstrating Compliance

As part of integrating EMSs into a site's integrated safety management system, DOE elements must, as applicable, consider protection of biota. Both aquatic and terrestrial evaluations should be conducted. DOE O 458.1 requires the protection of populations of aquatic animals, terrestrial plants, and terrestrial animals in local ecosystems from adverse effects due to radiation and radioactive material released from DOE operations. DOE O 458.1 also provides a graded (tiered) approach to evaluating biota protection. The DOE Technical Standard, DOE-STD-1153-2019, [A Graded Approach for Evaluating Radiation Doses to Aquatic and Terrestrial Biota \(February 2019\)](#), is available for use in evaluating and reporting compliance with the biota protection requirements of DOE O 458.1.

4.3.2 The RESRAD-BIOTA Code as a Tool for Evaluating Doses to Biota

The RESRAD-BIOTA Code provides a complete spectrum of biota dose evaluation capabilities, from general screening to comprehensive receptor-specific dose estimation. The Code was principally sponsored and developed by DOE, with support from the EPA and NRC. The Code was released in September 2003; a User's Guide was published in January 2004. The RESRAD-BIOTA Code was designed to be consistent with the DOE graded approach to biota and the method's Biota Concentration Guides. The RESRAD-BIOTA Code is recommended as the preferred companion software tool to DOE-STD-1153-2019 for demonstrating protection of biota in the ASER.

DOE-STD-1153-2019, the RESRAD-BIOTA Code, and the RESRAD-BIOTA Code User's Guide (DOE/EH-0676; ISCORS Report 2004-02) are available on the [RESRAD website](#). Refer to *Attachment II: Addressing Radiation Protection of Biota in ASERs* and *Attachment V: Biota Dose Evaluations*, for specific details and site-specific examples from the INL, Pantex and WVDP biota dose evaluation summaries for demonstrating and reporting compliance with dose limits for biota in the ASER. If alternative approaches to the Standard are used to demonstrate protection of biota consistent with DOE O 458.1 paragraph 4.j.(2), this section should summarize the approach used and the results.

4.4 Unplanned Radiological Releases

DOE's radiation protection framework and 100 mrem/year (1 mSv/year) dose limit are applicable to an "all sources and all pathways" policy¹⁶. DOE O 458.1 refers to all emissions in the annual dose determination, routine, and non-routine emissions, that would impact members of the public subject to the 100 mrem/y (1 mSv/year) standard. Sites can find information on unplanned releases in DOE O 458.1 section 4.d.3¹⁷, with use of the term non-routine radiological event; section 4.g¹⁸; and section 5.b.5¹⁹. Additionally, sites can find information in Attachment 1 of DOE O 458.1. Please note the Order does not provide a specific definition of unplanned releases, but relevant definitions for MEI and public dose should be used for guidance. This information is required in the ASER per DOE O 231.1B and DOE O 458.1.

Doses associated with unplanned releases should be consistent with the section regarding **Radiological Discharges and Doses**, and clearly state the basis for any estimates regarding the magnitude of potential impacts of unplanned releases. A discussion should be provided that includes the date the release(s) occurred, the amount of material released, an explanation of the release, and corrective actions taken. In the case where releases are insignificant with respect to normal release-related doses (i.e., a few percent or less), they should be reported as such. If they exceed appropriate limits, this should also be noted and provide the process and corrections needed to address the excess dose limits.

Within the 2024 ASER, sites should utilize the following language to document if there were no unplanned releases at the site during the reporting period:

¹⁶ Estimate of public dose limits required by DOE O 458.1 do not apply to dose from radon or its decay products in the air, background radiation dose, occupational dose, medical and accident exposures.

¹⁷ 4.d.3 - The ALARA process must be applied to all routine radiological activities. To develop an ALARA process, use guidance provided in DOE Handbook DOE-HDBK-1215-2014, Chg 1, *Optimizing Radiation of the Public and the Environment for use with DOE O 458.1, ALARA Requirements* (October 2014), Reaffirmed 2022. Though not applicable to non-routine radiological events (for example: accidental, unplanned, or inadvertent releases or exposures), the ALARA process is applicable during recovery and remediation activities associated with a non-routine event.

¹⁸ Characterize planned and unplanned releases of liquids containing radionuclides from DOE activities, consistent with the potential for on- and off-site impacts and provide an assessment of radiological consequences as necessary to demonstrate compliance with the requirements of this Order.

¹⁹ Ensure that appropriate capabilities are maintained for monitoring and assessing routine and unplanned releases of radioactive materials, consistent with the types of radioactive materials released, release modes, and radiological activities conducted.

- There were no unplanned releases in 2024;
- There were no unplanned releases of radionuclides during 2024; and
- There were no unplanned radiological airborne releases during 2024.

Since sites submit 40 CFR Part 61 Subpart H compliance reports prior to the site ASER publication, any Subpart H reporting of unplanned releases should be included in ASER publications.²⁰ In instances where Subpart H reporting is conservative and releases and impacts are exceedingly low relative to routine emissions and doses, the ASER discussion of the unplanned release may not necessarily include all event details. Acknowledgement of a reported unplanned release should be consistent between the two environmental compliance documents.

4.5 Environmental Radiological Monitoring

Facilities are requested to provide information on the models and the assumptions used in estimating the data so that data can be consistently and usefully aggregated. The “background” radiation levels used for comparison with off-site monitoring results, and the locations at which the background levels were measured, should be clearly stated. Summaries or tables of measured concentrations or activity should follow the guidance in section 8.5.2 (pages 143-145) of DOE-HDBK-1216-2015, Chg.1, *Environmental Radiological Effluent Monitoring and Environmental Surveillance* (March 2015), Reaffirmed 2022, regarding the use of “Less-Than-Detectable-Values” for statistical analysis and data reporting.

5.0 ENVIRONMENTAL NON-RADIOLOGICAL PROGRAM INFORMATION

This section discusses the inclusion and display of non-radiological environmental monitoring information in ASERs and other environmental programs and initiatives applicable to DOE sites.

5.1 Non-Radiological Environmental Monitoring

Non-radiological monitoring data should be included to provide a comprehensive summary of the environmental impacts associated with DOE site operations and the environmental monitoring efforts underway at DOE sites. When reporting non-radiological monitoring data, detection limits should be specified, where appropriate. Examples of the types of information that should be included and discussed in this section, if the data are available, are described below. Monitoring data should indicate whether environmental releases and associated environmental impacts have improved, regressed, or remained the same over time. Trending

²⁰ 40 CFR Part 61 Subpart H was written for point source emissions under routine operations. 40 CFR Part 61 Subpart A in 61.13 does mention “force majeure” which relates to source testing requirements and in 61.13(3) and (4) there are written notification requirements and deadlines. Additionally, the 1995 DOE/EPA MOU covers issues related to 40 CFR 61 Subparts H, I, Q, and T and in section 6b of the MOU, under “Reporting requirements-Subpart H”, minor release points (impact of <0.1 mrem/yr) are discussed as well as in 40 CFR 61.96(b) referring to <1% of the standard prescribed in 40 CFR 61.92. These discussions imply that minor release points and unplanned releases are to be included in the NESHAP reporting and listed in the annual report following 40 CFR 61.94(b)(4).

data over a minimum of five years, the current year and the previous four years, is recommended for environmental media, such as air, surface water, groundwater, soils, and biota.

Graphical displays of non-radioactive emissions, including any discharges to air, surface water, soils, and groundwater, should be used in demonstrating compliance with applicable permit limits. For example, graphs can show that, when a permit contains both daily and annual release limits, exceeding the daily limit may not necessarily constitute a compliance problem with respect to the annual limit.

Monitoring data related to non-radiological gaseous or liquid emissions for which there are applicable standards or other meaningful bases for interpreting the results should also be included in this section.

The Federal and State regulatory limits applicable to site emissions should also be described. Where appropriate, interpretation should be made of how the environmental pollutant discharge levels (resulting from site operations) compared to relevant parameters, such as background levels and applicable effluent or environmental standards.

5.2 Fire Protection Management and Planning

Due to wildfires potentially affecting DOE property and impacting certain operational activities, this section should discuss any annual fire management planning actions. Certain DOE field sites, such as LANL and INL, have initiated prescribed (controlled) fire burns on select portions of DOE property and other related fire suppression actions to reduce ground fuel levels. These controlled burns serve to provide further protection to workers, site facilities, and local communities adjacent to DOE sites. Other sites have started select forest harvesting practices and clearing of fire break zones as further protective actions to minimize or eliminate wildfire damage.

5.3 Recreational Hunting and Fishing

Recreational hunting and fishing opportunities by the public are allowed during open seasons at certain DOE sites to control wildlife populations and provide opportunities for hunters and fishermen in a controlled setting. This section should discuss which wildlife species can be hunted (e.g., deer, elk, feral pigs, and waterfowl), the duration of the hunting season, number of permits issued, and the “kill” or “take” numbers documented during a given hunting season. The allowance of fishing activities, the duration of fishing season and species populations that inhabit DOE property rivers/streams should also be discussed. Sites that calculate maximum potential dose from ingestion of wildlife (animal or fish) caught on or near the site should clearly state which pathways are summed as part of the reported dose to the representative person or to the MEI. The calculations of dose should be presented in the **Radiological Dose Assessment** section of the ASER.

6.0 GROUNDWATER PROTECTION PROGRAM

This section should provide a brief description of site hydrological conditions, including cross-sections of subsurface conditions at the site. Reference to additional technical documents detailing the hydrological conditions, including groundwater flow and potential receptors, should also be provided in this section. Additionally, this section should include a summary of PFAS and/or other emerging contaminants detected due to Aqueous Film Forming Foam (AFFF) use or operational processes. Details such as efforts conducted to determine the presence of contaminants (i.e., historical review of records, database searches, locating materials/waste areas, analysis of past practices and sources, etc.), analytical methods used for environmental samples, any associated regulatory developments, and/or recent discussions held with EPA or State regulators on the topic should also be described. Similarly, any notable discussions with local officials or community representatives may be useful to summarize.

Groundwater monitoring and public drinking water protection continue to receive emphasis at EPA and within DOE. This section should include data on facility up-gradient and down-gradient wells at RCRA hazardous waste units, DOE Radioactive Waste Management Units, RCRA or CERCLA remediation sites, and identified compliance points (i.e., points at which regulatory standards apply) to effectively track groundwater plume movement. Groundwater monitoring wells operated for other purposes should also be included. These monitoring wells would include subsurface or aquifer characterization wells (used for environmental surveillance), environmental radiological program monitoring wells, or wells operated for detection monitoring at non-RCRA and non-CERCLA facilities at the site.

To make the ASERs more meaningful, trends in the groundwater data over time should be included. Each site should prepare tables to indicate trends in groundwater plume movement over a five-year period, the current year and the previous four years, at a minimum. Data should be displayed graphically or presented as basic statistics (such as median values and ranges) for contaminants commonly detected at the site. The real or potential impact of groundwater plume and contaminant movement on public drinking water supplies should be discussed here. The 2024 ASERs should characterize groundwater monitoring results for CY 2024 and for the four previous years, if the data are available. In addition, the ASERs should highlight monitoring wells with significant changes in contamination indicator parameters above background levels. This type of information should be compiled and organized such that it is easy to locate and understand.

A summary description of the site groundwater monitoring network should also be provided. This summary should state the various monitoring objectives (i.e., RCRA hazardous waste management unit detection monitoring, environmental surveillance monitoring, or DOE O 435.1 monitoring) and should describe the network established to meet these objectives. A series of tables could be used to summarize the number of active wells by area of the site and by purpose. The tables should address the number of wells installed or abandoned during the current year and any unique or innovative techniques used in the site groundwater monitoring network. A recommended tabular format that provides summary information on a site groundwater monitoring network is depicted in *Attachment III: Recommended Reporting Format for DOE Site-Wide Groundwater Monitoring Program*. Site-specific examples from the 2021 BNL,

Pantex, SRS, and Paducah ASERs are referenced in *Attachment V: Site-Wide Groundwater Monitoring Program Summary Tables and Trending*.

Aerial photographs and/or maps of the reporting facility are extremely useful in depicting groundwater monitoring points and, if available, they should be included in the ASER and portrayed in a manner consistent with site security requirements. Maps that show the extent of contamination and migration of groundwater contaminant plumes over time should be included to meet the needs of regulators and the interests of the public and site stakeholders. These maps should indicate the locations of the plumes with respect to site boundaries, lakes, rivers, aquifers, and relevant groundwater monitoring and drinking water wells.

7.0 QUALITY ASSURANCE

The ASER should describe the measures taken to ensure the quality of radiological and non-radiological data through the implementation of a quality system for the management of environmental data as required by DOE O 414.1D Chg 2 (LtdChg) [*Quality Assurance \(September 2020\)*](#). This discussion should generally validate site data collection and analysis programs and should present summary information from participation in inter-laboratory cross-check programs, including site results and expected results. The general implications of the results of inter-laboratory comparisons should be discussed along with any actions taken or needed to improve data quality.

ASERs should summarize major audit findings at contracted on-site/off-site commercial analytical laboratories and/or waste vendor facilities that could adversely impact DOE operations. Corrective actions taken to address major audit findings should also be noted. Contracted analytical laboratories should produce defensible, valid, and reliable environmental analytical data which field management can use in decision-making for clean-up, remediation, and on-going operations. In addition, radiological and hazardous waste disposition at waste vendor facilities should be managed in a regulatory compliant manner and in conformance with DOE procurement contract stipulations and requirements. The ASER should identify all contracted analytical laboratories and waste vendor facilities used by the site in CY 2024.

Examples of potential major audit findings that may impact field operations include:

For Analytical Laboratories:

- Proficiency test failures by analytes/matrices
- Not adequately following approved analytical method(s) for given analytes
- Not preserving thermal integrity samples during the laboratory log-in process
- Missed sample holding times prior to analysis
- Breaks in internal laboratory sample chain-of-custody
- Improper data validation/verification processes

For Treatment, Storage, and Disposal Facilities (TSDFs)

- Not treating radiological/hazardous waste within mandated regulatory timeframes
- Improper storage of incompatible wastes
- Incomplete recordkeeping of DOE waste drums
- Not adhering to internal worker safety standard operating procedures (e.g., electrical safety, noise abatement, confined space entries, operable eye washes and safety showers)

The Quality assurance section of the ASER should also discuss the extent to which DOE site contractors conducting environmental monitoring and DOE-contracted laboratories performing environmental analysis participate in the Department's Consolidated Audit Program (DOECAP) and the Visual Sample Plan (VSP) performance evaluation programs to ensure the quality of analytical data obtained. Any additional quality assurance protocols, guidelines or relevant national or international consensus standards used should be discussed here, as well. This section should also identify which of the following programs bulleted below are being used at the site and how they assist in quality assurance functions and reviews. These programs are discussed below.

- DOECAP Accreditation Program (DOECAP-AP) Assessment Reports: DOE Field Element sites that have contracted for analytical services with off-site environmental laboratories should utilize, when possible, the results of third-party accreditation assessments reported under the DOECAP-AP. Requiring participation in this program through contractual means, provides a universal standard for commercial laboratory use and establishes quality deliverables and reliable data analysis for DOE sites. Beginning in FY 2019, use of third-party accreditation replaced the traditional DOECAP audits and has allowed for more in-depth approaches to quality control and oversight of these laboratory facilities in meeting the needs of the Department. It is important to identify the commercial laboratories used by the sites and their subcontractors in managing data analysis used for DOE site decision-making. This section should identify the laboratories used, or approved for use (i.e., Basic Ordering Agreements [BOAs], approved vendors listings, etc.), and if they are contractually required to participate in the DOECAP-AP. More information on the DOECAP-AP can be found on [EHSS Analytical Services Program page](#).
- DOECAP TSDF Audits: The tracking and accountability of DOE waste streams sent off-site to commercial waste vendor facilities can be used by field managers in evaluating their risks and liabilities for potential treatment and disposal concerns. TSDF audit reports generated annually by DOECAP are one tool the Field Element Manager can use in performing their DOE O 435.1 annual acceptability reviews for these commercial sites. DOECAP reports are also used in satisfying quality assurance requirements and various contractual oversight functions, such as those required by DOE O 414.1D. Additional information on DOECAP is available at [EHSS Analytical Services Program page](#).
- VSP: The use of VSP software toolkits provided by PNNL should also be considered by field managers regarding environmental field sampling statistical strategies for collecting

data that has a proven record for cost-efficiencies in meeting data quality objectives (DQO) and regulatory acceptance. It is requested that the site discuss their participation or use of VSP in this section, as appropriate. Additional information on VSP is available at [VSP website](#)²¹.

- Proficiency testing samples shall be procured from an ISO 17043 PT provider.

²¹ See *Attachment V: Quality Assurance*, for recommended reporting options for sites to consider from BNL, INL, NNSS and SRS.

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment I

**8.0 ATTACHMENT I: RECOMMENDED FORMATS FOR RADIOLOGICAL DOSE AND
RELEASE REPORTING IN ASERs**

The tables in *Attachment I* provide examples of formats used by EHSS-20 to summarize ASER radiological dose and release data. It is recommended that DOE sites use these formats for reporting doses, atmospheric releases, and liquid effluent releases in ASERs. Preparing data in these, or similar formats, will simplify aggregation of data across DOE and enable DOE-wide site comparisons. However, these example formats should not be used solely to replace site-specific-based presentations that contain more detailed radionuclide-specific information that are relevant to describing site-specific operations. Noteworthy site-specific examples from the 2017 Hanford, INL, LANL, NNSS, ORR, SRS, WIPP, and WVDP ASERs are referenced in *Attachment V: Radiological Doses and Releases*.

The ASER should confirm that all of the types of radionuclides released from the site have been reported. If this is true, a clear statement should be made indicating that there are no known significant discharges of radioactive constituents from the site other than those reported in the tables. Such a statement would be informative to public stakeholders.

In addition, based on extensive review of past ASERs, most non-routine radiological releases typically do not significantly contribute to the overall radiological doses when compared to the doses resulting from routine DOE operations. This should also be clearly communicated in the ASER, where applicable.

Example Table 1: Site X Radiological Dose Reporting Table for CY 2024

Pathway	Dose to the Representative Person or the Maximally Exposed Individual (MEI) mrem (mSv)	% of DOE 100 mrem/yr Limit	Estimated Collective (Population) Dose person-rem (person-Sv)	Population within 50 miles (80 km*)	Estimated Background Radiation Dose mrem (mSv)
Air			Average dose X population exposed	*	Pathway-specific background doses need not be estimated
Water			Average dose X population exposed	*	Pathway-specific background doses need not be estimated
Other Pathways			Average dose X population exposed	*	Pathway-specific background doses need not be estimated
All Pathways	{Note: This should be the total dose to the representative person or the MEI, but it should not be the sum of the individual pathway doses unless all the pathway-specific MEI doses are to the same receptor **}		{Note: This should normally be the sum of the average pathway-specific Population Doses}		{Note: Total natural background doses from all sources}

* Pathway-specific populations should be specified only if they are significantly different from the total population.

** Some sites sum the representative person or the MEI doses from various pathways to different receptors to bound MEI doses. In such cases, the conservative nature (overestimation of dose) should be discussed. Other unrealistic assumptions, such as assumed occupancy factors for exposures of 24 hours/day for 365 days, should be explained if they are used in establishing bounding dose estimates. Although reported doses should not underestimate likely doses, DOE prefers dose estimates to be as realistic as possible.

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment I

Recommended Formats for Radiological Dose and Release Reporting in ASERs (cont.)

Example Table 2: Site X Radiological Atmospheric Releases for CY 2024

(in Ci, Bq or GBq, as appropriate) ***

Tritium	$^3\text{H}^{85}\text{Kr}$	Noble Gases ($T_{1/2} < 40$ days)	Short-Lived Fission and Activation Products ($T_{1/2} < 3$ hr)	Fission and Activation Products ($T_{1/2} > 3$ hr)	Total Radio-iodine	Total Radio-strontium	Total Uranium	Plutonium	Other Actinides	Other

Example Table 3: Site X Liquid Effluent Releases of Radioactive Material for CY 2024

(in Ci, Bq or GBq, as appropriate)***

Tritium	Fission and Activation Products ($T_{1/2} > 3$ hr)	Total Radio-iodine	Total Radio-strontium	Total Uranium	Total Plutonium	Other Actinides

*** These example tables are to assist in DOE-wide comparisons. If used, they should be presented along with more detailed site-specific-based tables. They should not replace or deter more informative site-specific reporting formats.

Please contact Christine Lobos, EHSS-22, at 202-913-3719 or christine.lobos@hq.doe.gov for additional information or guidance.

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment II

9.0 ATTACHMENT II: ADDRESSING RADIATION PROTECTION OF BIOTA IN ASERS

Guidance for Demonstrating and Reporting Compliance with Dose Limits for Biota

DOE O 458.1 requires radiological activities that have the potential to impact the environment to be conducted in a manner that protects populations of aquatic animals, terrestrial plants, and terrestrial animals in local ecosystems from adverse effects due to radiation and radioactive material released from DOE operations. DOE O 458.1 provides a graded approach (including screening methods and methods for detailed analyses) and related guidance that DOE and DOE contractors may use to evaluate compliance with specified criteria on radiation dose to populations of aquatic animals, terrestrial plants, and terrestrial animals due to anthropogenic sources at DOE sites. Compliance with DOE O 458.1, paragraph 4.j.(1), can be demonstrated in one or more of the following ways:

- 1) Use DOE-STD-1153-2019, *A Graded Approach for Evaluating Radiation Doses to Aquatic and Terrestrial Biota*.
- 2) Use an alternative approach to demonstrate that the dose rates to representative biota populations do not exceed the dose rate criteria in DOE-STD-1153-2019, Table 1.1.
- 3) Use an ecological risk assessment to demonstrate that radiation and radioactive material released from DOE operations will not adversely affect populations within the ecosystem.

DOE activities may demonstrate and document compliance in the ASER, as appropriate to each site, by meeting the following screening criteria or conducting an ecological risk assessment:

- 1) The absorbed dose to aquatic animals will not exceed 1 rad/day (10 milliGray [mGy]/day) from exposure to radiation or radioactive material.
- 2) The absorbed dose to terrestrial plants will not exceed 1 rad/day (10 mGy/day) from exposure to radiation or radioactive material.
- 3) The absorbed dose to terrestrial animals will not exceed 0.1 rad/day (1 mGy/day) from exposure to radiation or radioactive material.
- 4) The absorbed dose to riparian animals will not exceed 0.1 rad/day (1 mGy/day) from exposure to radiation or radioactive material.

The screening and analysis methods described below provide a means of demonstrating that the above dose rate criteria for aquatic and terrestrial biota are being achieved.

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment II

Addressing Radiation Protection of Biota in ASERs (cont.)

A Graded Approach for Demonstration of Protection

DOE-STD-1153-2019 provides practical screening and analysis methods for demonstrating compliance with the requirements for protection of biota. The Technical Standard provides a graded approach for demonstrating compliance with the biota dose limits and for conducting ecological assessments of radiological impact.

The graded approach consists of a three-step process that guides the user from an initial, prudently conservative set of screening values to (if needed) a more rigorous analysis using site-specific information. This process includes *data assembly*, a *general screening phase*, and an *analysis phase*. In *data assembly*, the site area to be evaluated is defined and measured maximum or mean radionuclide concentration data are assembled for subsequent screening. In the *general screening phase*, measured radionuclide concentrations in environmental media are compared with the Biota Concentration Guides (BCG). Each radionuclide-specific BCG represents the limiting radionuclide concentration in environmental media that would not cause the biota dose limits to be exceeded. The *analysis phase* consists of three increasingly more detailed steps of analysis: a site-specific screening, using site-representative parameters instead of default parameters; a site-specific analysis, employing a kinetic modeling tool; and, if necessary, a site-specific biota dose assessment involving the collection and analysis of biota employing ecological risk assessment protocols. This three-phase scheme helps to ensure that the evaluation effort is commensurate with the likelihood and severity of potential environmental impacts. Implementation experience at DOE sites to date suggests that most sites will likely be able to demonstrate compliance with biota dose limits using the general screening phase.

The RESRAD-BIOTA Code as a Tool for Evaluating Doses to Biota

The RESRAD-BIOTA Code (released in September 2003; User's Guide in January 2004) is the preferred companion software tool for implementing the methods contained in DOE-STD-1153-2019 and for demonstrating protection of biota in ASERs. The RESRAD-BIOTA Version 1.8 computer model released in 2016 is available to evaluate compliance with biota protection requirements and implementing DOE-STD-1153-2019. The code provides a complete spectrum of analysis capabilities, from methods for general screening to comprehensive receptor-specific dose estimation. The code contains many advanced features, such as sensitivity analysis for studying parameter sensitivity; text reports and graphing capabilities for easy interpretation of data; an advanced "Organism Wizard" for configuring user-defined organisms; and capabilities to save and retrieve evaluation data and user-defined organisms.

DOE-STD-1153-2019, the RESRAD-BIOTA Code, and the RESRAD-BIOTA User's Guide (DOE/EH-0676; ISCORS Report 2004-02) can be downloaded at [RESRAD page](#). DOE-STD-1153-2019 and the RESRAD-BIOTA Code are the preferred tools for estimating and evaluating doses to biota, unless there are site-specific requirements that necessitate the use of an alternative method or model, or it is determined that

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment II

Addressing Radiation Protection of Biota in ASERs (cont.)

such alternate approaches will provide better results. If alternative approaches to the Standard are used to demonstrate protection of biota consistent with DOE O 458.1 paragraph 4.j.(2), this section of the ASER should summarize the approach used and results.

Specific Guidance and Sample Reporting Format for ASERs

Compliance with the biota protection requirements in Section 4.j of DOE O 458.1 should be reported in the **Environmental Radiological Protection Program and Dose Assessment** chapter of the ASER under the **Addressing Radiation Protection of Biota in ASERs**, or comparable section. The recommended approach is to prepare a text summary section and incorporate a supporting summary table for the evaluations conducted. To demonstrate compliance with DOE biota protection requirements, the following elements should be included when reporting evaluations and conclusions: 1) reference the biota dose rate criteria being met (e.g., 1 rad/day for aquatic organisms); 2) identify the method used to demonstrate compliance with these dose rate criteria and briefly describe the process used (e.g., screening methods using DOE-STD-1153-2019 and the RESRAD-BIOTA Code, or other site-selected method); 3) describe the site areas evaluated and supporting data used in the evaluation (i.e., sources of exposure to biota for the site area evaluated, specific organism types or receptors used, media type and radionuclide concentration data used); 4) summarize the results (e.g., concentrations of radionuclides in environmental media are less than screening values, doses calculated are less than biota dose rate criteria); and 5) provide a conclusion (e.g., populations of biota are protected at recommended dose rates and no impacts from ionizing radiation to populations of biota are indicated). Additionally, the following areas should be highlighted as appropriate and beneficial: 1) any significant site outreach efforts or initiatives with stakeholders and local regulators; 2) integration of biota dose evaluation within the site's environmental surveillance program; and 3) site recognition of biota protection as a good business practice and as an important element of environmental stewardship. Refer to Section 7, *Documenting Your Biota Dose Evaluation Results*, in DOE-STD-1153-2019 for additional guidance.

Examples of Biota Dose Evaluation Reporting Cited from Actual ASERs

Most sites have done a good job in communicating their biota dose evaluation results in their ASERs. The INL, Pantex, and WVDP biota dose evaluation summaries, as presented in their 2017 ASERs, are referenced in *Attachment V: Biota Dose Evaluations*, as noteworthy examples of how to present and summarize this information in the ASER.

Please contact Mike Stewart, EHSS-22, at 202-586-6444 or mike.stewart@hq.doe.gov, for additional information or guidance.

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment III

10.0 ATTACHMENT III: RECOMMENDED REPORTING FORMAT FOR DOE SITE-WIDE GROUNDWATER MONITORING PROGRAM

Summary of DOE Site-Wide Groundwater Monitoring Program

The Summary Table on the following page provides an example of a recommended format that sites should use to give an accounting of all active groundwater monitoring wells at the site. Active wells are those that are currently being used (i.e., samples are taken during the current calendar year). This summary table includes only monitoring wells; it does not include injection wells, production wells, extraction wells (e.g., for remediation), piezometers, drainage wells, and so forth, unless a sample is withdrawn for chemical, physical, radiological, or other analysis.

The summary table is structured according to the primary purpose (or driver) for sampling the well and includes the following broad categories:

- 1) Restoration – Wells that are associated with a groundwater remediation project, including subsurface investigation monitoring and evaluation of the progress of the remediation.
- 2) Waste Management²² – Wells that are sampled to determine the impact, if any, of a waste management unit (e.g., RCRA hazardous waste, DOE low-level radioactive waste, other RCRA waste, CERCLA remediation waste) on the groundwater.
- 3) Surveillance – Wells that are sampled to detect possible impact of any other site operations (non-waste management units) on the groundwater and would include both radiological and non-radiological sampling data. This includes PFAS related contaminant monitoring.
- 4) Other – Wells that are sampled for any other purpose.

This example summary table accounts for numbers of samples taken during the calendar year at wells included in each of the four categories above (e.g., wells used for remediation, wells used for waste management). The table also accounts for analyses performed during the calendar year for all samples taken at each group of wells, corresponding to the same four categories. In addition, the table includes the percentage of all analyses performed for which the results were below the levels of detection. The final section of the table includes information on the ranges of concentrations for the most commonly detected contaminants. Noteworthy site-specific examples from the 2021 BNL, Paducah, SRS, and Pantex ASERs are referenced in *Attachment V: Site-Wide Groundwater Monitoring Program Summary Tables and Trending*.

²² Waste Management wells are associated with landfills that require groundwater monitoring for leachate. Waste Management/landfill-associated wells are distinct from Remediation wells, which are specific to environmental monitoring associated with cleanup (e.g., to determine the nature and extent of contamination or monitoring for pump and treat effectiveness).

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment III

**Recommended Reporting Format for DOE Site-Wide Groundwater Monitoring Program
(cont.)**

Summary of CY 2024 DOE Site -Wide Groundwater Monitoring Program*

	PURPOSES FOR WHICH MONITORING WAS PERFORMED			
	Remediation	Waste Management	Environmental Surveillance	Other Drivers
Number of Active Wells Monitored On-site				
Number of Active Wells Monitored Off-Site				
Number of Samples Taken				
Number of Analyses Performed				
% of Analyses that are Non-Detects				
% of Analyses within an Acceptable Range ²³				

²³ Acceptable range generally means within applicable regulatory limits (e.g., in a RCRA permit or stemming from a consent order), or in the case of environmental surveillance or emerging contaminants, may be defined as values that the site and regulators agree is protective of public health and the environment (e.g., below regional screening levels).

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment III

**Recommended Reporting Format for DOE Site-Wide Groundwater Monitoring Program
(cont.)**

Ranges of Results for Positive Detections				
Tritium				
Krypton-85				
TCE				
Heavy Metals				
VOCs				
Other Contaminants (list separately)				

* Where appropriate, a second table could be included in this section to characterize off-site groundwater monitoring.

Please contact Paul Winters, EHSS-21, at 202-713-7661 or paul.winters@hq.doe.gov for additional information or guidance.

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment IV

11.0 ATTACHMENT IV: ALTERNATE ASER REPORTING FOR CLOSURE SITES

This section provides suggestions and guidance to DOE sites whose primary mission is environmental restoration with a goal of closure in the near future and to sites managed by the DOE Office of Legacy Management (LM). DOE O 231.1B and annual ASER guidance allow for sites to use a graded approach to tailor their ASERs based on the site mission, breadth of operations, active monitoring conducted (including the level of activity of remedial action systems), and the potential impact site activities may have on the public and environment proximate to the site. These alternatives include preparing a scaled-down version of the ASER and submitting equivalent documentation to DOE-HQ along with a self-declaration from the site that this documentation satisfies DOE internal reporting requirements.

Legacy or closure sites may consider preparing a scaled-down, streamlined version of the ASER that reflects the current nature and extent of site operations and monitoring programs, as they may be in a relatively static operational condition. The scaled-down ASER should summarize any relevant new information for the current year and appropriately reference the previous year's ASER for a description of unchanged or static conditions at the site.

A second option is to submit the relevant and equivalent regulatory environmental compliance and radiological protection documentation to DOE-HQ in lieu of preparing the traditional ASER. For example, NESHAP, NPDES, and other regulatory environmental reporting that may be required and appropriate to the site, may be submitted. This documentation should characterize site environmental monitoring program and results, site activities, regulatory compliance status, and compliance with DOE O 458.1.

For either alternative approach, the site or program should electronically submit the equivalent document required by DOE O 231.1B to Dr. Josh Silverman (Josh.Silverman@hq.doe.gov), Director, EHSS-20, Office of Environment, Health, Safety and Security, via a transmittal memorandum from the Site Manager, Field Office Manager, or appropriate designee, no later than October 1 of each calendar year. This memorandum should state that the site is self-declaring compliance with the radiation protection requirements of DOE O 458.1 and that the associated documentation and rationale that is forwarded with the memorandum supports this self-declaration. These alternative approaches should demonstrate compliance with the spirit of the environmental protection reporting requirements of DOE O 231.1B and the annual guidance issued to Field elements regarding the preparation of ASERs.

Regardless of the option certain sites may choose to pursue, appropriate measures should be taken to effectively communicate site environmental status to DOE-HQ and the public in the future. Specifically, sites should identify the future mechanisms that will be used to keep regulators and the public informed of site activities, closure progress, environmental activities, and monitoring results. At the appropriate juncture in the future, when environmental restoration activities are concluded at the site, the final submittal of appropriate documentation to DOE-HQ should describe the closeout condition of the site, including such information as the nature and

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment IV

Alternate ASER Reporting for Closure Sites (cont.)

extent of final activities at the site, the status of present and future monitoring and surveillance programs, and any pertinent institutional controls that may be implemented at the site.

Please contact Una Song, EHSS-21, at 202-586-4553 or una.song@hq.doe.gov for additional information or guidance.

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment V

**12.0 ATTACHMENT V: SITE -SPECIFIC EXAMPLES OF RECOMMENDED ASER
REPORTING FORMATS**

Attachment V provides examples of model reporting formats referenced from ASER publications. These examples provide recommended reporting options for sites to consider for incorporation into their respective ASERs, as appropriate. They include reporting formats for the Executive Summary; Introduction; Compliance Summary Table; NPDES Exceedances; EPCRA Reporting; Environmental Management Systems and EMS Summary Tables; Radiological Doses and Releases; Biota Dose Evaluations; Site-Wide Groundwater Monitoring Program Summary Tables and Trending; Environmental Operating Experience and Performance Measures; Quality Assurance; Alternate General ASER Formats; the ASER Public/Reader Comment Form; ASER Summary Reports; and ASER Web Page Model Formats. Please contact Una Song, EHSS-21, at 202-586-4553 or una.song@hq.doe.gov for additional information or guidance.

ASER reports for each site can be accessed directly from the [DOE ASER page](#).

1. Executive Summary:
 - Brookhaven National Laboratory
 - Hanford
 - Idaho National Laboratory (also has a “Helpful Information” section which was good)
 - Los Alamos National Laboratory
 - Lawrence Livermore Laboratory
 - National Renewable Energy Laboratory
 - Nevada National Security Site
 - Sandia National Laboratory-Albuquerque
2. Introduction:
 - Argonne National Laboratory
 - Brookhaven National Laboratory
 - Hanford
 - National Renewable Energy Laboratory
 - Office of Legacy Management
 - Pacific Northwest National Laboratory
 - Sandia National Laboratory

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment V

Site -Specific Examples of Recommended ASER Reporting Formats (cont.)

3. Compliance Summary Table:
 - Argonne National Laboratory
 - Brookhaven National Laboratory
 - Idaho National Laboratory
 - Moab
 - National Renewable Energy Laboratory
 - Nevada National Security Site
 - Princeton Plasma Physics Laboratory
 - Sandia National Laboratories, Albuquerque
 - Sandia National Laboratories, California
 - Sandia National Laboratories: Kauai Test Facility and Tonopah
 - Strategic Petroleum Reserve
 - West Valley Demonstration Project
4. NPDES Exceedances:
 - Nevada National Security Site
 - Oak Ridge Reservation
 - Savannah River Site
5. EPCRA Reporting:
 - Hanford
 - Lawrence Livermore National Laboratory
 - Sandia National Laboratory-Albuquerque
6. Environmental Management Systems and EMS Summary Tables:
 - Argonne National Laboratory
 - Brookhaven National Laboratory
 - Hanford
 - Idaho National Laboratory
 - Lawrence Berkeley National Laboratory
 - Lawrence Livermore National Laboratory
 - Nevada National Security Site
 - National Renewable Energy Laboratory
 - Office of Legacy Management
 - Princeton Plasma Physics Laboratory
 - Sandia National Laboratory-Albuquerque
 - Sandia National Laboratory-California
 - Savannah River Site
 - Waste Isolation Pilot Plant
 - West Valley Demonstration Project

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment V

Site -Specific Examples of Recommended ASER Reporting Formats (cont.)

7. Radiological Doses and Releases:
 - Hanford
 - Idaho National Laboratory
 - Los Alamos National Laboratory
 - Nevada National Security Site
 - Oak Ridge Reservation
 - Savannah River Site
 - Waste Isolation Pilot Plant
 - West Valley Demonstration Project
8. Biota Dose Evaluations:
 - Idaho National Laboratory
 - Pantex
 - West Valley Demonstration Project
9. Site-Wide Groundwater Monitoring Program Summary Tables and Trending:
 - Brookhaven National Laboratory
 - Paducah Gaseous Diffusion Plant
 - Savannah River Site
 - Pantex
10. Environmental Operating Experience and Performance Measures:
 - Argonne National Laboratory
 - National Renewable Energy Laboratory
 - Princeton Plasma Physics Laboratory
 - Sandia National Laboratory-California
 - West Valley Demonstration Project

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment V

Site -Specific Examples of Recommended ASER Reporting Formats (cont.)

11. Quality Assurance
 - Brookhaven National Laboratory
 - Idaho National Laboratory
 - Nevada National Security Site
 - Savannah River Site
12. Alternate General ASER Formats:
 - Argonne National Laboratory
 - Brookhaven National Laboratory
 - Hanford
 - Idaho National Laboratory
 - Lawrence Livermore National Laboratory
 - Los Alamos National Laboratory
 - Nevada National Security Site
 - Oak Ridge Reservation
 - Pantex
 - Sandia National Laboratory- Albuquerque
 - Savannah River Site
13. ASER Public/Reader Comment Form:
 - Ames Laboratory
 - Brookhaven National Laboratory
 - Lawrence Berkeley National Laboratory
 - Pacific Northwest National Laboratory
 - Paducah Gaseous Diffusion Plant
 - Savannah River Site
 - Strategic Petroleum Reserve
 - Waste Isolation Pilot Plant
 - West Valley Demonstration Project
14. ASER Summary Reports:
 - Idaho National Laboratory
 - Kansas City National Security Site
 - Nevada National Security Site
 - Savannah River Site

**Guidance for Preparation of the 2023
Department of Energy Annual Site Environmental Reports**

Attachment V

Site -Specific Examples of Recommended ASER Reporting Formats (cont.)

15. ASER Web Page Model Formats:

Brookhaven National Laboratory
Hanford Site
Idaho National Laboratory
Lawrence Livermore National Laboratory
Los Alamos National Laboratory
National Renewable Energy Laboratory
Nevada National Security Site
Oak Ridge Reservation
Pacific Northwest National Laboratory
Pantex Plant
Portsmouth Gaseous Diffusion Plant
Sandia National Laboratories, Albuquerque
Sandia National Laboratories: Kauai Test Facility and Tonopah
Savannah River Site
Southwestern Power Administration
Waste Isolation Pilot Plant
West Valley Demonstration Project

16. Other Chapters of Note:

Idaho National Laboratory – Chapter 9, Natural and Cultural Resources Conservation and Monitoring