

This presentation does not contain any proprietary, confidential, or otherwise restricted information.

Catalyst Assisted Manufacture of Olefins (CAMOL)

DE-EE0005754

Lyondell Chemical/BASF Qtech
Project Period Two

Majid Keyvani, Ph.D., Lyondell Chemical Company

U.S. DOE Advanced Manufacturing Office Peer Review Meeting
Washington, D.C.
May 6-7, 2014



Project Background

- Coke is a naturally occurring by-product of steam cracking
- Coking (carbonaceous deposits) of the furnace coils increases energy requirements, requires frequent production interruptions to de-coke, and shortens coil life
- Both the metal surface and gas phase reactions contribute to coke formation
- Not only must metal surface be passivated, but gas phase deposits must also be removed to prevent accumulation of coke deposits
- CAMOL, a catalyst-based coating technology for furnace coil offers solution for both surface (filamentous) and gas phase cokes (manganese oxide and calcium tungstate as catalysts)

Project Objective

- Reduce energy consumption in the radiant section (furnace coils) of an ethane cracker by 15% (6% savings overall per cracking furnace)
- 10-fold improvement on standard operating run-lengths without decoking under standard cracking conditions
- Higher severity cracking mode of operation
 - Maintaining at least 50% of the minimum energy and emissions reductions

Technical Approach

- CAMOL technology was developed primarily for steam cracking of naphthas (liquid petroleum feedstocks) that produces high gas-phase coke
- Advance CAMOL technology to operate at much more severe cracking conditions required for steam cracking of ethane
- Technology required novel chemistry to anchor the catalytic coating to prevent delamination from thermal shock (furnace upsets)
- Lyondell Chemical is a top-tier global producer of ethylene, operating multiple crackers
 - Pilot testing of technology
 - Full-scale manufacturing trial
- BASF Qtech is the developer and only worldwide supplier of catalyst coating technology

Measure of Success: #1

- Ethylene is the largest chemical produced (53 billion lbs in U.S. alone (2010)) and steam cracking of ethane is the largest consumer of energy (450 Trillion BTU in U.S. (2010))
- Anticipate 6% overall energy reduction per cracking furnace
 - Equivalent effect of removing 230,000 automobiles from circulation and their associated emissions in U.S.
- Anticipated energy savings is 2.7 Trillion BTUs per year, enough to supply natural gas to over 37,000 U.S. homes

Measure of Success: #2

- Higher Productivity Crackers
 - Less coking means longer production time
 - Improved production yield
- Primary Beneficiary :
 - U.S. Chemical Industry leveraging the United States' global leadership in shale gas (ethane) production
 - U.S. ethylene producers will have a cost advantage over producers in other regions
 - Results in the creation of high-paying manufacturing jobs in the U.S.

Transition and Deployment


- After a successful commercial demonstration at Lyondell's LaPorte, TX olefins cracker, results will be shared with the DoE and with BASF Qtech who will market and produce CAMOL coatings globally
- The results will be compared to other anti-coking technologies that only reduce surface coke and their cost/benefits calculated under various ethylene manufacturing scenarios

Project Management & Budget

- The project will last three years and is in its second year.
- Project task and key milestone schedule
 - Improve robustness of CAMOL coating (completed)
 - Cast furnace tubes and ship to coater (in progress)
 - Coat furnace tubes and activate surface (pending)
 - Weld and assemble into coils (Oct-Dec 2014)
 - CAMOL Surface Generate Furnace Coils (February 2015)
 - Install coil in furnace (March 2015)
 - Monitor performance (April-September 2015)

Total Project Budget	
DOE Investment	\$4,268,444
Cost Share	\$2,083,751
Project Total	\$6,352,195

Pilot Cracker Testing Results



Disclaimer And Trademarks

All information (“Information”) contained herein is provided without compensation and is intended to be general in nature. You should not rely on it in making any decision. LyondellBasell accepts no responsibility for results obtained by the application of this Information, and disclaims liability for all damages, including without limitation, direct, indirect, incidental, consequential, special, exemplary or punitive damages, alleged to have been caused by or in connection with the use of this Information. LyondellBasell disclaims all warranties, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose, that might arise in connection with this information.