

Draft 5-Year Appliance Standards Rulemaking Schedule

Rulemaking	Type	Planned Initiation Date	Legislative Due Date		Driver	Current Phase
			NOPR Publication Date	Final Rule / Determination		
Manufactured Housing	STD	12/19/2008		12/19/2011	EISA 2007	Final Rule
Commercial Water Heaters (Storage Water Heaters and Instantaneous Water Heaters)	STD	12/31/2011	12/31/2013	4/19/2018	AEMTCA/6 Year Review	Final Rule
Unfired Hot Water Storage Tanks	STD	12/31/2011	12/31/2013		AEMTCA/6 Year Review	
External Power Supplies - Class A	STD	7/1/2012		7/1/2015	EISA 2007	RFI/Framework
Circulator Pumps	TP	12/19/2012		12/19/2014	7 Year Review	NOPR/Determination
Commercial Water Heaters Unfired Storage Tanks	TP	12/19/2012		12/19/2014	7 Year Review	NOPR/Determination
Illuminated Exit Signs	TP	12/19/2012		12/19/2014	7 Year Review	NOPR/Determination
Large Water-Sourced, 0-135 kBtu/h Commercial Heat Pumps	TP	12/19/2012		12/19/2014	7 Year Review	
Small Water-Sourced, 0-135 kBtu/h Commercial Heat Pumps	TP	12/19/2012		12/19/2014	7 Year Review	
Traffic Signal Modules and Pedestrian Modules	TP	12/19/2012		12/19/2014	EPAAct 2005	NOPR/Determination
Very Large Water-Sourced, 0-135 kBtu/h Commercial Heat Pumps	TP	12/19/2012		12/19/2014	7 Year Review	
Commercial and Industrial Fans	STD	3/13/2013			ASRAC Recommendation	NOPR/Determination
Cooking Products	STD	4/8/2013	4/8/2015	5/29/2017	6 Year Review	Final Rule
Furnaces	STD	4/24/2013		4/24/2016	Court Action	Final Rule
Mobile Home Furnaces	STD	4/24/2013		4/24/2016	Court Action	Final Rule
Manufactured Housing	TP	6/14/2013		6/14/2015	EISA 2007	Final Rule
Small Electric Motors	STD	2/22/2014	2/22/2016		6 Year Review	RFI/Framework
Commercial and Industrial Fans	TP	2/28/2014			ASRAC Recommendation	NOPR/Determination
Consumer Water Heaters	STD	3/22/2014	3/22/2016		6 Year Review	
Pool Heaters	STD	4/16/2014	4/16/2016		6 Year Review	NOPR/Determination
Small Electric Motors	TP	7/7/2014		7/7/2016	7 Year Review	RFI/Framework
Walk-in Coolers and Freezers - Doors	TP	12/28/2014		12/28/2016	7 Year Review	
Walk-in Coolers and Freezers Panels	TP	12/28/2014		12/28/2016	7 Year Review	
Walk-in Coolers and Freezers Refrigeration Systems	TP	12/28/2014		12/28/2016	7 Year Review	
Metal Halide Ballasts	TP	3/9/2015		3/9/2017	7 Year Review	
Clothes Dryers	STD	4/8/2015	4/8/2017		6 Year Review	Preliminary Analysis
Room Air Conditioners	STD	4/8/2015	4/8/2017		6 Year Review	RFI/Framework
Refrigerators, Freezers and Refrigerator-Freezers	STD	8/25/2015	8/25/2017		6 Year Review	RFI/Framework
Fluorescent Lamp Ballast	STD	10/20/2015	10/20/2017		6 Year Review	Preliminary Analysis
Metal Halide Lamp Fixtures	STD	1/1/2016		1/1/2019	EISA 2007	
Room Air Conditioners	TP	1/6/2016		1/6/2018	7 Year Review	RFI/Framework
Circulator Pumps	STD	3/3/2016			ASRAC Recommendation	
Large Evaporatively-Cooled, 0-135 kBtu/h CUAC and CUHP	STD	4/27/2016	4/27/2018		6 Year Review	
Large Water-Cooled, 135-240 kBtu/h CUAC	STD	4/27/2016	4/27/2018		6 Year Review	
Small Evaporatively-Cooled, 0-135 kBtu/h CUAC and CUHP	STD	4/27/2016	4/27/2018		6 Year Review	
Small Water-Cooled, 135-240 kBtu/h CUAC	STD	4/27/2016	4/27/2018		6 Year Review	
Very Large Evaporatively-Cooled, 0-135 kBtu/h CUAC and CUHP	STD	4/27/2016	4/27/2018		6 Year Review	
Very Large Water-Cooled, 135-240 kBtu/h CUAC	STD	4/27/2016	4/27/2018		6 Year Review	
Fluorescent Lamp Ballast	TP	5/4/2016		5/4/2018	7 Year Review	NOPR/Determination

Draft 5-Year Appliance Standards Rulemaking Schedule

Rulemaking	Type	Planned Initiation Date	Legislative Due Date		Driver	Current Phase
			NOPR Publication Date	Final Rule / Determination		
Residential Clothes Washers	STD	5/11/2016	5/11/2018		6 Year Review	RFI/Framework
Computer Room Air Conditioners - Large	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Computer Room Air Conditioners - Small	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Computer Room Air Conditioners - Very Large	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Large Air-Cooled, 65-135 kBtu/h Dedicated Outdoor Air System	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Large Commercial Package Air Conditioning and Heating Equipment - Variable Refrigerant Flow 135-240 kBtu/h	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Small Air-Cooled, 65-135 kBtu/h Dedicated Outdoor Air System	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Small Commercial Package Air Conditioning and Heating Equipment - Variable Refrigerant Flow 65-135 kBtu/h	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Very Large Air-Cooled, 65-135 kBtu/h Dedicated Outdoor Air System	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Very Large Commercial Package Air Conditioning and Heating Equipment - Variable Refrigerant Flow 135-240 kBtu/h	STD	10/26/2016		4/26/2018	ASHRAE Trigger	NODA
Large Air-Cooled, 65-135 kBtu/h Dedicated Outdoor Air System	TP	10/26/2016		10/26/2018	Standards Support	
Small Air-Cooled, 65-135 kBtu/h Dedicated Outdoor Air System	TP	10/26/2016		10/26/2018	Standards Support	
Very Large Air-Cooled, 65-135 kBtu/h Dedicated Outdoor Air System	TP	10/26/2016		10/26/2018	Standards Support	
Walk-in Coolers and Freezers - Doors	STD	1/1/2017		1/1/2020	EISA 2007	
Walk-in Coolers and Freezers - Panels	STD	1/1/2017		1/1/2020	EISA 2007	
Walk-in Coolers and Freezers - Refrigeration System	STD	1/1/2017		1/1/2020	EISA 2007	
Automatic Commercial Ice Makers	TP	1/10/2017		1/10/2019	7 Year Review	
General Service Incandescent Lamps	DET	1/23/2017			7 Year Review	
General Service Fluorescent Lamps	TP	1/27/2017		1/27/2019	7 Year Review	
Incandescent Reflector Lamps	TP	1/27/2017		1/27/2019	7 Year Review	
Residential Clothes Washers	TP	2/22/2017		2/22/2019	7 Year Review	
Commercial Refrigeration Equipment	STD	3/27/2017		3/27/2020	EPACT 2005	
Distribution Transformers	STD	4/9/2017	4/9/2019		6 Year Review	
3 Phase Commercial Air-Cooled Air Conditioners and Heat Pumps, less than 65,000 Btu/h	TP	5/16/2017		5/16/2019	7 Year Review	
Computer Room Air Conditioners - Large	TP	5/16/2017		5/16/2019	7 Year Review	
Computer Room Air Conditioners - Small	TP	5/16/2017		5/16/2019	7 Year Review	
Computer Room Air Conditioners - Very Large	TP	5/16/2017		5/16/2019	7 Year Review	
Large Commercial Package Air Conditioning and Heating Equipment - Variable Refrigerant Flow 135-240 kBtu/h	TP	5/16/2017		5/16/2019	7 Year Review	
Large Evaporatively-Cooled, 0-135 kBtu/h CUAC and CUHP	TP	5/16/2017		5/16/2019	7 Year Review	
Large Water-Cooled, 135-240 kBtu/h CUAC	TP	5/16/2017		5/16/2019	7 Year Review	
Single Package Vertical Air Conditioners and Heat Pumps - Large	TP	5/16/2017		5/16/2019	7 Year Review	
Single Package Vertical Air Conditioners and Heat Pumps - Small	TP	5/16/2017		5/16/2019	7 Year Review	
Single Package Vertical Air Conditioners and Heat Pumps - Very Large	TP	5/16/2017		5/16/2019	7 Year Review	
Small Commercial Package Air Conditioning and Heating Equipment - Variable Refrigerant Flow 135-240 kBtu/h	TP	5/16/2017		5/16/2019	7 Year Review	
Small Evaporatively-Cooled, 0-135 kBtu/h CUAC and CUHP	TP	5/16/2017		5/16/2019	7 Year Review	
Small Water-Cooled, 0-135 kBtu/h CUAC	TP	5/16/2017		5/16/2019	7 Year Review	
Very Large Commercial Package Air Conditioning and Heating Equipment - Variable Refrigerant Flow 135-240 kBtu/h	TP	5/16/2017		5/16/2019	7 Year Review	
Very Large Evaporatively-Cooled, 0-135 kBtu/h CUAC and CUHP	TP	5/16/2017		5/16/2019	7 Year Review	
Very Large Water-Cooled, 135-240 kBtu/h CUAC	TP	5/16/2017		5/16/2019	7 Year Review	
Microwave Ovens	STD	5/31/2017	5/31/2019		6 Year Review	

Draft 5-Year Appliance Standards Rulemaking Schedule

Rulemaking	Type	Planned Initiation Date	Legislative Due Date		Driver	Current Phase
			NOPR Publication Date	Final Rule / Determination		
Dishwashers	TP	10/31/2017		10/31/2019	7 Year Review	
Microwave Ovens	TP	1/18/2018		1/18/2020	7 Year Review	
External Power Supplies - Non Class A	STD	2/3/2018	2/3/2020		6 Year Review	RFI/Framework
Distribution Transformers	TP	4/18/2018		4/18/2020	7 Year Review	
Electric Motors	STD	5/8/2018	5/8/2020		6 Year Review	
Furnace Fans	STD	6/25/2018	6/25/2020		6 Year Review	
Clothes Dryers	TP	8/14/2018		8/14/2020	7 Year Review	NOPR/Determination
Faucets	TP	10/23/2018		10/23/2020	7 Year Review	
Showerheads	TP	10/23/2018		10/23/2020	7 Year Review	
Urinals	TP	10/23/2018		10/23/2020	7 Year Review	
Water Closets	TP	10/23/2018		10/23/2020	7 Year Review	
Television Sets	TP	10/25/2018		10/25/2020	7 Year Review	NOPR/Determination
Commercial Clothes Washers	STD	12/5/2018	12/5/2020		6 Year Review	
Electric Motors	TP	12/13/2018		12/13/2020	7 Year Review	
General Service Fluorescent Lamps	STD	12/30/2018	12/30/2020		6 Year Review	
General Service Lamps	STD	1/1/2019		1/1/2022	EISA 2007	
Furnace Fans	TP	1/3/2019		1/3/2021	7 Year Review	
Commercial Refrigeration Equipment	TP	4/21/2019		4/21/2021	7 Year Review	
Refrigerators	TP	4/21/2019		4/21/2021	7 Year Review	
3 Phase Commercial Air-Cooled Air Conditioners and Heat Pumps, less than 65,000 Btu/h	STD	6/30/2019	6/30/2021		6 Year Review	
Large Water-Sourced, 0-135 kBtu/h Commercial Heat Pumps	STD	6/30/2019	6/30/2021		6 Year Review	
Packaged Terminal Air Conditioners and Heat Pumps	STD	6/30/2019	6/30/2021		6 Year Review	
Small Water-Sourced, 0-135 kBtu/h Commercial Heat Pumps	STD	6/30/2019	6/30/2021		6 Year Review	
Very Large Water-Sourced, 0-135 kBtu/h Commercial Heat Pumps	STD	6/30/2019	6/30/2021		6 Year Review	
Consumer Water Heaters	TP	7/11/2019		7/11/2021	7 Year Review	
Consumer Water Heaters - Grid Enabled	STD	8/4/2019	8/4/2021		6 Year Review	
Single Package Vertical Air Conditioners and Heat Pumps	STD	8/28/2019	8/28/2021		6 Year Review	
Single Package Vertical Air Conditioners and Heat Pumps	STD	8/28/2019	8/28/2021		6 Year Review	
Single Package Vertical Air Conditioners and Heat Pumps	STD	8/28/2019	8/28/2021		6 Year Review	
High-Intensity Discharge Lamps	STD	12/2/2019	12/2/2021		6 Year Review	
Commercial Clothes Washers	TP	12/3/2019		12/3/2021	7 Year Review	
Ceiling Fan Light Kits	STD	12/17/2019	12/17/2021		6 Year Review	
Commercial Warm-Air Furnaces	STD	12/17/2019	12/17/2021		6 Year Review	
Large Air-Cooled, 135-240 kBtu/h CUAC and CUHP	STD	12/17/2019	12/17/2021		6 Year Review	
Small Air-Cooled, 135-240 kBtu/h CUAC and CUHP	STD	12/17/2019	12/17/2021		6 Year Review	
Very Large Air-Cooled, 135-240 kBtu/h CUAC and CUHP	STD	12/17/2019	12/17/2021		6 Year Review	
Refrigerated Beverage Vending Machines	STD	12/23/2019	12/23/2021		6 Year Review	
Commercial Prerinse Spray Valves	STD	12/29/2019	12/29/2021		6 Year Review	
Residential Boilers	STD	12/30/2019	12/30/2021		6 Year Review	
Commercial and Industrial Pumps	STD	12/31/2019	12/31/2021		6 Year Review	

Draft 5-Year Appliance Standards Rulemaking Schedule

Rulemaking	Type	Planned Initiation Date	Legislative Due Date		Driver	Current Phase
			NOPR Publication Date	Final Rule / Determination		
Direct Heating Equipment	TP	1/6/2020		1/6/2022	7 Year Review	
Pool Heaters	TP	1/6/2020		1/6/2022	7 Year Review	
Automatic Commercial Ice Makers	STD	1/28/2020		1/28/2023	EPACT 2005	
Battery Chargers	STD	5/6/2020	5/6/2022		6 Year Review	
Dehumidifiers	STD	5/20/2020	5/20/2022		6 Year Review	
Packaged Terminal Air Conditioners and Heat Pumps	TP	6/30/2020		6/30/2022	7 Year Review	
Commercial Warm Air Furnaces	TP	7/17/2020		7/17/2022	7 Year Review	
Dehumidifiers	TP	7/31/2020		7/31/2022	7 Year Review	
Refrigerated Beverage Vending Machines	TP	7/31/2020		7/31/2022	7 Year Review	
External Power Supplies Class A	TP	8/25/2020		8/25/2022	7 Year Review	
External Power Supplies Non-Class A	TP	8/25/2020		8/25/2022	7 Year Review	
Miscellaneous Refrigeration Products	STD	10/4/2020	10/4/2022		6 Year Review	
Direct Heating Equipment	STD	10/7/2020	10/7/2022		6 Year Review	
Ceiling Fans	STD	11/21/2020	11/21/2022		6 Year Review	
Dishwashers	STD	11/22/2020	11/22/2022		6 Year Review	
Central Air Conditioners - Small Duct High Velocity	STD	12/5/2020	12/5/2022		6 Year Review	
Central Air Conditioners - Space-Constrained CACs	STD	12/5/2020	12/5/2022		6 Year Review	
Central Air Conditioners - Split and Package CAC and CHPs	STD	12/5/2020	12/5/2022		6 Year Review	
Commercial Compressors	STD	12/5/2020	12/5/2022		6 Year Review	
Dedicated-Purpose Pool Pumps (DPPP)	STD	12/23/2020	12/23/2022		6 Year Review	
Large Air-Cooled, 135-240 kBtu/h CUAC and CUHP	TP	12/23/2020		12/23/2022	7 Year Review	
Small Air-Cooled, 135-240 kBtu/h CUAC and CUHP	TP	12/23/2020		12/23/2022	7 Year Review	
Very Large Air-Cooled, 135-240 kBtu/h CUAC and CUHP	TP	12/23/2020		12/23/2022	7 Year Review	
Ceiling Fan Light Kits	TP	12/24/2020		12/24/2022	7 Year Review	
Commercial Packaged Boilers	STD	12/28/2020	12/28/2022		6 Year Review	
Portable Air Conditioners	STD	12/28/2020	12/28/2022		6 Year Review	
Uninterruptible Power Supplies	STD	12/28/2020	12/28/2022		6 Year Review	
Commercial Prerinse Spray Valves	TP	12/30/2020		12/30/2022	7 Year Review	
Mobile Home Furnaces	TP	1/15/2021		1/15/2023	7 Year Review	
Residential Boilers	TP	1/15/2021		1/15/2023	7 Year Review	
Residential Furnaces	TP	1/15/2021		1/15/2023	7 Year Review	
Commercial and Industrial Pumps	TP	1/25/2021		1/25/2023	7 Year Review	
Battery Chargers	TP	5/20/2021		5/20/2023	7 Year Review	
Portable Air Conditioners	TP	6/1/2021		6/1/2023	7 Year Review	
LED Lamps	TP	7/1/2021		7/1/2023	7 Year Review	
Miscellaneous Refrigeration Products	TP	7/18/2021		7/18/2023	7 Year Review	
Ceiling Fans	TP	7/25/2021		7/25/2023	7 Year Review	
Compact Fluorescent Lamps	TP	8/29/2021		8/29/2023	7 Year Review	
General Service Lamps	TP	10/20/2021		10/20/2023	7 Year Review	
Commercial Water Heaters - Instantaneous	TP	11/10/2021		11/10/2023	7 Year Review	

Draft 5-Year Appliance Standards Rulemaking Schedule

Rulemaking	Type	Planned Initiation Date	Legislative Due Date		Driver	Current Phase
			NOPR Publication Date	Final Rule / Determination		
Commercial Water Heaters - Storage	TP	11/10/2021		11/10/2023	7 Year Review	
Commercial Packaged Boilers	TP	12/9/2021		12/9/2023	7 Year Review	
Uninterruptible Power Supplies	TP	12/12/2021		12/12/2023	7 Year Review	
Cooking Products	TP	12/16/2021		12/16/2023	7 Year Review	
Central Air Conditioners - Small Duct High Velocity	TP	1/5/2022		1/5/2024	7 Year Review	
Central Air Conditioners - Space Constrained CACs	TP	1/5/2022		1/5/2024	7 Year Review	
Central Air Conditioners - Split and Package CAC and CHPs	TP	1/5/2022		1/5/2024	7 Year Review	
Commercial Compressors	TP	1/5/2022		1/5/2024	7 Year Review	

DRAFT