PMC-ND

U.S. DEPARTMENT OF ENERGY (1.08.09.13) OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY NEPA DETERMINATION



RECIPIENT: University of Maryland

STATE: MD

PROJECT Electrohydrodynamic Enabled Eletrochemical Membrane Dehumidifier for Separate Sensible and TITLE: Latent Cooling

Funding Opportunity Announcement Number Procurement Instrument Number NEPA Control Number CID Number DE-FOA-0001825 DE-EE0008674 GFO-0008674-001

Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:

CX, EA, EIS APPENDIX AND NUMBER:

Description:

	Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)
B3.6 Small- scale research and development, laboratory operations, and pilot projects	Siting, construction, modification, operation, and decommissioning of facilities for smallscale research and development projects; conventional laboratory operations (such as preparation of chemical standards and sample analysis); and small-scale pilot projects (generally less than 2 years) frequently conducted to verify a concept before demonstration actions, provided that construction or modification would be within or contiguous to a previously disturbed or developed area (where active utilities and currently used roads are readily accessible). Not included in this category are demonstration actions, meaning actions that are undertaken at a scale to show whether a technology would be viable on a larger scale and suitable for commercial deployment.

Rationale for determination:

The U.S. Department of Energy (DOE) is proposing to provide federal funding to the University of Maryland, College Park (UMD) for the design, development, fabrication, and testing of an electro-hydrodynamic (EHD) enabled electrochemical dehumidification (ECD) system. Design, development, and fabrication activities would occur at the Center for Environmental Energy Engineering at UMD. Data analysis that would include design and fabrication of a control system and development of a Technology Transition Plan would occur at sub-recipient Daikin's research and development office in California.

Budget Period (BP) 1 activities would focus on EHDECD prototype development through the design, fabrication, and testing of a Membrane Electrode Assembly, an EHD device, and an evaporator. A Market Transformation Plan would also be developed. BP2 would focus on constructing a full-scaled system to experimentally validate performance and improve design. All project work would occur within existing office or laboratory space where no physical modifications or ground disturbing activities would be required and no change in the use of the facilities would result from project activities. No modifications to permits or new permits, additional licenses and/or authorizations would be necessary for proposed project activities. The project would involve the use and handling of various hazardous materials, including metals and industrial solvents. All such handling would occur in-lab with proper hazardous material handling and disposal practices, so project activities that involve these materials would pose no risk to the public. All hazardous materials would be managed in accordance with Federal, state, and local environmental regulations. Existing University health and safety policies and procedures would be followed, including employee training, proper protective equipment, engineering controls, monitoring, and internal assessments. To help ensure compliance with applicable health and safety regulations and minimize health and safety risks to employees and the public, additional policies and procedures would be implemented as necessary as new health and safety risks are identified. University laboratories have chemical hygiene plans in place and are equipped with safety devices. Non-hazardous waste would be managed by UMD's Office of Environmental Affairs. DOE does not anticipate any impacts to resources of concern due to the proposed activities of the project.

NEPA PROVISION

DOE has made a final NEPA determination.

Notes:

Building Technologies Office This NEPA determination does not require a tailored NEPA provision.

FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:

Signed By: Casey Strickland

NEPA Compliance Officer

Date: 3/21/2019

FIELD OFFICE MANAGER DETERMINATION

Field Office Manager review not required

□ Field Office Manager review required

BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :

Field Office Manager's Signature:

Field Office Manager

Date: