

PMC-ND  
(1.08.09.13)

**U.S. DEPARTMENT OF ENERGY  
OFFICE OF ENERGY EFFICIENCY AND RENEWABLE ENERGY  
NEPA DETERMINATION**

**RECIPIENT:** Louisiana Tech University**STATE:** LA**PROJECT TITLE:** Louisiana Tech University Chiller & Lighting Project

<b>Funding Opportunity Announcement Number</b>	<b>Procurement Instrument Number</b>	<b>NEPA Control Number</b>	<b>CID Number</b>
	DE-EE0008650	GFO-0008650-002	

**Based on my review of the information concerning the proposed action, as NEPA Compliance Officer (authorized under DOE Policy 451.1), I have made the following determination:**

**CX, EA, EIS APPENDIX AND NUMBER:**

Description:

**A9 Information gathering, analysis, and dissemination** Information gathering (including, but not limited to, literature surveys, inventories, site visits, and audits), data analysis (including, but not limited to, computer modeling), document preparation (including, but not limited to, conceptual design, feasibility studies, and analytical energy supply and demand studies), and information dissemination (including, but not limited to, document publication and distribution, and classroom training and informational programs), but not including site characterization or environmental monitoring. (See also B3.1 of appendix B to this subpart.)

**B5.1 Actions to conserve energy or water** (a) Actions to conserve energy or water, demonstrate potential energy or water conservation, and promote energy efficiency that would not have the potential to cause significant changes in the indoor or outdoor concentrations of potentially harmful substances. These actions may involve financial and technical assistance to individuals (such as builders, owners, consultants, manufacturers, and designers), organizations (such as utilities), and governments (such as state, local, and tribal). Covered actions include, but are not limited to weatherization (such as insulation and replacing windows and doors); programmed lowering of thermostat settings; placement of timers on hot water heaters; installation or replacement of energy efficient lighting, low-flow plumbing fixtures (such as faucets, toilets, and showerheads), heating, ventilation, and air conditioning systems, and appliances; installation of drip-irrigation systems; improvements in generator efficiency and appliance efficiency ratings; efficiency improvements for vehicles and transportation (such as fleet changeout); power storage (such as flywheels and batteries, generally less than 10 megawatt equivalent); transportation management systems (such as traffic signal control systems, car navigation, speed cameras, and automatic plate number recognition); development of energy-efficient manufacturing, industrial, or building practices; and small-scale energy efficiency and conservation research and development and small-scale pilot projects. Covered actions include building renovations or new structures, provided that they occur in a previously disturbed or developed area. Covered actions could involve commercial, residential, agricultural, academic, institutional, or industrial sectors. Covered actions do not include rulemakings, standard-settings, or proposed DOE legislation, except for those actions listed in B5.1(b) of this appendix. (b) Covered actions include rulemakings that establish energy conservation standards for consumer products and industrial equipment, provided that the actions would not: (1) have the potential to cause a significant change in manufacturing infrastructure (such as construction of new manufacturing plants with considerable associated ground disturbance); (2) involve significant unresolved conflicts concerning alternative uses of available resources (such as rare or limited raw materials); (3) have the potential to result in a significant increase in the disposal of materials posing significant risks to human health and the environment (such as RCRA hazardous wastes); or (4) have the potential to cause a significant increase in energy consumption in a state or region.

Rationale for determination:

The U.S. Department of Energy (DOE) is proposing to provide funding to the Louisiana State Energy Office to improve energy efficiency with a heating and cooling system replacement and a lighting upgrade at Louisiana Tech University in Ruston, LA.

The proposed project would replace two steam absorption chillers and steam heat exchangers that provide heat and cooling for the A. E. Phillips Laboratory School, Woodard Hall and the Band Building. The new air-cooled electric chillers with high efficiency motors and controls would be installed in the same location as the old chillers; outside of

the A.E. Phillips Laboratory School. All of the existing chilled and hot water lines would be utilized. The steam water heating converters would be replaced with condensing boilers, located in the A.E. Phillips Laboratory Building.

The lighting upgrade activities would include replacing existing lighting with new, more energy efficient LED lighting at the Thomas Assembly Center Arena (Arena) and the Joe Aillet Stadium (Stadium), which are in close proximity. Specifically, interior quartz-halogen light fixtures would be replaced in the Arena. Exterior quartz-halogen and metal halide light fixtures around the Arena, the Stadium, as well as in the shared parking area between the Arena and the Stadium, would all be replaced. No poles would be replaced or added.

The campus of Louisiana Tech University is outside of the 100-year floodplain.

Toliver Dining Hall is a listed property on the National Register of Historic Places, near the A. E. Phillips Laboratory School. The Toliver Dining Hall is across the street from where the chiller would be replaced, but the chiller is surrounded by a fence, and would not be visible. The chiller replacement would have no potential to cause effects on the listed historic property.

All equipment and materials would be disposed of by the contractor per State and Federal regulations.

## NEPA PROVISION

DOE has made a final NEPA determination.

Notes:

Weatherization & Intergovernmental Programs Office- State Energy Program  
This NEPA Determination does not require a tailored NEPA provision.  
NEPA review completed by Diana Heyder 09/24/2019

## FOR CATEGORICAL EXCLUSION DETERMINATIONS

The proposed action (or the part of the proposal defined in the Rationale above) fits within a class of actions that is listed in Appendix A or B to 10 CFR Part 1021, Subpart D. To fit within the classes of actions listed in 10 CFR Part 1021, Subpart D, Appendix B, a proposal must be one that would not: (1) threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; (2) require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; (3) disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; (4) have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of 10 CFR Part 1021, Subpart D, Appendix B; (5) involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements, such as those listed in paragraph B(5) of 10 CFR Part 1021, Subpart D, Appendix B.

There are no extraordinary circumstances related to the proposed action that may affect the significance of the environmental effects of the proposal.

The proposed action has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or 10 CFR 1021.211 concerning limitations on actions during preparation of an environmental impact statement.

The proposed action is categorically excluded from further NEPA review.

## SIGNATURE OF THIS MEMORANDUM CONSTITUTES A RECORD OF THIS DECISION.

NEPA Compliance Officer Signature:



Casey Strickland

NEPA Compliance Officer

Date: 9/25/2019

## FIELD OFFICE MANAGER DETERMINATION

- Field Office Manager review not required
- Field Office Manager review required

**BASED ON MY REVIEW I CONCUR WITH THE DETERMINATION OF THE NCO :**

Field Office Manager's Signature: \_\_\_\_\_  
Field Office Manager

Date: \_\_\_\_\_