

CMPC Marking Resource

Examples of Acceptably Marked Classified Matter



This document and all of its content are unclassified.

All Classification Markings are for training and/or example purposes only.

CMPC Marking Resource Examples of Acceptably Marked Classified Matter

April 2020

Prepared for U.S. Department of Energy Office of Environment, Health, Safety and Security Office of Security Policy

FOREWARD

A strong and cohesive information security program is integral to national security. The U.S. Government requires certain information to be maintained in confidence to protect our citizens, democratic institutions, and activities within the international security community.

Marking notifies holders of classified matter of the protection requirements for the information. Markings and designations serve two primary purposes:

- Alert holders to the presence of classified information.
- Warn holders of special access or safeguarding requirements.

This resource was developed to assist Federal and contractor employees by providing examples of acceptably marked classified matter. Although examples of current or historical markings may be included, this is not a comprehensive source for all possible marking of classified matter.

Nothing in this document is meant to establish, imply, or mandate requirements. These are reference examples only. U.S. Department of Energy (DOE) and national directives take precedence over the examples in this document if there are any discrepancies at any time.

How to Use This Document

Examples illustrate markings for matter that contains classified information. Note that page markings, with the exception of top and bottom and front and back markings, are no longer required to be at specific locations on the page. More than one example may be required to fulfill all requirements. References and links for DOE and national directives are provided on the following page.

The examples exhibit markings that achieve minimum national and departmental requirements, but are for example purposes only. Facilities may have procedures and practices for marking that vary from this handbook; e.g., use of alternate stamps that include all required information. If you have questions, consult your site's Classification or Security Office.

This resource is not a substitute for training in DOE document and data control. In addition, specialized training and formal designation is required in order to derivatively classify or declassify matter.

This resource document contains no classified information. The security classification markings, declassification instructions, and warning notices are for illustration purposes only.

REFERENCES¹ FOR DOE AND NATIONAL DIRECTIVES COVERING MARKINGS

- Atomic Energy Act of 1954
- EO 13526, Classified National Security Information
- 10 CFR Part 1045, Nuclear Classification and Declassification
- 32 Code of Federal Regulations (CFR) Parts 2001 and 2003, *Classified National Security Information*, (Directive No. 1), Subpart C, Identification and Markings
- DoDM 5200.01-V2, DoD Information Security Program: Marking of Classified Information
- National Industrial Security Program Operating Manual (NISPOM)
- ISOO Notice 2011-02, Further Guidance and Clarification on Commingling Atomic Energy Information and Classified National Security Information
- DOE O 452.8, Control of Nuclear Weapon Data
- DOE O 470.4B, Safeguards and Security Program
- DOE O 471.1B, *Identification and Protection of Unclassified Controlled Nuclear Information*
- DOE O 471.6, Information Security
- DOE O 475.2A, Identifying Classified Information

NOTE: This list is for informational purposes only; other directives or national policy requirements may apply.

_

¹ Refer to current version of each document.

TABLE OF CONTENTS

Fore	eward	<u>i</u>	i	
References for DOE and National Directives Covering Markings i				
1.	Marking Examples			
	1.1	Classified Information	1	
		Basic Marking Examples	1	
		1.1.1 Classification Marking Layout for Derivately Classified NSI Documents	1	
		Required Markings for First Page of an NSI Document	2	
		Portion Marking Interior Pages of an NSI Document Marked at the Overall		
		Highest Classification Level of the Information on that Page	3	
		Portion Marking Interior Pages of an NSI Document Marked at the Overall		
		Highest Classification Level of the Document	4	
		Classification Marking Layout for RD/FRD Documents	5	
		Required Markings for First Page of RD/FRD Documents	6	
		Confidential RD Document	7	
		Top Secret Derivatively Classified NSI Document with Intelligence Information	8	
		Classification Markings of Interior Pages of an NSI Document Marked at the		
		Overall Highest Classification Level of the Document if that Level is Secret	9	
		Portion Marking a Bibliography in a Secret NSI Document	10	
		1.1.2 Classification/Declassification Markings	11	
		Derivatively Classified Confidential NSI Document	11	
		Classification by Compilation: Derivatively Classified NSI	12	
		S/RD Document with Mixed Levels and Categories Marking Matrix	13	
		Document Upgraded from Confidential NSI to Secret NSI	14	
		Document Downgraded Based on Change Notice	15	
		Declassified NSI Document	16	
		1.1.3 Caveats and Special Control Markings	17	
		Foreign Government Information (FGI) Derivatively Classified National		
		Security Information	17	
		Derivatively Classified S/RD Document that Contains Sigma 18 Nuclear		
		Weapon Data	18	
		Derivatively Classified S/RD Document that Contains Sigma 14 and 15 Nuclear		
		Weapon Data	19	
		1.1.4 Marking Special Types of Documents	20	
		Confidential NSI Transmittal Memorandum with an S/RD Attachment	20	
		S/RD Transmittal Memorandum with an S/RDAttachment	21	
		Unclassified Transmittal Memorandum with a Classified Attachment	22	
		Re-Marking a Transmittal Memorandum	23	
		Confidential NSI Transmittal with an UCNI Attachment	24	
		Draft/Working Paper Within an Activity/Office	25	


Folder Containing Classified Documents	26
Top Secret, Secret, and Confidential Cover Sheets	27
C/FGI-MOD Coversheet	28
Marking for a Removable Container for Classified Media	29
Marking Classified Removable Electronic Media (CREM)	29
Marking a Removable Hard Drive	30
Standard Form Labels for Media	30
Marking Charts, Graphs, and Folded or Rolled Documents	31
Microfiche Markings	32
Microfilm Reel Markings	33
Marking of Photographs	34
Marking of Transparencies and Slides	35
1.1.5 Marking Equipment/Parts	36
Classified Equipment Marking	36
Example 1. Marking Parts	37
Example 2. Marking Parts	38
Example 3. Marking Containers	39
1.2 Unclassified Controlled Nuclear Information	40
Declassified Document Still Containing UCNI	40
Transmittal Containing UCNI with an S/RD Attachment (Left), and Re-marked	
Transmittal when Separated from Attachment (Right)	41
Appendix A EQUIVALENT FOREIGN SECURITY CLASSIFICATIONS	42
**	
Appendix B Guidelines for Marking NSI Email Messages on a Classified Network.	45

1.0 MARKING EXAMPLES

1.1 Classified Information

1.1.1 Basic Marking Examples









Classifier marking must be placed on "first page" of the document, whether the cover page, title page, or first page of text and should be placed in the lower left corner.

Derivative Declassifier Review Stamp should be close to NSI Classifier Marking, preferably above it, but as close as possible.



Classification Marking Layout for Derivatively Classified NSI Documents

Additional required markings on page 2.

Overall Classification Level*

Originator Information (name of organization and address)

Date

(Classification Level/Caveat*) Title/Subject

Classification level and caveat (if applicable) must always be identified; the use of classified titles is strongly discouraged.

NSI portion marked

(Classification Level/Caveat*) Paragraph 1

(Classification Level/Caveat*) Paragraph 2

Derivative Declassifier review required prior to declassification

Caveat (if applicable)

Classifier Marking

Overall Classification Level*

Required Markings for First Page of an NSI Document

Additional required markings for interior pages on pages 3 and 4.

*Note: Overall Classification Level, title/subject and portion marking must identify caveats when applicable.

UNCLASSIFIED

Chapter 3

- (U) Portion Marking
- 1. (U) This is paragraph 1 and contains unclassified information. This portion will be marked with the designation "U" in parentheses.
- 2. (U) This is paragraph 2 and contains unclassified information. This portion will be marked with the designation "U" in parentheses.

Page 42
UNCLASSIFIED

SECRET

- 6. (U) If this paragraph is used in another document, even though it is an unclassified paragraph here, the new document must be reviewed for classification because it has been removed from a classified document and may become classified by association.
- 7. (S) This is paragraph 7 and contains "Secret" information. This portion will be marked with the designation "S" in parentheses. The classification of this page is marked "Secret" because this paragraph contains Secret information, which is the highest level of information.

Page 44
SECRET

UNCLASSIFIED CONTROLLED NUCLEAR INFORMATION

- 3. (U) This is paragraph 3 and contains unclassified information. This portion will be marked with the designation "U" in parentheses.
- 4. (UCNI) This is paragraph 4 and contains information determined to be UCNI. It is marked "UCNI" in parentheses.
- 5. (U) This is paragraph 5 and contains unclassified information. This portion will be marked with the designation "U" in parentheses.

Page 43
UNCLASSIFIED CONTROLLED
NUCLEAR INFORMATION

SECRET

contained on the page. When a classified or unclassified paragraph is too long and must be carried over to another page, a good business practice is to carry over the classification portion marking to the portion on the next page. However, this is not mandatory.

8. (U) This is paragraph 8 and contains only "Unclassified" information. This portion will be marked with the designation "U" in parentheses.

Page 45 SECRET

Portion Marking Interior Pages of an NSI Document Marked at the Overall Highest Classification Level of the Information on that Page

SECRET

Chapter 3

- (U) Portion Marking
- 1. (U) This is paragraph 1 and contains unclassified information. This portion will be marked with the designation "U" in parentheses.
- 2. (U) This is paragraph 2 and contains unclassified information. This portion will be marked with the designation "U" in parentheses.

Page 42 SECRET

SECRET

- 3. (U) This is paragraph 3 and contains unclassified information.
- 4. (UCNI) This is paragraph 4 and contains information determined to be UCNI. It is marked "UCNI" in parentheses.
- 5. (U) This is paragraph 5 and contains unclassified information.

Page 43
SECRET

SECRET

- 6. (U) If this paragraph is used in another document, even though it is an unclassified paragraph here, the new document must be reviewed for classification because it has been removed from a classified document and may become classified by association.
- 7. (S) This is paragraph 7 and contains "Secret" information. This portion will be marked with the designation "S" in parentheses. The classification of this page is marked "Secret" because this paragraph contains Secret information, which is the highest level of information

Page 44
SECRET


SECRET

contained on the page. When a classified or unclassified paragraph is too long and must be carried over to another page, a good business practice is to carry over the classification portion marking to the portion on the next page. However, this is not mandatory.

8. (U) This is paragraph 8 and contains only "Unclassified" information. This portion will be marked with the designation "U" in parentheses.

Page 45 SECRET

Portion Marking Interior Pages of an NSI Document Marked at the Overall Highest Classification Level of the Document



Classification Marking Layout for RD/FRD Documents

Additional required markings for first page on page 6. Interior pages are marked with overall document classification level and category at top and bottom of page.

Overall Classification Level

Originator Information (name of organization and address)

Date

(Classification Level/RD or FRD/Caveat) Title Subject

Classification level, category and caveat (if applicable) must always be identified; the use of classified titles is strongly discouraged.


Caveat (if applicable)

RD or FRD Admonishment Notice


RD/FRD Classifier Marking

Overall Classification Level


Required Markings for First Page of RD/FRD Documents



Confidential RD Document



Top Secret Derivatively Classified NSI Document with Intelligence Information



Classification Markings of Interior Pages of an NSI Document Marked at the Overall Highest Classification Level of the Document if that Level is Secret

SECRET

(U) Bibliography

- (U) Brown, John. "Widget Tests and Performance (U)" DOE Laboratory report #CDF-234A, DECEMBER 30, 2004, 152 pages. (SRD document)
- (U) Kilgore, George A. "Widget Development (U)" Adjax Corporation, Madison, WI, #AC-9400133, July 23, 1994, 92 pages. (SRD document)
- (C) Mayes, Albert. "Carbon Alloys for Widgets (C)" Adjax Corporation, Madison, WI, #AC-9600024, March 6, 1995, 68 pages. (C document)

SECRET

Portion Marking a Bibliography in a Secret NSI Document

NOTE: When marking a page at the highest level of the page, this example would be marked as "Confidential."

1.1.2 Classification/Declassification Markings



CONFIDENTIAL

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

October 12, 2011

MEMORANDUM FOR: Distribution

FROM: Document Author SUBJECT: (U) Status of Activities

Body of Text

(C) Paragraph 1

(U) Paragraph 2

(C) Paragraph 3

Derivative Declassifier review required prior to declassification

Classified by: William H. Smith, Director, Office of Security

Derived From: CG-SS-49/12/00, DOE OC

Declassify on: October 12, 2021

CONFIDENTIAL

Derivatively Classified Confidential NSI Document



CONFIDENTIAL

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

October 12, 2011

MEMORANDUM FOR: Kenneth Steinberg, Director

Office of Administration

FROM: Catherine Kazanski, OPSEC Programs

SUBJECT: (U) Report of Activities

Text of Memo

Paragraph 1 Paragraph 2 Paragraph 3 Paragraph 4

Derivative Declassifier review required prior to declassification

This document has been classified as a compilation and must not be used as a source document for a derivative classification decision

Classified by: Thomas Roe, Analyst, DOE SP-32 Derived From: TCG-BTS-2, 08/29/01, DOE OC

Declassify on: DECEMBER 30, 2021

CONFIDENTIAL

Classification by Compilation: Derivatively Classified NSI



SECRET

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

July 11, 2011

MEMORANDUM FOR: Jane J. Smith, Director Safeguards and Security

Division

FROM: Thomas Reed, Director

Intelligence Office

SUBJECT: (U) Status Report

Text of Memo

RESTRICTED DATA

This document contains Restricted Data as defined in the Atomic Energy Act of 1954. Unauthorized disclosure subject to Administrative and Criminal Sanctions. This document contains:

Restricted Data at the <u>Confidential level</u>
Formerly Restricted Data at the <u>Secret level</u>
National Security Information at the <u>Secret level</u>
Classified by: Bill Larson, Analyst, STT-10

Classified by: Jerry Ranier, Director

Security Division

Derived from: CG-RER-1, 07/08/02, DOE OC

SECRET

S/RD Document with Mixed Levels and Categories Marking Matrix

NOTE: A marking matrix may be used when classified matter contains a mix of information at various levels and categories that causes the document to be marked at an overall level and category higher than the protection level required for any of the individual portions. This would allow an individual with a lower access level, such as an "L" cleared employee, to be given access to a document that he or she might not otherwise have been authorized access to.



SECRET CONFIDENTIAL

Department of Energy Georgia Site Office 20039 Peachtree Street Atlanta, Georgia 56789

July 20, 2011

MEMORANDUM FOR: Joseph Bishop

Office of Administration

FROM: Abby Thomas

Office of Technology Transfer

SUBJECT: (U) Work for Others Projects

Text of Memo

(U) Paragraph 1

(U) Paragraph 2

(U) Paragraph 3

(S) (C) Paragraph 4

Derivative Declassifier review required prior to declassification

Classified by: Signer

Derived From CG SS 4,09/12/00, DOE OC

Declassify on: 20210720

Upgraded by: Susan Poe, Analyst, Technology Transfer, DOE SP-32

Upgraded on: 8/8/2011

Derived from: CG-SS-4, 09/12/00, DOE OC

Declassify on: 20210720

CONFIDENTIAL SECRET

Document Upgraded from Confidential NSI to Secret NSI

SECRET CONFIDENTIAL

(U) Radiation Hardening of Gizmo Model 549

by Jack Davis

Adjax Corporation 100090 River Road Mouse Creek, AR 67890

February 25, 2008

FORMERLY RESTRICTED DATA Unauthorized disclosure subject to Administrative and Criminal in Foreign Dissemination, Section Unauthorized disclosure subject to Sanctions. Handle as Restricted Data 144.b, Atomic Energy Act of 1954.

RESTRICTED DATA
This document contains Restricted
Data as defined in the Atomic
Energy Act of 1954. Unauthorized
disclosure subject to Administrative and
Criminal Sanctions

Classification changed to: <u>C/FRD</u>
Authorized by: <u>OSTI Notice #5, 4/8/08</u>
Changed by: <u>Susan Poe, Analyst, Technology</u>
Transfer, DOE SP-32, 4/15/08

Classified by: Joan Freemont, Director

Materials Division, Adjan Corp.

Derived from: TCG NAS 1,10/12/00, DOE OC

CONFIDENTIAL SECRET

Document Downgraded Based on Change Notice

NOTE: If downgrading from RD or FRD to NSI, declassification instructions are provided and portions must be marked appropriately.

SECRET UNCLASSIFIED

Metallurgy of Uranium Alloys (X)

Sylvester Smalling Gregory Spinett

Metals Corporation 1111Main Road Columbus, Ohio 54321

October 31, 2007

Derivative Declassifier review required prior to declassification

Classified by Wolfgan Sterling, Metals Corp. Derived Fram: CG-SS 4, 09/12/09, DOE OC Declassify on: 20171101 Declassified by: <u>Chris Clark, Analyst, Security Division</u>
Declassified by: <u>Shane Rule, Sr. Analyst, Security Division</u>
Derived From: <u>CG-NMP-2,09/11/00, DOE OC</u>
Declassified on: <u>20111103</u>

UNCLASSIFIED SECRET

Declassified NSI Document

1.1.3 Caveats and Special Control Markings



SECRET

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

DECEMBER 30, 2011

MEMORANDUM FOR: Jane J. Brown, Director

International Affairs

FROM: James Jones, Director

Operations Management

SUBJECT: (U) Funding for Project YZX

Text of Memo

(U.K.-C) Paragraph 1

(U) Paragraph 2

(U.K.-C) Paragraph 3

(U.K.-S) Paragraph 4

Derivative Declassifier review required prior to declassification

Classified by: Signer

Derived From: U.K. memo title project YZX

Funding 7/25/2011

Declassify on: 25X6, when officially released

by foreign government

This document contains United Kingdom information

SECRET

Foreign Government Information (FGI)
Derivatively Classified National Security Information



SECRET

(U) Widget Analysis

By Jordan Kylie

Jerico Corporation 2244 Riverside Drive Painted Rock, WV 12345

DECEMBER 20, 2011

Nuclear Weapon Data, Sigma 18

RESTRICTED DATA
This document contains Restricted Data
as defined in the Atomic Energy Act of
1954. Unauthorized disclosure subject to
Administrative and Criminal Sanctions.

Classified by: <u>Joe Johnson, Manager</u>
<u>Applied Technology, Jerico Corp.</u>
Derived From: <u>TCG-NAS-2</u>, 03/97, <u>DOE OC</u>

SECRET

Derivatively Classified S/RD Document that Contains Sigma 18 Nuclear Weapon Data

NOTE: All documents containing Nuclear Weapon Data that were/are originated in the DOE or NNSA and transmitted to the DoD, must also be marked Critical Nuclear Weapon Design Information (CNWDI), if appropriate, using criteria established by the joint DOE/DoD classification guides per DOE O 452.8 and DoD Directive 5210.02.

SECRET

ACC-04-653

(U) Design of Use Control Systems

By Jose Whales

Jerico Corporation 2244 Riverside Drive Painted Rock, WV 12345

June 4, 2011

This document may not be reproduced or disseminated beyond original distribution without approval of the originator, the originating agency Use Control Site Coordinator, or the National Nuclear Security Administration Headquarters Use Control Program Coordinator.

Nuclear Weapon Data, Sigma 14 & 15

RESTRICTED DATA

This document contains Restricted Data as defined in the Atomic Energy Act of 1954. Unauthorized disclosure subject to Administrative and Criminal Sanctions.


Classified by: <u>Joe Johnson, Manager</u>
<u>Applied Technology, Jerico Corp.</u>
Derived From: <u>TCG-UC-3, 09/23/02, DOE OC</u>

SECRET

Derivatively Classified S/RD Document that Contains Sigma 14 and 15 Nuclear Weapon Data

1.1.4 Marking Special Types of Documents

See page 23 for a Confidential National Security Information Transmittal for a Secret Restricted Data attachment and the re-marked transmittal once the attachment has been removed.



First Page of S/RD Attachment

Confidential NSI Transmittal Memorandum with an S/RD Attachment



SECRET/RD

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

October 12, 2011

MEMORANDUM FOR: Bill Brown, Director

Office of Administration Services

FROM: Bruce Black, Director

Office of Nuclear Energy

SUBJECT: (U) Special Nuclear Materials Inventory

Text of Memo

RESTRICTED DATA

This document contains Restricted Data as defined in the Atomic Energy Act of 1954. Unauthorized disclosure subject to Administrative and Criminal Sanctions.


Classified by: Signer

Derived From: CG-SS-4, 09/12/00, DOE OC

SECRET/RD

S/RD Transmittal Memorandum with an S/RD Attachment

NOTE: Placing the RD category at the top and bottom of the first page is a good business practice, but is not required.



Page 1 Page 2

Unclassified Transmittal Memorandum with a Classified Attachment

NOTE: If a lower level classified or an unclassified transmittal memorandum with multiple pages, the highest level (and category) markings are only required on the first page and any remaining pages are marked appropriately. In this example, page two is marked Unclassified, however, no marking is also allowed since it is Unclassified.



SECRET

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

October 20, 2011

MEMORANDUM FOR: Bill Brown, Director

Office of Administration Services

FROM: Bruce Black, Director

Office of Nuclear Energy
SUBJECT: (U) Special Nuclear Materials

Inventory

Text of Memo

(U) Paragraph 1

(C) Paragraph 2
(U) Paragraph 3

(C) Paragraph 4

Derivative Declassifier review required prior to declassification Document transmitted herewith contains SECRET RESTRICTED DATA

When separated from attachment, handle this document as CONFIDENTIAL

Classified by: Signer

Derived From: CG-SS-4, 09/12/00, DOE OC

Declassify on: 20211012

SECRET



SECRET

CONFIDENTIAL

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

October 20, 2011

MEMORANDUM FOR: Bill Brown, Director

Office of Administration Services

FROM: Bruce Black, Director

Office of Nuclear Energy
SUBJECT: (U) Special Nuclear Materials

Inventory

Text of Memo

(U) Paragraph 1

(C) Paragraph 2

(U) Paragraph 3

(C) Paragraph 4

Derivative Declassifier review required prior to-declassification ocument transmitted herewith contains SECRET RESTRICTED DATA

When separated from attachment, handle this document as CONFIDENTIAL

Classified by: Signer C
Derived From: CG-SS-4, 09/12/00, DOE OC

Declassify on: 20211012

CONFIDENTIAL

SECRET

NSI Transmittal Memo with an S/RD
Attachment

Re-marked Transmittal when Separated from Attachment

Re-Marking a Transmittal Memorandum



CONFIDENTIAL

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

April 5, 2011

MEMORANDUM FOR: Abraham Cross, Security Specialist

Safeguards and Security Division

FROM: Gerald Reber, Manager

Operations Security Division

SUBJECT: (U) OPSEC Survey

Text of Memo

(U) Paragraph 1

(C) Paragraph 2

(U) Paragraph 3

(C) Paragraph 4

Derivative Declassifier review required prior to declassification

Document Transmitted Herewith Contains Unclassified Controlled Nuclear Information

Classified by: Martha Medley, Analyst, Security Division

Derived From: CG-SS-4, 09/12/00, DOE OC

Declassify on: 20210405

CONFIDENTIAL

Confidential NSI Transmittal with an UCNI Attachment

SECRET DRAFT/WORKING PAPER

(U) Draft Security Plan for Project ZYX

by John S. Smith


Adjax Corporation 10090 River Road Mouse Creek, AR 67890

December 30, 2011

DRAFT/WORKING PAPER SECRET

Draft/Working Paper Within an Activity/Office

NOTE: Although draft/working papers are not required to be portion marked, the subject/title is considered classified unless determined to be unclassified and marked accordingly. Date location is not mandatory. The date may be located in another location on this page (i.e., top, bottom, etc.).



Folders containing classified matter, when removed from secure storage repositories, are conspicuously marked to indicate the highest level of classified information contained in the folder. A coversheet could also be affixed to the folder.

The folder is unclassified when it no longer contains classified material.


SECRET

Back

Folder Containing Classified Documents







Top Secret, Secret, and Confidential Cover Sheets

DOEF 471.2 (07/2011) All Other Editions Are Obsolete Local Reproduction Authorized

U.S. DEPARTMENT OF ENERGY

C/FGI-MOD

CONFIDENTIAL FOREIGN GOVERNMENT INFORMATION - MODIFIED HANDLING AUTHORIZED -

As defined by Executive Order 13526, Section 6.1(S), "Foreign Government Information" means:

- information provided to the U.S. Government by a foreign government or governments, an international organization
 of governments, or any element thereof, with the expectation that the information, the source of the information, or both
 are to be held in confidence;
- (2) information produced by the United States pursuant to or as a result of a joint arrangement with a foreign government or governments, or a international organization of governments, or any element thereof, requiring that the information, the arrangement, or both, are to be held in confidence: or
- (3) information received and treated as "Foreign Government Information" under the terms of a predecessor order.

The attached document(s) contains Foreign Government Information (FGI), as defined by Executive Order 13526, "Classified National Security Information," that the foreign government protects at a level lower than U.S. CONFIDENTIAL.

Access to the attached information does not require an access authorization or personnel security clearance. However, access to this information must only be granted to persons with an established need-to-know and whose official duties require access. This information must not be disclosed to a third party government, individual, group, or organization not involved in the applicable agreement or treaty without the expressed, written permission from the originator.

This document(s) must be transmitted using approved U.S. classified methods unless this requirement is waived by the owning foreign government. It must be destroyed as required for a U.S. CONFIDENTIAL classified document.

When not in use, this document must be stored in a locked receptacle (e.g., file cabinet, desk, bookcase) that is accessible only by persons who have a need to know the information to perform their official duties to ensure protection against unauthorized disclosure or access by unauthorized personnel.

This Cover Sheet May Be Applied to All Qualified FGI Documents While Under U.S. Control in U.S. Facilities.

C/FGI-MOD

Document(s) contains _		information
	(Insert name of country)	

C/FGI-MOD Coversheet

A C/FGI-MOD coversheet (DOE F 471.2) is completed and attached to foreign government documents that are protected at a level lower than U.S. Confidential.



Marking for a Removable Container for Classified Media

NOTE: Classification level marked at top and bottom, front and back of container.

"This container is unclassified when separated from classified CD" may be placed on the container.



Removable container front and back marking: Classification level at top and bottom.

Pre-printed labels with level or level/category may be used if appropriate.

CD/DVD and Case (S/RD)

Marking Classified Removable Electronic Media (CREM)




^{*} Removable hard drive case is considered a container and marked as such.


Marking a Removable Hard Drive



Standard Form Labels for Media

NOTE: The Site/System Classified Cyber Plan may provide additional information or details on use of these media labels.







Secret Restricted Data Chart

Confidential Graph In A Secret Document

Marking Folded or Rolled Documents






The classification level and category (if RD or FRD) must be visible when these types of documents are folded or rolled.

Marking Charts, Graphs, and Folded or Rolled Documents

The classification level and category (if RD or FRD) are visible when these types of documents are folded or rolled.


All required markings must be on each individual document contained on the microfiche to include all required first page and interior markings (see pages 1-4 of this handbook).



^{*}First and last images should show highest classification level, category (if RD/FRD), and caveats (if applicable) of information on microfiche.

Microfiche Markings


NOTE: All documents placed on classified microforms must be specifically identified as being either classified or unclassified which may require adhesive labels for additional marking.



* If such markings would apply to all the classified documents on the microfilm. If these instructions will not fit, they accompany the microfilm.

Microfilm Reel Markings

NOTE: May require adhesive labels for current marking information.



CONFIDENTIAL

Jellico Research, Inc. Wind River, WY 67890 December 10, 2011

(U) Equipment Photo

Derivative Declassifier review required prior to declassification

Classified by: <u>Anthony Chavez, Director</u>
<u>Office of Departmental Services, Jellico Research, Inc.</u>
Derived From: <u>CG-SS4, 09/12/00, DOE OC</u>
Declassify on: <u>20211210</u>

CONFIDENTIAL

Back of Photograph

(if it cannot be placed on the photograph) is kept in separate record.

Marking of Photographs

SECRET

@ Circle Corporation 1022 Pine Road Little Rock, AK

22 May 2011

(U) Slides and Viewgraphs

Derivative Declassifier review required prior to declassification

Classified by: Anthony Chavez, Director, DOE/SP-60

Derived from: CG-SS-4, 9/12/00, DOE OC

Declassify on: 20241231

SECRET

PowerPoint Presentation, Slide 1

SECRET

(U) Intelligence Collection Systems



(U) Operational Goals

- (U) This contains operational goals information
- **(U)** This section contains additional information about the goals

(U) Contribution to Operation

- (U) This statement discusses how this contributes to the operation
- (S) This discusses additional contributions.

SECRET


PowerPoint Presentation, Slide 2

Marking of Transparencies and Slides

1.1.5 Marking Equipment/Parts



Classified Equipment Marking







Part labeled S/NSI

Example 1. Marking Parts

Overall markings are stamped, printed, etched, written, engraved, painted, or affixed by means of a tag, sticker, decal, or similar device on classified material other than documents, and on containers of such material, if possible. If marking the material or container is not practical, written notification of the markings are furnished to recipients.


<u>Caution</u>. Before initiating any new marking policies, it is necessary to coordinate with the production engineers. War reserve and configuration control requirements mandate strict control over what is done to specific materials – markings cannot violate these rules. Any alternative markings under consideration must be compatible with the material being marked.





Example 2. Marking Parts

NOTE: Additional classification markings (e.g., classifier information) are furnished to those who have access to the parts if the markings cannot be placed on the equipment.



Example 3. Marking Containers

1.2 Unclassified Controlled Nuclear Information



CONFIDETIAL

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585

October 12, 2011

MEMORANDUM FOR: Kenneth Steinberg, Director

Office of Administration

FROM: Catherine Kazanski, OPSEC Programs

SUBJECT: (X) Report of Activities

Text of Memo

(UCNI) Paragraph 1

(K) Paragraph 2

(X) Paragraph 3

(K) Paragraph 4

Derivative Declassifier review required prior to declassification

Classified by: Signer
Derived from: CG-SS-4,09/12/00 DOE OC
Declassify on: 25 x 8: Declassify when
vulnerability is corrected or facility is closed

UNCLASSIFIED CONTROLLED NUCLEAR INFORMATION NOT FOR PUBLIC DISSEMINATION

Unauthorized dissemination subject to civil and criminal sanctions under Section 148 of the Atomic Energy Act of 1954 (42 U.S.C. 2168).

Reviewing Official: <u>Cathy Overhauser</u>, <u>Research Division</u> name/organization

Date: Oct. 21, 2031

Guidance Used: TG-PUP-2, 02/04/03

Declassified by: K. Keye, Analyst, Security Team
Declassified by: R. Roe, Sr. Analyst, Security Team
Derived from: CG-SS-4, 09/11/00, DOE OC
Declassified on 20311021

UNCLASSIFIED CONTROLLED NUCLEAR INFORMATION

CONFIDENTIAL

Declassified Document Still Containing UCNI

Classified documents that also contain controlled information do not have the corresponding control markings unless they are portion marked. Therefore, when such documents are reviewed for declassification, any controlled information is identified at that time and marked accordingly. A declassified document that contains UCNI must be re-marked as UCNI after the classification markings are lined out.

SECRET

Department of Energy Office of Security 000 Independence Avenue S. W. Washington, D.C. 20585 May 23, 2011

MEMORANDUM FOR Aretha Hortez, Analyst

Materials Accountability Division

FROM: Matthew Prince, Accountant

Finance Division SUBJECT: (U) Inventory Differences

Text of Memo

UNCLASSIFIED CONTROLLED NUCLEAR INFORMATION NOT FOR PUBLIC DISSEMINATION Unauthorized dissemination subject to civil and criminal sanctions under Section 148 of the Atomic Energy Act of 1954 (42 U.S.C. 2168)

Reviewing Official: Cathey Overhauser,

Research Division

(name/organization) Date: 5/23/2011

Guidance Used:

TG-PUP-2, 02/04/03

Document transmitted herewith contains SECRET RESTRICTED DATA

When separated from attachment, handle this document as UCNI

SECRET

Department of Energy Office of Security 1000 Independence Avenue S. W. Washington, D.C. 20585 May 23, 2011

MEMORANDUM FOR Aretha Hortez, Analyst

Materials Accountability Division Matthew Prince, Accountant

FROM: Finance Division

SUBJECT: (U) Inventory Differences

Text of Memo

UNCLASSIFIED CONTROLLED NUCLEAR INFORMATION NOT FOR PUBLIC DISSEMINATION Unauthorized dissemination subject to civil and criminal sanctions under Section 148 of the Atomic Energy Act of 1954 (42 U.S.C. 2168)

Reviewing Official: Cathey Overhauser,

Research Division (name/organization)

Guidance Used: TG-PUP-2, 02/04/03

herewith contains SECRET RESTRICTED DATA

> When separated from attachment, handle this document as UCNI

UNCLASSIFIED CONTROLLED NUCLEAR INFORMATION SECRET

SECRET

Transmittal Containing UCNI with an S/RD Attachment (Left), and Re-marked Transmittal when Separated from Attachment (Right)

APPENDIX A

EQUIVALENT FOREIGN SECURITY CLASSIFICATIONS

(Taken from DoDM 5200.01-V2, February 24, 2012, Appendix 1)

Equivalent Foreign Security Classifications

COUNTRY	TOP SECRET	SECRET	CONFIDENTIAL	OTHER
Albania	TEPER SEKRET	SEKRET	IMIREBESUESHEM	I KUFIZUAR
Argentina	ESTRICTAMENT E SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Australia	TOP SECRET	SECRET or HIGHLY PROTECTED	CONFIDENTIAL or PROTECTED	RESTRICTED
Austria	STRENG GEHEIM	GEHEIM	VERSCHLUSS	
Belgium (French)	TRES SECRET	SECRET	CONFIDENTIEL	DIFFUSION RESTREINTS
Belgium (Flemish)	ZEER GEHEIM	GEHEIM	VERTROUWELIJK	BEPERTKE VERSPREIDING
Bolivia	SUPERSECRETO or MUY SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Brazil	ULTRA SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Bulgaria	CTPOTO CEKPETHO (STROGO SECRETNO)	CEKPETHO (SEKRETNO)	ПОВЕРИТЕЛНО (POVERITELNO)	ЗА СЛУЖЕБНО ПОЛЗВАНЕ (ZA SLUZHEBNO POLZVANE — equates to For Official Use)
Canada	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED
Chile	SECRETO	RESERVADO	CONFIDENCIAL	
Colombia	ULTRASECRETO	SECRETO	RESERVADO	CONFIDENCIAL/ RESTRINGIDO
Costa Rica	ALTO SECRETO	SECRETO	CONFIDENCIAL	
Croatia	NAJVECI TAJNITAJNI	TAJNI	POVERLJIV	OGRANCIEN
Denmark	YDERST HEMMELIGT	HEMMELIGT	FORTROLIGT	TIL TJENESTEBRUG
Ecuador	SECRETISIMO	SECRETO	CONFIDENCIAL	RESERVADO
Egypt	TOP SECRET	VERY SECRET	SECRET	OFFICIAL
El Salvador	ULTRA SECRETO	SECRETO	CONFIDENCIAL	
Estonia	TOP SECRET	SECRET	CONFIDENTIAL	
Ethiopia	YEMIAZ BIRTOU MISTIR	MISTIR	KILKIL	
Finland	ERITTAIN SALAINEN	Salainen	Luottamuksellinen	Viranomaiskaytto

COUNTRY	TOP SECRET	SECRET	CONFIDENTIAL	OTHER
France	TRES SECRET DEFENSE	SECRET DEFENSE	CONFIDENTIEL DEFENSE	DIFFUSION RESTREINTE
Germany	STRENG GEHEIM	GEHEIM	VS-VERTRAULICH	Vs- Nur für den
Greece	ΑΚΡΩΣ ΑΠΟΡΡΗΤΟ	АПОРРНТО	ΕΜΠΙΣΤΕΥΤΙΚΟ	$\begin{array}{c} \text{Dienstgebrauch} \\ \prod \text{EPI}\Omega\text{PI}\sum \text{MENH}\sum \text{XPH}\sum \text{E} \\ \Omega\sum \end{array}$
Guatamala	ALTO SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Honduras	SUPER SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Hungary	SZIGORUAN TITKOS	TITKOS	TITKOS	KORLÁTOZOTT TERJESXTĖSŰ
Iceland	ALGJORTI	TRUNADARMAL		THJONUSTAJSKJAL
India	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED
Indonesia	SANGAT RAHASIA	RAHASIA	TERBATAS	
Iran	BENKOLI SERRI	SERRI	KHEILI MAHRAMANEH	MAHRAMANEH
Ireland	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED
Israel	SODI BE'YOTER	SODI	SHAMUR	MUGBAL
Italy	SEGRETISSIMO	SEGRETO	RISERVATISSIMO	RISERVATO
Japan	TOP SECRET	SECRET	CONFIDENTIAL	
Jordan	STRICTLY CONFIDENTIAL	CONFIDENTIAL	RESTRICTED	
Korea	I KUP PI MIL	II KUP PI MIL	III KUP PI MIL	
Laos	TRES SECRET	SECRET	SECRET/CONFIDENTIE L	DIFFUSION RESTREINTE
Latvia	SEVISKI SLEPENA	SLEPENA	KONFIDENCIALA	DIENESTA VAJADZĬBĂM
Lebanon	TRES SECRET	SECRET	CONFIDENTIEL	
Lithuania	VISIŠLAPTAI SLAPTAI	SLAPTAI	SLAPTAI	RIBOTO NAUDOJIMO
Malaysia	RAHSIA BESAR	RAHSIA	SULIT	TERHAD
Mexico	ALTO SECRETO	SECRETO	CONFIDENCIAL	RESTRINGIDO
Morocco	SECRET DEFENSE	SECRET	CONFIDENTIEL	RESTREINT
Netherlands	STG. ZEER GEHEIM	STG. GEHEIM	STG. CONFIDENTIEEL	Departementaal VERTROUWELIJK
New Zealand	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED
Nicaragua	ALTO SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Norway	STRENGT HEMMELIG	HEMMELIG	KONFIDENEIELT	BEGRENSET
Oman	TOP SECRET	SECRET	CONFIDENTIAL	
Pakistan	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED

COUNTRY	TOP SECRET	SECRET	CONFIDENTIAL	OTHER
Paraguay	SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Peru	ESTRICTAMEN TE SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Philippines	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED
Poland	SCISLE TAJNE	TAJNE	POUFNE	ZASTREZONE
Portugal	MUITO SECRETO	SECRETO	CONFIDENCIAL	RESERVADO
Romanian	STRICT- SECRET DE IMPORT ANT A DEOSEBITA	STRICT- SECRET	SECRET	SECRET DE SERVICIU
Saudi Arabia	SAUDI TOP SECRET	SAUDI VERY SECRET	SAUDI SECRET	SAUDI RESTRICTED
Singapore	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED
Slovakia	PRISNĖ TAJNĖ	TAJNĖ	DÖVERNÉ	VYHRADENĖ
Slovenia	STROGO ZAUPNO	OBRAMBA – DRŻAVNA SKRIVNOST Defense - State Secret	ZAUPNO	
South Africa	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED
Spain	SECRETO	RESERVADO	CONFIDENCIAL	DIFUSIÓN LIMITADA
Sweden	H0/ TOP SECRET (the word HEMLIG enclosed with Red Borders)	H1/ SECRET	H2/ SECRET	
Switzerland	GEHEIM	VERTAULICH		
Taiwan	TOP SECRET (Not translatable into English characters)	SECRET	CONFIDENTIAL	
Thailand	LUP TISUD	LUP MAAG	LUP	POK PID
Tunisia	TOP SECRET	SECRET	SECRET CONFIDENTIAL	
Turkey	COK GIZLI	GIZLI	OZEL	HIZMETE ÖZEL
Ukraine		ОСОБЛИВОЇ ВАЖЛИВОСТІ	ЦІЛКОМ ТАЄМНО	ТАЄМНО
UK	TOP SECRET	SECRET	CONFIDENTIAL	RESTRICTED
Uruguay	ULTRA SECRETO	SECRETO	CONFIDENCIAL	RESERVADO

Examples of Marking E-mail on a Classified Network



U.S. Department of Energy
Office of Security Policy
Office of Security
and the Office of Classification

Office of Environment, Health, Safety and Security

April 2020

Table of Contents

FOREWORD	47
UNCLASSIFIED EMAIL	49
NSI EMAIL	50
RD EMAIL	51
FRD EMAIL	52
TFNI EMAIL	53
NSI AND TFNI EMAIL	54
RD AND NSI EMAIL – NOT PORTION-MARKED	55
RD AND NSI EMAIL – PORTION-MARKED	56
NSI EMAIL CLASSIFIED USING MULTIPLE SOURCES	57
UNCLASSIFIED EMAIL WITH SECRET ATTACHMENT	58
NSI EMAIL WITH SRD ATTACHMENT	59
NSI EMAIL STRING WITHOUT AN ATTACHMENT	60
NSI EMAIL STRING WITH AN ATTACHMENT	61
ORIGINALLY CLASSIFIED NSI EMAIL	62
TEMPLATES OF REQUIRED MARKINGS	63
REFERENCES	65

FOREWORD

This Appendix was developed to assist you in marking email generated on a classified system. These examples illustrate national requirements and best practices for marking email on a classified system.

National requirements

- Each email must have the overall classification/banner marking (including Restricted Data (RD) or Formerly Restricted Data (FRD) when applicable) at the top and bottom.
- Title(s) and subject(s) must be marked to indicate the classification of the text of the title or subject.

For NSI:

- The Classification Authority Block must be placed after the signature block but before the overall classification marking at the end of the email. [There may be markings (e.g., source list) in between.]
- Each email shall be portion marked and shall reflect the highest level of information contained in that portion. A text portion containing a uniform resource locator (URL) or reference (i.e., link) to another document shall be portion marked based on the classification of the content of the URL or link text, not the content to which it points. This is true even when the data accessible via the URL or link reflects a higher classification marking.
- The text for the special control marking (Derivative Declassifier review prior to declassification) must appear on all classified NSI email messages.
- The Classification Authority Block may be a single linear text string.

For RD and FRD:

- Email containing RD and/or FRD are to be marked in accordance with 10 CFR Part 1045, *Nuclear Classification and Declassification*, including the overall level and category and the RD or FRD admonishment.
- Except for titles and subjects, portion marking is permitted, but not required, even when commingled with NSI. If portion marked, it must follow the requirements for potion marked commingled documents.

DOE requirements

Emails include the designation "draft" or "working paper" with the highest potential classification marking in the banner marking at the top and bottom of the email until it has been reviewed for classification by an appropriate authority and marked as final. Additionally, all requirements for drafts and working papers in the current version of DOE O 471.6, *Information Security*, also apply.

Best practices

The placement of the RD/FRD admonishment and the special control marking on these examples are recommendations, not requirements. While these elements must be in the email, the exact location is not mandated.

Examples provided in this Appendix represent most of the types of emails used within DOE and NNSA, but not every type. The words "must" and "shall" are not used in the examples, rather the description represents how an email would be marked when in compliance with national and departmental requirements. Refer to the "Templates of Required Markings" section for detailed information on the requirements for the Classification Authority Block.

Refer to the "References" section for National and DOE requirements regarding marking email on a classified system.

If you have general questions regarding the marking in this Appendix, please contact Office of Environment, Health, Safety and Security at 301 903-4642 or Security.Directives@hq.doe.gov. For questions concerning classification and classification related markings, please contact the Office of Classification Outreach Program at 301-903-7567 or outreach@hq.doe.gov.

UNCLASSIFIED EMAIL

To: Amy Basil From: Eve Ng

Subject: (U) Marking an Unclassified Email

UNCLASSIFIED

This is an example of an unclassified email.

The subject line is marked at the beginning with the classification of the text in the subject line. Subject lines should be unclassified unless it is not possible to do so.

The word "UNCLASSIFIED" is included at the beginning of the email before any text and at the bottom of the email after all of the text.

Eve Ng Security Specialist Classification Training Institute, CTI-1

UNCLASSIFIED

NSI EMAIL

To: Amy Basil From: Eve Ng

Subject: (U) Marking an Email Classified as NSI

SECRET

- (U) This is an example of an email that contains National Security Information (NSI) only.
- (S) The subject line is marked at the beginning with the classification of the text in the subject line. Subject lines should be unclassified unless it is not possible to do so.
- (S) The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level of the entire email.
- (C) Since this email contains only NSI, each portion is marked at the beginning with the highest classification level of the information contained in that portion.
- (U) The 3-line classification authority block may be in block or linear form and is placed after the signature block but before the overall classification marking
- (U) The email contains the special control marking.

Eve Ng Security Specialist Classification Training Institute, CTI-1

Derivative Declassifier review required prior to declassification

Classified By: Eve Ng, Security Specialist, DOE CTI-1 Derived From: CG-PUN-1, 10/16/2014, DOE OC

Declassify On: 20280405

OR

Classified By: Eve Ng, Security Specialist, DOE CTI-1; Derived From: CG-PUN-1,

10/16/2014, DOE OC; Declassify on: 20280405

RD EMAIL

To: Amy Basil From: Eve Ng

Subject: (U) Marking an Email Classified as RD

SECRET//RESTRICTED DATA

This is an example of an email containing Restricted Data (RD) only.

The subject line is marked at the beginning with the classification of the text in the subject line. Subject lines should be unclassified unless it is not possible to do so.

The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level and category of the entire email.

Since this email contains RD, portion marking is not required.

The 2-line classification authority block may be in block or linear form.

The email contains an RD admonishment.

Eve Ng Security Specialist Classification Training Institute, CTI-1

Classified By: Eve Ng, Security Specialist, DOE CTI-1 Derived From: CG-PUN-1, 10/16/2014, DOE OC

OR

Classified By: Eve Ng, Security Specialist, DOE CTI-1; Derived From: CG-PUN-1, 10/16/2014, DOE OC

RESTRICTED DATA

This document contains RESTRICTED DATA as defined in the Atomic Energy Act of 1954.

Unauthorized disclosure subject to administrative and criminal sanctions.

SECRET//RESTRICTED DATA

FRD EMAIL

To: Amy Basil From: Eve Ng

Subject: (U) Marking an Email Classified as FRD

SECRET//FORMERLY RESTRICTED DATA

This is an example of an email containing Formerly Restricted Data (FRD) only.

The subject line is marked at the beginning with the classification of the text in the subject line. Subject lines should be unclassified unless it is not possible to do so.

The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level and category of the entire email.

Since this email contains FRD, portion marking is not required.

The 2-line classification authority block may be in block or linear form.

The email contains an FRD admonishment.

Eve Ng Security Specialist Classification Training Institute, CTI-1

Classified By: Eve Ng, Security Specialist, DOE CTI-1 Derived From: CG-PUN-1, 10/16/2014, DOE OC

OR

Classified By: Eve Ng, Security Specialist, DOE CTI-1; Derived From: CG-PUN-1, 10/16/2014, DOE OC

FORMERLY RESTRICTED DATA Unauthorized disclosure subject to administrative and criminal sanctions. Handle as RESTRICTED DATA in foreign dissemination. Section 144b, Atomic Energy Act of 1954.

SECRET// FORMERLY RESTRICTED DATA

TFNI EMAIL

To: Amy Basil From: Eve Ng

Subject: (U) Marking an Email Classified as TFNI

SECRET//TRANSCLASSIFIED FOREIGN NUCLEAR INFORMATION

(C//TFNI) This is an example of an email containing only Transclassified Foreign Nuclear Information (TFNI).

- (U) The subject line is marked at the beginning with the classification of the text in the subject line. Subject lines should be unclassified unless it is not possible to do so.
- (C//TFNI) The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level and category of the entire email.
- (U) Since this email contains TFNI, but no RD or FRD; it is portion marked. Each portion of the email is marked at its beginning with the highest classification level and with the TFNI label, when appropriate; of the information contained in that portion.
- (S//TFNI) The 3-line classification authority block may be in block or linear form. The "Declassify On:" line reads "N/A to TFNI portions."

Eve Ng Security Specialist Classification Training Institute, CTI-1

Classified By: Eve Ng, Security Specialist, DOE CTI-1 Derived From: CG-PUN-1,

10/16/2014. DOE OC

Declassify On: N/A to TFNI portions

OR

Classified By: Eve Ng, Security Specialist, DOE CTI-1; Derived From: CG-PUN-1, 10/16/2014, DOE OC; Declassify On: N/A to TFNI portions

SECRET//TRANSCLASSIFIED FOREIGN NUCLEAR INFORMATION

NSI AND TFNI EMAIL

To: Amy Basil From: Eve Ng

Subject: (U) Marking a Portion-Marked Email Containing NSI AND TFNI

SECRET//TRANSCLASSIFIED FOREIGN NUCLEAR INFORMATION

(U) This is an example of an email containing NSI and TFNI. NSI and TFNI is portion marked.

(S//TFNI) The subject line is marked at the beginning with the classification of the text of the subject line. Subject lines should be unclassified unless it is not possible to do so.

(S//TFNI) The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level and category of the entire email.

- (C) Since this email contains NSI and TFNI, but not RD or FRD; each portion of the email is marked at the beginning with the highest classification level and, when appropriate; the TFNI label.
- (U) The 3-line classification authority block may be in block or linear form and is placed after the signature block but before the overall classification marking
- (C) The "Declassify On:" line reads "N/A to TFNI portions." A source list is included. It is separate and distinct from the "Declassify On:," so it should be placed immediately before the overall classification level and category marking at the bottom of the email. The source list contains the sources used for classification and declassification instructions with the longest duration for each NSI source.
- (U) The email contains the special control marking.

Eve Ng Security Specialist Classification Training Institute, CTI-1

Derivative Declassifier review required prior to declassification

Classified By: Eve Ng, Security Specialist, DOE CTI-1 Derived From: CG-PUN-1, 10/16/2014, DOE OC Declassify On: N/A for TFNI portions; see source list for NSI portions

OR

Classified By: Eve Ng, Security Specialist, DOE CTI-1; Derived From: CG-PUN-1, 10/16/2014, DOE OC; Declassify On: N/A for TFNI portions; see source list for NSI portions

Source List: CG-PUN-1, 10/16/2014, DOE OC; Declassify On: 20201025

SECRET//TRANSCLASSIFIED FOREIGN NUCLEAR INFORMATION

RD AND NSI EMAIL - NOT PORTION-MARKED

To: Amy Basil From: Eve Ng

Subject: (U) Marking an Email Containing RD and NSI that is not portion marked

SECRET//RESTRICTED DATA

This is an example of an email containing RD and NSI that is not portion-marked. Since it is not portion-marked the email is marked the same as an email containing only RD or FRD

The subject line is marked at the beginning with the classification of the text in the subject line. Subject lines should be unclassified unless it is not possible to do so.

The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level and category of the entire email.

Since the document is not portion-marked, declassification instructions are not included and the 2-line classification authority block is used. The classification authority block may be in block or linear form.

The email contains an RD admonishment.

Eve Ng Security Specialist Classification Training Institute, CTI-1

Classified By: Eve Ng, Security Specialist, DOE CTI-1 Derived From: CG-PUN-1. 10/16/2014. DOE OC

OR

Classified By: Eve Ng, Security Specialist, DOE CTI-1; Derived From: CG-PUN-1, 10/16/2014, DOE OC;

RESTRICTED DATA

This document contains RESTRICTED DATA as defined in the Atomic Energy Act of 1954. Unauthorized disclosure subject to administrative and criminal sanctions.

SECRET//RESTRICTED DATA

RD AND NSI EMAIL - PORTION-MARKED

To: Amy Basil From: Eve Ng

Subject: (U) Marking a Portion-Marked Email Containing RD and NSI

SECRET//RESTRICTED DATA

- (U) This is an example of a portion-marked email containing RD and NSI that the originator decided to portion mark.
- (S//RD) The subject line is marked at the beginning with the classification of the text in the subject line. Subject lines should be unclassified unless it is not possible to do so.
- (S) The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level and category of the entire email.
- (C) Since the email is portion marked, each portion is marked at the beginning with the highest classification level and category (and caveats) of the information contained in that portion.
- (U) Since the email is portion marked, the 3-line classification authority block is used. The classification authority block may be in block or linear form. The "Declassify On:" line reads "N/A to RD portions." The source list is separate and distinct from the "Declassify On:" line. The source list contains the sources used for classification and the declassification instructions for the longest classification duration for each NSI source.

(C//RD) The email contains an RD admonishment.

Eve Ng Security Specialist Classification Training Institute, CTI-1

Classified By: Eve Ng, Security Specialist, DOE CTI-1 Derived From: CG-PUN-1, 10/16/2014, DOE OC

Declassify On: N/A for RD portions; see source list for NSI portions

OR

Classified By: Eve Ng, Security Specialist, DOE CTI-1; Derived From: CG-PUN-1, 10/16/2014, DOE OC; Declassify On: N/A for RD portions; see source list for NSI portions

RESTRICTED DATA

This document contains RESTRICTED DATA as defined in the Atomic Energy Act of 1954. Unauthorized disclosure subject to administrative and criminal sanctions.

Source List: CG-PUN-1, 10/16/2014, DOE OC; Declassify On: 20201025

SECRET//RESTRICTED DATA

NSI EMAIL CLASSIFIED USING MULTIPLE SOURCES

To: Amy Basil From: Eve Ng

Subject: (U) Marking an Email Classified Using Multiple Sources

SECRET

- (U) This is an example of an NSI-only email classified using multiple sources.
- (S) The subject line is marked at the beginning with the classification of the text of the subject line. Subject lines should be unclassified unless it is not possible to do so.
- (S) The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level of the entire email.
- (C) Since this email contains only NSI, each portion of the document is marked at its beginning with the highest classification level of the information contained in that portion.
- (U) The 3-line classification authority block may be in block or linear form and is placed after the signature block but before the overall classification marking.
- (U) When the classification of an email is based on multiple sources, the entry for the "Derived From:" line is "Multiple Sources." The entry on the "Declassify On:" line reflects the longest duration of classification from all sources.
- (U) Since this email contains only NSI, it contains the special control marking.
- (U) A list of the sources must also be included.

Eve Ng Security Specialist Classification Training Institute, CTI-1

Derivative Declassifier review required prior to declassification

Classified By: Eve Ng, Security Specialist, DOE CTI-1

Derived From: Multiple Sources Declassify On: 20280405

OR

Classified By: Eve Ng, Security Specialist, DOE CTI-1; Derived From: Multiple Sources

Declassify On: 20280405

Source List: CG-PUN-1, 10/16/2014, DOE OC CG-LAF-3, 06/10/2012, DOE OC

UNCLASSIFIED EMAIL WITH SECRET ATTACHMENT

To: Amy Basil From: Eve Ng

Subject: (U) Marking an Unclassified Email with a Secret Attachment

SECRET

Attachment contains SECRET

When separated from attachment, this email is unclassified.

This is an example of an email that contains only unclassified information but transmits a classified attachment.

The subject line is marked at the beginning with the classification of the text of the subject line. Subject lines should be unclassified unless it is not possible to do so.

The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level of the email and its attachments. Attachment instructions immediately follow the overall classification level and category.

Wherever the attachment is shown (in the attachment line or within the body of the email), it is marked at the beginning with the classification of the text of the title. Attachment titles should be unclassified unless it is not possible to do so. The attachment must be marked correctly as a stand-alone document.

Since this email itself is unclassified, it is not portion marked and does not have a classification authority block or a special control marking.

Eve Ng Security Specialist Classification Training Institute, CTI-1



(U) Attachment Title

NSI EMAIL WITH SRD ATTACHMENT

To: Amy Basil From: Eve No

Subject: (U) Marking an Email Classified as NSI with an SRD Attachment

SECRET//RESTRICTED DATA

Attachment contains SECRET//RESTRICTED DATA When separated from attachment, this email is SECRET.

- (U) This is an example of an email that contains NSI with an SRD attachment.
- (U) The subject line is marked at the beginning with the classification of the text of the subject line. Subject lines should be unclassified unless it is not possible to do so.
- (U) The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level and category of the email and its attachments. Attachment instructions immediately follow the overall classification level and category.
- (U) Wherever the attachment is shown (in the attachment line or within the body of the email), it is marked at the beginning with the classification of the text of the title. Attachment titles should be unclassified unless it is not possible to do so. The attachment is marked correctly as a standalone document.
- (U) Since this email is NSI, it is portion marked.
- (S) The 3-line classification authority block is used. The "Derived From:" line includes the sources used to classify the email. The "Declassify On:" line should contain the declassification instructions for the email.
- (U) The special control marking is included.

Eve Ng

Security Specialist

Classification Training Institute, CTI-1

Derivative Declassifier review required prior to declassification

Classified By: Eve Ng, Security Specialist, DOE CTI-1 Derived From: CG-PUN-1, 10/16/2014,

DOE OC

Declassify On: 20280101



(U) Attachment Title

SECRET//RESTRICTED DATA

NSI EMAIL STRING WITHOUT AN ATTACHMENT

To: Eve Ng From: Amy Basil

Date: Friday, May 24, 2016 10:16 AM Subject: Re: (U) Marking a String of Emails

SECRET

- (U) If you respond to or forward a classified email and your email contains classified information, you mark your email top and bottom with the classification of the email (including any associations with the previous text), then review and mark the entire string.
- (S) The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level of the entire string.
- (C) Since the string already contains a special control marking, it is not repeated.
- (C) You a new classification authority block is added at the end of the string. The "Derived From:" line includes all sources used to classify the entire email string. If any of the previous emails are used as a source, this is noted with "and email above."

Amy Basil Security Specialist Classification Training Institute, CTI-1

SECRET

To: Basil, Amy From: Ng, Eve

Date: Thursday, May 23, 2016 4:44 PM Subject: (U) Marking a String of Emails

CONFIDENTIAL

(C) The initial email is marked according to the classification of the information contained in the email. This email contains Confidential NSI.

Derivative Declassifier review required prior to declassification

Classified By: Eve Ng, Security Specialist, CTI-1 Derived From: CG-PUN-1, 10/16/2014, DOE OC Declassify On: 20260523

CONFIDENTIAL

Classified By: Amy Basil, Security Specialist, DOE CTI-1

Derived From: CG-LAF-3, 06/10/2012; DOE OC and email above

Declassify On: 20360524

NSI EMAIL STRING WITH AN ATTACHMENT

SECRET

Attachment contains CONFIDENTIAL

When separated from attachment, this email is SECRET.

- (U) If you respond to or forward a classified email and your email contains classified information, you mark your email top and bottom with the classification of the email (including any associations with the previous text), then review and mark the entire string.
- (S) You add the overall classification/banner marking at the beginning of the email before any text and at after all of the text and other markings at the bottom of the string. The overall classification/banner marking identifies the classification level and category of the entire string and attachments.
- (U) If previous attachments are still included, you carry forward the attachment instructions. In this example, the attachment instructions are updated to reflect when separated from attachment, the email is SECRET. Wherever the attachment is shown (in the attachment line or within the body of the email), it is marked at the beginning with the classification of the text of the title. Attachment titles should be unclassified unless it is not possible to do so. The attachment is marked correctly as a stand-alone document.
- (C) Since the string already contains a special control marking it is not repeated.
- (C) A new classification authority block is added at the end of the string. The "Derived From:" line includes all sources used to classify the entire email string. If any of the previous email in the string are used as the basis for classification, this is noted with "and email above."

Amy Basil Security Specialist Classification Training Institute, CTI-1

SECRET

Subject: (U) Marking a String of Emails

CONFIDENTIAL

Attachment contains CONFIDENTIAL

When separated from attachment, this email is CONFIDENTIAL.

(C) The initial email is marked according to the classification of the information contained in the email. This email contains Confidential NSI. It contains a CONFIDENTIAL attachment

Derivative Declassifier review required prior to declassification

Classified By: Eve Ng, Security Specialist, CTI-1 Derived From: CG-PUN-1, 10/16/2014, DOE OC

Declassify On: 20260523



(U) Attachment Title

CONFIDENTIAL

Classified By: Amy Basil, Security Specialist, DOE CTI-1

Derived From: CG-LAF-3, 06/10/2012; DOE OC and email above

Declassify On: 20360524

ORIGINALLY CLASSIFIED NSI EMAIL

NOTE: This example is included for completeness. Original classification applies only to NSI and must be done by an Original Classifier whose training is up to date.

To: Eve Ng

From: John Sobieski

Subject: (U) Marking an Email Originally Classified as NSI

SECRET

- (U) This is an example of an email containing NSI that is not covered by existing guidance.Only an Original Classifier can make an original classification determination. They may only do so for NSI. RD, FRD, and TFNI cannot be originally classified by an Original Classifier.
- (S) The subject line is marked with the classification of the text of the subject line. Subject lines should be unclassified unless it is not possible to do so.
- (S) The overall classification/banner marking is placed at the beginning of the email before any text and at the bottom of the email after all of the text and other markings. The overall classification/banner marking identifies the classification level of the entire email.
- (C) Since this email contains only NSI, each portion is marked at the beginning with the highest classification level of the information contained in that portion.
- (C) The 3-line original classification authority block follows the signature block and may be in block or linear form. Original Classifiers give the "Reason" for classification from Section 1.4 of Executive Order 13526 which describes the types of information that may be originally classified.
- (S) The Original Classifier establishes a specific date or event for declassification based on the duration of the national security sensitivity of the information. Generally, this is 10 years from the date of the original decision unless the sensitivity of the information requires that it be classified for up to 25 years from the date of the original decision. When the date is all digital, it will be shown as YYYYMMDD.
- (C) The "Classified By:" line identifies the Original Classifier with the name and position, and if not otherwise evident, the agency and office of origin or a personal identifier.
- (U) The special control marking is placed after the classification authority block and before the overall classification level.

John Sobieski

Director, Examples Division Classification Training Institute

Classified By: John Sobieski, Director, Examples Division, DOE CTI-1 OR ID# 55500

Reason: 1.4(c) Declassify On: 20240202

OR

Classified By: John Sobieski, Director, Examples Division, DOE CTI-1; Reason: 1.4(c);

Declassify On: 20240202

Derivative Declassifier review required prior to declassification

TEMPLATES OF REQUIRED MARKINGS

Classification Authority Blocks

The Classification Authority Block for Derivative Classification (may be in several lines or linear format)

"Classified By:" identifies the Derivative Classifier with the name and position, or a personal identifier, and if not otherwise evident, the agency and office of origin.

"Derived From:" identifies the guide (by short title) or source document; the originating agency and, where available, office of origin; and the date of the guide or source. If more than one source is used, "Derived From:" may indicate Multiple Sources and a source list must be included.

"Declassify On:"

For NSI: "Declassify On:" includes the declassification date (shown as YYYYMMDD when the date is all digital) or event, and if exempt from automatic declassification, the number of years of the exemption and the exemption number (e.g., 25X2).

For RD or FRD with NSI that is portion marked or TFNI with NSI: "Declassify On:" reads "N/A to RD (FRD or TFNI, as appropriate), See source list for NSI portions." A source list is included with declassification instructions for all sources used to classify the NSI. The source list is not be on the first page with the exception of one page documents. For one page documents the source list is separate and distinct from the classification authority block.

RD/FRD (2-line) Classified By: Derived From: NSI (3-line) Classified By: Derived From: Declassify On: NSI, TFNI, and Portion marked RD/FRD with NSI Derivative (3-line) Classified By: Derived From: Declassify On: NSI Original Classification Authority Block (see page 62 above for instructions) Classified By: Reason: Declassify On:

Special Control Marking and Admonishments

Special Control Marking (for NSI only)

Derivative Declassifier review required prior to declassification

RD Admonishment

RESTRICTED DATA

This document contains RESTRICTED DATA as defined in the Atomic Energy Act of 1954. Unauthorized disclosure subject to administrative and criminal sanctions.

FRD Admonishment

FORMERLY RESTRICTED DATA

Unauthorized disclosure subject to administrative and criminal sanctions. Handle as RESTRICTED DATA in foreign dissemination. Section 144b, Atomic Energy Act of 1954.

REFERENCES

DOE References and Resources

Directives available at <u>DOE Directives - https://www.directives.doe.gov</u>:

DOE Order 471.6, Chg 2, Information Security

DOE Order 475.2B, Identifying Classified Information

References available on Powerpedia

CMPC Marking Resource

Marking Email on Classified Systems Quick Reference

National Requirements

Available at <u>Classification Policy</u>, <u>Guidance and Reports</u> - https://energy.gov/ehss/policy-guidance-reports/classification-policy-guidance-reports

Title 10 Code of Federal Regulations 1045, *Nuclear Classification and Declassification*

Executive Order 13526, Classified National Security Information

Title 32 Code of Federal Regulation 2001, Classified National Security Information, Final Rule

Information Security Oversight Office Notice 2011-02, Further Notice and Clarification on Commingling Atomic Energy Information and Classified National Security Information