

The order of this data package is as follows:

1. Chain-of-Custody/Lab Request
2. Copies of field COCs
3. Validation Report
4. Laboratory analysis

Comments:

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 11366

EVENT NAME: Mortandad/Sandia (Cr Inv) MY2017 Q4

SAMPLE ID: CAMO-17-141972

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	07/31/2017	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1032		MEDIA:	UA	
PRS ID:	OK		SAMPLE TECH CODE:	RSP	
LOCATION ID:	MCOI-5		FIELD PREP:	F	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:			EXCAVATED:		YES / <input checked="" type="radio"/> NA

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	WSP-All Metals	1 LITER POLY	1	HNO3 ICE	Y	NA
	WSP- GENINORG+PerChlorat e	1 LITER POLY	1	ICE		
	WSP- NH3+NO3/NO2	500 ML AMBER GLASS	1	H2SO4		

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time _____ HH:MM Dissolved Oxygen _____ Flow (in gpm) _____
Oxidation-Reduction _____ pH _____ Specific _____
Potential _____ Conductance _____
Temperature _____ Turbidity _____

COLLECTED BY (PRINT): M. Shendo & A. Stonfield

RELINQUISHED BY (Printed Name) <i>Maurice Shendo</i> (Signature) <i>[Signature]</i>	Date/Time 07/31/2017 1325	RECEIVED BY <i>MATTHEW ENGLERT</i> (Printed Name) <i>[Signature]</i> (Signature)	Date/Time 7-31-2017 1325
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

Report Date: 07/24/2017

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 11366

EVENT NAME: Mortandad/Sandia (Cr Inv) MY2017 Q4

SAMPLE ID: CAMO-17-141988

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	07/31/2017	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1032		MEDIA:	UA	
PRS ID:	OK		SAMPLE TECH CODE:	RSP	
LOCATION ID:	MCOI-5		FIELD PREP:	UF	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:			EXCAVATED:		YES / <u>NO</u> / NA

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	MSGP-Hg	1000 500 ML POLY AS 7/31/17	1	HNO3	Y	NA
	WSP-CN(T)	250 ML POLY	1	NAOH		
	WSP-TKN+TOC	500 ML AMBER GLASS	1	H2SO4		

SAMPLE COMMENTS: NA

LOCATION COMMENTS: NA

FIELD PARAMETERS:

Sample Time	1032	HH:MM	Dissolved Oxygen	6.14	Flow (in gpm)	0.38
Oxidation-Reduction Potential	216.8		pH	8.41	Specific Conductance	299.7
Temperature	14.1		Turbidity	3.23		

COLLECTED BY (PRINT): A. Stated & M. Shudo

RELINQUISHED BY (Printed Name) Maurice Shudo (Signature) <i>Maurice Shudo</i>	Date/Time 07/31/2017 1325	RECEIVED BY MATTHEW ENGLERT (Printed Name) <i>M. Englert</i> (Signature) <i>M. Englert</i>	Date/Time 7-31-2017 1325
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

Report Date: 07/24/2017

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 11366

EVENT NAME: Mortandad/Sandia (Cr Inv) MY2017 Q4

SAMPLE ID: CASA-17-142013

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	07/31/2017	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1244		MEDIA:	UA	
PRS ID:	OK		SAMPLE TECH CODE:	RSP	
LOCATION ID:	SCI-2		FIELD PREP:	F	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:			EXCAVATED:		YES / <u>NO</u> / NA

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	WSP-All Metals	1 LITER POLY	1	HNO3 ICE	Y	NA
	WSP- GENINORG+PerChlorat e	1 LITER POLY	1	ICE		
	WSP- NH3+NO3/NO2	500 ML AMBER GLASS	1	H2SO4		

SAMPLE COMMENTS:

LOCATION COMMENTS:

FIELD PARAMETERS:

Sample Time _____ HH:MM Dissolved Oxygen 7/31/2017 Flow (in gpm) _____
 Oxidation-Reduction Potential _____ pH _____ Specific Conductance _____
 Temperature _____ Turbidity _____

COLLECTED BY (PRINT): A. Stanford & T. VanderVies

RELINQUISHED BY (Printed Name) <u>A. Stanford</u> (Signature) <u>[Signature]</u>	Date/Time 07/31/2017 1325	RECEIVED BY <u>MATTHEW ENGLERT</u> (Printed Name) <u>[Signature]</u> (Signature)	Date/Time 7-31-2017 1325
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

Report Date: 07/24/2017

SAMPLE COLLECTION LOG/FIELD CHAIN OF CUSTODY

EVENT ID: 11366

EVENT NAME: Mortandad/Sandia (Cr Inv) MY2017 Q4

SAMPLE ID: CASA-17-142021

WORK ORDER:

	AS PLANNED	AS COLLECTED		AS PLANNED	AS COLLECTED
Date Collected (MM/DD/YYYY):	07/31/2017	OK	FIELD MATRIX:	WG	OK
TIME COLLECTED (HH:MM):	1244		MEDIA:	UA	
PRS ID:	OK		SAMPLE TECH CODE:	RSP	
LOCATION ID:	SCI-2		FIELD PREP:	UF	
LOCATION TYPE:	OK		FIELD QC TYPE:	REG	
TOP DEPTH:			SAMPLE USAGE:	INV	
BOTTOM DEPTH:			EXCAVATED:		YES / NO / NA

PRIORITY	ORDER	CONTAINER	#	PRESERVATIVE	COLLECTED Y/N	SPECIAL INSTRUCTIONS
NA	MSGP-Hg	1000 500 ML POLY KT 7/31/17	1	HNO3	Y	NA
	WSP-CN(T)	250 ML POLY	1	NAOH		
	WSP-TKN+TOC	500 ML AMBER GLASS	1	H2SO4		

SAMPLE COMMENTS: NA

LOCATION COMMENTS: NA

FIELD PARAMETERS:

Sample Time	12:44	HH:MM	Dissolved Oxygen	8.19	Flow (in gpm)	0.85
Oxidation-Reduction Potential	212.5		pH	7.04	Specific Conductance	620
Temperature	14.6		Turbidity	3.05		

COLLECTED BY (PRINT): A. Stanfield & T. VanderVis

RELINQUISHED BY (Printed Name) <i>Allynn Stanfield</i> (Signature)	Date/Time 07/31/2017 1325	RECEIVED BY <i>MATTHEW ENGLERT</i> (Printed Name) (Signature) <i>M. Engler</i>	Date/Time 7-31-2017 1325
RELINQUISHED BY (Printed Name) (Signature)	Date/Time	RECEIVED BY (Printed Name) (Signature)	Date/Time

Report Date: 07/24/2017

DATA VALIDATION REPORT

Chain Of Custody No. 2017-2224

1. Distribution Of Samples In EDD.

SDG	Analytical Method	Regular Samples	Field Duplicates	Trip Blanks	Field Blanks	Equipment Blanks
429458	EPA:120.1	2				
429458	EPA:150.1	2				
429458	EPA:160.1	2				
429458	EPA:170.0	4				
429458	EPA:245.2	4				
429458	EPA:300.0	2				
429458	EPA:310.1	2				
429458	EPA:335.4	2				
429458	EPA:350.1	2				
429458	EPA:351.2	2				
429458	EPA:353.2	2				
429458	EPA:365.4	2				
429458	SM:A2340B	2				
429458	SW-846:6010C	2				
429458	SW-846:6020	2				
429458	SW-846:6850	2				
429458	SW-846:9060	2				

SDG	Analytical Method	Analysis Lot ID	Prep Lot ID	Regular Samples	Field Duplicates	Trip Blanks	Field Blanks	Equipment Blanks	Method Blanks	Matrix Spikes	Matrix Spike Dups	Analytical Spikes	Post-Digestion Spikes	Lab Control Samples	Lab Control Sample Dups	Blank Spike	Blank Spike Dups	Lab Duplicates	Storage Blanks	Preparation Blanks	Reagent Blanks
429458	EPA:120.1	1688310	1688310	2										1			2				
429458	EPA:150.1	1689899	1689899	2										1			1				
429458	EPA:160.1	1688433	1688433	2					1					1			1				
429458	EPA:170.0	NA	NA	4																	
429458	EPA:245.2	1694095	1694088	4					1	1				1			1				
429458	EPA:300.0	1688926	1688926	1					1					1			1				
429458	EPA:300.0	1691711	1691711	1					1					1			1				

DATA VALIDATION REPORT

SDG	Analytical Method	Analysis Lot ID	Prep Lot ID	Regular Samples	Field Duplicates	Trip Blanks	Field Blanks	Equipment Blanks	Method Blanks	Matrix Spikes	Matrix Spike Dups	Analytical Spikes	Post-Digestion Spikes	Lab Control Samples	Lab Control Sample Dups	Blank Spike	Blank Spike Dups	Lab Duplicates	Storage Blanks	Preparation Blanks	Reagent Blanks
429458	EPA:310.1	1689894	1689894	2						1				1				1			
429458	EPA:335.4	1688104	1688103	2					1	1				1				1			
429458	EPA:350.1	1692774	1692772	2					1	2				1				2			
429458	EPA:351.2	1692759	1692758	2					1	1				1				1			
429458	EPA:353.2	1689332	1689332	2					1					1				1			
429458	EPA:365.4	1692781	1692780	2					1	2				1				2			
429458	SM:A2340B	1695942	1695942	2																	
429458	SW-846:6010C	1688549	1688548	2					1	1				1				1			
429458	SW-846:6020	1688543	1688542	2					1	1				1				1			
429458	SW-846:6850	1690518	1690517	2					1	1	1			1							
429458	SW-846:9060	1688478	1688478	2					1					1				2			

2. Distribution Of Analytes In EDD.

Analytical Method	Analytical Method Category	Field Sample ID	Lab Sample ID	Sample Purpose	Target Analytes	Surrogates	Spiked Compounds	TICS
EPA:120.1	GENERAL CHEMISTRY	CAMO-17-141972	429458001	REG	1	0	0	0
EPA:120.1	GENERAL CHEMISTRY	CAMO-17-141977	1203849533	DUP	1	0	0	0
EPA:120.1	GENERAL CHEMISTRY	CASA-17-142013	429458003	REG	1	0	0	0
EPA:120.1	GENERAL CHEMISTRY	CASA-17-142030	1203845788	DUP	1	0	0	0
EPA:120.1	GENERAL CHEMISTRY	LCS	1203845787	LCS	0	0	1	0
EPA:150.1	GENERAL CHEMISTRY	CAMO-17-141972	429458001	REG	1	0	0	0
EPA:150.1	GENERAL CHEMISTRY	CAMO-17-142780	1203849605	DUP	1	0	0	0
EPA:150.1	GENERAL CHEMISTRY	CASA-17-142013	429458003	REG	1	0	0	0
EPA:150.1	GENERAL CHEMISTRY	LCS	1203849604	LCS	0	0	1	0
EPA:160.1	GENERAL CHEMISTRY	CAMO-17-141972	429458001	REG	1	0	0	0
EPA:160.1	GENERAL CHEMISTRY	CAMO-17-142780	1203846057	DUP	1	0	0	0
EPA:160.1	GENERAL CHEMISTRY	CASA-17-142013	429458003	REG	1	0	0	0
EPA:160.1	GENERAL CHEMISTRY	LCS	1203846056	LCS	0	0	1	0
EPA:160.1	GENERAL CHEMISTRY	MB	1203846055	MB	1	0	0	0
EPA:170.0	VOC	CAMO-17-141972	429458001	REG	1	0	0	0
EPA:170.0	VOC	CAMO-17-141988	429458002	REG	1	0	0	0
EPA:170.0	VOC	CASA-17-142013	429458003	REG	1	0	0	0

DATA VALIDATION REPORT

Analytical Method	Analytical Method Category	Field Sample ID	Lab Sample ID	Sample Purpose	Target Analytes	Surrogates	Spiked Compounds	TICS
EPA:170.0	VOC	CASA-17-142021	429458004	REG	1	0	0	0
EPA:245.2	INORGANIC	CAMO-17-141972	429458001	REG	1	0	0	0
EPA:245.2	INORGANIC	CAMO-17-141988	429458002	REG	1	0	0	0
EPA:245.2	INORGANIC	CAMO-17-142056	1203859387	DUP	1	0	0	0
EPA:245.2	INORGANIC	CAMO-17-142056	1203859389	MS	0	0	1	0
EPA:245.2	INORGANIC	CASA-17-142013	429458003	REG	1	0	0	0
EPA:245.2	INORGANIC	CASA-17-142021	429458004	REG	1	0	0	0
EPA:245.2	INORGANIC	LCS	1203859386	LCS	0	0	1	0
EPA:245.2	INORGANIC	MB	1203859385	MB	1	0	0	0
EPA:300.0	GENERAL CHEMISTRY	CAMO-17-141972	429458001	REG	4	0	0	0
EPA:300.0	GENERAL CHEMISTRY	CASA-17-142013	1203854053	DUP	4	0	0	0
EPA:300.0	GENERAL CHEMISTRY	CASA-17-142013	429458003	REG	4	0	0	0
EPA:300.0	GENERAL CHEMISTRY	CASA-17-142030	1203847185	DUP	4	0	0	0
EPA:300.0	GENERAL CHEMISTRY	LCS	1203847184	LCS	0	0	4	0
EPA:300.0	GENERAL CHEMISTRY	LCS	1203854052	LCS	0	0	4	0
EPA:300.0	GENERAL CHEMISTRY	MB	1203847183	MB	4	0	0	0
EPA:300.0	GENERAL CHEMISTRY	MB	1203854051	MB	4	0	0	0
EPA:310.1	GENERAL CHEMISTRY	CAMO-17-141972	429458001	REG	2	0	0	0
EPA:310.1	GENERAL CHEMISTRY	CAMO-17-142780	1203849600	DUP	2	0	0	0
EPA:310.1	GENERAL CHEMISTRY	CAMO-17-142780	1203849601	MS	0	0	1	0
EPA:310.1	GENERAL CHEMISTRY	CASA-17-142013	429458003	REG	2	0	0	0
EPA:310.1	GENERAL CHEMISTRY	LCS	1203849598	LCS	0	0	1	0
EPA:335.4	GENERAL CHEMISTRY	CAMO-17-141988	1203845283	DUP	1	0	0	0
EPA:335.4	GENERAL CHEMISTRY	CAMO-17-141988	1203845285	MS	0	0	1	0
EPA:335.4	GENERAL CHEMISTRY	CAMO-17-141988	429458002	REG	1	0	0	0
EPA:335.4	GENERAL CHEMISTRY	CASA-17-142021	429458004	REG	1	0	0	0
EPA:335.4	GENERAL CHEMISTRY	LCS	1203845281	LCS	0	0	1	0
EPA:335.4	GENERAL CHEMISTRY	MB	1203845280	MB	1	0	0	0
EPA:350.1	GENERAL CHEMISTRY	CAMO-17-141972	429458001	REG	1	0	0	0
EPA:350.1	GENERAL CHEMISTRY	CAMO-17-142070	1203856523	DUP	1	0	0	0
EPA:350.1	GENERAL CHEMISTRY	CAMO-17-142070	1203856525	MS	0	0	1	0
EPA:350.1	GENERAL CHEMISTRY	CASA-17-142013	429458003	REG	1	0	0	0
EPA:350.1	GENERAL CHEMISTRY	LCS	1203856521	LCS	0	0	1	0
EPA:350.1	GENERAL CHEMISTRY	MB	1203856520	MB	1	0	0	0
EPA:350.1	GENERAL CHEMISTRY	WT_SEP-PO-17-141444	1203856522	DUP	1	0	0	0
EPA:350.1	GENERAL CHEMISTRY	WT_SEP-PO-17-141444	1203856524	MS	0	0	1	0
EPA:351.2	GENERAL CHEMISTRY	CAMO-17-141988	429458002	REG	1	0	0	0
EPA:351.2	GENERAL CHEMISTRY	CASA-17-142021	429458004	REG	1	0	0	0
EPA:351.2	GENERAL CHEMISTRY	CASA-17-142037	1203856480	DUP	1	0	0	0
EPA:351.2	GENERAL CHEMISTRY	CASA-17-142037	1203856481	MS	0	0	1	0

DATA VALIDATION REPORT

Analytical Method	Analytical Method Category	Field Sample ID	Lab Sample ID	Sample Purpose	Target Analytes	Surrogates	Spiked Compounds	TICS
EPA:351.2	GENERAL CHEMISTRY	LCS	1203856479	LCS	0	0	1	0
EPA:351.2	GENERAL CHEMISTRY	MB	1203856478	MB	1	0	0	0
EPA:353.2	GENERAL CHEMISTRY	CAMO-17-141972	429458001	REG	1	0	0	0
EPA:353.2	GENERAL CHEMISTRY	CAMO-17-142056	1203848259	DUP	1	0	0	0
EPA:353.2	GENERAL CHEMISTRY	CASA-17-142013	429458003	REG	1	0	0	0
EPA:353.2	GENERAL CHEMISTRY	LCS	1203848258	LCS	0	0	1	0
EPA:353.2	GENERAL CHEMISTRY	MB	1203848257	MB	1	0	0	0
EPA:365.4	GENERAL CHEMISTRY	CAMO-17-141972	429458001	REG	1	0	0	0
EPA:365.4	GENERAL CHEMISTRY	CAMO-17-141979	1203856559	DUP	1	0	0	0
EPA:365.4	GENERAL CHEMISTRY	CAMO-17-141979	1203856561	MS	0	0	1	0
EPA:365.4	GENERAL CHEMISTRY	CAMO-17-141985	1203856560	DUP	1	0	0	0
EPA:365.4	GENERAL CHEMISTRY	CAMO-17-141985	1203856562	MS	0	0	1	0
EPA:365.4	GENERAL CHEMISTRY	CASA-17-142013	429458003	REG	1	0	0	0
EPA:365.4	GENERAL CHEMISTRY	LCS	1203856558	LCS	0	0	1	0
EPA:365.4	GENERAL CHEMISTRY	MB	1203856557	MB	1	0	0	0
SM:A2340B	INORGANIC	CAMO-17-141972	429458001	REG	1	0	0	0
SM:A2340B	INORGANIC	CASA-17-142013	429458003	REG	1	0	0	0
SW-846:6010C	INORGANIC	CAMO-17-141972	429458001	REG	17	0	0	0
SW-846:6010C	INORGANIC	CAMO-17-141979	1203846320	DUP	17	0	0	0
SW-846:6010C	INORGANIC	CAMO-17-141979	1203846321	MS	0	0	17	0
SW-846:6010C	INORGANIC	CASA-17-142013	429458003	REG	17	0	0	0
SW-846:6010C	INORGANIC	LCS	1203846319	LCS	0	0	17	0
SW-846:6010C	INORGANIC	MB	1203846318	MB	17	0	0	0
SW-846:6020	INORGANIC	CAMO-17-141972	429458001	REG	11	0	0	0
SW-846:6020	INORGANIC	CAMO-17-141979	1203846302	DUP	11	0	0	0
SW-846:6020	INORGANIC	CAMO-17-141979	1203846303	MS	0	0	11	0
SW-846:6020	INORGANIC	CASA-17-142013	429458003	REG	11	0	0	0
SW-846:6020	INORGANIC	LCS	1203846301	LCS	0	0	11	0
SW-846:6020	INORGANIC	MB	1203846300	MB	11	0	0	0
SW-846:6850	LCMS/MS PERCHLORATE	CAMO-17-141972	429458001	REG	1	0	0	0
SW-846:6850	LCMS/MS PERCHLORATE	CAMO-17-141979	1203851077	MS	0	0	1	0
SW-846:6850	LCMS/MS PERCHLORATE	CAMO-17-141979	1203851078	MSD	0	0	1	0
SW-846:6850	LCMS/MS PERCHLORATE	CASA-17-142013	429458003	REG	1	0	0	0
SW-846:6850	LCMS/MS PERCHLORATE	LCS	1203851076	LCS	0	0	1	0
SW-846:6850	LCMS/MS PERCHLORATE	MB	1203851075	MB	1	0	0	0
SW-846:9060	GENERAL CHEMISTRY	CAMO-17-141988	429458002	REG	1	0	0	0
SW-846:9060	GENERAL CHEMISTRY	CAMO-17-142312	1203846822	DUP	1	0	0	0
SW-846:9060	GENERAL CHEMISTRY	CASA-17-142021	429458004	REG	1	0	0	0
SW-846:9060	GENERAL CHEMISTRY	LCS	1203846821	LCS	0	0	1	0
SW-846:9060	GENERAL CHEMISTRY	MB	1203846820	MB	1	0	0	0

DATA VALIDATION REPORT

Analytical Method	Analytical Method Category	Field Sample ID	Lab Sample ID	Sample Purpose	Target Analytes	Surrogates	Spiked Compounds	TICS
SW-846:9060	GENERAL CHEMISTRY	WT_LAP-17-133623	1203846823	DUP	1	0	0	0

3. Are any analytes missing?

No.

4. Were any holding times exceeded?

No.

5. Any contaminants in blanks?

Blank FS ID	Blank Lab Sample	Blank Type	Analytical Method	Sample	Parameter Name	Blank Lab Result	Lab Qualifier	Blank Lab Units	Blank Lab Detection Limit
MB	1203846318	METHOD BLANK	SW-846:6010C	W	Calcium	54.3	U	ug/L	200
MB	1203854051	METHOD BLANK	EPA:300.0	W	Sulfate	0.175	U	mg/L	0.400

Field Sample ID	Blank Lab	Blank Type	Analytical Method	Parameter Name	Blank Lab Result	Blank Lab Units	Lab Result	Lab Qualifier	Lab Detection Limit	Detect Flag	Detect to Nondetect Factor	Detect to Estimated Factor	Use Factors
CASA-17-142013	1203854051	METHOD BLANK	EPA:300.0	Sulfate	0.175	mg/L	86.7		4.00	Y	5	100	Y

6. Any surrogate recoveries outside the control limits?

No.

DATA VALIDATION REPORT

7. Any MS/MSD recoveries or RPDs outside the control limits?

Field Sample ID	MS Lab Sample ID	MSD Lab Sample ID	Analytical Method	Parameter Name	Analysis Lot ID	Analysis Date	Sample Matrix	MS Spike Recovery	MSD Spike Recovery	MS Upper Limit	MS Lower Limit	MS Reject Limit	RPD	RPD Limit
CAMO-17-141988	1203845285		EPA:335.4	Cyanide (Total)	1688103	08-08-2017	W	115		110	90	10		
CAMO-17-141988	1203845285		EPA:335.4	Cyanide (Total)	1688103	08-08-2017	W	115		110	90	10		
CASA-17-142037	1203856481		EPA:351.2	Total Kjeldahl Nitrogen	1692758	08-24-2017	W	63.2		110	90	10		
CAMO-17-141979	1203846321		SW-846:6010C	Calcium	1688548	08-08-2017	W	74.7		125	75			
CAMO-17-141979	1203846321		SW-846:6010C	Sodium	1688548	08-09-2017	W	9.38		125	75			
CAMO-17-141979	1203846303		SW-846:6020	Chromium	1688542	08-14-2017	W	61.9		125	75	10		

8. Any LCS/LCSD or BS/BSD recoveries or RPDs outside the control limits?

No.

9. Any Field Duplicate RPDs outside the desired limits?

No.

10. Any Lab Duplicate RPDs outside the desired limits?

No.

11. Any required reporting limits exceeded?

No.

12. Additional Validator's Comments.

13. Display Flagged Data.

DATA VALIDATION REPORT

Location ID	COC Number	Field Sample ID	Sample Purpose	Analysis Type Code	Analytical Suite	Analytical Method	Parameter Name	Lab Qualifier	Validation Qualifier	Validation Reason Codes	Detect Flag	Lab Result	Lab Units	Report Result	Report Units	Report MDA	Report Uncertainty	Lab Matrix	Sample Date	Percent	Analysis Lot ID	Validation Status Code	Use Flag
MCOI-5	2017-2224	CAMO-17-141988	REG	INIT	GENERAL CHEMISTRY	EPA:335.4	Cyanide (Total)	J	J+	I6b	Y	3.33	ug/L	0.00333	mg/L			W	07/31/2017		1688104	VAL	Y
SCI-2	2017-2224	CASA-17-142013	REG	INIT	GENERAL CHEMISTRY	EPA:300.0	Sulfate		J+	I4a	Y	86.7	mg/L	86.7	mg/L			W	07/31/2017		1691711	VAL	Y

Reason Code

Description

I4a

The affected analytes are considered estimated and biased high because this analyte was identified in the method blank but was >5x

I6b

The associated matrix spike recovery was above the Upper Acceptance Limit (UAL). Follow the external laboratory limits located within the associated data package.

J_LAB

The analytical laboratory qualified the detected result as estimated (J) because the result was less the PQL but greater than the MDL

NQ

The analytical laboratory did not qualify the analyte as not detected and/or any other standard qualify. The analyte is detected in the sample.

U_LAB

The analytical laboratory qualified the analyte as not detected.

14. Usable Result Count.

Field Sample ID	Location ID	Sample Purpose	Analytical Method	No. Unuseable Records	Total Records
CAMO-17-141972	MCOI-5	REG	EPA:120.1	0	1
CAMO-17-141972	MCOI-5	REG	EPA:150.1	0	1
CAMO-17-141972	MCOI-5	REG	EPA:160.1	0	1
CAMO-17-141972	MCOI-5	REG	EPA:170.0	0	1
CAMO-17-141972	MCOI-5	REG	EPA:245.2	0	1
CAMO-17-141972	MCOI-5	REG	EPA:300.0	0	4
CAMO-17-141972	MCOI-5	REG	EPA:310.1	0	2
CAMO-17-141972	MCOI-5	REG	EPA:350.1	0	1
CAMO-17-141972	MCOI-5	REG	EPA:353.2	0	1
CAMO-17-141972	MCOI-5	REG	EPA:365.4	0	1
CAMO-17-141972	MCOI-5	REG	SM:A2340B	0	1
CAMO-17-141972	MCOI-5	REG	SW-846:6010C	0	17
CAMO-17-141972	MCOI-5	REG	SW-846:6020	0	11
CAMO-17-141972	MCOI-5	REG	SW-846:6850	0	1
CAMO-17-141988	MCOI-5	REG	EPA:170.0	0	1
CAMO-17-141988	MCOI-5	REG	EPA:245.2	0	1
CAMO-17-141988	MCOI-5	REG	EPA:335.4	0	1

DATA VALIDATION REPORT

Field Sample ID	Location ID	Sample Purpose	Analytical Method	No. Unuseable Records	Total Records
CAMO-17-141988	MCOI-5	REG	EPA:351.2	0	1
CAMO-17-141988	MCOI-5	REG	SW-846:9060	0	1
CASA-17-142013	SCI-2	REG	EPA:120.1	0	1
CASA-17-142013	SCI-2	REG	EPA:150.1	0	1
CASA-17-142013	SCI-2	REG	EPA:160.1	0	1
CASA-17-142013	SCI-2	REG	EPA:170.0	0	1
CASA-17-142013	SCI-2	REG	EPA:245.2	0	1
CASA-17-142013	SCI-2	REG	EPA:300.0	0	4
CASA-17-142013	SCI-2	REG	EPA:310.1	0	2
CASA-17-142013	SCI-2	REG	EPA:350.1	0	1
CASA-17-142013	SCI-2	REG	EPA:353.2	0	1
CASA-17-142013	SCI-2	REG	EPA:365.4	0	1
CASA-17-142013	SCI-2	REG	SM:A2340B	0	1
CASA-17-142013	SCI-2	REG	SW-846:6010C	0	17
CASA-17-142013	SCI-2	REG	SW-846:6020	0	11
CASA-17-142013	SCI-2	REG	SW-846:6850	0	1
CASA-17-142021	SCI-2	REG	EPA:170.0	0	1
CASA-17-142021	SCI-2	REG	EPA:245.2	0	1
CASA-17-142021	SCI-2	REG	EPA:335.4	0	1
CASA-17-142021	SCI-2	REG	EPA:351.2	0	1
CASA-17-142021	SCI-2	REG	SW-846:9060	0	1



August 25, 2017

gel.com

Ms. Nita Patel
Los Alamos National Laboratory
TA-00, SM1237, Rm104C
Los Alamos, New Mexico 87545


Re: LANL- WQH Water Samples
Work Order: 429458
SDG: 2017-2224

Dear Ms. Patel:

GEL Laboratories, LLC (GEL) appreciates the opportunity to provide the following analytical results for the sample(s) we received on August 02, 2017, and analyzed for General Chemistry, Metals and Perchlorates by LCMSMS. This original data report has been prepared and reviewed in accordance with GEL's standard operating procedures.

Our policy is to provide high quality, personalized analytical services to enable you to meet your analytical needs on time every time. We trust that you will find everything in order and to your satisfaction. If you have any questions, please do not hesitate to call me at (843) 556-8171, ext. 4485.

Sincerely,


Margo Herron for
Valerie Davis
Project Manager

Chain of Custody: 2017-2224
Enclosures



ARS International, LLC (ARS-LANS-MTOA6-25093-GEL)
LANL- WQH Water Samples
Work Order #: 429458
SDG: 2017-2224

Table of Contents

Case Narrative.....	1
Chain of Custody and Supporting Documentation.....	5
Data Review Qualifier Flag Definition Sheet.....	11
Perchlorates by LCMSMS Analysis.....	14
Case Narrative.....	15
Sample Data Summary.....	21
Quality Control Summary.....	24
Quality Control Data.....	27
Metals Analysis.....	33
Case Narrative.....	34
Sample Data Summary.....	40
Quality Control Summary.....	49
General Chem Analysis.....	63
Case Narrative.....	64
Sample Data Summary.....	95
Quality Control Summary.....	102

Case Narrative

**Case Narrative for
ARS International, LLC (ARS-LANS-MTOA6-25093-GEL)
LANL- WQH Water Samples
Workorder #: 429458
SDG # : 2017-2224**

August 25, 2017

Laboratory Identification:

GEL Laboratories LLC
2040 Savage Road
Charleston, South Carolina 29407
(843) 556-8171

Summary

Sample receipt The samples arrived at GEL Laboratories LLC, Charleston, South Carolina on August 02, 2017 for analysis. The samples were delivered with proper chain of custody documentation and signatures. The samples were screened according to GEL Standard Operating Procedure. All sample containers arrived without any visible signs of tampering or breakage. Containers were checked for pH, where appropriate, and matched the preservative as documented on the accompanying chain of custody. Shipping container temperature was within specification (0 - 6C). Shipping container temperatures were checked, documented, and within specifications. There are no additional comments concerning sample receipt.

Sample Identification The laboratory received the following samples:

<u>Laboratory ID</u>	<u>Client ID</u>
429458001	CAMO-17-141972
429458002	CAMO-17-141988
429458003	CASA-17-142013
429458004	CASA-17-142021

Case Narrative

Sample analyses were conducted using methodology as outlined in GEL Laboratories, LLC (GEL) Standard Operating Procedures. Any technical or administrative problems during analysis, data review, and reduction are contained in the analytical case narratives in the enclosed data package.

Data Package

The enclosed data package contains the following sections: Case Narrative, Chain of Custody, Cooler Receipt Checklist, Data Package Qualifier Definitions and data from the following fractions: General Chemistry, Metals and Perchlorates by LCMSMS.

I certify that this data report is in compliance with the terms and conditions of the subcontract and task order, both technically and for completeness, for other than the conditions detailed in the attached case narrative.

Margo Herron
Margo Herron for
Valerie Davis
Project Manager

List of current GEL Certifications as of 25 August 2017

State	Certification
Alaska	UST-0110
Arkansas	88-0651
CLIA	42D0904046
California	2940
Colorado	SC00012
Connecticut	PH-0169
Delaware	SC00012
DoD ELAP/ ISO17025 A2LA	2567.01
Florida NELAP	E87156
Foreign Soils Permit	P330-15-00283, P330-15-00253
Georgia	SC00012
Georgia SDWA	967
Hawaii	SC00012
Idaho Chemistry	SC00012
Idaho Radiochemistry	SC00012
Illinois NELAP	200029
Indiana	C-SC-01
Kansas NELAP	E-10332
Kentucky SDWA	90129
Kentucky Wastewater	90129
Louisiana NELAP	03046 (AI33904)
Louisiana SDWA	LA170010
Maryland	270
Massachusetts	M-SC012
Michigan	9976
Mississippi	SC00012
Nebraska	NE-OS-26-13
Nevada	SC000122018-1
New Hampshire NELAP	205415
New Jersey NELAP	SC002
New Mexico	SC00012
New York NELAP	11501
North Carolina	233
North Carolina SDWA	45709
North Dakota	R-158
Oklahoma	9904
Pennsylvania NELAP	68-00485
Puerto Rico	SC00012
S.Carolina Radchem	10120002
South Carolina Chemistry	10120001
Tennessee	TN 02934
Texas NELAP	T104704235-17-12
Utah NELAP	SC000122017-23
Vermont	VT87156
Virginia NELAP	460202
Washington	C780
West Virginia	997404

Chain of Custody and Supporting Documentation



Laboratories LLC

SAMPLE RECEIPT & REVIEW FORM

Client: <u>ESTL</u>		SDG/AR/COC/Work Order: <u>429458</u>	
Received By: <u>ZKW</u>		Date Received: <u>8/2/17</u>	
Carrier and Tracking Number		Circle Applicable: <input checked="" type="checkbox"/> FedEx Express <input type="checkbox"/> FedEx Ground <input type="checkbox"/> UPS <input type="checkbox"/> Field Services <input type="checkbox"/> Courier <input type="checkbox"/> Other <u>5908 1782 4443-5c</u> <u>5908 1782 4432-20</u> <u>5908 1782 4476-5c</u> <u>5908 1782 4465-4c</u> <u>5908 1782 4454-5c</u>	
Suspected Hazard Information	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	*If Net Counts > 100cpm on samples not marked "radioactive", contact the Radiation Safety Group for further investigation.	
Shipped as a DOT Hazardous?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Hazard Class Shipped: _____ UN#: _____	
COC/Samples marked or classified as radioactive?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Maximum Net Counts Observed* (Observed Counts - Area Background Counts): <u>0</u> <u>CPM</u> / mR/Hr Classified as: Rad 1 Rad 2 Rad 3	
Is package, COC, and/or Samples marked HAZ?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	If yes, select Hazards below, and contact the GEL Safety Group. PCB's Flammable Foreign Soil RCRA Asbestos Beryllium Other: _____	
Sample Receipt Criteria		Yes	NA
1 Shipping containers received intact and sealed?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
2 Chain of custody documents included with shipment?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
3 Samples requiring cold preservation within (0 ≤ 6 deg. C)?*		<input checked="" type="checkbox"/>	<input type="checkbox"/>
4 Daily check performed and passed on IR temperature gun?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
5 Sample containers intact and sealed?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
6 Samples requiring chemical preservation at proper pH?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
7 Do any samples require Volatile Analysis?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
8 Samples received within holding time?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
9 Sample ID's on COC match ID's on bottles?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
10 Date & time on COC match date & time on bottles?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
11 Number of containers received match number indicated on COC?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Are sample containers identifiable as GEL provided?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
13 COC form is properly signed in relinquished/received sections?		<input checked="" type="checkbox"/>	<input type="checkbox"/>
Comments (Use Continuation Form if needed):			

PM (or PMA) review: Initials

MEH

Date

8/3/17

Page

1 of 2

GL-CHL-SR-001 Rev 5

Client: ESHL Received By: Zkw Date Received: 8/2/17 SDG/AR/COC/Work Order: 429458

* We did not receive:

WT-IPC-17-135228

" -135312

" -135421

" -135495

All from

request # 2017-2229

* We rec'd the following missing samples from 8/1 & "

-133548

-133608 (We only rec'd one container)

-133788 (We only rec'd one container)

-133848

-133908

-134008 (We rec'd 2 containers)

-134237

-134277

-134305

* We rec'd WT-LAP-17-134805 collected 7/27 @ 2055 for Ag. not on the CoFC.

* Samples -134013 and -134073 are labeled on the same bottles (3 containers)

* Samples -134014 and -134074 are labeled on the same bottles (3 containers)

PM (or PMA) review: Initials

MEH

Date

8/3/17

Page

2 of 2

ORIGIN ID: SAFA (505) 665-9966
KEITH GREENE
LOS ALAMOS NATL LAB
TA00 BLDG 1237 DPU 03
UNITED STATES US
BILL SENDER



SHIP DATE: 01AUG17
ACTWGT: 44.0 LB MAN
CAD: 0014176/CAFE2916

LOS ALAMOS, NM 87545

VALERIE DAVIS
GENERAL ENGINEERING LAB
2040 SAVAGE RD

CHARLESTON SC 29407

(843) 566-8171
REF: 21PD0ACSWSS00



RT 0
FL 0

WED - 02 AUG 10:30A
PRIORITY OVERNIGHT

2 of 3
PS# 5908 1782 4465
Istr# 5908 1782 4454

0201

X7 RBWA

29407
SC-US CHS



ORIGIN ID: SAFA (505) 665-9966
KEITH GREENE
LOS ALAMOS NATL LAB
TA00 BLDG 1237 DPU 03
UNITED STATES US
BILL SENDER


SHIP DATE: 01AUG17
ACTWGT: 48.0 LB MAN
CAD: 0014176/CAFE2916

LOS ALAMOS, NM 87545

VALERIE DAVIS
GENERAL ENGINEERING LAB
2040 SAVAGE RD

CHARLESTON SC 29407

(843) 566-8171
REF: 21PD0ACSWSS00



WED - 02 AUG 10:30A
PRIORITY OVERNIGHT

1 of 3
TRX# 5908 1782 4454
MASTER

X7 RBWA

29407
SC-US CHS



ORIGIN ID:SAFA (505) 665-9966
KEITH GREENE
LOS ALAMOS NATL LAB.
TA00 BLDG 1237 DPU 03
LOS ALAMOS, NM 87545
UNITED STATES US

SHIP DATE: 01AUG17
ACTWGT: 49.0 LB MAN
CAD: 0014176/CAFE29
BILL SENDER


TO VALERIE DAVIS
GENERAL ENGINEERING LAB
2040 SAVAGE RD

5c

CHARLESTON SC 29407

(843) 666-8171

REF: 21PD0ACSWSE0SWS00



ORIGIN ID:SAFA (505) 665-9966
KEITH GREENE
LOS ALAMOS NATL LAB.
TA00 BLDG 1237 DPU 03
LOS ALAMOS, NM 87545
UNITED STATES US

SHIP DATE: 01AUG17
ACTWGT: 42.0 LB MAN
CAD: 0014176/CAFE2916
BILL SENDER


VALERIE DAVIS
GENERAL ENGINEERING LAB
2040 SAVAGE RD

5c

CHARLESTON SC 29407

(843) 666-8171

REF: 21PD0AWE991158W100



3 of 3
MPS# 5908 1782 4476
0263

Mstr# 5908 1782 4454

0201

WED - 02 AUG 10:30A
PRIORITY OVERNIGHT

X7 RBWA

29407
SC-US CHS



2 of 2
MPS# 5908 1782 4443
0263

Mstr# 5908 1782 4432

0201

WED - 02 AUG 10:30A
PRIORITY OVERNIGHT

X7 RBWA

29407
SC-US CHS




X7 RBWA

29407
SC-US CHS

TRK# 5908 1782 4432
0201
MASTER

WED - 02 AUG 10:30A
PRIORITY OVERNIGHT



CHARLESTON SC 29407
REF: 21PD0AWE991158W100
(843) 666-8171

TO VALERIE DAVIS
GENERAL ENGINEERING LAB
2040 SAVAGE RD

20c

ORIGIN ID:SAFA (505) 665-9966
KEITH GREENE
LOS ALAMOS NATL LAB.
TA00 BLDG 1237 DPU 03
LOS ALAMOS, NM 87545
UNITED STATES US

SHIP DATE: 01AUG17
ACTWGT: 42.0 LB MAN
CAD: 0014176/CAFE2916
BILL SENDER

Data Review Qualifier Flag Definition Sheet

Data Review Qualifier Definitions

Qualifier Explanation

* A quality control analyte recovery is outside of specified acceptance criteria

** Analyte is a surrogate compound

< Result is less than value reported

> Result is greater than value reported

^ RPD of sample and duplicate evaluated using +/-RL. Concentrations are <5X the RL

A The TIC is a suspected aldol-condensation product

B Target analyte was detected in the associated blank

B Metals-Either presence of analyte detected in the associated blank, or
MDL/IDL < sample value < PQL

BD Results are either below the MDC or tracer recovery is low

C Analyte has been confirmed by GC/MS analysis

D Results are reported from a diluted aliquot of the sample

d 5-day BOD-The 2:1 depletion requirement was not met for this sample

E Organics-Concentration of the target analyte exceeds the instrument calibration range

E Metals-%difference of sample and SD is >10%. Sample concentration must meet flagging criteria

H Analytical holding time was exceeded

h Preparation or preservation holding time was exceeded

J Value is estimated

N Metals-The Matrix spike sample recovery is not within specified control limits

N Organics-Presumptive evidence based on mass spectral library search to make a tentative
identification of the analyte (TIC). Quantitation is based on nearest internal standard
response factor

N/A Spike recovery limits do not apply. Sample concentration exceeds spike concentration
by 4X or more

ND Analyte concentration is not detected above the reporting limit

UI Gamma Spectroscopy-Uncertain identification

X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier

Y QC Samples were not spiked with this compound

Z Paint Filter Test-Particulates passed through the filter, however no free liquids were observed.

P Organics-The concentrations between the primary and confirmation columns/detectors is >40% difference.
For HPLC, the difference is >70%.

U Analyte was analyzed for, but not detected above the MDL, MDA, or LOD.

Perchlorates by LCMSMS Analysis

Case Narrative

**Perchlorates by LCMSMS
Technical Case Narrative
ARS International, LLC (ARSL)
SDG #: 2017-2224
Work Order #: 429458**

Method/Analysis Information

Procedure: **Definitive Low Level Perchlorate Analysis Utilizing Liquid Chromatography/Mass Spectrometry/Mass Spectrometry (LC/MS/MS) by EPA Method 6850 Modified (6850M)**

Analytical Method: SW-846:6850

Prep Method: SW-846:6850

Analytical Batch Number: 1690518

Prep Batch Number: 1690517

Sample Analysis

Sample ID	Client ID
429458001	429458001 (CAMO-17-141972)
429458003	429458003 (CASA-17-142013)
1203851079	Interference Check Sample (ICS)
1203851075	Method Blank (MB)
1203851076	Laboratory Control Sample (LCS)
1203851077	429324001(CAMO-17-141979) Matrix Spike (MS)
1203851078	429324001(CAMO-17-141979) Matrix Spike Duplicate (MSD)

The samples in this SDG were analyzed on an "as received" basis.

Preparation/Analytical Method Verification

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-OA-E-067 REV# 14.

Calibration Information

Initial Calibration

All initial calibration requirements have been met for this SDG. Due to software constraints, all Initial Calibration Blanks must be designated as IPB001.

ICV Requirements

All associated initial calibration verification standard(s) (ICV) met the acceptance criteria.

CCB Requirements

All continuing calibration blanks (CCB) bracketing the analyses associated with this batch were within acceptance criteria.

CCV Requirements

All continuing calibration checks (CCV) requirements were met by all bracketing CCV standards.

Low Level Standard (CRI) Requirements

All low level calibration verification (CRI) requirements were met by all bracketing CRI standards.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Interference Check Sample (ICS)

The ICS spike recoveries met the acceptance criteria.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

QC Sample Designation

Client sample 429324001 (CAMO-17-141979) was chosen for matrix spike and matrix spike duplicate analysis.

Matrix Spike (MS) Recovery Statement

The MS recoveries were within the established acceptance limits.

MS/MSD Relative Percent Difference (RPD) Statement

The RPDs between the MS and MSD met the acceptance limits.

Internal Standard Area Acceptance

The internal standard areas were within the required acceptance criteria for all samples and QC.

Retention Time

During the analysis of Perchlorate by LC/MS/MS, retention time shifts are commonly observed. These retention time shifts, which are caused by fouling of the column by the sample matrices, are problematic when the retention time is used as one of the criterion for confirmation. To overcome this problem, a known amount of O(18) labeled Perchlorate was added to each sample as a retention time standard. The presence of Perchlorate was confirmed by the relative retention time (RRT) of the Perchlorate peak and the O(18) standard. A RRT window of 0.98 to 1.02, as required by DOD QSM 5.0, has been used. In addition to the isotopic ratio, the presence of Perchlorate in the samples associated with this data package have been confirmed using the relative retention criteria stated above, not the absolute retention time.

Technical Information

Holding Time Specifications

All samples in this SDG in this analytical batch met the specified holding time. GEL assigns holding times based

on the associated methodology, which assigns the date and time from sample collection of sample receipt. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

Sample 429458001 (CAMO-17-141972) was diluted to bring the over range concentration within the calibration range.

Sample Re-extraction/Re-analysis

Re-extractions or re-analyses were not required in this SDG.

Miscellaneous Information

Manual Integrations

Manual integrations were not required for any data file associated with this SDG.

Method Comments

The samples in this SDG were not originally analyzed using EPA Method 314.0.

Additional Comments

The Perchlorate Isotope Ratio on the Form I may differ slightly from the ratio on the corresponding raw data due to rounding rules and/or significant figures or due to software limitations when there are manual integrations, dilutions or other factors. The ratio value of the Form I is the correct value. The retention time marker, Perchlorate-O (18), is added to all samples, instrument blanks, and standards prior to injection. It is used to verify the retention time of Perchlorate and Perchlorate-101 and to insure an accurate injection occurred. Due to various anions affecting the recovery of Perchlorate-O (18) and not Perchlorate and Perchlorate-101, the calibration curves of Perchlorate and Perchlorate-101 are internally corrected for using Perchlorate-O (18).

Perchlorate Isotope Ratio

The Perchlorate isotope ratio met acceptance criteria for all samples and QC samples. Please see the isotope ratio criteria in the Miscellaneous Section.

System Configuration

The laboratory utilizes a Waters LC 2795 liquid chromatography instrument for Perchlorate analysis. It is coupled with a Micromass Quattro Ultima Mass Spectrometer/Mass Spectrometer. It is designated as LCMSMS #2. It is fitted with an electrospray probe that is operated in the negative electrospray ionization mode for Perchlorate analysis. The laboratory may also utilize an Agilent 1100 liquid chromatography instrument for Perchlorate analysis. It is coupled with an Applied Biosystems 4000 Mass Spectrometer/Mass Spectrometer, designated as LCMSMS #3 or LCMSMS #4. It is also fitted with an electrospray probe that is operated in the negative electrospray ionization mode for Perchlorate analysis.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. An electronic signature page inserted after the case narrative will include the data validator's signature and title. The signature page also includes the data qualifiers used in the fractional package. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Chromatographic Columns

The LC-MS/MS Perchlorate analysis was performed on a Quatro Ultima LC/MS/MS.

Chromatographic separation of Perchlorate is accomplished through analysis on the following anion column:

Dionex: IonPac AG-16 2 x 50 mm.

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ARSL004 ARS International, LLC (ARS-LANS-MTOA6-25093-GEL)

Client SDG: 2017-2224 GEL Work Order: 429458


The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- ** Analyte is a surrogate compound
- J Value is estimated
- U Analyte was analyzed for, but not detected above the MDL, MDA, MDC or LOD.
- DL Indicates that sample is diluted.
- RA Indicates that sample is re-analyzed without re-extraction.
- RE Indicates that sample is re-extracted.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Charles Wilson

Date: 15 AUG 2017

Title: Analyst II

Sample Data Summary

Perchlorate Analysis Data Sheet

Lab Name: GEL Laboratories LLCLab Code: GELInstrument: LCMSMSMethod: SW846 6850 ModifiedMatrix: WATERExtraction Batch ID: 1690517Extraction Type: Filter/DAISample Volume/Weight: 10.0 mLConcentrated Extract Volume: 10.0

Client Sample No.

CAMO-17-141972Date Received: 02-AUG-17GEL Job No (SDG): 2017-2224GEL Sample ID: 429458001Date Filtered: 10-AUG-17Injection Volume (uL): 20%Solids:

CAS No.	Analyte^	MDL	RL	Conc*	Units	Q	Dilution Factor	Date Analyzed	GEL File ID
14797-73-0	Perchlorate	10	40	196	ug/L		200	11-AUG-17 16:25	per0811021a
	Perchlorate Isotope Ratio			2.93			200	11-AUG-17 16:25	per0811021a
14797-73-0	Perchlorate-101	10	40	196	ug/L		200	11-AUG-17 16:25	per0811021a
	Perchlorate-O(18)			93.6	ug/L		200	11-AUG-17 16:25	per0811021a

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

*Concentration =

$$\text{Instrument Value} \times \frac{\text{Concentrated Extract Volume}}{\text{Aliquot}} \times \frac{1}{\% \text{Solids}}$$

Perchlorate Analysis Data Sheet

Lab Name: GEL Laboratories LLCLab Code: GELInstrument: LCMSMSMethod: SW846 6850 ModifiedMatrix: WATERExtraction Batch ID: 1690517Extraction Type: Filter/DAISample Volume/Weight: 10.0 mLConcentrated Extract Volume: 10.0

Client Sample No.

CASA-17-142013Date Received: 02-AUG-17GEL Job No (SDG): 2017-2224GEL Sample ID: 429458003Date Filtered: 10-AUG-17Injection Volume (uL): 20%Solids:

CAS No.	Analyte^	MDL	RL	Conc*	Units	Q	Dilution Factor	Date Analyzed	GEL File ID
14797-73-0	Perchlorate	.05	.2	0.936	ug/L		1	11-AUG-17 16:38	per0811022a
	Perchlorate Isotope Ratio			2.88			1	11-AUG-17 16:38	per0811022a
14797-73-0	Perchlorate-101	.05	.2	0.952	ug/L		1	11-AUG-17 16:38	per0811022a
	Perchlorate-O(18)			0.505	ug/L		1	11-AUG-17 16:38	per0811022a

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

*Concentration =

$$\text{Instrument Value} \times \frac{\text{Concentrated Extract Volume}}{\text{Aliquot}} \times \frac{1}{\% \text{Solids}}$$

Quality Control Summary

Perchlorate Laboratory Control Sample

Lab Name: General Engineering Laboratories

Lab Code: GEL

GEL Job No. (SDG): 2017-2224

Extract Batch Code: 1690517

Date Filtered: 10-AUG-17

Matrix: WATER

Sample ID: 1203851076

Analyte^	True	Found	Units	%Rec	Q	Control Limits
Perchlorate	0.200	.21	ug/L	105		85 - 115
Perchlorate Isotope Ratio		3.26				-
Perchlorate-101	0.200	.189	ug/L	94		85 - 115
Perchlorate-O(18)		.48	ug/L			-

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

Perchlorate Spike/Spike Duplicate Summary

Lab Name: General Engineering Laboratories

Lab Code: GEL

GEL Job No (SDG): 2017-2224

Extract Batch Code: 1690517

Date Extracted: 10-AUG-17

GEL MS/PS ID: 1203851077

Client ID: CAMO-17-141979

GEL MSD/PSD ID: 1203851078

QC Type: MS

Compound^	Spike Added	Sample Conc	Units	MS Conc	MS Rec #	MSD Conc	MSD Rec #	RPD #	RPD Limit	Recovery Limit
Perchlorate	0.200	1.13	ug/L	1.33	100	1.34	107	1	30	75 - 125
Perchlorate Isotope Ratio	0	2.94		2.94		2.87		2		-
Perchlorate-101	0.200	1.12	ug/L	1.33	101	1.37	122	3	30	75 - 125
Perchlorate-O(18)	0	0.527	ug/L	0.517		.503		3		-

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

Quality Control Data

Perchlorate Analysis Data Sheet

Lab Name: GEL Laboratories LLCLab Code: GELInstrument: LCMSMSMethod: EPA 6850 ModifiedMatrix: WATERExtraction Batch ID: 1690517Extraction Type: Filter/DAISample Volume/Weight: 10.0 mLConcentrated Extract Volume: 10.0

Client Sample No.

MBDate Received: 10-AUG-17GEL Job No (SDG): 2017-2224GEL Sample ID: 1203851075Date Filtered: 10-AUG-17Injection Volume (uL): 20%Solids:

CAS No.	Analyte^	MDL	RL	Conc*	Units	Q	Dilution Factor	Date Analyzed	GEL File ID
14797-73-0	Perchlorate	.05	.2	0.050	ug/L	U	1	11-AUG-17 14:37	per0811013a
	Perchlorate Isotope Ratio						1	11-AUG-17 14:37	per0811013a
14797-73-0	Perchlorate-101	.05	.2	0.050	ug/L	U	1	11-AUG-17 14:37	per0811013a
	Perchlorate-O(18)			0.492	ug/L		1	11-AUG-17 14:37	per0811013a

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

*Concentration =

$$\text{Instrument Value} \times \frac{\text{Concentrated Extract Volume}}{\text{Aliquot}} \times \frac{1}{\% \text{Solids}}$$

Perchlorate Analysis Data Sheet

Lab Name: GEL Laboratories LLCLab Code: GELInstrument: LCMSMSMethod: EPA 6850 ModifiedMatrix: WATERExtraction Batch ID: 1690517Extraction Type: Filter/DAISample Volume/Weight: 10.0 mLConcentrated Extract Volume: 10.0

Client Sample No.

LCSDate Received: 10-AUG-17GEL Job No (SDG): 2017-2224GEL Sample ID: 1203851076Date Filtered: 10-AUG-17Injection Volume (uL): 20%Solids:

CAS No.	Analyte^	MDL	RL	Conc*	Units	Q	Dilution Factor	Date Analyzed	GEL File ID
14797-73-0	Perchlorate	.05	.2	0.210	ug/L		1	11-AUG-17 14:50	per0811014a
	Perchlorate Isotope Ratio			3.26			1	11-AUG-17 14:50	per0811014a
14797-73-0	Perchlorate-101	.05	.2	0.189	ug/L	J	1	11-AUG-17 14:50	per0811014a
	Perchlorate-O(18)			0.480	ug/L		1	11-AUG-17 14:50	per0811014a

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

*Concentration =

$$\text{Instrument Value} \times \frac{\text{Concentrated Extract Volume}}{\text{Aliquot}} \times \frac{1}{\% \text{Solids}}$$

Perchlorate Analysis Data Sheet

Lab Name: GEL Laboratories LLCLab Code: GELInstrument: LCMSMSMethod: SW846 6850 ModifiedMatrix: WATERExtraction Batch ID: 1690517Extraction Type: Filter/DAISample Volume/Weight: 10.0 mLConcentrated Extract Volume: 10.0

Client Sample No.

ICS

Date Received:

GEL Job No (SDG): 2017-2224GEL Sample ID: 1203851079Date Filtered: 10-AUG-17Injection Volume (uL): 20

%Solids:

CAS No.	Analyte^	MDL	RL	Conc*	Units	Q	Dilution Factor	Date Analyzed	GEL File ID
14797-73-0	Perchlorate	.05	.2	0.237	ug/L		1	11-AUG-17 15:04	per0811015a
	Perchlorate Isotope Ratio			3.16			1	11-AUG-17 15:04	per0811015a
14797-73-0	Perchlorate-101	.05	.2	0.219	ug/L		1	11-AUG-17 15:04	per0811015a
	Perchlorate-O(18)			0.484	ug/L		1	11-AUG-17 15:04	per0811015a

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

*Concentration =

$$\text{Instrument Value} \times \frac{\text{Concentrated Extract Volume}}{\text{Aliquot}} \times \frac{1}{\% \text{Solids}}$$

Perchlorate Analysis Data Sheet

Lab Name: GEL Laboratories LLCLab Code: GELInstrument: LCMSMSMethod: SW846 6850 ModifiedMatrix: WATERExtraction Batch ID: 1690517Extraction Type: Filter/DAISample Volume/Weight: 10.0 mLConcentrated Extract Volume: 10.0

Client Sample No.

CAMO-17-141979MSDate Received: 01-AUG-17GEL Job No (SDG): 2017-2224GEL Sample ID: 1203851077Date Filtered: 10-AUG-17Injection Volume (uL): 20%Solids:

CAS No.	Analyte^	MDL	RL	Conc*	Units	Q	Dilution Factor	Date Analyzed	GEL File ID
14797-73-0	Perchlorate	.05	.2	1.33	ug/L		1	11-AUG-17 15:31	per0811017a
	Perchlorate Isotope Ratio			2.94			1	11-AUG-17 15:31	per0811017a
14797-73-0	Perchlorate-101	.05	.2	1.33	ug/L		1	11-AUG-17 15:31	per0811017a
	Perchlorate-O(18)			0.517	ug/L		1	11-AUG-17 15:31	per0811017a

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

*Concentration =

$$\text{Instrument Value} \times \frac{\text{Concentrated Extract Volume}}{\text{Aliquot}} \times \frac{1}{\% \text{Solids}}$$

Perchlorate Analysis Data Sheet

Lab Name: GEL Laboratories LLCLab Code: GELInstrument: LCMSMSMethod: SW846 6850 ModifiedMatrix: WATERExtraction Batch ID: 1690517Extraction Type: Filter/DAISample Volume/Weight: 10.0 mLConcentrated Extract Volume: 10.0

Client Sample No.

CAMO-17-141979MSDDate Received: 01-AUG-17GEL Job No (SDG): 2017-2224GEL Sample ID: 1203851078Date Filtered: 10-AUG-17Injection Volume (uL): 20%Solids:

CAS No.	Analyte^	MDL	RL	Conc*	Units	Q	Dilution Factor	Date Analyzed	GEL File ID
14797-73-0	Perchlorate	.05	.2	1.34	ug/L		1	11-AUG-17 15:44	per0811018a
	Perchlorate Isotope Ratio			2.87			1	11-AUG-17 15:44	per0811018a
14797-73-0	Perchlorate-101	.05	.2	1.37	ug/L		1	11-AUG-17 15:44	per0811018a
	Perchlorate-O(18)			0.503	ug/L		1	11-AUG-17 15:44	per0811018a

^ When the analyte name is Perchlorate Isotope Ratio the concentration is a unitless value calculated from the ratio of Perchlorate peak area to Perchlorate-101 peak area. The Perchlorate-101 and isotopic ratio results are provided for qualitative purposes only. The results are used to verify the presence and quantitation of Perchlorate.

*Concentration =

$$\text{Instrument Value} \times \frac{\text{Concentrated Extract Volume}}{\text{Aliquot}} \times \frac{1}{\% \text{Solids}}$$

Metals Analysis

Case Narrative

Metals
Technical Case Narrative
ARS International, LLC (ARSL)
SDG #: 2017-2224
Work Order #: 429458

Sample ID	Client ID
429458001	CAMO-17-141972
429458002	CAMO-17-141988
429458003	CASA-17-142013
429458004	CASA-17-142021
1203846318	Method Blank (MB) ICP
1203846319	Laboratory Control Sample (LCS)
1203846322	429324001(CAMO-17-141979L) Serial Dilution (SD)
1203846320	429324001(CAMO-17-141979D) Sample Duplicate (DUP)
1203846321	429324001(CAMO-17-141979S) Matrix Spike (MS)
1203846300	Method Blank (MB) ICP-MS
1203846301	Laboratory Control Sample (LCS)
1203846304	429324001(CAMO-17-141979L) Serial Dilution (SD)
1203846302	429324001(CAMO-17-141979D) Sample Duplicate (DUP)
1203846303	429324001(CAMO-17-141979S) Matrix Spike (MS)
1203859385	Method Blank (MB) CVAA
1203859386	Laboratory Control Sample (LCS)
1203859391	429452001(CAMO-17-142056L) Serial Dilution (SD)
1203859387	429452001(CAMO-17-142056D) Sample Duplicate (DUP)
1203859389	429452001(CAMO-17-142056S) Matrix Spike (MS)

Sample Analysis

Samples 429458001,002,003 and 004 in this SDG were analyzed for metals and mercury on an "as received" basis.

Method/Analysis Information

Analytical Batch:	1688549, 1688543, 1694095 and 1695942
Prep Batch :	1688548, 1688542 and 1694088
Standard Operating Procedures:	GL-MA-E-013 REV# 29, GL-MA-E-006 REV# 13, GL-MA-E-014 REV# 31, GL-MA-E-010 REV# 35 and GL-GC-E-107 REV# 10
Analytical Method:	SW846 3005A/6010C, SW846 3005A/6020A, EPA 245.2 1974 and SM:A2340B
Prep Method :	SW846 3005A and EPA 245.1/245.2 Prep

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

System Configuration

The Hardness as CaCO₃ is calculated from Calcium and Magnesium results.

The Metals analysis-ICP was performed on a P E 5300 Optima radial/axial-viewing inductively coupled plasma atomic emission spectrometer. The instrument is equipped with an ESI SC-FAST introduction, cyclonic spray chamber, and yttrium or scandium internal standard.

The Metals analysis-Mercury was performed on a Perkin-Elmer Flow Injection Mercury System (FIMS-100) automated mercury analyzer. The instrument consists of a cold vapor atomic absorption spectrometer set to detect mercury at a wavelength of 253.7 nm.

The Metals analysis - ICPMS was performed on a PerkinElmer NexION 350X ICPMS. The instrument is equipped with a ESI PFA-ST nebulizer, quadrupole mass spectrometer, dual mode electron multiplier detector, and Kinetic Energy Discrimination (KED) technology. Internal standards of scandium, germanium, indium, tantalum, and/or lutetium were utilized to cover the mass spectrum.

Calibration Information

Instrument Calibration

All initial calibration requirements have been met for this sample delivery group (SDG).

CRDL/PQL Requirements

The PQL standard recoveries for SW846 6010C or 6010D met the control limits with the exception of potassium and sodium. Client sample concentrations were less than the MDL or greater than two times the PQL; therefore the data were not adversely affected. 429458001 (CAMO-17-141972) and 429458003 (CASA-17-142013)-ICP.

ICSA/ICSAB Statement

All interference check samples (ICSA and ICSAB) associated with this SDG met the established acceptance criteria. For the ICP-MS analysis, the ICSA solution contains analyte concentrations which are verified trace impurities indigenous to the purchased standard.

Continuing Calibration Blanks (CCB) Requirements

All continuing calibration blanks (CCB) bracketing this batch met the established acceptance criteria.

Continuing Calibration Verification (CCV) Requirements

All continuing calibration verifications (CCV) bracketing this SDG met the acceptance criteria.

Quality Control (QC) Information

Method Blank (MB) Statement

The MBs analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

Quality Control (QC) Sample Statement

The following samples were selected as the quality control (QC) samples for this SDG: 429324001 (CAMO-17-141979)-ICP and ICP-MS and 429452001 (CAMO-17-142056)-CVAA.

Matrix Spike (MS/MSD) Recovery Statement

The percent recoveries (%R) obtained from the MS/MSD analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. The matrix spike met the recommended quality

control acceptance criteria for percent recoveries for all applicable analytes.

Duplicate Relative Percent Difference (RPD) Statement

The RPD obtained from the designated sample duplicate (DUP) is evaluated based on acceptance criteria of 20% when the sample is >5X the contract required reporting limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control of +/-RL is used to evaluate the DUP results. The relative percent differences (RPD) between the sample and its duplicate (DUP) were within acceptable limits for all applicable analytes.

Serial Dilution % Difference Statement

All applicable analytes in the serial dilution (SDILT) demonstrated acceptable correlation to its associated sample and met the established acceptance percent difference criteria.

Technical Information

Holding Time Specifications

GEL assigns holding times based on the associated methodology. Holding time is measured by comparison of the date and time of sample collection to the date and time of sample preparation and analysis. Those holding times expressed in hours are calculated in the AlphaLIMS system. Those holding times expressed as days expire at midnight on the day of expiration. All samples in this SDG met the specified holding time.

Preparation/Analytical Method Verification

All procedures were performed as stated in the SOP.

Sample Dilutions

The samples in this SDG did not require dilutions.

Preparation Information

The samples in this SDG were not diluted and were prepared according to the cited SOP.

Miscellaneous Information

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. An electronic signature page inserted after the case narrative will include the data validator's signature and title. The signature page also includes the data qualifiers used in the fractional package. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Additional Comments

Total Hardness by Calculation is determined using the results of Total Calcium (Ca) and Total Magnesium (Mg) determined by ICP or ICP-MS.

$$\text{Hardness} = 2.497 (\text{Ca}) + 4.118 (\text{Mg})$$

Please refer to the Total Ca and Total Mg data to validate results appearing on the Hardness Summary sheet. Both results are in the Inorganic/metals section of the package. There is no Batch QC for calculated results, and thus no QC Summary for the Hardness by Calculation Batch. The MDLs and PQLs are calculated using the higher of the two calculated values of Ca or Mg.

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the

requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ARSL004 ARS International, LLC (ARS-LANS-MTOA6-25093-GEL)

Client SDG: 2017-2224 GEL Work Order: 429458

The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- J Value is estimated
- U Analyte was analyzed for, but not detected above the MDL, MDA, MDC or LOD.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature:



Name: Nik-Cole Elmore

Date: 29 AUG 2017

Title: Data Validator

Sample Data Summary

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2017-2224**CONTRACT:** ESHL00114**METHOD TYPE:** EPA**SAMPLE ID:** 429458001**BASIS:** As Received**DATE COLLECTED** 31-JUL-17**CLIENT ID:** CAMO-17-141972**LEVEL:** Low**DATE RECEIVED** 02-AUG-17**MATRIX:** W**%SOLIDS:** 0

CAS	Analyte	Result	Units	Qual	MDL	PQL	CRDL	DF	M*	Analyst	Run Date	Analytical Run	Analytical Batch
7439-97-6	Mercury	0.067	ug/L	U	0.067	0.2	0.2	1	AV	MTM1	08/23/17 10:12	082317W1-4	1694095

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2017-2224

CONTRACT: ESHL00114

METHOD TYPE: SW846

SAMPLE ID: 429458001

BASIS: As Received

DATE COLLECTED 31-JUL-17

CLIENT ID: CAMO-17-141972

LEVEL: Low

DATE RECEIVED 02-AUG-17

MATRIX: W

%SOLIDS: 0

CAS	Analyte	Result	Units	Qual	MDL	PQL	CRDL	DF	M*	Analyst	Run Date	Analytical Run	Analytical Batch
7429-90-5	Aluminum	68	ug/L	U	68	200	200	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-36-0	Antimony	1	ug/L	U	1	3	3	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-38-2	Arsenic	2	ug/L	U	2	5	5	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-39-3	Barium	24.3	ug/L		1	5	5	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-41-7	Beryllium	1	ug/L	U	1	5	5	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-42-8	Boron	19.9	ug/L	J	15	50	50	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-43-9	Cadmium	0.30	ug/L	U	0.3	1	1	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-70-2	Calcium	31000	ug/L		50	200	200	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-47-3	Chromium	5.26	ug/L	J	3	10	10	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-48-4	Cobalt	1	ug/L	U	1	5	5	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-50-8	Copper	3	ug/L	U	3	10	10	1	P	HSC	08/08/17 13:26	080817-1	1688549
7439-89-6	Iron	30	ug/L	U	30	100	100	1	P	HSC	08/08/17 13:26	080817-1	1688549
7439-92-1	Lead	0.50	ug/L	U	0.5	2	2	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7439-95-4	Magnesium	5430	ug/L		110	300	300	1	P	HSC	08/08/17 13:26	080817-1	1688549
7439-96-5	Manganese	2	ug/L	U	2	10	10	1	P	HSC	08/08/17 13:26	080817-1	1688549
7439-98-7	Molybdenum	0.886	ug/L		0.2	0.5	0.5	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-02-0	Nickel	0.60	ug/L	U	0.6	2	2	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-09-7	Potassium	534	ug/L		50	150	150	1	P	HSC	08/09/17 08:24	080917-2	1688549
7782-49-2	Selenium	2	ug/L	U	2	5	5	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7631-86-9	Silica	60300	ug/L		53	213	213	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-22-4	Silver	0.30	ug/L	U	0.3	1	1	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-23-5	Sodium	15200	ug/L		100	300	300	1	P	HSC	08/09/17 08:24	080917-2	1688549
7440-24-6	Strontium	142	ug/L		1	5	5	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-28-0	Thallium	0.60	ug/L	U	0.6	2	2	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-31-5	Tin	2.61	ug/L	J	2.5	10	10	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-61-1	Uranium	0.141	ug/L	J	0.067	0.2	0.2	1	MS	BAJ	08/14/17 21:49	170814-3	1688543
7440-62-2	Vanadium	1.25	ug/L	J	1	5	5	1	P	HSC	08/08/17 13:26	080817-1	1688549
7440-66-6	Zinc	3.3	ug/L	U	3.3	10	10	1	P	HSC	08/08/17 13:26	080817-1	1688549

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2017-2224**CONTRACT:** ESHL00114**METHOD TYPE:****SAMPLE ID:** 429458001**BASIS:** As Received**DATE COLLECTED** 31-JUL-17**CLIENT ID:** CAMO-17-141972**LEVEL:** Low**DATE RECEIVED** 02-AUG-17**MATRIX:** W**%SOLIDS:** 0

CAS	Analyte	Result	Units	Qual	MDL	PQL	CRDL	DF	M*	Analyst	Run Date	Analytical Run	Analytical Batch
	Hardness as CaCO3	99.8	mg/L		0.453	1.24	1.24	1		TXT1	08/25/17 14:47		1695942

Prep Information:

Analytical Batch	Prep Batch	Prep Method	Initial wt./vol.	Units	Final wt./vol.	Units	Date	Analyst
1688543	1688542	SW846 3005A	50	mL	50	mL	08/07/17	SXW1
1688549	1688548	SW846 3005A	50	mL	50	mL	08/07/17	SXW1
1694095	1694088	EPA 245.1/245.2 Prep	20	mL	20	mL	08/22/17	AXS5

***Analytical Methods:**

P SW846 3005A/6010C
MS SW846 3005A/6020A
AV EPA 245.2 1974

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2017-2224**CONTRACT:** ESHL00114**METHOD TYPE:** EPA**SAMPLE ID:** 429458002**BASIS:** As Received**DATE COLLECTED** 31-JUL-17**CLIENT ID:** CAMO-17-141988**LEVEL:** Low**DATE RECEIVED** 02-AUG-17**MATRIX:** W**%SOLIDS:** 0

CAS	Analyte	Result	Units	Qual	MDL	PQL	CRDL	DF	M*	Analyst	Run Date	Analytical Run	Analytical Batch
7439-97-6	Mercury	0.067	ug/L	U	0.067	0.2	0.2	1	AV	MTM1	08/23/17 10:17	082317W1-4	1694095

Prep Information:

Analytical Batch	Prep Batch	Prep Method	Initial wt./vol.	Units	Final wt./vol.	Units	Date	Analyst
1694095	1694088	EPA 245.1/245.2 Prep	20	mL	20	mL	08/22/17	AXS5

***Analytical Methods:**

AV EPA 245.2 1974

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2017-2224**CONTRACT:** ESHL00114**METHOD TYPE:** EPA**SAMPLE ID:** 429458003**BASIS:** As Received**DATE COLLECTED** 31-JUL-17**CLIENT ID:** CASA-17-142013**LEVEL:** Low**DATE RECEIVED** 02-AUG-17**MATRIX:** W**%SOLIDS:** 0

CAS	Analyte	Result	Units	Qual	MDL	PQL	CRDL	DF	M*	Analyst	Run Date	Analytical Run	Analytical Batch
7439-97-6	Mercury	0.067	ug/L	U	0.067	0.2	0.2	1	AV	MTM1	08/23/17 10:19	082317W1-4	1694095

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2017-2224

CONTRACT: ESHL00114

METHOD TYPE: SW846

SAMPLE ID: 429458003

BASIS: As Received

DATE COLLECTED 31-JUL-17

CLIENT ID: CASA-17-142013

LEVEL: Low

DATE RECEIVED 02-AUG-17

MATRIX: W

%SOLIDS: 0

CAS	Analyte	Result	Units	Qual	MDL	PQL	CRDL	DF	M*	Analyst	Run Date	Analytical Run	Analytical Batch
7429-90-5	Aluminum	68	ug/L	U	68	200	200	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-36-0	Antimony	1	ug/L	U	1	3	3	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-38-2	Arsenic	2	ug/L	U	2	5	5	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-39-3	Barium	70.1	ug/L		1	5	5	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-41-7	Beryllium	1	ug/L	U	1	5	5	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-42-8	Boron	19.2	ug/L	J	15	50	50	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-43-9	Cadmium	0.30	ug/L	U	0.3	1	1	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-70-2	Calcium	66700	ug/L		50	200	200	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-47-3	Chromium	363	ug/L		3	10	10	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-48-4	Cobalt	1	ug/L	U	1	5	5	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-50-8	Copper	3	ug/L	U	3	10	10	1	P	HSC	08/08/17 13:29	080817-1	1688549
7439-89-6	Iron	30.6	ug/L	J	30	100	100	1	P	HSC	08/08/17 13:29	080817-1	1688549
7439-92-1	Lead	0.50	ug/L	U	0.5	2	2	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7439-95-4	Magnesium	15500	ug/L		110	300	300	1	P	HSC	08/08/17 13:29	080817-1	1688549
7439-96-5	Manganese	2	ug/L	U	2	10	10	1	P	HSC	08/08/17 13:29	080817-1	1688549
7439-98-7	Molybdenum	0.509	ug/L		0.2	0.5	0.5	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-02-0	Nickel	16.3	ug/L		0.6	2	2	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-09-7	Potassium	3750	ug/L		50	150	150	1	P	HSC	08/09/17 08:27	080917-2	1688549
7782-49-2	Selenium	2	ug/L	U	2	5	5	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7631-86-9	Silica	60800	ug/L		53	213	213	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-22-4	Silver	0.30	ug/L	U	0.3	1	1	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-23-5	Sodium	20300	ug/L		100	300	300	1	P	HSC	08/09/17 08:27	080917-2	1688549
7440-24-6	Strontium	326	ug/L		1	5	5	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-28-0	Thallium	0.60	ug/L	U	0.6	2	2	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-31-5	Tin	5.42	ug/L	J	2.5	10	10	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-61-1	Uranium	1.98	ug/L		0.067	0.2	0.2	1	MS	BAJ	08/14/17 21:52	170814-3	1688543
7440-62-2	Vanadium	1.16	ug/L	J	1	5	5	1	P	HSC	08/08/17 13:29	080817-1	1688549
7440-66-6	Zinc	3.3	ug/L	U	3.3	10	10	1	P	HSC	08/08/17 13:29	080817-1	1688549

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2017-2224**CONTRACT:** ESHL00114**METHOD TYPE:****SAMPLE ID:** 429458003**BASIS:** As Received**DATE COLLECTED** 31-JUL-17**CLIENT ID:** CASA-17-142013**LEVEL:** Low**DATE RECEIVED** 02-AUG-17**MATRIX:** W**%SOLIDS:** 0

CAS	Analyte	Result	Units	Qual	MDL	PQL	CRDL	DF	M*	Analyst	Run Date	Analytical Run	Analytical Batch
	Hardness as CaCO3	230	mg/L		0.453	1.24	1.24	1		TXT1	08/25/17 14:47		1695942

Prep Information:

Analytical Batch	Prep Batch	Prep Method	Initial wt./vol.	Units	Final wt./vol.	Units	Date	Analyst
1688543	1688542	SW846 3005A	50	mL	50	mL	08/07/17	SXW1
1688549	1688548	SW846 3005A	50	mL	50	mL	08/07/17	SXW1
1694095	1694088	EPA 245.1/245.2 Prep	20	mL	20	mL	08/22/17	AXS5

***Analytical Methods:**

P SW846 3005A/6010C
MS SW846 3005A/6020A
AV EPA 245.2 1974

METALS
-1-
INORGANICS ANALYSIS DATA PACKAGE

SDG No: 2017-2224**CONTRACT:** ESHL00114**METHOD TYPE:** EPA**SAMPLE ID:** 429458004**BASIS:** As Received**DATE COLLECTED** 31-JUL-17**CLIENT ID:** CASA-17-142021**LEVEL:** Low**DATE RECEIVED** 02-AUG-17**MATRIX:** W**%SOLIDS:** 0

CAS	Analyte	Result	Units	Qual	MDL	PQL	CRDL	DF	M*	Analyst	Run Date	Analytical Run	Analytical Batch
7439-97-6	Mercury	0.067	ug/L	U	0.067	0.2	0.2	1	AV	MTM1	08/23/17 10:21	082317W1-4	1694095

Prep Information:

Analytical Batch	Prep Batch	Prep Method	Initial wt./vol.	Units	Final wt./vol.	Units	Date	Analyst
1694095	1694088	EPA 245.1/245.2 Prep	20	mL	20	mL	08/22/17	AXS5

***Analytical Methods:**

AV EPA 245.2 1974

Quality Control Summary

METALS
-3b-
PREPARATION BLANK SUMMARY

SDG NO. 2017-2224

Contract: ESHL00114

Matrix: W

<u>Sample ID</u>	<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Acceptance Window</u>	<u>Conc Qual</u>	<u>M*</u>	<u>MDL</u>	<u>RDL</u>
1203846300	Antimony	1	ug/L	+/-3	U	MS	1	3
	Arsenic	2	ug/L	+/-5	U	MS	2	5
	Cadmium	0.3	ug/L	+/-1	U	MS	0.3	1
	Chromium	3	ug/L	+/-10	U	MS	3	10
	Selenium	2	ug/L	+/-5	U	MS	2	5
	Thallium	0.6	ug/L	+/-2	U	MS	0.6	2
	Uranium	0.067	ug/L	+/-0.2	U	MS	0.067	0.2
	Silver	0.3	ug/L	+/-1	U	MS	0.3	1
	Nickel	0.6	ug/L	+/-2	U	MS	0.6	2
	Molybdenum	0.2	ug/L	+/-0.5	U	MS	0.2	0.5
	Lead	0.5	ug/L	+/-2	U	MS	0.5	2
1203846318	Beryllium	1	ug/L	+/-5	U	P	1	5
	Boron	15	ug/L	+/-50	U	P	15	50
	Calcium	54.3	ug/L	+/-200	J	P	50	200
	Cobalt	1	ug/L	+/-5	U	P	1	5
	Copper	3	ug/L	+/-10	U	P	3	10
	Iron	30	ug/L	+/-100	U	P	30	100
	Magnesium	110	ug/L	+/-300	U	P	110	300
	Manganese	2	ug/L	+/-10	U	P	2	10
	Potassium	50	ug/L	+/-150	U	P	50	150
	Aluminum	68	ug/L	+/-200	U	P	68	200
	Barium	1	ug/L	+/-5	U	P	1	5
	Silica	53	ug/L	+/-213	U	P	53	213
	Sodium	100	ug/L	+/-300	U	P	100	300
	Strontium	1	ug/L	+/-5	U	P	1	5
	Tin	2.5	ug/L	+/-10	U	P	2.5	10
	Vanadium	1	ug/L	+/-5	U	P	1	5
	Zinc	3.3	ug/L	+/-10	U	P	3.3	10
1203859385	Mercury	0.067	ug/L	+/-0.2	U	AV	0.067	0.2

*Analytical Methods:

P SW846 3005A/6010C
MS SW846 3005A/6020A
AV EPA 245.1/245.2

METALS

-5a-

Matrix Spike Summary

SDG NO. 2017-2224 Client ID CAMO-17-141979S

Contract: ESHL00114 Level: Low

Matrix: WATER % Solids:

Sample ID: 429324001 Spike ID: 1203846303

<u>Analyte</u>	<u>Units</u>	<u>Acceptance Limit</u>	<u>Spiked Result</u>	<u>C</u>	<u>Sample Result</u>	<u>C</u>	<u>Spike Added</u>	<u>% Recovery</u>	<u>Qual</u>	<u>M*</u>
Antimony	ug/L	75-125	50		1	U	50	99.1		MS
Arsenic	ug/L	75-125	52.1		2	U	50	101		MS
Cadmium	ug/L	75-125	51.9		0.3	U	50	104		MS
Chromium	ug/L		824		793		50	61.9	N/A	MS
Lead	ug/L	75-125	48.2		0.5	U	50	96.2		MS
Molybdenum	ug/L	75-125	52.8		0.518		50	105		MS
Nickel	ug/L	75-125	70.3		19.6		50	101		MS
Selenium	ug/L	75-125	50.9		2	U	50	101		MS
Silver	ug/L	75-125	51.8		0.3	U	50	104		MS
Thallium	ug/L	75-125	44.7		0.6	U	50	89.1		MS
Uranium	ug/L	75-125	49.9		0.837		50	98		MS

*Analytical Methods:

MS SW846 3005A/6020A

METALS

-5a-

Matrix Spike Summary

SDG NO. 2017-2224 Client ID CAMO-17-141979S

Contract: ESHL00114 Level: Low

Matrix: WATER % Solids:

Sample ID: 429324001 Spike ID: 1203846321

<u>Analyte</u>	<u>Units</u>	<u>Acceptance Limit</u>	<u>Spiked Result</u>	<u>C</u>	<u>Sample Result</u>	<u>C</u>	<u>Spike Added</u>	<u>% Recovery</u>	<u>Qual</u>	<u>M*</u>
Tin	ug/L	75-125	483		3.74	J	500	95.9		P
Vanadium	ug/L	75-125	498		3.6	J	500	98.9		P
Zinc	ug/L	75-125	463		3.3	U	500	92.3		P
Aluminum	ug/L	75-125	4750		68	U	5000	93.8		P
Barium	ug/L	75-125	528		57.6		500	94.1		P
Beryllium	ug/L	75-125	478		1	U	500	95.7		P
Boron	ug/L	75-125	524		16.7	J	500	101		P
Calcium	ug/L		34500		30800		5000	74.7	N/A	P
Cobalt	ug/L	75-125	481		1	U	500	96.2		P
Copper	ug/L	75-125	497		3	U	500	99.4		P
Iron	ug/L	75-125	4830		30	U	5000	96.4		P
Magnesium	ug/L	75-125	16500		12100		5000	88.5		P
Manganese	ug/L	75-125	469		2	U	500	93.9		P
Potassium	ug/L	75-125	7130		2470		5000	93.1		P
Silica	ug/L		75000		65900		10700	84.8	N/A	P
Sodium	ug/L		59700		59200		5000	9.38	N/A	P
Strontium	ug/L	75-125	649		157		500	98.4		P

*Analytical Methods:

P SW846 3005A/6010C

METALS

-5a-

Matrix Spike Summary

SDG NO. 2017-2224 **Client ID:** CAMO-17-142056S**Contract:** ESHL00114 **Level:** Low**Matrix:** WATER **% Solids:****Sample ID:** 429452001 **Spike ID:** 1203859389

<u>Analyte</u>	<u>Units</u>	<u>Acceptance Limit</u>	<u>Spiked Result</u>	<u>C</u>	<u>Sample Result</u>	<u>C</u>	<u>Spike Added</u>	<u>% Recovery</u>	<u>Qual</u>	<u>M*</u>
Mercury	ug/L	75-125	2.14		0.067	U	2	107		AV

*Analytical Methods:

AV EPA 245.1/245.2

Metals
-6-
Duplicate Sample Summary

SDG No.: 2017-2224

Lab Code: GEL

Contract: ESHL00114

Client ID: CAMO-17-141979D

Matrix: WATER

Level: Low

Sample ID: 429324001

Duplicate ID: 1203846302

Percent Solids for Dup: N/A

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M*
Antimony	ug/L		1 U		1 U				MS
Arsenic	ug/L		2 U		2 U				MS
Cadmium	ug/L		0.3 U		0.3 U				MS
Chromium	ug/L	+/-20%	793		797		.482		MS
Lead	ug/L		0.5 U		0.5 U				MS
Molybdenum	ug/L	+/- .5	0.518		0.5		3.54		MS
Nickel	ug/L	+/-20%	19.6		20.1		2.45		MS
Selenium	ug/L		2 U		2 U				MS
Silver	ug/L		0.3 U		0.3 U				MS
Thallium	ug/L		0.6 U		0.6 U				MS
Uranium	ug/L	+/- .2	0.837		0.844		.833		MS

*Analytical Methods:

MS SW846 3005A/6020A

Metals
-6-
Duplicate Sample Summary

SDG No.: 2017-2224

Lab Code: GEL

Contract: ESHL00114

Client ID: CAMO-17-141979D

Matrix: WATER

Level: Low

Sample ID: 429324001

Duplicate ID: 1203846320

Percent Solids for Dup: N/A

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M*
Aluminum	ug/L		68 U		68 U				P
Barium	ug/L	+/-20%	57.6		55.8		3.23		P
Beryllium	ug/L		1 U		1 U				P
Boron	ug/L	+/-50	16.7 J		16 J		4.39		P
Calcium	ug/L	+/-20%	30800		30000		2.58		P
Cobalt	ug/L		1 U		1 U				P
Copper	ug/L		3 U		3 U				P
Iron	ug/L		30 U		30 U				P
Magnesium	ug/L	+/-20%	12100		11900		1.72		P
Manganese	ug/L		2 U		2 U				P
Potassium	ug/L	+/-20%	2470		2470		.125		P
Silica	ug/L	+/-20%	65900		64500		2.19		P
Sodium	ug/L	+/-20%	59200		54500		8.35		P
Strontium	ug/L	+/-20%	157		153		2.52		P
Tin	ug/L	+/-10	3.74 J		3.22 J		15.1		P
Vanadium	ug/L	+/-5	3.6 J		3.18 J		12.3		P
Zinc	ug/L		3.3 U		3.3 U				P

*Analytical Methods:

P SW846 3005A/6010C

Metals
–6–
Duplicate Sample Summary

SDG No.: 2017–2224**Lab Code:** GEL**Contract:** ESHL00114**Client ID:** CAMO–17–142056D**Matrix:** WATER**Level:** Low**Sample ID:** 429452001**Duplicate ID:** 1203859387**Percent Solids for Dup:** N/A

Analyte	Units	Acceptance Limit	Sample Result	C	Duplicate Result	C	RPD	Qual	M*
Mercury	ug/L		0.067	U	0.067	U			AV

*Analytical Methods:

AV EPA 245.1/245.2

METALS

-7-

Laboratory Control Sample Summary

SDG NO. 2017-2224

Contract: ESHL00114

Aqueous LCS Source: O2Si

Solid LCS Source:

<u>Sample ID</u>	<u>Analyte</u>	<u>Units</u>	<u>True Value</u>	<u>Result</u>	<u>C</u>	<u>% Recovery</u>	<u>Acceptance Limit</u>	<u>M*</u>
1203846301								
	Antimony	ug/L	50	48.2		96.4	80-120	MS
	Arsenic	ug/L	50	50.2		100	80-120	MS
	Cadmium	ug/L	50	51.7		103	80-120	MS
	Chromium	ug/L	50	48.5		97.1	80-120	MS
	Lead	ug/L	50	50.5		101	80-120	MS
	Molybdenum	ug/L	50	50.2		100	80-120	MS
	Nickel	ug/L	50	50.7		101	80-120	MS
	Selenium	ug/L	50	49.5		99.1	80-120	MS
	Silver	ug/L	50	53		106	80-120	MS
	Thallium	ug/L	50	48.1		96.2	80-120	MS
	Uranium	ug/L	50	49.2		98.3	80-120	MS

*Analytical Methods:

MS SW846 3005A/6020A

METALS

-7-

Laboratory Control Sample Summary

SDG NO. 2017-2224

Contract: ESHL00114

Aqueous LCS Source:OS2I

Solid LCS Source:

<u>Sample ID</u>	<u>Analyte</u>	<u>Units</u>	<u>True Value</u>	<u>Result</u>	<u>C</u>	<u>% Recovery</u>	<u>Acceptance Limit</u>	<u>M*</u>
1203846319								
	Aluminum	ug/L	5000	4820		96.4	80-120	P
	Barium	ug/L	500	484		96.8	80-120	P
	Beryllium	ug/L	500	476		95.1	80-120	P
	Boron	ug/L	500	493		98.6	80-120	P
	Calcium	ug/L	5000	4840		96.8	80-120	P
	Cobalt	ug/L	500	501		100	80-120	P
	Copper	ug/L	500	496		99.2	80-120	P
	Iron	ug/L	5000	4940		98.8	80-120	P
	Magnesium	ug/L	5000	4930		98.6	80-120	P
	Manganese	ug/L	500	490		98	80-120	P
	Potassium	ug/L	5000	4760		95.2	80-120	P
	Silica	ug/L	10700	10000		93.4	80-120	P
	Sodium	ug/L	5000	4760		95.3	80-120	P
	Strontium	ug/L	500	495		99.1	80-120	P
	Tin	ug/L	500	476		95.1	80-120	P
	Vanadium	ug/L	500	487		97.4	80-120	P
	Zinc	ug/L	500	465		93	80-120	P

*Analytical Methods:

P SW846 3005A/6010C

METALS

-7-

Laboratory Control Sample Summary

SDG NO. 2017-2224

Contract: ESHL00114

Aqueous LCS Source: GEL

Solid LCS Source:

<u>Sample ID</u>	<u>Analyte</u>	<u>Units</u>	<u>True Value</u>	<u>Result</u>	<u>C</u>	<u>% Recovery</u>	<u>Acceptance Limit</u>	<u>M*</u>
1203859386	Mercury	ug/L	2	2.15		108	85-115	AV

*Analytical Methods:

AV EPA 245.1/245.2

METALS

-9-

Serial Dilution Sample Summary

SDG NO. 2017-2224 **Client ID:** CAMO-17-141979L

Contract: ESHL00114

Matrix: LIQUID **Level:** Low

Sample ID: 429324001 **Serial Dilution ID:** 1203846304

<u>Analyte</u>	<u>Initial Value ug/L</u>	<u>C</u>	<u>Serial Value ug/L</u>	<u>C</u>	<u>% Difference</u>	<u>Qual</u>	<u>Acceptance Limit</u>	<u>M*</u>
Antimony	1	U	5	U				MS
Arsenic	2	U	10	U				MS
Cadmium	.3	U	1.5	U				MS
Chromium	793		795		.308		10	MS
Lead	.5	U	2.5	U				MS
Molybdenum	.518		1	U	11.969			MS
Nickel	19.6		19.4		1.375			MS
Selenium	2	U	10	U				MS
Silver	.3	U	1.5	U				MS
Thallium	.6	U	3	U				MS
Uranium	.837		.87	J	3.943			MS

*Analytical Methods:

MS SW846 3005A/6020A

METALS

-9-

Serial Dilution Sample Summary

SDG NO. 2017-2224

Client ID: CAMO-17-141979L

Contract: ESHL00114

Matrix: LIQUID

Level: Low

Sample ID: 429324001

Serial Dilution ID: 1203846322

<u>Analyte</u>	<u>Initial Value ug/L</u>	<u>C</u>	<u>Serial Value ug/L</u>	<u>C</u>	<u>% Difference</u>	<u>Qual</u>	<u>Acceptance Limit</u>	<u>M*</u>
Aluminum	68	U	340	U				P
Barium	57.6		57.8		.352		10	P
Beryllium	1	U	5	U				P
Boron	16.7	J	75	U	4.544			P
Calcium	30800		30200		1.764		10	P
Cobalt	1	U	5	U				P
Copper	3	U	15	U				P
Iron	30	U	150	U				P
Magnesium	12100		11800		1.978		10	P
Manganese	2	U	10	U				P
Potassium	2470		2710		9.808			P
Silica	65900		63100		4.265		10	P
Sodium	59200		55200		6.741		10	P
Strontium	157		154		1.916		10	P
Tin	3.74	J	12.5	U	12.37			P
Vanadium	3.6	J	5	U	81.861			P
Zinc	3.3	U	16.6	J				P

*Analytical Methods:

P SW846 3005A/6010C

METALS

-9-

Serial Dilution Sample Summary

SDG NO. 2017-2224 **Client ID:** CAMO-17-142056L**Contract:** ESHL00114**Matrix:** LIQUID **Level:** Low**Sample ID:** 429452001 **Serial Dilution ID:** 1203859391

<u>Analyte</u>	<u>Initial Value ug/L</u>	<u>C</u>	<u>Serial Value ug/L</u>	<u>C</u>	<u>% Difference</u>	<u>Qual</u>	<u>Acceptance Limit</u>	<u>M*</u>
Mercury	.067	U	.335	U				AV

*Analytical Methods:

AV EPA 245.1/245.2

General Chem Analysis

Case Narrative

**General Chemistry
Technical Case Narrative
ARS International, LLC (ARSL)
SDG #: 2017-2224
Work Order #: 429458**

Method/Analysis Information

Product: Carbon and Total Organic

Analytical Batch: 1688478

Method: SW 9060 Total Organic Carbon

Sample Analysis

The following samples were analyzed using the analytical protocol as established in SW-846:9060:

Sample ID	Client ID
429458002	CAMO-17-141988
429458004	CASA-17-142021
1203846820	Method Blank (MB)
1203846821	Laboratory Control Sample (LCS)
1203846822	429324003(CAMO-17-142312) Sample Duplicate (DUP)
1203846823	429607002(NonSDG) Sample Duplicate (DUP)
1203846824	429324003(CAMO-17-142312) Post Spike (PS)
1203846825	429607002(NonSDG) Post Spike (PS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-093 REV# 15.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Carbon analysis was performed on a O-I Analytical 1030W Carbon Analyzer.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Quality Control (QC) Information**Method Blank (MB) Statement**

The MBs analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

Quality Control (QC) Designation

Samples 429324003 (CAMO-17-142312) and 429607002 (NonSDG) were selected for QC analysis.

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recoveries for this sample set were within the required acceptance limits where applicable.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The following samples 1203846823 (Non SDG 429607002DUP) and 1203846825 (Non SDG 429607002PS) in this sample group were diluted due to matrix interference. Dilutions may be required for many reasons, including to minimize matrix interferences or to bring over range target analyte concentrations into the linear calibration range.

Sample Re-analysis

Samples were re-analyzed due to CCV failure. The reanalysis data with passing instrument QC was reported.

Miscellaneous Information**Additional Comments**

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an

effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product:	Cyanide and Total		
Analytical Batch:	1688104	Method:	WSP-CN(T)
Prep Batch :	1688103	Method:	EPA 335.4

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 335.4 1993:

Sample ID	Client ID
429458002	CAMO-17-141988
429458004	CASA-17-142021
1203845280	Method Blank (MB)
1203845281	Laboratory Control Sample (LCS)
1203845283	429458002(CAMO-17-141988) Sample Duplicate (DUP)
1203845285	429458002(CAMO-17-141988) Matrix Spike (MS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-095 REV# 20.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Flow Injection analysis was performed on a Lachat QuickChem FIA+ 8000 Series.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

Sample 429458002 (CAMO-17-141988) was selected for QC analysis.

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The percent recoveries (%R) obtained from the spike analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. The matrix spike recovered outside of the established acceptance limits due to matrix interference and/or non-homogeneity.

Analyte	Sample	Value
Cyanide, Total	1203845285 (CAMO-17-141988MS)	115* (90%-110%)

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

Sample 1203845281 (LCS) was re-analyzed due to instrument failure. The results from the reanalysis are reported.

Miscellaneous Information**Additional Comments**

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an

effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Ion Chromatography
Analytical Batch: 1688926 and 1691711 **Method:** WSP-ANIONS

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA:300.0:

Sample ID	Client ID
429458001	CAMO-17-141972
429458003	CASA-17-142013
1203847183	Method Blank (MB)
1203854051	Method Blank (MB)
1203847184	Laboratory Control Sample (LCS)
1203854052	Laboratory Control Sample (LCS)
1203847185	429266001(CASA-17-142030) Sample Duplicate (DUP)
1203854053	429458003(CASA-17-142013) Sample Duplicate (DUP)
1203847187	429266001(CASA-17-142030) Post Spike (PS)
1203854054	429458003(CASA-17-142013) Post Spike (PS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-086 REV# 25.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Ion Chromatography analysis was performed on a Dionex ICS-1600 Ion Chromatograph.

The Ion Chromatography analysis was performed on a Dionex ICS-3000 Ion Chromatograph.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information**Method Blank (MB) Statement**

The MBs analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recoveries met the acceptance limits.

Quality Control (QC) Designation

Samples 429266001 (CASA-17-142030) and 429458003 (CASA-17-142013) were selected for QC analysis.

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recoveries for this sample set were within the required acceptance limits where applicable.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Dilutions

The following samples 429458001 (CAMO-17-141972), 1203854053 (CASA-17-142013DUP), 1203854054 (CASA-17-142013PS) and 429458003 (CASA-17-142013) were diluted because target analyte concentrations exceeded the calibration range. Dilutions may be required for many reasons, including to minimize matrix interferences or to bring over range target analyte concentrations into the linear calibration range.

Analyte	429458	
	001	003
Chloride	2X	10X
Sulfate	2X	10X

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information

Manual Integrations

Samples 1203847185 (CASA-17-142030DUP), 1203847187 (CASA-17-142030PS), 429458001 (CAMO-17-141972), 1203854053 (CASA-17-142013DUP), 1203854054 (CASA-17-142013PS) and 429458003 (CASA-17-142013) were manually integrated to correctly position the baseline as set in the calibration standards.

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product:	Ammonia Nitrogen		
Analytical Batch:	1692774	Method:	NH3
Prep Batch :	1692772	Method:	EPA 350.1 Prep

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA:350.1:

Sample ID	Client ID
429458001	CAMO-17-141972
429458003	CASA-17-142013
1203856520	Method Blank (MB)
1203856521	Laboratory Control Sample (LCS)
1203856522	429712005(NonSDG) Sample Duplicate (DUP)
1203856523	429317001(CAMO-17-142070) Sample Duplicate (DUP)
1203856524	429712005(NonSDG) Matrix Spike (MS)
1203856525	429317001(CAMO-17-142070) Matrix Spike (MS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-106 REV# 9.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Nutrient analysis was performed on a Lachat QuickChem FIA+ 8000 Series.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within

acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

Samples 429317001 (CAMO-17-142070) and 429712005 (NonSDG) were selected for QC analysis.

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recoveries for this sample set were within the required acceptance limits where applicable.

Duplicate Relative Percent Difference (RPD) Statement

The Relative Percent Difference (RPD) between the sample and duplicate falls outside of the established acceptance limits because of the heterogeneous matrix of the sample:

Analyte	Sample	Value
Nitrogen, Ammonia	1203856523 (CAMO-17-142070DUP)	abs(.0818 - .0235)* (+/- .05 mg/L)

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product:	Total Kjeldahl Nitrogen		
Analytical Batch:	1692759	Method:	TKN
Prep Batch :	1692758	Method:	EPA 351.2 Prep

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA:351.2:

Sample ID	Client ID
429458002	CAMO-17-141988
429458004	CASA-17-142021
1203856478	Method Blank (MB)
1203856479	Laboratory Control Sample (LCS)
1203856480	429266002(CASA-17-142037) Sample Duplicate (DUP)
1203856481	429266002(CASA-17-142037) Matrix Spike (MS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-104 REV# 14.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Nutrient analysis was performed on a Lachat QuickChem FIA+ 8000 Series.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Calibration Verification Information

All associated calibration verification standard(s) (ICV or CCV) met the acceptance criteria.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

Sample 429266002 (CASA-17-142037) was selected for QC analysis.

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The percent recoveries (%R) obtained from the spike analyses are evaluated when the sample concentration is less than four times (4X) the spike concentration added. The matrix spike recovered outside of the established acceptance limits due to matrix interference and/or non-homogeneity. 1203856481 (CASA-17-142037MS).

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

Samples 1203856478 (MB), 1203856479 (LCS), 1203856480 (CASA-17-142037DUP), 1203856481 (CASA-17-142037MS) and 429458002 (CAMO-17-141988) were re-analyzed due to CCV failure. The reanalysis data with passing instrument QC was reported.

Miscellaneous Information

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Nitrate Nitrite by Cadmium Reduction

Analytical Batch: 1689332

Method: NO3NO2

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA:353.2:

Sample ID	Client ID
429458001	CAMO-17-141972
429458003	CASA-17-142013
1203848257	Method Blank (MB)
1203848258	Laboratory Control Sample (LCS)
1203848259	429452001(CAMO-17-142056) Sample Duplicate (DUP)
1203848262	429452001(CAMO-17-142056) Post Spike (PS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-128 REV# 9.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Nutrient analysis was performed on a Lachat QuickChem FIA+ 8500 Series.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Calibration Verification Information

All associated calibration verification standard(s) (ICV or CCV) met the acceptance criteria.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information**Method Blank (MB) Statement**

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

Sample 429452001 (CAMO-17-142056) was selected for QC analysis.

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recovery for this sample set was within the required acceptance limits where applicable.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The following samples 429458001 (CAMO-17-141972) and 429458003 (CASA-17-142013) were diluted because target analyte concentrations exceeded the calibration range. Dilutions may be required for many reasons, including to minimize matrix interferences or to bring over range target analyte concentrations into the linear calibration range.

Analyte	429458	
	001	003
Nitrogen, Nitrate/Nitrite	10X	5X

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Additional Comments**

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product:	Total Phosphorus		
Analytical Batch:	1692781	Method:	PO4
Prep Batch :	1692780	Method:	EPA 365.4 Prep

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 365.4 1974:

Sample ID	Client ID
429458001	CAMO-17-141972
429458003	CASA-17-142013
1203856557	Method Blank (MB)
1203856558	Laboratory Control Sample (LCS)
1203856559	429324001(CAMO-17-141979) Sample Duplicate (DUP)
1203856560	429324005(CAMO-17-141985) Sample Duplicate (DUP)
1203856561	429324001(CAMO-17-141979) Matrix Spike (MS)
1203856562	429324005(CAMO-17-141985) Matrix Spike (MS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-103 REV# 10.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Nutrient analysis was performed on a Lachat QuickChem FIA+ 8000 Series.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Continuing Calibration Blanks

All continuing calibration blanks (CCBs) associated with reported data from this batch were within acceptance limits.

Calibration Verification Information (CCV)

All continuing calibration verification standards (CCVs) associated with reported data from this batch were within

acceptance limits.

Y Intercept Rule

The absolute value of the intercept is less than 3 times the MDL.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

Samples 429324001 (CAMO-17-141979) and 429324005 (CAMO-17-141985) were selected for QC analysis.

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recoveries for this sample set were within the required acceptance limits where applicable.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Preservation/Integrity

All the samples from this sample group met the preservation and integrity requirements of the method.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages

electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Solids and Total Dissolved

Analytical Batch: 1688433

Method: TDS

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA:160.1:

Sample ID	Client ID
429458001	CAMO-17-141972
429458003	CASA-17-142013
1203846055	Method Blank (MB)
1203846056	Laboratory Control Sample (LCS)
1203846057	429324004(CAMO-17-142780) Sample Duplicate (DUP)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-001 REV# 15.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Solids analysis was performed on a Sartorius Balance BAL216. Solids lab

Initial Calibration

All initial calibration requirements have been met for this SDG.

Quality Control (QC) Information

Method Blank (MB) Statement

The MB analyzed with this SDG met the acceptance criteria.

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Consecutive Weight Checks

All consecutive weight checks were met.

Quality Control (QC) Designation

Sample 429324004 (CAMO-17-142780) was selected for QC analysis.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Additional Comments**

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Specific Conductivity

Analytical Batch: 1688310

Method: EPA120.1 Specific Conductivity

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA:120.1:

Sample ID	Client ID
429458001	CAMO-17-141972
429458003	CASA-17-142013
1203845787	Laboratory Control Sample (LCS)
1203845788	429266001(CASA-17-142030) Sample Duplicate (DUP)
1203849533	429570001(CAMO-17-141977) Sample Duplicate (DUP)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-009 REV# 14.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Titration and Ion analysis was performed on a Orion 160 Conductivity Meter.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Initial Standardization

The titrant was properly standardized

Quality Control (QC) Information

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

Samples 429266001 (CASA-17-142030) and 429570001 (CAMO-17-141977) were selected for QC analysis.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Additional Comments**

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: pH

Analytical Batch: 1689899 **Method:** PH

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA 150.1 1982:

Sample ID	Client ID
429458001	CAMO-17-141972
429458003	CASA-17-142013
1203849604	Laboratory Control Sample (LCS)
1203849605	429324004(CAMO-17-142780) Sample Duplicate (DUP)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-008 REV# 22.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Titration and Ion analysis was performed on a Thermo Orion Star A111. Immediates

Initial Calibration

All initial calibration requirements have been met for this SDG.

Initial Standardization

The titrant was properly standardized

Quality Control (QC) Information

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

Sample 429324004 (CAMO-17-142780) was selected for QC analysis.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

Samples (See Below) were received by the laboratory outside of the method specified holding time. The data is qualified.

Sample	Analyte	Value
1203849605 (CAMO-17-142780DUP)	pH	Received 01-AUG-17, out of holding 28-JUL-17
429458001 (CAMO-17-141972)	pH	Received 02-AUG-17, out of holding 31-JUL-17
429458003 (CASA-17-142013)	pH	Received 02-AUG-17, out of holding 31-JUL-17

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information

Additional Comments

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Method/Analysis Information

Product: Alkalinity

Analytical Batch: 1689894 **Method:** EPA 310.1 Total Alkalinity

Sample Analysis

The following samples were analyzed using the analytical protocol as established in EPA:310.1:

Sample ID	Client ID
429458001	CAMO-17-141972
429458003	CASA-17-142013
1203849598	Laboratory Control Sample (LCS)
1203849600	429324004(CAMO-17-142780) Sample Duplicate (DUP)
1203849601	429324004(CAMO-17-142780) Matrix Spike (MS)

The samples in this SDG were analyzed on an "as received" basis.

SOP Reference

Procedure for preparation, analysis and reporting of analytical data are controlled by GEL Laboratories LLC as Standard Operating Procedure (SOP). The data discussed in this narrative has been analyzed in accordance with GL-GC-E-033 REV# 13.

Preparation/Analytical Method Verification

The SOP stated above has been prepared based on technical research and testing conducted by GEL Laboratories, LLC. and with guidance from the regulatory documents listed in this "Method/Analysis Information" section.

Calibration Information

The Titration and Ion analysis was performed on a Electronic bottle-top buret.

Initial Calibration

All initial calibration requirements have been met for this SDG.

Initial Standardization

The titrant was properly standardized

Quality Control (QC) Information

Laboratory Control Sample Duplicate (LCSD)

An LCSD was not used in place of matrix QC.

Laboratory Control Sample (LCS) Recovery

The LCS spike recovery met the acceptance limits.

Quality Control (QC) Designation

Sample 429324004 (CAMO-17-142780) was selected for QC analysis.

Matrix Spike (MS)/Post Spike (PS) Recovery Statement

The MS/PS recovery for this sample set was within the required acceptance limits where applicable.

Duplicate Relative Percent Difference (RPD) Statement

The RPD between the sample and its duplicate met the acceptance limits.

Technical Information

GEL assigns holding times based on the date and time of sample collection. Those holding times expressed in hours are calculated in the AlphaLims system by hours. Those holding times expressed as days expire at midnight on the day of expiration.

Holding Times

All samples in this SDG met the specified holding time.

Sample Dilutions

The samples in this SDG did not require dilutions.

Sample Re-analysis

The samples in this SDG did not require re-analysis.

Miscellaneous Information**Additional Comments**

Additional comments were not required for this SDG.

Electronic Packaging Comment

This data package was generated using an electronic data processing program referred to as virtual packaging. In an effort to increase quality and efficiency, the laboratory has developed systems to generate all data packages electronically. The following change from traditional packages should be noted:

Analyst/peer reviewer initials and dates are not present on the electronic data files. Presently, all initials and dates are present on the original raw data. These hard copies are temporarily stored in the laboratory. The data validator will always sign and date the case narrative. Data that are not generated electronically, such as hand written pages, will be scanned and inserted into the electronic package.

Certification Statement

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless otherwise noted in the analytical case narrative.

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Qualifier Definition Report for

ARSL004 ARS International, LLC (ARS-LANS-MTOA6-25093-GEL)

Client SDG: 2017-2224 GEL Work Order: 429458

The Qualifiers in this report are defined as follows:

- * A quality control analyte recovery is outside of specified acceptance criteria
- H Analytical holding time was exceeded
- J Value is estimated
- U Analyte was analyzed for, but not detected above the MDL, MDA, MDC or LOD.

Review/Validation

GEL requires all analytical data to be verified by a qualified data reviewer. In addition, all CLP-like deliverables receive a third level review of the fractional data package.

The following data validator verified the information presented in this data report:

Signature: 

Name: Kristen Mizzell

Date: 25 AUG 2017

Title: Analyst I

Sample Data Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: August 25, 2017

Company : Los Alamos National Laboratory
Address : TA-00, SM1237, Rm104C

Los Alamos, New Mexico 87545
Contact: Ms. Nita Patel
Project: LANL- WQH Water Samples

Client SDG: 2017-2224

Client Sample ID: CAMO-17-141972
Sample ID: 429458001
Matrix: W
Collect Date: 31-JUL-17 10:32
Receive Date: 02-AUG-17
Collector: Client

Project: ESHL00114
Client ID: ARSL004

Parameter	Qualifier	Result	DL	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Ion Chromatography												
WSP-ANIONS "As Received"												
Bromide	J	0.197	0.067	0.200	mg/L		1	MXL2	08/05/17	1500	1688926	1
Fluoride		0.120	0.033	0.100	mg/L		1					
Chloride		12.9	0.134	0.400	mg/L		2	MXL2	08/07/17	1944	1688926	2
Sulfate		25.7	0.266	0.800	mg/L		2					
Nutrient Analysis												
NH3 "As Received"												
Nitrogen, Ammonia		0.202	0.017	0.050	mg/L	1.00	1	KLP1	08/22/17	1217	1692774	3
NO3NO2 "As Received"												
Nitrogen, Nitrate/Nitrite		11.2	0.170	0.500	mg/L		10	AXH3	08/08/17	0934	1689332	4
PO4 "As Received"												
Phosphorus, Total as P	J	0.0236	0.020	0.050	mg/L	1.00	1	KLP1	08/23/17	1107	1692781	5
Solids Analysis												
TDS "As Received"												
Total Dissolved Solids		257	3.40	14.3	mg/L			KLP1	08/04/17	1513	1688433	6
Titration and Ion Analysis												
EPA 310.1 Total Alkalinity "As Received"												
Alkalinity, Total as CaCO3		61.9	1.45	4.00	mg/L			RXB5	08/10/17	1830	1689894	7
Carbonate alkalinity (CaCO3)		12.9	1.45	4.00	mg/L							
EPA120.1 Specific Conductivity "As Received"												
Conductivity		337	1.00	1.00	umhos/cm		1	VH1	08/08/17	1508	1688310	8
PH "As Received"												
pH at Temp 18.5C	H	8.84	0.010	0.100	SU		1	RXB5	08/10/17	1906	1689899	9

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 350.1 Prep	EPA 350.1 Ammonia Nitrogen Prep	AXH3	08/22/17	0952	1692772
EPA 365.4 Prep	EPA 365.4 Phosphorus, Total in liquid PR	KLP1	08/22/17	1700	1692780

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: August 25, 2017

Company : Los Alamos National Laboratory
Address : TA-00, SM1237, Rm104C

Los Alamos, New Mexico 87545
Contact: Ms. Nita Patel
Project: LANL- WQH Water Samples

Client SDG: 2017-2224

Client Sample ID: CAMO-17-141972
Sample ID: 429458001

Project: ESHL00114
Client ID: ARSL004

Parameter	Qualifier	Result	DL	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
The following Analytical Methods were performed:												
Method	Description					Analyst Comments						
1	EPA:300.0											
2	EPA:300.0											
3	EPA:350.1											
4	EPA:353.2											
5	EPA 365.4 1974											
6	EPA:160.1											
7	EPA:310.1											
8	EPA:120.1											
9	EPA 150.1 1982											

Notes:

Column headers are defined as follows:

DF: Dilution Factor

DL: Detection Limit

MDA: Minimum Detectable Activity

MDC: Minimum Detectable Concentration

Lc/LC: Critical Level

PF: Prep Factor

RL: Reporting Limit

SQL: Sample Quantitation Limit

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: August 25, 2017

Company : Los Alamos National Laboratory
Address : TA-00, SM1237, Rm104C

Los Alamos, New Mexico 87545
Contact: Ms. Nita Patel
Project: LANL- WQH Water Samples

Client SDG: 2017-2224

Client Sample ID: CAMO-17-141988
Sample ID: 429458002
Matrix: W
Collect Date: 31-JUL-17 10:32
Receive Date: 02-AUG-17
Collector: Client

Project: ESHL00114
Client ID: ARSL004

Parameter	Qualifier	Result	DL	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Carbon Analysis												
SW 9060 Total Organic Carbon "As Received"												
Total Organic Carbon Average	J	0.341	0.330	1.00	mg/L		1	TSM	08/16/17	0133	1688478	1
Flow Injection Analysis												
WSP-CN(T) "As Received"												
Cyanide, Total	J	3.33	1.67	5.00	ug/L	1.00	1	AXH3	08/08/17	0822	1688104	2
Nutrient Analysis												
TKN "As Received"												
Nitrogen, Total Kjeldahl	U	ND	0.033	0.100	mg/L	1.00	1	KLP1	08/24/17	1527	1692759	3

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 335.4	EPA 335.4 Total Cyanide	AXH3	08/07/17	1138	1688103
EPA 351.2 Prep	EPA 351.2 Total Kjeldahl Nitrogen Prep	KLP1	08/23/17	1700	1692758

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW-846:9060	
2	EPA 335.4 1993	
3	EPA:351.2	

Notes:

Column headers are defined as follows:

DF: Dilution Factor	Lc/LC: Critical Level
DL: Detection Limit	PF: Prep Factor
MDA: Minimum Detectable Activity	RL: Reporting Limit
MDC: Minimum Detectable Concentration	SQL: Sample Quantitation Limit

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: August 25, 2017

Company : Los Alamos National Laboratory
Address : TA-00, SM1237, Rm104C

Los Alamos, New Mexico 87545
Contact: Ms. Nita Patel
Project: LANL- WQH Water Samples

Client SDG: 2017-2224

Client Sample ID: CASA-17-142013
Sample ID: 429458003
Matrix: W
Collect Date: 31-JUL-17 12:44
Receive Date: 02-AUG-17
Collector: Client

Project: ESHL00114
Client ID: ARSL004

Parameter	Qualifier	Result	DL	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Ion Chromatography												
WSP-ANIONS "As Received"												
Bromide		0.664	0.067	0.200	mg/L		1	MXL2	08/15/17	0448	1691711	1
Fluoride		0.107	0.033	0.100	mg/L		1					
Chloride		69.7	0.670	2.00	mg/L		10	MXL2	08/15/17	1458	1691711	2
Sulfate		86.7	1.33	4.00	mg/L		10					
Nutrient Analysis												
NH3 "As Received"												
Nitrogen, Ammonia	U	ND	0.017	0.050	mg/L	1.00	1	KLP1	08/22/17	1218	1692774	3
NO3NO2 "As Received"												
Nitrogen, Nitrate/Nitrite		3.84	0.085	0.250	mg/L		5	AXH3	08/08/17	0935	1689332	4
PO4 "As Received"												
Phosphorus, Total as P	J	0.0222	0.020	0.050	mg/L	1.00	1	KLP1	08/23/17	1108	1692781	5
Solids Analysis												
TDS "As Received"												
Total Dissolved Solids		447	3.40	14.3	mg/L			KLP1	08/04/17	1513	1688433	6
Titration and Ion Analysis												
EPA 310.1 Total Alkalinity "As Received"												
Alkalinity, Total as CaCO3		89.8	1.45	4.00	mg/L			RXB5	08/10/17	1835	1689894	7
Carbonate alkalinity (CaCO3)	U	ND	1.45	4.00	mg/L							
EPA120.1 Specific Conductivity "As Received"												
Conductivity		678	1.00	1.00	umhos/cm		1	VH1	08/08/17	1508	1688310	8
PH "As Received"												
pH at Temp 18.2C	H	7.68	0.010	0.100	SU		1	RXB5	08/10/17	1906	1689899	9

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 350.1 Prep	EPA 350.1 Ammonia Nitrogen Prep	AXH3	08/22/17	0952	1692772
EPA 365.4 Prep	EPA 365.4 Phosphorus, Total in liquid PR	KLP1	08/22/17	1700	1692780

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: August 25, 2017

Company : Los Alamos National Laboratory
Address : TA-00, SM1237, Rm104C

Los Alamos, New Mexico 87545
Contact: Ms. Nita Patel
Project: LANL- WQH Water Samples

Client SDG: 2017-2224

Client Sample ID: CASA-17-142013
Sample ID: 429458003

Project: ESHL00114
Client ID: ARSL004

Parameter	Qualifier	Result	DL	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
The following Analytical Methods were performed:												
Method	Description					Analyst Comments						
1	EPA:300.0											
2	EPA:300.0											
3	EPA:350.1											
4	EPA:353.2											
5	EPA 365.4 1974											
6	EPA:160.1											
7	EPA:310.1											
8	EPA:120.1											
9	EPA 150.1 1982											

Notes:

Column headers are defined as follows:

DF: Dilution Factor

DL: Detection Limit

MDA: Minimum Detectable Activity

MDC: Minimum Detectable Concentration

Lc/LC: Critical Level

PF: Prep Factor

RL: Reporting Limit

SQL: Sample Quantitation Limit

GEL LABORATORIES LLC

2040 Savage Road Charleston SC 29407 - (843) 556-8171 - www.gel.com

Certificate of Analysis

Report Date: August 25, 2017

Company : Los Alamos National Laboratory
Address : TA-00, SM1237, Rm104C

Los Alamos, New Mexico 87545

Contact: Ms. Nita Patel

Client SDG: 2017-2224

Project: LANL- WQH Water Samples

Client Sample ID: CASA-17-142021

Project: ESHL00114

Sample ID: 429458004

Client ID: ARSL004

Matrix: W

Collect Date: 31-JUL-17 12:44

Receive Date: 02-AUG-17

Collector: Client

Parameter	Qualifier	Result	DL	RL	Units	PF	DF	Analyst	Date	Time	Batch	Method
Carbon Analysis												
SW 9060 Total Organic Carbon "As Received"												
Total Organic Carbon Average	J	0.776	0.330	1.00	mg/L		1	TSM	08/16/17	0243	1688478	1
Flow Injection Analysis												
WSP-CN(T) "As Received"												
Cyanide, Total		6.87	1.67	5.00	ug/L	1.00	1	AXH3	08/08/17	0826	1688104	2
Nutrient Analysis												
TKN "As Received"												
Nitrogen, Total Kjeldahl	U	ND	0.033	0.100	mg/L	1.00	1	KLP1	08/24/17	1530	1692759	3

The following Prep Methods were performed:

Method	Description	Analyst	Date	Time	Prep Batch
EPA 335.4	EPA 335.4 Total Cyanide	AXH3	08/07/17	1138	1688103
EPA 351.2 Prep	EPA 351.2 Total Kjeldahl Nitrogen Prep	KLP1	08/23/17	1700	1692758

The following Analytical Methods were performed:

Method	Description	Analyst Comments
1	SW-846:9060	
2	EPA 335.4 1993	
3	EPA:351.2	

Notes:

Column headers are defined as follows:

DF: Dilution Factor

Lc/LC: Critical Level

DL: Detection Limit

PF: Prep Factor

MDA: Minimum Detectable Activity

RL: Reporting Limit

MDC: Minimum Detectable Concentration

SQL: Sample Quantitation Limit

Quality Control Summary

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Report Date: August 25, 2017

Page 1 of 8

Los Alamos National Laboratory
TA-00, SM1237, Rm104C
Los Alamos, New Mexico

Contact: Ms. Nita Patel

Workorder: 429458

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Carbon Analysis											
Batch	1688478										
QC1203846822	429324003	DUP									
Total Organic Carbon Average		U	ND	U	ND	mg/L	N/A		TSM	08/15/17	20:51
QC1203846823	429607002	DUP									
Total Organic Carbon Average			17.2		17.1	mg/L	0.175 ^	(+/-10.0)		08/16/17	06:37
QC1203846821	LCS										
Total Organic Carbon Average	10.0				9.54	mg/L		95.4 (80%-120%)		08/15/17	19:52
QC1203846820	MB										
Total Organic Carbon Average			U		ND	mg/L				08/15/17	19:41
QC1203846824	429324003	PS									
Total Organic Carbon Average	10.0	U	ND		10.3	mg/L		100 (75%-125%)		08/15/17	21:38
QC1203846825	429607002	PS									
Total Organic Carbon Average	10.0		1.72		11.8	mg/L		100 (75%-125%)		08/16/17	07:24
Flow Injection Analysis											
Batch	1688104										
QC1203845283	429458002	DUP									
Cyanide, Total		J	3.33	J	3.20	ug/L	3.98 ^	(+/-5.00)	AXH3	08/08/17	08:24
QC1203845281	LCS										
Cyanide, Total	50.0				54.4	ug/L		109 (90%-110%)		08/08/17	08:07
QC1203845280	MB										
Cyanide, Total			U		ND	ug/L				08/08/17	07:48
QC1203845285	429458002	MS									
Cyanide, Total	100	J	3.33		118	ug/L		115* (90%-110%)		08/08/17	08:25

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 429458

Page 2 of 8

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Ion Chromatography											
Batch	1688926										
QC1203847185	429266001	DUP									
Bromide	J	0.0824	J	0.0873	mg/L	5.77	^	(+/-0.200)	MXL2	08/05/17	09:13
Chloride		7.35		7.35	mg/L	0.106		(0%-20%)			
Fluoride		0.283		0.284	mg/L	0.423	^	(+/-0.100)			
Sulfate		9.34		9.27	mg/L	0.742		(0%-20%)			
QC1203847184	LCS										
Bromide	1.25			1.24	mg/L		99.3	(80%-120%)		08/05/17	08:15
Chloride	5.00			4.70	mg/L		94.1	(80%-120%)			
Fluoride	2.50			2.37	mg/L		94.7	(80%-120%)			
Sulfate	10.0			9.82	mg/L		98.2	(80%-120%)			
QC1203847183	MB										
Bromide			U	ND	mg/L					08/05/17	07:47
Chloride			U	ND	mg/L						
Fluoride			U	ND	mg/L						
Sulfate			U	ND	mg/L						
QC1203847187	429266001	PS									
Bromide	1.25	J	0.0824	1.28	mg/L		96.2	(75%-125%)		08/05/17	09:42
Chloride	5.00		7.35	12.8	mg/L		110	(75%-125%)			

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 429458

Page 3 of 8

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Ion Chromatography											
Batch	1688926										
Fluoride	2.50	0.283		2.62	mg/L		93.6	(75%-125%)	MXL2	08/05/17	09:42
Sulfate	10.0	9.34		19.7	mg/L		103	(75%-125%)			
Batch	1691711										
QC1203854053	429458003	DUP									
Bromide		0.664		0.662	mg/L	0.317	^	(+/-0.200)	MXL2	08/15/17	05:17
Chloride		69.7		69.7	mg/L	0.023		(0%-20%)		08/15/17	15:27
Fluoride		0.107		0.104	mg/L	3.32	^	(+/-0.100)		08/15/17	05:17
Sulfate		86.7		86.7	mg/L	0.068		(0%-20%)		08/15/17	15:27
QC1203854052	LCS										
Bromide		1.25		1.27	mg/L		102	(80%-120%)		08/15/17	04:18
Chloride		5.00		4.65	mg/L		93	(80%-120%)			
Fluoride		2.50		2.38	mg/L		95.2	(80%-120%)			
Sulfate		10.0		9.61	mg/L		96.1	(80%-120%)			
QC1203854051	MB										
Bromide			U	ND	mg/L					08/15/17	03:49
Chloride			U	ND	mg/L						
Fluoride			U	ND	mg/L						
Sulfate			J	0.175	mg/L						

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 429458

Page 4 of 8

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Ion Chromatography											
Batch	1691711										
QC1203854054 429458003 PS											
Bromide	1.25	0.664		1.87	mg/L		96.1	(75%-125%)	MXL2	08/15/17	05:46
Chloride	5.00	6.97		12.5	mg/L		110	(75%-125%)		08/15/17	15:57
Fluoride	2.50	0.107		2.35	mg/L		89.6	(75%-125%)		08/15/17	05:46
Sulfate	10.0	8.67		19.2	mg/L		105	(75%-125%)		08/15/17	15:57
Nutrient Analysis											
Batch	1689332										
QC1203848259 429452001 DUP											
Nitrogen, Nitrate/Nitrite		0.466		0.468	mg/L	0.428		(0%-20%)	AXH3	08/08/17	09:31
QC1203848258 LCS											
Nitrogen, Nitrate/Nitrite	1.00			1.02	mg/L		102	(90%-110%)		08/08/17	09:24
QC1203848257 MB											
Nitrogen, Nitrate/Nitrite			U	ND	mg/L					08/08/17	09:23
QC1203848262 429452001 PS											
Nitrogen, Nitrate/Nitrite	1.00	0.466		1.48	mg/L		101	(90%-110%)		08/08/17	09:33
Batch	1692759										
QC1203856480 429266002 DUP											
Nitrogen, Total Kjeldahl		U	ND	U	ND	mg/L	N/A		KLP1	08/24/17	15:22
QC1203856479 LCS											
Nitrogen, Total Kjeldahl	1.00			1.02	mg/L		102	(90%-110%)		08/24/17	15:21
QC1203856478 MB											
Nitrogen, Total Kjeldahl			U	ND	mg/L					08/24/17	15:20

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 429458

Page 5 of 8

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Nutrient Analysis											
Batch	1692759										
QC1203856481	429266002	MS									
Nitrogen, Total Kjeldahl	1.00	U	ND	0.632	mg/L		63.2 *	(90%-110%)	KLP1	08/24/17	15:23
Batch	1692774										
QC1203856522	429712005	DUP									
Nitrogen, Ammonia			1.45	1.35	mg/L	7.14		(0%-20%)	KLP1	08/22/17	12:23
QC1203856523	429317001	DUP									
Nitrogen, Ammonia		J	0.0235	0.0818	mg/L	111 * ^		(+/-0.050)		08/22/17	12:08
QC1203856521	LCS										
Nitrogen, Ammonia	1.00			1.00	mg/L		100	(90%-110%)		08/22/17	12:07
QC1203856520	MB										
Nitrogen, Ammonia			U	ND	mg/L					08/22/17	12:06
QC1203856524	429712005	MS									
Nitrogen, Ammonia	1.00		1.45	2.47	mg/L		102	(90%-110%)		08/22/17	12:28
QC1203856525	429317001	MS									
Nitrogen, Ammonia	1.00	J	0.0235	1.02	mg/L		99.7	(90%-110%)		08/22/17	12:09
Batch	1692781										
QC1203856559	429324001	DUP									
Phosphorus, Total as P		U	ND	U	ND	mg/L	N/A		KLP1	08/23/17	10:57
QC1203856560	429324005	DUP									
Phosphorus, Total as P		U	ND	U	ND	mg/L	N/A			08/23/17	11:04
QC1203856558	LCS										
Phosphorus, Total as P	1.00			1.07	mg/L		107	(80%-124%)		08/23/17	10:55
QC1203856557	MB										
Phosphorus, Total as P			U	ND	mg/L					08/23/17	10:54

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 429458

Page 6 of 8

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Nutrient Analysis											
Batch	1692781										
QC1203856561	429324001	MS									
Phosphorus, Total as P	1.00	U	ND	1.07	mg/L		107	(63%-139%)	KLP1	08/23/17	10:58
QC1203856562	429324005	MS									
Phosphorus, Total as P	1.00	U	ND	1.06	mg/L		104	(63%-139%)		08/23/17	11:05
Solids Analysis											
Batch	1688433										
QC1203846057	429324004	DUP									
Total Dissolved Solids			177	181	mg/L	1.59		(0%-5%)	KLP1	08/04/17	15:13
QC1203846056	LCS										
Total Dissolved Solids	300			294	mg/L		98.1	(95%-105%)		08/04/17	15:13
QC1203846055	MB										
Total Dissolved Solids			U	ND	mg/L					08/04/17	15:13
Titration and Ion Analysis											
Batch	1688310										
QC1203845788	429266001	DUP									
Conductivity			193	198	umhos/cm	2.25		(0%-10%)	VH1	08/08/17	15:08
QC1203849533	429570001	DUP									
Conductivity			156	156	umhos/cm	0.128		(0%-10%)		08/08/17	15:08
QC1203845787	LCS										
Conductivity	1410			1450	umhos/cm		103	(95%-105%)		08/08/17	15:08
Batch	1689894										
QC1203849600	429324004	DUP									
Alkalinity, Total as CaCO3			58.9	58.5	mg/L	0.687		(0%-20%)	RXB5	08/10/17	18:19
Carbonate alkalinity (CaCO3)		U	ND	U	ND	mg/L	N/A				

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 429458

Page 7 of 8

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
Titration and Ion Analysis											
Batch	1689894										
QC1203849598	LCS										
Alkalinity, Total as CaCO3	100			109	mg/L		109	(90%-110%)	RXB5	08/10/17	18:08
QC1203849601	429324004	MS									
Alkalinity, Total as CaCO3	100	58.9		164	mg/L		105	(80%-120%)		08/10/17	18:20
Batch	1689899										
QC1203849605	429324004	DUP									
pH		H	7.90	H	7.94	SU	0.505	(0%-5%)	RXB5	08/10/17	19:06
QC1203849604	LCS										
pH	7.00			7.00	SU		100	(99%-101%)		08/10/17	19:05

Notes:

- < Result is less than value reported
- > Result is greater than value reported
- B The target analyte was detected in the associated blank.
- E General Chemistry--Concentration of the target analyte exceeds the instrument calibration range
- H Analytical holding time was exceeded
- J Value is estimated
- N/A RPD or %Recovery limits do not apply.
- N1 See case narrative
- ND Analyte concentration is not detected above the detection limit
- NJ Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Q One or more quality control criteria have not been met. Refer to the applicable narrative or DER.
- R Per section 9.3.4.1 of Method 1664 Revision B, due to matrix spike recovery issues, this result may not be reported or used for regulatory compliance purposes.
- R Sample results are rejected
- U Analyte was analyzed for, but not detected above the MDL, MDA, MDC or LOD.
- X Consult Case Narrative, Data Summary package, or Project Manager concerning this qualifier
- Z Paint Filter Test--Particulates passed through the filter, however no free liquids were observed.
- ^ RPD of sample and duplicate evaluated using +/-RL. Concentrations are <5X the RL. Qualifier Not Applicable for Radiochemistry.
- d 5-day BOD--The 2:1 depletion requirement was not met for this sample
- e 5-day BOD--Test replicates show more than 30% difference between high and low values. The data is qualified per the method and can be used for reporting purposes

GEL LABORATORIES LLC

2040 Savage Road Charleston, SC 29407 - (843) 556-8171 - www.gel.com

QC Summary

Workorder: 429458

Page 8 of 8

Parmname	NOM	Sample	Qual	QC	Units	RPD%	REC%	Range	Anlst	Date	Time
h	Preparation or preservation holding time was exceeded										

N/A indicates that spike recovery limits do not apply when sample concentration exceeds spike conc. by a factor of 4 or more or %RPD not applicable.
^ The Relative Percent Difference (RPD) obtained from the sample duplicate (DUP) is evaluated against the acceptance criteria when the sample is greater than five times (5X) the contract required detection limit (RL). In cases where either the sample or duplicate value is less than 5X the RL, a control limit of +/- the RL is used to evaluate the DUP result.

* Indicates that a Quality Control parameter was not within specifications.
For PS, PSD, and SDILT results, the values listed are the measured amounts, not final concentrations.

Where the analytical method has been performed under NELAP certification, the analysis has met all of the requirements of the NELAC standard unless qualified on the QC Summary.